GAGEN
& FRASER
TORONTO

P
Astron
Can

DEPARTMENT OF MARINE AND FISHERIES

REPORT

OF THE

METEOROLOGICAL SERVICE

OF

CANADA

BY

R. F. STUPART, Director

For the YEAR ENDED DECEMBER, 31, 1896

VOL. I.

49448
1901

OTTAWA
PRINTED BY S. E. DAWSON, PRINTER TO THE QUEEN'S MOST EXCELLENT MAJESTY
1898

CONTENTS

INTRODUCTION.

CLASSIFICATION OF CANADIAN STATIONS.

LIST OF STATIONS.

PART I.—Monthly and Annual Meteorological Summaries for Telegraph Reporting Stations and Ordinary Stations of the First Class during the year 1896.

PART II.—Monthly and Annual Meteorological Summaries for Stations of the Second Class during the year 1896.

PART III.—Bi-Hourly and Hourly Temperatures during the year 1896.

PART IV.—Mean Temperatures, Maximum, Minimum Temperatures, and Mean Daily Range of Temperature, Monthly and Annual amount of Rainfall and Snowfall in 1896, and amount of Sunshine registered in each day of the year 1896.

ERRATUM

On page 6, immediately under illustration, read description of Storm Signals as follows:—

No. 1.—Moderate gale at first from an Easterly or Southerly direction.
No. 2.—Moderate gale at first from a Westerly or Northerly direction.
No. 3.—Strong gale at first from an Easterly or Southerly direction.
No. 4.—Strong gale at first from a Westerly or Northerly direction.

INTRODUCTION.

Classification of Canadian Stations.

The classification which has obtained in the Meteorological Service of the Dominion of Canada is as follows:—

Chief Stations, where all the ordinary observations are taken day and night at equal intervals of time not exceeding four hours.

Telegraph Reporting Stations, where all the ordinary observations are taken three times daily at the same absolute time, namely, 8 A.M., 3 P.M. and 8 P.M., 75th Meridian time, and the first and last are reported by telegraph as soon as taken, to the Central Office at Toronto.

Ordinary Stations of the First Class, where all the ordinary observations are taken three times daily at certain local times.

Ordinary Stations of the Second Class, where regular observations of temperature, extremes of temperature, the direction and velocity of the wind, and the state of the weather, are taken three times daily at regular local times, the rainfall and snowfall also being measured.

Ordinary Stations of the Third Class, where records are kept of the fall of rain and snow, and the general state of the weather.

Stations in operation during 1896 with the Latitude, Longitude, and Height above sea when known, also the class of each Station.

(a) Chief Station—(I) First-class Station—(II Second-class Station—(III) Third-class Station—(T) Telegraph Station—(S) Sunshine registered.

STATIONS.	Latitude.	Longitude.	Height above Sea.	Class of Station.	Observer.
British Columbia.			Feet.		
Alberni	N. 49 15	W.124 49		II	Albert E. Reeve.
Abbottsford	49 32	122 16		II	S. M. Baiss.
Agassiz	49 14	121 48	52	II S	T. A. Sharpe.
Beaver Creek	49 22	124 34		III	Stanley R. S. Bayne.
Barkerville	53 2	121 35		II	James Stone.
Bella Coola	52 30	126 30		II	C. Sangstad.
Canoe	48 49	123 44	100	II	Lieut.-Col. G. H. Elliott, R.M.L.I.
Chilcoten	51 58	122 48	2170	II	M. G. Drummond
Chilliwack	49 10	121 57		I	Mrs. W. H. DeWolf.
Carmanah	48 25	124 47	130	I	W. P. Daykin.
Clayoquet	49 14	125 30		II	F. Jacobson.
Duncan Station	48 45	123 30		III	Capt. Mallcott Richardson.
Donald	51 28	117 11	2090	II	S. H. Bolton.
Esquimalt	48 26	123 25	28	a T S	E. Baynes Reed.
Enderby	50 32	119 7	1180	II	George R. Lawes.
Fort Steele	49 40	115 42	2433	II	Charles McLean.
French Creek	49 20	124 36		II	Henry Lee, B.A.
Griffin Lake	75 76	118 29	1517	II	George Huston.
Goldstream Lake	48 31	123 22		II	William W. Ralph.
Glacier	51 16	117 28	4072	II	J. H. Taylor.
Garry Point	49 21	123 17		II	William McColl.
Hazlemere	49 3	122 10		II	Henry T. Thrift.
Hatzic	49 15	124 49		III	Osborn St. V. Ross.
Hazelton	55 16	127 14		II	R. S. Sargent.
Kamloops	50 41	120 28	1150	II	E. T. W. Pearse.
Kuper Island	48 58	123 38		I S	Rev. R. J. Roberts.
Kaslo	49 56	117 0		II	J. William Cockle.
Keremeos	49 13	119 35		II	E. Bullock Webster.
Loch Erroch	49 13	121 59		II	A. H. Bush.
Langley	49 11	122 32		III	A. H Hawkins, B.A. Sc.
Mission Valley	49 51	119 33	1200	II	A. Postill.
Midway	49 0	118 46		II	William G. McMynn.
McCay Lake	49 20	124 47		III	Wright Porritt.
New Westminster	49 13	122 54	23	II	Rev. R. Whittington, M.A.B.Sc.
Nicola Lake	50 9	120 39	2120	II	Edwin Dalley.
Nanaimo	49 10	123 53		III	Marshall Bray.
Pilot Bay	49 39	116 55		II	J. D. Macdon

STATIONS in operation during 1896, &c.—*Continued.*

STATIONS.	Latitude.		Longitude.		Height above Sea.	Class of Station	OBSERVER.
					Feet.		
BRITISH COLUMBIA—*Concluded.*							
Port Simpson	54	34	130	26	26	I	Miss Martha W. O'Neill.
Princeton	49	29	120	29	1650	II	J. F. Allison.
Quesnelle	52	59	122	30	1700	II	J. E. Bowron.
Quamichan	48	47	123	42		II	W. H. Lomas.
Quatsino	50	32	128	3		II	B. W. Leeson.
Rivers Inlet	51	39	127	19		I	George S. McTavish.
Royal Oak (Victoria)	48	24	123	19		III	David Lehmann.
Spence's Bridge	50	23	121	20	770	T	John Murray.
Stuart's Lake	54	28	124	12	1800	II	A. C. Murray.
Salmon Arm	50	42	119	18	1152	II	A. J. Palmer.
Salt Spring Island	48	50	123	20		III	William E. Scott.
Tobacco Plains	49	1	114	50		II	Michael Phillips.
Union	49	10	125	0		III	R. Laurence, M.D.
Vernon	50	14	119	15	1243	II	Leonard Norris.
Valdez Island	49	6	123	25		III	Thomas Bell.
White Lake	49	34	119	25		III	R. Patton.
N. W. TERRITORIES.							
Alameda	49	15	102	9		II	R. L. Gibson.
Battleford	52	41	108	30	1620	T S	L. P. O. Noel.
Banff	51	10	115	35	4542	T	Norman B. Sanson.
Calgary	51	2	114	2	3389	T	T. O'Brien.
Calgary (2)	51	4	114	4		II	Walter Moodie.
Chaplin	50	27	106	40	2202	II	J. H. Cook.
Cannington Manor	50	0	102	30		II	Ernest Humphreys.
Edmonton	53	13	113	30	2158	T	A. Taylor.
Fort Simpson	61	52	121	43		I	Rt. Rev. W. D. Reeves, D.D.
Fort McPherson	67	28	134	57	100	II	Rev. J. O. Stringer.
Fort Constantine						II	Staff-Sergt. Hayne, N.W.M.P.
Fort Chipewyan	58	42	111	10		II	Rev. James R. Lucas.
Greenfolt	50	23	102	53	1957	II	Rev. John Fotheringham.
Hay River						II	Rev. Thomas J. Marsh.
Henrietta	51	32	108	30		II	W. Salsbury.
Herschel Island	69	25	138	55		II	George B. Leavitt.
Indian Head	50	28	103	40	1924	II S	D. G. Mackay.
Knee Hill	51	55	113	00		II	Miss Eva Bruce.
Medicine Hat	50	1	110	37	2161	T	J. K. Drinnan.
Macleod	49	41	113	24		II	Sup. S. B. Steele, N.W.M.P.
Moose Jaw	50	21	105	35	1745	II	C. A. W. Stunt.
Moose Jaw (2)	50	21	105	35		II	Jno. H. Fingland, C.E.
Prince Albert	53	55	106	0	1402	T	C. O. Davidson.
Pense	50	20	105	0		II	B. Spring Rice.
Pincher Creek	49	0	114	0	3750	II	G. W. Gill.
Qu'Appelle	53	30	101	20		II	Mrs. Joseph Reader.
Qu'Appelle	50	44	103	42	2115	T	Mrs. Leslie Gordon.
Regina	50	27	104	37	1885	I	Sergt.-Major Lewis Hooper, N.W.M.P.
Swift Current	50	20	107	45	2439	T	Mrs. W. G. Knight.
Saskatoon	52	5	106	58		II	Sergt. Major T. H. Keenan, N.W.M.P.
Wallace	51	22	102	50	1638	III	Charles H. Lakey.
MANITOBA.							
Brandon	49	51	99	57	1176	II S	S. A. Bedford.
Belmont	49	25	99	30		III	William G. Winfield.
Brandon (2)	50	22	97	12		III	George M. White.
Beaver Creek	49	35	99	52		III	W. H. Shillinglaw.
Cartwright	50	4	98	40		III	William Smith.
Cartwright	49	10	99	31	1533	III	H. F. Coates.
Channel Island	49	10	99	35		III	E. F. Heath.
Emerson	52	0	97	0		II	H. E. Plunkett.
Pilot Mound	49	1	197	13		II	William Scott.
Fort Ellice	49	58	01	16		II	P. W. Rolston, M.D.
Hamiota	49	53	97	11	710	II	Alfred Codd, M.D.
Gretna	49	1	97	32		III	A. Klaassen.
Greenwood	50	27	97	12		III	John Devlins.
Hilton	49	54	100	36		II	F. W. Stevenson.
Hartney	49	28	100	27		II	William Laughland.
Morris	50	10	99	48	1690	T	Mrs. J. M. Wellwood.
Morden	49	12	98	5	978	III	George H. Bradshaw.
Napinka	49	30	98	40		III	W. M. Holland.
Oak Lake	49	57	96	42		II	R. E. W. Goodridge.
Pilot Mound	49	14	98	56	1549	III	Thos. Hagyard.
Portage la Prairie	49	57	98	10	830	II	J. P. Young.
Pomeroy (Carman)	49	18	98	25		III	Richard N. Lea.
Pipestone	49	25	100	40		II	J. G. Rattray.
Russell	50	59	101	20		II	E. A. Struthers.
Rosebrae	49	25	99	20		II	William Stark.
Rapid City	50	2	100	1		III	James Drury.
Rathwell	49	40	98	32		III	C. O. Evans.
Rosewood	49	40	98	9		II	William Irvine.
St. Vincent	49	42	99	33		II	Percy Criddle.

STATIONS in operation during 1896, &c.—*Continued.*

STATIONS.	Latitude.		Longitude.		Height above Sea.	Class of Station.	OBSERVER.
MANITOBA *Concluded.*					Feet.		
Stony Mountain	50	5	97	12	803	I	Lieut.-Col. A. G. Irvine.
Sheal Lake	50	27	100	33	850	III	Charles Findlay.
Selkirk	50	7	96	49		III	William Gibbs.
Treherne	49	38	98	42	1212	II	Joseph Cooper.
Turtle Mountain	49	11	100	18	2150	III	J. D. Hanson.
Winnipeg	49	53	97	7	760	T and S	St. John's College.
ONTARIO.							
Alton	43	52	80	5	1300	II	W. J. Dods.
Arden	44	40	76	57		III	Thomas Andrew.
Aurora	43	57	79	24	643	III	Rev. Walter Amos.
Brantford	43	10	80	21	750	II	A. N. Ashton.
Bancroft	45	1	77	50		II	J. Cleak.
Biscotasing	47	3	82	8		II	Agent C. P. R.
Beatrice	45	8	79	20		II	John Hollingworth.
Birnam	43	2	81	55		II	J. S. Mellor.
Bala (Whiteside)	45	0	79	43		II	E. B. Sutton.
Burk's Falls	45	30	79	18		II	George Whelpton.
Bognor	44	40	80	50		II	Donald Baxter.
Barrie	44	23	79	41	839	II S	W. H. Buttery.
Barclay	49	50	92	49	1251	II	Agent C.P.R.
Blenheim	42	40	82	1		III	W. R. Fellows.
Bobcaygeon	44	33	78	37		II	James Cairnduff.
Bloomfield	43	59	77	13		II	W. K. Bowerman.
Cartier	46	40	80	50		II	Agent C.P.R.
Coldwater	44	38	79	40		II	James V. Lazonby.
Cottam	42	7	82	45		II	S. G. Brooker.
Chatham	42	23	82	12	595	II	R. C. Burt.
Comestogo	43	33	80	39		II	Joseph G. Hurst.
Chantarf	45	23	77	9		II	H. A. Schultz.
Collingwood	44	30	80	15		II	A. R. Stephen, M.D.
Calvin	46	15	78	18		II	W. T. Gale.
Croydon	44	34	77	0		III	James Teskey.
Cherry Valley	44	0	77	23		III	Luther Platt.
Coldstream	43	1	81	30		II	Daniel Zavitz.
Cowal	42	42	80	24		III	Samuel Maccoll.
Deseronto	44	11	77	4	264	I	S. Russell.
De Cewsville	42	56	79	55		II	R. E. King.
Durham	44	10	80	50		I	James Gun, M.D.
Deer Park	43	39	79	26		III	George Reeve.
Denbigh	45	7	77	15		III	James Lane.
Dealtown	42	17	82	7		III	S. J. Pardo.
Desbarats	46	20	83	55		II	E. H. Twight.
Emmsmore	44	23	78	27		III	John S. Telford.
Emsdale	44	30	79	14		III	William Jenkin.
Erasmus	43	58	80	22		II	George Wood.
Elgin	44	52	76	15		III	P. W. Brown.
Emo River							Alexander Locking.
Fort Francis	48	37	93	30		II	W. W. Birdsall.
Georgina	44	19	79	18		II	F. Blanchard.
Galt	43	23	80	22	870	II	Alexander Barrie.
Gravenhurst	44	54	79	20	770	II	T. M. Robinson.
Georgetown	43	39	79	58		III	Joseph Barber.
Goderich Lighthouse	43	45	81	43		II	Robert Campbell.
Heron Bay	48	40	87	10		II	Agent C. P. R.
Haliburton	45	1	78	28		II	Charles R. Stewart.
Hadevbury	47	29	79	39	687	II	P. A. Cobbold.
Hunstsville	45	19	79	8		III	C. A Wattson.
Kingston	44	13	76	29	285	T S	A. P. Knight, M.A., M.D.
Kingston	44	13	79	29		II	School of Gunnery, R.C.A.
Kincardine	44	10	81	37	684	II	De Witt H. Martyn, M.D.
Kitley	44	54	77	3		III	Robert L. Gile.
London	42	59	81	13	808	I	John S. Dewar.
Lindsay	44	20	78	45	876	I S	Thomas Beall.
Lucknow	43	56	81	30		II	M. McDonald.
Lakefield	44	25	78	15		II	Hugh A. Lempriere.
Lansdowne	44	30	76	2		III	John C. Stafford.
Lion's Head	44	57	80	13		III	M. J. Norris.
Linden Valley	44	39	78	14		III	J. T. Reazin.
Moose Factory	51	16	80	56	30	I	A. Nicolson.
Missanabie	48	21	83	28		II	Agent C. P. R.
Mattawa	46	15	78	41		II	Agent C. P. R.
Millbrook	44	8	78	32		II	A. Leach.
Midland	44	44	79	53		III	W. Henderson.
Mount Forest	43	58	80	44	1376	III	W. E. Brooks.
Montague	44	55	75	58		III	J. Chalmers.
North Bruce	44	23	81	25		II	J. B. Muir.
Niagara	43	13	79	6		II	J. De W. Randall.
Nepigon	48	50	88	40		II	Agent C. P. R.
North Bay	46	34	79	30		II	Agent C. P. R.
Ottawa	45	26	75	42	330	T	W. T. Ellis.

STATIONS in operation during 1896, &c.—*Continued.*

STATIONS	Lat. North.		Longitude.		Height above M.S.L.	Class of Station.	OBSERVER.
					Feet.		
Orillia	44	34	79	21		H	H. W. Fitton.
Oshawa	43	53	78	52		H	W. Hall.
Ottawa	45	25	75	43		H	Observatory.
Owen Sound	44	34	80	56		H	W. Spence.
Paisley	44	20	81	18		H	J. M. Drummond.
Parkhill	43	10	81	40		H	Thomas Hodgins.
Parry Sound	45	20	80	2	635	T	Rev. R. Mosley.
Pembroke	45	50	77	8		H	Thomas Deacon.
Penetanguishene	44	46	79	56		H	Dr. Beaumont.
Perth	44	54	76	15		H	Thomas Stevenson.
Peterborough	44	18	78	19	722	H	T. Telford.
Picton	44	0	77	8		H	Dr. Ross.
Point Anne	44	12	77	35		H	Agent C. P. R.
Port Arthur	48	27	89	12	644	T	W. P. Cooke.
Port Hope	43	56	78	20		H	W. Wallace Barrett.
Port Sarnia	42	59	82	26		H	Agent C. P. R.
Port Stanley	42	40	81	13	702	T	M. Payne.
Port Perry	44	6	78	57		H	Dr. Beaumont.
Prescott	44	42	75	31		H	Agent C. P. R.
Preston	43	23	80	21		H	Dr. Bowlby.
Queenston	43	9	79	2		H	Agent C. P. R.
Renfrew	45	28	76	41		H	Dr. Bell.
Richmond	45	12	75	46		H	Agent C. P. R.
Ridgetown	42	26	81	52		H	Dr. Bell.
Rockwood	43	41	80	9		H	Dr. Bell.
Rosseau	45	15	79	40		H	Agent C. P. R.
Sarnia	42	59	82	24	586	H	William Mowbray.
Saugeen	44	39	81	21	656	T	Mrs. J. R. Stewart.
Sault Ste. Marie	46	32	84	19		H	John A. Wilde, C.E.
Scarborough	43	46	79	13		H	Dr. Bell.
Seaforth	43	34	81	25		H	Dr. Bell.
Shannonville	44	4	77	20		H	Dr. Bell.
Simcoe	42	50	80	18		H	Dr. Bell.
Smith's Falls	44	54	76	1		H	Agent C. P. R.
Southampton	44	30	81	24		H	Dr. Bell.
Stayner	44	28	80	4		H	Dr. Bell.
Stirling	44	18	77	33		H	Dr. Bell.
Stonington	44	47	77	20		H	Dr. Bell.
Stouffville	43	58	79	15		H	Dr. Bell.
Strathroy	42	58	81	37		H	Dr. Bell.
Sturgeon Falls	46	22	79	56		H	Agent C. P. R.
Sudbury	46	30	81	0	1191	H	William Dick.
Sundridge	45	46	79	24		H	Dr. Bell.
Sutton West	44	20	79	22		H	Dr. Bell.
Tamworth	44	39	77	0		H	Dr. Bell.
Tavistock	43	18	80	49		H	Dr. Bell.
Thamesford	43	3	80	59		H	Dr. Bell.
Thamesville	42	34	81	59		H	Dr. Bell.
Thedford	43	19	81	46		H	Dr. Bell.
Thessalon	46	16	83	34		H	Agent C. P. R.
Thornbury	44	34	80	25		H	Dr. Bell.
Tilbury	42	16	82	9		H	Dr. Bell.
Tilsonburg	42	52	80	44		H	Dr. Bell.
Toronto	43	39	79	24	350	A T S	Observatory.
Trenton	44	6	77	34		H	Dr. Bell.
Trout Creek	46	11	79	9		H	Agent C. P. R.
Tweed	44	29	77	18		H	Dr. Bell.
Uxbridge	44	6	79	8		H	Dr. Bell.
Vankleek Hill	45	31	75	40		H	Dr. Bell.
Victoria Road	44	44	78	45		H	Dr. Bell.
Walkerton	44	8	81	9		H	Dr. Bell.
Wallaceburg	42	36	82	23		H	Dr. Bell.
Warkworth	44	22	77	56		H	Dr. Bell.
Waterdown	43	20	79	54		H	Dr. Bell.
Waterford	42	54	80	14		H	Dr. Bell.
Watford	42	59	81	54		H	Dr. Bell.
Waubaushene	44	45	79	44		H	Dr. Bell.
Webbwood	46	30	81	56		H	Dr. Bell.
Welland	42	59	79	15		H	Dr. Bell.
Wellington	43	57	77	21		H	Dr. Bell.
Wellington Square	43	27	79	52		H	Dr. Bell.
Wellington Street	42	54	81	12		H	Dr. Bell.
Wellington Street	42	56	82	7		H	Dr. Bell.
Wendover	45	33	75	10		H	Dr. Bell.
Westport	44	39	76	24		H	Dr. Bell.
Whitby	43	53	78	56		H	Dr. Bell.
Whitefish	46	46	81	10		H	Dr. Bell.
Whitevale	43	54	79	9		H	Dr. Bell.
Wiarton	44	45	81	9		H	Dr. Bell.
Williamsburg	45	12	75	6		H	Dr. Bell.
Windsor	42	18	83	0		H	Dr. Bell.
Winona	43	13	79	42		H	Dr. Bell.
Woodbridge	43	47	79	36		H	Dr. Bell.
Woodstock	43	8	80	45		H	Dr. Bell.
Wyebridge	44	53	79	49		H	Dr. Bell.
Wyoming	42	56	82	24		H	Dr. Bell.
York	43	39	79	24		H	Dr. Bell.
Abitibi	48	45	79	22		H	Robert Armit.
Anticosti, S.W.P.	49	21	63	35	30	T	Mr. Grace Pope.
Arthabaska	46	2	71	32		H	A. Maloum.
Aylmer	45	23	75	51		H	Dr. Bell.
Bagotville	48	19	71	0		H	Z. Gagné.
Beauharnois	45	19	73	56		H	George F. Hall.
Bic	48	20	68	43		H	Capt. E. Heppell.
Cacouna	47	31	69	29		H	T. Forbes.
Cap Rouge	46	45	71	15	140	H	Rev. Abbé V. A. Huard
Cap St. Ignace	46	46	70	41		H	T. Côté.
Cap St. Jacques	46	16	65	50		H	J. F. Sasseville.
Cap Tourmente	47	2	70	49		T	J. McWilliams.
Chambly	45	27	73	17	96	H	A. LeBourdais.
Chicoutimi	48	50	71	39		H	Major J. Sheys.
Dalhousie	48	36	70	35		A T S	Prof. C. H. McLeod, Ma. E., F.R.S.C.
Daveluyville	46	01	72	14		H	J. X. Lavoies.
Deschambault	46	40	71	52		H	Victor Faffard.
Dorchester	46	48	71	13	200	T	Arthur Smith, P.L.S.
Drummondville	45	50	72	30	157	H	R. N. Webber, M.D.
Dunham	45	31	72	13		H	B. A. Scott.

STATIONS in operation during 1896, &c.—*Concluded.*

STATIONS.	Latitude.	Longitude.	Height above Sea.	Class of Station.	OBSERVER.
			Feet.		
NEW BRUNSWICK.					
Bathurst	47 39	65 42	45	I	J. C. Meahan, M.D.
Chatham	47 3	65 29	21	T	J. F. Connors.
Dalhousie	48 4	66 22	39	II	H. A. Johnson.
Fredericton	45 57	66 38	164	a S	Prof. Thos. Harrison, LL.D.
Grand Manan	44 47	66 46	49	T	Mrs. C. C. Seely.
Point Lepreaux	45 4	66 28	30	II	G. H. Thomas.
Point Escuminac	47 4	64 46		II	K. R. McLennan.
Parker's Ridge	46 29	66 31		II	George Parker.
St. John	45 17	66 24	70	a	D. L. Hutchinson.
St. Andrews	45 5	67 4	47	T	S. T. Gove, M.D.
NOVA SCOTIA.					
Digby	44 38	65 46	40	II	N. A. Turnbull.
Guysborough	45 23	61 29		II	E. B. Smith.
Halifax	44 39	63 39	a 118	a T	Augustus Allison.
New Glasgow	45 36	62 37	40	II	W. H. Magee.
Port Hastings	45 38	61 24	45	II	Mrs. C. S. McKeen.
Port Morien	46 8	59 52		III	S. E. Landry.
Pictou	45 42	62 41		II	M. Campbell.
Sable Island, E.P.	43 58	59 46	25	II	Arthur R. Tobin.
Sable Island	43 57	60 6	25	II	R. J. Bontelier.
Sydney	46 10	60 10	55	T	R. Lathn.
Truro	45 22	63 18	73	I	James Little, M.A.
Yarmouth	43 50	66 2	65	T	Capt. J. E. Murphy.
PRINCE EDWARD ISLAND.					
Charlottetown	46 14	63 10	38	T	Arthur Newbery.
Georgetown	46 11	62 35		II	Allister McDonald.
NEWFOUNDLAND.					
St. John's	47 34	52 42	125	T	Mrs. H. Higgings.
Channell	47 34	59 7	50	II	G. G. Cotter.
Armour Point	51 28	56 51		II	Thomas M. Wyatt.
Cape Norman	51 58	55 54		II	J. W. Campbell.
Point Rich	50 42	57 25		II	Narcesse Breton.
Sandy Point	48 40	58 27	21	I	Capt. E. Hust.
Belle Isle	51 53	55 22	436	I	P. J. Colton.
St. Pierre	46 47	56 2		II	The Commandant.
BERMUDA—Prospect	37 20	64 50	150	T	The Senior Medical Officer.

It will be seen that during 1896, there were in the Dominion 300 stations at which observations were taken and forwarded to Central Office at Toronto. At Chief Stations, Telegraph Stations and some few of the Special Stations the observers are paid for the time which they devote to observing duties, but at the bulk of the stations the work performed is purely voluntary, the Department simply supplying the necessary instruments, and to these volunteer observers who in the interest of their country and of science devote their time gratuitously to their work, is due the thanks of the Canadian public and of this service in particular.

The observations telegraphed to the Central Office for the purpose of forecasting are those taken at 8 a.m. and 8 p.m., 75th Meridian Time, at 30 stations between British Columbia and Newfoundland, they are as follows :—Esquimalt, Kamloops, Calgary, Edmonton, Medicine Hat, Prince Albert, Battleford, Swift Current, Qu'Appelle, Minnedosa, Winnipeg, Port Arthur, White River, Parry Sound, Southampton, Port Stanley, Kingston, Rockliffe, Ottawa, Montreal, Quebec, Father Point, Southwest Point (Anticosti), Chatham, Grand Manan, Yarmouth, Halifax, Charlottetown, Sydney, St. John's (Newfoundland). The whole of these reports are usually received in Toronto before 9 30 o'clock, and the majority of them are forwarded on to the United States Weather Bureau, Washington, which Bureau in return supplies this office with some fifty-four reports from stations scattered over the United States, and we are thus provided with a very comprehensive synoptic chart on which to base our forecasts. The chart is usually ready for use at a quarter to ten a.m. and p. m., and the forecast official then proceeds to draw the isobars, &c., &c. Since August, 1896, between sixty and seventy copies of the chart have been struck off by means of the mimeograph, a duplicating machine and supplied to various shipping firms, the Toronto Board of Trade, to some of the

public schools and to such persons in Toronto and Hamilton as agree to post them where they may be seen by the public.

When it is considered necessary warnings of gales are dispatched to the various storm signal stations in the Dominion, which number sixty-seven, thirty-two being on the great lakes and thirty-five on the coasts of the Gulf of St. Lawrence and the Maritime Provinces. The accompanying cut shows the signals used for warning purposes. The following is a list of these stations:—



No. 1.—Moderate gale at from an Easterly or Southerly direction.
No. 2.—Moderate gale at from a Westerly or Northerly direction.
No. 3.—Strong gale at from an Easterly or Southerly direction.
No. 4.—Strong gale at from a Westerly or Northerly direction.

Port Arthur,	Grand River,	Sarnia,	Port Dalhousie,
Sault Ste. Marie,	Dalhousie,	Amherstburg,	Port Credit,
Midland,	Chatham,	Oakville,	Trenton,
Owen Sound,	Charlottetown,	Cobourg,	Point Prinyer,
Tobermory,	Pictou,	Picton,	Father Point,
Southampton,	Port Hood,	Toronto,	Percé,
Kincardine,	Louisburg,	Gaspé,	Bathurst,
Pelee Island,	Little Glace Bay,	Paspebiac,	Shippigan,
Port Stanley,	Halifax,	Caraquet,	Tignish,
Port Dover,	Digby,	Point Escuminac,	Georgetown,
Port Colborne,	St. Andrew's,	Souris,	Port Hastings,
Port Burwell,	Fort William,	Point DeChêne,	North Sydney,
Burlington Beach,	Parry Sound,	Cheticamp,	Liscomb,
Port Hope,	Collingwood,	Canso,	Port Morien,
Deseronto,	Wiarton,	Ingonish,	Yarmouth,
Kingston,	Bayfield,	Liverpool,	Point LePreaux.
Fox River,	Goderich,	St. John,	

During the year 1,182 storm warnings were issued to the various districts in Canada where signals are displayed, and of this number 1,013 or 85.7 per cent were verified; of this latter number, however, on eighty-two occasions the wind did not reach and and on one hundred and thirteen occasions exceeded the force as indicated by the signals displayed; also forty-five of the warnings were received late owing to issue and forty-three on account of delay in transmission. In connection with the warnings the probable directions from which the gale would blow were also given, and of the 1,013 warnings verified as to force, 901 or 88.9 were fully and 950 or 93.8 per cent fully and partially verified.

Forecasts were issued twice each day to the following districts: Manitoba, Superior, Georgian Bay, Lower Lake Region, Ottawa Valley, Upper St. Lawrence, Lower St. Lawrence, Gulf and

Maritime Proinces, east and west. The morning forecast is regarded as being more especially for the benefit of mariners, and is posted up in all the principal ports in the Dominion, exclusive of those in British Columbia, besides at many inland places, it usually covers both the day of issue and the day following, and a special effort is made to accurately predict the force and direction of the winds. The forecasts issued at 10 p.m. are telegraphed that same evening to all places issuing morning papers in which in nearly all instances they are published, and besides this, east of Regina, Assa., as soon as the telegraph offices open in the morning the first thing sent over the wires is the forecast for the coming day which is posted in a conspicuous place. In order to disseminate more generally the daily forecasts to the agricultural community, through the co-operation of the principal railways, discs indicating the weather to be expected are each day displayed on the baggage vans of outgoing morning trains, and thus farmers living far from a telegraph office may obtain a general knowledge of the daily forecasts.

NUMBER of Predictions and Percentage of Fulfilment in each District in each Month and in the Year 1896.

Month.	Muskoka.					Georgian Bay.					Lower Lake Region.					Ottawa Valley.					Upper St. Lawrence Valley.					Lower St. Lawrence Valley.					Gulf.					Maritime.					Totals.				
	Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.				Number of Predictions.	Verified.			
		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage		Number Fully	Number Partly	Number Not	Percentage
January	85	62	13	10	80 6						111	68	25	18	72 5						91	61	19	11	77 5	85	64	9	12	80 6	87	63	13	11	79 9	113	80	27	6	82 7	572	398	106	68	78 8
February	80	69	8	3	91 2	91	72	9	10	84 1	90	70	11	9	83 9	93	75	7	11	84 4	93	73	7	13	82 3	90	77	5	8	88 3	87	68	10	9	83 9	102	82	12	8	86 3	726	584	69	71	85 5
March	79	46	13	20	66 4	89	67	12	10	82 0	91	68	10	13	80 2	99	74	11	14	80 3	93	68	14	11	80 6	93	67	11	15	78 0	102	66	15	21	72 1	109	74	15	20	74 8	755	530	101	124	76 9
April	74	47	15	12	78 6	89	68	11	10	82 6	94	72	15	7	84 6	87	59	17	11	77 6	89	65	12	12	79 8	84	61	11	12	79 2	85	70	6	9	59 4	86	57	24	5	80 2	687	499	111	77	80 7
May	76	51	18	7	78 9	115	78	22	15	77 4	117	85	21	11	81 6	104	85	14	5	88 5	105	82	16	7	85 7	95	77	12	6	87 4	96	70	18	8	82 3	103	79	16	8	84 5	811	607	137	67	83 3
June	84	65	11	8	84 0	110	85	13	12	83 2	111	84	16	11	82 9	98	78	12	8	85 7	97	79	12	6	87 6	104	75	19	10	81 3	107	72	19	16	76 2	105	84	15	6	87 1	816	622	117	77	83 3
July	82	59	11	12	78 7	126	98	17	10	84 5	128	100	22	6	86 7	116	96	13	7	88 4	116	97	14	5	89 7	111	83	15	13	81 5	110	79	20	11	80 9	118	87	21	10	82 6	907	699	133	75	84 4
August	90	70	13	7	85 0	120	97	14	9	86 7	119	101	16	2	91 6	100	79	13	8	85 5	100	83	12	5	89 0	100	86	5	9	88 5	101	84	13	4	89 6	103	83	19	1	89 8	833	683	105	45	88 3
September	94	72	13	9	83 5	122	91	22	9	83 6	121	88	21	12	81 4	111	81	19	11	81 5	113	86	16	11	83 2	106	76	18	12	80 2	108	87	15	6	87 5	114	77	30	7	80 7	889	658	154	77	82 7
October	89	71	9	9	84 8	122	91	22	9	83 6	123	98	16	9	86 2	103	84	14	5	88 3	101	82	13	6	87 6	100	75	11	14	80 5	106	73	20	13	78 3	113	80	19	14	79 2	857	654	124	79	83 5
November	85	62	11	10	81 3	107	64	29	14	73 4	113	68	27	18	72 2	93	63	15	15	75 8	95	64	20	11	77 8	96	71	17	8	82 8	94	70	14	10	82 0	112	69	37	6	78 1	793	531	170	92	77 7
December	90	77	6	7	88 9	115	82	21	12	80 4	119	94	19	6	87 0	101	84	7	10	86 6	102	79	13	10	83 8	110	84	19	7	85 0	113	89	18	6	86 7	126	89	30	7	82 5	876	678	138	65	85 0
Total.	1006	751	141	114	81 7	1296	893	192	121	82 0	1337	996	219	122	82 7	1105	858	142	105	84 1	1195	919	168	108	84 0	1174	896	152	126	82 8	1196	891	181	124	82 1	1304	941	265	98	82 3	9522	7145	1460	917	82 7

NOTE. In order to obtain the percentage of verification of the predictions, the number partly verified is divided by two and added to the number fully verified, and the result divided by the total number issued.

PART I.

Monthly and Annual Summaries from Telegraph and Ordinary Stations of the First Class.

Pressure.—The monthly means and extremes of pressures have been reduced to 32° Fahr. and corrected for instrumental error. No gravity correction has been applied.

Temperature.—The monthly means have been obtained from the formula $\frac{\text{max.} + \text{min.}}{2}$. The extremes are for the 24 hours 8 p.m. to 8 p.m.

Precipitation.—The maximum precipitation in any one day is for the 24 hours ending at 8 a.m.

Cloudiness.—The cloudiness is the average of three estimates made during the day. A day is termed "clear" when the amount of cloud is less than 30 per cent.

MONTHLY and Annual Summaries for the Year 1896, Battleford, North West Territories Latitude N. 52° 11′; Longitude, W. 108° 30′. Height above Sea, 1,620 feet.

MONTH	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
				MEAN.						EXTREMES.																
	Monthly Mean.	EXTREMES		Mean of Daily Max.	Mean of Daily Min.	Mean of Daily Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Greatest Daily Range.	Least Daily Range.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Total.	Greatest in 24 hours.
		Max.	Min.																							
	in.	in.	in.															in.	in.	in.	in.				in.	in.
January	28·29	28·80	27·52	11·4	6·0	7·2	0·5	16·6	8·0	36·0	−42·0											56	59	47	54	0·37	0·10
February	28·10	28·56	27·43	5·8	1·6	1·1	1·2	2·7	2·4	46·0	−29·0											13	47	54	38	0·01	0·01
March	28·21	29·01	27·51	7·3	2·0	2·1	8·8	2·4	7·4	64·0	−18·0											68	64	49	60	0·86	0·20
April	28·14	28·71	27·74	27·6	10·5	4·0	5·4	6·0	21·9	85·5	70·0	4·0										62	61	58	61	1·44	0·42
May	28·06	28·45	27·76	43·0	5·6	8·5	6·9	6·2	1·3	90·8	50·9	79·0	28·0	85	59	61	68	0·239	0·259	0·275	0·258	62	85	77	75	3·69	0·57
June	28·18	28·42	27·93	53·1	6·7	6·6	8·7	7·3	3·8	88·3	36·0	90·0	42·0	83	54	52	63	0·339	0·368	0·370	0·359	39	53	51	48	2·26	0·56
July	28·25	28·56	27·96	65·6	7·4	6·7	5·6	8·0	5·5	2·4	66·4	96·0	37·0	84	53	56	64	0·377	0·450	0·493	0·440	37	49	31	36	0·91	0·28
August	28·23	28·69	27·82	48·8	7·0	6·6	9·1	7·5	0·4	6·5	60·8	84·0	35·0	89	63	83	78	0·311	0·463	0·499	0·424	38	58	38	38	1·16	0·35
September	28·27	28·64	27·82	38·8	6·0	3·5	8·5	6·1	8·3	6·5	5·0	84·0	18·0	83	41	48	58	0·201	0·228	0·231	0·220	42	42	40	41	0·30	0·16
October	28·26	28·76	27·83	28·8	5·2	9·4	5·6	5·4	6·2	6·8	4·0	80·0	10·0									26	46	35	36	0·60	0·00
November	28·41	28·93	27·87	−5·1	1·5	1·6	5·9	9·7	1·9	38·0	−40·0											60	63	53	59	1·37	0·35
December	28·15	28·83	27·49	4·8	1·2	2·9	4·1	6·7	2·4	7·1	44·0	10·0										48	53	30	41	0·53	0·24
Year	28·22	29·01	27·43	21·8	5·39	0·37	4·43	9·2	1·1	32·5	96·0	42·0										55	55	47	50	12·93	0·57

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MOST FREQUENT DIRECTION OF THE MEDIUM VELOCITY.	DIRECTION OF THE MEAN VELOCITY.	NUMBER OF CALMS.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation on one day or more.	Snow.	Hail.	Fair.	Fog.	Thunder.	Lightning.	Aurora.
January	37	18	0	277	0	9	14	229	160	7·0				8	12	11	8	9	..	22	0	0	.	2
February	11	14	50	202	12	43	12	234	118	7·9				9	12	8	1	1		28	0	0		0
March	16	50	4	207	8	51	27	183	108	6·9				3	17	11	16	17		14	1	0		5
April	11	68	20	210	9	140	0	172	57	9·9				5	11	14	11	10		15	0	0		7
May	10	87	21	189	27	70	10	277	53	8·1				1	11	19	20	0		10	0	0		2
June	0	35	45	210	14	69	26	265	16	8·1				8	14	8	11	0		15	0	0		0
July	11	18	16	153	15	86	62	312	41	7·3				12	16	3	8	0		9	0	3		0
August	8	28	21	139	11	66	75	309	91	7·3				11	16	1	9	0		22	0	0		0
September	7	71	5	118	10	103	58	280	88	7·5				9	17	4	3	0		27	0	0		0
October	2	19	2	229	10	61	26	247	118	6·3				11	19	1	0	0		30	0	0		2
November	61	33	15	60	4	20	105	131	218	5·3				7	9	14	13	15		15	0	0		2
December	0	9	4	143	1	66	63	130	278	4·2				9	17	5	8	7	.	23	0	0		2
Year	207	502	503	3227	152	784	458	2765	1386	7·2				93	171	102	108	59		230	1	8		22

MONTHLY and Annual Summaries for the Year 1896, Banff, North West Territories—Latitude, N. 51° 10′; Longitude, W. 115° 35′. Height above Sea, 4,542 feet.

MONTHS.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY				PRESSURE OF VAPOUR.			CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.												Total.	Maximum in any 24 hours.
		Max.	Min.	6 a.m.	2 p.m.	6 p.m.	Max.	Min.	Mean.	Max.	Min.	6 a.m.	2 p.m.	6 p.m.	Mean.	6 a.m.	2 p.m.	Mean.	6 a.m.	2 p.m.	6 p.m.	Mean.		
	in.	in.	in.													in.		in.	m.				in.	in.
January				4·9		14·1	21·9	0·9	11·4	41·8	−32·0	77	..	77	77	0·062		0·089	0·076	82	..	75	79	1·40	0·38
February				20·4		27·8	33·1	16·6	24·9	44·2	−12·0	80	..	73	77	0·098		0·117	0·108	65	..	63	64	0·65	0·20
March				11·8	..	27·5	32·7	9·0	20·8	47·2	−27·0	73	..	70	72	0·072		0·115	0·094	57	..	54	56	0·94	0·43
April				24·4		39·9	44·0	22·2	33·1	58·0	4·0	64	..	64	64	0·091		0·162	0·127	70	..	66	68	0·79	0·32
May				35·0		48·1	52·6	31·6	42·1	71·0	25·5	63	..	68	64	0·129		0·237	0·183	57	..	72	65	1·04	0·25
June	25·40	25·67	25·11	41·8		53·5	68·0	35·6	51·8	87·7	28·0	46	..	41	44	0·117		0·222	0·170	44	..	53	49	0·80	0·34
July	25·54	25·79	25·34	47·1		70·1	76·4	43·6	60·0	88·1	30·0	52	..	38	45	0·168		0·254	0·211	36	..	36	36	1·13	0·55
August	25·53	25·73	25·34	43·1		64·9	69·4	40·8	55·1	79·4	31·0	50	..	46	48	0·143		0·272	0·208	41	..	43	42	1·33	0·36
September	25·45	25·69	25·16	34·4		52·0	57·7	32·9	45·3	75·4	22·5	59	..	54	57	0·118		0·192	0·155	47	..	53	50	1·35	0·53
October	25·37	25·73	25·08	29·7		42·7	49·8	28·4	39·1	62·1	11·5	56	..	60	58	0·093		0·164	0·129	55	..	59	57	0·41	0·21
November	25·28	25·69	24·75	6·7		5·1	11·4	8·0	1·7	40·2	−40·8	75	..	80	75	0·035		0·057	0·046	58	..	64	61	4·88	1·75
December	25·21	25·68	24·67	21·3		28·1	33·0	19·2	26·1	46·2	−12·7	74	..	78	76	0·096		0·123	0·110	71	..	56	63	1·14	0·35
Year				25·6		40·3	47·8	22·8	34·3	88·1	−40·8	64	..	62	63	0·102		0·167	0·135	57	..	58	58	15·86	1·75

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION OF TAKE OF MAXIMUM VELOCITY.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation of 0·01 in. or more.	Snow.	Hail.	Fair.	Fog.	Thunder.	Shorts.	Lightning. Alone.	Auroras.
January	3	2	0	2	2	16	5	3	29					1	11	19	13	15	0	13		0		0
February	2	4	0	1	1	24	12	3	8					5	11	13	7	10	0	17		0		0
March	0	2	1	4	2	23	3	6	21					4	19	8	8	15	0	14		0		6
April	2	6	1	0	3	15	2	4	27					3	10	17	8	12	0	15		0		5
May	0	5	4	6	1	20	6	1	16					3	15	13	15	8	0	12		0		2
June	0	1	1	3	1	27	7	2	18					7	16	7	7	1	1	18		1		6
July	0	3	2	1	2	16	3	0	35					13	12	6	5	0	0	22		3		0
August	2	2	1	2	0	14	7	1	30					13	10	8	11	0	0	15		3		1
September	2	10	0	3	0	11	6	5	23					9	11	10	13	9	0	14		0		0
October	0	0	1	4	5	19	3	0	30					3	19	9	5	6	0	20		1		0
November	1	7	0	6	0	6	5	3	32					5	11	14	15	17	0	12		0		3
December	1	1	0	2	1	21	13	1	22					5	11	15	9	12	0	17		0		0
Year	13	43	11	34	21	212	72	35	291					71	156	139	116	105	1	189		8		23

MONTHLY and Annual Summaries for the Year 1896, Bathurst, Province of New Brunswick—Latitude N. 47° 39′; Longitude W. 65° 42′. Height above Sea, 45 feet.

MONTHS.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean						ESTIMATES.																	
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%	%	%	in.	in.
January	30·03	30·47	29·22	9·3	19·3	12·0	22·7	1·6	12·2	39·0	−13·0									39	41	41	40	1·48	0·40
February	29·62	30·18	28·99	10·1	28·3	14·8	30·5	4·6	17·6	45·0	−24·0									48	48	46	47	2·05	0·90
March																									
April																									
May	29·96	30·39	29·34	47·6	65·4	51·6	67·6	38·8	53·3	80·0	26·0									43	42	42	42	0·40	0·40
June																									
July	29·86	30·16	29·40	65·9	76·5	67·3	79·3	61·3	70·3	92·0	50·0									26	30	39	32	2·81	0·70
August	29·93	30·20	29·61	63·1	75·6	68·3	77·6	51·3	64·5	85·0	32·0									29	28	32	30	1·12	0·53
September	29·85	30·21	29·33	50·8	65·2	57·3	67·8	42·4	55·1	87·0	31·0									53	49	57	53	2·82	1·20
October	29·88	30·24	29·55	37·2	53·1	42·8	54·8	27·8	41·3	65·0	14·0									67	63	63	64	3·10	0·80
November	29·90	30·35	29·41	30·5	39·3	32·0	41·8	29·1	35·5	55·0	10·0									69	62	75	69	2·70	1·10
December	29·87	30·25	29·25	6·5	19·9	12·6	22·6	0·1	11·3	40·0	−15·0									36	33	31	33	0·50	0·40
Year																									

MONTHS.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 m. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	0	6	6	2	1	5	15	31	27	1·3	6	N.E.	2	13	12	6	11	11	0	20	0	0	0	0
February	0	13	13	0	0	5	11	36	9	2·1	6	N.W.	3	10	7	12	8	7	0	18	0	0	0	0
March																								
April																								
May	0	12	23	0	2	14	26	11	5	1·6	5	S.W.	1	13	12	6	1	0	0	25	0	0	0	0
June																								
July	0	0	0	9	9	34	8	1	14	1·5	5	S.W.	1	14	10	1	6	0	0	23	0	2	0	0
August	0	5	9	8	15	21	13	3	16	1·4	4	S.	0	17	11	3	6	0	0	24	2	1	0	0
September	1	3	2	5	13	44	17	4	1	2·2	5	W.	1	7	13	10	9	0	0	19	0	0	0	0
October	0	18	30	3	0	18	6	6	12	2·1	7	N.E.	5	9	5	17	16	0	0	15	0	0	0	0
November	0	3	9	6	6	16	7	14	8	1·5	4	E.	0	2	9	12	9	3	0	21	1	0	0	0
December	1	6	2	2	1	7	21	46	7	1·8	6	N.W.	4	18	7	6	2	5	0	25	0	0	0	0
Year																								

MONTHLY and Annual Summaries for the Year 1896, Belle Isle, Newfoundland—Latitude, N. 51° 53′; Longitude, W. 55° 22′. Height above Sea, 436 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.							Extremes.															
		Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°					in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·47	30·04	28·41	8·6	8·4	6·5	12·2	3·4	7·8	31·0	−13·0									58	50	41	50		
February	29·19	29·84	28·29	10·9	13·3	11·9	15·1	7·7	11·4	30·0	−12·0									61	63	60	61		
March	29·36	30·07	28·68	18·6	21·0	19·7	24·6	16·6	20·6	37·0	−9·0									77	76	73	75		
April	29·53	29·94	28·83	20·6	23·8	21·5	27·3	17·9	22·6	34·0	7·0									60	57	50	56		
May	29·58	30·03	28·79	31·3	34·5	31·7	37·1	28·8	33·0	46·0	15·0									71	67	66	68		
June	29·54	30·06	28·91	45·3	48·2	44·3	50·6	42·2	46·4	58·0	33·0									81	73	79	78	6·49	2·09
July	29·38	29·97	28·83	46·6	57·5	50·9	60·4	44·7	52·6	65·0	40·0									60	58	65	61	4·00	0·60
August	29·44	29·80	28·94	46·4	58·0	50·2	60·6	44·6	52·6	66·0	41·0									75	71	75	74	3·70	1·00
September	29·41	29·85	28·82	43·5	51·8	40·8	53·9	40·2	47·0	59·0	34·0									81	81	78	80	2·75	1·00
October	29·61	30·11	28·89	37·4	42·2	37·4	44·0	35·5	39·7	52·0	28·0									72	73	72	72	7·04	1·06
November	29·56	30·03	28·69	20·0	23·1	21·7	25·7	17·8	21·7	48·0	−1·0									64	56	45	55	5·02	1·70
December	29·50	30·00	29·00	8·2	9·0	7·4	11·6	3·2	7·4	31·0	−12·0									64	56	45	55		
Year	29·464	30·11	28·29	28·1	32·6	28·7	35·3	25·2	30·2	66·0	−13·0									68	65	62	65		

MONTHS.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 0·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	24	33	4	4	3	2	10	13	0	28·0	80	N.E.	18	14	6	11	....	8	....	23	3	0	0	6
February	27	17	6	2	1	7	10	17	0	32·4	80	N.E.	16	9	6	14	....	13	....	16	1	0	0	1
March	3	15	5	7	10	13	25	15	0	29·7	80	N.E.	20	5	7	19	....	10	1	21	6	0	0	4
April	31	26	5	0	1	2	11	14	0	24·8	60	N.E.	11	10	7	13	....	11	....	19	3	0	0	0
May	25	2	0	21	4	8	16	17	0	19·8	80	N.W.	12	5	11	15	....	5	....	20	10	0	0	0
June	12	8	7	24	5	2	28	4	0	24·6	80	S.E.	12	1	9	20	9	0	....	21	17	0	0	0
July	7	2	5	3	4	6	57	9	0	20·0	44	W.	8	7	11	13	11	0	....	19	16	2	0	3
August	14	1	1	7	12	15	36	7	0	17·4	44	N.	1	4	9	18	8	0	....	22	22	0	0	6
September	20	2	6	8	5	10	33	6	0	20·4	44	W.	6	2	7	21	12	3	....	16	11	0	0	5
October	17	6	8	25	4	4	25	4	0	24·3	67	S.E.	11	4	7	20	18	1	....	18	13	0	0	3
November	3	9	0	5	7	10	18	38	0	27·3	67	S.W.	23	10	9	11	6	0	....	24	5	0	0	0
December	14	9	0	3	5	13	26	23	0	32·0	67	N.	21	11	6	14	....	10	....	21	1	0	0	2
Year	197	130	47	109	61	92	295	167	0	25·1			159	82	95	189		61	1	240	108	2	0	30

MONTHLY and Annual Summaries for the Year 1896, Island of Bermuda,—Latitude, N. 37° 20′; Longitude, W. 64° 50′. Height above Sea, 151 feet.

MONTH.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY.				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
		Extremes.		Mean.					Extremes.															
	Monthly Mean.	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Max.	Min.		9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.		in.	in.	%	%	%	in.	in.
January	29·93	30·27	29·47	61·0	59·6	65·1	56·1	60·6	71·9	46·8	80·8	80·8	0·436		0·418	0·427	78	63	71	6·88	2·08
February	29·87	30·19	29·46	63·1	61·5	66·8	57·4	62·1	74·1	45·8	80·8	82·81	0·470		0·460	0·465	72	62	67	5·18	1·33
March	29·90	30·27	29·19	63·5	61·0	67·2	57·5	62·3	73·1	47·0	84·8	88·86	0·498		0·478	0·488	72	51	62	8·39	1·70
April	30·01	30·18	29·65	65·5	61·3	68·7	58·2	63·5	75·5	51·0	80·8	85·83	0·512		0·471	0·492	59	35	47	1·70	0·96
May	29·96	30·22	29·50	71·1	66·2	74·8	62·8	68·8	80·9	57·6	83·9	93·88	0·643		0·606	0·625	61	47	54	2·84	1·17
June	30·00	30·20	29·71	78·1	73·1	81·4	70·4	75·9	85·5	64·0	87·9	95·91	0·834		0·781	0·808	73	51	62	4·09	1·30
July	30·11	30·26	29·88	82·8	77·1	86·2	74·2	80·2	89·3	71·0	92·9	91·87	0·915		0·846	0·881	55	32	44	1·94	0·54
August	29·96	30·08	29·87	82·3	77·6	85·9	74·2	80·0	90·9	70·0	84·9	91·88	0·921		0·863	0·892	51	26	39	4·60	0·87
September	29·96	30·10	29·75	80·2	75·6	83·3	72·7	78·0	87·5	68·8	84·9	90·87	0·871		0·804	0·838	65	46	56	7·22	1·42
October	29·89	30·13	29·61	74·0	71·1	76·5	68·4	72·4	82·7	63·0	80·8	86·83	0·708		0·659	0·684	62	47	55	6·79	2·51
November	30·10	30·31	29·77	69·4	67·1	72·5	63·9	68·2	77·1	56·2	84·8	88·86	0·605		0·588	0·596	58	34	46	3·38	1·87
December	29·94	30·37	29·35	65·0	64·0	68·8	60·5	64·6	75·5	50·8	88·8	88·88	0·550		0·533	0·542	76	59	68	6·40	2·62
Year	29·97	30·37	29·19	71·3	67·9	74·8	64·7	69·7	90·9	45·8	83·8	88·86	0·664		0·626	0·645	65	46	56	59·41	2·62

MONTH.	NUMBER OF WINDS FROM.										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm						Clear	Partly Cloudy.	Cloudy.	Precipitation or Observable.	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	9	0	2	3	5	13	3	19	8						3	11	14	23	0	0	7	0	0	0
February	2	1	2	1	8	23	4	11	6						4	12	13	18	0	0	10	0	0	0
March	3	1	1	3	9	9	3	12	21						0	25	6	20	0	1	11	0	2	0
April	4	4	0	1	1	8	6	12	24						6	22	2	9	0	0	20	0	1	0
May	5	3	0	5	8	15	9	9	15						7	16	8	7	0	0	23	0	1	0
June	4	0	0	2	22	20	1	4	7						2	17	11	11	0	0	19	0	1	0
July	1	2	5	9	11	21	1	2	10						6	21	4	14	0	0	17	0	1	0
August	3	2	1	5	8	12	4	2	20						12	16	3	13	0	0	18	0	7	0
September	3	0	0	8	10	3	0	1	18						3	21	6	20	0	0	9	0	5	0
October	13	0	3	3	10	8	2	2	10						5	19	7	12	0	0	18	0	5	0
November	6	13	10	1	5	1	1	2	21						8	16	6	14	0	0	15	0	0	0
December	7	6	9	1	11	9	5	8	13						3	15	13	28	0	0	3	0	1	0
Year	63	37	34	42	108	144	32	84	173						59	214	93	189	0	1	170	0	24	0

MONTHLY and Annual Summaries for the Year 1896, Chilliwack, British Columbia Latitude, N. 49° 10′: Longitude, W. 121° 57′. Height above Sea, ——.

MONTHS.	PRESSURE.	TEMPERATURE.											RELATIVE HUMIDITY			PRESSURE OF VAPOUR.			CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	7 a.m.	1 p.m.	7 p.m.	Max.	Min.	Mean.	Max.	Min.	Mean.	7 a.m.	1 p.m.	7 p.m.	7 a.m.	1 p.m.	7 p.m.	Mean.	7 a.m.	1 p.m.	7 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·84	30·19	29·14	31·0	34·7	32·7	38·1	27·9	32·8	56·0	11·0													13·68	2·57
February	30·02	30·55	29·18	38·1	41·2	40·4	47·5	35·2	40·9	57·0	22·0													9·27	1·82
March	30·00	30·57	29·51	34·9	47·4	40·4	50·8	31·8	40·9	67·6	18·0													4·75	1·80
April	29·86	30·28	29·46	40·2	52·9	45·7	55·7	36·8	46·3	71·1	29·0													4·29	1·16
May	29·92	30·42	29·52	49·2	60·1	52·9	62·6	42·3	54·1	85·0	33·0													65·52	53·57	2·73	0·60
June	30·01	30·29	29·75	56·2	67·8	60·0	71·9	47·9	61·4	93·0	35·0													54·48	45·49	3·42	1·83
July	29·98	30·16	29·83	61·2	77·1	68·1	79·8	51·0	68·8	88·5	43·0													43·50	47·47	0·65	0·05
August	30·02	30·24	29·85	58·1	73·3	63·9	75·9	52·8	65·1	89·0	15·0													77·51	72·67	1·73	0·97
September	30·02	30·30	29·71	49·8	66·3	56·0	68·6	41·6	57·3	88·0	33·0													64·38	45·49	1·88	0·92
October	30·01	30·35	29·59	43·1	57·0	47·2	59·2	40·3	49·1	71·1	30·0													58·53	33·48	4·62	1·62
November	29·99	30·49	29·30	27·2	34·3	29·1	36·0	25·5	30·2	58·0	7·5													68·61	55·61	12·81	2·33
December	29·86	30·20	29·20	36·6	40·5	37·7	43·7	33·9	38·3	55·0	20·0													75·80	74·76	12·68	2·07
Year	29·96	30·57	29·14	43·8	54·6	47·8	57·5	39·2	48·8	93·0	7·5															71·91	2·57

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of measurable amount.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	2	44	6	11	21	1	1	0	2	5·3	30·0	N.E.	1				22	9	0	9	5	0	0	0
February	5	9	19	11	13	13	4	0	11	7·9	56·0	N.	3				24	5	0	4	2	0	0	0
March	2	6	21	8	19	14	19	1	3	10·2	60·0	W.	4				15	1	0	16	2	1	0	0
April	4	16	13	5	4	39	9	0	0	11·3	48·0	N.E.	1				18	0	0	12	1	0	0	0
May	7	7	5	5	6	52	6	1	0	9·6	23·0	S.W.	0	7	13	11	16	0	0	14	0	0	0	0
June	7	3	15	3	9	36	15	0	2	7·1	16·0	S.W.	0	9	14	7	9	0	0	21	0	2	0	0
July	0	5	14	2	25	31	12	0	1	6·6	48·0	N.E.	1	16	4	11	1	0	0	30	3	0	0	0
August	0	1	5	2	31	38	14	0	2	6·2	23·0	S.W.	0	4	14	13	5	0	0	26	6	0	0	0
September	2	11	6	7	23	26	14	1	0	6·6	23·0	N.E.	0	9	12	9	4	0	0	26	11	0	0	0
October	1	6	33	12	10	18	10	3	0	7·3	16·0	S.W.	0	11	11	9	11	0	0	20	5	0	0	0
November	4	18	33	19	5	5	3	0	1	13·6	40·0	N.	4	9	6	15	17	6	0	13	0	0	0	0
December	5	10	37	13	2	10	6	2	0	10·7	20·0	S.W.	0	2	8	21	21	1	0	10	3	1	0	0
Year	39	136	207	98	168	286	113	8	22	8·5	60·0	W.	14				163	25	0	201	38	4	0	0

MONTHLY and Annual Summaries for the Year 1896, Calgary, North-West Territories—Latitude, N. 51° 2′; Longitude, W. 114° 4′. Height above Sea, 3,389 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Monthly	Max.	Min.		6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.	%	%	%	%	in.	in.
January	26·27	26·82	25·44	0·1	6·9	4·0	14·5	7·2	3·7	51·0	−34·2		..	..	..	..	..	..	..	..	45	58	51	51	0·90	0·50
February	26·22	26·62	25·72	19·2	29·7	25·2	35·5	13·1	24·3	59·0	−21·2		72	62	68	67	0·101	0·137	0·124	0·121	50	44	54	49	1·94	0·60
March	26·31	26·89	25·77	12·7	22·6	23·6	30·2	8·3	19·3	55·3	−34·2		73	61	64	66	0·088	0·122	0·119	0·110	40	51	47	46	1·13	0·80
April	26·25	26·66	25·84	26·8	42·6	41·5	47·6	25·0	36·3	68·3	13·5		70	56	57	61	0·102	0·154	0·151	0·136	57	61	52	57	0·64	0·24
May	26·29	26·61	25·88	37·8	52·5	51·3	56·8	34·7	45·8	72·3	22·0		62	47	50	53	0·143	0·185	0·189	0·172	73	77	72	74	1·94	0·61
June	26·39	26·66	26·13	48·7	69·3	69·6	74·5	42·4	58·5	94·0	33·5		58	36	37	44	0·202	0·250	0·246	0·233	42	53	49	48	1·22	0·40
July	26·48	26·82	26·21	52·4	72·7	74·1	80·0	49·2	64·6	95·0	34·0		61	41	41	48	0·244	0·329	0·335	0·303	47	44	45	45	1·84	0·82
August	26·47	26·72	26·18	47·4	69·2	67·5	73·2	45·9	60·0	85·3	38·0		64	44	45	51	0·212	0·301	0·307	0·273	45	45	46	45	1·66	0·63
September	26·47	26·79	26·07	38·9	57·7	55·4	61·6	37·0	49·3	85·0	24·0		68	46	53	56	0·162	0·218	0·236	0·205	48	53	53	51	1·46	0·39
October	26·40	26·79	26·13	31·3	51·0	46·8	53·8	28·8	41·3	73·3	16·5		75	49	55	60	0·132	0·180	0·179	0·164	43	48	52	48	0·70	0·36
November	26·44	26·86	25·74	0·0	6·0	2·7	9·1	−4·2	2·4	47·3	−29·2		..	..	..	..	..	..	..	..	59	66	57	61	2·26	1·20
December	26·25	26·86	25·68	24·6	28·4	28·0	35·1	17·1	26·1	48·8	−15·5		63	56	60	60	0·089	0·099	0·100	0·096	46	53	44	48	0·36	0·12
Year	26·35	26·89	25·44	28·3	42·4	40·8	47·7	24·2	36·0	95·0	−34·2		..	..	..	..	..	..	..	..	50	54	52	52	16·05	1·20

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of 0·01 or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
January	7	10	5	6	1	0	26	0	7					6	19	6	6	6	0	25	1	0		0
February	3	3	6	0	0	1	32	6	7					5	18	6	5	5	0	24	0	0	..	0
March	7	6	8	5	0	0	29	0	7					9	18	4	7	8	1	23	0	0	..	0
April	3	5	11	2	1	1	25	5	7					6	15	9	9	8	0	30	0	0		0
May	5	4	10	2	2	1	31	5	2					0	14	17	10	2	0	19	0	0		0
June	3	2	6	6	0	1	32	1	3					8	17	5	4	0	0	25	0	0		0
July	11	1	6	7	5	0	28	1	0					10	14	7	8	0	0	22	0	2		0
August	8	1	9	6	4	0	33	0	1					8	20	3	8	0	0	21	0	1		1
September	14	5	4	4	1	1	17	0	1					10	11	9	9	3	0	18	0	0	..	0
October	7	3	6	11	7	1	20	1	0					6	19	6	3	2	0	28	0	0		3
November	18	1	7	5	0	2	18	9	0					4	13	13	9	10	0	20	0	0		0
December	4	4	3	8	7	1	32	0	0					9	14	8	5	6	0	25	0	0		2
Year	90	48	82	62	31	21	323	40	35					81	192	93	83	50	1	280	1	3		6

MONTHLY and Annual Summaries for the Year 1896, Chatham, New Brunswick—Latitude, N. 47° 3′; Longitude, W. 65° 29′. Height above Sea, 21 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																
		Max.	Min.	7 a.m.	3 p.m.	7 p.m.	Max.	Min.	Mthly.	Max.	Min.		7 a.m.	3 p.m.	7 p.m.	Mean.	8 a.m.	3 p.m.	7 p.m.	Mean.	8 a.m.	3 p.m.	7 p.m.	Mean.	Total.	Max. amount in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.	%	%	%	%	in.	in.
January	30·08	30·52	29·20	8·4	17·0	10·9	20·8	2·3	11·6	38·5	−20·6		84	81	84	83	0·064	0·083	0·067	0·071	50	40	40	43	2·19	0·62
February	29·75	30·37	28·89	11·4	22·6	16·4	25·1	4·2	14·6	42·0	−25·0		83	82	83	83	0·077	0·109	0·087	0·091	59	61	55	58	3·53	0·92
March	29·80	30·57	28·84	21·4	30·8	24·1	33·2	14·8	24·0	49·5	−13·5		83	82	83	83	0·111	0·148	0·116	0·125	59	58	46	54	4·66	0·75
April	30·05	30·49	29·08	37·1	44·7	31·8	47·1	28·2	37·6	65·0	14·5		82	80	82	81	0·187	0·246	0·172	0·202	39	46	43	43	1·75	1·01
May	29·98	30·52	29·36	49·2	60·2	48·7	63·0	38·2	50·6	79·5	26·0		71	57	72	67	0·255	0·293	0·257	0·268	51	53	56	53	1·17	0·42
June	29·85	30·31	29·16	59·4	69·2	59·4	71·2	48·1	59·8	91·0	37·5		70	59	75	68	0·355	0·415	0·386	0·385	45	45	52	47	3·33	0·66
July	29·89	30·36	29·40	66·4	76·6	66·0	79·0	56·6	67·8	90·3	48·5		74	59	78	70	0·481	0·537	0·506	0·508	38	55	55	49	3·89	0·68
August	29·96	30·22	29·65	61·9	73·9	63·3	76·1	53·5	61·8	91·7	43·0		80	69	82	77	0·429	0·575	0·484	0·503	45	48	37	43	2·69	0·60
September	29·99	30·43	29·43	53·2	61·9	54·1	64·7	45·1	54·9	79·7	30·5		82	71	82	78	0·347	0·398	0·356	0·367	56	53	46	50	4·12	1·20
October	30·00	30·61	29·38	43·1	48·1	43·6	51·3	37·3	41·3	70·0	26·0		85	75	84	81	0·249	0·266	0·241	0·252	61	74	55	63	5·83	0·94
November	30·09	30·78	29·42	29·8	34·2	30·3	38·3	23·8	31·1	62·5	1·7		84	79	82	82	0·155	0·168	0·151	0·158	71	65	57	64	3·89	1·21
December	29·99	30·70	29·01	10·4	21·0	13·7	24·5	3·4	14·0	41·0	−22·0		73	77	75	75	0·066	0·095	0·073	0·078	43	34	33	37	1·42	0·52
Year	29·95	30·78	28·84	37·6	46·7	38·8	49·5	29·6	39·6	91·7	−25·0		79	73	80	77	0·233	0·278	0·241	0·251	51	53	48	50	37·87	1·21

MONTHS.	NUMBER OF WINDS FROM.										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION OF TIME OF MAXIMUM VELOCITY.	NO. OF CALES.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation on the ground.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning.	Aurora.	Meteors.
January	2	5	9	0	0	1	10	11	21						12	10	9	13	14		17		0			
February	1	0	7	1	1	2	14	6	26						8	10	11	13	14		13		0			
March	7	3	11	3	1	4	10	2	15						8	10	13	15	11		16		0			
April	1	9	10	0	1	4	7	5	23						14	8	8	9	5		20		0			
May	4	2	18	1	3	8	14	0	12						6	18	7	8	0		21		0			
June	0	6	7	2	0	8	11	11	15						8	18	4	14	0		14		2			
July	0	4	4	2	4	11	20	9	8						4	23	4	13	0		15		2			
August	3	2	4	3	0	12	14	5	19						8	17	6	9	0		20		1			
September	1	3	3	4	2	9	13	11	14						8	13	9	17	0		12		0			
October	4	6	13	4	3	3	10	3	16						5	11	15	17	0		14		0			
November	9	5	2	3	1	4	15	6	12						4	12	14	16	10		10		0			
December	4	3	1	2	1	4	18	11	18						15	9	7	8	8		21		0			
Year	36	48	89	25	20	70	162	80	202						100	159	107	152	62		193		5			

MONTHLY and Annual Summaries for the Year 1896, Charlottetown, Prince Edward Island—Latitude, N. 46° 14′; Longitude, W. 63° 10′. Height above Sea, 38 feet.

MONTHS.	PRESSURE.	TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		Extremes.		Mean.						Extremes.															
	Monthly Mean.	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%	%		in.	in.
January	30·00	30·45	29·20	18·1	20·2	19·0	25·2	12·5	18·9	40·4	−12·0	91	86	87	88	0·101	0·103	0·099	0·101	86	79	68	78	1·81	0·42
February	29·70	30·32	28·80	17·2	20·9	19·4	25·8	10·7	18·3	41·9	−9·2	88	84	87	86	0·092	0·104	0·100	0·099	61	65	67	64	1·48	0·31
March	29·77	30·49	28·97	26·8	30·3	27·9	34·6	21·1	27·9	49·1	8·0	85	79	84	83	0·134	0·142	0·135	0·137	69	78	70	72	4·46	0·70
April	30·00	30·40	29·10	35·1	38·7	34·6	42·3	28·4	35·4	61·7	22·3	81	71	81	78	0·165	0·168	0·165	0·166	57	48	41	49	0·82	0·19
May	29·96	30·45	29·33	47·0	51·8	45·7	56·1	38·2	47·1	71·0	28·7	77	70	81	76	0·257	0·264	0·257	0·259	62	45	45	51	1·25	0·58
June	29·83	30·25	29·14	58·0	62·2	56·1	64·6	49·4	57·0	76·6	40·3	78	70	83	77	0·380	0·394	0·376	0·383	60	50	39	50	3·78	0·99
July	29·89	30·37	29·45	65·4	70·6	64·8	72·9	58·3	65·6	81·6	49·5	84	72	83	80	0·523	0·544	0·516	0·528	69	50	49	56	4·70	1·32
August	29·95	30·18	29·70	63·8	67·9	63·3	70·4	56·9	63·6	80·5	48·5	82	74	87	81	0·502	0·516	0·517	0·512	64	58	46	56	1·80	0·99
September	29·98	30·37	29·46	57·4	59·9	56·4	63·6	50·0	56·8	79·4	39·7	83	74	84	80	0·407	0·396	0·392	0·398	83	74	84	80	3·20	1·09
October	29·97	30·57	29·26	48·4	49·9	47·6	53·4	42·6	48·0	66·8	32·1	87	81	87	85	0·313	0·304	0·298	0·305	85	80	75	80	10·38	2·60
November	29·07	30·74	29·48	35·7	34·2	35·9	42·6	29·6	36·1	55·5	11·3	87	84	84	85	0·195	0·200	0·183	0·193	85	83	73	80	2·55	0·39
December	29·95	30·60	28·72	22·4	24·7	23·6	29·9	16·2	23·0	43·9	0·0	88	84	84	85	0·116	0·120	0·115	0·117	71	62	53	62	2·19	1·37
Year	29·84	30·74	28·72	41·3	44·3	41·2	48·5	34·5	41·5	81·6	−12·0	84	77	84	82	0·265	0·271	0·263	0·266	71	64	59	65	38·42	2·60

MONTHS.	NUMBER OF WINDS									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storm.	Lightning Alone.	Aurora.
January	107	130	60	3	11	38	210	141	44	10·7	30	S.W.	4	3	7	21	14	13	..	17	0	0	..	1
February	55	60	29	63	55	57	84	182	111	9·1	36	S.W.	4	7	8	14	9	11	..	18	0	0	..	0
March	38	122	57	105	13	158	101	106	44	12·5	44	S.W.	8	6	6	19	11	9	..	15	1	0	..	2
April	46	274	12	45	39	114	42	101	47	10·1	33	S.E.	2	9	15	6	10	6	..	18	0	1	..	2
May	57	187	19	36	147	126	57	49	66	8·7	32	N.E.	3	8	15	8	9	0	..	20	0	1	..	1
June	57	98	28	60	57	126	68	61	165	6·8	26	W.	2	6	16	8	11	0	..	17	0	1	..	0
July	34	70	11	50	92	248	136	44	59	8·5	23	S.E.	0	2	22	7	9	0	..	20	0	2	..	1
August	60	71	17	49	141	188	69	66	83	7·3	27	S.W.	1	9	10	12	9	0	..	20	3	3	..	3
September	46	59	6	53	106	212	87	95	56	8·2	25	S.	1	5	13	12	10	0	..	15	0	0	..	0
October	66	202	8	99	55	77	91	80	66	8·8	30	N.E.	2	1	8	22	20	0	..	9	0	0	..	1
November	53	55	11	97	61	107	105	176	55	9·4	32	S.W.	5	0	10	20	16	7	1	9	1	0	..	1
December	50	61	3	48	36	108	128	237	73	11·2	33	N.E.	4	6	11	14	8	12	..	18	0	0	..	1
Year	669	1389	261	708	813	1559	1178	1338	869	9·3	44	S.W.	36	62	141	163	136	58	..	196	5	8	..	13

MONTHLY and Annual Summaries for the Year 1896, Durham, Ontario—Latitude, N. 44° 10′; Longitude, W. 80° 50′. Height above Sea, — feet.

MONTHS.	PRESSURE. Monthly Mean.	PRESSURE. Extremes. Max.	PRESSURE. Extremes. Min.	TEMPERATURE. Mean. 8 a.m.	2 p.m.	10 p.m.	Max.	Min.	Mthly.	TEMPERATURE. Extremes. Max.	Min.	RELATIVE HUMIDITY. 8 a.m.	1 p.m.	10 p.m.	Mean.	PRESSURE OF VAPOUR. 8 a.m.	2 p.m.	10 p.m.	Mean.	CLOUDINESS. 8 a.m.	2 p.m.	10 p.m.	Mean.	PRECIPITATION. Total.	Maximum in any 24 Hours.
	in.	in.	in.													in.	in.	in.	in.	%	%			in.	in.
January	28·73	29·15	28·26	18·4	23·5	18·6	23·9	12·2	20·2	34·0	−22·0									87	75	70	77	4·50	0·60
February	28·43	29·13	27·99	18·3	22·5	17·5	24·0	10·4	19·4	44·0	−26·0									74	71	57	67	4·20	1·20
March	28·64	29·14	28·14	16·8	27·1	19·1	27·3	10·6	21·0	50·0	4·0									57	59	54	57	3·05	1·20
April	28·73	29·23	28·32	45·7	54·4	45·7	55·3	37·2	48·6	80·0	11·0									47	59	47	51	1·90	0·40
May	28·65	28·98	28·19	58·5	70·3	55·8	71·9	48·1	61·5	71·9	48·1									51	43	33	42	1·32	0·40
June	28·68	28·93	28·31	64·0	75·3	60·2	76·8	51·2	66·5	90·0	35·0									28	33	26	29	1·40	0·48
July	28·70	28·96	28·44	66·0	76·5	62·6	77·6	55·7	68·4	91·0	40·0									47	55	30	44	2·69	0·80
August	28·71	29·08	28·31	64·5	74·5	61·5	75·4	53·8	66·8	92·0	36·0									41	36	31	36	4·27	1·20
September	28·69	29·04	28·11	54·5	62·7	52·7	62·1	46·3	56·6	83·0	26·0									67	61	53	60	3·99	0·70
October	28·79	29·11	28·34	42·3	53·4	41·8	52·4	34·6	45·8	70·0	23·0									60	56	44	53	1·00	0·30
November	28·66	29·16	28·02	38·5	41·2	35·7	42·1	30·3	38·5	63·0	12·0									82	82	77	80	3·14	0·54
December	28·81	29·36	28·24	25·0	29·2	24·7	30·6	18·2	26·3	42·0	2·0									69	80	68	72	1·40	0·60
Year	28·68	29·36	27·99	42·7	50·9	41·3	51·6	34·0	45·0	92·0	−26·0									59	59	49	56	32·86	1·2

MONTHS.	NUMBER OF WINDS FROM N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	Number of Gales.	NUMBER OF DAYS. Clear.	Partly Cloudy.	Cloudy.	Precipitation of 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	8	4	1	19	25	16	0	20	0	3	6	S.E.	9	1	12	18	14	16	0	14	2	0	0	0
February	12	4	5	2	20	18	1	24	1	3	6	S.W.	15	2	14	13	11	14	0	13	3	0	0	1
March	15	7	6	10	17	10	2	21	5	3	7	S.	14	8	7	16	5	9	0	18	1	0	0	2
April	6	1	5	15	27	17	0	19	0	3	7	S.E.	13	9	12	9	14	6	0	14	2	3	0	2
May	7	0	3	13	20	30	0	15	5	3	7	S.W.	12	11	16	4	5	0	0	24	1	2	0	1
June	22	0	0	7	6	22	0	18	15	2	5	S.W.	7	17	10	3	8	0	0	19	1	6	0	0
July	7	5	3	10	13	25	0	20	10	3	5	S.E.	11	11	15	5	10	0	0	18	0	1	0	1
August	10	1	1	12	12	19	7	24	7	3	5	N.W.	11	14	15	2	12	0	0	16	0	11	1	1
September	15	4	5	16	10	19	2	19	0	3	7	N.E.	11	8	7	15	13	1	0	16	1	1	1	0
October	9	3	0	28	10	18	0	17	8	3	7	S.	8	10	9	12	6	5	0	20	0	0	0	1
November	0	1	1	17	12	40	1	14	4	4	7	S.W.	10	2	7	21	12	10	0	11	0	0	0	0
December	14	12	4	11	10	33	0	8	1	3	5	N.E.	7	4	11	16	4	11	0	19	4	0	0	0
Year	125	42	34	160	182	267	13	219	56	3	7		128	97	135	134	114	72	0	202	15	24	2	9

MONTHLY and Annual Summaries for the Year 1896, Esquimalt, British Columbia.—Latitude N. 48° 26′; Longitude W. 123° 25′. Height above Sea, 28 feet.

Month	Pressure: Monthly Mean	Temperature: Extremes. Max.	Extremes. Min.	Mean. 5 a.m.	Mean. 1 p.m.	Mean. 9 p.m.	Mean. Mean.	Mean. Max.	Mean. Min.	Extremes. Max	Extremes. Min.	Relative Humidity 5 a.m.	Relative Humidity 1 p.m.	Relative Humidity 9 p.m.	Relative Humidity Mean.	Pressure of Vapour. 5 a.m.	Pressure of Vapour. 1 p.m.	Pressure of Vapour. 9 p.m.	Pressure of Vapour. Mean.	Cloudiness. 5 a.m.	Cloudiness. 1 p.m.	Cloudiness. 9 p.m.	Cloudiness. Mean	Precipitation. Total.	Precipitation. Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%			in.	in.
January	29·818	30·196	29·022	36·6	41·4	38·1	42·9	35·8	38·4	55·1	20·6	96	86	91	92	0·216	0·229	0·223	0·223	78	82	77	79	4·46	0·70
February	30·012	30·649	29·151	39·2	45·2	40·8	46·8	37·0	41·9	55·1	26·2	92	82	90	88	0·224	0·250	0·232	0·235	68	82	62	71	6·71	1·24
March	30·022	30·601	29·508	35·6	46·0	39·8	48·0	34·0	41·0	59·3	22·2	93	72	85	83	0·201	0·225	0·212	0·213	57	62	43	54	1·71	0·37
April	29·875	30·284	29·480	39·5	50·8	43·8	53·1	38·6	45·8	64·1	29·2	92	72	85	83	0·226	0·266	0·244	0·245	78	80	57	72	1·08	0·20
May	29·962	30·482	29·470	44·0	55·1	47·8	58·5	43·1	50·8	65·2	35·3	93	75	86	85	0·272	0·325	0·287	0·295	66	74	58	66	1·62	0·20
June	30·027	30·305	29·704	49·3	61·4	53·7	65·6	48·1	56·8	86·4	39·3	91	72	79	81	0·320	0·392	0·329	0·347	65	52	48	55	0·69	0·39
July	29·986	30·208	29·738	52·1	67·3	58·8	70·8	51·0	60·9	78·2	44·2	95	72	85	84	0·370	0·484	0·420	0·425	53	51	54	53	R	R
August	30·002	30·194	29·854	51·4	65·4	56·4	68·0	50·9	59·4	73·7	46·2	87	74	88	83	0·371	0·460	0·401	0·411	75	62	44	60	0·57	0·26
September	30·014	30·320	29·710	45·3	58·1	49·8	60·6	44·5	52·6	69·9	37·7	97	78	92	89	0·297	0·375	0·332	0·335	92	72	68	77	1·57	1·04
October	29·994	30·349	29·488	44·0	54·1	46·5	55·8	42·1	49·1	65·5	35·2	98	80	95	91	0·286	0·334	0·302	0·307	58	68	42	56	2·87	1·39
November	29·947	30·515	29·258	35·4	39·3	36·0	40·5	33·1	36·8	56·7	16·7	92	85	94	90	0·201	0·213	0·207	0·207	59	81	76	72	10·67	2·22
December	29·896	30·209	29·164	41·9	45·6	42·0	46·8	38·5	42·6	55·0	29·0	97	88	97	94	0·260	0·275	0·262	0·266	87	96	80	88	10·41	1·47
Year	29·965	30·649	29·022	42·9	52·5	46·1	54·8	41·2	48·0	86·4	16·7	94	78	89	87	0·270	0·319	0·288	0·292	70	72	59	67	42·36	2·22

Month	Number of Winds From: N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days: Clear.	Partly Cloudy.	Cloudy.	Precipitation or more.	Snow.	Hail.	Rain.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	214	47	73	44	26	125	36	104	61	7·7	40	S.W.	9	3	6	22	26	17	0	5	0	0	0	0
February	150	30	45	40	62	205	46	57	61	9·0	32	S.W.	5	2	6	21	21	3	0	7	0	0	0	0
March	150	69	41	26	56	165	53	68	116	6·9	32	S.W.	2	7	9	15	12	4	0	18	0	0	0	0
April	109	37	51	63	72	195	45	49	99	7·9	32	S.W.	6	1	7	19	14	1	0	12	0	0	0	1
May	31	21	31	79	141	253	55	44	80	6·8	34	S.W.	3	3	13	15	18	0	0	10	0	0	0	0
June	44	16	11	70	178	213	41	12	132	7·9	26	S.W.	11	5	14	11	6	0	0	22	1	1	0	2
July	40	37	53	129	159	69	6	39	212	4·4	24	S.W.	1	12	7	12	0	0	0	29	1	0	0	0
August	14	129	200	93	28	62	25	11	182	4·0	28	S.E.	1	8	10	13	6	0	0	25	14	0	0	0
September	33	57	87	68	78	47	28	70	250	2·0	20	S.W.	0	2	6	22	5	0	0	25	26	0	0	0
October	96	31	27	60	101	86	42	101	194	3·7	24	S.W.	1	4	13	14	12	0	0	16	7	0	0	0
November	109	15	13	33	27	116	19	102	13	7·5	32	N.E.	1	5	3	22	19	9	0	10	0	0	0	0
December	253	31	58	40	13	84	15	101	106	4·6	24	S.W.	2	0	5	26	23	0	0	7	1	0	0	0
Year	1181	495	673	745	974	1620	414	761	1539	6·0	40	S.W.	45	55	99	212	162	34	0	186	50	1	0	3

MONTHLY and Annual Summaries for the Year 1896, Edmonton, North west Territories.—Latitude, N. 53° 13′; Longitude, W. 113° 30′. Height above Sea, 2,158 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.							Extremes.															
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Daily.		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	27·65	28·30	27·07	7·6	2·2	1·6	4·9	10·9	3·0		46·0	46·5													0·40	0·20
February	27·48	27·87	26·91	16·1	21·5	23·7	31·6	12·3	22·0		52·0	32·5													0·63	0·26
March	27·62	28·34	27·01	12·0	24·8	25·9	31·2	8·9	20·0		54·0	24·0													1·20	0·32
April	27·53	27·98	27·10	26·2	39·2	41·0	46·8	25·0	35·9		68·0	5·5													1·16	0·30
May	27·50	27·91	27·13	40·7	54·3	55·0	60·4	38·3	49·3		76·0	27·5	80	56	56	64	0·202	0·225	0·235	0·221	65	73	72	70	1·94	0·46
June	27·59	27·88	27·32	49·6	63·5	66·1	72·2	45·1	58·8		89·5	33·0	85	58	59	67	0·311	0·367	0·361	0·346	45	48	57	50	2·62	0·86
July	27·71	28·09	27·44	53·9	71·5	72·4	77·9	50·6	64·2		91·5	37·5	90	57	59	69	0·383	0·433	0·451	0·422	49	55	53	52	2·07	0·64
August	27·68	27·99	27·41	47·6	66·6	65·1	70·0	46·1	58·0		79·0	37·0	94	56	68	73	0·314	0·386	0·427	0·376	48	41	38	42	2·04	1·12
September	27·71	28·14	27·32	37·6	58·1	57·1	63·3	36·4	49·9		80·5	24·0	92	58	57	69	0·204	0·279	0·266	0·250	57	52	46	52	0·22	0·08
October	27·64	28·10	27·17	31·3	48·7	46·5	54·8	29·9	42·3		75·0	19·5									50	44	44	46	0·17	0·16
November	27·81	28·27	27·18	5·6	2·2	2·4	8·0	8·8	0·4		45·5	−36·5									57	58	50	55	2·59	0·50
December	27·50	28·10	26·93	16·4	20·8	22·3	28·0	12·7	20·3		47·0	27·0									54	60	63	59	0·20	0·10
Year	27·62	28·34	26·91	26·5	39·1	39·7	45·7	23·8	34·8		91·5	46·5													19·53	55·52	15·94	1·12

MONTHS.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation, .01 in. or over.	Snow.	Hail.	Rain.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	20	5	1	7	3	3	2	6	33					9	14	8	3	9	0	21	0	0		2
February	0	6	2	6	6	4	4	12	18					5	21	3	5	8	0	18	0	0		0
March	3	4	3	7	2	4	3	12	24					5	20	6	8	7	0	19	0	0		0
April	6	2	2	11	4	1	4	12	18					1	17	9	7	5	0	21	0	0		0
May	0	1	3	8	1	3	9	23	14					1	18	12	13	1	0	15	1	0		0
June	2	5	3	6	2	2	9	11	20					5	19	6	14	0	0	14	0	8		0
July	2	3	3	4	4	1	5	11	26					4	19	8	6	0	1	21	1	0		0
August	0	0	3	3	4	8	10	11	23					12	16	3	12	0	1	19	1	0		0
September	2	4	3	4	6	3	9	12	17					9	13	8	1	0	0	24	0	2		2
October	2	4	5	6	3	8	8	8	18					9	15	7	2	0	0	27	0	0		0
November	6	5	5	1	5	2	6	6	24					8	11	11	14	14	0	16	0	0		0
December	1	1	2	3	10	11	4	5	25					6	18	7	3	3	0	26	2	0		0
Year	26	40	35	66	50	53	73	129	260					77	201	88	91	47	2	244	5	10		1

MONTHLY and Annual Summaries for the Year 1896, Father Point, Quebec—Latitude, N. 48° 31′; Longitude, W. 68° 19′. Height above Sea, 20 feet.

MONTHS.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
		Extremes.		Mean.						Extremes.																
	Monthly Mean.	Max.	Min.	8 a.m.	3 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.			8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	7 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.															in.	in.	in.	in.	%	%	%	in.	in
January	30·15	30·55	29·15	4·9	9·3	6·3	14·5	3·9	5·3	33·0	−25·1			85	85	81	84	0·054	0·061	0·052	0·056	64	58	52	58	1·81	0·30
February	29·77	30·37	29·05	9·9	15·5	12·6	20·5	0·1	10·2	42·3	−21·9			88	89	85	87	0·075	0·087	0·081	0·081	68	67	64	66	2·80	0·55
March	29·81	30·62	28·94	18·3	22·1	18·2	26·7	8·4	17·6	38·7	−13·7			89	90	91	90	0·102	0·114	0·099	0·105	80	80	67	76	5·12	0·90
April	30·05	30·54	29·26	34·9	37·8	33·5	41·4	25·3	33·4	56·6	9·0			78	77	86	80	0·160	0·173	0·167	0·167	60	51	40	50	1·25	0·70
May	29·93	30·46	29·36	45·7	49·9	45·6	55·0	35·9	45·4	67·5	21·4			75	69	78	74	0·232	0·244	0·240	0·239	63	64	71	66	3·37	1·00
June	29·83	30·26	29·20	52·8	58·0	51·8	61·8	43·7	52·8	76·6	35·3			81	70	84	78	0·327	0·338	0·323	0·329	63	63	57	61	3·37	1·13
July	29·84	30·29	29·34	57·6	62·8	58·3	67·2	47·9	57·5	76·1	38·1			83	74	82	80	0·395	0·426	0·407	0·409	59	67	75	67	3·46	1·50
August	29·91	30·20	29·60	55·6	59·7	54·9	65·2	44·8	55·0	78·8	36·8			85	78	86	83	0·385	0·401	0·374	0·387	64	69	58	64	3·17	0·64
September	29·95	30·43	29·44	49·3	53·3	48·2	56·4	40·3	48·3	76·4	28·0			84	79	90	84	0·301	0·312	0·296	0·303	60	66	56	61	3·15	0·53
October	30·00	30·61	29·40	38·0	40·8	37·4	43·1	31·1	37·1	53·0	23·3			83	82	87	84	0·195	0·210	0·198	0·201	83	83	75	80	4·20	1·00
November	30·07	30·76	29·37	27·1	29·3	27·5	34·0	20·2	27·1	48·5	2·1			83	81	81	82	0·134	0·139	0·129	0·134	85	83	71	80	4·24	0·95
December	30·01	30·68	29·27	13·2	16·3	15·3	22·0	5·1	13·6	40·1	−11·0			82	80	80	81	0·076	0·082	0·080	0·079	72	68	53	64	1·01	0·42
Year	29·94	30·76	28·94	35·9	37·9	34·1	42·3	24·9	33·6	78·8	−25·1			83	80	84	82	0·203	0·216	0·204	0·208	68	68	62	66	36·95	1·50

MONTHS.	NUMBER OF WINDS.									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	199	18	114	3	129	66	97	112	6	17·0	63	W.	9	7	11	13	16	17	0	14	0	0	.	2
February	117	23	94	24	62	98	166	100	12	14·5	58	E.	6	5	9	15	14	13	0	15	0	0	..	3
March	115	37	164	9	54	88	174	90	13	20·8	58	E.	11	3	8	20	20	18	1	11	0	0		3
April	118	25	191	1	87	64	153	36	12	14·8	54	E.	5	9	11	10	8	4	0	20	0	0		5
May	87	40	176	11	53	128	192	39	18	14·6	40	S.W.	5	2	17	12	12	0	1	19	1	0	..	5
June	63	67	139	26	79	60	256	28	2	16·4	60	W.	7	5	15	10	10	0	0	19	1	1	.	6
July	33	20	74	9	56	140	366	30	16	14·3	41	W.	3	2	16	13	15	0	0	16	0	2	...	1
August	18	47	79	13	58	182	293	37	17	12·8	38	W.	1	5	11	15	12	0	0	19	2	2		7
September	47	22	82	10	58	162	288	23	28	13·9	36	W.	1	6	13	11	14	0	0	15	1	0		2
October	43	67	191	26	80	75	158	64	10	16·8	54	N.W.	10	1	8	22	16	2	0	15	4	0	..	3
November	83	53	86	50	60	100	131	149	8	17·2	49	N.W.	8	1	10	19	12	9	0	10	0	0		1
December	144	36	72	12	108	24	204	114	0	17·4	61	N.	7	5	13	13	10	10	0	21	0	0		1
Year	1067	455	1465	194	884	1187	2478	852	202	15·9	63	W.	73	51	142	173	159	73	2	194	9	5		39

MONTHLY and Annual Summaries for the Year 1896, Fredericton, New Brunswick—Latitude, N. 45° 57′ : Longitude, W. 66° 38′. Height above Sea, 164 feet.

MONTHS.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																	
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	5 p.m.	11 p.m.	Mean.	8 a.m.	5 p.m.	11 p.m.	Mean.	8 a.m.	5 p.m.	11 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·93	30·27	29·14	9·8	18·5	12·0	21·2	4·0	12·9	37·9	−16·3	79	67	69	72	0·061	0·066	0·057	0·061	43	42	48	44	1·36	0·40
February	29·61	30·23	28·71	13·3	23·6	17·4	25·8	7·3	17·7	44·4	−20·0	85	68	75	76	0·079	0·088	0·081	0·083	65	70	57	64	4·78	1·12
March	29·62	30·42	28·68	22·2	30·9	24·1	34·3	14·3	25·1	54·8	−9·3	75	64	71	70	0·105	0·112	0·102	0·106	62	72	49	61	5·81	1·20
April	29·88	29·31	28·88	38·5	47·9	35·4	49·8	27·9	39·5	66·7	16·8	64	46	66	59	0·150	0·140	0·139	0·143	46	46	42	45	1·19	0·46
May	29·83	30·34	29·30	51·9	60·8	46·5	64·7	37·4	51·7	80·9	26·0	59	43	67	56	0·234	0·219	0·222	0·225	40	45	44	43	0·88	0·38
June	29·71	30·22	29·20	61·7	69·1	55·2	72·2	46·2	60·5	84·8	35·0	64	51	71	62	0·353	0·338	0·313	0·335	40	49	29	39	1·92	1·05
July	29·76	30·22	29·33	67·1	76·0	62·6	77·5	54·0	67·5	90·7	46·0	67	61	77	68	0·461	0·493	0·444	0·462	44	63	41	49	3·80	1·39
August	29·82	30·10	29·57	64·2	74·6	61·0	76·6	51·4	65·3	92·7	40·3	70	52	75	66	0·431	0·411	0·409	0·417	46	42	35	41	1·10	0·29
September	29·84	30·25	29·35	52·7	62·7	52·4	64·2	42·2	55·0	85·7	27·0	82	66	82	77	0·339	0·360	0·341	0·347	62	47	46	52	7·02	2·04
October	29·83	30·43	29·17	42·6	49·6	42·8	52·0	35·9	44·6	66·7	25·4	82	71	79	77	0·225	0·232	0·222	0·226	73	75	68	72	5·15	2·02
November	29·97	30·66	29·32	31·0	36·1	30·5	40·6	22·8	32·2	60·9	−1·1	76	67	76	73	0·151	0·140	0·143	0·145	72	71	66	70	4·02	1·63
December	29·87	30·57	28·87	13·3	22·0	13·7	24·6	5·6	16·1	44·9	−10·7	77	65	73	72	0·072	0·075	0·067	0·071	39	34	32	35	1·18	0·47
Year	29·82	30·66	28·68	39·0	47·6	37·8	50·3	29·1	40·7	92·7	−20·0	73	60	73	69	0·222	0·223	0·212	0·217	53	55	46	51	38·21	2·04

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation of .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	9	16	3	2	1	1	17	34	10		8·6	29	N.W.	3	11	16	4	8	8	0	21	1	0	0	2
February	4	9	4	6	2	4	9	30	19		8·6	22	N.W.	3	3	0	26	14	16	0	12	3	0	0	3
March	3	10	11	8	3	10	24	17	7		9·8	30	W.	4	6	14	11	17	15	0	9	4	0	0	3
April	2	18	15	3	5	5	16	14	12		6·5	27	W.	1	12	9	9	8	4	0	16	0	0	0	4
May	3	10	14	8	7	11	25	12	3		7·2	18	W.	0	11	12	8	5	0	0	23	0	0	0	1
June	6	6	11	8	2	6	27	20	4		7·8	26	W.	1	11	13	6	8	0	0	19	1	2	0	2
July	5	4	8	10	5	19	18	15	9		7·3	21	N.E.	0	12	11	8	10	0	0	20	3	1	0	1
August	1	6	6	11	13	15	29	8	4		6·7	17	W.	0	12	13	6	11	0	0	12	4	2	0	1
September	5	3	5	15	13	8	18	18	5		6·3	19	W.	0	9	12	9	12	0	0	12	10	0	0	0
October	3	26	1	10	5	8	12	25	3		7·7	28	N.W.	2	3	12	16	13	0	0	18	2	0	0	4
November	5	5	8	14	3	11	11	30	3		7·6	20	S.	1	4	10	16	16	7	0	14	7	0	0	1
December	3	4	6	3	1	10	13	40	13		7·8	30	N.W.	3	17	9	5	7	10	0	19	1	0	0	1
Year	49	117	92	98	60	108	219	263	92		7·7	30	W. N.W.	18	111	131	124	129	60	0	201	36	5	0	23

NONTHLY and Annual Summaries for the Year 1896, Grand Manan, New Brunswick—Latititude, N. 44° 47′; Longitude, W. 66° 46′. Height above Sea, 49 feet.

MONTHS.	PRESSURE.	TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPURE.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.															
		Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°					in.	in.	in.	in.	%	%	%	%	in.	in.
January	30·05	30·42	29·30	19·0	23·1	22·0	27·3	15·4	21·4	42·7	−9·5	91	88	91	90	0·113	0·124	0·115	0·117	72	59	57	63	1·45	0·60
February	29·73	30·30	28·85	22·5	26·6	25·5	30·8	17·4	24·1	43·7	−12·5	91	91	92	91	0·120	0·137	0·144	0·134	76	75	69	73	4·06	1·16
March	29·78	30·45	28·93	27·9	31·9	29·6	34·6	23·0	28·8	46·7	10·0	87	83	86	85	0·140	0·152	0·147	0·146	60	66	59	62	4·19	0·76
April	30·01	30·43	29·02	38·5	43·7	38·8	47·4	33·1	40·2	68·6	22·0	77	67	79	71	0·183	0·189	0·188	0·187	55	57	53	53	1·28	0·65
May	29·95	30·43	29·46	49·6	53·6	46·8	57·6	41·1	49·4	83·6	30·0	75	68	79	74	0·270	0·267	0·251	0·263	52	49	45	49	1·54	0·69
June	29·86	30·35	29·24	57·1	62·0	55·8	65·2	48·4	56·8	80·1	41·0	75	67	75	72	0·340	0·360	0·351	0·350	56	51	58	55	3·57	1·16
July	29·91	30·37	29·51	63·1	66·9	61·2	71·0	54·5	62·8	79·8	48·0	80	72	78	77	0·450	0·476	0·437	0·454	64	50	53	56	5·29	1·14
August	29·96	30·04	29·64	60·1	66·0	60·0	68·8	53·7	61·3	79·6	48·5	84	72	82	79	0·439	0·458	0·428	0·442	57	48	51	52	1·87	0·94
September	29·99	30·37	29·37	54·7	58·5	54·9	62·1	49·5	55·8	75·1	37·0	84	76	87	82	0·371	0·384	0·382	0·379	71	62	61	65	5·59	1·49
October	29·96	30·54	29·29	46·5	49·8	46·6	52·7	42·5	47·6	61·0	30·0	84	79	84	82	0·273	0·289	0·274	0·279	69	66	65	67	7·06	3·68
November	30·09	30·75	29·47	38·5	41·5	39·6	46·6	32·5	39·6	57·5	13·5	84	78	80	81	0·212	0·219	0·209	0·213	79	80	64	74	3·84	2·04
December	30·01	30·75	28·91	25·2	28·1	25·3	32·6	18·1	25·3	48·7	0·0	86	82	87	85	0·128	0·104	0·130	0·121	67	53	39	53	2·54	1·64
Year	29·94	30·75	28·85	41·9	46·0	42·2	49·7	35·8	42·8	83·6	−12·5	83	77	83	81	0·253	0·263	0·255	0·257	65	60	56	60	42·28	3·68

MONTHS.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	120	108	24	0	24	12	192	252	12		63	N.E.	7	5	13	13	7	13		17	0	0		0
February	89	72	45	96	21	88	183	102	0	21·0	64	S.E.	9	2	14	13	17	17		7	1	0		0
March	132	74	43	64	31	85	222	92	1	21·0	73	S.W.	8	7	11	13	16	11		14	2	0		0
April	119	121	57	69	47	72	100	133	2	15·8	50	S.W.	4	8	12	10	9	5		17	0	0		0
May	66	122	45	159	115	44	143	42	8	15·4	42	W.	4	8	16	7	9	0		20	5	2		0
June	24	36	60	24	48	36	348	108	36	11·4	42	W.	5	6	14	10	10	0		16	6	2		0
July	36	24	24	168	36	24	348	36	48	14·9	49	W.	4	8	14	9	15	0		14	8	1		1
August	55	36	48	211	105	55	155	67	12	11·4	43	S.E.	4	9	14	8	10	0		19	7	0		0
September	46	56	22	165	90	109	134	96	2	15·3	48	S.W.	5	3	16	11	16	0		10	5	0		0
October	130	130	22	82	53	53	188	74	12	15·0	70	S.E.	7	2	15	14	17	0	....	12	5	1		1
November	85	44	28	101	33	118	168	135	8		60	S.E.	5	0	13	17	17	6		8	3	0		1
December	115	22	3	55	45	92	281	130	1	...	62	N.E. S.E.	8	5	19	7	5	5		22	0	0		1
Year	1017	845	421	1194	648	788	2462	1267	142		73	S.W.	70	63	171	132	148	57		176	42	6		4

MONTHLY and Annual Summaries for the Year 1896, Haileybury, Ontario—Latitude, N. 45° 1′; Longitude, W. 78° 28′; Height above Sea, 687 feet.

MONTHS.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.			Extremes.																		
		Max.	Min.	8 a.m.	p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	p.m.	8 p.m.	Mean.	8 a.m.	p.m.	8 p.m.	Mean.	8 a.m.	p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.									%	%	%	%									in.	in.
January	29·36	29·74	28·69	1·3	..	5·2	15·3	5·3	5·0	32·8	-40·2	..	..	..	..	..	..	..	..	79	..	52	66	2·13	0·50
February	29·06	29·73	28·54	4·8	..	10·2	21·1	0·1	10·5	40·8	33·1	..	..	..	..	..	..	..	..	63	..	53	58	1·85	0·48
March	29·24	29·84	28·63	6·4	..	14·6	25·4	0·1	12·7	42·7	25·3	..	..	..	..	..	..	..	..	50	..	46	48	1·37	0·40
April	29·29	29·87	28·77	36·8	..	40·3	51·0	29·3	40·2	72·2	5·1	..	..	..	..	..	..	..	..	69	..	63	66	1·63	0·90
May	29·16	29·69	28·55	53·0	..	54·0	65·8	42·8	54·3	92·7	27·8	..	..	..	..	..	..	..	..	65	..	62	64	4·27	1·15
June	29·20	29·47	28·77	60·8	..	63·2	74·6	48·4	61·5	87·9	34·5	..	..	..	..	..	..	..	..	41	..	52	46	1·18	0·37
July	29·17	29·46	28·84	64·0	..	62·9	75·0	50·5	48·6	87·8	41·4	..	..	..	..	..	..	..	..	60	..	65	62	4·34	0·90
August	29·19	29·64	28·80	61·8	..	59·4	72·8	50·1	62·2	87·6	35·7	..	..	..	..	..	..	..	..	54	..	63	58	4·45	1·45
September	29·24	29·73	28·75	49·6	..	48·9	60·1	41·3	50·7	73·5	25·0	..	..	..	..	..	..	..	..	63	..	65	64	4·72	2·37
October	29·28	29·73	28·77	35·0	..	36·6	46·5	29·8	38·2	61·4	16·1	..	..	..	..	..	..	..	..	58	..	61	60	0·79	0·20
November	29·30	29·79	28·70	24·8	..	26·8	35·7	21·2	28·4	53·8	5·7	..	..	..	..	..	..	..	..	83	..	80	82	4·35	1·00
December	29·36	29·91	28·68	8·4	..	11·7	21·8	2·6	12·2	41·9	18·2	..	..	..	..	..	..	..	..	71	..	64	68	0·88	0·33
Year	29·24	29·91	28·54	33·9	..	36·1	47·1	26·4	36·7	92·7	40·2	..	..	..	..	..	..	..	..	63	..	61	62	31·96	2·37

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	1	1	2	11	4	0	12	9	22		1·1	4	S.E.	0	3	14	14	18	23	0	8	0	0	0	9
February	3	0	2	6	9	2	10	15	11		1·6	6	N.W.	3	4	14	11	10	14	0	14	0	0	0	10
March	4	0	5	5	3	3	9	22	11		1·8	6	N.W.	3	13	8	10	8	13	0	18	0	0	0	14
April	4	2	3	7	8	7	12	7	10		1·4	4	N.W.	0	5	9	16	10	5	0	16	1	0	0	4
May	6	1	5	6	7	5	8	11	13		1·4	4	S.W.	0	7	10	14	15	0	0	14	2	4	0	9
June	15	2	2	5	5	5	4	7	13		1·6	5	N.	1	12	12	6	9	0	0	19	0	2	0	7
July	8	1	3	6	7	13	10	8	6		1·4	4	N.	0	5	16	10	11	0	0	16	0	4	0	5
August	7	2	2	1	5	13	14	12	5		1·8	10	N.	1	5	17	9	16	0	0	13	0	5	0	6
September	7	6	0	6	10	5	14	5	7		1·5	4	N.W.	0	5	13	12	15	0	0	11	0	0	0	6
October	9	5	0	9	15	4	9	4	7		1·7	5	N.E.	2	8	9	14	8	9	0	15	1	0	0	8
November	7	1	5	12	8	4	6	13	4		1·9	5	N.W.	2	2	6	22	14	16	0	10	0	0	0	0
December	6	0	2	3	11	7	9	14	10		1·3	5	N.W.	1	7	5	19	10	9	0	20	2	0	0	4
Year	77	21	31	77	92	68	117	127	119		1·5	10	N.	3	76	133	157	144	89	0	174	6	15	0	82

MONTHLY and Annual Summaries for the Year 1896, Halifax, of Nova Scotia—Latitude, N. 44° 39′; Longitude, W. 63° 39.′ Height above the Sea, 118 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																
		Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Mean.	Max.	Min.		9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.				°	°	°								in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·94	30·39	29·25	20·9		21·6	30·5	16·0	23·2	47·0	−6·1	85	85		85	85	0·106		0·107	0·107	72		55	63	1·73	0·66
February	29·67	30·28	28·85	22·8		24·4	31·9	17·5	24·7	42·0	7·0	84			85	85	0·111		0·118	0·115	63		72	67	4·19	1·31
March	29·74	30·39	28·90	31·9		31·2	38·7	25·8	32·2	50·2	12·0	78			80	79	0·155		0·146	0·151	68		64	66	8·78	1·65
April	29·95	30·41	29·11	40·1		37·5	49·2	31·5	40·4	69·6	25·4	75			78	77	0·190		0·176	0·183	56		50	53	1·41	0·89
May	29·92	30·39	29·27	49·6		45·9	61·0	38·8	49·9	86·0	29·1	73			81	77	0·262		0·256	0·259	57		51	54	2·53	0·54
June	29·81	30·30	29·12	59·9		55·8	68·9	49·9	59·4	84·0	40·0	76			85	81	0·391		0·380	0·386	42		52	47	4·66	0·97
July	29·88	30·32	29·49	64·3		61·7	74·2	55·7	64·9	87·2	49·7	85			88	87	0·487		0·472	0·480	63		60	62	8·73	3·51
August	29·93	30·13	29·68	63·0		60·8	70·8	55·3	63·1	82·2	46·0	86			91	89	0·498		0·490	0·494	51		58	55	3·02	1·37
September	29·96	30·35	29·40	58·7		57·4	67·0	51·0	59·0	80·8	40·5	86			91	89	0·436		0·444	0·440	66		53	60	12·10	3·91
October	29·91	30·50	29·25	50·0		48·5	57·3	43·5	50·4	67·0	28·9	89			91	90	0·335		0·329	0·332	74		69	72	15·02	4·29
November	30·06	30·66	29·53	39·2		39·8	47·8	32·9	40·3	60·9	12·4	87			85	86	0·227		0·225	0·226	70		70	70	4·39	0·82
December	29·93	30·61	29·33	25·8		25·9	35·7	19·4	27·5	49·2	2·7	85			84	85	0·133		0·126	0·130	55		38	47	3·25	1·53
Year	29·89	30·66	28·85	43·9		42·5	52·8	36·4	44·6	87·2	−7·0	82			85	84	0·278		0·272	0·275	61		58	60	69·81	4·39

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	51	233	15	71	32	38	43	175	62	12·9	60	N.E.	4	9	7	15	12	11		19	1	0		0
February	107	229	71	22	56	31	59	82	39	12·7	41	S.E.	6	4	13	12	13	13		14	1	0		0
March	87	104	62	54	99	94	90	120	34	15·8	46	N.W.	8	5	10	16	16	9		15	1	0		1
April	158	85	17	75	30	58	65	116	116	8·1	35	N.E.	2	8	11	11	11	4		17	0	0		0
May	102	64	42	145	91	88	86	91	35	10·0	33	N.E.	1	8	14	9	12	1		16	4	3		2
June	64	55	39	89	59	96	125	155	38	10·8	29	S.W.	0	8	15	7	15	0		14	3	0		0
July	31	14	25	77	77	113	222	146	39	8·7	36	S.W.	1	7	10	14	11	0		18	5	1		0
August	60	50	20	140	82	118	96	139	39	7·8	30	N.W.	1	9	11	11	12	0		15	8	1		1
September	55	49	17	73	73	121	166	157	9	9·9	25	N.W.	0	4	15	11	14	0		15	2	0		0
October	87	153	23	23	154	52	62	172	18	10·4	45	E.	4	3	10	18	20	0		11	7	0		1
November	120	29	35	4	125	47	107	218	35	9·4	37	W.	4	4	12	14	18	7		8	1	0		0
December	211	60	16	0	70	26	126	209	26	10·4	38	N.	2	9	15	7	9	9		17	0	0		1
Year	1133	1125	382	773	948	882	1247	1780	490	10·6	60	N.E.	33	78	143	145	163	54		179	33	5		6

Twenty-four hours short; under repair.

MONTHLY and Annual Summaries for the Year 1896, Kuper Island, British Columbia—Latitude, N. 48° 58′; Longitude, W. 123° 38′. Height above Sea, —— feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.			9 a.m.	2 p.m.	9 p.m.	Mean.	9 a.m.	2 p.m.	9 p.m.	Mean.	9 a.m.	2 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
		Max.	Min.	9 a.m.	2 p.m.	9 p.m.	Max.	Min.	Mean.	Max.	Min.															
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	29·86	30·51	28·95	35·6	40·6	37·6	43·1	33·3	36·6	55·3	22·0		99	96	98	98	0·213	0·251	0·228	0·231	77	76	69	74	14·50	1·54
February	30·10	30·64	29·21	38·7	45·0	39·4	46·4	34·8	39·1	54·0	26·0		93	85	95	91	0·230	0·259	0·238	0·241	68	73	56	66	6·33	1·1
March	30·07	30·58	29·60	38·2	46·4	38·3	47·7	31·2	38·2	59·0	19·5		95	90	97	94	0·224	0·292	0·229	0·248	63	61	42	55	2·16	0·51
April	29·94	30·31	29·55	45·5	51·6	43·9	53·6	36·9	44·7	66·5	27·5		78	66	81	75	0·239	0·252	0·233	0·241	71	68	54	64	1·39	0·30
May	30·03	30·50	29·60	52·6	57·4	49·2	60·3	40·7	50·9	74·1	32·0		74	63	82	73	0·296	0·297	0·289	0·294	58	60	54	57	1·49	0·35
June	30·16	30·41	29·82	60·4	65·8	54·8	68·5	46·3	57·6	87·0	35·6		72	61	84	72	0·375	0·386	0·364	0·375	49	54	53	52	1·17	0·73
July	30·17	30·38	30·01	68·2	74·7	60·6	76·5	51·8	64·4	88·5	45·4		69	53	85	69	0·458	0·449	0·452	0·453	65	65	66	65	0·01	0·01
August	30·17	30·35	30·03	64·1	71·6	58·3	73·9	51·8	61·2	84·4	47·5		79	62	90	77	0·470	0·474	0·433	0·459	46	31	38	38	0·34	0·15
September	30·13	30·38	29·88	54·8	63·8	50·8	65·1	44·9	52·8	83·7	36·4		85	66	80	80	0·362	0·381	0·334	0·359	59	43	30	44	0·89	0·50
October	30·10	30·39	29·65	48·1	55·5	45·6	56·8	40·0	46·8	66·1	33·0		95	79	96	90	0·318	0·347	0·295	0·320	65	62	36	54	2·51	1·50
November	29·93	30·42	29·37	33·8	38·5	34·4	39·3	29·2	34·1	51·2	10·5		93	85	95	91	0·187	0·204	0·192	0·194	75	77	67	73	12·27	2·63
December	29·79	30·12	29·01	40·9	45·1	41·6	46·2	37·1	41·3	54·0	26·2		95	89	95	93	0·249	0·271	0·257	0·259	89	91	78	86	9·79	1·61
Year	30·04	30·64	28·95	48·4	54·7	46·2	56·5	39·8	47·3	88·5	10·5		86	75	90	84	0·302	0·322	0·295	0·306	65	63	54	61	52·85	2·63

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NUMBER OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	10	5	8	18	7	4	4	5	29		2	9	S.	6	3	7	21	21	8	0	9	2	0	0	0
February	6	3	5	12	11	10	3	2	35		2	8	S.W.	9	5	10	14	23	4	0	5	0	0	0	0
March	5	6	10	4	10	7	2	7	42		2	8	W.	9	9	11	11	12	4	0	19	2	0	0	0
April	7	8	4	15	11	10	1	10	24		2	7	S.W.	11	5	11	14	16	0	0	14	0	0	0	1
May	6	11	9	13	10	10	2	11	21		2	6	S.W.	4	6	15	10	15	0	2	14	0	0	0	0
June	7	13	6	16	4	10	0	2	32		2	7	S.W.	3	8	11	11	7	0	0	22	0	0	0	5
July	2	20	3	2	1	6	1	3	55		1	6	N.W.	1	6	10	15	1	0	0	30	0	1	0	0
August	4	22	5	6	2	7	1	6	40		1	4	S.E.	0	15	7	9	5	0	0	26	2	0	0	0
September	3	8	1	2	1	6	0	5	64		1	6	N.W.	2	12	10	8	4	0	0	26	2	0	0	0
October	1	5	1	14	7	8	0	12	45		1	7	S.E.	1	8	16	7	12	0	0	19	3	0	0	0
November	14	10	7	18	4	1	2	18	16		2	8	S.	7	3	12	15	22	11	0	7	0	0	0	0
December	7	2	3	24	8	5	0	4	40		2	7	S.E.	3	0	9	22	25	0	0	6	3	0	0	0
Year	72	113	62	144	76	84	16	85	443		2	9	S.	56	80	129	157	163	27	2	197	14	1	0	6

MONTHLY and Annual Summaries for the Year 1896, Kamloops, British Columbia—Latitude, N. 50° 41′; Longitude, W. 120° 28′. Height above Sea, 1,150 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.														Total.	Maximum in any 24 hours.
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mnthly	Max.	Min.		8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean		
	in.	in.	in.	°	°	°	°	°	°	°	°						in.	in.	in.	in.	%	%	%	in.	in.
January							30·9	16·6	14·3	52·0	−6·2										75	78	59	71	1·93	0·50
February							43·1	28·3	35·7	64·0	10·5										66	78	54	66	0·80	0·70
March							46·5	24·7	35·6	69·0	4·8										49	47	26	41	0·46	0·20
April							58·6	36·8	47·7	73·0	23·5										63	69	52	61	1·59	0·67
May										86·0	33·9													0·91	0·49
June							78·4	50·8	64·6	101·0	41·9													0·51	0·26
July										100·0	53·8														
August	28·77	29·00	28·57	55·4		80·3	82·7	51·9	67·3	88·2	44·8										30		43	36	0·42	0·20
September	28·81	29·12	28·52	47·2		66·5	69·9	44·6	57·2	84·0	34·0		80		61	71	0·264		0·402	0·333	36		43	39	0·91	0·43
October	28·80	29·11	28·35	42·0		51·4	55·3	39·6	47·4	71·6	25·0										57		57	57	0·44	0·12
November	28·89	29·49	28·25	13·3		17·9	22·9	8·2	15·5	56·0	−22·0										68		71	67	2·52	0·75
December	28·72	29·15	28·02	33·3		35·4	37·5	29·7	33·6	52·8	14·0										73		84	78	0·91	0·27
Year										101·0	22·0														

MONTHS.	NUMBER OF WINDS FROM.									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January																								0
February																								1
March																								2
April																								1
May																								
June																						1		
July																								
August														12	16	3	5	0		16	0	1		1
September	0	0	5	0	0	0	12	0	43					12	13	5	3	0		27	0	0		0
October	0	0	14	0	2	0	6	0	40					5	15	11	6	0		23	0	0		0
November	0	0	6	0	0	0	19	0	35					3	14	13	8	7		30	0	0		0
December	0	0	31	0	0	0	1	0	30					1	13	17	7	5		22	1	0		0
Year																								

MONTHLY and Annual Summaries for the Year 1896, Kingston, Ontario—Latitude, N. 44° 13′; Longitude, W. 76° 29′. Height above Sea, 285 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.															
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.				in.	in.
January	29·84	30·30	29·31	12·4	19·3	15·6	22·8	8·0	15·4	38·3	−18·2		88	80	86	85	0·074	0·092	0·084	0·083	72	73	65	70	1·59	0·37
February	29·52	30·32	28·58	15·5	22·5	17·4	25·6	7·9	16·8	43·5	−31·7		88	84	87	86	0·094	0·112	0·098	0·101	69	67	66	67	2·86	0·93
March	29·66	30·32	28·97	18·6	27·2	22·5	29·7	13·2	21·5	45·8	−2·0		83	75	80	79	0·096	0·117	0·103	0·105	59	52	49	53	3·02	0·91
April	29·76	30·25	29·29	40·4	50·3	43·2	52·1	33·9	43·0	71·5	15·7		77	66	78	74	0·204	0·250	0·227	0·227	56	57	46	53	0·69	0·26
May	29·65	30·04	29·22	54·8	62·1	57·7	66·2	47·4	56·8	86·0	42·5		73	62	71	69	0·308	0·343	0·333	0·328	59	53	54	55	2·49	1·19
June	29·64	29·92	29·23	62·2	69·3	64·5	71·7	54·6	63·1	81·6	42·9		76	63	73	71	0·432	0·443	0·453	0·443	51	49	40	47	1·67	1·06
July	29·66	30·03	29·26	66·1	73·0	68·8	75·1	60·4	67·8	82·5	48·8		79	68	78	75	0·516	0·558	0·559	0·544	61	56	53	57	1·67	0·72
August	29·68	30·02	29·36	67·4	74·4	69·4	76·2	60·7	68·5	85·2	47·6		78	64	74	72	0·543	0·552	0·547	0·547	47	53	60	53	2·13	0·63
September	29·70	30·00	29·16	56·3	63·5	58·8	66·2	50·1	58·1	78·3	29·0		81	69	78	76	0·380	0·414	0·400	0·398	59	57	55	57	3·85	1·21
October	29·72	30·25	29·25	41·9	50·0	45·1	52·9	37·1	45·0	60·4	23·2		80	67	73	73	0·220	0·249	0·228	0·232	68	64	52	61	1·70	0·26
November	29·79	30·34	29·07	37·9	42·6	39·6	47·0	32·2	39·6	62·0	17·5		83	75	79	79	0·206	0·217	0·207	0·210	80	68	78	75	3·04	0·76
December	29·84	30·55	29·16	21·7	25·9	24·0	30·1	16·9	23·5	46·3	−9·0		84	78	82	81	0·114	0·124	0·120	0·119	73	72	62	69	1·07	0·32
Year	29·71	30·55	28·58	41·3	48·3	43·9	51·3	35·2	43·3	85·2	−31·7		81	71	78	77	0·266	0·289	0·280	0·278	63	60	57	60	25·78	1·49

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	7	29	1	3	1	6	10	4	1						4	9	18	17	20	2	10	0	0		2
February	9	17	1	3	3	11	9	4	1						6	7	16	16	18	0	9	1	0		0
March	6	16	2	2	8	3	14	11	0						11	9	11	11	13	0	15	0	0		4
April	4	12	4	8	4	13	8	3	4						8	15	7	6	6	0	14	6	1		0
May	2	11	4	7	6	20	7	3	2						3	20	8	8	0	0	17	1	4		0
June	4	6	1	4	3	20	3	8	11						7	17	6	6	0	0	20	2	5		0
July	7	4	1	1	1	24	3	4	14						5	17	9	8	0	0	22	1	2		1
August	4	3	1	2	8	20	7	4	13						3	21	7	14	0	0	15	0	7		1
September	7	10	0	1	8	15	6	3	10						6	13	11	13	0	0	16	0	0		2
October	6	19	3	0	3	9	9	6	7						5	15	11	10	4	0	17	2	0		0
November	3	9	2	5	6	10	22	2	1						2	10	18	15	8	0	7	4	0		0
December	9	13	4	4	6	12	9	4	1						5	9	17	12	13	0	14	3	0		1
Year	68	149	24	40	60	163	107	56	65						65	162	139	136	82	2	176	20	19		11

MONTHLY and Annual Summaries for the Year 1896, London, Ontario—Latitude, N. 42° 59′; Longitude, W. 81° 13′. Height above Sea, 808 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		Extremes.		Mean.						Extremes.																
	Monthly Mean.	Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.		8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°						in.	in.	in.	in.					in.	in.
January	29·22	29·64	28·70	21·2	26·5	23·0	28·6	16·9	23·6	40·0	−4·0		87	83	89	86	0·108	0·126	0·118	0·117	61	56	63	60	1·87	0·40
February	28·90	29·75	28·37	21·6	25·6	22·8	29·3	15·1	23·4	47·5	−17·0		84	82	87	84	0·105	0·128	0·118	0·117	58	54	50	54	3·23	0·76
March	29·17	29·69	28·58	20·6	30·0	25·5	33·2	14·3	25·3	60·5	−4·0		83	77	85	82	0·104	0·136	0·127	0·122	31	46	39	38	1·98	0·50
April	29·22	29·68	28·84	45·7	56·6	48·7	59·0	38·7	50·3	84·0	18·0		84	70	86	80	0·284	0·356	0·326	0·322	41	44	48	44	2·87	0·80
May	29·14	29·44	28·65	60·5	72·4	62·8	74·4	51·4	65·2	89·0	37·5		77	61	78	72	0·414	0·484	0·462	0·453	33	32	36	34	4·46	0·97
June	29·14	29·38	28·72	63·5	76·0	67·2	77·9	53·3	68·9	86·0	38·0		81	61	80	74	0·484	0·554	0·542	0·527	29	25	41	32	2·71	0·88
July	29·17	29·41	28·87	68·1	78·4	69·0	80·1	59·0	71·8	89·0	42·0		82	61	79	74	0·575	0·595	0·571	0·580	33	43	32	36	2·87	1·49
August	29·20	29·53	28·86	64·3	76·2	66·3	78·4	55·9	68·9	92·5	38·5		86	62	82	77	0·534	0·570	0·549	0·551	30	38	19	29	4·06	1·86
September	29·18	29·46	28·60	54·0	66·6	57·3	68·5	47·6	59·3	87·0	27·5		88	64	86	79	0·382	0·426	0·425	0·411	47	42	51	46	4·09	0·69
October	29·20	29·57	28·78	39·3	52·4	43·1	54·4	34·2	44·9	70·0	23·0		86	64	84	79	0·216	0·260	0·245	0·240	31	41	39	37	1·89	0·80
November	29·24	29·65	28·50	37·9	43·4	38·6	47·6	31·3	39·9	64·0	15·5		85	74	85	81	0·214	0·225	0·220	0·220	49	59	62	57	3·66	0·80
December	29·28	29·85	28·74	24·6	31·8	27·9	33·4	20·6	28·1	51·5	1·0		86	81	87	84	0·122	0·151	0·141	0·138	56	60	47	54	0·97	0·15
Year	29·17	29·85	28·37	43·4	53·0	46·0	55·4	36·1	47·5	92·5	−17·0		84	70	84	79	0·295	0·334	0·320	0·316	42	45	44	44	34·66	1·86

MONTH.	NUMBER OF WINDS FROM										AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF CALES	NUMBER OF DAYS.										
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	1	5	6	11	3	8	44	15	0	1	3	W.	0		7	11	13	16	17	0	12	0	0	0	0
February	1	3	6	6	0	7	38	26	0	1	4	W.	0		7	16	6	14	19	0	8	0	0	0	0
March	4	2	7	5	1	11	32	31	0	1	3	N. W.	0		15	10	6	14	16	0	10	1	0	0	3
April	3	0	5	9	5	14	31	23	0	1	3	W.	0		11	12	7	15	4	0	12	0	2	1	0
May	2	0	5	3	7	8	54	14	0	1	3	S.W.	0		15	14	2	15	0	0	15	0	8	3	1
June	6	0	5	0	0	4	52	23	0	1	3	N. W.	0		14	15	1	12	0	0	15	0	4	0	0
July	2	0	3	0	0	22	47	19	0	1	1	N. W.	0		13	14	4	9	0	0	20	0	1	0	0
August	2	0	3	0	1	19	49	19	0	1	4	W.	0		18	11	2	12	0	0	14	0	9	2	0
September	2	0	1	3	1	11	51	21	0	1	4	W.	0		9	14	7	12	0	0	16	0	0	0	1
October	0	0	5	3	1	9	50	25	0	2	4	N. W.	0		12	14	5	8	3	0	18	3	0	0	0
November	0	1	7	9	1	14	41	17	0	1	4	S.W.	0		6	15	9	18	5	0	11	0	0	0	0
December	2	0	5	4	0	6	53	23	0	1	3	N. W.	0		8	12	11	15	14	0	12	0	0	0	0
Year	25	11	58	53	20	133	542	296	0	1	4		0		135	158	73	160	78	0	163	4	24	6	5

MONTHLY and Annual Summaries for the Year 1896, Lindsay, Ontario—Latitude, N. 44° 20′; Longitude, W. 78° 45′. Height above Sea, 876 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		Extremes.		Mean.						Extremes.																
	Monthly Mean.	Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Max.	Min.	Mthly.	Max.	Min.		7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.																						in.	in.
January	29·159	29·542	28·645	12·6	20·5	14·3	24·3	6·3	15·3	36·6	11·6										78	75	61	71	3·31	1·19
February	28·862	29·635	28·158	13·7	22·2	16·0	25·3	6·1	15·7	44·0	−33·8										82	74	74	77	5·15	0·67
March	29·029	29·608	28·558	13·0	25·5	17·3	28·5	8·3	18·4	45·6	5·1										66	56	38	53	2·28	0·70
April	29·124	29·622	28·693	40·0	53·3	43·4	56·2	35·5	45·9	81·6	10·6										80	62	41	54	2·22	0·61
May	29·025	29·394	28·641	54·7	70·6	55·9	73·2	47·9	60·6	87·6	36·4										59	55	28	47	1·42	0·37
June	29·036	29·307	28·662	59·1	75·1	61·1	77·7	51·9	64·8	89·6	38·8										49	49	45	48	3·03	1·66
July	29·054	29·389	28·687	62·3	78·1	65·2	80·2	56·2	68·2	93·9	44·8										66	66	54	62	2·34	0·60
August	29·079	29·448	28·741	60·4	80·3	63·5	82·3	54·7	68·5	95·6	38·2										56	45	49	50	0·93	0·32
September	29·078	29·417	28·409	50·7	64·7	53·1	66·3	45·6	55·9	89·4	23·9										64	69	61	65	6·10	2·79
October	29·087	29·577	28·647	37·1	49·0	40·3	52·2	34·2	43·2	65·9	24·7										75	73	49	66	2·38	0·63
November	29·122	29·610	28·502	34·0	40·7	35·8	44·6	28·6	36·6	60·3	9·5										77	76	74	76	2·50	0·53
December	29·154	29·811	28·550	19·5	26·4	21·7	28·9	15·3	22·1	42·1	−11·5										75	70	68	71	1·18	0·20
Year	29·067	29·811	28·158	38·1	50·5	40·6	53·3	32·9	42·9	95·6	−33·8										67	64	54	62	32·84	2·79

MONTHS.	NUMBER OF WINDS FROM								CALM.	AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.						Clear.	Partly Cloudy.	Cloudy.	Precipitation (0·01 in. or over).	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	10	3	21	14	3	6	9	15	12	1·3	4	E.	0	5	9	17	16	15	0	15	1	0	0	0
February	12	7	9	7	5	10	17	15	5	1·6	4	E.	0	4	6	19	18	16	0	13	1	0	0	0
March	9	6	1	12	3	12	7	33	10	1·7	5	S.W.	2	8	15	8	10	9	0	20	1	0	0	2
April	2	2	11	16	5	17	8	16	13	1·4	4	W.	0	8	14	8	9	4	0	19	1	2	0	0
May	1	1	5	12	11	15	24	14	10	1·4	5	S.W.	1	10	16	5	11	0	0	20	0	2	1	0
June	3	5	6	3	11	15	5	23	19	1·1	3	N.W.	0	8	14	8	8	0	0	22	0	5	0	0
July	3	0	2	7	11	18	13	19	20	1·1	3	W.	0	4	13	11	13	0	0	16	1	6	0	0
August	2	1	1	2	22	14	15	18	18	1·3	8	S.W.	1	9	12	10	6	0	0	24	1	5	5	2
September	6	5	1	4	11	11	7	13	32	0·9	4	N.W.	0	8	6	16	14	0	0	15	0	2	0	0
October	8	4	4	11	9	12	4	17	24	1·0	3	N.W.	0	5	13	13	11	5	0	11	1	0	0	0
November	3	4	3	8	23	16	14	7	12	1·9	4	N.W.	0	2	9	19	15	5	0	13	2	0	0	0
December	9	5	8	13	10	18	4	8	18	1·3	3	S.W.	0	3	11	17	11	11	0	18	0	0	0	0
Year	68	43	72	109	124	164	127	198	193	1·3	8·0	S.W.	4	74	141	151	142	65	0	206	9	22	6	4

MONTHLY and Annual Summaries for the Year 1896, Medicine Hat, North-West Territories—Latitude, N. 50° 1′; Longitude, W. 110° 37′. Height above Sea, 2,161 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		Extremes.		Mean.						Extremes.																
	Monthly Mean.	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.		6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	27·66	28·33	26·88	3 1·8	9 10·7	22·1	3·7	9 2·3		52·6	−35·0		72	64	69	68	0·051	0·063	0·069	0·061	65	69	73	69	1·38	0·30
February	27·56	27·93	26·97	22·5	29·7	26·8	35·7	14·8	25·3	59·5	−19·6		81	70	78	76	0·114	0·126	0·127	0·122	56	68	64	63	1·24	0·30
March	27·64	28·43	26·96	16·9	29·3	27·8	34·8	12·0	23·9	60·4	−25·0		73	69	73	72	0·086	0·130	0·127	0·114	55	57	79	64	1·01	0·35
April	27·55	28·11	27·05	31·0	48·7	46·9	53·4	27·7	40·6	74·4	8·0		85	55	54	65	0·152	0·183	0·164	0·166	60	76	74	70	2·26	0·73
May	27·53	27·78	27·14	45·1	57·3	56·9	62·6	39·9	51·2	79·5	31·8		77	58	55	63	0·229	0·273	0·243	0·248	68	74	69	70	3·10	1·60
June	27·60	27·87	27·31	56·7	73·9	75·9	81·0	48·9	65·0	98·3	38·5		67	47	44	53	0·302	0·380	0·369	0·350	39	45	39	41	1·59	0·72
July	26·68	28·03	27·43	60·2	80·1	80·1	86·4	55·9	71·2	100·7	36·0		76	41	40	52	0·395	0·418	0·394	0·402	53	41	49	48	1·11	0·42
August	27·67	28·01	27·36	52·7	74·2	74·2	80·0	50·3	65·2	90·2	38·0		82	55	47	61	0·328	0·441	0·392	0·387	48	39	45	44	1·79	0·67
September	27·70	28·05	27·25	43·4	61·7	60·1	66·0	40·7	53·4	89·2	25·0		84	63	70	72	0·236	0·331	0·352	0·306	51	58	63	57	1·74	0·70
October	27·67	28·13	27·23	34·2	55·6	51·5	59·6	30·7	45·2	84·5	16·5		84	57	61	67	0·168	0·246	0·233	0·216	35	44	50	43	0·55	0·34
November	27·78	28·32	27·01	1·6	8·2	3·7	11·1	7·0	2·0	53·6	−36·0		78	65	72	72	0·052	0·064	0·056	0·057	67	67	61	65	2·12	0·50
December	27·57	28·18	27·00	25·0	31·3	28·5	36·8	16·2	26·5	52·6	23·0		75	62	71	69	0·106	0·113	0·116	0·112	70	71	68	70	0·29	0·20
Year	27·63	28·43	26·88	32·4	46·6	45·3	52·5	27·2	39·9	100·7	−36·0		78	59	61	66	0·185	0·231	0·220	0·212	56	59	61	59	18·18	1·60

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear	Partly Clear.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	8	1	6	1	10	3	4	8	21					4	12	15	10	18	0	13	0	0		5
February	6	3	0	0	16	13	8	4	8					3	14	12	10	10	0	18	0	0		3
March	10	6	6	2	8	9	11	10	0					1	16	14	9	11	0	18	0	0		2
April	6	1	5	6	13	6	10	9	4					2	14	14	8	9	0	16	0	1		3
May	5	4	7	3	18	4	11	9	1					2	15	14	15	1	0	11	0	4		4
June	0	3	6	3	15	11	11	5	6					13	12	5	6	0	0	23	0	2		0
July	13	1	5	6	8	5	15	1	8					9	14	8	5	0	0	21	0	3		0
August	1	8	4	2	8	7	10	11	11					8	17	6	6	0	0	21	0	4		2
September	10	1	5	1	8	10	8	5	12					6	13	11	9	0	0	20	1	0		1
October	1	7	4	2	14	9	8	3	14					13	10	8	4	0	0	27	1	0		5
November	3	3	2	2	11	2	19	4	14					5	12	13	19	19	0	11	0	0		1
December	2	0	3	2	18	9	6	4	18					4	11	16	6	8	1	22	0	0		2
Year	65	38	53	30	147	88	121	73	117					70	160	136	107	76	1	221	2	14		28

MONTHLY and Annual Summaries for the Year 1896, Minnedosa, Manitoba—Latitude, N. 50° 10′; Longitude, W. 99° 48′. Height above Sea, 1,690 feet.

MONTHS.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
		EXTREMES.		MEAN.						EXTREMES.																
	Monthly Mean.	Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.					in.	in.
January	28·20	28·65	27·46	5·7	3·2	2·2	7·7	12·6	2·5	37·9	−42·2	95	87	94	92	0·044	0·058	0·049	0·050	47	59	40	49	1·37	0·24
February	28·01	28·56	27·31	2·2	16·3	10·1	21·0	3·4	8·8	44·6	−29·4	95	83	92	90	0·063	0·097	0·081	0·080	47	44	35	43	0·14	0·03
March	28·16	28·79	27·41	5·4	22·2	16·4	25·5	1·4	13·5	46·8	−27·6	95	80	91	89	0·066	0·107	0·096	0·090	53	48	60	54	1·28	0·30
April	28·09	28·63	27·36	28·2	40·1	36·7	43·2	25·8	34·5	74·3	7·1	96	78	85	86	0·158	0·197	0·188	0·181	71	68	64	68	2·77	0·60
May	28·03	28·34	27·67	47·8	59·6	57·1	63·9	42·6	53·2	79·8	31·8	86	63	69	73	0·292	0·317	0·324	0·311	56	79	75	70	3·07	0·71
June	28·13	28·42	27·83	57·0	69·3	68·2	73·4	50·6	62·0	85·8	42·0	84	61	68	71	0·401	0·437	0·469	0·436	42	53	55	50	2·93	0·63
July	28·19	28·48	27·90	57·1	72·0	68·6	76·1	51·9	64·0	88·6	42·5	90	63	74	76	0·439	0·505	0·523	0·486	49	55	42	49	3·56	1·23
August	28·14	28·56	27·68	49·8	68·9	65·7	72·2	46·0	59·1	83·2	32·0	92	60	69	74	0·345	0·429	0·437	0·404	36	53	54	48	3·69	1·24
September	28·14	28·57	27·52	41·3	58·3	50·0	62·3	38·5	50·4	84·3	21·5	92	62	74	76	0·246	0·304	0·309	0·286	62	73	65	67	1·83	0·68
October	28·21	28·59	27·91	29·8	47·4	39·2	49·8	26·5	38·2	73·6	7·9	91	62	72	75	0·154	0·203	0·192	0·183	55	61	47	54	0·44	0·28
November	28·25	28·67	27·76	4·3	10·9	6·9	12·5	0·6	6·6	33·9	24·6	93	83	92	89	0·063	0·069	0·067	0·066	63	71	65	66	1·88	0·40
December	28·12	28·79	27·73	11·4	19·6	14·0	23·1	4·7	13·9	39·8	−26·1	94	86	90	90	0·076	0·102	0·083	0·087	49	60	49	53	0·94	0·20
Year	28·14	28·79	27·31	27·4	40·7	35·9	44·2	22·7	33·5	88·6	−42·2	92	72	81	82	0·195	0·235	0·235	0·222	53	60	54	56	23·90	1·24

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Above.	Aurora.
January	2	3	14	3	1	0	5	13	21					8	16	7	13	12	0	18	3	0		10
February	2	4	2	1	1	1	2	24	21					9	15	5	9	9	0	20	3	0		8
March	4	8	11	3	1	1	10	8	16					8	14	9	15	16	0	15	2	0		11
April	5	9	11	9	1	2	1	16	6					5	11	14	19	13	0	10	3	0		2
May	2	3	15	2	0	1	10	9	20					0	17	14	19	0	1	10	2	7		1
June	2	2	7	5	3	7	10	5	19					10	11	9	14	0	1	15	3	6		1
July	3	1	0	3	4	6	4	17	24					8	16	7	12	0	1	18	2	5		5
August	1	3	1	3	2	1	22	7	22					6	21	4	11	0	2	19	3	6		5
September	3	0	3	1	0	4	10	10	29					4	14	12	10	1	0	18	0	0		3
October	9	2	4	4	4	1	6	7	25					9	14	8	5	3	0	26	0	0		4
November	6	3	8	1	0	0	14	16	12					7	5	18	16	16	0	14	0	0		2
December	1	0	6	2	0	4	12	4	33					12	7	12	13	12	0	18	4	0		6
Year	40	38	82	37	17	28	106	136	248					86	161	119	156	82	5	201	25	24		58

MONTHLY and Annual Summaries for the Year 1896, Montreal, Quebec—Latitude, N. 45° 30′; Longitude, W. 73° 35′. Height above Sea, 187 feet.

MONTHS.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.					Extremes.																
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Max.	Min.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 p.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.					in.	in.
January ...	29·97	30·42	29·22	9·7	14·5	12·5	17·5	6·7	12·1	35·3	−21·2	91	86	91	89	0·070	0·079	0·078	0·076	71	58	47	59	2·08	0·66
February. ..	29·62	30·35	28·78	11·3	17·6	16·3	21·5	6·8	14·2	41·5	−23·4	91	88	89	89	0·081	0·098	0·095	0·091	66	59	52	59	3·34	0·52
March.	29·71	30·45	28·88	18·1	24·3	21·4	27·4	12·5	19·9	45·6	−3·2	87	78	80	82	0·100	0·110	0·102	0·104	68	60	49	59	6·73	2·04
April	29·87	30·36	29·22	39·4	48·0	43·5	50·6	33·7	42·1	77·0	17·6	76	65	74	72	0·187	0·222	0·218	0·209	51	58	31	47	1·18	0·66
May	29·75	30·20	29·30	55·6	66·1	59·4	68·7	48·3	58·5	88·7	36·0	69	55	68	64	0·309	0·355	0·349	0·338	48	51	48	49	2·74	1·22
June	29·73	30·07	29·28	63·1	71·3	64·2	73·6	55·6	64·6	86·4	44·2	72	57	67	65	0·424	0·438	0·407	0·423	42	47	39	43	4·06	1·38
July	29·74	30·14	29·27	67·5	75·1	68·6	77·0	60·8	68·9	89·3	51·3	76	62	75	71	0·515	0·548	0·522	0·528	54	44	57	52	4·84	2·04
August	29·77	30·09	29·43	64·7	70·6	67·5	75·3	59·0	67·1	89·7	47·8	78	61	74	71	0·486	0·513	0·496	0·498	49	44	38	44	5·35	1·54
September .	29·80	30·17	29·29	53·6	62·2	57·2	63·7	49·1	56·4	83·8	34·3	84	67	78	76	0·356	0·388	0·381	0·375	52	61	54	56	3·11	0·55
October .	29·83	30·42	29·34	39·9	47·4	43·1	49·2	37·0	43·1	58·3	29·6	84	70	78	77	0·217	0·232	0·220	0·223	71	69	60	67	2·48	0·62
November ..	29·90	30·53	29·20	33·1	37·0	34·4	42·0	28·1	35·1	57·6	8·8	83	76	82	80	0·167	0·179	0·180	0·175	75	85	65	75	4·20	0·93
December ...	29·94	30·55	29·19	14·6	20·1	19·0	24·4	11·1	17·7	42·0	−6·9	86	77	84	82	0·085	0·095	0·100	0·093	59	61	45	55	1·12	0·30
Year	29·80	30·55	28·78	39·2	46·2	42·3	49·2	34·1	41·6	89·7	−23·4	81	70	78	77	0·250	0·271	0·262	0·261	59	58	49	55	41·23	2·04

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation on the ground.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	311	26	59	3	46	4	15	260	20	14·5	52	N.	7	5	14	12	13	16	0	13	0	0	....	2
February	151	40	60	33	88	0	0	320	4	20·0	66	N.W.	18	8	9	12	17	17	0	12	0	0	....	2
March	193	10	2	46	116	68	67	234	8	19·2	60	S.E.	13	9	6	16	15	18	1	10	1	0	....	2
April	91	167	38	78	29	266	33	9	9	18·2	40	S.W.	7	8	16	6	12	6	0	14	0	0	....	2
May	31	87	47	110	71	263	47	75	13	11·5	43	S.W.	2	6	19	6	12	0	0	16	0	2	....	4
June	0	122	32	66	27	291	45	130	7	12·0	35	N.W.	1	12	12	6	8	0	0	19	0	2	....	1
July	28	61	25	6	101	335	95	86	7	13·0	26	W.	0	5	16	10	11	0	0	10	0	4	....	1
August	82	2	2	13	111	313	147	67	7	11·5	27	S.W.	0	10	14	7	11	0	0	17	0	1	....	2
September	43	65	18	51	67	200	135	138	3	12·4	34	S.W.	2	8	11	11	14	0	0	13	0	2	....	0
October	241	103	13	31	10	151	111	76	8	12·6	30	S.W.	1	3	15	13	13	3	0	14	1	0	....	0
November	95	108	29	97	38	244	56	122	0	15·6	49	S.W.	10	2	12	16	17	13	0	3	2	0	....	0
December	107	48	12	44	103	214	101	113	2	15·8	41	W.	9	6	12	13	10	14	0	15	1	0	....	1
Year	1304	839	337	578	807	2349	852	1630	88	14·7	66	N.W.	70	82	156	128	153	87	1	156	5	11	....	17

MONTHLY and ANNUAL SUMMARIES for the Year 1896, Ottawa, Ontario.—Latitude, N. 45° 26′; Longitude, W. 75° 42′. Height above Sea, 330 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
				Mean.						Extremes.																
	Monthly Mean.	Extremes.		8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Monthly	Max.	Min.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
		Max.	Min.																							
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	29·81	30·28	29·28	9 3	15 1	11·1	17·8	4 0	10 9	38·6	25 0		86	91	89	89	0·069	0·088	0·075	0·077	82	78	71	77	0·23	0·15
February	29·52	30·27	28·70	9·5	18 5	15·0	21·4	4 5	13 0	43 0	—30 7		88	79	86	84	0·072	0·094	0·089	0·085	68	67	60	65	4·03	0·92
March	29·62	30·31	29·01	14 5	24 7	20·8	28·0	9 4	18 7	45·0	— 9 2		82	76	80	79	0·083	0·113	0·100	0·099	58	53	45	52	3·37	1·19
April	29·75	30·24	29·19	38 7	52 5	44·3	54 5	33 1	43 8	82·8	13·0		80	67	78	75	0·200	0·275	0·244	0·240	53	49	48	50	0·84	0·22
May	29·62	30·06	29·16	54 9	68 7	60·6	70·7	47·6	59 2	90 5	37 1		84	74	80	79	0·374	0·536	0·442	0·451	52	51	56	53	2·26	0·98
June	29·61	29·90	29·22	62 7	73 1	65·1	75·2	52·9	64 1	87·4	42 5		73	54	71	66	0·425	0·433	0·444	0·434	45	48	41	45	3·34	1·97
July	29·64	30·01	29·23	65 1	77 2	69·4	79·5	58·4	68 9	92·8	48·5		78	53	70	67	0·490	0·486	0·518	0·498	56	58	65	60	3·04	1·43
August	29·66	30·00	29·31	62 4	75 3	67·8	78·6	55·4	67 0	92 1	41 0		81	51	69	67	0·475	0·462	0·479	0·472	53	55	54	54	3·91	1·49
September	29·68	30·06	29·07	51 3	63 2	56·4	65·9	46·3	56 1	89·0	30 0		84	62	78	75	0·319	0·380	0·373	0·357	60	57	60	59	3·42	1·04
October	29·71	30·27	29·23	38 2	49 1	41·9	51·0	35·2	43 1	64·0	25 8		87	64	77	76	0·206	0·228	0·212	0·215	73	67	52	64	1·24	0·36
November	29·77	30·34	29·06	32 1	34 1	34·0	42·2	27·4	34 8	61·0	8 2		85	79	84	83	0·165	0·188	0·180	0·178	75	79	67	74	2·32	0·69
December	29·83	30·55	29·07	13 8	21 2	18·1	24·8	9 2	17 0	41 0	—15 0		86	78	84	83	0·086	0·102	0·099	0·096	67	66	47	60	1·25	0·25
Year	29·69	30·55	28·70	37 7	47·7	42·0	50·8	32·0	41 4	92·8	—30 7		83	69	79	77	0·247	0·282	0·271	0·267	62	61	56	59	29·25	1·97

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation of 0·01 or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	6	4	24	1	1	6	10	6	4						3	9	19	8	15		16	0	0		1
February	2	4	14	3	2	9	14	9	1						5	9	15	13	16		13	0	0		0
March	3	7	7	2	5	9	15	14	0						6	15	10	10	14		14	0	0		3
April	3	7	14	5	5	6	7	4	9						7	17	6	8	3		21	1	1		0
May	8	4	11	5	7	9	10	5	3						5	19	7	11	0		19	0	1		0
June	3	4	9	2	6	8	13	8	7						11	14	5	9	0		21	0	1		0
July	4	1	7	2	7	12	15	14	0						4	18	9	11	0		20	0	2		0
August	5	2	2	1	5	9	11	11	16						2	20	9	12	0		18	2	2		0
September	2	4	4	5	11	6	10	14	4						4	15	11	12	0		17	1	0		0
October	6	15	5	4	7	11	7	7	0						5	12	14	8	3		20	2	0		0
November	5	13	4	4	14	10	8	2	0						3	12	15	14	10		9	0	0		0
December	8	7	4	6	9	10	10	8	0						7	13	11	7	14		16	0	0		0
Year	55	72	105	40	79	105	130	102	44						62	173	131	123	75		204	6	7		7

MONTHLY and Annual Summaries for the Year 1896, Port Simpson, British Columbia—Latitude, N. 54° 34′; Longitude, W. 130° 26′. Height above Sea, 26 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		Extremes.		Mean.						Extremes.																
	Monthly Mean.	Max	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.		9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	29·63	30·40	28·76	28·8	28·7	28·2	34·5	22·4	28·6	50·0	3·0		75	77	76	76	0·130	0·133	0·127	0·130	67	72	75	71	7·63	1·92
February	29·78	30·36	29·02	36·4	36·7	34·4	42·0	28·8	35·4	63·0	14·0		83	88	86	86	0·189	0·199	0·177	0·188	81	82	77	80	11·38	1·40
March	29·96	30·54	29·34	37·5	40·6	34·2	42·7	27·3	35·8	52·0	12·0		87	88	85	87	0·200	0·227	0·171	0·199	61	65	49	58	6·29	2·11
April	29·82	30·24	29·39	43·0	44·6	37·9	48·1	31·2	40·4	60·0	24·0		91	91	91	91	0·254	0·273	0·208	0·245	61	68	62	64	1·90	0·47
May	29·92	30·44	29·28	48·9	51·8	44·1	54·6	36·3	48·3	70·5	29·0		92	95	94	94	0·322	0·369	0·275	0·322	65	57	62	61	2·55	0·52
June	29·92	30·40	29·36	52·4	54·4	48·9	57·6	42·4	51·9	78·0	34·0		95	94	94	94	0·379	0·411	0·327	0·372	85	83	88	85	5·39	0·78
July	30·04	30·35	29·48	57·9	61·1	55·3	63·4	47·7	58·1	82·0	40·0		96	97	96	96	0·472	0·538	0·428	0·479	71	57	73	67	3·59	0·95
August	30·04	30·29	29·80	57·5	61·9	54·1	64·8	47·2	57·8	75·0	38·0		98	98	98	98	0·465	0·548	0·415	0·476	55	49	55	53	2·42	0·63
September	30·03	30·24	29·36	53·0	57·3	50·1	60·8	43·2	53·5	69·0	32·0		98	100	99	99	0·388	0·461	0·354	0·401	56	51	53	53	3·49	0·90
October	29·80	30·18	29·17	47·8	49·4	46·5	54·4	40·2	47·9	63·0	30·0		95	97	98	97	0·319	0·350	0·312	0·327	70	72	72	71	9·08	1·46
November	29·96	30·50	28·96	26·7	30·4	27·5	35·1	20·1	28·2	53·0	6·0		99	99	99	91	0·158	0·179	0·161	0·166	31	35	35	34	4·54	1·59
December	29·56	30·17	28·90	40·3	40·0	39·5	48·1	33·6	39·9	59·0	22·0		91	95	93	94	0·240	0·243	0·230	0·238	90	92	90	91	19·88	1·39
Year	29·87	30·54	28·76	44·2	46·4	41·7	50·5	35·0	43·8	82·0	3·0		92	93	92	92	0·293	0·328	0·265	0·295	66	65	66	66	78·14	2·11

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.											
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	20	21	12	5	13	4	2	2	14		8·7	40·0	N.E.	8	6	6	19	16	6	0	15	19	0	0	0
February	12	5	3	9	26	9	4	1	18		9·8	40·0	N.	11	2	8	19	18	9	0	10	23	0	0	0
March	13	6	3	9	5	9	2	6	40		5·5	30·0	N.	1	9	7	15	11	1	0	20	16	0	0	1
April	13	9	0	10	12	6	1	12	27		3·9	40·0	S.E.	0	5	8	17	5	4	0	23	19	0	0	1
May	17	2	1	4	15	12	3	4	35		4·5	20·0	S.	0	7	9	15	13	0	0	18	19	0	0	1
June	6	0	0	18	26	11	0	4	25		4·0	40·0	S.	1	1	4	25	20	0	0	10	25	0	0	0
July	13	2	1	4	26	16	5	2	24		3·9	20·0	S.	0	8	5	18	14	0	0	17	21	0	0	0
August	8	0	1	3	11	6	5	2	57		3·1	20·0	S.	0	12	5	14	10	0	0	21	17	0	0	0
September	12	0	0	1	13	4	2	2	56		3·9	20·0	N.	0	12	4	14	11	0	0	19	17	0	0	1
October	0	7	7	6	13	2	0	1	57		3·4	30·0	S.E.	3	5	8	18	22	0	0	9	21	0	1	0
November	49	5	3	4	0	0	0	0	29		5·1	30·0	N.	1	19	3	8	8	2	0	22	9	0	0	0
December	2	8	27	30	18	8	0	0	0		5·2	30·0	E.	2	1	3	27	27	2	0	2	26	0	0	0
Year	165	65	58	103	178	87	24	36	382		5·1	40·0		27	87	70	209	175	24	0	186	232	0	1	4

MONTHLY and Annual Summaries for the Year 1896, Prince Albert, North-West Territories—Latitude, N. 53° 55'. Longitude, W. 106° 0'. Height above Sea, 1,402 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.							Extremes.															
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	in.	in.	in.	in.	%	%	%	%	in.	in.
January	28·55	29·13	27·59	14·1	3·4	7·8	1·2	21·3	10·1		32·2	—50·9	93	91	86	90	0·036	0·051	0·042	0·043	64	66	62	64	1·56	0·60
February	28·36	28·81	27·64	0·9	14·8	10·5	20·2	5·7	7·2		42·2	—43·1	89	81	84	85	0·053	0·086	0·074	0·071	62	43	51	52	0·69	0·40
March	28·50	29·30	27·73	3·3	22·4	18·7	25·4	2·4	11·5		44·8	—22·0	85	77	78	80	0·052	0·104	0·091	0·082	80	71	68	73	1·49	0·50
April	28·39	28·93	27·88	25·8	41·0	39·3	43·0	22·4	32·7		68·3	4·9	90	75	78	81	0·127	0·183	0·186	0·165	69	67	67	68	3·37	1·00
May	28·29	28·60	27·95	41·4	59·6	58·0	63·1	37·3	50·2		76·8	31·3	87	62	63	71	0·233	0·309	0·303	0·282	70	73	77	73	2·40	0·80
June	28·31	28·53	27·99	51·8	67·1	66·3	71·4	45·5	58·5		85·3	30·5	88	62	64	71	0·346	0·423	0·417	0·395	53	60	53	55	2·40	0·68
July	28·36	28·71	27·97	56·0	71·4	70·6	76·4	50·9	63·7		91·5	38·5	87	66	68	74	0·391	0·487	0·504	0·461	56	64	57	59	3·09	0·56
August	28·33	28·78	27·85	49·2	66·9	64·5	70·2	46·1	58·1		80·1	34·1	93	67	74	78	0·343	0·452	0·462	0·419	63	61	49	58	1·39	0·45
September	28·35	28·79	27·94	38·6	54·1	52·2	60·6	36·3	48·4		81·9	23·3	94	64	80	79	0·231	0·314	0·320	0·288	70	70	73	71	0·83	0·24
October	28·38	28·72	28·03	29·2	47·9	39·9	49·8	25·7	37·7		77·0	10·6	93	66	78	79	0·159	0·215	0·202	0·192	62	53	40	52	0·16	0·13
November	28·54	28·99	28·09	2·7	7·7	3·3	9·4	7·2	1·1		32·0	-34·8	86	77	82	82	0·046	0·058	0·055	0·053	66	72	63	67	1·44	0·45
December	28·27	28·99	27·75	6·5	14·2	11·3	18·1	1·7	8·2		44·2	-39·4	86	80	82	83	0·062	0·080	0·073	0·072	68	60	47	58	0·82	0·45
Year	28·39	29·30	27·59	23·8	38·6	35·6	42·4	18·8	30·6		91·5	—50·9	89	72	76	79	0·173	0·230	0·227	0·210	65	63	59	62	19·64	1·00

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	12	24	156	24	0	0	12	84	432					5	11	15	9	12	0	19	0	0		4
February	0	0	24	48	12	36	36	72	468					8	14	7	5	7	0	21	0	0		3
March	41	20	73	10	23	24	28	40	485	2·3	26	N.W.	0	1	15	15	11	14	0	17	0	0		3
April	40	74	139	49	16	53	8	70	271	4·7	22	N.E.	0	1	15	14	12	7	0	17	0	0		2
May	17	78	60	19	6	157	28	140	239	4·9	21	S.W.	0	1	13	17	12	6	0	16	2	1		3
June	88	41	64	73	34	74	32	160	154	5·1	22	S.E.	0	3	20	7	12	0	1	15	1	1		4
July	24	12	24	24	48	24	36	132	420		17	N.W.	0	3	18	10	14	0	0	16	1	5		1
August	41	7	29	34	30	87	69	145	302	3·5	22	N.W.	0	2	20	9	8	0	0	23	4	4		7
September	55	42	52	38	39	104	51	244	95	6·2	20	N.W.	0	2	15	13	11	0	0	19	1	0		1
October	63	44	43	70	110	32	54	147	181	5·2	19	S.E. S.W.	0	6	18	7	3	0	0	26	0	0		1
November	31	52	34	2	6	68	31	52	444	2·2	13	E.	0	6	7	17	9	13	0	17	0	0		1
December	35	15	54	33	42	182	60	52	271	4·4	30	S.E.	1	3	19	9	5	5	0	25	0	0		2
Year	447	409	752	424	366	841	445	1338	3762					41	185	140	111	58	1	231	9	11		32

Monthly and Annual Summaries for the Year 1896, Port Arthur, Ontario—Latitude, N. 48° 27′; Longitude, W. 89° 12′. Height above Sea, 644 feet.

Months.	Pressure.			Temperature.									Relative Humidity				Pressure of Vapour.				Cloudiness.				Precipitation.	
	Monthly Mean.	Extremes.		Mean.							Extremes.														Total.	Maximum in any 24 hours.
		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	M'thly		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.		
	in.	in.	in.								°	°					in.	in.	in.	in.					in.	in.
January	29·39	29·83	28·75	6·1	12·9	11·5	20·0	1·4	9·3		36·0	−33·0	98	88	93	93	0·072	0·079	0·076	0·076	71	77	78	75	0·55	0·10
February	29·16	29·91	28·52	5·0	16·8	14·5	24·2	0·7	12·4		47·0	26·0	98	78	87	88	0·066	0·086	0·082	0·078	50	57	42	50	0·21	0·06
March	29·31	29·97	28·38	8·9	22·5	20·6	27·4	4·5	15·9		47·0	−18·0	93	74	80	82	0·074	0·095	0·095	0·088	54	50	44	49	0·76	0·26
April	29·28	29·86	28·68	32·0	38·7	37·5	43·9	27·2	35·5		59·0	6·0	91	80	81	84	0·166	0·196	0·194	0·185	68	69	57	65	3·00	0·68
May	29·16	29·59	28·50	46·9	56·0	53·5	62·8	40·5	51·6		89·0	31·0	84	70	77	77	0·268	0·309	0·314	0·297	60	58	53	57	4·10	1·59
June	29·24	29·50	28·91	57·2	63·6	61·4	71·8	47·8	59·8		88·0	38·0	80	73	76	76	0·382	0·439	0·422	0·414	38	55	44	46	2·04	1·25
July	29·24	29·49	28·95	58·9	68·5	66·6	74·9	52·1	63·5		91·0	41·0	84	67	70	74	0·425	0·449	0·441	0·438	38	63	48	50	1·75	0·44
August	29·20	29·63	28·63	54·9	66·6	63·6	72·0	48·5	60·2		87·0	34·0	89	70	76	78	0·399	0·459	0·450	0·436	42	62	41	48	1·73	0·69
September	29·23	29·73	28·72	44·0	56·4	53·5	61·3	40·8	51·1		77·0	23·0	91	72	76	80	0·280	0·324	0·318	0·307	60	63	55	59	1·41	0·46
October	29·29	29·72	28·64	33·1	43·5	40·1	46·8	30·2	38·5		66·0	14·0	90	74	82	82	3·145	0·218	0·211	0·191	66	68	57	64	3·15	0·46
November	29·32	29·83	28·69	16·1	22·5	19·5	27·6	11·7	19·7		46·0	−21·0	93	83	90	89	0·100	0·111	0·106	6·106	76	86	74	79	2·62	1·26
December	29·35	29·90	28·71	13·0	21·9	17·8	25·7	6·2	16·0		47·0	−24·0	96	83	92	90	0·090	0·105	0·102	0·099	57	59	58	58	0·16	0·10
Year	29·26	29·97	28·38	31·3	40·8	38·3	46·5	25·7	36·1		91·0	−33·0	91	76	82	83	0·206	0·239	0·234	0·226	57	64	54	58	21·48	1·59

Months.	Temperature.									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning. Alone.	Auroras.
January	72	81	9	31	51	39	230	157	74	5·1	23	N.W.	0	4	8	19	10	15	...	16	4	0	...	3
February	35	51	25	23	35	32	247	163	85	5·0	19	W.	0	8	13	8	5	7	..	22	1	0	...	0
March	55	59	51	19	67	60	122	188	93	5·2	25	N.E.	1	10	11	10	7	9	...	22	1	0	..	6
April	110	192	26	26	27	21	54	107	157	5·4	25	N.	1	6	9	15	10	2	...	17	6	1		5
May	63	257	10	55	29	22	45	147	116	5·0	18	N.W.	0	6	15	10	11	0	.	19	5	1	..	4
June	57	155	14	66	12	50	73	85	208	3·3	19	S.W.	0	7	15	8	10	0	..	18	1	2	...	0
July	25	87	23	68	57	79	93	101	211	3·0	14	S.	0	9	15	7	11	0	...	17	1	1	...	0
August	22	82	12	84	28	81	140	134	161	3·4	21	S.W.	0	5	20	6	9	0	....	18	1	3	...	1
September	48	66	36	62	31	89	78	162	148	3·5	16	W.	0	6	15	9	6	0	...	20	0	1	...	2
October	63	83	4	30	28	34	27	282	193	4·0	21	N.E.	0	5	11	15	9	2	....	22	1	0	....	1
November	75	80	1	11	10	73	184	244	42	7·0	27	N.E.	1	2	8	20	14	16	1	12	0	0	....	0
December	25	56	9	28	35	76	181	181	154	3·8	19	W.	0	7	12	12	2	5	.	26	0	0	....	0
Year	650	1248	220	533	410	656	1474	1951	1642	4·5	27	N.E.	3	75	152	139	104	56	.	229	21	12	...	22

MONTHLY and Annual Summaries for the Year 1896, Parry Sound, Ontario—Latitude, N. 49°19′; Longitude, W. 80° 0′. Height above Sea, 635 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mnthly	Max.	Min.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	29·40	29·81	28·79	10·6	19·8	15·1	23·5	3·4	13·4	34·8	−29·4		82	82	83	82	0·073	0·098	0·090	0·087	78	82	57	69	3·30	0·54
February	29·13	29·88	28·57	11·7	22·5	18·0	26·6	5·7	16·1	44·2	35·6		82	81	83	82	0·078	0·107	0·094	0·093	66	64	61	64	2·62	0·44
March	29·30	29·85	28·79	11·2	25·9	20·7	29·9	5·5	17·7	46·8	−15·2		81	68	77	75	0·070	0·100	0·193	0·088	46	40	34	40	1·29	0·30
April	29·36	29·91	28·89	39·9	51·8	45·5	55·7	33·1	44·4	73·8	9·2		79	64	80	74	0·215	0·268	0·267	0·250	53		48	53	1·48	0·32
May	29·25	29·67	28·73	53·7	63·1	56·6	67·4	45·3	56·4	81·9	34·2		79	63	77	73	0·326	0·354	0·355	0·345	45	43	41	43	1·88	0·44
June	29·27	29·58	28·92	61·4	70·9	65·1	74·0	50·9	62·4	85·2	37·2		83	71	82	79	0·449	0·544	0·513	0·502	37	34	28	33	0·92	0·32
July	29·29	29·60	28·93	63·6	73·3	67·9	76·8	56·0	66·4	85·7	44·2		90	84	89	88	0·526	0·697	0·615	0·613	53	49	50	51	1·39	0·46
August	29·31	29·71	28·93	61·7	71·5	65·9	74·4	55·0	64·7	85·7	41·2		92	81	87	87	0·523	0·645	0·575	0·581	50	41	40	44	4·28	1·46
September	29·31	29·69	28·65	51·0	60·2	54·4	63·1	45·1	54·1	80·0	24·6		91	74	89	85	0·346	0·396	0·386	0·376	62	59	51	57	4·65	2·06
October	29·33	29·81	28·88	38·8	49·8	43·1	52·8	34·5	43·6	66·8	21·8		82	69	81	77	0·210	0·253	0·233	0·232	67	63	56	62	2·47	0·95
November	29·34	29·90	28·65	34·5	38·5	35·8	43·0	29·3	36·1	57·8	12·5		86	82	83	84	0·186	0·210	0·190	0·195	84	82	87	84	5·79	1·00
December	29·41	29·91	28·71	19·6	26·6	23·0	30·0	13·5	21·8	43·7	−15·2		82	84	82	83	0·105	0·130	0·115	0·117	72	71	60	65	3·03	0·55
Year	29·31	29·91	28·57	38·1	47·8	42·6	51·4	31·4	41·4	86·7	35·6		84	75	83	81	0·259	0·217	0·294	0·290	59	56	51	55	33·10	2·06

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	139	18	232	82	106	16	65	64	22	9·1	29	W.	2	5	10	16	21	17	....	10	0	0	....	0
February	131	46	67	110	83	5	130	97	27	16·4	39	N.W.	5	5	11	13	16	15	....	13	0	0	....	0
March	207	39	84	50	41	29	216	48	30	10·9	35	S.E.	8	12	12	7	12	11	....	19	0	0	....	1
April	106	1	115	104	45	19	175	128	27	9·3	30	S.E.	5	3	20	7	14	4	....	16	1	1	....	0
May	57	30	87	76	63	21	161	230	19	9·6	39	S.E.	5	12	13	6	12	0	....	19	1	1	....	0
June	51	17	135	21	31	4	141	280	40	7·9	28	N.W.	1	13	15	2	5	0	....	23	0	1	....	0
July	57	19	136	9	103	30	282	90	18	7·1	21	S.W.	0	6	21	4	10	0	....	20	1	3	....	0
August	26	0	133	73	62	80	321	28	21	8·1	30	S.E.	3	10	16	5	15	0	....	16	0	7	....	1
September	43	60	114	61	88	95	167	84	8	9·2	27	E.	2	7	13	10	16	0	....	13	0	0	....	0
October	114	27	184	35	72	53	154	95	10	8·4	29	S.W.	1	8	9	14	12	3	....	19	0	1	....	0
November	84	72	120	84	84	96	132	48	0	13·1	36	S.W.	8	0	8	22	23	10	....	7	0	1	....	0
December	110	47	251	76	90	49	63	37	21	7·9	32	S.W.	4	6	11	14	19	14	....	12	0	0	....	0
Year	1125	376	1658	781	868	497	2007	1229	243	9·8	39	N.W. S.E.	44	87	159	120	175	74	....	187	3	15	....	2

MONTHLY and Annual Summaries for the Year 1896, Port Stanley, Ontario—Latitude N. 42° 40′; Longitude, W. 81° 13′. Height above Sea, 596 feet.

MONTHS.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
				MEAN.						EXTREMES.															
	Monthly Mean.	EXTREMES.		8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
		Max.	Min.																						
	in.	in.	in.													in.	in.	in.	in.				%	in.	in.
January	29·49	29·91	28·93	23·5	28·3	25·2	30·3	19·2	24·7	37·2	−1·5	90	83	88	87	0·122	0·135	0·127	0·128	86	76	73	78	1·38	0·42
February	29·24	29·95	28·58	22·7	27·5	24·7	30·7	17·3	24·0	43·0	−17·8	87	81	85	84	0·117	0·133	0·122	0·124	75	75	73	74	3·81	1·25
March	29·40	29·94	28·80	21·7	29·9	25·7	32·4	16·6	24·5	50·0	2·0	87	74	81	81	0·110	0·129	0·119	0·119	42	57	45	48	2·94	1·02
April	29·44	29·94	29·09	43·5	50·8	44·7	53·2	37·4	45·3	70·0	18·3	84	74	86	81	0·255	0·285	0·273	0·271	62	62	51	58	2·93	0·45
May	29·35	29·66	28·93	58·8	66·7	59·4	68·8	50·9	59·8	89·0	39·6	81	68	78	76	0·405	0·437	0·398	0·413	47	50	43	47	4·30	0·74
June	29·35	29·62	28·98	64·2	72·7	65·4	74·5	54·9	64·7	82·2	40·4	79	68	81	76	0·485	0·564	0·514	0·521	38	33	50	40	3·49	0·97
July	29·38	29·65	29·10	67·7	75·7	68·2	77·6	59·7	68·6	86·0	48·0	87	73	83	81	0·615	0·656	0·585	0·619	49	55	56	53	4·21	1·68
August	29·41	29·77	29·11	64·8	74·8	66·6	76·9	57·7	67·3	85·4	41·9	90	72	83	82	0·573	0·641	0·560	0·591	43	50	44	45	4·27	1·14
September	29·39	29·73	28·86	55·8	65·2	58·4	67·7	49·3	58·5	80·0	28·0	88	74	84	82	0·412	0·474	0·431	0·439	63	57	48	56	3·67	0·96
October	29·42	29·82	29·02	41·5	51·4	44·5	53·2	36·3	44·8	62·2	25·3	83	69	82	78	0·227	0·274	0·248	0·250	50	55	40	48	1·48	0·70
November	29·47	29·91	28·84	38·7	43·1	39·3	47·3	33·1	40·2	59·1	16·1	86	77	84	82	0·226	0·238	0·220	0·228	69	80	72	74	3·00	0·93
December	29·51	30·10	28·97	26·6	32·5	29·2	34·2	21·6	27·9	48·0	0·4	89	80	84	84	0·136	0·153	0·141	0·143	76	79	61	72	1·20	0·30
Year	29·40	30·10	28·58	44·1	51·6	45·9	53·9	37·9	45·9	89·0	−17·8	86	74	83	81	0·307	0·343	0·312	0·321	58	61	55	58	36·68	1

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning.	Aurora.
January	0	132	72	114	0	174	192	60	0	12·0	34	W.	7	3	9	19	15	16	....	12	1	0	.....	0
February	0	24	0	216	0	240	96	120	0	15·4	44	S.W.	15	3	7	19	19	17	...	6	0	0	...	0
March	0	120	0	240	0	120	144	120	0	12·1	37	S.E.	10	11	11	9	15	18	...	9	1	0	...	1
April	0	0	299	66	16	123	192	24	0	9·2	42	W.	8	5	15	10	16	4	....	12	5	4	...	0
May	0	0	268	47	18	172	239	0	0	9·9	37	W.	7	7	18	6	15	0	....	16	2	12	....	0
June	36	84	180	48	36	108	48	120	60	7·7	21	W.	0	10	16	4	10	0	...	18	0	6	...	0
July	19	0	108	76	65	263	171	42	0	4·8	33	S.E.	2	6	17	8	14	0	....	17	3	9	....	0
August	127	7	75	78	33	250	122	52	0	5·9	29	S.W.	3	9	17	5	14	0	...	14	0	11	....	0
September	118	40	80	80	14	180	156	44	8	7·0	38	W.	2	7	13	10	14	0	.	13	0	1	...	0
October	98	141	94	44	19	109	173	52	14	10·9	42	S.W.	10	9	15	7	11	2	....	17	2	0	...	0
November	26	37	97	100	9	162	205	39	45	12·8	60	S.W.	6	3	7	20	16	6	....	12	2	0	...	0
December	52	61	57	56	17	140	164	11	183	7·3	43	S.W.	6	4	8	19	13	14	...	11	3	0	....	1
Year	476	649	1330	1165	227	2041	1902	684	310	9·6	60	S.W.	76	77	153	136	172	77	....	157	19	43	..	2

MONTHLY and Annual Summaries for the Year 1896, Qu'Appelle, North West Territories—Latitude, N. 50° 44′; Longitude, W 103° 42′. Height above Sea, 2,115 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		EXTREMES.		MEAN.						EXTREMES.																
	Monthly Mean.	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%	%		in.	in.
January	27·72	28·27	27·01	3·4	1·1	2·4	6·5	10·8	2·1	39·4	−40·0	92	82	88	87	0·073	0·078	0·075	0·075	71	61	62	65	0·66	0·16
February	27·58	27·99	26·92	8·2	15·8	12·7	20·8	3·5	12·1	42·8	−30·0	92	83	89	88	0·078	0·101	0·117	0·099	56	54	53	54	0·27	0·09
March	27·70	28·38	27·04	6·9	19·6	16·9	22·9	3·5	13·2	43·4	−17·0	89	86	90	88	0·066	0·102	0·097	0·088	72	65	73	70	0·88	0·22
April	27·62	28·10	26·89	27·2	39·8	39·0	43·6	25·6	34·6	68·0	11·0	91	72	76	80	0·141	0·174	0·182	0·166	72	69	70	70	2·59	0·94
May	27·56	27·84	27·22	43·9	57·4	56·5	61·8	40·8	51·3	72·0	31·6	88	61	62	70	0·254	0·281	0·278	0·271	66	73	71	70	4·73	1·09
June	27·67	27·92	27·28	53·1	68·4	67·8	72·4	49·5	60·9	88·7	40·5	88	56	61	68	0·324	0·401	0·402	0·376	50	52	42	48	4·52	1·25
July	27·75	28·09	27·42	55·6	72·4	70·4	76·7	51·1	63·9	90·8	36·8	87	52	59	66	0·390	0·416	0·445	0·417	50	60	56	52	2·50	0·70
August	27·70	28·13	27·32	49·5	68·3	65·8	72·1	46·9	59·5	88·4	33·0	90	56	65	70	0·324	0·380	0·415	0·373	42	52	42	45	2·05	0·57
September	27·72	28·14	27·22	39·6	57·8	54·2	62·0	38·1	50·1	80·8	26·0	88	55	61	68	0·222	0·246	0·249	0·239	62	64	59	62	1·21	0·84
October	27·76	28·13	27·38	29·2	48·4	40·4	51·3	26·4	38·8	79·5	6·0	90	58	75	74	0·151	0·195	0·188	0·178	50	41	41	44	0·00	0·00
November	27·80	28·23	27·22	1·1	5·0	0·3	7·2	5·9	0·7	34·0	−29·8	94	90	91	92	0·066	0·078	0·068	0·071	72	76	6	72	1·77	0·30
December	27·63	28·31	27·26	11·2	15·2	14·7	21·5	5·8	13·6	41·0	−29·4	94	91	93	92	0·084	0·106	0·095	0·095	44	65	41	50	0·45	0·20
Year	27·68	28·38	28·89	26·7	39·1	36·4	43·2	22·9	33·1	90·8	−40·0	90	70	76	79	0·181	0·213	0·218	0·204	59	60	56	58	21·63	1·25

MONTHS.	NUMBER OF WINDS FROM.									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	2	3	9	7	10	5	5	15	6					2	20	9	11	10	0	20	0	0		0
February	3	2	3	2	16	14	3	14	1					4	15	10	7	6	0	22	2	0		0
March	5	6	5	10	9	6	7	10	4					0	18	13	13	13	0	18	0	0		3
April	5	6	9	7	12	2	3	11	5					3	13	14	10	6	1	20	2	3		0
May	3	6	10	4	10	7	9	11	2					0	16	15	18	0	1	13	0	3		0
June	5	5	7	5	14	6	4	13	1					10	15	5	13	0	1	17	1	3		0
July	4	6	3	5	12	8	7	14	3					3	20	8	10	0	0	21	1	4		0
August	4	1	4	2	11	6	13	17	4					10	15	6	12	0	0	19	0	4		1
September	5	2	6	3	12	3	2	20	7					4	13	13	8	1	0	20	1	0		0
October	1	7	2	3	18	1	8	15	7					8	18	5	0	1	0	30	2	0		3
November	4	3	11	4	2	8	7	14	7					3	10	7	14	14	0	16	2	0		2
December	2	0	2	6	21	11	4	9	7					7	16	8	8	9	0	22	0	0		0
Year	43	47	71	58	147	77	72	163	54					54	189	123	124	60	3	238	11	17		9

MONTHLY and Annual Summaries for the Year 1896, Quebec, Quebec—Latitude, N. 46° 48′: Longitude, W. 71° 13′. Height above Sea, 296 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.			Mean.				Mean.				Mean.				Total.	Maximum in any 24 hours.
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.		
	in.	in.	in.							°	°						in.	in.	in.	in.					in.	in.
January	29·85	30·25	29·02	7·6	13·1	10·9	16·2	2·8	9·5	33·2	−23·8		81	81	81	81	0·063	0·072	0·069	0·068	6	5	5	5·7	1·10	0·31
February ...	29·47	30·14	28·64	10·0	18·4	15·7	20·7	4·7	12·7	44·2	−23·6		77	82	84	81	0·076	0·092	0·085	0·084	7	6	5	6·5	1·82	0·55
March..	29·53	30·29	28·51	16·4	23·5	20·4	26·9	9·9	17·8	41·2	−11·2		85	81	83	83	0·093	0·109	0·099	0·100	6	6	7	6·9	3·43	0·63
April	29·75	30·21	28·99	34·7	42·5	37·9	45·2	29·7	37·5	66·8	−14·8		81	70	76	76	0·167	0·189	0·174	0·177	5	8	6	6·0	4·06	0·74
May ..	29·63	30·15	29·12	51·0	60·0	54·8	65·3	44·1	54·7	84·0	−33·2		75	61	71	69	0·289	0·327	0·313	0·310	5	5	6	5·8	2·15	1·12
June..	29·57	29·96	29·03	59·1	68·3	62·9	73·0	50·4	61·7	86·6	−39·5		77	63	71	70	0·396	0·437	0·411	0·415	5	6	5	5·5	1·52	0·57
July..	29·60	30·01	29·15	64·2	73·0	67·3	76·2	58·5	67·4	88·0	−50·6		83	70	80	78	0·503	0·571	0·533	0·536	5	7	6	6·0	5·19	0·77
August	29·64	29·96	29·33	60·4	70·0	64·3	73·1	54·7	63·9	87·6	−41·0		88	76	82	82	0·471	0·564	0·500	0·512	6	7	5	5·8	4·32	0·97
September ..	29·68	30·13	29·16	50·3	58·4	54·3	60·9	45·8	53·4	81·2	−33·2		88	75	83	82	0·333	0·378	0·365	0·359	6	7	6	6·1	4·72	0·96
October	29·70	30·29	29·16	38·7	42·8	40·0	45·3	35·2	40·3	57·0	−24·5		88	81	85	85	0·210	0·228	0·214	0·217	7	7	6	6·7	6·99	3·23
November...	29·77	30·45	29·17	28·7	31·6	29·6	35·9	24·0	29·9	50·0	−0·6		87	84	85	85	0·148	0·157	0·150	0·152	9	10	7	8·8	1·83	0·37
December...	29·76	30·52	29·05	11·4	16·0	14·3	20·6	6·4	13·5	38·0	−12·0		82	78	80	80	0·075	0·082	0·081	0·079	5	7	6	6·0	1·23	0·36
Year.....	29·66	30·52	28·51	36·0	43·2	39·4	46·6	30·5	38·6	88·0	−23·8		83	75	80	80	0·235	0·267	0·250	0·251	6	6	6	6·3	40·90	3·23

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calms.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	19	294	24	4	10	68	212	44	48		13·5	46	N.E.	8	7	14	10	14	18	..	13	0	0	..	3
February	12	271	15	2	20	166	138	66	5		17·1	66	N.E.	12	4	12	13	13	16	....	12	0	0	..	4
March	26	160	26	4	10	89	226	157	23		15·8	52	N.E.	7	6	9	16	18	16	....	13	0	0	..	4
April	24	311	95	17	7	51	135	73	7		12·8	39	N.E.	9	8	11	11	11	5	..	17	2	0	..	6
May	30	228	65	31	40	119	143	87	1		12·8	43	N.E.	5	7	11	13	8	0	....	17	0	4	..	9
June	52	155	46	11	20	117	166	152	1		12·7	35	N.E.	4	4	16	10	9	0	....	18	0	5	..	7
July	73	126	12	1	18	80	352	79	3		11·8	29	W. N.E.	0	2	18	11	18	0	..	12	0	5	..	5
August	75	107	59	15	37	123	223	102	3		10·4	31	N.E.	1	6	18	7	10	0	....	19	1	3	..	9
September	40	164	55	19	36	125	162	111	8		10·6	32	N.E.	3	4	13	13	13	0	..	15	0	0	..	3
October	75	323	88	8	8	99	95	66	2		15·5	44	N.E.	9	7	7	17	16	2	..	15	3	0	..	6
November	44	171	87	1	17	99	194	103	4		13·4	40	N.E.	5	2	5	23	20	9	..	7	1	0	..	0
December	28	110	21	1	18	179	258	109	20		12·8	46	N.E.	6	6	13	12	11	12	..	16	1	0	....	1
Year	478	2420	593	114	241	1315	2304	1119	125		13·3	66	N.E.	69	63	147	156	161	78		174	8	17	..	55

Monthly and Annual Summaries for the Year 1896, Rivers Inlet, British Columbia—Latitude, N. 51° 39′; Longitude, W. 127° 19′. Height above Sea, 25 feet.

Months.	Pressure.			Temperature.								Relative Humidity				Pressure of Vapour.				Cloudiness.			Precipitation.	
		Extremes.		Mean.						Extremes.														
	Monthly Mean.	Max.	Min.	8 a.m.	4.30 p.m.	9 p.m.	Max.	Min.	Monthly	Max.	Min.	9 a.m.	4.30 p.m.	9 p.m.	Mean.	8 a.m.	4.30 p.m.	8 p.m.	Mean.	8 a.m.	4.30 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.					in.	in.
January	29·71	30·52	28·78	29·8	31·2	30·2	33·9	26·2	30·4	46·8	11·4	99	99	99	99	0·171	0·180	0·174	0·175	86	76	71	78	14·27	2·04
February	29·92	30·61	29·35	35·7	38·5	35·8	40·9	32·2	30·7	54·2	12·7	96	91	96	94	0·203	0·213	0·203	0·206	84	83	72	80	18·73	2·92
March	30·00	30·48	29·47	34·6	42·4	35·1	44·8	30·2	37·4	59·9	16·8	89	83	96	89	0·182	0·227	0·199	0·203	58	55	43	52	8·21	1·79
April	29·85	30·28	29·46	41·1	48·4	40·1	51·6	34·4	42·2	65·2	26·9	79	70	90	80	0·204	0·236	0·224	0·221	63	61	53	59	4·78	0·95
May	29·97	30·54	29·37	48·6	54·5	45·5	58·8	39·2	49·5	74·9	39·2	79	71	91	80	0·268	0·297	0·279	0·281	63	70	57	64	3·03	0·53
June	29·99	30·32	29·52	52·0	57·0	50·5	60·6	45·3	53·2	90·0	39·7	87	80	94	87	0·335	0·363	0·346	0·348	71	84	77	77	8·77	1·30
July	30·03	30·20	29·83	59·5	67·3	57·8	69·8	51·6	61·5	86·5	47·6	83	69	89	80	0·415	0·448	0·425	0·429	64	50	46	53	1·42	0·48
August	30·05	30·29	29·92	59·4	66·1	57·0	69·0	51·5	60·8	77·8	45·8	86	73	92	84	0·410	0·465	0·435	0·436	62	34	28	41	1·20	0·35
September	30·06	30·32	29·59	53·8	60·9	51·2	64·5	45·7	55·3	72·3	38·7	81	72	92	82	0·337	0·380	0·350	0·356	41	38	33	37	1·79	0·63
October	29·89	30·32	29·37	46·7	49·8	47·3	53·6	44·4	47·9	62·5	36·1	93	92	94	93	0·297	0·333	0·311	0·314	63	62	59	61	13·50	2·00
November	29·87	30·43	29·26	29·9	32·7	31·0	33·9	27·5	31·2	48·2	17·6	91	90	93	91	0·157	0·172	0·167	0·166	44	47	37	43	9·26	1·90
December	29·69	30·14	28·73	39·0	39·6	39·7	42·1	36·5	39·5	48·0	29·6	95	95	95	95	0·232	0·236	0·235	0·234	79	79	76	78	20·06	2·55
Year	29·92	30·61	28·73	44·2	49·0	43·4	52·0	38·7	45·1	90·0	11·4	88	82	93	88	0·268	0·296	0·279	0·281	65	62	54	60	105·02	2·92

Months.	Number of Winds From.									Average Hourly Force.	Maximum Force.	Direction of time of Maximum Force.	No. of Gales.	Number of Days.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	2	6	1	51	2	1	3	2	25	3	8	S.E.	11	5	5	21	17	5	0	14	0	0	0	0
February	1	6	4	38	0	0	11	5	22	2	5	S.E.	2	3	6	20	24	9	0	5	0	0	0	0
March	0	1	0	43	0	4	21	1	23	2	6	S.E.	3	9	11	11	14	5	0	17	0	0	0	0
April	0	2	0	34	0	2	32	3	17	2	5	N.E.	1	7	9	14	13	6	0	17	0	0	0	0
May	1	1	2	20	0	3	32	3	31	1	4	S.E.	0	7	9	15	17	0	0	13	0	0	0	0
June	0	0	2	16	0	2	23	5	42	1	5	W.	1	4	4	22	21	0	0	9	0	0	0	0
July	1	1	0	12	1	1	11	0	33	1	4	W.	0	9	7	15	9	0	0	21	6	0	0	0
August	0	0	0	11	0	2	44	0	36	1	5	W.	1	13	10	8	5	0	0	25	8	0	0	0
September	0	0	1	17	0	1	33	0	38	1	5	S.E.	1	16	7	7	6	0	0	24	2	0	0	0
October	0	0	0	54	0	3	12	0	24	2	7	S.E.	5	9	6	16	18	0	0	13	2	1	0	0
November	0	31	0	47	0	1	3	0	8	4	9	S.E.	18	12	9	9	12	4	0	18	1	0	0	0
December	0	15	0	47	0	0	7	0	24	2	9	S.E.	12	2	8	21	24	1	0	6	1	0	1	0
Year	5	63	10	393	3	20	262	19	323	2	9	S.E.	55	96	91	179	180	30	0	182	20	1	1	0

MONTHLY and Annual Summaries for the Year 1896, Rockliffe, Ontario—Latitude, N. 46° 12′; Longitude, W. 77° 55′. Height above the Sea, 472 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.															
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mean.	Max.	Min.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	29·63	30·03	29·00	3·6	14·1	8·0	16·9	1·8	7·5	32·0	−37·0		93	87	93	91	0·058	0·080	0·071	0·070	73	71	54	66	1·50	0·32
February	29·52	30·05	28·63	5·0	18·7	12·1	22·6	1·3	10·6	42·0	−37·0		93	87	91	90	0·066	0·097	0·080	0·081	65	56	49	57	1·94	0·54
March	29·47	30·10	28·94	7·1	25·8	18·6	28·8	0·1	14·4	50·0	25·0		93	82	88	88	0·062	0·123	0·099	0·095	51	53	40	48	1·11	0·36
April	29·55	30·08	28·99	36·2	53·1	43·1	56·4	30·3	43·4	83·0	12·0		83	65	81	76	0·185	0·259	0·235	0·226	58	50	48	52	2·65	0·82
May	29·42	29·91	28·90	53·0	67·3	57·3	70·8	44·1	57·5	91·0	30·0		77	55	74	69	0·312	0·347	0·352	0·337	55	58	62	58	2·11	0·62
June	29·43	29·71	29·03	59·5	74·6	63·5	78·0	49·1	63·6	89·0	37·0		78	55	84	72	0·404	0·465	0·498	0·456	45	48	38	44	2·10	0·93
July	29·44	29·80	29·01	61·6	74·2	64·6	77·9	54·9	66·4	92·0	45·0		89	66	91	82	0·493	0·543	0·561	0·532	56	67	60	61	5·63	3·02
August	29·45	29·87	29·05	58·1	73·6	62·9	76·8	53·0	64·9	92·0	42·0		93	64	88	82	0·462	0·530	0·518	0·503	57	56	47	53	4·07	1·38
September	29·49	29·91	28·84	47·6	59·8	50·9	64·0	43·6	53·8	84·0	26·0		97	74	93	87	0·324	0·390	0·358	0·357	74	65	55	65	4·74	1·76
October	29·52	30·04	29·01	34·6	49·0	40·3	50·9	32·1	41·5	65·0	24·0		93	73	90	85	0·193	0·262	0·229	0·228	75	59	59	64	1·92	0·57
November	29·55	30·10	28·77	29·5	34·2	31·1	39·3	25·9	32·6	61·0	−2·0		98	88	97	94	0·169	0·183	0·180	0·177	88	81	81	83	3·85	0·94
December	29·61	30·25	28·81	11·4	21·7	16·1	25·1	6·9	16·0	40·0	18·0		97	84	97	93	0·089	0·116	0·102	0·102	70	63	53	62	0·75	0·26
Year	29·49	30·25	28·63	33·9	47·2	39·0	50·6	28·1	39·3	92·0	37·0		90	73	89	84	0·235	0·283	0·274	0·264	64	61	54	59	32·07	3·02

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	0	0	1	18	0	0	2	10	31						6	9	16	15	15	...	16	0	0		2
February	1	1	1	10	0	0	1	9	32						8	9	12	13	11	...	16	0	0		0
March	3	0	2	3	0	0	5	18	31						11	10	10	9	8	...	21	0	0	...	4
April	2	2	1	10	1	0	1	6	37						7	15	8	11	6	...	19	0	0		2
May	3	0	4	7	1	0	5	13	29						4	17	10	15	0		15	0	3		0
June	1	3	1	6	0	0	0	12	37						10	13	7	8	0		22	1	1		0
July	1	0	1	5	0	0	0	18	37						4	16	11	15	0		16	0	1		0
August	0	0	0	15	0	0	0	14	33						5	20	6	13	0		17	4	2		2
September	2	4	1	5	11	6	10	14	4						1	18	11	11	0		15	5	0		0
October	3	1	0	8	1	0	2	12	35						5	9	17	10	4	...	20	6	0	...	0
November	1	2	1	21	0	0	3	15	17						0	11	19	16	14		11	0	1		0
December	1	0	2	12	0	0	5	11	31						8	10	13	9	8	...	22	2	0	...	0
Year	18	13	18	120	14	6	37	152	354						69	157	140	145	66		210	18	8	...	10

MONTHLY and Annual Summaries for the Year 1896, St. Andrews, New Brunswick -Latitude, N. 45° 5′; Longitude, W. 67° 4′. Height above Sea, 47 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
				MEAN.						EXTREMES.																
	Monthly Mean.	EXTREMES.		8 a.m.	3 p.m.	8 p.m.	MEAN.		MEAN.	MEAN.			8 a.m.	3 p.m.	8 p.m.	MEAN.	8 a.m.	3 p.m.	8 p.m.	MEAN.	8 a.m.	3 p.m.	8 p.m.	MEAN.	TOTAL.	MAXIMUM IN ANY 24 HOURS.
		MAX.	MIN.				MAX.	MIN.		MAX.	MIN.															
																	in.	in.	in.	in.					in.	in.
January				14 1	21 4	18·7	25 6	8 8	17 2	15 8		16 6	83	73	80	79	0 081	0 099	0·090	0·090	35	30	34	33	0 56	0·40
February				18 2	25 4	23 2	28 8	11 5	20 2	43 8		17 4	81	73	79	78	0 093	0 114	0·114	0 107	52	53	56	54	5 06	1 87
March				25 5	33 6	28 8	37 3	18 8	28 0	54 0		3 6	79	73	77	76	0 125	0 142	0 131	0 133	47	52	56	52	5 01	0·77
April				38 6	47 1	40 7	50 1	30 3	40 2	66 0		18 8	73	56	69	66	0 173	0 186	0·179	0 179	42	38	36	39	1 28	0 67
May				49 1	58 1	48 7	62 1	37 6	49 8	84 0		24 7	71	57	73	67	0 263	0 275	0·262	0 267	21	27	36	28	1 12	0 39
June				57 5	66 8	58 2	70 8	46 5	58 3	89 0		39 0	77	59	78	71	0 376	0 386	0 381	0 381	30	37	39	35	3 45	1·29
July				63 0	71 5	63 2	75 1	53 2	64 2	86 0		46 2	83	70	84	79	0 458	0 532	0·497	0 496	44	37	42	41	6 18	1·23
August				59 9	67 9	60 5	70 6	50 9	60 7	81 0		43 2	84	73	84	80	0 419	0 501	0·453	0 458	18	28	37	38	1 01	0·41
September				53 3	61 0	55 2	62 5	45 9	51 2	73 0		31 3	85	74	86	82	0 363	0 412	0·330	0 388	57	41	49	46	3 68	1 00
October				41 3	50 0	46 4	52 4	37 4	44 9	63 0		27 3	83	72	80	78	0 257	0 281	0·267	0 268	57	49	52	53	3 87	1·70
November				35 5	39 9	37 2	44 5	27 1	35 8	58 5		3 0	80	71	72	74	0 193	0 192	0·177	0 187	61	65	52	59	2 10	0·52
December				29 3	36 3	31 8	39 3	12 0	22 3	47 8		5 4	75	64	70	70	0 097	0 109	0·095	0 100	22	24	23	23	1 43	0·87
Year				39 9	47 4	41 9	51 0	31 7	41 3	89 0		17 4	80	68	78	75	0 242	0 269	0·253	0 255	43	40	42	42	34 75	1 87

MONTHS.	NUMBER OF WINDS FROM										NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	CALM.	AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	CLEAR.	PARTLY CLOUDY.	CLOUDY.	PRECIPITATION OF 01 IN OR OVER.	SNOW.	HAIL.	RAIN.	FOG.	THUNDER STORMS.	LIGHTNING ALONE.	AURORAS.
January	12	12	1	2	0	1	1	27	6					14	12	5	4	6	0	25	0	0		2
February	4	3	7	9	2	1	5	25	2					7	13	9	14	14	0	12	2	0		3
March	11	3	5	10	0	4	10	15	4					10	10	11	14	10	1	17	4	0		2
April	4	11	2	10	5	3	2	10	10					15	7	8	7	2	0	13	3	0		0
May	2	5	5	15	7	4	1	7	16					15	13	3	10	0	0	20	5	2		0
June	2	3	4	9	8	2	7	11	14					12	14	4	10	0	0	20	6	2		0
July	1	3	1	19	7	7	6	14	9					13	10	8	13	0	0	18	6	2		0
August	3	1	1	19	4	2	1	11	20					12	14	5	8	0	0	22	8	0		0
September	5	3	3	7	6	3	4	12	17					12	9	9	11	0	0	18	0	0		0
October	3	12	3	3	2	7	2	19	11					11	8	12	10	0	0	21	3	0		1
November	14	4	3	6	2	5	7	13	6					7	10	13	11	3	0	19	4	0		1
December	7	6	2	1	11	9	5	8	13					22	4	5	5	2	0	26	1	0		1
Year	68	69	37	105	54	48	51	172	128					150	124	92	117	37	1	231	47	6		9

MONTHLY and Annual Summaries for the Year 1896, St. John, New Brunswick—Latitude, N. 45° 17′; Longitude, W. 68° 24′. Height above Sea, 70 feet.

MONTHS.	PRESSURE	TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.													Total	Maximum in any 24 hours.
		Max.	Min.	8 a.m.	4 p.m.	12 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	4 p.m.	12 p.m.	Mean.	8 a.m.	4 p.m.	12 p.m.	Mean.	8 a.m.	4 p.m.	12 p.m.	Mean.		
	in.	in.	in.													in.	in.	in.	in.	%	%			in.	in.
January	29·96	30·43	29·26	13·6	20·8	16·4	24·9	9·6	17·2	42·0	−12·5	82	73	82	80	0·078	0·089	0·085	0·085	46	43	57	50	1·12	0·38
February	29·65	30·34	28·77	16·6	25·8	21·5	28·1	13·4	21·7	44·5	−15·0	84	77	85	82	0·090	0·116	0·108	0·106	59	67	63	62	3·00	0·87
March	29·71	30·47	28·69	24·9	32·8	27·5	35·3	21·0	28·1	46·0	6·5	80	73	81	79	0·122	0·143	0·129	0·133	57	74	52	61	3·69	0·54
April	29·95	30·50	28·97	35·8	45·8	35·1	47·7	31·1	39·4	67·5	20·0	74	67	82	74	0·238	0·291	0·289	0·262	51	57	41	51	1·23	0·32
May	29·90	30·44	29·33	45·0	55·7	44·3	58·5	38·9	48·7	84·8	28·0	77	67	85	75	0·158	0·209	0·170	0·181	42	49	47	47	0·92	0·52
June	29·80	30·33	29·16	53·8	62·3	53·1	65·1	48·9	57·0	78·5	42·0	78	69	87	78	0·323	0·382	0·355	0·352	57	55	42	51	3·12	1·19
July	29·85	30·37	29·38	59·0	66·1	57·3	70·3	54·1	62·2	83·5	50·5	85	74	91	84	0·428	0·461	0·425	0·438	67	57	53	62	5·43	1·12
August	29·90	30·21	29·65	58·7	64·6	57·4	68·3	53·9	61·1	77·5	48·0	83	73	89	82	0·416	0·441	0·423	0·429	57	60	52	56	1·69	0·71
September	29·93	30·34	29·34	52·8	59·5	53·2	62·2	48·3	55·2	74·0	33·5	88	73	90	83	0·362	0·369	0·377	0·368	75	62	60	67	6·06	1·48
October	29·90	30·54	29·27	43·9	50·0	45·0	52·6	40·5	46·5	60·2	29·0	88	75	86	83	0·261	0·277	0·266	0·271	64	70	72	71	6·59	2·55
November	30·02	30·74	29·42	34·2	39·5	36·1	45·1	29·7	37·4	54·7	7·5	87	77	84	83	0·190	0·204	0·197	0·197	73	74	62	72	5·17	1·18
December	29·95	30·72	28·90	19·7	26·2	20·7	29·8	13·9	21·9	47·8	−2·5	84	71	85	80	0·105	0·112	0·110	0·111	52	48	36	47	1·67	1·06
Year	29·88	30·74	28·69	38·2	45·8	39·0	49·0	33·6	41·3	84·8	−15·0	83	72	84	80	0·231	0·258	0·245	0·244	58	60	53	58	39·69	2·55

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	190	112	4	9	8	64	14	318	25	12·4	44	N.W.	9	11	7	13	8	7	0	23	1	0	0	0
February	169	81	50	46	41	42	67	160	40	13·5	60	N.E.	12	5	12	12	13	17	0	10	1	0	0	0
March	146	103	29	64	39	128	63	136	36	14·5	49	S.	15	7	9	15	18	10	0	13	4	0	0	1
April	122	140	30	65	92	66	18	84	103	8·1	37	N.W.	4	10	10	10	12	6	0	14	3	0	0	0
May	38	121	26	105	186	90	12	61	105	7·6	32	S.E.	6	11	10	10	8	0	0	23	5	0	0	1
June	53	55	52	88	200	39	48	102	83	8·2	31	N.E.	3	8	14	8	14	0	0	16	8	4	0	0
July	9	71	16	112	241	90	25	43	137	5·8	32	N.W.	1	7	10	14	12	0	0	17	14	1	0	0
August	11	45	25	157	151	101	10	93	151	4·7	28	N.W.	1	9	11	11	7	0	0	22	14	3	0	0
September	27	26	34	125	158	114	23	126	87	7·8	32	N.W.	4	4	10	16	12	0	0	18	10	2	0	0
October	63	186	9	77	95	71	22	191	30	10·4	36	S.E.	3	4	9	18	16	0	0	15	5	1	0	0
November	89	59	24	85	84	99	59	198	23	11·5	40	S.E.	4	3	8	19	17	7	0	11	7	0	0	0
December	65	33	6	44	23	115	96	356	6	12·4	44	N.W.	8	11	12	8	3	2	0	28	1	0	0	1
Year	982	1032	305	977	1318	1019	457	1868	826	9·7	60	N.E.	70	90	122	154	140	49	0	210	73	11	0	3

Monthly and Annual Summaries for the Year 1896, St. Johns, Newfoundland—Latitude, N. 47° 34′; Longitude, W. 52° 42′. Height above Sea, 125 feet.

Months.	Pressure.			Temperature.										Relative Humidity				Pressure of Vapour.				Cloudiness.				Precipitation.	
		Extremes.		Mean.						Extremes.																	
	Monthly Mean.	Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Monthly	Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.					in.	in.
January	29·71	30·32	28·57	27·1	27·9	26·4	32·2	20·7	26·4	48·0	1·0					0·148	0·148	0·143	0·146	80	72	79	77	10·38	2·44
February	29·46	30·24	28·59	24·0	26·8	23·8	29·6	17·7	23·7	37·0	5·0					0·126	0·142	0·130	0·132	68	62	68	66	5·26	1·30
March	29·74	30·31	28·94	30·7	29·0	30·6	36·3	25·2	30·7	46·0	12·0					0·158	0·159	0·159	0·159	64	66	74	68	5·59	0·90
April	29·75	30·27	28·88	33·2	33·8	30·7	37·3	26·5	31·9	55·0	15·0					0·167	0·173	0·160	0·167	62	63	64	63	4·02	0·95
May	29·88	30·40	29·01	42·1	41·9	37·4	47·0	33·1	40·2	66·0	25·0					0·228	0·221	0·204	0·218	58	53	71	61	3·69	1·20
June	29·76	30·16	29·13	54·4	51·7	47·5	59·9	42·6	51·2	79·0	36·0					0·326	0·365	0·297	0·329	58	54	70	61	4·18	1·35
July	29·82	30·32	29·37	64·8	63·2	56·4	70·4	51·1	60·8	84·0	40·0					0·470	0·491	0·413	0·458	42	55	60	52	5·62	1·95
August	29·87	30·19	29·36	60·3	60·9	55·8	65·4	51·5	58·4	76·0	40·0					0·466	0·462	0·413	0·447	56	54	60	58	2·74	1·30
September	29·88	30·33	29·24	58·4	58·2	53·3	63·3	46·9	55·1	81·0	34·0					0·427	0·434	0·381	0·414	45	44	46	46	4·38	1·20
October	29·94	30·46	29·40	49·2	49·8	47·3	58·5	42·7	48·1	71·0	30·4					0·321	0·303	0·299	0·308	68	69	77	71	4·11	1·05
November	29·89	30·45	28·98	35·0	36·9	34·5	42·8	27·5	35·2	59·0	11·0					0·177	0·198	0·187	0·187	62	55	79	65	4·99	0·80
December	29·67	30·16	28·47	24·8	26·3	25·2	31·6	18·2	24·9	47·0	1·0					0·133	0·136	0·135	0·135	67	63	72	67	7·67	2·40
Year	29·78	30·46	28·47	42·0	42·2	39·1	47·5	33·6	40·6	84·0	1·0					0·262	0·269	0·243	0·258	61	59	68	63	62·63	2·44

Months.	Number of Winds From									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calms.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fog.	Fog.	Thunder Storms.	Lightning Only.	Auroras.
January	12	13	3	5	11	0	13	5	0		52	S.	20	1	12	18	18	8	0	13	4	0		0
February	15	10	3	0	10	4	10	6	0		50	N.E.	21	5	9	15	11	10	0	17	2	0		0
March	14	7	2	5	12	9	7	6	0		45	N.W.	17	3	13	15	17	11	0	10	7	0		1
April	7	20	3	4	4	0	17	4	1		50	N.E.	17	7	10	13	14	13	0	13	2	0		0
May	1	20	4	6	10	6	13	2	0		40	N.E.	16	4	16	11	15	8		13	4	0		1
June	4	6	10	5	12	6	17	0	0		38	S.	16	6	14	10	14	0		16	6	0		0
July	10	1	1	6	15	8	20	1	0		30	N.W.	7	8	14	9	14	0		16	1	1		0
August	6	3	8	7	13	6	18	1	0		36	S.	6	5	15	11	12	0		18	7	1		0
September	14	6	5	1	12	5	16	0	1		40	N.E.	9	9	15	6	12	0		18	1	0		0
October	9	15	2	6	17	3	6	4	0		36	N.E.	10	2	10	15	17	0		14	6	0		0
November	12	15	3	2	11	3	8	6	0		44	N.E.	14	3	13	14	16	2		15	1	0		0
December	19	8	7	1	11	2	7	7	0		50	N.E.	11	3	15	13	9	5		22	0	0		0
Year	123	124	51	48	138	52	152	42	2		52	S.	164	56	156	150	169	57		183	41	2		2

MONTHLY and Annual Summaries for the Year 1896, Spence's Bridge, British Columbia—Latitude, N. 50° 23′; Longitude, W. 121° 20′. Height above Sea, 770 feet.

MONTHS.	PRESSURE.	TEMPERATURE.												RELATIVE HUMIDITY.				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																	
		Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.															Total.	Maximum in any 24 hours.
	in.	in.	in.	°														in.	in.	in.	in.	%	%	%		in.	in.
January	29·11	29·91	28·38	19·5	25·6	21·8	29·8	16·8	22·2	52·0	2·0	92	86	87	88	0·111	0·131	0·118	0·120	72	67	58	66	1·48	0·43
February	29·10	29·67	28·49	32·8	42·9	36·3	46·7	25·5	35·3	63·0	14·0	85	73	82	80	·162	·204	·180	·182	65	75	67	69	0·95	0·29
March	29·21	29·88	28·36	29·3	46·5	37·2	49·2	25·9	37·6	68·0	6·0	85	57	77	73	·141	·175	·172	·163	41	52	38	44	0·27	0·19
April	28·98	29·50	28·31	42·2	57·5	47·4	60·1	34·6	48·6	77·0	25·0	66	46	62	58	·180	·218	·205	·201	51	62	54	56	0·66	0·39
May	29·06	29·54	28·14	52·5	66·1	55·2	69·4	41·4	57·2	83·0	34·0	61	44	54	53	·245	·281	·239	·255	58	65	49	57	0·26	0·16
June	29·15	29·43	28·88	59·8	76·2	65·5	80·1	49·0	66·8	104·0	40·5	52	36	46	45	·275	·234	·287	·295	51	63	47	54	0·01	0·01
July	29·13	29·37	28·94	65·6	85·6	75·3	89·3	58·1	75·4	100·7	49·0	59	34	44	46	·372	410	·377	·386	48	48	34	43	0·00	0·00
August	29·13	29·45	28·90	61·4	83·2	83·1	87·9	56·8	75·9	96·0	52·0	67	38	39	48	·367	433	·449	·416	21	27	25	24	0·03	0·03
September	29·18	29·51	28·87	52·3	70·2	68·3	73·0	48·8	63·6	89·0	39·0	70	47	50	56	·275	·347	346	·323	46	38	39	41	0·04	0·04
October	29·17	29·56	28·70	44·0	58·7	54·1	64·4	41·2	52·3	75·0	30·0	79	58	64	67	·230	·281	·273	·261	51	40	36	42	0·02	0·01
November	29·25	29·92	28·20	15·7	22·1	20·3	26·6	10·6	19·4	59·0	13·0									57	63	51	57	1·62	1·00
December	29·12	29·55	28·37	30·5	36·3	34·1	42·6	28·0	33·6	68·0	15·0									68	66	51	62	0·19	0·13
Year	29·13	29·92	28·14	42·1	55·9	49·9	59·9	36·4	49·2	104·0	−13·0									52	56	46	51	5·53	1·00

MONTHS.	NUMBER OF WINDS FROM									WIND.				NUMBER OF DAYS												
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Clear.	Partly Cloudy.	Cloudy.	Precipitation 001 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms	Lightning Alone.	Auroras.
January	4	20	18	0	5	10	5	0	18	7 0	20·0	N.E.	3	2	13	11	9	6	0	22	2	0	0	0
February	1	6	18	2	6	10	7	2	20	6 4	20 0	N.E.	2	2	8	12	7	2	0	21	0	0	0	0
March	0	9	22	9	4	7	9	2	13	7 3	18·0	E.	0	8	12	3	2	1	0	29	0	0	0	0
April	0	9	5	12	12	22	2	1	13	7 8	25 0	S.W.	3	4	12	8	4	0	0	26	0	0	0	0
May	0	0	5	12	26	11	3	6	15	4 9	15 0	W.	0	2	18	6	4	0	0	27	0	0	0	0
June	0	0	1	7	21	21	10	2	17	5 5	20 0	S.	1	5	17	4	1	0	0	29	0	0	2	0
July	1	3	1	10	17	18	2	1	31	3 1	10 0	S.W.	8	10	12	5	0	0	0	31	0	0	0	0
August	0	0	0	14	21	7	0	0	51	6 0	40·0	S.E.	7	20	9	2	1	0	0	27	0	1	1	2
September	0	0	5	17	9	7	1	0	51	5 0	20 0	S.E.	5	13	11	6	1	0	0	27	1	0	1	0
October	0	2	3	30	14	8	3	0	33	6 0	50 0	S.W.	5	10	14	7	2	0	0	27	0	0	0	0
November	0	4	25	10	6	2	0	0	39	6 0	50·0	E.	8	8	12	10	5	5	0	24	0	0	0	0
December	1	0	9	10	1	5	2	0	59	3 0	40·0	S.W.	1	4	15	12	2	1	0	27	0	0	0	0
Year	7	59	112	133	142	328	44	14	360	5 7	50 0	S.W.	E.	43	88	153	86	38	15	0	317	3	1	4	2

MONTHLY and Annual Summaries for the Year 1896, Swift Current, North West Territories—Latitude, N. 50° 20′; Longitude, W. 107° 45′. Height above Sea, 2,439 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.			6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Total.	Maximum in any 24 hours.
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly.	Max.	Min.															
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	27·38	27·97	26·69	2 6	8 5	6 0	15 7	3 2	6 3	50·0	32 0	65	61	63	63	0·062	0·071	0·066	0·066	75	59	58	64	0·72	0·20
February	27·29	27·67	26·26	17 5	24 9	21·4	29·9	13 3	21 6	50·0	22 0	70	67	76	71	0·086	0·122	0·115	0·108	58	53	49	53	1·04	0·40
March	27·37	27·93	26·70	15·0	25 9	21 5	28 9	12 0	20 5	52·0	6 0	73	73	76	74	0·076	0·123	0·107	0·102	57	45	60	54	0·42	0·10
April	27·32	27·84	26·70	30·0	16 7	44·4	50·0	28 2	39 1	68·0	15 6	82	74	81	89	0·144	0·249	0·259	0·217	58	56	59	58	0·93	0·50
May	27·26	27·55	26·94	42 7	58 6	54·8	60·6	39 6	50 1	77·8	32 0	79	64	68	70	0·220	0·297	0·291	0·269	60	70	69	66	2·90	0·48
June	27·36	27·61	27·01	54 5	71 0	71·2	75 9	51 6	63 7	94·0	40 0	72	54	56	61	0·310	0·391	0·422	0·374	35	40	34	36	1·40	0·38
July	27·45	27·77	27·13	57 5	78 1	77 1	84 1	54 4	69 3	97·0	40 0	66	49	51	55	0·322	0·469	0·457	0·416	45	39	44	43	0·26	0·20
August	27·43	27·77	27·11	50 9	70 4	69·8	75 6	47 7	61 6	88·0	32 0	66	52	56	58	0·248	0·385	0·411	0·348	41	37	43	40	2·68	1·26
September	27·43	27·78	27·04	40 6	61 3	56·6	63 2	37 3	50 2	82·0	28 0	72	58	65	65	0·185	0·298	0·299	0·261	50	61	60	54	2·08	0·92
October	27·43	27·84	27·14	33 1	52 6	46 0	55 6	29 9	42 7	81·6	20 0	71	60	67	66	0·136	0·252	0·218	0·202	42	36	44	41	0·02	0·01
November	27·48	27·95	26·65	1 8	6 6	2 3	10 0	2 0	4 0	44·0	30 0	61	52	56	56	0·044	0·043	0·041	0·043	70	67	56	64	1·38	0·26
December	27·30	27·93	26·78	21 9	27 8	24·5	31 0	16 6	23 8	48·0	20·0	79	72	78	76	0·106	0·120	0·115	0·111	44	58	44	49	0·28	0·14
Year	27·38	27·97	26·26	30 7	44 1	41 3	48 4	27 1	37 7	97·0	32 0	71	61	66	67	0·162	0·235	0·233	0·210	53	51	52	52	14 11	1·26

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Above.	Auroras.
January	0	60	12	24	24	72	252	60	240	10 6	52	N.W.	11	3	15	13	7	11	0	20	0	0	....	0
February	5	29	5	4	35	57	171	72	318	7 6	40	S.E. S.W.	4	5	18	6	6	8	0	21	0	0	....	0
March	31	26	22	0	26	81	99	24	435	4 5	32	W.	2	4	21	6	6	16	2	13	0	0	.	1
April	12	15	2	51	43	41	152	42	362	6 4	40	S.E.	2	4	16	10	5	10	1	15	0	1	....	0
May	35	13	3	31	63	61	245	46	247	7 9	28	N.W.	0	3	14	14	19	0	4	9	0	7	....	0
June	20	17	17	24	83	42	118	45	354	5 2	38	W.	1	13	13	4	9	0	1	17	1	4		0
July	50	48	42	43	30	50	78	44	359	4 7	22	N.W.	0	9	17	5	5	0	0	19	0	4	.	0
August	23	15	21	14	41	34	228	41	324	5 3	40	W.	1	10	16	5	8	0	0	19	2	4	.	0
September	31	68	7	55	45	62	79	87	286	5 6	36	W.	2	8	10	12	7	0	0	22	0	0		0
October	16	36	18	21	135	34	44	56	384	5 3	40	S.W.	2	11	17	3	2	0	0	27	0	1	....	0
November	52	10	15	61	37	30	100	60	355	5 0	48	S.E.	3	3	17	10	1	18	0	9	0	0	..	1
December	9	4	0	42	59	75	165	35	355	7 0	40	S.W.	5	9	16	6	3	9	0	22	1	0	.	0
Year	284	341	164	370	621	639	1731	615	4019	6 3	52	N.W.	33	82	190	94	78	72	8	213	4	21		2

MONTHLY and Annual Summaries for the Year 1896, Stony Mountain, Manitoba—Latitude, N. 50° 5′; Longitude, W. 99° 33′. Height above Sea, 803 feet.

MONTHS.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		EXTREMES.		MEAN						EXTREMES.															
	Monthly Mean.	Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.							°	°					in.	in.	in.	in.		%	%		in.	in.
January	29·17	29·64	28·50	7·4	0·8	.	3·9	14·0	5·0	32·0	−41·0	..				..								.....	...
February	28·96	29·57	28·16	1·6	10·3		13·2	6·2	3·5	41·0	32·0	.				..								.....	...
March	29·10	29·73	28·39	5·6	18·0		20·4	0·9	10·7	42·0	23·0	..												0·24	...
April	29·00	29·62	28·42	31·5	40·3		42·2	26·3	34·3	70·0	3·0													3·49	1·36
May	28·87	29·25	28·42	51·4	61·6		63·4	45·1	54·2	84·0	32·0													5·32	0·86
June	28·97	29·24	28·67	61·5	70·5		72·2	53·6	62·9	84·0	43·0													5·64	0·90
July	29·01	29·29	28·67	62·0	72·5		74·2	53·9	64·0	90·0	43·0													2·25	0·85
August	28·80	29·36	28·38	58·2	70·0		72·4	49·1	60·8	83·0	35·0													1·47	0·45
September	29·00	29·42	28·36	44·4	58·5		60·7	38·9	49·8	78·0	21·0													4·10	0·95
October	29·09	29·51	28·70	32·9	44·8		46·5	28·0	37·3	73·0	14·0													0·73	0·40
November	29·18	29·65	28·69	4·9	11·7		12·5	0·3	6·1	35·0	−30·0													.....	.....
December	29·05	29·65	28·69	9·2	15·9	.	19·1	1·9	10·5	38·0	−32·0													.....	.....
Year	29·02	29·73	28·16	29·6	39·6		41·7	23·1	32·4	90·0	−41·0													23·24	1·36

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF CALMS.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation of m. or more.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	5	2	8	3	4	0	6	17	17	4			..	16	9	6	...	3	..	28	0	0	0	0
February	7	3	2	4	11	3	10	7	8	6				12	8	9	..	3	...	26	0	0	0	0
March	15	6	5	2	15	4	4	5	6	6			..	9	16	6	..	7	....	23	0	0	0	0
April	9	10	4	5	11	3	4	11	3	7				4	11	15	..	3	...	21	0	0	0	0
May	6	7	11	5	9	2	6	7	8	6				4	13	14	11	0	..	19	0	0	0	0
June	3	5	7	8	6	8	8	9	6	6				3	20	7	13	0	..	17	0	0	0	0
July	3	4	4	2	8	7	19	9	6	6				4	22	5	6	0	...	25	0	0	0	0
August	4	4	0	2	13	6	15	11	7	6			..	5	16	10	10	0	...	21	0	2	0	0
September	7	3	1	2	8	4	8	13	10	5				2	14	14	8	0		22	0	0	0	0
October	14	6	1	4	6	3	6	7	14	5				3	15	13	4	3	..	24	3	0	0	0
November	4	14	5	1	2	2	6	13	11	5				9	13	7	...	8	.	22	0	0	0	0
December	1	2	5	9	11	4	9	6	15	5			.	5	18	8		1		30	0	0	0	0
Year	78	66	56	47	107	46	101	115	111	5·6				76	175	116		28		278	3	2	0	0

MONTHLY and Annual Summaries for the Year 1896, Saugeen, Ontario—Latitude, N. 44° 30′; Longitude, W. 81° 21′. Height above Sea, 656 feet.

MONTHS.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
		EXTREMES.		MEAN.						EXTREMES.																
	Monthly Mean.	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Monthly	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.					in.	in.
January	29·38	29·84	28·83	20·5	24·1	21·8	27·7	14·6	21·1	36·0	11·2	92	90	90	91	0·110	0·124	0·114	0·116	97	92	86	92	3·32	0·75
February	29·13	29·86	28·58	19·2	24·1	21·8	28·8	13·2	21·0	43·2	20·7	92	93	92	92	0·109	0·129	0·115	0·118	81	76	67	75	2·41	0·35
March	29·31	29·83	28·70	18·6	26·7	21·7	32·3	12·1	22·2	49·8	4·5	89	81	85	85	0·098	0·117	0·104	0·106	59	66	50	58	2·31	0·60
April	29·35	29·89	28·92	44·2	50·5	45·7	56·2	35·9	46·0	79·0	13·1	78	72	80	77	0·249	0·290	0·267	0·269	64	73	59	65	1·27	0·34
May	29·24	29·61	28·73	55·8	63·1	56·6	68·2	47·5	57·9	84·9	33·1	75	64	72	70	0·337	0·373	0·342	0·351	62	39	38	46	1·46	0·40
June	29·27	29·58	28·89	61·7	66·7	62·4	72·0	51·9	61·9	83·9	37·1	75	66	73	71	0·415	0·444	0·419	0·426	30	40	39	36	1·42	0·44
July	29·29	29·56	29·01	65·7	71·2	66·0	75·3	57·9	66·6	85·9	43·6	78	68	78	75	0·494	0·520	0·498	0·504	50	58	55	54	2·86	1·10
August	29·30	29·71	28·98	64·2	72·1	65·5	75·7	57·5	66·6	91·4	42·1	77	68	78	74	0·503	0·546	0·518	0·522	53	55	44	51	3·56	0·92
September	29·30	29·60	28·67	54·2	60·2	55·7	64·0	47·7	55·8	79·0	28·1	85	77	83	82	0·365	0·410	0·380	0·385	64	63	53	60	3·58	0·95
October	29·33	29·79	28·86	40·6	50·2	43·5	53·3	35·8	44·5	70·0	23·1	82	69	82	78	0·215	0·263	0·241	0·240	67	64	51	61	1·79	0·86
November	29·34	29·83	28·57	37·5	40·8	37·6	45·9	31·1	38·5	64·0	17·1	85	79	85	83	0·202	0·223	0·201	0·209	91	94	88	91	3·34	0·63
December	29·40	29·98	28·78	26·2	30·6	28·0	33·4	22·0	27·7	50·2	3·6	92	84	88	88	0·135	0·149	0·139	0·141	87	85	72	81	2·56	0·80
Year	29·30	29·98	28·57	42·1	48·4	43·9	52·7	35·6	44·2	91·4	−20·7	83	76	82	80	0·269	0·299	0·278	0·282	67	67	59	64	28·88	1·10

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS									
	N.	N.E.	E.	E.S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation, 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storm.	Lightning Alone.	Aurora.
January	16	0	393	11	50	0	203	1	70	12·7	38	W.	5	0	6	25	21	21		9	0	0		0
February	140	45	185	0	26	0	135	37	128	14·6	41	N.	8	3	7	19	20	19		9	0	0		0
March	120	48	144	12	48	0	252	108	12	13·2	43	N.	9	6	14	11	18	15		13	0	0		1
April	72	12	276	0	60	24	168	72	36	10·8	32	W.	7	2	16	12	19	5		20	3	2		0
May	36	36	264	0	12	0	276	36	84	9·3	36	W.	4	6	22	3	10	0		20	3	5		0
June	180	96	72	24	168	0	84	24	72	4·6	26	N.	1	16	10	4	4	0		26	0	1		0
July	192	0	24	84	48	132	108	48	108		28	N.W.	1	7	15	9	13	0		16	1	2		0
August	91	14	7	67	124	212	42	162	25	9·9	36	N.W.	2	9	13	9	16	0	1	15	1	5		0
September	48	84	72	24	108	156	72	72	84	9·2	45	N.W.	2	6	10	14	13	0		15	0	1		0
October	132	84	84	72	60	36	108	84	84	8·7	31	N.W.	6	9	8	14	10	4		20	0	0		0
November	72	36	72	48	60	156	180	48	48	11·8	40	W.	16	0	4	26	19	15		6	0	0		0
December	84	108	108	60	48	132	36	108	60		42	N.W.	6	2	6	23	22	16		9	0	0		0
Year	1183	563	1701	402	812	848	1664	800	811		45	N.W.	67	66	131	169	185	95		178	8	16		1

Monthly and Annual Summaries for the Year 1896, Stratford, Ontario. Latitude N. 43° 23′; Longitude, W. 81° 0′. Height above Sea, 1,191 feet.

Months.	Pressure.			Temperature.									Relative Humidity				Pressure of Vapour.				Cloudiness.				Precipitation.	
	Monthly Mean.	Extremes.		Mean.						Extremes.															Total.	Maximum in any 24 hours.
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Monthly	Max.	Min.		8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.		
	in.	in.	in.														in.	in.	in.	in.					in.	in.
January	28·80	29·22	28·35	19·2		20·1	25·8	13·8	19·8	35·0	18·3														1·72	0·25
February	28·55	29·22	27·98	18·0		19·8	26·8	12·0	19·4	45·0	24·4														4·02	0·80
March	28·73	29·22	28·25	17·3		21·8	29·1	12·0	20·6	53·0	1·4														2·89	0·80
April	28·80	29·38	28·47	45·4		46·4	55·8	38·6	47·2	80·8	15·5														2·46	1·04
May	28·71	29·03	28·27	61·2		60·1	71·7	49·6	60·7	84·7	34·8														1·82	0·71
June	28·73	28·97	28·34	66·5		64·3	75·8	51·2	63·5	85·7	36·9														1·78	0·56
July	28·77	29·02	28·47	68·1		67·1	78·5	56·8	67·6	89·7	41·7														2·75	0·56
August	28·78	29·13	28·47	65·5		64·1	75·9	54·4	65·2	89·1	37·0														5·52	2·66
September	28·72	29·05	28·20	53·2		54·1	64·9	45·5	55·2	82·8	23·3														4·87	0·83
October	28·77	29·16	28·33	39·3		41·3	50·7	34·3	42·5	68·1	22·8														1·50	0·83
November	28·80	29·22	28·18	35·7		36·0	43·4	29·6	36·5	61·4	14·7														3·46	0·65
December	28·84	29·41	28·31	23·3		25·3	30·8	19·2	25·0	48·9	1·2														1·07	0·15
Year	28·75	29·41	27·98	42·7		43·8	52·4	34·8	43·6	89·7	-24·4														33·86	2·66

Months.	Number of Winds From										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation of 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	2	2	11	14	0	9	11	8	5					0				12	14	0	16	3	0	0	0
February	1	5	5	4	0	11	6	23	3					0				15	19	0	7	1	0	0	0
March	0	9	1	8	2	8	7	21	6					0				9	13	0	16	1	0	0	3
April	2	2	10	11	2	8	11	9	5					0				14	4	0	12	1	3	0	0
May	0	1	8	7	3	6	25	4	8					0				7	0	0	22	0	1	0	0
June	2	3	6	10	2	10	10	7	10					0				11	0	0	16	2	2	0	1
July	4	3	4	3	4	15	11	6	12					0				13	0	0	17	2	5	0	1
August	3	2	1	7	2	18	9	8	12					0				15	0	0	15	1	7	1	1
September	2	2	6	10	5	8	13	9	5					1				14	0	0	15	0	2	0	0
October	5	6	6	9	3	9	10	7	7					0				8	3	0	21	1	0	0	0
November	0	0	2	11	1	19	8	16	3					1				15	5	0	13	2	0	0	0
December	1	2	6	14	7	10	8	6	5					2				11	14	0	16	4	0	0	0
Year	25	37	66	108	31	131	129	124	81					4				144	72	0	186	18	20	1	6

Monthly and Annual Summaries for the Year 1896, Sydney, Nova Scotia—Latitude, N. 46° 10′; Longitude, W. 60° 10′. Height above Sea, 55 feet.

Months.	Pressure.			Temperature.								Relative Humidity				Pressure of Vapour.				Cloudiness.				Precipitation.	
	Monthly Mean.	Extremes.		Mean.						Extremes.															
		Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	/	%	%	%	in.	in.
January	29·91	30·35	29·20	23·3	25·5	24·5	29·7	17·8	23·8	46·5	−6·0	91	95	95	94	0·121	0·135	0·129	0·128	90	92	86	89	3·87	0·75
February	29·65	30·28	28·77	22·8	26·3	21·1	29·3	11·8	20·6	40·5	−13·8	93	93	93	93	0·123	0·140	0·114	0·126	84	88	48	73	3·19	0·76
March	29·78	30·41	28·94	29·5	32·8	29·0	36·6	22·3	29·4	55·0	2·0	87	86	91	88	0·145	0·161	0·151	0·152	83	80	61	75	6·89	1·56
April	29·95	30·45	29·19	36·7	39·2	32·4	43·1	26·5	34·8	61·0	16·0	81	78	87	82	0·171	0·184	0·160	0·172	78	71	48	66	1·93	0·46
May	29·96	30·42	29·29	46·5	49·8	40·6	55·0	34·7	41·8	74·0	24·0	75	69	84	76	0·235	0·245	0·214	0·231	75	71	49	65	3·06	1·62
June	29·83	30·27	29·24	58·2	61·4	52·8	65·5	45·8	55·6	82·0	38·5	76	68	85	76	0·367	0·374	0·339	0·360	84	83	58	75	3·47	0·98
July	29·90	30·40	29·50	65·4	70·4	61·5	73·5	54·0	63·7	84·0	39·0	87	84	92	88	0·547	0·631	0·519	0·566	80	89	75	81	5·70	1·19
August	29·96	30·21	29·62	63·9	67·2	59·0	70·3	53·1	61·7	79·0	40·0	84	76	90	83	0·501	0·504	0·455	0·487	84	68	56	69	1·60	0·57
September	29·99	30·41	29·32	59·3	63·1	54·3	66·4	46·0	56·2	83·5	30·0	81	73	88	81	0·419	0·439	0·381	0·413	87	80	60	76	4·52	1·50
October	29·97	30·48	29·28	50·2	52·0	48·1	56·1	42·6	49·4	68·0	26·9	87	86	90	88	0·309	0·354	0·317	0·327	97	94	78	90	7·83	1·76
November	30·05	30·69	29·43	37·9	39·6	37·4	45·3	30·2	37·8	58·0	16·5	87	86	85	86	0·208	0·216	0·201	0·208	96	97	83	92	3·42	0·62
December	29·90	30·49	29·20	25·5	28·2	26·9	33·7	19·0	26·4	52·5	2·5	95	95	95	95	0·136	0·150	0·146	0·144	94	93	68	85	2·67	1·04
Year	29·90	30·69	28·77	43·3	46·3	40·6	56·4	33·6	42·0	84·0	−13·8	85	82	90	86	0·274	0·294	0·261	0·276	86	84	64	78	48·15	1·76

Months.	Number of Winds from									Calm.	Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.							Clear.	Partly Cloudy.	Cloudy.	Precipitation of 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	37	134	42	18	0	79	190	225		19	11·0	39	N	3	0	8	23	9	9	..	22	1	0	..	0
February	11	21	9	52	0	170	125	267		41	8·6	28	W	3	1	16	12	10	8	.	19	0	0	..	0
March	154	62	37	44	53	128	52	192		22	10·4	33	S	8	2	13	16	12	4		19	3	0	..	0
April	69	258	45	17	0	181	2	124		24	9·0	30	E	4	4	14	12	10	5	. .	20	0	0	...	0
May	6	299	0	49	3	238	32	109		15	8·5	37	NE	2	4	15	12	10	1		20	1	0	..	0
June	7	128	52	34	11	314	12	141		21	6·9	24	SW	0	3	12	15	11	0		19	1	0	..	0
July	0	31	12	49	3	555	6	69		19	6·2	21	SW	0	0	15	16	12	0	.	18	2	0	..	1
August	20	88	28	50	28	409	10	95		16	6·0	27	SE	1	4	11	16	12	0	. . .	18	3	0	..	3
September	7	63	26	32	20	349	18	167		38	6·3	21	NE	0	2	12	16	9	0	.	19	1	0	..	0
October	0	95	60	69	3	256	13	156		92	7·2	28	SW	1	1	5	25	17	0		12	5	0	..	1
November	10	75	7	19	13	232	63	226		75	7·5	28	NW	2	0	6	24	13	3	1	16	0	0	...	0
December	12	50	26	00	3	224	41	348		40	8·8	33	NE	3	0	10	21	7	4	....	23	0	0	..	0
Year	333	1304	344	433	137	3135	564	2112		422	8·0	39	N	27	21	137	208	132	34	1	225	17	0	..	5

MONTHLY and Annual Summaries for the Year 1896, Sable Island, Nova Scotia—Latitude N. 43° 57′; Longitude W. 60° 6′. Height above Sea, 25 feet.

MONTHS.	PRESSURE.			TEMPERATURE.								RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	EXTREMES.		Mean					EXTREMES.																
		Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Monthly	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.													in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·92	30·40	29·19	30·7	30·7	29·7			30·2	45·0	5·4									90	86	91	89	4·48	0·84
February	29·72	30·38	29·01	30·2	31·5	29·6			29·9	44·0	10·0									87	76	82	81	3·92	1·04
March	29·84	30·45	28·89	34·7	35·6	33·5			34·6	45·2	22·0									81	81	78	80	4·73	0·99
April	29·97	30·47	29·29	37·4	37·9	34·5			35·9	43·4	30·0									63	71	56	64	1·38	0·44
May	29·99	30·48	29·38	43·9	45·1	40·7			42·3	53·0	34·5									65	59	52	58	3·60	1·33
June	29·91	30·39	29·33	52·3	53·8	48·5			50·4	64·0	43·0									59	68	65	64	3·19	1·31
July	30·00	30·42	29·56	59·7	61·4	56·8			58·2	66·2	50·0									73	76	78	76	9·38	2·76
August	30·01	30·24	29·54	62·6	64·4	59·6			61·1	68·5	55·2									67	58	55	60	4·13	0·75
September	30·05	30·49	29·49	61·9	62·7	59·1			60·5	71·5	51·0									58	62	60	60	3·71	1·23
October	30·00	30·52	29·40	55·4	56·3	53·6			54·5	68·0	42·8									75	69	73	72	6·38	2·22
November	30·13	30·74	29·29	45·4	45·3	43·4			44·4	56·2	29·0									81	78	80	80	4·30	1·35
December	29·98	30·69	29·03	33·2	34·7	33·8			33·5	49·2	17·5									73	74	68	71	4·67	1·68
Year	29·76	30·74	28·89	45·6	46·6	43·6			44·6	71·5	5·4									73	72	70	71	53·87	2·76

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	59	136	78	12	26	73	68	273	19		24·0				0	4	27	16	11	1	15	1	0		0
February	57	102	67	28	35	112	99	166	30		20·9				2	5	22	7	6	0	19	1	0		0
March	10	131	81	109	52	162	130	65	1		24·1				3	6	22	14	6	0	14	7	0		0
April	114	172	102	63	29	82	70	86	2		19·8				6	11	13	7	5	0	23	4	0		0
May	92	73	164	41	125	0	174	39	33		15·3				7	12	12	9	0	0	22	11	0		0
June	60	64	33	30	79	104	222	71	57		12·3				6	9	15	11	0	0	19	14	0		0
July	11	14	45	56	69	423	15	71	40		14·0				5	5	21	12	0	0	19	19	0		0
August	28	103	17	184	86	123	53	111	39		10·8				8	11	12	9	0	0	12	12	0		0
September	14	97	56	79	113	167	69	116	9		16·0				6	13	11	8	0	0	22	4	1		0
October	8	78	84	207	32	42	75	180	38		15·9				1	14	16	14	0	0	17	2	0		0
November	73	145	18	103	18	111	87	144	21		19·7				1	9	20	11	1	0	19	3	0		0
December	45	110	17	64	28	82	102	257	39		21·7				3	10	18	13	6	1	18	0	0		
Year	571	1225	762	979	692	1481	1164	1579	331		17·9				48	109	209	131	35	2	219	78	1		0

MONTHLY and Annual Summaries for the Year 1896, Toronto, Ontario—Latitude N. 43° 39′; Longitude W. 79° 24′. Height above Sea, 350 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.					Extremes.																	
		Max.	Min.	6 a.m.	2 p.m.	10 p.m.	Mean.	Diurnal Range.	Monthly.		Absolute Range.		6 a.m.	2 p.m.	10 p.m.	Mean.	6 a.m.	2 p.m.	10 p.m.	Mean.	6 a.m.	2 p.m.	10 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.	in.	in.						Max.	Min							in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·742	30·176	29·191	20·6	24·5	21·8	28·2	15·0	21·6	37·7	−10·3	47·9	87	80	84	84	·104	·111	·107	·107	88	85	75	83	3·93	1·84
February	29·464	30·256	28·734	20·0	25·4	22·4	22·8	14·1	22·0	48·9	−17·9	66·8	88	78	84	83	·110	·116	·110	·112	69	71	67	69	3·95	0·70
March	29·629	30·220	29·023	19·6	27·2	23·2	23·1	15·4	23·3	54·9	4·6	50·3	84	67	78	76	·098	·108	·104	·103	52	50	50	51	2·49	0·74
April	29·692	30·225	29·298	40·4	51·7	44·3	45·5	37·7	46·7	79·7	18·3	61·4	85	62	78	75	·231	·263	·249	·248	61	69	62	64	0·76	0·23
May	29·582	29·977	29·085	54·0	66·8	56·8	59·1	44·9	60·3	90·8	36·5	54·3	75	54	72	67	·320	·350	·338	·336	52	52	33	46	2·44	0·84
June	29·582	29·869	29·158	59·5	72·3	61·0	64·3	45·9	64·9	86·3	41·9	44·4	76	54	73	68	·400	·437	·403	·413	51	43	36	43	1·11	0·39
July	29·604	29·936	29·241	62·9	75·4	66·3	68·2	49·0	69·4	91·3	47·2	44·1	84	59	75	73	·491	·520	·492	·501	61	66	40	56	2·18	0·47
August	29·623	30·001	29·274	60·1	75·4	64·6	66·7	49·2	66·7	89·9	42·3	47·6	86	51	75	72	·469	·491	·476	·479	53	54	38	48	1·13	0·32
September	29·624	29·963	29·052	52·1	63·6	55·2	57·0	40·5	57·2	86·3	27·6	58·7	90	66	84	80	·363	·395	·377	·378	63	62	50	58	5·08	1·21
October	29·654	30·142	29·196	41·1	49·8	43·2	44·7	32·4	44·9	66·8	28·7	38·1	83	62	81	75	·222	·234	·231	·229	70	67	54	61	2·16	0·41
November	29·708	30·228	29·992	37·6	42·8	38·4	39·6	27·3	39·6	63·8	17·5	46·3	84	70	79	78	·201	·209	·199	·203	84	80	70	78	2·94	0·72
December	29·753	30·422	29·127	25·6	31·1	27·4	28·0	21·3	27·5	48·9	1·1	47·8	84	74	81	80	·125	·137	·129	·130	70	77	65	71	0·95	0·32
Year	29·638	30·422	28·734	41·1	50·5	43·7	45·1	33·6	45·5	91·3	−17·9	109·2	84	65	79	76	·261	·281	·268	·270	65	65	53	61	29·12	1·84

MONTHS.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS										
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation on that day.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning. Meteors.	Aurora.
January	170	147	73	16	88	83	92	48	27		8·6	40·0	N.E.		1	7	23	3	11	0	9	0	0	0	3
February	143	95	23	21	78	150	108	61	17		9·7	32·0	W.		1	13	15	4	11	0	10	0	0	0	0
March	84	74	41	16	81	93	138	198	14		10·0	45·0	N.W.		11	8	12	6	7	0	14	2	2	1	3
April	28	164	81	49	80	103	93	54	68		9·4	33·0	N.W.		1	14	12	12	2	0	11	1	1	0	4
May	58	107	140	39	81	86	114	74	45		7·6	34·0	W.		8	17	6	12		0	19	2	2	0	1
June	120	51	132	51	113	27	101	71	54		7·4	28·0	N.		9	17	4	6		0	17	1	1	0	1
July	103	30	116	38	142	39	122	63	91		6·8	23·0	N.		7	14	10	11		0	17	4	4	0	1
August	50	4	40	58	255	39	179	35	84		6·7	24·0	S.		11	13	7	9		0	17	0	0	0	2
September	68	42	139	56	139	70	47	83	76		8·5	50·0	S.		9	9	12	15		0	14	5	5	0	1
October	140	63	108	27	72	80	92	98	64		7·8	40·0	S.E.		5	13	13	11	2	0	20	9	9	0	1
November	48	90	64	36	163	124	109	55	31		9·1	40·0	S.W.		1	11	18	11	3	0	10	4	4	0	0
December	141	49	48	21	191	98	104	46	46		9·8	32·0	W.		3	12	16	4	7	0	16	2	2	0	1
Year	1158	916	1005	428	1483	992	1299	886	617		8·4	50·0	S.		70	148	148	104	43	0	174	30	30	1	18

MONTHLY and Annual Summaries for the Year 1896, Truro, Nova Scotia—Latitude, N. 45° 22′; Longitude, W. 63° 18′. Height above Sea, 73 feet.

MONTHS.	PRESSURE.			TEMPERATURE.									RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS, 0				PRECIPITATION.	
				Mean.						Extremes.																
	Monthly Mean.	Extremes. Max.	Extremes. Min.	7 a.m.	2 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.		7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 Hours.
	in.	in.	in.														in.	in.	in.	in.	%	%	%		in.	in.
January	29·96	30·39	29·45	16·7		17·5	28·2	10·7	19·5	47·0	−21·3										83	77	80	80	3·19	0·48
February	29·70	30·33	28·92	15·2		19·7	30·2	9·9	20·1	49·0	25·5										75	69	76	73	1·91	0·38
March	29·76	30·45	28·94	26·4		29·6	38·9	22·5	30·7	55·2	2·7										79	77	81	79	5·18	1·24
April	29·97	30·42	29·08	32·5		33·9	47·0	27·4	37·2	63·6	19·6										69	62	65	65	1·09	0·23
May	29·94	30·43	29·40	43·6		44·1	60·4	35·3	47·8	79·5	23·3										71	59	62	64	1·46	0·40
June	29·83	30·33	29·13	54·9		54·1	69·0	45·5	57·2	83·3	31·8										61	64	47	57	3·44	0·66
July	29·78	30·35	29·48	60·0		61·5	74·4	53·3	63·8	87·0	39·5										72	62	64	68	6·19	1·44
August	29·94	30·14	29·68	56·1	72·4	59·0	74·4	51·1	62·8	85·8	35·3										71	59	68	66	2·16	0·98
September	29·94	30·37	29·37	50·9		54·0	67·9	44·4	56·1	83·5	32·8										83	67	72	74	5·02	2·05
October	29·93	30·55	29·15	45·4		45·6	56·1	40·3	48·2	73·6	22·4										77	83	81	80	11·46	4·02
November	30·06	30·65	29·50	33·9		35·5	44·2	27·9	36·1	60·3	6·0										88	86	72	82	3·34	0·93
December	29·94	30·63	28·72	20·4		22·7	32·3	13·3	22·3	49·0	−7·0										72	71	65	69	3·18	1·00
Year	29·90	30·63	28·72	38·0		40·2	51·9	31·8	41·8	87·0	−25·5										75	70	69	71	47·62	4·02

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NUMBER OF CALMS.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	F.	Thunder Storms.	Lightning Alone.	Aurora.
January	8	29	4	0	4	8	17	17	6	2	4	W.	0	2	9	20	18	18	0	12	0	0	0	
February	5	24	7	1	12	14	16	6	2	2	5	S.W.	0	1	10	18	14	16	0	12	1	0	0	
March	5	18	10	8	15	17	14	3	3	2	4	N.	3	4	6	21	18	12	0	12	0	0	0	
April	18	25	6	2	12	9	7	2	9	2	4	N.	0	4	12	14	9	6	0	19	3	1	0	
May	5	20	4	6	15	11	9	2	21	2	4	N.E.	0	6	12	13	9	1	0	19	5	5	0	5
June	2	16	3	1	9	15	17	6	21	2	4	N.E.	0	6	14	10	13	0	0	15	1	1	0	2
July	2	6	5	2	17	19	16	4	12	2	4	S.	0	2	11	13	12	0	0	16	8	1	3	1
August	1	10	6	1	24	7	11	4	21	1	4	S.	0	5	8	14	9	0	0	19	6	1	3	4
September	5	8	1	1	30	10	12	5	18	2	4	N.E.	0	1	13	16	16	0	0	11	5	1	1	0
October	3	21	0	14	9	17	11	2	16	2	5	S.E.	3	2	7	22	22	0	0	9	7	0	0	3
November	7	20	1	3	17	17	8	6	11	2	4	S.	0	2	5	23	17	8	0	12	2	0	0	2
December	4	15	3	4	14	16	25	9	3	2	5	N.E.	1	4	11	16	10	12	0	14	0	0	0	0
Year	69	212	50	43	178	160	163	66	143	2	5		7	39	118	200	167	73	0	170	38	10	7	30

MONTHLY and Annual Summaries for the Year 1896, Winnipeg, Manitoba,—Latitude, N. 49° 53′; Longitude, W. 97° 7′. Height above Sea, 760 feet.

MONTHS.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
	Monthly Mean.	Extremes.		Mean.						Extremes.																
		Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Max.	Min.	Monthly	Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 Hours.
	in.	in.	in.																							
January	29·31	29·77	28·61	7 7	1 7	1 3	9 4	16 8	3 7	34 8	−45·2	91	89	88	89	0·037	0·053	0·018	0·016	49	55	50	51	1·03	0·21
February	29·09	29·67	28·27	0 1	11 4	7 6	18 5	7 5	5 5	45 8	42 4	97	90	84	90	0·058	0·083	0·068	0·070	43	44	27	38	0·42	0·22
March	29·22	29·93	28·40	3 8	19 1	15 4	25 0	0 2	12 4	48 9	−27 2	90	73	86	83	0·062	0·086	0·087	0·078	50	45	48	48	1·85	0·57
April	29·11	29·73	28·54	30 7	41 1	38 9	45 0	27 1	36 1	75 3	−0 4	92	80	85	86	0·173	0·222	0·221	0·205	68	74	68	70	5·64	1·44
May	28·99	29·37	28·52	50 6	61 6	59 1	65 7	44 5	55 1	85 0	32 0	94	77	83	85	0·534	0·434	0·426	0·465	66	73	57	65	5·32	0·95
June	29·09	29·38	28·81	60 7	71 6	69 3	74 6	53 4	64 0	84 5	42 7	88	74	77	80	0·474	0·585	0·588	0·549	58	56	53	56	3·96	1·03
July	29·13	29·42	28·79	61 2	73 6	70 4	75 9	53 7	64 8	90 5	42 7	89	72	82	81	0·487	0·611	0·609	0·569	60	52	52	55	2·01	0·67
August	29·09	29·51	28·53	54 3	72 5	67 4	74 8	48 0	61 4	84 6	32 0	94	74	85	84	0·412	0·605	0·597	0·532	45	48	44	46	1·51	0·60
September	29·11	29·52	28·43	63 0	59 8	53 9	62 0	38 4	50 2	78 6	20 0	98	77	89	88	0·281	0·405	0·379	0·355	65	65	64	65	1·96	0·62
October	29·18	29·60	28·86	30 7	46 4	39·3	48 7	26 4	37 6	73 6	13 4	96	74	85	85	0·173	0·235	0·211	0·206	67	64	56	62	1·01	0·36
November	29·27	29·74	28·77	5 2	12 5	8·2	15 6	1 7	6 9	36 5	31 7	97	88	94	93	0·070	0·082	0·074	0·075	65	72	58	65	1·31	0·15
December	29·16	29·82	28·71	9 4	16 9	12 9	20 6	0 8	10 7	40 0	32 7	95	88	93	92	0·077	0·094	0·084	0·085	47	65	41	51	0·27	0·08
Year	29·15	29·93	28·27	28 5	40 7	36 7	44 7	22 2	33 4	90 5	45 2	93	80	86	86	0·237	0·291	0·283	0·270	57	59	52	56	26·29	1·44

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear	Partly Cloudy	Cloudy	Precipitation 0·01 in or over.	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Above.	Aurora.
January	13	2	7	6	5	0	6	8	15					7	16	8	14	14	0	16	0	0	2
February	11	6	0	7	9	1	5	8	11					10	17	2	5	8	0	21	0	0	3
March	13	11	6	1	9	2	1	5	14					7	19	5	10	13	0	17	0	0	11
April	12	5	6	11	2	2	7	10	7					5	8	17	14	7	1	13	0	1	1
May	15	5	9	8	3	6	5	8	3					3	14	14	17	0	0	12	0	4	5
June	8	10	6	12	8	4	7	5	0					4	17	9	16	0	0	13	0	4	2
July	14	1	2	13	6	9	10	5	2					4	22	5	11	0	0	14	0	0	2
August	1	1	2	12	3	8	20	7	8					5	21	5	11	0	0	14	0	4	7
September	3	1	1	7	9	6	11	12	10					3	13	14	10	0	0	16	1	0	5
October	14	2	4	5	6	2	9	7	13					4	17	10	7	5	1	18	0	0	7
November	16	4	1	2	3	6	10	5	13					8	5	17	19	21	0	9	0	0	0
December	5	1	4	10	13	7	6	4	12					10	15	6	5	10	0	20	2	0	1
Year	125	49	48	94	76	53	97	84	106					70	184	112	139	78	2	183	3	13	46

Monthly and Annual Summaries for the Year 1896, White River, Ontario—Latitude, N. 48° 20′; Longitude, W. 86° 20′. Height above Sea, 1,252 feet.

Months.	Pressure.			Temperature.							Relative Humidity			Pressure of Vapour.				Cloudiness.			Precipitation.	
	Monthly Mean.	Extremes.		Mean.					Extremes.					Mean.							Total.	Maximum in any 24 hours.
		Max.	Min.	7 a.m.	2 p.m.	9 p.m.	Max.	Min.	Max.	Min.	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	7 a.m.	2 p.m.	9 p.m.	Mean.		
	in.	in.	in.											m.	m.	m.	in.					m.	in.
January	28·70	29·13	28·08	0·3	6·9	16·8	8·7	4·7	35·2	48·5	84		78	81	0·051		0·058	0·055	68		67	68	3·19	1·00
February	28·45	29·08	27·86	0·3	9·3	21·9	7·5	7·2	40·2	43·7	83		77	80	0·092		0·064	0·078	55		49	52	1·38	0·64
March	28·61	29·23	27·77	5·6	13·2	22·7	12·2	5·2	48·4	45·5	86		78	82	0·044		0·070	0·057	36		46	41	1·45	0·92
April	28·67	29·23	28·02	27·9	39·3	49·9	22·9	35·9	67·3	21·5	82		86	84	0·145		0·222	0·184	55		60	55	2·45	0·30
May	28·54	29·00	27·76	48·9	58·0	66·6	41·3	53·9	84·8	25·0	93		92	93	0·337		0·456	0·397	58		50	54	3·40	0·92
June	28·64	28·90	28·32	54·3	66·0	73·8	41·6	57·7	81·8	29·0	91		91	91	0·387		0·576	0·482	30		34	32	1·53	0·78
July	28·65	28·88	28·30	55·9	65·2	72·8	45·9	59·4	86·4	33·0	86		71	79	0·385		0·438	0·412	35		43	39	1·21	0·53
August	28·62	29·02	28·20	53·1	60·4	68·6	44·6	56·6	81·8	28·6	89		83	86	0·370		0·441	0·405	46		48	47	1·36	1·12
September	28·63	29·11	28·21	42·4	48·9	57·5	36·3	46·9	71·8	21·5	89		79	84	0·255		0·278	0·267	48		56	52	1·40	0·29
October	28·68	29·05	28·17	26·7	36·5	46·0	23·0	35·0	66·2	4·7	79		81	80	0·130		0·178	0·154	49		47	48	2·50	1·41
November	28·65	29·12	28·06	14·5	16·5	25·1	7·4	16·3	44·2	31·4	80		76	78	0·086		0·092	0·089	79		79	79	3·06	0·62
December	28·71	29·22	28·05	2·9	9·1	20·5	7·6	6·5	39·0	15·9	90		89	90	0·070		0·081	0·076	68		62	65	0·49	0·20
Year	28·63	29·23	27·76	26·7	35·8	45·2	18·9	32·1	86·4	18·5	86		82	84	0·196		0·246	0·221	52		53	53	26·42	1·41

Months.	Number of Winds Flew.									Average Hourly Velocity.	Maximum Velocity.	Direction of Line of Maximum Velocity.	No. of Calms.	Number of Days.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of more than 0·01.	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Auroras.
January	10	1	1	4	9	2	5	7	23					1	12	15	14	15	0	15	0	0		3
February	9	1	0	1	8	1	4	8	26					10	11	8	16	18	0	11	0	0		0
March	13	2	2	1	8	3	2	5	23					12	11	8	13	13	0	18	0	0		7
April	6	5	4	5	11	7	8	4	15					6	13	11	17	7	1	12	2	1		0
May	8	0	7	7	9	2	9	8	12					5	18	8	17	2	0	17	0	0		0
June	5	8	7	2	8	4	15	7	9					14	12	4	6	0	0	18	0	0		0
July	11	4	1	1	6	6	15	4	14					13	14	4	10	0	0	18	2	0		0
August	3	4	1	5	6	13	12	2	19					9	17	5	17	0	0	11	0	0		0
September	4	5	2	0	5	8	7	8	11					5	19	6	12	1	0	17	1	0		0
October	8	4	0	0	10	4	7	6	23					11	12	8	9	6	0	19	3	0		0
November	9	11	6	1	4	6	4	7	12					1	11	18	22	22	0	4	0	0		0
December	7	4	5	1	4	8	6	2	24					3	15	13	10	15	0	13	0	0		2
Year	93	46	31	35	95	59	94	68	211					93	165	108	163	99	1	176	8	1		12

MONTHLY and Annual Summaries for the Year 1896, Woodstock, Ontario. Latitude, N. 43° 8′. Longitude, W. 80° 47′. Height above Sea, 980 feet.

MONTHS.	PRESSURE.		TEMPERATURE.											RELATIVE HUMIDITY			PRESSURE OF VAPOUR.				CLOUDINESS.			PRECIPITATION.	
			EXTREMES.		MEAN.					EXTREMES.															
	Monthly Mean.		Max.	Min.	7 a.m.	3 p.m.	11 p.m.	Max.	Min.	Max.	Min.	Mean.		7 a.m.	3 p.m.	11 p.m.	7 a.m.	3 p.m.	11 p.m.	Mean.	7 a.m.	3 p.m.	11 p.m.	Mean.	Total.	Maximum in any 24 hours.
	in.		in.	in.													in.	in.	in.	in.	%				in.	in.
January	29	041	29	497	28	520	20	4	25	4	20	5	27	2	14	2	20	7	38	0	9.0	85	87	91	88	0	102	0	127	0	110	0	113	89	86	65	80	0	96	0	32
February	28	785	29	486	28	139	20	3	25	5	20	8	27	0	12	5	20	2	44	5	−23	5	87	86	88	87	0	112	0	131	0	111	0	118	83	78	61	74	1	40	0	95
March	28	946	29	494	28	357	19	5	27	8	21	1	30	6	12	7	21	6	55	0	− 2	5	87	84	87	86	0	103	0	141	0	109	0	118	64	54	40	53	0	45	0	40
April	29	025	29	656	28	688	43	4	54	7	41	0	57	1	37	9	47	7	85	0	15	0	90	83	89	87	0	283	0	413	0	287	0	328	53	62	40	52	1	54	0	40
May	28	926	29	309	28	475	55	8	70	8	56	0	72	6	49	0	60	8	86	2	37	0	91	88	91	90	0	418	0	685	0	422	0	508	35	41	31	36	2	75	0	85
June	28	950	29	222	28	571	60	6	75	1	59	0	77	1	52	0	64	6	86	2	39	0	91	83	91	88	0	492	0	738	0	480	0	570	36	38	38	37	2	65	0	79
July	28	977	29	240	28	674	64	1	76	8	64	0	79	5	57	1	68	5	88	0	45	0	90	81	91	87	0	558	0	755	0	557	0	623	40	60	31	44	3	50	1	37
August	29	001	29	391	28	656	60	6	74	6	61	6	77	6	54	1	64	4	91	0	35	0	91	75	89	85	0	503	0	662	0	512	0	559	40	70	28	59	2	80	1	21
September	28	981	29	291	28	384	51	1	64	6	53	3	66	2	44	0	55	1	86	0	25	0	92	75	89	85	0	362	0	473	0	381	0	405	53	48	33	45	1	61	1	18
October	28	991	29	423	28	593	37	3	50	1	40	0	51	1	31	0	41	5	68	4	20	0	92	81	90	88	0	215	0	316	0	230	0	254	50	52	34	45	1	29	0	55
November	29	041	29	597	28	362	36	2	42	0	36	3	45	8	29	9	37	9	63	5	14	4	91	82	88	87	0	212	0	243	0	205	0	220	80	72	75	76	3	34	1	01
December	29	090	29	702	28	523	23	1	30	3	25	6	32	3	18	8	25	5	48	4	1	0	86	84	84	85	0	119	0	150	0	125	0	131	68	78	62	69	0	50	0	25
Year	28	980	29	702	28	139	11	1	51	5	41	9	53	8	34	3	44	0	91	0	23	5	89	82	89	87	0	290	0	403	0	294	0	329	58	60	45	51	25	77	1	37

MONTHS.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation of 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder.	Storms. Lightning Aleope.	Auroras.
January	16	34	71	146	16	18	77	144	102	7	9	30	N.W.	5	1	9	21	4	2	0	27	0	0	0	0
February	45	64	72	68	35	80	142	145	45	13	9	36	W.	7	3	10	16	4	4	0	25	0	0	0	0
March	127	69	67	55	18	92	84	177	55	12	0	45	S.W.	8	10	11	10	2	5	0	26	0	0	0	0
April	56	25	50	118	52	110	91	152	66	10	7	30	W.	6	6	13	11	8	0	0	22	0	1	0	0
May	54	36	71	111	57	72	136	192	15	11	1	45	W.	6	10	18	3	9	0	0	22	0	0	0	0
June	86	67	82	60	29	111	78	160	47	7	9	26	N.W.	4	13	14	3	8	0	0	22	0	1	0	0
July	77	18	29	36	44	94	113	100	9	9	2	27	W.	3	14	10	7	10	0	0	21	0	2	0	0
August	123	41	32	21	10	151	128	142	66	8	2	30	S.W.	3	8	19	4	8	0	0	23	0	6	0	0
September	80	51	80	60	55	96	136	74	47	8	2	34	N.W.	2	9	13	8	13	0	0	17	0	0	0	0
October	82	41	96	101	19	144	75	108	48	8	8	30	S.W.	4	11	12	8	8	0	0	22	0	0	0	0
November	31	5	46	114	47	238	129	80	30	13	2	40	S.W.	7	5	6	19	13	1	0	17	0	0	0	0
December	62	67	39	71	34	127	202	81	61	9	7	30	N.E.	5	5	8	18	7	3	0	24	0	0	0	0
Year	841	518	735	961	475	1333	1291	1555	591	10	1	45	S.W. W.	60	95	143	128	94	15	0	268	0	10	0	0

NONTHLY and Annual Summaries for the Year 1896, Yarmouth, Nova Scotia—Latititude, N. 43° 50′; Longitude, W. 66° 2′. Height above Sea, 65 feet.

MONTH.	PRESSURE.			TEMPERATURE.										RELATIVE HUMIDITY				PRESSURE OF VAPOUR.				CLOUDINESS.				PRECIPITATION.	
		EXTREMES.		MEAN.						EXTREMES.																	
	Monthly Mean.	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Monthly	Max.		Min.		9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Total.	Maximum in any 24 hours.
	m.	in.	in.	°	°	°	°	°	°	°		°						in.	in.	in.	in.	%	%	%	%	in.	in.
January	29·99	30·39	29·32	22·9	26·2	24·7	30·1	18·6	24·4	45·2		−1·7		79	78	83	80	0·077	0·114	0·113	0·101	93	83	79	85	1·97	0·66
February	29·70	30·28	28·90	25·8	28·5	27·8	32·9	20·8	26·8	47·2		1·5		82	81	88	84	0·124	0·132	0·140	0·132	82	79	77	79	4·26	1·26
March	29·75	30·39	29·53	31·8	34·2	32·3	38·2	26·4	32·3	55·0		13·3		83	82	85	83	0·161	0·116	0·162	0·146	79	80	74	78	6·99	1·28
April	29·98	30·40	29·16	39·2	43·3	38·0	46·1	32·2	39·1	62·7		23·0		76	71	85	77	0·185	0·260	0·196	0·194	61	62	49	57	1·41	0·35
May	29·93	30·41	29·41	49·6	53·1	45·7	55·3	38·2	46·7	69·0		28·6		75	71	85	77	0·277	0·287	0·268	0·277	49	53	54	52	3·72	1·12
June	29·86	30·34	29·25	56·7	59·1	52·2	62·6	48·4	55·5	72·0		55·3		81	78	90	83	0·375	0·389	0·356	0·373	52	40	49	47	3·51	1·24
July	29·92	30·34	29·55	60·1	63·1	57·4	67·5	53·0	60·3	75·3		47·4		93	85	94	91	0·484	0·492	0·446	0·474	77	59	66	67	5·78	1·62
August	29·95	30·20	29·63	60·4	64·1	57·6	67·8	53·2	60·5	75·2		40·5		93	86	96	92	0·492	0·513	0·454	0·486	61	56	67	61	4·31	2·55
September	29·97	30·37	29·39	56·9	59·2	54·9	62·6	48·6	55·6	74·6		32·2		91	88	95	91	0·429	0·451	0·419	0·433	67	68	57	64	7·10	0·91
October	29·92	30·49	29·28	48·9	51·7	48·5	55·1	43·1	49·1	65·2		32·0		89	85	90	88	0·318	0·333	0·315	0·322	76	60	74	70	4·48	1·97
November	30·08	30·72	29·57	40·9	43·0	41·6	48·4	34·5	41·4	58·7		14·9		83	79	84	82	0·231	0·233	0·232	0·232	78	81	82	80	3·77	1·34
December	29·98	30·72	29·04	28·3	30·3	29·2	34·8	21·4	28·1	49·2		4·0		78	74	82	78	0·134	0·135	0·139	0·136	67	71	63	67	3·49	1·83
Year	29·92	30·72	28·90	43·5	46·3	42·5	50·1	36·5	43·3	75·3		−1·7		84	80	88	84	0·274	0·283	0·270	0·276	70	66	66	67	46·79	2·55

MONTH.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS.											
	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	170	146	91	38	8	54	7	230	0		12·7	37	S.E.	1	0	7	24	18	20		10	0	0	....	1
February	94	91	56	70	45	51	37	252	0		13·5	34	N.W.	4	2	8	19	21	17	.	6	1	0	....	0
March	126	117	28	59	23	119	59	211	2		15·7	42	S.W.	6	2	9	20	19	17	.	8	4	0	. .	1
April	83	90	74	87	25	70	101	182	8		9·1	24	N.	0	7	11	12	11	5	.	18	5	0	..	0
May	55	44	78	153	94	131	98	81	10		8·1	23	N.	0	11	11	9	15	0	.	14	7	4	..	2
June	33	22	15	48	134	171	130	132	5		7·5	25	S. W.	0	11	11	8	11	0	.	13	8	2		0
July	5	12	20	79	177	245	100	99	7		7·9	25	S.E.	0	1	13	14	16	0	.	12	15	3	...	0
August	14	20	97	129	184	71	52	155	28		6·1	27	S.	0	7	8	16	15	0	.	13	14	3	.	3
September	60	46	51	99	154	108	59	127	16		8·1	28	S.E.	0	7	9	14	17	0	. .	11	8	3	. .	0
October	72	100	90	102	47	74	58	199	2		10·6	40	S.E.	2	3	12	16	16	1	....	13	4	0	. .	1
November	85	57	70	138	31	120	67	152	0		11·2	41	S.E.	4	0	11	19	17	4	.	11	5	0	....	0
December	81	182	50	44	49	72	31	232	3		12·1	33	N.W.	1	6	9	16	11	10	...	19	0	0	....	1
Year	878	927	750	1037	971	1289	799	2052	81		10·2	42	S.W.	18	60	119	187	187	74		148	71	15	...	9

PART II.

Monthly and Annual Summaries from Stations of the Second Class.

MONTHLY and Annual Summaries for the Year 1896, Alberni, British Columbia—Latitude, N. 49° 15′; Longitude, W. 124° 49′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Calms.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
			°					in.		in.					
January..		..		62·3	19·6	42·7	32·6	9·50	18	22·0	3	0	0	0	0
February								4·63	11	2·0	1	0	0	0	0
March	53·7	33·8	19·9	72·4	11·8	60·6	43·7	4·75	6			0	8	0	0
April	59·2	36·5	22·7	72·8	29·7	43·1	47·8	3·58	13			0	6	0	0
May	70·8	45·3	25·5	82·4	39·5	42·9	58·0	1·59	6			0	0	0	0
June	73·6	51·9	21·7	97·9	41·0	56·9	62·8	1·03	1			0	0	0	0
July	85·0	58·6	26·4	101·5	41·6	59·9	71·8	0·00	0			0	0	0	0
August	84·3	53·6	30·7	94·8	43·2	53·6	69·0	0·24	1						
September..	72·3	47·3	25·0	87·8	42·0	45·8	55·8	0·14	2						
October	65·2	44·5	20·7	65·9	41·4	24·5	54·8	3·63	10			0	5	0	1
November	46·9	30·1	16·8	58·7	14·8	43·9	38·5	5·48	6	9·0	4	0	0	0	0
December	45·1	39·5	5·6	52·7	31·5	21·2	42·3	13·10	21	1·0	1	0	0	0	0
Year								47·67	98	37·0	9				

MONTHLY and Annual Summaries for the Year 1896, Abbotsford, Province of British Columbia—Latitude, N. 48° 42′; Longitude, W. 123° 33′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Calms.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	40·5	27·7	12·8	58·0	12·0	46·0	34·1	7·21	19	7·0	5	..	..	..	..
February	47·1	32·9	14·2	60·0	20·0	40·0	40·0	6·01	15	8·0	3			..	..
March	49·2	30·2	19·0	64·0	18·0	46·0	39·7	2·36	8	3·9	3		..		..
April	54·1	35·2	18·9	68·0	21·0	47·0	44·6	5·12	21				..	..	
May	61·4	42·0	19·4	81·0	33·0	48·0	51·7	3·83	19						
June	69·4	48·7	20·7	93·0	39·0	54·0	59·0	2·97	10					..	..
July	80·2	52·9	27·3	89·0	45·0	44·0	66·6	0·04	1				..		
August	74·1	52·3	21·8	89·0	46·0	43·0	63·2	1·47	6						..
September..	67·3	45·1	22·2	88·0	37·0	51·0	56·2	1·84	7						
October	59·2	40·2	19·0	72·0	31·0	41·0	49·7	4·11	10					..	
November	37·1	24·1	13·0	57·0	3·0	54·0	20·6	10·49	14	2·0	2				..
December..	44·9	33·7	11·2	55·0	22·0	33·0	39·3	8·67	22					..	
Year	57·0	38·7	18·3	93·0	3·0	90·0	47·1	54·12	152	20·9	13	..	..		

Monthly and Annual Summaries for the Year 1896, Agassiz, Province of British Columbia—Latitude, N. 49° 14′; Longitude, W 121° 31′. Height above Sea, 52 feet.

Month.	Temperature of the Air.									Wind, Direction From								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	31·0	34·5	32·1	32·4	37·0	27·9	9·1	50·0	9·0	44	0	1	0	25	13	6	4	0
February	38·3	44·1	40·0	40·6	47·2	35·9	11·3	64·0	22·0	5	2	0	2	23	19	25	11	0
March	35·7	47·7	38·7	40·2	50·6	33·4	17·2	68·0	16·0	41	4	17	3	3	5	14	6	0
April	40·2	52·1	43·3	44·7	55·6	36·9	18·7	71·0	28·0	28	0	0	0	15	13	34	0	0
May	45·6	58·4	49·3	50·6	62·2	43·5	18·7	83·0	34·0	13	4	0	0	32	16	10	18	0
June	50·0	68·7	52·8	56·0	71·7	46·2	25·5	95·0	38·0	15	0	0	0	49	22	4	0	0
July	53·9	80·4	64·4	65·8	82·2	51·4	30·8	90·0	44·0	30	0	2	0	38	7	16	0	0
August	54·8	79·8	59·0	62·1	82·3	50·3	32·0	93·0	45·0	35	0	1	2	8	13	34	0	0
September	49·0	69·4	48·8	54·0	71·3	41·7	29·6	80·0	32·0	34	6	0	0	18	18	14	0	0
October	48·4	62·0	48·6	51·9	65·3	40·4	24·9	75·0	32·0	42	10	0	3	21	0	16	1	0
November	26·6	31·8	28·9	29·1	34·5	24·7	9·8	58·0	9·0	40	9	1	3	9	5	9	14	0
December	36·3	42·9	39·8	40·0	45·6	34·4	11·2	53·0	22·0	32	0	0	3	40	12	6	0	0
Year	42·5	56·0	45·4	47·7	58·8	38·9	19·9	95·0	9·0	359	35	22	16	281	143	188	54	0

Monthly and Annual Summaries for the Year 1896, Agassiz, Province of British Columbia—Latitude, N. 49° 14′; Longitude, W. 121° 31′. Height above Sea, 52 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%	%			in.		in.						
January				33	34	34	37	7·17	12	17·0	7	0	0	0	0	0
February				29	31	41	34	12·25	14	4·0	2	0	0	0	0	0
March				22	18	21	20	3·58	8	6·0	2	0	0	0	0	0
April				22	26	30	26	5·29	12			0	0	0	0	0
May				17	23	25	22	4·62	15			0	0	0	0	0
June				15	19	25	20	2·86	8			0	0	0	0	0
July				15	8	11	11	0·30	1			0	0	0	2	0
August				14	14	15	14	0·38	5			0	0	0	0	1
September				9	13	18	13	2·19	7			0	0	0	0	0
October				23	25	34	27	6·34	12			0	0	0	0	0
November				30	34	38	34	9·02	13	8·5	4	0	0	0	0	0
December				39	44	53	45	10·70	20			0	0	0	0	0
Year				22	24	29	25	64·70	127	35·5	15	0	0	0	2	1

MONTHLY and Annual Summaries for the Year 1896, Alton, Ontario—Latitude, N. 43° 52′: Longitude, W. 80° 5′. Height above Sea, 1300 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM.								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean max.	Mean min.	Mean daily range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	14·6	22·6	16·7	17·2	22·6	8·1	14·2	33·8	24·0	6	14	13	14	3	3	35	5	0
February	14·3	22·5	17·5	17·9	25·2	6·0	19·2	45·0	29·2	14	3	6	7	7	10	19	21	0
March	14·3	26·2	18·2	19·2	27·1	8·0	19·1	53·2	2·9	8	8	7	4	6	4	31	22	0
April	40·6	53·0	43·3	45·0	53·4	35·1	18·3	80·2	9·8	10	2	18	7	4	10	12	12	4
May	52·9	70·0	58·9	60·2	70·6	46·2	24·4	85·2	31·5	6	3	12	14	2	6	41	9	0
June	59·4	74·1	59·1	62·9	73·7	49·1	24·6	86·2	34·1	21	7	9	2	4	4	15	8	0
July	62·3	76·9	64·2	66·9	77·5	53·9	23·6	89·5	40·5	19	7	6	3	5	6	45	2	0
August	60·6	77·6	61·9	65·5	79·1	51·3	27·8	92·2	35·0	15	1	2	0	2	2	59	12	0
September	50·2	63·8	53·9	55·4	66·2	42·2	24·0	87·2	21·4	19	1	9	1	14	7	35	4	0
October	37·4	49·3	40·2	41·7	50·7	32·1	18·6	68·7	21·9	16	2	17	3	9	7	28	11	0
November	32·3	40·9	33·9	35·3	43·6	26·8	17·4	62·2	13·8	4	0	9	13	5	16	39	4	0
December	19·7	27·8	23·2	23·5	28·6	13·8	14·8	47·0	6·1	11	9	5	8	6	15	30	9	0
Year	38·2	50·4	40·9	42·6	51·5	31·0	20·5	92·2	29·2	149	57	113	76	67	90	412	119	4

MONTHLY and Annual Summaries for the Year 1896, Alton, Ontario—Latitude, N. 43° 52′; Longitude, W. 80° 5′. Height above Sea, 1300 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean	Amount.	Days.	Amount.	Days.	No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning alone.
								in.		in.						
January	1·8	2·3	1·7	77	65	68	70	0·00	0	18·2	12	3	9	0	0	0
February	2·7	2·8	2·4	63	49	49	54	0·15	1	23·8	15	4	4	0	0	0
March	2·4	3·0	2·5	39	29	35	34	0·40	4	9·6	8	7	2	3	0	1
April	2·0	2·7	1·7	42	36	44	41	1·56	6	3·0	4	4	3	0	1	1
May	2·1	3·1	1·9	34	19	28	24	2·10	8			4	0	0	3	1
June	1·3	2·9	1·3	25	16	23	21	1·70	8			0	1	0	5	2
July	1·6	2·3	1·3	42	27	25	31	4·17	11			0	0	0	3	1
August	1·6	2·9	2·6	29	26	25	27	1·61	12			4	0	1	6	4
September	2·1	2·8	2·7	41	36	36	38	3·95	9			4	0	0	0	0
October	2·5	2·8	2·5	36	27	27	30	2·00	7			4	0	0	1	0
November	2·6	3·1	2·6	64	51	58	57	2·81	11	6·0	4	0	2	0	0	0
December	1·9	2·7	2·2	57	58	45	53	0·05	1	10·8	8	1	0	0	0	0
Year	2·1	2·8	2·1	46	37	39	40	20·50	78	71·4	51	35	21	4	19	10

MONTHLY and Annual Summary for the Year 1896, Abitibi, Quebec—Latitude, N. 48° 43′; Longitude, W. 79° 22′. Height above Sea, ——

MONTH.	TEMPERATURE OF THE AIR									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January																		
February																		
March																		
April																		
May																		
June																		
July	58·2	68·1	62·6	62·9	69·6	54·9	14·7	82·0	45·0	18	5	2	4	16	10	26	10	2
August	57·3	65·5	60·6	61·0	67·2	53·2	14·0	83·0	41·0	5	2	3	0	13	15	27	21	7
September	45·6	52·9	49·7	49·5	54·9	42·8	12·1	70·6	30·0	15	8	2	6	16	14	9	17	3
October	32·2	31·0	37·2	36·9	43·4	30·0	13·4	61·0	20·0	17	4	2	5	17	9	19	8	12
November	17·6	23·3	21·9	21·2	29·4	16·0	13·4	49·0	13·0	17	6	5	9	8	13	9	19	4
December	1·5	12·1	8·2	7·5	17·6	4·3	21·9	37·0	28·0	17	0	1	8	10	16	19	15	7
Year																		

MONTHLY and Annual Summary for the Year 1896, Abitibi, Quebec—Latitude, N. 48° 43′; Longitude, W. 79° 22′. Heig t above Sea, ——

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%	%			in.		in.						
January																
February																
March																
April																
May																
June																
July	2·6	3·3	2·4	50	64	56	57	5·41	12			0	3	0	1	
August	2·7	3·0	2·5	63	72	50	62	r	8			0	8	2	0	
September	2·7	2·9	2·9	74	72	54	67	r	5		3	0	5	1	0	
October	1·6	1·8	1·8	64	64	56	61	r	3		5	0	1	2	0	
November	1·6	1·8	1·7	87	89	86	87	r	4		4	1	1	0	0	
December	1·7	2·3	1·9	61	70	63	64	r	1		9	0	3	1	0	
Year																

MONTHLY and Annual Summaries for the Year 1896, Amour Point, Labrador—Latitude, N. 51° 28′; Longitude, W. 56° 51′. Height above Sea, ——

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									Force of Wind.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	6·7	9·2	8·4	8·2	33·0	12·0	16	14	6	0	0	0	8	17	2		0·00	0	27·5	10	2	0	0
February	14·1	16·8	15·9	15·7	33·0	−4·0	7	11	14	3	0	5	16	24	7		R	0	20·0	5	0	0	0
March	20·7	24·5	23·5	23·0	37·0	10·0	0	10	21	0	8	11	23	15	5		0·75	1	20·0	9	0	0	0
April	24·9	30·7	28·1	27·9	40·0	11·0	10	14	14	3	0	10	27	6	6		0·00	0	4·0	2	1	1	0
May	32·1	37·6	33·6	34·2	54·0	20·0	8	16	18	3	0	6	27	11	4		.	7	....		0	3	0
June	43·7	47·5	43·0	44·3	64·0	35·0	1	7	37	0	2	4	34	5	0		4·65	10	..		2	8	0
July	52·3	56·9	49·1	51·9	63·0	45·0	6	5	12	0	2	8	51	9	0		1·90	6	..	.	0	10	0
August																							
September																							
October																							
November																							
December																							
Year																							

MONTHLY and Annual Summaries for the Year 1896, Barkerville, British Columbia—Latitude, N. 53° 2′; Longitude W. 121° 35′. Height above Sea, ——.

MONTH.	TEMPERATURE								RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily range	Max.	Min.	Mthly Range	Mthly Mean.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
									in.		in.					
January	19·4	5·8	13·6	40·0	30·0	70·0	12·6		0·51	3	18·0	3	0	0	0	0
February	31·0	19·6	11·4	42·0	12·0	54·0	25·2		0·00	0	29·0	5	0	0	0	0
March	30·0	12·1	17·9	47·0	20·0	67·0	21·0		0·00	0	22·0	5	0	0	0	0
April	40·8	25·2	15·6	51·0	3·0	48·0	33·0		0·00	0	8·0	2	0	0	0	0
May	50·4	32·7	17·7	63·0	23·0	40·0	41·5		1·58	6	6·0	1	0	0	0	0
June	61·5	37·9	23·6	84·0	30·0	54·0	49·7		1·95	13			0	0	0	0
July	73·9	44·6	29·3	81·0	36·0	45·0	59·2		0·16	1	....		0	0	0	0
August	72·8	41·4	31·4	83·0	34·0	49·0	57·1		1·75	8			0	0	0	0
September	62·9	32·8	30·1	75·0	24·0	51·0	47·9		0·99	1			0	0	0	0
October	47·1	31·8	15·3	60·0	21·0	39·0	39·5		1·07	6	7·0	3	0	0	0	0
November	13·2	2·8	16·0	41·0	28·0	69·0	5·2		0·00	0	23·0	6	0	0	0	0
December	32·7	19·4	13·3	40·0	2·0	42·0	26·0		0·00	0	13·0	3	0	0	0	0
Year	44·6	25·0	19·6	84·0	30·0	114·0	34·8		8·01	41	126·0	28	0	0	0	0

MONTHLY and ANNUAL SUMMARIES for the Year 1896, Alameda, N.W.T. Latitude, N. 49° 15′; Longitude, W. 102° 9′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurors.	Thunder Storms.
								in.		in.					
January	2·2	13·7	15·9	35·3	37·5	72·8	5·8	0·00	0	17·0	7	0	...	3	0
February	12·9	11·5	24·4	37·0	25·0	62·0	0·7	0·00	0	2·5	3	8	..	5	0
March	18·3	3·6	21·9	39·0	-21·8	60·8	7·4	0·75	1	5·5	4	4	..	6	0
April	42·0	23·4	18·6	68·6	10·8	57·8	32·7	0·03	1	12·0	5	7		1	0
May	62·2	42·6	19·6	75·7	29·9	45·8	52·4	3·61	8	...		9		1	2
June	72·4	47·6	24·8	86·0	38·0	48·0	60·0	2·48	6	..	.	4	..	0	2
July	75·9	47·1	28·8	89·0	33·0	56·0	61·5	1·36	3	..	.	3	.	0	1
August	70·2	41·7	28·5	89·0	27·0	62·0	56·0	0·91	1	..		9	.	0	1
September															
October															
November															
December															
Year															

MONTHLY and ANNUAL SUMMARIES for the Year 1896, Brantford, Ontario. Latitude, N. 43° 10′; Longitude, W. 80° 21′. Height above Sea, 750 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.						
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Amount	Thunder Storms.
								in.		in.					
January	27·8	12·9	14·9	37·0	8·0	45·0	20·4		1	9·0	4	3	5	0	0
February	29·0	11·8	17·2	47·0	18·0	65·0	20·4		...	22·5	10	6	2	0	0
March	30·5	12·6	17·9	59·0	1·0	60·0	21·6	0·74	2	11·5	5	3	2	3	0
April	56·7	37·8	18·9	85·0	16·0	69·0	47·2	1·03	4		1	1	4	1	1
May	73·9	49·8	24·1	89·0	39·0	50·0	61·9	2·11	6			2	0	1	4
June	78·4	53·5	24·9	88·0	40·0	48·0	65·9	0·95	3			1	0	0	3
July	80·0	59·7	20·3	91·5	46·0	45·5	68·9	1·37	5			2	0	0	5
August	77·6	55·3	22·3	88·5	38·5	50·0	66·4	1·92	7			3	0	0	1
September	68·0	46·8	21·2	89·0	27·0	62·0	57·4	3·84	6			0	3	0	0
October	53·5	33·6	19·9	74·0	25·0	49·0	43·6	1·18	5	*	1	1	8	0	0
November	47·7	29·1	18·6	70·0	12·0	58·0	38·4	0·43	2	*	3	2	1	0	0
December	33·0	17·1	15·9	54·0	8·0	62·0	25·0	0·22	1	7·0	8	0	2	0	0
Year	54·7	35·0	19·7	91·5	18·0	109·5	44·8			50·0	32	24	27	5	14

MONTHLY and Annual Summaries for the year 1896, Brandon, Manitoba—Latitude, N. 49° 51′; Longitude, W. 99° 57′. Height above Sea, 1,176 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM										FORCE OF WIND.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N. E.	E.	E. S.	S.	S. W.	W.	N. W.	C.		7 a.m.	2 p.m.	9 p.m.	Amount.	Days.	Amount.	Days.	Cases.	Fogs.	Thunder.
																				in.		in.				
January	9 1	0 1	4 1	5 1	33 3	14 0	3	37	5	2	0	7	9	27	3		1 3	1 5	1 4	0 00	0	18·5	6	0	0	0
February	3·7	16 3	9 9	8 8	45 6	30 7	0	13	6	0	1	11	12	37	5		1 3	1 4	1 2	0 00	0	3·5	3	0	0	0
March	6 3	19 8	17·6	12 8	47 4	—31 8	7	25	2	6	0	19	8	24	2		1 2	1 5	1 2	0 00	0	15·7	6	0	0	0
April	30 7	41 1	39 1	36 1	77 6	11·3	5	23	6	10	3	4	4	35	0		1 5	1 7	1 5	1 49	4	11·5	3	0	0	0
May	49 4	61 9	55 5	53 7	88 4	31 7	3	33	5	6	7	4	2	31	2		1 2	1 4	1 1	3 09	8	. . .	.	0	5	
June	57 7	70 4	65 7	61 8	85 0	41 1	2	18	2	14	5	10	3	2·	10		1 1	1 4	1 0	3 76	9	. . .	.	0	6	
July	58 1	72 6	65 0	63 7	89 8	39 4	6	13	3	6	5	4	8	38	10		1 0	1 3	1 0	2 99	6			0	. .	6
August	51 7	70 9	61 8	60 2	85 3	33 0	2	4	2	7	3	7	4	58	6		1 1	1 6	1 0	2 39	4			1		3
September	40 9	59 4	52·1	50 4	83 8	21 6	3	10	0	7	1	11	11	44	3		1 1	1 5	1 2	0 61	1	. . .		0	0	
October	28 3	47 1	34·5	36 6	76 3	4 3	5	14	1	5	0	11	6	46	5		1 1	1 5	1 2	0 00	0	4 0	3	0		0
November	1 3	7 9	5 6	3 1	30 7	40 7	4	27	3	2	0	0	13	40	1		1 6	1 6	1 4	0 00	0	23 8	7	0	. .	0
December	7 3	14·8	11·6	9 7	39 5	—33 7	0	14	3	0	0	18	35	15	8		1 2	1 3	1 4	0 00	0	10 0	5	0		0
Year	27 2	40 2	34 5	32 6	89 8	—44 0	40	231	38	65	25	106	115	421	55		1 2	1 5	1 2	14 33	32	87 0	33	1		20

MONTHLY and Annual Summaries for the Year 1896, Barclay, Ontario—Latitude, N. 49 50′; Longitude, W. 92° 49′. Height above Sea, 1,251 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM										FORCE OF WIND.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N. E.	E.	E. S.	S.	S. W.	W.	N. W.	C.		7 a.m.	2 p.m.	9 p.m.	Amount.	Days.	Amount.	Days.	Cases.	Fogs.	Thunder.
																				in.		in.				
January	—5·5	7 9	1 9	—0·4	33 0	—53·0	11	0	39	7	12	0	19	5	0					0 00	0	8·0	6	0	0	0
February	—6·2	12·7	0 2	1 7	41·0	—46·0	0	0	3	0	13	8	42	29	0		. .			0·00	0	9·0	4	0	0	0
March	—8·0	23·0	2·9	4 5	35·0	—45·0	1	3	15	0	24	0	35	15	0					0·00	0	15·0	2	2	0	0
April	20·7	40 3	26 3	28 4	55·0	—18 0	0	0	16	9	5	0	54	6	0			. .		0 80	3	3·0	2	0	0	0
May	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . .	. . .	.	.	.	.	.	. .	.					.	.	.	.	.	.	.
June	42·0	68 6	42·7	49·0	78 0	32 0	0	0	28	0	16	0	46	0	0			.		1 60	8			1	0	0
July	. . . .	. . .	. . .	. .	. . .	. . .	. . .	.	.	.	.	.	.	.												
August	46·6	70·6	44 2	51 4	76·0	32·0	5	0	0	0	8	0	79	1	0					2·55	14			2	0	0
September	38 2	65·3	39·8	45 8	72·0	16 0	10	0	9	2	7	0	44	18	0					0 70	6		. .	2	0	0
October	22 7	40 4	24 4	27·9	55·0	12·0	5	0	18	0	3	0	52	15	0					0·10	1	2·0	2	0	0	0
November	—4·3	17·4	7 6	7·1	34 0	—45·0	0	6	15	0	0	0	35	34	0					0 00	0	9·0	5	3	0	0
December	. . . .	. . .	. . .	. . .	. . .	. . .	. . .	.	. .	. .	.															
Year	. . . .	. . .	. . .	. . .	. .	. . .	.					. . .														

Monthly and Annual Summaries for the year 1896, Beatrice, Ontario—Latitude, N. 45° 8′; Longitude, W. 79° 20′. Height above Sea, ——

Month.	Temperature of the Air.									Wind, Direction From								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	8·8	16·5	11·7	12·2	20·1	2·9	17·2	30·0	32·0	1	0	2	29	12	5	2	19	23
February	10·6	19·4	15·7	15·3	23·6	5·5	18·1	41·0	33·0	1	2	5	15	5	7	1	35	16
March	8·6	23·0	17·1	16·5	26·9	5·4	21·5	44·0	14·5	1	2	1	10	10	5	1	39	24
April	36·2	51·3	42·4	43·1	54·1	32·2	21·9	78·0	7·0	0	2	2	23	5	11	0	15	32
May	70·6	65·3	53·9	55·9	67·4	43·4	24·0	80·5	32·0	3	0	1	24	6	15	5	21	18
June	54·6	70·9	59·4	61·0	72·9	48·2	24·8	84·0	34·0	3	1	0	11	5	11	1	20	38
July	59·6	72·8	61·6	63·9	74·5	53·6	20·9	85·0	40·0	1	2	0	9	9	12	0	23	37
August	56·8	71·2	59·8	61·9	73·0	51·7	21·3	84·0	37·0	1	0	1	11	5	16	3	16	40
September	47·1	59·4	50·6	51·9	61·6	42·2	19·4	80·0	22·0	3	0	2	13	8	14	1	17	32
October	34·9	47·2	38·9	40·0	49·2	32·2	16·9	62·0	22·0	5	3	2	15	6	9	0	15	38
November	32·5	37·5	34·5	34·6	41·2	27·9	13·3	57·0	13·0	0	3	2	24	11	18	1	19	12
December	16·5	23·2	19·1	19·5	26·4	11·3	15·1	37·0	17·0	8	1	1	18	12	11	1	20	21
Year	36·4	46·5	38·7	38·8	49·2	29·7	19·5	85·0	33·0	26	16	19	202	94	134	16	259	331

Monthly and Annual Summaries for the Year 1896, Beatrice, Ontario—Latitude, N. 45° 8′; Longitude, W. 79° 20′. Height above Sea, ——

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.	No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
				%		%	%	in.		in.						
January	1·7	2·2	1·4	57	69	55	60	0·42	3	40·0	19	0	2	1	0	0
February	1·9	3·0	2·1	68	63	61	64	0·34	2	21·0	12	0	3	0	0	0
March	1·9	3·4	1·8	50	42	45	46	0·97	2	13·0	8	1	9	2	0	0
April	1·3	2·8	0·9	56	58	35	50	1·37	12	4·0	4	1	3	2	1	0
May	2·2	3·3	1·1	45	44	39	43	2·90	10	.		0	3	2	1	0
June	1·1	2·7	0·3	36	47	33	39	2·82	9	.	.	0	2	0	2	0
July	1·1	2·5	0·7	58	65	38	54	2·54	12	.		2	1	0	5	2
August	0·9	2·3	0·4	53	50	27	43	6·03	12	.	.	0	0	1	8	0
September	0·9	2·6	0·9	63	67	56	62	4·47	11			1	1	0	0	0
October	0·9	1·6	1·0	74	64	58	63	3·70	6	17·5	6	4	0	0	1	0
November	1·8	2·2	1·9	87	86	90	87	3·87	10	16·5	5	0	1	0	1	
December	1·4	1·9	1·6	66	60	65	64	0·56	3	29·0	8	1	1	1	0	
Year	1·4	2·5	1·2	59	60	50	56	29·99	92	141·0	62	10	26	9	19	2

MONTHLY and Annual Summaries for the Year 1896, Barrie, Ontario—Latitude, N. 44° 23′; Longitude, W. 79° 41′. Height above Sea, 839 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	14·5	18·8	16·2	16·4	22·3	9·9	12·4	32·6	24·0	3	11	16	12	8	10	5	15	13
February	15·1	21·4	17·6	17·9	25·5	9·8	15·7	44·9	24·8	8	7	8	5	8	10	10	27	1
March	13·2	22·7	18·8	18·4	27·0	9·9	17·1	54·0	2·2	7	6	6	3	8	5	5	42	11
April	41·5	52·2	44·7	45·8	54·5	37·1	17·4	82·7	12·9	6	4	16	12	8	6	5	22	11
May	54·0	67·4	56·7	58·7	68·8	49·0	19·8	85·3	37·9	9	4	11	13	9	4	13	22	8
June	59·9	71·6	62·1	63·9	73·1	53·5	19·5	83·2	39·9	11	6	18	7	5	5	6	23	9
July	63·1	74·9	65·1	67·1	76·6	58·9	17·7	89·9	47·2	10	4	4	6	9	11	4	25	20
August	61·1	74·1	63·8	65·7	76·0	57·0	19·0	93·8	44·1	13	0	5	4	14	11	4	24	18
September	52·2	62·5	54·9	56·1	64·4	48·3	16·1	86·4	29·6	12	6	7	8	12	12	6	12	15
October	39·4	50·4	42·6	43·7	51·8	37·1	14·7	70·9	27·0	11	5	12	8	7	15	4	19	12
November	35·1	40·6	36·4	37·1	44·9	31·4	13·5	62·6	15·9	5	2	9	8	14	14	19	11	8
December	21·6	27·6	23·8	24·2	30·1	18·4	11·7	45·2	7·3	11	10	0	7	11	18	11	0	5
Year	39·2	48·7	41·9	42·9	51·3	35·0	16·3	93·8	24·8	106	65	112	93	113	121	92	242	134

MONTHLY and Annual Summaries for the Year 1896, Barrie, Ontario—Latitude, N. 44° 23′; Longitude, W. 79° 41′. Height above Sea, 839 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
								in.		in.						
January	1·6	2·1	1·8	85	77	77	80	0·82	2	35·6	19	1	2	0	0	0
February	2·0	2·9	2·3	68	57	55	60	0·12	3	33·9	18	1	3	0	0	0
March	2·3	3·1	2·3	53	39	40	44	0·50	4	23·9	10	3	11	5	0	1
April	1·7	2·6	1·3	45	55	54	51	1·14	12	4·8	5	1	2	2	1	0
May	1·8	3·0	1·6	35	28	30	31	0·97	10			0	5	0	2	0
June	1·5	2·6	1·5	24	29	24	26	4·07	9			0	3	0	5	1
July	1·5	2·4	1·3	53	38	38	43	1·94	18			0	0	0	4	6
August	1·1	2·2	0·9	32	33	35	33	7·64	17			0	0	2	8	2
September	1·2	2·0	1·3	50	51	35	45	5·08	15			0	1	0	1	0
October	1·4	2·0	1·5	60	50	45	52	1·92	9	2·3	4	0	0	1	1	0
November	1·5	2·1	2·0	77	77	71	75	1·39	12	3·2	7	2	2	0	1	0
December	1·1	1·5	1·7	65	70	65	67	0·15	2	14·1	15	0	1	1	0	0
Year	1·6	2·4	1·6	54	50	47	51	25·74	113	117·8	78	8	30	11	23	10

Monthly and Annual Summaries for the Year 1896, Burk's Falls, Ontario—Latitude, N. 45° 30′; Longitude, W. 79° 18′. Height above Sea, ——

Month.	Temperature.						Wind, Direction From									Force of Wind.	Rain.		Snow.		Gales.	Fogs.	Thunder.	Auroras.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days	Amt.	Days.				
																	in.		in.					
January..	6·8	17·6	.....		31·0	35·0											0·21	1	17·0	7	0	0	0	0
February..	9·7	20·9			45·0	37·0											0·00	0	21·0	10	0	0	0	0
March..	6·3	24·6	18·6	17·0	46·0	15·0											0·20	1	12·0	5	1	1	0	4
April..	38·5	54·5	44·5	45·5	80·0	10·0											1·10	3			0	3	0	0
May..	49·8	68·0	54·8	56·8	88·0	39·0											2·41	5			0	0	1	0
June..	55·9	73·4	60·9	62·8	87·0	44·0											2·04	4			0	0	2	0
July..	59·7	75·7	61·8	64·8	87·0	50·0											1·88	8			0	0	3	0
August..	54·4	73·7	60·9	62·5	88·0	39·0											3·65	9			0	0	4	0
September..	45·8	62·5	50·8	52·0	81·0	22·0											5·98	9			0	3	0	1
October..	34·0	48·4	39·8	40·5	63·0	20·0											2·51	7	6·0	4	0	2	0	1
November..																								
December																								
Year..																								

Monthly and Annual Summaries for the Year 1896, Bognor, Ontario—Latitude, N. 44° 40′; Longitude, W. 80° 50′. Height above Sea, —

Month.	Temperature.								Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.		Amt.	Days.	Amt.	Days.				
									in.		in.					
January...	24·4	12·2	12·2	34·0	27·0	61·0	18·3		0·67	3	41·0	14	0	0	0	0
February	25·8	8·7	17·1	44·0	32·0	76·0	17·3		0·47	3	25·0	15	0	1	0	0
March....	26·6	7·9	18·7	47·0	12·0	59·0	17·3		1·22	3	29·0	12	0	0	2	0
April....	56·9	37·8	19·1	81·0	10·0	91·0	47·3		1·15	9	6·0	4	0	2	1	1
May	70·8	47·3	23·5	84·0	31·0	53·0	59·0		1·75	8			0	0	1	4
June	73·7	47·8	25·9	86·0	31·0	55·0	60·8		2·36	8	....		0	1	0	6
July....	78·5	53·9	24·6	90·0	41·0	49·0	66·2		2·69	13			0	0	0	6
August...	76·6	54·1	22·5	94·0	36·0	58·0	65·4		4·88	13			0	0	0	9
September	63·8	45·7	18·1	83·0	29·0	54·0	54·8		4·30	13			0	0	0	1
October...	51·9	32·6	19·3	77·0	26·0	51·0	42·2		0·92	8	7·0	5	0	0	0	0
November	45·2	30·1	15·1	64·0	17·0	47·0	37·7		2·29	8	19·0	12	0	1	0	0
December.	29·7	19·3	10·4	47·0	9·0	56·0	24·5		0·25	1	31·0	12	0	0	0	0
Year	52·0	33·1	18·9	94·0	-32·0	126·0	42·6		22·95	90	158·0	74	0	5	4	27

MONTHLY and Annual Summaries for the Year 1896, Birnam, Ontario—Latitude, N. 43° 2′ ; Longitude, W. 81° 55′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Coles.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	28·3	19·0	9·3	38·0	4·3	42·3	23·7	0·40	4	9·3	9	2	2	0	0
February	28·5	16·2	12·3	45·5	14·7	60·2	22·4	0·48	3	21·6	12	2	1	0	0
March	31·4	17·8	13·6	58·7	0·8	57·9	24·6	1·12	3	12·3	9	1	1	2	1
April	58·3	41·8	16·5	84·7	19·5	65·2	50·0	2·84	5	0·7	2	0	3	0	2
May	74·0	51·7	22·3	88·9	35·0	53·9	62·8	1·63	10	.		0	1	1	3
June	75·1	53·4	21·7	86·2	37·4	48·8	64·3	3·72	10			0	2	0	5
July	79·6	60·0	19·6	89·9	43·2	46·7	69·8	2·81	8			0	1	0	5
August	77·0	57·9	19·1	93·0	42·5	50·5	67·4	4·15	10			0	0	1	2
September	66·2	50·1	16·1	83·7	34·5	49·2	58·1	4·86	9			0	1	0	1
October	52·9	36·9	16·0	71·0	23·8	47·2	44·9	1·64	9			0	0	2	0
November	45·1	34·3	10·8	63·7	12·0	51·7	39·7	2·28	7	1·5	3	0	1	1	0
December	32·7	21·3	11·4	43·8	4·0	17·8	27·0	0·44	2	21·9	10	0	2	2	0
Year	54·1	38·4	15·7	93·0	14·7	107·7	46·2	26·37	80	67·3	45	5	15	9	29

MONTHLY and Annual Summaries for the Year 1896, Bloomfield, Ontario—Latitude, N. 43° 59′ ; Longitude, W. 77° 21′. Height above Sea, — .

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days	Coles.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January															
February															
March															
April	59·9	36·6	23·3	81·5	10·0	71·5	48·2	2·21	4	0·7	2	4	1	0	0
May	71·4	48·1	23·3	89·0	38·5	50·5	59·8	2·67	9			4	0	0	0
June	76·6	52·9	23·7	86·5	41·0	45·5	64·8	1·41	10			2	0	0	0
July	81·2	57·4	23·8	88·0	42·0	46·0	69·3	2·36	9			2	1	0	2
August	81·6	56·7	24·9	92·0	40·0	52·0	69·1	1·97	10			2	0	0	0
September	68·6	46·4	22·2	86·0	26·0	60·0	40·0	1·31	10			0	0	0	0
October	56·5	34·4	22·1	65·0	24·0	41·0	45·4	1·61	8			0	0	0	0
November	49·4	30·5	18·9	68·0	10·5	57·5	39·9	3·83	15			0	0	0	0
December	36·6	15·8	20·8	60·0	—8·0	68·0	26·3	0·57	3	...		0	0	0	0
Year	...									...					

MONTHLY and Annual Summaries for the Year 1896, Bancroft, Ontario—Latitude, N. 45° 1′; Longitude, W. 77° 50′. Height above Sea, ——.

MONTH.	TEMPERATURE OF THE AIR									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.
January	7·7	17·4	13·0	11·8	23·6	0·1	23·7	37·6	35·7	7	2	21	8	4	2	6	33	6
February	9·0	20·0	14·4	14·6	24·1	4·4	19·7	49·9	40·7	6	1	21	3	5	3	6	39	3
March	6·6	24·4	17·4	16·6	29·5	1·5	28·0	47·5	24·0	9	0	10	1	7	4	50	3	0
April	31·8	50·0	40·3	41·4	54·7	28·2	26·5	80·1	7·1	4	1	10	3	5	6	12	25	6
May								81·0	28·7									
June	56·4	71·4	59·5	61·7	74·9	46·3	28·6	85·6	34·0	3	3	9	4	7	3	9	27	13
July	60·0	74·9	63·5	65·5	77·1	53·9	23·2	84·8	42·4	2	0	4	1	5	9	12	28	8
August								89·2	33·6									
September	46·5	61·4	51·6	52·7	64·2	40·2	24·0	84·8	20·3	5	3	6	2	6	11	26	21	10
October	25·6	48·1	38·9	40·2	50·6	30·1	20·5	66·4	20·1	3	3	8	3	16	7	13	33	7
November	31·6	38·6	32·9	34·0	44·6	24·6	20·0	68·8	7·0	5	0	13	8	10	9	21	24	0
December	14·7	23·3	18·3	18·7	27·6	9·6	18·0	42·6	17·6	5	1	12	5	11	5	14	33	5
Year								89·2	40·7									

MONTHLY and Annual Summaries for the Year 1896, Bancroft, Ontario—Latitude N. 45° 1′; Longitude, W. 77° 50′. Height above Sea, ——.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
								in.		in.						
January	1·0	1·0	0·9	65	76	62	65	0·00	0	34·9	16	3	0	3	0	0
February	1·2	1·7	1·6	74	67	64	68	0·00	0	41·9	13	1	1	3	0	0
March	1·4	2·2	1·7	45	54	41	47	0·26	1	28·8	8	6	0	2	1	0
April	1·2	1·9	1·1	50	63	29	48	1·16	7	11·0	6	0	0	0	1	0
May								1·33	10			2	2	0	3	0
June	1·3	2·0	0·6	28	53	30	37	2·79	5			2	0	0	4	1
July	1·3	1·6	1·3	45	63	59	56	3·07	5			1	0	1	2	2
August								3·58							0	1
September	1·3	2·0	1·7	60	67	52	60	3·80	12			0	0	1	0	1
October	1·1	1·7	1·2	63	63	54	60	2·29	6	9·3	4	4	0	2	1	0
November	1·3	1·8	1·9	83	75	78	77	3·62	8	6·3	6	6	0	0	1	0
December	1·1	1·6	1·6	77	66	63	67	0·00	0	11·1	8	3	0	2	0	0
Year								21·81		143·3	61				13	5

Monthly and Annual Summaries for the Year 1896, Brome, Quebec—Latitude, N. 44° 10′; Longitude, W. 72° 36′. Height above Sea, ——

Month.	Temperature of the Air.									Wind, Direction From								
	7 a.m.	1 p.m.	7 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	7·8	17·0	13·7	10·9	19·4	2·5	16·9	36·0	32·0	5	12	5	2	3	27	32	3	0
February	10·3	19·8	15·5	13·1	23·0	3·1	19·9	47·0	38·0	5	9	9	7	5	22	27	0	0
March				18·7	27·7	9·7	18·0	47·0	24·0	3	13	4	3	10	14	36	4	0
April	37·8	49·1	46·2	49·1	62·0	28·2	33·8	75·0	10·0	14	21	5	1	5	29	14	3	0
May	53·5	65·3	61·6	55·3	67·6	42·9	24·7	83·0	28·0	11	9	3	2	9	30	24	1	0
June				58·9	70·4	47·3	23·1	81·0	35·0	12	2	5	2	10	18	29	0	0
July				65·0	74·3	55·7	18·6	85·0	41·0	6	6	3	2	4	17	29	1	0
August				62·8	73·2	51·7	22·2	88·0	37·0	6	2	9	3	17	19	39	0	0
September				54·1	64·5	43·7	20·8	84·0	25·0	4	7	7	2	11	28	29	2	0
October	38·8	48·5	44·7	41·4	49·5	33·4	16·1	65·0	29·0	8	10	7	0	4	22	32	10	0
November	36·8	49·3	45·6	43·9	51·8	36·0	15·8	64·0	12·0	6	1	2	0	14	16	47	4	0
December	9·7	18·6	14·7	14·6	22·3	6·8	15·5	45·0	24·0	10	9	3	0	5	26	34	6	0
Year				39·1	48·8	29·2	19·6	88·0	38·0	90	95	49	24	97	268	363	34	0

Monthly and Annual Summaries for the Year 1896, Brome, Quebec—Latitude, N. 40° 10′; Longitude, W. 72° 36′. Height above Sea, ——

Month.	Force of Wind.			Cloudiness of Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Only.
	7 a.m.	1 p.m.	7 p.m.	7 a.m.	1 p.m.	7 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
						%	%	in.		in.						
January				48	58	48	51	0·00	0	10·5	14		0		0	
February				50	46	43	46	0·75	2	24·5	12		2		0	
March				42	29	39	37	1·09	4	36·0	15		3		0	
April				40	33	33	35	0·74	7	15·0	6		2		1	
May				32	30	29	30	2·74	10				0		3	
June				27		49		4·33	8				0		0	
July				61		41		2·86	8				0		1	
August				36		23		2·25	8				0		1	
September				55	27	47	43	4·12	10				0		1	
October				65	52	45	54	3·08	11	7	3		0		0	
November				73	53	53	60	1·61	4	8·0	8		0		0	
December				58	37	39	45	0·00	0	8·0	8		0		0	
Year				48		48		23·57	72	97·0	66		7		7	

Monthly and Annual Summaries for the Year 1896, Bicquet, Quebec—Latitude, N. 48° 25′; Longitude, W. 68° 53′. Height above Sea, ——

Month.	Temperature.						Wind. Direction from								Force of Wind.	Rain.		Snow.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amt.	Days.	Amt.	Days.	Calm.	Fogs.	Thunder.
																	in.		in.				
January																							
February																							
March																							
April	32·7	37·4	33·0	34·0	46·0	24·0	9	33	3	4	1	18	16	1	5		0·20	2	18·2	4	2	1	0
May	42·3	47·6	41·7	43·4	58·0	32·0	7	27	5	2	1	29	3	4	12		1·12	7			1	4	0
June	48·9	54·1	49·0	50·2	65·0	40·0	3	25	1	1	1	33	14	6	6		3·85	10			3	3	0
July	52·6	58·7	53·1	54·4	68·0	45·0	0	12	0	1	0	31	35	0	14		4·10	9			0	4	0
August	49·6	57·3	51·9	52·6	68·0	40·0	0	18	1	3	0	30	27	2	12		2·87	12			0	11	0
September	44·7	49·3	45·1	46·1	66·0	36·0	3	16	0	3	0	22	29	2	15		3·95	11			2	4	0
October	36·9	39·5	37·6	37·9	51·0	33·0	0	35	2	10	2	21	6	4	3		4·40	10			7	8	0
November	27·3	28·8	26·5	27·4	45·0	5·0	13	14	1	11	8	8	16	17	2		4·50	7	11·2	8	5	0	0
December																							
Year																							

Monthly and Annual Sumaries for the Year 1896, Canobie, British Columbia—Latitude, N. 48° 49′; Longitude, W. 123° 44′. Height above Sea, ——

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Calm.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	39·8	27·2	12·6	52·0	17·0	35·0	33·5	10·54	17	31·5	8	1	7	0	0
February	46·3	30·8	15·5	53·8	24·0	29·8	38·6	8·79	29	3·5	5	0	4	0	0
March	46·8	28·0	18·8	57·8	13·0	44·8	37·4	2·21	11	3·8	5	0	4	0	0
April	54·0	34·8	19·2	67·0	25·0	42·0	44·4	1·84	16			0	11	0	0
May	60·4	39·5	20·9	74·8	29·0	45·8	49·9	2·14	17			0	7	0	0
June	69·6	47·2	22·4	87·0	37·5	49·5	58·4	1·62	9			0	3	0	0
July	77·4	52·1	25·3	86·0	45·0	41·0	64·8	R				0	6	0	0
August	75·0	50·7	24·3	85·0	41·0	44·0	62·9	0·44	5			0	9	0	0
September	65·9	41·9	24·0	82·3	32·0	50·3	53·9	0·94	5			0	18	0	0
October	57·4	38·9	18·5	67·0	29·0	38·0	48·1	4·21	12			0	12	0	0
November	39·3	26·0	13·3	58·0	5·0	53·0	32·7	12·07	15	16·0	6	0	3	0	0
December	44·2	34·3	9·9	51·0	21·0	27·0	39·2	10·80	27		1	0	10	0	0
Year	56·3	37·6	18·7	87·0	5·0	82·0	47·0	55·60	154	51·8	25	1	94	0	0

MONTHLY and Annual Summaries for the Year 1896, Chilcoten, British Columbia—Latitude, N. 51° 58′; Longitude, W. 122° 48′. Height above Sea, 2,170 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	
								in.		in.					
January				45·0	30·0	75 0									
February	31 4	13 6	20 9	52·0	5·0	57 0	24·0	0·00	0	10·5	4	0	0	0	0
March	40·1	16 4	23 7	60 0	14·0	74 0	28 2	R	0	5·7	6	0	0	0	0
April	54 7	28·1	26 6	72 0	19 0	53 0	41 4	0 47	2	2 0	2	0	0	0	0
May															
June															
July	79 0	49·4	29 6	89 0	40 0	49 0	64·2	0 02	2			0	0	0	1
August	78 1	47 9	30 2	88 0	12 0	46 0	63·0	0 29	5			0	0	0	4
September	68 2	37 4	30·9	90 0	27·0	63 0	52 8	0·70	6			0	0	0	0
October	51 3	30 6	20·7	60·0	20·0	40 0	41 0	0 52	4			0	8	0	0
November	8 7	4·1	12 8	46 0	31·0	77 0	2 3	0 00	0	31·3	7	3	0	0	0
December	30 5	18·1	12·4	45·0	6·0	51 0	24 3	0 07	2	3·5	4	0	0	0	0
Year															

MONTHLY and Annual Summaries for the Year 1896, Carmanah, British Columbia—Latitude, N. 48° 25′; Longitude, W. 124° 47′. Height above Sea, 130 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								Force of Wind.			RAIN.		SNOW.				
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.				Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																			in.		in.				
January	43·1	35 0	8·1	39 1	50 0	22 0	11	7	26	13	11	7	14	0	4	4	4	4	25·20	21	10·3	7	7	1	0
February	45·4	37 1	8 3	41 3	51 0	28 0	7	9	31	2	3	10	20	0	5	4	5	4	27 88	23	2·0	3	4	1	0
March	46 5	32 7	13 8	39 6	57 0	18 0	10	5	19	19	4	6	20	0	10	3	4	3	6 92	13	1·0	3	4	3	0
April	51·0	37 0	14 0	44 0	60 0	29 0	3	3	19	9	12	4	22	0	10	3	4	3	14·06	15	*	2	2	1	0
May	55 3	41·2	14 1	48 2	72 0	33 0	3	2	5	12	5	9	33	0	21	2	4	2	7·41	17			2	0	0
June	61 3	46 9	14 4	54 1	84 0	38 0	1	0	7	19	5	4	34	1	19	2	3	1	6·25	12			3	3	0
July	66 8	51·2	15 6	59 0	80 0	46 0	0	0	11	4	1	3	38	0	36	1	2	1	R	1			1	10	0
August	66·6	43 1	23 5	54 8	80 0	46 0	2	0	7	11	1	3	15	7	47	1	2	1	1·10	1			3	9	0
September	61·0	47 1	13 9	54 0	76 0	38 0	1	2	33	1	1	1	18	0	33	1	2	1	0 64	4			6	12	0
October	54·6	44 0	10 6	49 3	66 0	37 0	4	3	47	5	1	2	17	0	14	3	3	2	7 93	14			9	4	0
November	42·3	31 8	10 5	37 1	50 0	17 0	17	6	31	4	3	2	16	1	10	3	4	3	15 45	14	13·5	5	11	2	0
December	47·1	39 9	7 2	43 5	52 0	29 0	2	2	44	20	6	7	9	0	3	4	5	5	23·73	26	0·0	0	14	4	0
Year	53·4	40 6	12 8	47 0	84 0	17 0	61	39	280	119	53	58	256	9	212	2·6	3 5	2 5	136·57	161	26·8	20	66	50	0

Monthly and Annual Summaries for the Year 1896, Chaplin, North West Territories—Latitude, 50° 27′; Longitude, W. 106° 40′. Height above Sea, 2,202 feet.

Month.	Temperature.							Rain.		Snow.		Clear Days.	Fog Days.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	7·8	9·9	17·7	43·0	35·0	78·0	1·1	0·00	0	3·5	3		0	0	0
February	24·4	1·9	22·5	43·0	30·0	73·0	13·1	0·00	0	2·5	3	..	1	0	0
March	29·7	9·5	20·2	50·0	10·0	60·0	19·6	0·00	0	6·5	6		0	3	0
April	48·3	31·7	16·6	70·0	18·0	52·0	40·0	0·12	2	11·0	6	..	0	1	1
May	62·0	42·1	19·9	77·0	35·0	42·0	52·1	0·33	4				1	0	0
June	75·6	46·0	29·6	95·0	37·0	58·0	60·8	0·52	6	...		...	0	0	0
July	81·6	52·2	29·4	93·0	35·0	58·0	66·9	0·36	5			..	0	0	0
August	72·6	42·5	30·1	87·0	37·0	50·0	57·5	0·00	0			...	0	1	0
September	61·5	37·1	24·4	83·0	27·0	56·0	49·3	0·14	4				0	0	0
October	53·0	25·3	27·7	78·0	15·0	63·0	39·2	0·03	1	0·5	1	...	0	1	0
November	5·9	8·2	14·1	44·0	40·0	84·0	1·1	0·00	0	13·5	8		0	0	0
December	23·9	14·1	9·8	44·0	20·0	64·0	19·0	0·00	0	2·0	2		2	1	0
Year	45·5	23·7	21·8	95·0	−40·0	135·0	31·6	1·50	22	39·5	29		4	7	1

Monthly and Annual Summaries for the Year 1896, Calgary, North West Territories—Latitude, N. 51° 1′; Longitude, W. 114° 1′. Height above Sea, — —

Month.	Temperature.							Rain.		Snow.		Clear Days.	Fog Days.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	10·5	8·4	18·9	50·2	38·6	88·8	1·1	0·00	0	9·8	4	1	1	1	0
February	31·6	12·5	22·1	59·4	20·2	79·6	22·6	0·00	0	14·0	7	5	0	2	0
March	29·9	8·3	21·6	54·9	33·9	88·8	19·1	0·00	0	9·5	6	3	0	2	0
April	46·1	24·4	21·7	70·8	13·0	57·8	35·2	0·35	2	0·5	6	5	0	1	0
May	56·1	34·2	21·9	71·8	21·0	50·8	45·2	1·38	5	3·0	2	0	0	0	1
June	73·3	42·2	31·1	92·8	32·0	60·8	57·7	2·05				0	0	0	3
July	78·0	48·9	29·1	95·0	34·0	61·0	63·4	0·64	4			2	0	0	5
August	73·6	45·8	27·8	85·9	36·5	49·4	59·7	1·45	7	...		4	0	0	2
September								1·31	8		3	6	0	1	0
October	55·9	26·5	29·4	70·0	15·0	55·0	41·2	0·50	1	1·0	2	0	1	0	0
November	10·4	4·3	14·7	53·0	28·8	81·8	3·1	0·00	0	17·0	9	4	0	0	0
December	35·9	17·0	18·9	49·0	18·3	67·3	26·4	0·00	0	3·0	6	1	0	0	0
Year								7·68		57·8	45	31	2	7	11

MONTHLY and Annual Summaries for the Year 1896, Cannington Manor, N.W.T.—Latitude, N. 50° 0′; Longitude, W. 102° 30′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	
								in.		in.					
January	9 0	9 8	18 8	45 0	35 5	80 5	0 4	0 70	1	9 5	8	4	0	3	0
February	19 9	0 1	20 0	47 0	26 5	73 5	9 9	0 00	0	3 5	3	6	0	1	0
March	22 5	2 6	19 9	49 0	18 0	67 0	12 6	0 00	0	6 8	9	2	0	2	0
April	43 3	25 1	18 2	67 0	13 0	54 0	34 2	0 70	4	15 5	3	3	1	1	2
May	61 5	29 8	21 7	79 0	31 0	48 0	50 7	3 62	17			2	4	1	6
June	71 0	48 7	22 3	84 8	40 5	44 3	60 0	3 49	11			3	1	3	6
July	75 4	52 0	23 4	86 5	40 0	46 5	63 7	2 26	4			4	0	0	3
August	72 2	47 7	24 5	87 5	34 5	53 0	60 0	1 85	8			6	0	1	5
September	65 8	35 3	30 5	81 5	22 0	59 5	50 5	0 85	4		1	5	0	0	0
October	54 2	21 4	29 8	78 0	11 0	67 0	39 3	0 23	1	6 0	2	5	3	1	0
November	11 9	5 5	17 4	46 5	28 5	75 0	3 2	0 00	0	25 0	8	2	1	0	0
December	23 6	3 6	20 0	44 0	26 3	70 3	13 6	0 00	0	7 0	4	4	4	2	0
Year	44 2	22 0	22 2	87 5	35 5	123 0	33 1	13 70	50	73 3	38	46	14	15	22

MONTHLY and Annual Summaries for the Year 1896, Channel Island, Manitoba—Latitude, N. 52° 0′; Longitude, W. 97° 0′. Height above Sea ——.

MONTH.	TEMPERATURE.					WIND, DIRECTION FROM									Force of Wind.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.	7 a.m.	2 p.m.	9 p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
	°																		in.		in.				
January	8 0	5 1	7 6	8 6	22 0	39 0	12	2	15	18	6	0	8	32	0	3 8	3 9	3 9	0 00	0	2 0	1	13		
February	2 7	4 6	0 7	1 0	36 5	34 0	16	4	2	12	19	2	6	32	0	4 4	4 4	4 0	0 00	0	8 5	3	13		
March	2 9	14 5	6 2	6 3	41 5	23 0	10	8	10	7	29	0	8	21	0	3 5	3 5	3 4	0 00	0	9 0	4	7		
April	23 9	31 8	26 0	25 7	49 0	7 0	16	6	19	6	18	2	2	21	0	3 7	3 6	3 2	2 09	5	7 0	2	5		
May	40 2	46 9	42 3	42 8	65 0	26 0	16	4	10	15	10	1	12	22	0	3 3	3 5	3 3	1 04	6			4		
June	59 0	65 5	58 9	60 3	82 5	41 0	2	5	5	16	21	3	22	16	0	3 8	4 0	3 7	0 85	8			16		
July	64 0	71 1	64 2	66 1	79 0	50 0	16	1	6	7	19	0	32	12	0	4 1	3 9	3 4	1 61	9			13		
August	61 4	67 6	61 2	63 6	79 0	42 0	4	2	7	1	17	4	28	30	0	4 4	4 2	4 0	5 26	14			22		
September	48 5	54 1	50 7	50 5	71 0	30 0	14	6	11	8	14	5	9	23	0	4 2	4 3	4 3	3 55	5			17		
October	36 6	40 0	36 5	37 4	58 0	21 0	27	13	13	6	19	0	3	12	0	4 2	4 4	4 2	0 13	1			20		
November	6 1	9 8	7 7	5 3	32 0	19 0	16	7	12	3	3	1	16	32	0	3 5	3 6	3 2	0 00	0	12 0	7	10		
December	6 1	9 2	5 8	5 9	34 0	17 0	14	4	3	14	23	1	20	14	0	3 2	3 4	3 2	0 00	0			12		
Year	28 2	34 2	29 4	31 4	82 5	39 0	157	62	113	113	198	22	166	267	0	3 8	3 9	3 7	17 53	48	38 5	17	152		

MONTHLY and Annual Summaries for the Year 1896, Cartier, Ontario—Latitude, N. 46° 40′; Longitude, W. 80° 50′. Height above Sea, ——

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									Force of Wind.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm				Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																			in.		in.				
January																									
February																									
March																									
April																									
May																									
June	60·5	87·5	61·5	67·7	100·0	38·0	36	3	27	0	24	0	0	0	0	1·0	1·3	1·2	0·66	6					
July	62·6	77·5	62·7	66·4	93·0	51·0	3	6	6	7	22	26	21	2	0	1·0	1·7	1·1	0·27	4					
August	59·9	74·8	58·6	62·2	100·0	39·0	1	4	0	0	6	15	57	10	0	1·0	2·0	1·1	0·54	4					
September																									
October																									
November	23·8	30·6	26·9	27·1	48·0	2·0	18	4	10	10	13	7	12	16	0	1·6	1·8	1·9	0·50	3	12·5	7			
December	12·2	21·2	16·7	16·7	44·0	15·0	9	2	7	21	2	11	28	13	0	1·6	1·7	1·4	0·00	0	10·8	7			
Year																									

MONTHLY and Annual Summaries for the Year 1896, Collingwood, Ontario—Latitude, N. 44° 30′; Longitude, W. 80° 15′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	25·9	13·0	12·9	35·0	21·0	56·0	19·5								
February	27·8	9·9	17·9	47·0	24·0	71·0	18·9					0	1	0	0
March	26·9	12·2	14·7	52·0	3·0	55·0	19·5								
April	54·3	37·2	17·1	77·0	13·0	64·0	45·7	0·52	6						
May	67·8	49·2	18·6	85·0	35·0	50·0	58·5	0·74	10			1	0	0	0
June	70·2	52·7	17·5	83·0	42·5	40·5	61·4	4·73	7			1	0	0	0
July	75·6	59·3	16·3	87·0	47·0	40·0	67·5	1·82	10						
August	74·0	58·6	15·4	92·0	44·0	48·0	66·3	5·36	13						
September	62·9	48·6	14·3	82·0	30·0	52·0	55·8	4·20	12						
October	53·4	38·1	15·3	76·0	26·5	49·5	45·9	2·17	14						
November	46·7	31·6	15·1	65·0	19·0	46·0	39·2	1·83	8	8·0	2				
December	31·9	19·0	12·9	47·0	2·0	49·0	25·4								
Year	51·5	35·8	15·7	92·0	21·0	116·0	43·6								

MONTHLY and Annual Summaries for the Year 1896, Kiomonta Farm, Collingwood, Ontario—Latitude, N. 44° 26′; Longitude, W. 80° 15′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	23·5	10·9	12·6	40·0	16·2	56·2	17·2	0·00	0	29·5	19	0	1	0	0
February	25·9	8·2	17·7	46·0	22·0	68·0	17·0	0·00	0	54·5	21	4	0	0	0
March	25·3	8·3	17·3	50·0	7·0	57·0	16·8	0·00	0	21·5	17	4	1	0	0
April	51·3	35·7	15·5	81·0	7·5	73·5	43·5	1·13	4	8·5	5	0	3	0	2
May	68·1	49·8	18·3	85·0	35·0	50·0	59·0	0·80	8	.	....	11	1	0	2
June	70·7	51·8	18·9	86·0	27·0	59·0	61·3	4·90	9	.	.	2	1	0	4
July	74·9	57·4	17·5	88·0	43·0	45·0	66·2	2·76	13	.	.	1	4	0	1
August	73·9	55·6	18·3	90·0	42·0	48·0	64·8	4·21	14	.	. .	0	0	1	8
September	59·6	45·7	13·9	82·0	29·5	52·5	52·6	5·47	11		.	0	6	0	1
October	49·3	35·9	13·4	71·0	24·0	47·0	42·6	4·48	8	13·0	7	0	2	0	0
November	41·5	26·5	15·0	62·0	10·0	52·0	34·0	1·22	9	.	9	4	2	0	1
December	26·0	15·0	11·0	39·0	1·5	37·5	20·5	0·00	0		11	1	1	0	0
Year	49·2	33·4	15·8	90·0	−22·0	112·0	41·3	24·97	76	.	89	27	22	1	22

MONTHLY and Annual Summaries for the Year 1896, Clontarf, Ontario—Latitude, N. 45° 23′; Longitude, W. 77° 9′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	20·6	1·8	18·8	34·6	27·8	62·4	11·2	0·00	0	27·0	21	0	0	2	0
February	25·1	1·5	23·6	50·5	36·0	86·5	13·3	0·00	0	61·0	14	0	0	2	0
March	29·0	3·9	25·1	51·0	22·8	73·8	16·4	0·05	1	31·7	8	2	1	6	0
April	57·4	31·9	25·5	86·0	10·8	75·2	44·6	0·80	4	8·0	2	0	0	1	0
May	72·3	45·0	27·3	93·0	28·0	65·0	58·6	0·51	7	.		1	0	1	2
June	76·8	48·6	28·2	90·5	34·7	55·8	62·7	4·96	8			0	0	0	4
July	79·4	55·0	24·4	91·5	39·7	51·8	67·2	2·85	13	.	..	0	0	2	5
August	78·7	51·7	27·0	92·5	39·7	52·8	65·2	4·71	13			1	0	3	8
September	66·3	42·4	23·9	90·0	20·8	69·2	54·4	4·19	13	.	. .	0	0	1	1
October	52·2	32·4	19·8	74·5	21·8	52·7	42·3	0·94	6	4·5	5	0	1	1	0
November	46·4	27·8	18·6	63·5	11·8	51·7	37·1	1·65	8	4·5	10	0	1	0	1
December	28·4	9·8	18·6	43·0	13·6	56·6	19·1	0·00	0	7·3	8	1	1	2	0
Year	52·7	29·3	23·4	93·0	36·0	129·0	41·0	20·66	73	144·0	68	5	4	21	21

Monthly and Annual Summaries for the Year 1896, Chatham, Ontario—Latitude, N. 42° 23′; Longitude, W. 82° 12′. Height above Sea, 595 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder-Storms.
	Mean Max.	Mean Min.	Mean Mthly Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	30·1	20·9	9·2	41·0	−4·0	45·0	25·5	2·55	5	2·0	2	0	0	0	0
February	30·7	18·4	12·3	43·0	7·0	50·0	24·6	1·08	4	21·8	9	0	0	0	0
March	34·9	19·1	15·5	63·0	5·0	58·0	27·2	1·20	5	14·0	4	0	1	1	1
April	60·1	40·6	19·6	85·0	21·0	64·0	50·4	2·11	9			0	1	2	0
May	75·4	52·8	22·6	90·0	37·0	53·0	64·1	2·29	9			0	0	1	0
June	77·6	55·1	22·5	88·0	38·0	50·0	66·3	4·31	10			0	0	0	0
July	80·6	59·8	20·8	91·0	45·0	46·0	70·2	5·71	6			0	0	0	0
August	78·7	58·1	20·6	92·0	44·0	48·0	68·4	4·98	11			0	0	0	0
September	68·4	48·7	19·7	86·5	30·0	56·5	58·5	3·62	9			0	1	0	0
October	55·1	36·6	18·5	71·0	21·0	50·0	45·9	1·31	7			0	0	0	0
November	48·2	33·8	14·4	68·0	17·0	51·0	41·0	2·09	9	1·3	1	0	0	0	0
December	34·7	22·5	12·2	46·0	4·0	42·0	28·6	0·37	3	19·2	4	0	0	0	0
Year	56·2	38·9	17·3	92·0	−7·0	99·0	47·6	31·62	87	61·3	20	0	3	4	1

Monthly and Annual Summaries for the Year 1896, Calvin, Ontario—Latitude, N. 46° 5′; Longitude, W. 78° 48′. Height above Sea, — feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder-Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean	Amt.	Days.	Days.	Days.				
								in.		in.					
January	14·7	0·8	15·5	30·8	39·2	70·0	6·9	0·00	0	19·3	13	3	0	4	0
February	19·7	2·0	17·7	47·5	32·0	79·5	10·8	R.	0	10·0	6	5	0	3	0
March	24·8	5·1	19·7	43·0	15·5	58·5	15·0	R.	0	11·0	7	11	0	7	0
April	55·9	30·2	25·7	79·3	10·0	69·3	43·1	0·62	8	14·3	5	3	1	1	1
May	71·6	42·5	29·1	89·8	29·5	60·3	57·0	2·51	12			3	0	2	3
June	76·4	47·1	29·3	89·8	34·5	55·3	61·8	3·25	5			0	1	2	2
July	76·6	53·3	23·3	87·0	42·0	45·0	64·9	1·87	10			0	1	1	4
August	75·2	50·4	24·8	91·5	34·0	57·5	62·8	4·60	13			0	7	2	5
September	62·2	41·2	21·0	81·5	18·0	63·5	51·7	4·94	11			0	2	1	0
October	48·5	30·5	18·0	63·8	18·8	45·0	39·5	2·48	6	5·3	4	0	3	3	0
November	38·0	25·0	13·0	59·2	2·5	61·7	31·5	2·10	6	13·8	8	5	0	1	1
December	23·5	6·9	16·6	38·0	21·5	59·5	15·2	0·00	0	9·0	11	2	0	2	0
Year	48·9	27·8	21·1	91·5	39·2	130·7	38·4	22·37	71	82·7	54	32	15	29	16

MONTHLY and Annual Summaries for the Year 1896, Coldwater, Ontario—Latitude, N. 44° 38′; Longitude, W. 79° 40′. Height above Sea, ——.

Month.	Temperature.						Wind, Direction from								Force of Wind.	Rain.		Snow.				
	Mean Max.	Mean Min.	Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January..	21·1	2·8	18·3	11·9	34·2	35·5	0	3	1	28	1	15	4	10	0		0 20	1	33·3	15	0	0	1
February.		3·7		14·4	33·5	39·0	1	3	1	9	1	21	2	20	0		0 23	2	36·6	12	1	0	1
March..	....	1·1		13·2	40·6	18·8	1	0	0	10	3	11	1	36	0		0 14	2	16·7	6	0	0	0
April	..	34·6		45·9	67·6	12·6	0	1	0	18	7	18	1	15	0		0 89	6	2·3	2	0	0	1
May . .	.	44·4	.	57·7	72·0	30·6	0	0	2	15	5	16	8	16	0		1 58	7				1	0	2
June . . .	76·3	50·1	26·3	63·2	88·0	33·4	0	1	1	12	6	17	1	22	0		4 39	9				0	0	3
July.....	78·8	53·9	24·9	66·4	91·5	39·4	0	0	1	13	6	20	4	18	0		2 95	9				0	0	2
August...	78·6	52·3	26·3	65·4	93·6	37·2	0	1	0	14	9	17	7	14	0		3 29	12				0	0	6
September	66·4	43·0	23·4	54·7	87·0	22·4	0	1	0	11	14	14	3	17	0		4 66	12				0	0	0
October ..	54·4	31·4	23·0	42·9	69·2	19·8	0	4	0	14	7	13	2	22	0		1 58	7	14·4	4		0	0	1
November	43·8	30·0	13·8	36·9	69·2	15·4	1	3	3	8	7	18	7	13	0		2 07	9	15·1	8		0	0	1
December	29·9	13·5	16·4	21·7	48·6	16·5	0	10	2	11	6	16	4	13	0		0 54	4	19·5	10		0	0	0
Year...	.			41·2	93·6	39·0	3	27	11	163	72	196	44	216	0		22 52	80	137·9	57	2	0	18

MONTHLY and Annual Summaries for the Year 1896, Cottam, Ontario—Latitude, N. 42° 7′; Longitude, W. 82° 45′. Height above Sea, ——.

Month.	Temperature.						Wind, Direction from								Force of Wind.	Rain.		Snow.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.	Auroras.
																	in.		in.					
January.	24·0	30·2	25·7	26·4	42·0	1·0	7	9	14	5	14	6	29	9	0		1 22	6	0·7	2	0	5	0	0
February	23·1	30·9	25·0	26·0	58·0	8·0	16	6	7	5	10	10	25	7	0		0 35	3	13·7	5	3	1	0	0
March....	23·5	34·2	28·8	28·9	62·0	4·0	19	8	10	8	15	5	19	7	0		1 65	6	12·2	3	2	5	0	1
April	46·1	60·4	48·4	50·8	87·0	23·0	10	4	13	14	25	6	13	4	1		3 21	9			0	4	2	1
May	62·0	75·7	60·7	64·8	91·0	33·0	7	4	25	4	21	8	23	0	0		3 63	13	....		2	0	0	1
June	65·0	77·6	64·2	67·8	90·0	52·0	13	3	23	2	8	2	36	3	0		6 92	11			0	2	0	0
July	69·7	79·1	68·3	71·4	91·0	55·0	11	8	12	1	26	10	19	6	0		5 64	13			0	5	2	0
August..	63·5	76·3	65·4	67·6	96·0	51·0	8	4	9	2	32	9	18	10	0		2 24	7			0	6	1	0
September	54·2	68·7	57·7	59·6	88·0	29·0	14	4	14	5	25	12	14	2	0		4 12	9			2	1	0	0
October .	39·0	55·6	44·1	42·9	72·0	23·0	20	5	11	3	23	5	18	7	1		1 64	5			0	8	0	1
November	39·2	45·6	38·8	40·6	71·0	15·0	7	4	9	1	19	17	29	4	0		1 98	8	0·5	1	2	1	0	0
December	25·2	34·8	28·9	29·4	50·0	3·0	10	6	10	3	27	12	18	7	0		0 98	5	11·5	3	0	2	0	1
Year...	44·5	55·8	46·3	47·9	96·0	8·0	142	65	157	53	235	102	261	66	2		33 49	95	38·6	14	11	50	5	5

Monthly and Annual Summaries for the Year 1896, Conestogo, Ontario—Latitude, N. 43° 33′ ; Longitude, W. 80° 39′. Height above Sea, ——

Months.	Temperature.									Number of Winds From								
	7 a.m.	Noon.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N. E.	E.	S. E.	S.	S.W.	W.	N. W.	Calm.
January	17·0	23·2	18·3	19·5	25·8	11·0	14·7	36·9	15·8									
February	16·6	22·9	18·6	19·4	27·0	9·8	17·2	45·9	28·5									
March	14·8	25·6	19·8	20·1	29·4	10·5	18·9	51·9	5·0									
April	40·9	52·4	44·9	46·0	55·2	37·4	17·8	82·2	15·0									
May	53·4	68·6	57·7	59·9	71·6	49·4	22·1	84·7	35·0									
June	60·1	73·1	61·6	64·9	75·4	51·8	23·6	84·7	39·0									
July	61·9	75·8	65·3	67·4	78·2	57·0	21·2	88·7	43·0									
August	59·0	74·3	63·7	65·7	76·7	55·4	21·3	90·2	37·5									
September	49·1	62·7	54·0	55·3	65·0	45·8	19·2	84·6	25·5									
October	36·1	48·9	39·4	49·9	51·1	34·4	16·7	67·8	25·0									
November	34·1	41·7	35·4	36·7	44·3	29·3	14·9	42·8	14·0									
December	21·6	28·1	24·8	24·8	29·6	19·2	10·4	48·9	3·0									
Year	38·7	49·8	42·0	44·1	52·4	34·2	18·2	90·2	28·5									

Monthly and Annual Summaries for the Year 1896, Conestogo, Ontario—Latitude, N. 43° 33′ ; Longitude, W. 80° 39′. Height above Sea, ——

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	7 a.m.	Noon.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%			%	in.		in.						
January				80	70	66	72	0·80	2	20·8	8	0	0	0	0	0
February				61	51	39	50	0·00	0	30·3	9	0	0	0	0	0
March				40	35	41	38	0·20	1	6·0	1	0	0	0	1	0
April				42	39	38	40	1·52	3			0	0	0	2	0
May				33	34	29	32	3·53	7			0	0	0	0	0
June				24	15	27	22	1·12	5			0	0	0	1	0
July				16	47	35	43	1·75	5			0	0	0	0	0
August				22	27	30	26	1·41	6			0	0	0	0	0
September				47	51	42	46	5·29	10			0	0	0	0	0
October				47	54	29	43	0·84	2	0·2	1	0	0	0	0	0
November				68	67	51	62	2·20	4	5·0	1	0	0	0	1	0
December				72	64	56	64	0·00	0	5·0	2	0	0	0	0	0
Year				49	46	40	45	18·66	45	67·3	22	0	0	0	5	0

MONTHLY and Annual Summaries for the Year 1896, Chicoutimi, Quebec—Latitude, N. 48° 25′; Longitude, W. 71° 5′. Height above Sea, 150 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.				
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.	7 a.m.	2 p.m.	9 p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.	Aurora.
																			in.		in.					
January..	12·0	6·8	18·8	2·6	50·1	33·0	0	1	0	20	0	7	0	61	0	3·3	3·0	3·2	0·00	0	*	7	9	1	0	2
February.	16·8	6·0	22·8	5·4	34·0	37·0	0	10	0	26	1	4	0	46	0	2·6	2·6	3·1	0·00	0	*	8	9	0	0	8
March . . .	26·4	1·0	25·4	13·7	42·1	28·4	0	7	0	24	0	11	0	51	0	3·7	3·6	4·0	0·00	0	20·0	9	14	0	0	4
April	47·1	25·7	21·4	36·4	69·1	12·4	0	9	0	39	0	9	0	33	0	2·8	2·3	1·8	0·19	2	*	3	5	0	1	1
May . . .	65·2	38·7	26·5	52·0	81·3	27·0	0	7	0	46	0	8	0	32	0	2·1	2·5	2·0	2·18	11			1	0	1	1
June . .	74·1	47·2	26·9	60·7	90·8	37·0	0	4	0	31	0	17	0	37	1	2·6	2·7	2·6	2·67	8			4	0	1	0
July.	76·6	53·8	22·8	65·2	89·2	44·1	0	7	0	24	0	14	0	47	1	2·5	2·7	2·1	4·16	10			3	2	1	0
August . . .	72·7	50·6	22·1	61·6	90·1	38·8	0	11	0	26	0	17	0	39	0	2·0	1·9	1·8	3·20	8	....		0	1	0	1
September	60·2	40·5	19·7	50·4	79·3	26·6	0	13	0	19	0	18	0	40	0	2·0	1·9	2·2	2·56	11			0	2	0	3
October . .	....	..			60·1	23·5	0	13	0	37	2	14	0	27	0	2·1	2·1	1·7	2·43	6			5	1	0	5
November	....				49·9	16·6	2	2	0	35	6	21	0	24	0	3·5	3·9	2·6	R	5		3	17	1	0	0
December	17·5	3·8	21·3	6·8	40·9	21·3	1	6	2	13	10	3	4	50	1	2·8	3·1	2·0	0·00	0		7	9	1	0	4
Year . . .					90·8	37·0	3	93	2	340	19	143	4	487	6	2·7	2·7	2·4	17·39	61	20·0	37	79	12	4	29

MONTHLY and Annual Summaries for the Year 1896, Cape Magdalen, Quebec—Latitude, N. 49° 16′; Longitude, W. 65° 20′. Height above Sea, ——.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.	RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.	Aurora.
																	in.		in.					
January .	9·4	12·2	10·4	10·6	28·0	10·0	0	9	2	2	14	1	0	52	13		0·00	0	22·5	10	0	0	0	0
February	11·1	16·3	14·7	14·2	40·0	11·0	1	9	2	3	20	0	0	10	12		0·00	0	35·5	15	0	0	0	0
March . . .	20·8	24·3	21·4	22·0	48·0	1·0	0	13	0	3	19	3	0	48	6		0·32	3	49·0	12	1	1	0	1
April	32·0	34·7	32·6	33·0	63·0	18·0	2	18	1	1	11	0	0	37	20		0·00	0	51·3	6	0	1	0	3
May	46·4	46·9	44·7	45·7	69·0	33·0	0	12	2	1	27	0	6	30	15		1·65	7	..		0	3	0	2
June . .	54·1	56·2	52·8	54·0	72·0	38·0	1	16	0	1	18	4	2	35	13		4·64	10			1	0	1	2
July	61·4	61·7	59·2	60·1	74·0	47·0	0	3	0	0	26	0	2	43	19		3·54	9	.		3	0	0	1
August	59·4	60·7	58·8	59·4	80·0	47·0	0	5	2	1	33	1	1	44	6		1·16	7			1	2	0	1
September	50·4	53·9	50·7	51·4	83·0	36·0	0	7	1	2	27	7	31	3	9		2·79	10	.		1	2	0	0
October . .	39·1	41·1	36·7	39·4	53·0	32·0	0	17	2	2	29	0	0	36	7		5·54	14		1	1	4	0	2
November	28·1	29·5	27·6	28·2	48·0	8·0	1	5	3	0	20	2	1	51	7		2·15	7	11·5	12	6	0	0	0
December	15·8	17·3	16·2	16·4	37·0	1·0	1	6	1	0	20	1	3	59	2		0·20	1	14·0	8	0	0	0	1
Year . . .	35·7	37·9	35·5	36·2	83·0	11·0	6	120	16	17	264	19	49	478	129		21·99	68	183·8	59	14	13	1	13

Monthly and Annual Summaries for the Year 1896, Cape Chatte, Quebec—Latitude, N. 49° 6′; Longitude, W. 66° 45′. Height above Sea, ——

Month.	Temperature.						Wind, Direction From								Calm.	Force of Wind.	Rain.		Snow.		Gales.	Fogs.	Thunder.	Auroras.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.			Amt.	Days.	Amt.	Days.				
																	in.		in.					
January	7·5	10·5	8·9	8·9	26·0	10·0	4	2	12	0	0	3	27	4	41		0·00	0	*	8	0	0	0	4
February	12·2	16·4	14·6	14·5	38·0	14·0	1	3	7	0	0	3	30	0	43		0·00	0	*	6	2	0	0	0
March	18·8	23·2	21·0	21·0	40·0	0·0	2	7	11	0	0	11	30	3	29		R	2	*	5	2	2	0	1
April	31·4	36·3	33·3	33·6	49·0	22·0	3	3	22	0	0	6	10	1	45		R	1	*	3	2	2	0	0
May	45·0	48·6	46·6	46·7	65·0	33·0	5	3	11	0	2	15	18	1	38		1·82	8			0	3	0	0
June	51·7	54·0	52·9	52·9	71·0	38·0	2	5	12	0	1	17	21	1	31		3·80	10			1	3	0	2
July	59·6	63·9	61·8	61·8	74·0	49·0	1	0	3	0	0	15	34	0	40		1·82	5			0	2	0	1
August	57·9	61·1	60·0	59·8	82·0	50·0	0	1	4	0	7	11	33	0	37		2·87	8			0	5	0	0
September	50·5	52·6	51·9	51·7	71·0	40·0	1	6	7	0	2	16	29	1	28		2·44	10			0	2	0	2
October	38·6	40·1	39·1	39·2	47·0	33·0	2	7	14	1	2	5	26	2	34		3·24	10			0	3	0	1
November	28·3	29·7	29·5	29·2	47·0	9·0	7	1	10	0	0	9	18	23	22		R	7	*	5	0	0	0	0
December	14·7	17·4	16·4	16·2	38·0	3·0	2	2	7	0	0	13	37	11	21		0·00	0	*	5	0	0	0	0
Year	34·7	37·8	36·3	36·3	82·0	14·0	30	40	120	1	14	124	313	47	409		15·99	61	*	32	7	22	0	11

Monthly and Annual Summaries for the Year 1896, Cape Norman, Newfoundland—Latitude, N. 51° 38′; Longitude, W. 55° 54′. Height above Sea, ——

Month.	Temperature.						Wind, Direction From								Calm.	Force of Wind.	Rain.		Snow.		Gales.	Fogs.	Thunder.	Auroras.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.			Amt.	Days.	Amt.	Days.				
																	in.		in.					
January	10·7	12·3	10·3	10·9	33·0	17·0	3	41	6	3	0	10	4	26	0		0·00	0		9	3	1	0	0
February	12·3	17·4	14·6	14·7	35·0	11·0	5	12	0	13	0	9	9	36	3		0·00	0		10	3	0	0	0
March	21·3	23·9	22·4	22·5	37·0	5·0	0	22	0	12	5	20	6	28	0		R	1		16	7	1	0	6
April	24·8	30·2	25·6	26·6	38·0	7·0	11	36	4	1	1	5	10	19	0		0·00	0		14	2	0	0	1
May	31·8	37·4	32·5	33·6	53·0	17·0	5	20	0	18	1	25	10	11	0		1·27	7		4	3	2	0	0
June	40·4	45·9	41·9	42·5	65·0	33·0	7	16	0	19	3	8	11	26	0		1·98	7		0	3	12	0	0
July	52·8	57·8	53·6	54·4	67·0	43·0	4	3	0	5	7	3	12	59	0		2·27	10		0	1	7	0	0
August	54·5	60·6	51·6	56·8	67·0	47·0	1	8	2	12	4	6	10	47	0		0·92	4		0	0	8	0	0
September	47·4	51·1	48·8	49·0	64·0	34·0	3	12	0	5	11	13	5	41	0		1·32	9		0	4	2	0	6
October	37·3	43·6	40·4	40·4	53·0	29·0	4	25	6	8	18	12	3	17	0		2·95	14	0·4	1	0	7	0	4
November	22·4	25·7	23·5	23·8	44·0	0·0	7	11	0	3	10	13	0	46	0		1·22	4		6	0	0	0	0
December	10·1	12·8	11·7	11·6	38·0	8·0	12	12	0	0	1	25	5	38	0		R	1		12	5	0	0	1
Year	30·5	34·9	31·7	32·2	67·0	11·0	65	218	18	102	61	149	85	397	3		11·93	57		72	31	40	0	18

MONTHLY and Annual Summaries for the Year 1896, Donald, British Columbia—Latitude, N. 51° 28′.; Longitude, W. 117° 11′. Height above Sea, 2,090 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	18·9	0·9	18·0	37·0	29·0	66·0	9·9	0·68	4	77·0	15	0	2	0	0
February	31·0	10·2	20·8	40·0	10·0	50·0	20·6	1·55	7	21·3	10	5	4	0	0
March	35·4	9·5	25·9	47·0	25·0	72·0	22·4	1·13	4	5·2	5	4	0	0	0
April	50·1	24·9	25·2	66·0	9·0	67·0	37·5	1·23	8	1·0	1	5	0	0	0
May	60·9	32·8	28·1	78·0	21·0	57·0	46·8	1·03	9			3	0	0	0
June	71·1	38·7	32·4	94·5	28·5	66·0	54·9	0·58	6			1	0	0	0
July	80·1	44·8	35·3	94·0	35·0	59·0	62·4	0·10	2			0	14	0	0
August	74·9	41·3	33·6	84·0	32·0	52·0	58·1	0·80	13			0	1	3	4
September	64·9	31·9	33·0	80·0	20·0	60·0	48·4	0·57	4			1	6	0	0
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1896, Desbarats, Ontario—Latitude, N. 46° 20′.; Longitude, W. 83° 55′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February	30·5	0·3	30·2	50·0	33·0	83·0	15·4	0·23	2	11·7	5	3	0	2	0
March	34·4	4·0	38·4	47·0	30·0	77·0	15·2	1·10	4	5·0	3	2	0	0	0
April	52·0	27·7	24·3	73·0	5·0	78·0	39·8	1·15	2	0·8	1	3	0	0	0
May	72·4	38·7	33·7	85·0	26·0	59·0	33·7	6·91	13			6	1	0	0
June	81·8	41·4	40·4	90·0	31·0	59·0	61·6	3·82	4			2	0	0	0
July															
August															
September															
October	56·3	25·2	31·1	70·0	12·0	58·0	40·8	0·36	4	2·8	1	1	1	0	0
November	44·5	21·9	22·6	54·0	4·0	50·0	33·2	0·27	3	14·0	6	1	0	0	0
December	34·6	7·6	27·0	52·0	16·0	68·0	21·1	0·00	0	8·0	2	0	1	0	0
Year															

Monthly and Annual Summaries for the Year 1896, Deseronto, Ontario—Latitude, N. 44° 11′; Longitude, W. 77° 4′. Height above Sea, 264 feet.

Month.	Temperature.									Wind, Direction from							
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	12·3	20·9	14·9	15·8	23·7	6·8	16·9	37·8	19·6	1	9	21	23	0	7	20	11	1
February	15·4	24·4	18·3	19·1	26·4	8·8	17·6	45·0	32·0	0	7	13	21	1	7	26	11	1
March	17·6	28·7	21·8	22·4	31·2	12·0	19·9	49·8	4·5	1	2	4	27	6	8	16	29	0
April	40·7	51·7	44·0	45·9	56·6	34·9	21·7	79·0	14·2	0	0	12	27	1	5	27	16	2
May	55·8	73·4	57·3	61·0	72·0	48·8	23·2	89·5	40·5	3	5	14	18	4	13	23	12	1
June	61·6	75·6	62·3	65·1	77·8	53·7	24·1	88·0	42·5	1	3	2	33	1	2	32	14	2
July	64·7	79·3	67·3	69·7	81·6	59·2	22·4	91·8	46·0	0	3	2	18	2	9	41	13	5
August	64·6	80·3	68·0	70·2	82·4	59·8	22·6	94·4	44·0	0	1	0	4	0	15	47	25	1
September	54·3	66·4	57·4	58·9	68·7	48·5	20·2	88·5	24·0	..	..	..	..	..	..	..	..	..
October	39·9	51·2	43·9	44·4	53·4	36·0	17·4	65·3	24·5	1	4	6	26	3	3	16	29	5
November	37·7	44·4	39·0	40·0	48·0	32·2	15·9	64·0	14·0	0	1	6	25	1	10	30	17	0
December	21·6	27·2	23·9	24·2	30·9	16·6	14·3	46·0	9·0	0	9	6	27	2	14	18	14	3
Year	40·5	52·2	43·2	44·8	54·4	34·8	19·6	94·4	32·0	..	..	..	..	..	..	..	..	..

Monthly and Annual Summaries for the Year 1896, Deseronto, Ontario—Latitude, N. 44° 11′; Longitude, W. 77° 4′. Height above Sea, 264 feet.

Month.	Velocity of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
								in.		in.						
January	7·7	8·0	7·1	65	58	45	56	0·00	0	20·0	12	0	1	0	0	0
February	7·9	9·7	8·4	63	57	55	58	1·44	3	30·5	12	0	1	0	0	0
March	7·1	8·6	7·5	31	29	31	30	1·51	5	12·0	7	0	0	2	0	1
April	7·8	10·0	6·4	31	35	32	33	1·15	9	1·5	1	1	0	0	1	1
May	8·9	11·7	7·8	38	32	19	30	3·69	7			0	1	0	4	0
June	7·0	8·4	6·1	21	22	17	20	2·20	5			0	0	0	2	0
July	7·2	9·7	6·7	35	25	16	25	4·10	9			0	0	0	4	0
August	6·4	8·9	6·3	20	22	23	22	2·82	11			1	0	1	5	0
September	..	..	..	..	..	..	..	..	..	..	..	1	0	0	2	0
October	6·6	8·5	5·4	49	44	33	42	2·53	8	S.	3	2	0	0	0	1
November	8·3	9·3	8·8	60	46	44	50	5·06	14	3·0	3	2	2	1	0	0
December	6·1	7·0	7·0	55	52	44	50	0·91	7	3·2	5	1	0	0	0	0
Year												8	5	4	18	3

MONTHLY and Annual Summaries for the Year 1896, Dalhousie, New Brunswick—Latitude, N. 48° 4′; Longitude, W. 66° 22′. Height above Sea, 39 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	9 a.m.	3 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January				6·7	15·7	2·3	18·0	34·0	17·0	0	0	5	0	0	0	22	8	27
February				12·4	21·9	2·9	19·0	36·5	22·0	1	0	8	0	0	0	21	4	23
March				19·4	30·5	8·4	22·1	43·0	13·0	0	0	14	0	0	0	22	6	20
April				34·3	43·7	24·9	18·8	58·5	8·0	0	0	13	0	0	0	18	3	26
May				47·7	58·5	37·0	21·5	78·0	24·5	0	0	22	0	0	0	19	0	21
June				56·7	67·6	45·9	21·7	87·0	38·5	0	1	11	0	0	0	18	0	23
July				62·8	73·1	52·4	20·7	86·5	42·0	0	0	8	1	0	0	23	2	26
August				60·5	70·6	50·4	20·2	81·0	40·0	0	0	20	0	0	0	17	1	24
September				50·7	58·9	42·6	16·3	76·0	29·5	2	1	8	0	0	0	18	4	27
October				41·3	48·4	34·1	14·3	58·0	24·0	0	0	11	0	0	0	16	6	28
November				27·6	35·9	19·4	16·5	55·0	0·0	0	0	10	0	0	0	27	4	19
December				12·9	22·1	3·6	18·5	38·5	10·0	0	0	8	0	0	0	25	7	20
Year				36·1	45·6	26·6	19·0	87·0	22·0	3	2	138	1	0	0	246	45	284

MONTHLY and Annual Summaries for the Year 1896, Dalhousie, New Brunswick—Latitude, N. 48° 4′; Longitude, W. 66° 22′. Height above Sea, 39 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.	No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
								in.		in.						
January	1·2		0·7	42		45	43	0·00	0	12·0	8					
February	1·2		0·9	63		55	59	0·11	1	24·5	9					
March	1·5		1·2	62		72	67	1·36	4	40·0	10			1		
April	1·0		0·7	43		48	46	0·06	1	13·0	4	1	1			
May	1·1		1·0	52		55	53	0·66	8		1			1		
June	1·2		0·5	47		42	44	1·63	8							
July	0·9		0·6	36		56	48	1·41	13				1	1	1	1
August	0·9		0·8	46		45	45	1·95	6			3				
September	1·3		0·4	50		53	51	2·84	12			4				
October	1·2		0·8	73		64	68	2·58	9			1		1		
November	1·4		0·9	62		70	66	2·82	5	11·5	4	1	1			
December	1·4		0·9	42		58	50	0·00	0	16·0	5					
Year	1·2		0·8	51		55	53	15·42	67	117·0	41	10	3	4	1	1

Monthly and Annual Summaries for the Year 1896, De Cewsville, Ontario—Latitude, N. 42° 56′; Longitude, W. 79° 57′. Height above Sea, ——

Month.	Temperature.						Wind, Direction From									Force of Wind.	Rain.		Snow.		Gales.	Fogs.	Thunder.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days.	Amt.	Days			
																	in.		in.				
January	19·9	26·9	22·2	22·8	38·0	12·0	14	18	13	4	2	8	22	8	0		1·68	2	11·3	10	3	0	0
February	20·0	27·8	22·0	23·0	46·0	17·0	10	11	8	1	6	15	26	10	0		1·02	4	29·8	18	5	0	0
March	19·4	30·6	23·2	24·1	58·0	2·0	6	13	11	0	3	15	21	24	0		1·77	4	9·7	14	6	0	1
April	42·9	55·2	45·0	47·0	77·0	20·0	4	18	5	6	5	22	11	18	0		1·74	7	1·3	5	4	3	0
May	57·1	70·1	49·0	61·1	86·0	19·0	2	13	8	2	8	14	36	9	0		2·31	9			4	0	0
June	60·6	74·2	60·5	63·9	83·0	45·0	13	7	9	5	5	16	12	17	0		3·04	11			1	0	0
July	66·0	77·1	67·4	69·4	87·0	56·0	5	10	1	0	6	24	16	16	5		4·52	10			3	1	0
August	63·4	76·7	65·5	67·8	87·0	46·0	11	8	3	1	4	24	25	17	0		2·48	12			2	0	0
September	53·0	66·9	56·8	58·4	86·0	31·0	9	11	7	1	3	28	15	14	2		4·70	11			2	0	0
October	38·8	53·0	43·7	44·8	68·0	25·0	14	14	4	0	2	16	17	5	0		1·47	8			1	2	0
November	37·3	45·4	39·0	40·2	64·0	18·0	8	9	9	3	3	18	19	21	0		2·92	9	0·5	5	5	0	0
December	24·7	32·6	28·0	28·3	48·0	13·0	12	9	12	3	4	16	22	15	0		0·32	2	9·5	8	0	1	0
Year	41·9	53·0	43·5	45·9	87·0	17·0	108	141	90	26	51	216	242	174	7		27·97	89	62·1	60	36	7	1

Monthly and Annual Summaries for the Year 1896, Digby, N.S.—Latitude, N. 44° 38′; Longitude, W. 65° 46′. Height above Sea, 40 feet.

Month.	Temperature.						Wind, Direction From									Amount of Cloud.			Rain.		Snow.		Gales.	Fogs.	Thunder.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	7 a.m.	2 p.m.	9 p.m.	Amt.	Days	Amt.	Days.			
																%		%	in.		in.				
January	19·1	23·3	22·3	21·7	32·0	3·0	6	6	17	2	0	15	12	20	0	81	75	60			4·0	3	1	0	0
February	23·6	28·5	26·8	26·4	45·0	4·0	5	1	18	19	0	15	6	11	0	66	78	64	0·75	2			2	0	0
March	29·5	34·6	31·0	31·5	58·0	16·0	6	14	6	7	0	24	6	15	0	71	62	65	3·60	5	2·0	1	3	0	0
April	39·1	46·0	37·4	39·9	61·0	29·0	16	6	12	7	0	20	12	5	0	57	56	37	0·50	2	6·0	2	3	1	0
May	39·9	50·2	40·3	42·7	71·0	40·0	26	3	7	3	2	14	21	2	0	58	29	30	0·90	5			0	0	0
June	55·1	64·7	56·0	58·0	74·0	47·0	12	3	4	2	0	4	16	37	0	42	27	27	3·90	7			1	2	2
July	60·6	70·1	61·8	63·6	79·0	54·0	6	5	1	4	0	30	8	27	0	69	20	52	0·32	10			0	4	2
August	59·2	68·3	60·0	61·9	80·0	52·0	13	11	5	5	0	8	14	22	0	50	25	40	1·60	4			0	3	2
September	54·9	63·9	54·6	57·0	70·0	40·0	6	4	3	7	7	22	22	7	0	70	65	73	2·70	3			0	0	1
October	45·1	52·9	45·0	47·0	65·0	34·0	18	17	8	8	0	8	9	13	0	60	65	57	4·30	4			4	1	1
November	38·7	43·0	39·3	40·1	58·0	15·0	10	11	5	9	2	21	9	11	0	80	88	70	0·50	1			0	0	0
December	26·9	29·4	25·3	26·7	48·0	9·0	21	10	2	2	1	14	18	13	0	65	55	60					3	0	0
Year	41·0	47·9	41·7	43·0	80·0	4·0	145	91	88	75	12	195	153	183	0	64	54	53					17	11	8

MONTHLY and Annual Summaries for the year 1896, Emerson, Manitoba—Latitude, N. 49 1′; Longitude, W. 97 13′. Height above Sea, —

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras	Thunder Storms.
								in.		in.					
January	7 9	14 4	22 3	35·0	45·5	80 5	3 3	0·04	1	8 3	10	0	0	0	0
February	20·7	2 2	22 9	50·0	31 0	81 0	9 2	0 00	0	5·0	15	0	0	0	0
March	23·2	3 6	19 6	50·0	30 0	80 0	13 4	0 44	2	10·3	12	0	0	2	0
April	44 2	29 0	15 2	73·0	8 0	65 0	36 6	5 42	9	4 3	4	0	0	0	1
May	65 9	46·2	19·7	86·0	35·0	51 0	56 1	5 94	12			0	1	0	8
June	74 7	55 5	19 2	85·0	48 0	37·0	65 1	4 15	11			0	0	0	4
July	78·6	54 4	24 2	92·0	43 0	49 0	66 5	I 56	10			3	0	1	5
August	78·1	48·9	29·2	89 0	33 0	56 0	63 5	1 56	12			9	3	1	13
September	64 4	38·1	26·3	84·0	22 0	62·0	51 2	0 84	6		1	1	0	0	1
October	53·5	26 8	26 7	78·0	10 0	68 0	40 2	0·59	5	3 0	3	2	2	0	0
November	12 8	4 1	16 9	25 0	29 0	55 0	4 3	0 00	0	6 3	13	3	0	0	0
December	20 9	3·2	17 7	43·0	36 0	79 0	12 1	0·45	2	1 4	5	0	1	1	1
Year	45·4	23·7	21 7	92 0	45 5	137 5	34 9	20 99	70	38 6	63	18	7	5	33

MONTHLY and Annual Summaries for the Year 1896, Elkhorn, Manitoba—Latitude, N. 49 58′; Longitude, W. 101 16′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Amount.	Thunder Storms.
								in.		in.					
January	4 6	11 0	15 6	39 0	35 0	74 0	3 2	R		10·5	6	0	0	3	0
February	15 7	3 3	19 0	47 0	27 0	74 0	6 2	0 00	0	2 0	1	0	0	1	0
March	21 2	2 1	19 1	49 0	28 0	77 0	11 7	0 00	0		4	0	0	0	0
April	40 8	25 3	15 5	73 0	3 0	76·0	33 1	2·05	2	8 2	7	0	0	1	0
May	60 2	43 0	17 2	80 0	31 0	49 0	51·6	4 53	13			0	0	0	7
June	75 3	48 5	26 8	87 0	40 5	46 5	61 9	3 36	8			0	0	0	5
July	78 3	51·2	27 1	88 5	39 0	49 5	64 7	1 80	3			0	0	0	0
August	75 0	45·7	29 3	86 0	33 0	53 0	60 3	1 40	3			3	0	0	6
September	61 8	37 4	24 4	81 0	23 0	58 0	49 6	0 70	5		1	5	0	0	4
October	49 7	22·0	27 7	74 0	7 0	67 0	35 8	0 00	0	4 0	1	1	1	0	2
November	11 4	2 4	13 8	31 0	32 0	63 0	6 9	0·00	0	15·0	8	7	0	0	0
December	21 5	2·3	19 2	44 0	28·5	72 5	11 9	0 00	0		4	0	2	0	0
Year	42 9	21·7	21·2	87·0	35 0	122·0	32·5	13 84	34	39·7	32	16	3	5	24

Monthly and Annual Summaries for the Year 1896, Enderby, British Columbia—Latitude, N. 50° 32′; Longitude, W. 119° 7′. Height above Sea, 1,180 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	29·4	13·5	15·9	48·0	15·5	63·5	21·5	0·32	3	25·8	13	1	6	0	0
February	40·6	23·2	17·4	54·0	12·0	42·0	31·9	0·09	2	15·5	8	1	2	0	0
March	45·3	22·1	23·2	59·0	1·5	57·5	33·7	0·00	0	1·0	1	1	0	0	0
April	58·8	33·7	25·1	73·0	20·0	53·0	46·3	1·33	11	2·7	1	3	1	0	0
May	65·9	39·1	26·8	83·0	29·0	54·0	52·5	1·56	11	...	...	0	0	0	3
June	75·6	44·4	31·2	98·0	33·0	65·0	60·0	1·21	7	..	...	4	0	0	3
July	85·7	50·1	35·6	98·0	41·0	57·0	67·9	0·00	0	.....	....	1	0	0	2
August	80·8	47·9	32·9	88·0	38·0	50·0	64·4	0·62	5	...	...	0	0	0	2
September	67·6	38·0	29·6	80·0	21·0	59·0	57·8	0·87	3	...	....	1	6	0	0
October	54·0	36·3	17·7	68·0	20·0	48·0	45·1	1·19	8	.....	....	1	23	0	0
November	27·6	14·6	13·0	49·0	17·0	66·0	21·1	0·60	6	19·3	12	0	3	0	0
December	34·9	26·8	8·1	42·0	13·0	29·0	30·9	2·17	6	21·0	12	0	18	0	0
Year	55·5	32·5	23·0	98·0	17·0	115·0	44·4	9·96	62	85·3	47	13	59	0	10

Monthly and Annual Summaries for the Year 1896, Erasmus, Ontario—Latitude, N. 43° 58′; Longitude, W. 80° 22′, Height above Sea, ——

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	21·7	10·0	11·7	31·3	22·5	53·8	15·8	0·39	3	13·8	13	1	9	1	0
February	24·0	8·0	16·0	44·0	24·3	68·3	16·0	0·09	1	26·0	20	1	4	1	0
March	23·7	7·1	16·6	48·3	6·7	55·0	15·4	0·69	4	12·8	18	2	3	3	0
April	51·7	35·7	16·0	43·7	10·8	32·9	43·7	1·09	6	3·0	7	6	4	3	3
May	68·1	47·6	20·5	81·6	34·1	47·5	57·9	1·71	9	...	....	7	3	1	5
June	72·4	49·6	22·8	85·0	35·0	50·0	61·0	1·01	7	...	...	6	0	0	6
July	75·5	55·5	20·0	88·0	43·4	44·6	65·5	3·07	14	...	....	8	2	0	6
August	75·1	52·8	22·3	89·5	34·0	55·5	63·9	2·63	13	...	....	5	2	2	8
September	61·7	43·0	18·7	81·7	23·8	57·9	52·3	4·83	13	...	1	6	4	0	1
October	47·9	32·9	15·0	67·1	25·4	41·7	40·4	1·78	11	4·4	4	3	3	0	0
November	41·2	28·1	13·1	60·8	12·9	47·9	34·7	2·24	11	6·9	9	5	3	0	1
December	26·9	16·1	10·8	44·3	1·5	45·8	21·5	0·15	1	8·6	17	3	3	1	0
Year	49·2	32·2	17·0	89·5	24·3	113·8	39·8	19·68	93	75·5	89	53	40	12	30

MONTHLY and Annual Summaries for the Year 1896, Fort Constantine, Yukon River—Latitude, N. 64 ; Longitude, W. 140°. Height above Sea, ——

MONTH.	TEMPERATURE.						RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	30·0	46 3	16 3	8·0	65·0	57·0	38·2								
February	11 5	34 9	23 4	25·0	62·0	86 5	23 2								
March	20·3	5 4	25 7	39·0	35·0	74·0	7 5								
April	24 9	4 3	29 2	48 0	38·0	86·0	10 3								
May	53·0	28 7	24 3	65·0	5·0	60·0	40 8	0·03	1						
June	66 3	40·1	26 2	80 5	28·5	53·3	53·2	1·37	6						
July	70 2	44 2	26 0	82·3	33·5	48·8	57 2	1·71	10						
August	64 0	41·0	23 0	75 5	29·0	46·5	52 5	2·27	11						
September	52·7	34 0	18 7	67·5	15·5	52 0	43 3	3·02	12						
October	34 2	18·4	15 8	54·0	1·0	55·0	26 3								
November	2 2	16 1	13 9	22·5	39·0	61 5	9·0								
December	6 0	20 2	14 2	9·0	40·0	49 0	13 1								
Year	28·0	6 6	21·4	82·3	65·0	147 3	17·3	8·40	40						

MONTHLY and Annual Summaries for the Year 1896, Fort Steele, B.C.—Latitude, N. 49° 40′; Longitude, W. 115° 42′. Height above Sea, 2,433 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								Force of Wind.		RAIN.		SNOW.				
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.	9 a.m.	9 p.m.	Amount.	Days.	Amount.	Days.	Gales.	Fogs.	Thunder.
	°	°	°	°	°	°												in.		in.				
January	30 4	12 4	18·0	21·4	47 4	27 1	5	2	0	1	18	12	6	6	12			0 76	6	11·0	6	1	1	0
February	40·4	21 0	19 4	30·7	50 8	— 2 1	5	0	0	3	13	10	9	6	12			0 21	4	1·0	1	1	0	0
March	43·0	20·1	22·9	31 6	56 9	—13 5	9	1	3	11	5	5	10	6	12			0 67	4			0	0	0
April	54·2	30 1	24·1	42 1	67 0	17 9	6	2	7	10	7	10	8	0	10			0 83	5			2	0	0
May	62·6	37 6	25·0	50 1	82 5	26 6	5	5	4	5	6	12	7	6	12			0 89	6			0	0	1
June	78 1	40 6	37·5	59 4	96 0	30 6	5	3	3	5	3	15	8	4	14			1 09	6			1	0	1
July	85·8	48·7	37·1	67 3	100·1	34 5	4	4	1	1	9	9	15	5	14			0 83	7			2	0	3
August	81 2	44·7	36·5	62 9	90 2	37 3	4	0	3	2	5	12	12	5	19			2 20	10			0	0	4
September	67·6	36·2	31·4	51 9	83 9	23 9	7	0	2	8	3	12	4	8	16			0 72	6			0	0	0
October	59·2	27 1	32·1	43·2	73 0	17 7	6	3	1	2	8	5	14	8	15			0 19	3			3	4	0
November	26 9	6·4	20·5	16 7	58 0	—36 4	13	3	6	1	9	4	4	4	16			0 96	5	18·0	9	1	1	0
December	35 8	24 1	11·7	29 9	51 6	2 3	2	0	3	7	7	15	7	4	17			0 83	4	4·0	3	3	3	0
Year	55 4	29 1	26·3	42 3	100·1	36 4	71	23	33	56	93	121	104	62	169			10 18	66	34 0	19	17	9	9

Monthly and Annual Summaries for the Year 1896, French Creek, British Columbia—Latitude, N. 49° 20′; Longitude, W. 124° 36′. Height above Sea, ——

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	40·4	30·1	10·3	51·0	19·0	32·0	35·2	8·63	16	22·0	4	0	0	0	0
February	45·2	32·6	12·6	57·0	26·0	31·0	38·9	4·63	17	3·4	3	0	0	0	0
March	46·5	29·3	17·2	56·0	15·0	41·0	37·9	1·78	9	2·3	1	0	0	0	0
April	52·2	35·1	17·1	65·0	27·0	38·0	43·6	1·58	17	.	.	0	0	0	0
May	58·9	39·6	19·3	71·0	32·0	39·0	49·3	2·61	16	.	.	0	0	0	0
June	66·0	45·2	20·8	82·0	34·0	48·0	55·6	1·03	11	.	.	0	0	0	1
July	75·7	51·4	24·3	88·0	46·0	42·0	63·6	0·08	2	.	.	0	0	0	1
August	74·3	50·4	23·9	85·5	44·0	41·5	62·3	0·31	2	.	.	0	0	0	0
September	65·0	43·1	21·9	80·0	33·0	47·0	54·0	0·51	4	.	.	0	2	0	0
October	55·8	38·3	17·5	64·0	29·0	35·0	47·1	2·12	7	.	.	0	3	0	0
November	38·5	26·8	11·7	50·0	8·0	42·0	32·6	3·82	12	14·0	8	0	0	0	0
December	44·8	36·7	8·1	54·0	26·0	28·0	40·8	6·61	23	.	.	0	2	0	0
Year	55·3	38·2	17·1	88·0	8·0	80·0	46·7	33·76	146	41·7	16	0	7	0	2

Monthly and Annual Summaries for the Year 1896, Garry Point, British Columbia—Latitude, N. 49° 10′; Longitude, W. 123° 10′. Height above Sea, ——

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
February	45·8	35·2	10·6	53·5	23·0	30·5	40·5	4·02	15	4·0	2	0	0	0	0
March	46·4	31·6	14·8	57·5	11·0	46·5	39·0	1·03	7	2·5	1	0	0	0	0
April	52·6	37·2	15·4	60·5	26·0	34·5	44·9	3·11	13	.	.	0	0	0	0
May	58·5	42·7	15·8	66·5	35·0	31·5	50·6	1·83	12	.	.	0	0	0	0
June	65·4	48·3	17·1	78·0	39·0	39·0	56·8	1·45	8	.	.	0	0	0	1
July	71·4	51·4	20·0	79·5	42·0	37·5	61·4	0·00	0	.	.	0	2	0	0
August	69·5	50·6	18·9	75·0	43·0	32·0	60·1	0·23	3	.	.	0	17	0	0
September	61·5	43·9	17·6	68·0	33·0	35·0	52·7	0·92	5	.	.	0	12	0	0
October	55·5	40·6	14·9	65·0	32·0	33·0	48·0	3·50	11	.	.	0	5	0	0
November	39·0	27·0	12·0	52·5	4·5	48·0	33·0	7·31	10	6·5	4	0	0	0	0
December	46·2	37·3	8·9	53·0	23·0	30·0	41·7	7·85	22	.	.	0	1	0	0
Year	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

MONTHLY and Annual Summaries for the Year 1896, Glacier, British Columbia—Latitude, N. 51° 16′; Longitude, W. 117° 28′. Height above Sea, 4,072 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	24·1	10·9	13·2	38·0	18·0	56·0	17·5	0·00	0	133·3	21	0	0	0	0
February	34·6	20·2	14·4	43·0	4·0	39·0	27·4	0·00	0	98·0	22	0	0	0	0
March	32·7	14·5	18·2	48·0	13·0	61·0	23·6	0·00	0	41·5	12	0	0	0	0
April	44·7	24·5	20·2	55·0	8·0	47·0	34·6	0·00	0	26·5	9	0	0	0	0
May	54·8	31·8	23·0	66·0	20·0	46·0	43·3	0·27	2	2·5	3	0	0	0	0
June	65·7	36·6	29·1	80·0	30·0	50·0	51·1	0·88	7			0	0	0	1
July	75·9	45·1	30·8	86·0	40·0	46·0	60·5	0·16	3			0	0	0	0
August	69·9	42·5	27·4	75·0	38·0	37·0	56·3	0·72	6			0	0	0	0
September	60·8	37·4	23·4	74·0	28·0	46·0	49·1	2·15	2			0	0	0	0
October	47·4	31·7	15·7	54·0	23·0	31·0	39·6	0·00	0	4·7	3	0	0	0	0
November	24·4	9·0	15·4	42·0	17·0	59·0	16·7	0·25	1	107·7	15	0	0	0	0
December				36·0	3·0	33·0		0·20	1	100·0	20	0	1	0	0
Year				86·0	18·0	104·0		4·63	22	514·2	105	0	1	0	1

MONTHLY and Annual Summaries for the Year 1896, Griffin Lake, British Columbia—Latitude, N. 55° 56′; Longitude, W. 118° 29′. Height above Sea, 1,517 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	29·3	12·1	17·2	41·0	14·0	55·0	20·7	0·00	0	17·5	4	5	3	0	0
February	38·6	26·6	12·0	45·0	15·0	60·0	32·6	R	0	18·5	6	0	1	0	0
March	42·9	23·0	19·9	56·0	12·0	68·0	33·0	0·00	0	11·5	1	1	0	0	0
April	59·3	32·9	26·4	71·0	25·0	46·0	46·0	0·00	0	5·0	2	0	0	0	0
May	67·4	38·9	28·5	83·0	31·0	52·0	53·1	0·00	0			0	0	0	0
June	77·9	44·5	33·4	103·0	35·0	68·0	61·2					0	0	0	3
July	84·9	49·7	35·2	99·0	41·0	58·0	67·3					0	0	0	1
August	81·2	47·9	33·3	90·0	42·0	48·0	64·5					0	0	0	1
September	67·6	39·0	28·6	79·0	31·0	48·0	53·2					0	0	0	0
October	50·5	36·2	14·3	58·0	29·0	29·0	43·4					2	6	0	0
November	27·5	16·1	11·4	47·0	13·0	60·0	21·8			11·0	5	0	0	0	0
December	39·5	32·2	7·3	45·0	10·0	35·0	35·9		6	0·0	0	1	0	0	0
Year	55·6	33·3	22·3	103·0	15·0	118·0	44·4			63·5	21	9	10	0	5

Monthly and Annual Summaries for the Year 1896, Gravenhurst, Ontario—Latitude, N. 44° 54′; Longitude, W. 79° 20′. Height above Sea, 770 feet.

Month.	Temperature of the Air.									Wind, Direction From								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	8·6	19·1	12·7	13·3	21·8	1·9	19·9	32·0	36·0	8	0	11	26	11	7	9	4	17
February	12·5	21·3	16·7	16·8	25·0	6·1	19·0	45·0	36·0	15	2	7	16	8	2	14	12	11
March	9·2	24·7	17·7	17·3	28·1	5·0	23·1	45·0	16·0	11	3	1	11	9	4	19	9	26
April	40·5	52·2	43·3	44·8	54·6	34·1	20·5	78·2	11·0	4	2	7	19	6	6	17	7	22
May	55·2	67·6	55·8	58·6	70·2	45·6	24·6	81·0	33·0	3	2	12	12	12	8	28	4	12
June	62·4	73·7	61·7	64·9	76·1	51·4	24·7	87·0	38·0	7	3	7	10	9	3	21	7	23
July	65·3	76·4	65·1	67·9	78·4	56·3	22·2	90·0	45·0	10	0	3	12	17	6	11	10	24
August	63·5	75·0	64·0	66·6	78·4	53·9	24·4	90·0	40·0	14	1	4	6	17	6	14	8	23
September	51·1	63·0	53·4	55·2	65·2	45·5	19·8	84·0	24·0	10	3	4	15	9	6	18	8	17
October	37·2	49·8	41·6	42·5	52·2	35·1	17·1	65·0	24·0	14	3	7	15	11	7	9	9	18
November	34·7	39·3	36·1	36·6	43·5	30·2	13·3	60·0	18·0	4	1	6	14	22	13	18	4	8
December	18·0	24·9	21·2	21·3	29·4	13·9	15·5	39·0	13·8	8	2	16	14	16	7	12	4	14
Year	38·2	48·9	40·8	42·1	51·9	31·6	20·3	90·0	36·0	108	22	75	170	147	75	190	86	215

Monthly and Annual Summaries for the Year 1896, Gravenhurst, Ontario—Latitude, N. 44° 54′; Longitude, W. 79° 20′. Height above Sea, 770 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning above.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%	%		%	in.		in.						
January	2	2	2	61	68	55	61	0·40	2	41·5	14	0	3	6	0	0
February	2	3	2	63	57	52	58	0·08	2	24·0	12	0	3	4	0	0
March	2	3	2	45	38	37	40	0·99	4	10·0	4	1	7	6	0	0
April	2	3	1	48	49	34	44	1·05	5	3·0	4	0	4	3	2	2
May	2	3	2	45	41	29	38	2·94	9			0	6	1	1	2
June	1	2	1	30	38	29	32	5·26	8			1	1	0	2	1
July	1	3	1	54	55	40	50	1·74	6			0	1	1	6	0
August	1	3	1	43	34	31	36	2·70	8			0	0	3	6	3
September	1	3	1	50	56	48	51	5·56	11			0	3	2	0	0
October	1	2	2	64	58	40	54	2·04	6	11·0	8	5	2	5	2	0
November	3	3	3	75	75	74	75	2·83	9	16·3	7	0	7	1	1	0
December	2	2	2	65	56	48	56	0·71	4	23·0	9	0	3	2	0	0
Year	20	32	20	54	52	43	50	26·30	74	128·8	58	7	40	34	20	8

MONTHLY and Annual Summaries for the Year 1896, Galt, Ontario—Latitude, N. 43° 23′; Longitude, W. 80° 22′. Height above Sea, 870 feet.

Month.	Temperature.						Wind, Direction from									Amount of Cloud.		Rain.		Snow.				
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.			Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.	Auroras.
																%		in.		in.					
January																									
February																									
March	29·6	11·5	18·0	20·6	54·0	3·0	9	9	11	0	4	10	7	43	0	42	46	50	0·75	1	14·9	11	1	1	2
April	55·9	37·4	18·5	46·6	82·9	15·0	5	1	27	8	4	22	5	18	0	58	53	43	1·69	9	0·8	4	0	2	1
May	72·0	49·7	22·3	60·8	85·0	37·0	8	0	27	0	2	16	14	20	0	33	33	28	3·04	7			1	0	6
June	77·1	51·7	25·4	64·4	87·0	38·0	3	10	24	0	2	22	11	18	0	24	36	18	1·69	8			0	0	6
July	81·2	56·9	24·2	69·0	94·0	43·0	6	3	9	0	12	27	12	21	0	46	52	35	1·63	7			0	0	5
August	80·3	55·5	24·8	67·9	93·9	40·0	10	0	1	0	10	31	11	24	0	28	36	19	2·24	9			0	0	10
September	65·3	44·0	21·2	54·6	86·1	25·0	10	1	18	3	5	13	23	5	0	36	50	34	5·37	9			0	0	1
October	51·5	32·7	18·8	42·1	69·0	24·0	13	3	19	9	1	13	12	15	0	50	49	43	1·18	5	2·0	2	0	0	0
November	45·7	28·7	17·0	37·2	64·0	13·0	5	1	10	1	7	23	29	14	0	67	67	62	1·94	7	3·4	2	0	0	0
December	31·0	17·8	13·2	24·4	49·9	1·0	5	7	11	4	9	15	22	20	0	65	70	56	0·60	0	9·0	4	0	0	0
Year																									

MONTHLY and Annual Summaries for the Year 1896, Gaspé, Quebec—Latitude, N. 48° 50′; Longitude, W. 64° 29′. Height above Sea, ——

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	19·2	3·3	15·9	49·5	11·5	61·0	11·3	0·00	0				0	0	0
February	21·9	3·1	18·8	38·5	21·3	62·8	12·5	0·00	0				0	0	0
March	31·6	12·3	19·3	47·4	11·8	59·2	22·2	0·00	0				0	0	0
April	41·7	23·2	18·5	56·6	1·5	52·1	32·4	0·46	5	36·0	3		0	0	0
May	54·9	35·6	19·3	73·9	20·0	53·9	45·3	1·12	10				1	0	0
June	65·7	45·6	20·1	82·0	37·1	44·9	55·1	2·44	12				0	0	0
July	74·4	53·7	20·7	83·6	45·2	38·4	64·1	2·20	9				0	0	0
August	71·1	49·8	21·3	78·8	39·8	39·0	60·4	0·64	9				0	2	0
September	61·6	42·3	19·3	81·2	28·5	52·7	51·9	3·67	16				0	0	0
October	48·2	35·7	12·5	65·0	24·6	40·4	41·9	6·87	16				0	0	0
November	36·4	19·4	17·0	58·5	1·6	56·9	27·9	R	2		2		0	0	1
December	22·3	4·5	17·8	38·5	15·8	54·3	13·4	0·00	0				0	0	0
Year	45·7	27·4	18·3	83·6	24·3	107·9	36·5	17·40	73				1	2	1

Monthly and Annual Summaries for the Year 1896, Guysboro', Nova Scotia—Latitude, N. 45° 23′; Longitude, W. 61° 29′. Height above Sea, ——.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·5	15·8	12·7	54·6	9·5	64·1	22·1	0·60	3	6·0	2	0	0	0	0
February	28·3	13·2	15·1	43·6	10·7	54·3	20·7	..	....	..	....	0	0	0	0
March	35·4	22·2	13·2	50·7	5·5	45·2	28·8	.	..	.	....	0	0	0	0
April	62·4	28·8	13·6	63·5	21·4	42·1	35·6	0·40	3	..	....	2	0	0	1
May	54·4	26·8	17·6	78·8	28·5	50·3	45·6	1·69	5	.	...	0	1	0	0
June	65·2	47·1	18·1	81·8	36·0	45·8	56·1	3·25	10	..	....	0	0	0	0
July	...	..	...	..	.	...	.	..	.	....	....	....	....	..	.....
August	...		....	.	..	....	....	..	...	..	....	...	...	..	..
September	65·0	47·6	17·4	86·5	35·7	50·8	56·3	5·76	9	..	...	0	0	0	0
October	57·7	42·0	15·7	86·0	27·0	59·0	49·8	9·47	15	...	....	5	0	0	0
November	45·2	30·0	15·2	78·8	13·9	44·9	37·6	3·95	15	3·5	3	0	0	0	0
December	32·1	17·5	14·6	50·1	0·9	51·0	24·8	2·74	4		9	3	0	0	0
Year	..	..	..	....		..	..	.	..	.	..	.		.	....

Monthly and Annual Summaries for the Year 1896, Georgetown, Prince Edward Island.—Latitude, N. 46° 11′; Longitude, W. 62° 35′. Height above Sea, ——.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	26·2	13·0	13·2	49·0	12·0	61·0	19·6	R.	0	12·7	6	....		0	0
February	25·7	9·9	15·8	40·0	15·0	55·0	17·8	0·00	0	14·0	5	.	....	0	0
March	35·4	21·2	14·2	46·0	9·0	37·0	28·3	1·07	2	14·5	3	1	.	0	0
April	44·5	27·9	16·6	62·0	19·0	43·0	36·2	0·55	2	. . .	..	1	...	0	3
May	59·2	39·0	20·2	75·0	29·0	46·0	49·1	0·80	4	. .	...	..	...	0	1
June	68·4	47·8	20·6	82·0	41·0	41·0	58·1	3·05	7	.....	. .	...	.	0	0
July	76·2	58·1	18·1	87·0	47·0	40·0	67·1	3·64	9	...	.	....	..	1	4
August	72·3	56·0	16·3	79·0	47·0	32·0	64·1	1·88	5	....	...	. .	3	3	3
September	66·2	48·8	17·4	85·0	40·0	45·0	57·5	4·13	6		...	...	1	0	0
October	56·8	44·1	12·7	67·0	34·0	33·0	50·4	7·95	10	..	. .	2	0	0	0
November	41·4	27·8	13·6	60·0	11·0	49·0	34·6	0·72	2	4·7	2	...	1	0	0
December	30·7	16·0	14·7	47·0	1·0	18·0	23·3	1·31	2	7·0	2	2	1	0	0
Year	50·2	34·1	16·1	87·0	15·0	102·0	42·2	25·10	49	52·9	18	...	.	4	11

MONTHLY and Annual Summaries for the Year 1896, Hazlemere, British Columbia —Latitude, N. 49° 3′: Longitude, W. 122° 10′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	44·0	29·6	14·4	57·0	10·0	47·0	36·8	6·17	11	8·0	4	4	1	0	0
February	49·1	34·2	14·9	60·0	24·0	36·0	41·7	1·87	17	1·0	1	1	0	0	0
March	53·1	29·7	23·4	67·0	15·0	52·0	41·4	1·16	7	4·7	3	0	0	0	0
April	59·0	35·9	23·1	69·0	23·0	46·0	47·4	4·35	18			0	0	0	0
May	62·4	39·9	22·5	79·0	30·0	49·0	51·2	2·87	16			0	0	0	0
June	71·0	44·2	26·8	89·0	31·0	58·0	57·6	2·14	8			0	0	0	1
July	78·4	45·4	33·0	86·0	36·0	50·0	61·9	0·00	0			0	0	0	1
August	74·1	47·1	27·0	87·0	39·0	48·0	60·6	0·81	6			0	4	0	0
September	67·8	41·7	26·1	82·0	34·0	48·0	54·7	1·18	5			0	14	0	0
October	61·1	39·9	21·2	72·0	27·0	45·0	50·5	3·61	12			0	12	0	0
November	40·9	25·4	15·5	55·0	−3·0	58·0	33·2	8·21	11	4·2	3	0	0	0	1
December	46·3	37·0	9·3	55·0	18·0	37·0	41·6	10·27	22			0	0	0	0
Year	58·9	37·5	21·4	89·0	−3·0	92·0	48·2	45·64	133	17·9	11	5	31	0	3

MONTHLY and Annual Summaries for the Year 1896, Henrietta, N. W. T.—Latitude, N. 51° 22′: Longitude, W. 108° 30′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	1·2	17·8	19·0	36·4	41·4	77·8	8·4	0·00	0	1·5	5	7		2	0
February	21·0	2·7	23·7	47·9	35·2	83·1	9·2	0·00	0		3	7		3	0
March	22·6	1·6	24·2	42·0	20·1	62·3	10·5	0·00	0	7·0	6	3		7	0
April	43·5	25·8	17·7	69·0	9·9	59·1	34·6	0·00	0	16·5	7	7		6	0
May	58·6	39·1	19·5	73·8	31·4	42·4	48·9	3·09	14			1		2	0
June	70·6	47·9	22·7	89·2	37·9	51·3	59·2	2·80	10			2		0	3
July	78·9	52·0	26·9	96·2	35·1	61·1	65·4	2·01	6			3		0	2
August	71·6	46·5	25·1	81·6	35·1	46·5	59·0	2·68	9			1		0	2
September															
October	52·1	24·3	27·8	74·0	5·6	68·4	38·2	0·00	0			4		2	0
November	6·5	15·7	22·2	40·0	45·4	85·4	4·6	0·00	0	28·0	7	5		1	0
December	17·3	4·6	21·9	43·0	8·8	51·8	6·4	0·00	0	3·0	2	5		1	0
Year															

MONTHLY and ANNUAL SUMMARIES for the Year 1896, Hillview, Manitoba—Latitude, N. 49° 54′; Longitude, W. 100° 36′. Height above Sea, ——

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									Force of Wind.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	11 0	0 3	8 0	5 8	31 0	45 0	4	8	28	2	2	7	10	32	0		0 00	0	26 0	8	7	0	0
February	1 5	12 9	1 8	4 0	40 0	30 0	8	5	8	2	6	23	9	26	0		0 00	0	4·1	1	7	1	0
March	0 0	19 6	7 6	9 7	43 0	33·0	11	7	18	1	12	8	15	18	0		0 20	1	15 5	7	6	0	0
April	27 1	42 1	32 8	31·4	71 0	6 0	10	9	24	13	3	3	4	24	0		1 69	4	16 5	6	4	0	1
May	13 6	62 9	50 6	53·0	73 0	31 0	8	7	17	17	9	4	13	18	0		3 84	14	.	.	4	0	7
June	53 5	72·1	58·6	61 2	86 0	43·0	1	4	13	15	10	5	14	26	2		3 84	13	.		4	1	5
July	55 9	74 2	60 1	63·0	86 0	40 0	8	9	6	13	11	10	6	27	3		3 49	8	.	.	2	1	6
August	49 3	71 7	56 9	58 8	85 0	32 0	2	3	6	10	6	10	21	34	1		2 08	9	.	.	4	0	4
September	39 7	60 8	47·0	48 9	81·0	20·0	10	6	5	7	6	15	7	30	1		0 92	6	.	.	5	0	0
October	25 7	50 4	33 6	36 6	74·0	6 0	13	11	4	3	7	11	7	37	0		0 00	0	3 5	3	2	0	1
November	3·0	6 7	2 3	1 9	31·0	40·0	3	8	16	5	1	0	12	45	0		0 00	0	30·0	8	5	0	0
December	2·1	14·0	8 7	7 1	35·0	35 0	2	4	14	7	3	18	9	33	3		0 00	0	17·0	7	5	2	0
Year	21 7	40 6	29 6	31·1	86 0	43·0	80	84	159	98	76	114	127	350	13		16 06	55	112·6	10	55	5	24

MONTHLY and ANNUAL SUMMARIES for the Year 1896, Heron Bay, Ontario—Latitude, N. 48° 19′; Longitude, W. 87° 10′. Height above Sea, ——

MONTH	TEMPERATURE.						WIND, DIRECTION FROM									Force of Wind.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	4 6	11 3	7·1	7 5	35 0	42·0											1 00	1	41·0	11	6	0	0
February	3 5	16 6	12 8	11·4	45 0	38 0											0 00	0	10 0	4	1	0	0
March	9 8	21·9	17·9	16 8	45 0	22·0											0 00	0	15 0	7	2	0	0
April	35 3	45 3	39 0	39 6	55 0	18 0											1 00	1	8 0	2	1	0	0
May	50 5	65 4	55 0	56 5	80·0	43·0											2 00	4	.	.	1	0	0
June	56 2	61 7	53 5	54 7	72·0	40 0											2 30	6	.		0	0	0
July	52 2	70·6	55·3	58 4	90 0	35 0											1 00	6			0	0	0
August	50 4	63 4	51 6	55 8	75·0	42 0											1 57	6			2	0	0
September	39 4	56 6	45·9	46·9	68·0	30·0											1 10	4	1·0	1	3	0	0
October	31·3	40 8	35 9	36·1	65·0	25·0											0 20	2	2·0	2	6	0	0
November	16·7	21 4	19 1	19·2	40 0	10 0	69	0	1	0	11	0	6	0	0		0 60	1	21·5	12	1	0	0
December	1 7	7·5	8 4	6 5	30 0	25·0	62	0	2	0	21	0	8	0	0		0 00	0	9 0	6	2	0	0
Year	28 8	40 2	33·7	34·1	90·0	42 0											10·77	37	107·5	45	19	0	0

MONTHLY and Annual Summaries for the Year 1896, Haliburton, Ontario—Latitude, N. 45° 1′; Longitude, W. 78° 28′. Height above Sea, — —

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Calms.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	21·2	2·8	18·4	31·0	38·0	69·0	12·0	0·10	1	16·0	10	0	0	1	0
February	23·6	5·3	18·3	50·0	38·0	88·0	14·5	0·15	1	16·3	11	0	0	0	
March	29·9	4·3	25·6	49·0	20·0	69·0	17·1	0·20	2	12·5	7	1	0	1	0
April	57·2	31·5	25·7	81·0	6·0	75·0	14·3	1·54	11	3·0	3	0	1	0	1
May	70·8	44·7	26·1	87·0	31·0	56·0	57·8	1·88	12	. . .	. .	2	0	0	1
June	75·8	49·0	26·8	90·0	36·0	54·0	62·4	4·59	7	. .		0	0	0	1
July	78·1	54·2	23·9	89·0	43·0	46·0	66·1	1·56	12		. . .	0	0	0	3
August	78·0	52·1	25·9	91·0	39·0	52·0	65·0	5·17	14			0	0	1	0
September	64·6	43·1	21·5	85·0	22·0	63·0	53·8	5·35	13		.	0	0	0	0
October	50·6	33·7	16·9	66·0	20·0	46·0	42·1	2·23	5	5·3	7	0	0	0	1
November	40·3	29·3	11·1	58·0	10·0	48·0	34·8	1·09	11	5·7	10	0	0	0	1
December	26·2	11·1	14·8	37·0	23·0	60·0	18·8	0·01	1	14·0	9	0	0	2	0
Year	51·1	30·1	21·3	91·0	38·0	129·0	40·7	26·87	90	72·8	60	3	1	5	9

MONTHLY and Annual Summaries for the Year 1896, Heath Point, Anticosti, Que. Latitude, N. 49° 6′; Longitude, W. 61° 42′. Height above Sea, ——.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								FORCE OF WIND.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Calm.	Fogs.	Thunder.
																	in.		in.				
January	10·3	13·1	10·7	11·2	26·0	15·0	51	7	18	8	0	0	3	6	0	. .	00·0	0	*	7	2	0	
February	11·7	14·9	12·7	13·0	34·0	17·0	34	10	12	0	3	6	7	15	0	. . .	R	1		4	0	0	
March	18·3	22·1	18·3	19·3	33·0	9·0	22	0	20	3	11	5	28	4	0	. . .	R	3	*	5	5	1	
April	25·7	29·7	25·6	26·7	38·0	15·0	36	0	21	0	0	0	28	5	0	. . .	0·00	0		2	3	0	
May	34·8	38·7	35·5	36·1	46·0	15·0	33	0	6	0	16	0	38	0	0	. . .	R	1	. . .	. .	2	4	
June	48·8	52·1	48·9	49·7	62·0	39·0	25	0	12	0	26	3	24	0	0	. .	0·52	1			1	7	
July	58·9	61·8	59·6	59·9	67·0	54·0	20	0	0	0	11	1	55	3	0	. .	0·00	0	.		1	5	
August	54·5	57·8	55·3	55·7	62·0	50·0	23	0	2	0	12	5	16	5	0	.	0·84	1			0	3	
September	47·9	50·7	48·7	49·0	60·0	35·0	10	1	11	0	13	3	50	2	0		R	2	.		3	6	
October	38·8	40·7	39·2	39·5	50·0	30·0	2	3	19	10	13	7	28	11	0	. .	1·37	4			1	3	
November	24·7	27·1	24·2	25·0	40·0	10·0	8	4	3	0	19	7	20	29	0	. . .	0·12	1		7	1	0	
December	12·0	15·1	13·0	13·3	27·0	0·0	1	0	0	0	14	13	9	56	0	. .	0·00	0	*	1	0	0	
Year	32·2	35·3	32·6	33·2	67·0	17·0	265	25	124	21	138	53	336	136	0		2·85	14	*	29	22	29	

MONTHLY and Annual Summaries for the Year 1896, Indian Head, N. W. T.—Latitude, N. 50° 28′; Longitude, W. 103° 40′. Height above Sea, 1924 feet.

MONTH.	TEMPERATURE.						WIND. DIRECTION FROM									RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Force of Wind.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	2·3	6·5	2·0	1·3	42·0	38·0	3	6	14	6	22	3	12	27	0		0·00	0	0·0	0			
February	9·5	18·4	9·2	11·5	47·0	30·0	2	5	4	3	22	7	13	31	0		0·06	0	0·5	1			
March	12·4	23·1	12·9	13·1	47·0	20·0	1	12	5	13	11	2	18	31	0		0·00	0	0·0	0			
April	43·6	42·5	33·4	34·6	68·0	8·0	9	13	5	15	11	4	5	28	0		0·15	1	16·0	1			
May	16·8	61·2	50·0	50·7	75·0	20·0	1	5	14	7	12	1	23	30	0		2·83	7					
June	61·3	72·2	63·9	61·1	92·0	39·0	4	10	10	5	12	2	16	31	0		4·32	8					
July	63·8	78·0	61·2	64·1	94·5	35·0	10	8	4	7	9	2	11	39	0		1·90	5					
August	58·3	71·4	58·5	58·9	90·0	31·5	5	6	9	0	5	0	19	49	0		1·39	5					
September	45·1	60·6	46·7	48·5	82·0	24·0	7	9	6	0	3	7	9	49	0		0·60	2					
October	32·2	49·7	31·1	36·6	80·0	4·0	9	8	1	2	10	4	13	46	0		0·00	0					
November	1·8	8·8	0·8	0·2	34·0	38·0	3	7	11	12	2	1	14	40	0		0·00	0	14·0	6			
December	8·1	1·8	1·3	11·6	45·0	33·0	1	0	3	1	17	11	28	29	0		0·00	0	1·5	2			
Year	30·0	41·2	30·7	32·3	94·5	38·0	58	89	86	71	136	44	184	430	0		11·19	28	32·0	10			

MONTHLY and Annual Summaries for the Year 1896, Kootenay Reclamation Works, British Columbia—Latitude, N. 49° 20′; Longitude, W. 117° 0′. Height above Sea,——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	35·3	13·6	21·7	57·0	20·0	77·0	24·4								
February	44·7	20·5	24·2	55·0	3·0	58·0	32·6					4	0	0	0
March	47·4	21·1	26·3	60·0	14·0	74·0	34·3	0·50	8	8·6	3	4	1	0	0
April	60·0	31·8	28·2	77·0	14·0	63·0	45·9	1·49	9		1	2	0	0	0
May	67·8	39·4	28·4	90·0	30·0	60·0	53·6	0·53	9			3	0	0	0
June	76·4	46·5	29·9	89·0	38·0	51·0	61·4	1·35	6			7	0	0	2
July	81·0	63·8	17·2	89·0	51·0	38·0	72·4	0·19	2			7	0	0	0
August	75·6	52·5	23·1	82·0	49·0	33·0	64·0	0·29	7			1	0	0	3
September	66·7	42·5	24·2	77·0	32·0	45·0	54·6	0·67	7			3	0	0	0
October	57·7	34·4	23·3	73·0	28·0	45·0	46·0	1·21	5			1	0	0	0
November	38·3	18·7	19·6	53·0	16·0	69·0	28·5	2·91	9	44·5	11	6	1	0	0
December	39·5	29·1	10·4	53·0	10·0	43·0	34·3	1·44	8	25·5	8	2	0	0	0
Year	57·5	34·5	23·0	90·0	20·0	110·0	46·0								

MONTHLY and Annual Summaries for the Year 1896, Isle aux Morts, Nfld. Latitude, N. 47° 34′; Longitude, W. 59° 1′. Height above Sea, 50 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM.								
	8 a.m.	1 p.m.	6 p.m.	Mean.	Mean max.	Mean min.	Mean daily range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January																		
February																		
March	27·0	29·3	29·1	28·8	34·7	22·9	11·8	49·5	7·5	2	7	5	30	4	5	28	12	0
April	31·3	36·1	35·4	33·4	40·3	26·4	13·9	45·5	16·5	16	18	11	17	4	3	23	4	0
May	39·3	42·9	42·8	40·4	47·1	33·8	13·3	56·0	25·5	9	10	1	38	3	4	26	2	0
June	48·1	53·4	52·9	51·3	58·4	44·2	14·2	68·0	39·0	2	1	1	37	10	4	31	4	0
July	55·7	58·3	58·7	57·7	64·7	50·7	14·0	75·0	43·0	5	3	13	33	1	9	25	4	0
August	58·1	61·2	61·2	59·0	65·3	52·8	12·5	75·0	45·0	5	0	8	23	21	8	20	3	2
September	51·8	56·1	54·4	52·4	58·5	46·3	12·2	67·0	36·0	6	4	14	14	3	12	28	5	4
October	45·0	48·8	46·8	46·0	50·3	41·8	8·5	58·0	30·0	8	3	26	22	4	3	21	1	2
November	33·7	36·0	35·1	34·8	40·3	29·3	11·0	52·0	15·0	6	8	14	1	2	7	36	13	0
December	24·3	25·6	24·7	24·4	29·9	18·8	11·1	41·0	9·0	15	7	9	3	0	12	35	12	0
Year																		

MONTHLY and Annual Summaries for the Year 1896, Isle aux Morts, Nfld.—Latitude, N. 47° 34′; Longitude, W. 59° 1′. Height above Sea, 50 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	8 a.m.	1 p.m.	6 p.m.	8 a.m.	1 p.m.	6 p.m.	Mean.	Amount.	Days.	Amount.	Days.	No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning alone.
								in.		in.						
January																
February																
March	3·9	4·2	3·9	63	60	67	63	5·03	10	5·0	3	1	14	0	0	0
April	2·8	3·0	3·4	44	42	45	44	1·54	4	5·0	4	1	9	0	1	0
May	2·2	2·5	2·6	55	56	55	55	5·38	9			6	4	0	0	0
June	1·7	2·0	1·9	60	54	63	59	4·62	11			10	0	0	0	0
July	1·7	1·9	1·6	67	59	56	61	7·54	10			15	2	0	0	0
August	1·4	1·8	1·7	60	55	54	56	3·00	8			10	4	0	0	0
September	1·8	2·1	2·0	57	57	58	57	4·65	9			7	3	0	1	0
October	2·3	2·5	2·3	68	70	75	71	10·14	14			6	3	1	1	0
November	2·5	2·9	3·0	74	70	74	73	5·81	11	5·0	6	0	3	0	0	0
December	3·0	3·2	3·2	71	73	79	74	3·10	6	9·5	8	1	3	0	0	0
Year																

Monthly and Annual Summaries for the Year 1896, Kaslo, British Columbia—Latitude, N. 49° 56′; Longitude, W. 117° 0′. Height above Sea, ——

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	31·9	24·3	7·6	44·0	3·0	41·0	28·1	2·19	6	36·7	8	5	0	0	0
February	35·1	29·1	6·0	46·0	19·0	27·0	32·1	1·69	8	9·7	6	3	0	0	0
March	39·1	26·4	12·7	56·0	2·0	54·0	32·7	0·54	3	2·3	2	4	0	0	
April	51·2	35·4	15·8	62·0	24·0	38·0	43·3	1·78	9	.	...	6	0	0	
May	60·5	42·2	18·3	75·0	33·0	42·0	51·4	1·16	8	.	...	7	0	0	
June	69·8	44·0	25·8	81·0	44·0	37·0	59·5	1·31	6	....	..	2	0	0	0
July	77·2	57·4	19·8	90·0	47·0	43·0	67·3	0·51	3	. .	....	2	0	0	0
August	71·6	55·6	16·0	75·0	49·0	26·0	63·6	1·20	6	.	. .	2	0	0	1
September	58·6	45·8	12·8	73·0	39·0	34·0	52·2	1·13	8	..	...	0	0	0	0
October	52·3	39·5	12·8	65·0	34·0	31·0	45·9	1·22	5	....	..	0	0	0	0
November	34·1	21·8	9·3	44·0	0·0	44·0	26·5	0·67	2	34·7	6	1	0	0	0
December	31·2	27·8	6·4	46·0	15·0	31·0	31·0	1·85	5	16·6	7	0	0	0	0
Year	51·0	37·4	13·6	90·0	0·0	90·0	44·5	15·25	69	100·0	29	32	0	0	1

Monthly and Annual Summaries for the Year 1896, Knechill, North-west Territories—Latitude, ; Longitude, Height above Sea, .

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	..	...	.				.	.....	...	.	...	.	..	....	.
February	.		.	..			.	. ..	....	..	.	.	.	..	.
March				.	.		.	. .	..	..	....	..	.	....	...
April	.	..				....	.	. .	...	....	..	.		.	.
May	.		.		.	..	....	.	..	....	..	.			...
June	.	.	.		....	.	.	. .	...	.	.	....	.	.	
July	.					..	.	.	..	.	.		....		
August	.....	...	.....	.		..	....	.	.	.	.	.	....		
September	..	.					....	. .	...	..	.	.	.	....	.
October				.	.		.	.	.	. .	.	.		.	....
November	7·6	10·3	17·9	41·0	12·0	83·0	0·9	0·00	0	21·7	17	.		..	
December	28·5	10·8	17·7	44·0	13·0	57·0	19·7	0·00	0	0·8	4			. .	..
Year	..	..	.		.	.	. .		.	....	.	...		. .	. .

MONTHLY and Annual Summaries for the Year 1896, Loch Erroch, British Columbia—Latitude, N. 49° 13′; Longitude, W. 121° 59′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	39·3	30·1	9·2	56·0	14·0	42·0	34·7	12·09	17	24·0	2	4	0	0	0
February	47·2	36·7	10·5	57·0	24·0	33·0	42·0	15·46	21	4·0	1	1	0	0	0
March	49·0	33·5	15·5	63·0	19·0	44·0	41·3	5·25	14		2	0	0	1	1
April	55·1	38·7	16·4	67·0	31·0	36·0	46·9	6·43	17			0	0	0	0
May	66·0	45·7	20·3	85·0	38·0	47·0	55·8	3·78	21			0	0	0	0
June	72·9	48·7	24·2	90·0	40·0	50·0	60·8	4·32	9			0	0	0	2
July	80·6	52·1	28·5	89·0	40·0	49·0	66·4	0·09	0			1	1	0	1
August	75·5	51·5	24·0	87·0	42·0	45·0	63·5	0·14	1			0	0	0	0
September	68·7	48·1	20·6	86·0	39·0	47·0	58·4	0·23	3			1	6	0	1
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1896, Lakefield, Ontario—Latitude N. 44° 25′; Longitude, W. 78° 15′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	20·4	4·0	16·4	33·5	23·0	56·5	12·2	0·37	1	19·5	9	0	0	0	0
February	23·0	5·2	17·8	44·5	28·0	72·5	14·1	0·36	4	48·0	14	4	1	0	0
March	26·4	7·8	18·6	44·5	8·5	53·0	17·1	1·23	5	13·0	5	4	0	0	0
April	52·8	34·9	17·9	78·0	10·0	68·0	43·9	1·53	7	4·0	2	1	0	0	1
May	71·3	49·2	22·1	84·0	39·5	44·5	60·2	1·16	9			5	0	0	2
June	76·1	54·1	22·0	88·0	45·0	43·0	65·1	2·95	9			1	0	0	5
July	79·3	58·1	21·2	90·5	49·0	41·5	68·7	1·23	14			0	0	0	1
August	81·3	57·2	24·1	94·5	44·5	50·0	69·3	1·35	11			0	0	0	3
September	65·8	47·2	18·6	88·0	28·0	60·0	56·5	5·00	12			1	0	0	1
October	50·2	35·4	14·8	64·0	27·5	36·5	42·8	1·80	9	2·5	6	1	0	0	1
November	45·2	29·4	15·8	59·5	11·5	48·0	37·3	2·64	11	2·7	3	2	0	0	0
December	27·9	13·8	14·1	41·0	12·0	53·0	20·8	0·41	3	5·5	7	0	0	0	0
Year	51·6	33·0	18·6	94·5	28·0	122·5	42·3	20·03	95	95·2	46	19	1	0	17

MONTHLY and Annual Summaries for the Year 1896, Lucknow, Ontario.—Latitude, N. 43° 56′; Longitude, W. 81° 30′. Height above Sea, .

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°							in.		in.					
January	27·2	14·9	12 3	35 9	14 9	50 8	21·1	0 36	3	24 3	18	0	0	1	0
February	28 7	13 7	15 0	45 0	14·0	59·0	21 2	0 57	5	20 5	19	0	2	1	0
March	31 5	13·3	18 2	52·0	0·0	52 0	22 4	0 71	3	6 6	17	0	2	4	0
April	57 8	38 3	19 5	83 5	14 8	68 7	48 1	2·00	12	1 9	4	1	3	1	3
May	73 3	49 2	24 1	84 8	33 9	50 9	61 3	1 47	10	.	. .	3	1	0	1
June	78 4	51·1	27 3	90 9	34 9	56 0	64 8	2 01	7	..	. .	0	2	0	2
July	80·5	56 7	23 8	93·5	39 9	53 6	68 6	1 59	9		.	0	0	0	1
August	79·0	55 7	23 3	94 9	36 5	58·4	67 4	4 59	12	..	....	0	1	0	9
September	66 7	46 8	19 9	85·0	25·9	59 1	56 7	5 16	16	.	....	1	1	1	3
October	53 9	35 2	18 7	74 9	24·7	50·2	44 5	1·98	9		3	0	0	2	0
November	45 4	30·5	14·9	64 2	15 2	49 0	38 0	3 34	12	14 0	8	1	0	0	1
December	33 1	22 1	11·0	54·0	5·0	49 0	27 6	0 39	3	16 5	13	0	0	0	0
Year	54 6	35 6	19 0	94 9	14·9	109 8	45 1	24 17	101	83 8	82	6	12	10	20

MONTHLY and Annual Summaries for the Year 1896, Mission Valley, British Columbia.—Latitude, N. 49° 51′; Longitude, W. 119° 33′. Height above Sea, 1,200 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	30·0	14·1	15 9	46·0	10·0	56 0	22 1	0·38	4	10·2	11				
February	40 1	19 9	20 2	55·0	1·0	54·0	30 0	0 00	0	13·0	4	..	..	....	
March	46 9	18 1	28 8	65·0	6·0	71·0	32 5	0 01	1	1·0	2	....			
April	56 7	28 3	28 4	67·0	14·0	53 0	42 5	0 50	7		1	.			
May	63 4	35·7	27·7	80 0	25·0	55·0	49 5	1 52	11		..	....	.	....	....
June	76 2	10 2	36 0	94·0	29·0	65·0	58 2	0 93	4		..		. .	....	....
July	83 4	46 6	36 8	98 0	38·0	60 0	65 0	0 22	2	..	..	....	..	.	.
August	79 4	45·0	34 4	85·0	33 0	52 0	62·2	0 51	5	.	..	....	..	.	....
September	67 8	34 1	33 7	81·0	23 0	58 0	51 0	0 15	2	.	..	....	....	....	....
October	54 6	30·5	24·1	74·0	19 0	55·0	42 5	0 65	7	.	..	. .	....	....	..
November	27 7	13·7	14·0	50 0	17 0	67 0	20·7	0 37	6	11 5	7	..	. .	....	....
December	32 6	24 6	8 0	44 0	14·0	30·0	28 6	0 28	7	25 0	10	..	....	....	....
Year	54 9	29 2	25 7	98·0	17 0	115·0	42 1	5 52	56	60 7	35	..	.	....	....

MONTHLY and Annual Summaries for the Year 1896, Midway, B.C.—Latitude, N. 49° 0′; Longitude, W. 118° 46′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder-Storms.
								in.		in.					
January	31·8	17·4	14·4	49·0	13·0	62·0	24·6	0·52	3	12·7	8				
February	41·3	17·9	23·4	53.0	4·0	57·0	29·6	0·07	2	2·7	2				
March	49·5	20·8	28·7	64·5	3·0	67·0	35·1	0·07	2	0·4	1				
April	55·8	29·8	26·0	76·0	15·0	61·0	42·8	1·18	7						
May	62·8	35·8	27·0	85·0	25·0	60·0	49·3	3·06	17						
June	77·1	40·6	37·3	98·0	31·0	67·0	59·2	0·62	5						
July	89·9	48·8	41·1	99·5	37·0	62·5	69·4	0·00	0						
August	84·8	44·0	40·8	96·0	35·0	61·0	64·4	0·32	1						
September	73·2	35·4	37·8	91·0	23·0	68·0	54·3	1·05	4						
October	62·2	27·0	35·2	71·0	21·0	50·0	44·6	0·42	3						
November	34·9	13·0	21·9	64·5	31·0	95·5	23·9	0·00	0	10·0	7				
December	35·2	20·0	15·2	47·0	0·0	47·0	27·6	0·20	1	14·0	3				
Year	58·3	29·2	29·1	99·5	31·0	130·5	43·7	7·51	45	39·8	21				

MONTHLY and Annual Summaries for the year 1896, Macleod, North-west Territories—Latitude, N. 49° 44′; Longitude, W. 113° 24′. Height above Sea, ——

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									Force of Wind.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	5 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	8·6	17·8	15·8	13·0	26·9	1·0	18	7	3	16	7	6	31	5	0		0·00	0	1·5	2	0	0	0
February	27·4	36·8	34·2	31·1	61·0	17·0	7	0	3	4	6	0	56	11	0		0·00	0	5·3	5	0	0	0
March	17·7	33·0	29·8	24·8	60·0	31·0	25	2	6	8	3	2	36	11	0		0·00	0	7·0	4	0	0	0
April	29·3	47·9	46·9	39·5	71·0	8·0	19	2	2	4	10	3	38	12	0		0·00	0	4·0	1	0	0	0
May	41·4	56·2	56·2	48·2	74·0	30·0	17	5	2	6	5	3	37	18	0		2·74	12		2	0	0	1
June	50·1	72·2	72·3	62·2	98·0	34·0	6	2	2	6	10	4	51	9	0		0·48	3			0	0	1
July	55·5	79·4	78·9	69·6	102·0	41·0	10	7	4	7	9	5	36	15	0		1·27	6			0	0	1
August	51·0	73·6	73·2	63·9	89·0	41·0	13	8	4	8	6	7	35	12	0		1·99	7			0	0	1
September	42·9	59·9	59·4	52·2	89·0	29·0	20	10	3	5	6	6	32	8	0		2·23	8			1	0	0
October	35·9	57·8	55·2	47·3	77·0	19·0	9	5	9	11	7	4	42	6	0		0·24	2	2·0	1	1	0	0
November	1·2	9·6	5·0	4·7	54·0	33·0	24	5	4	10	10	3	25	9	0		0·00	0	17·0	6	3	0	0
December	31·6	37·4	34·7	33·0	63·0	22·0	6	3	6	5	5	5	52	11	0		0·00	0	1·0	1	0	0	0
Year	32·7	48·5	46·8	40·8	102·0	33·0	174	56	48	90	84	18	471	127	0		8·95	38	37·8	25	17	0	1

MONTHLY and Annual Summaries for the Year 1896, Moose Jaw, N. W. T.—Latitude, N. 50° 21′; Longitude, W. 105° 35′. Height above Sea, 1,745 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	5·7	7·7	13·4	41·5	32·5	77·0	1·0	0·00	0			10	0	0	0
February	21·3	5·1	16·2	48·0	29·0	77·0	13·2	0·00	0	..		10	1	3	0
March	23·7	4·9	18·8	48·0	29·1	68·1	14·3	0·00	0			6	0	2	0
April	46·5	26·6	19·9	67·0	15·0	52·0	36·5	1·03	2	12·0	5	13	0	3	2
May	60·2	40·5	19·7	76·0	30·5	45·5	50·3	2·78	12			9	0	2	2
June	72·7	47·8	24·9	95·5	37·0	58·5	60·3	2·64	8			5	0	0	4
July	78·8	50·5	28·3	96·0	32·0	64·0	64·7	1·24	8			7	0	1	7
August	72·2	45·8	26·4	92·0	33·0	59·0	59·0	1·66	5			14	0	5	5
September	63·2	37·0	26·2	82·0	23·0	59·0	50·1	0·52	3			5	0	5	0
October	53·9	25·2	28·7	82·0	6·0	76·0	39·5	0·00	0	..		6	0	4	0
November	6·1	8·0	14·1	38·0	4·2	80·0	1·0	0·00	0			1	0	0	0
December	23·6	4·2	19·4	45·0	33·0	78·0	13·9	0·00	0			5	1	1	0
Year	44·0	22·7	21·3	96·0	42·0	138·0	33·3	9·87	38	12·0	5	91	2	26	20

MONTHLY and Annual Summaries for the Year 1896, Millbrook, Ontario—Latitude, N. 44° 8′; Longitude, W. 7° 32′. Height above Sea,——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	22·0	4·4	17·6	35·0	21·0	56·0	13·2								
February	27·4	4·4	23·0	49·0	38·0	87·0	15·9								
March	30·7	8·5	22·2	54·0	12·0	66·0	19·6	0·30	2	13·5	5				
April	57·1	36·1	21·3	82·0	11·5	70·5	46·8	0·93		3·0					
May	72·1	47·8	24·3	87·0	35·5	51·5	59·9	2·16							
June	76·2	51·9	24·3	86·5	40·0	46·5	64·1	1·84	7						
July	80·2	56·5	23·7	89·5	44·5	45·0	68·1	2·29	7						
August															
September	67·8	42·1	25·7	87·0	23·0	64·0	54·9								
October	52·9	31·4	21·5	67·5	24·0	43·5	42·2								
November	41·6	25·9	18·7	60·0	11·0	49·0	33·3								
December	31·3	14·4	16·9	47·0	10·0	57·0	22·9								
Year															

MONTHLY and Annual Summaries for the Year 1896, Mattawa, Ontario—Latitude, N. 46° 15′; Longitude, 78° 41′. Height above Sea, ——

Month.	Temperature.								Rain		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
									in.		in.					
January	18·3	3·8	22·1	33·0	40·0	73·0	7·3		0·00	0	23·5	11				
February	21·1	3·8	24·9	38·0	40·0	78·0	8·7		0·00	0	11·0	4				
March	27·1	0·7	27·8	44·0	27·5	71·5	13·2		0·00	0	15·5	5				
April	58·5	30·7	27·8	85·5	10·0	75·5	44·6		0·00	0	10·0	5				
May	70·2	41·6	28·6	91·5	30·0	61·5	55·9		0·63	8						
June	78·7	47·3	31·4	89·0	30·0	59·0	63·0		2·94	5						
July	78·0	52·6	25·4	90·0	45·0	45·0	65·3		3·99	8						
August	77·4	49·5	27·9	92·5	36·0	56·5	63·4		4·05	8						
September	65·2	40·5	24·7	83·0	20·0	63·0	52·8		4·56	5						
October	52·9	29·0	23·9	62·0	18·0	44·0	40·9		2·45	2	3·5	1				
November	39·4	22·7	16·7	60·0	2·0	58·0	31·1		3·08	5	11·4	9				
December	22·4	5·2	17·2	13·0	17·0	60·0	13·8		0·00	0	3·0	3				
Year	50·8	25·9	24·9	92·5	40·0	132·5	38·3		21·70	11	77·9	11				

MONTHLY and Annual Summaries for the Year 1896, Missanabie, Ontario—Latitude, N. 48° 21′; Longitude, W. 83° 28′. Height above Sea ——.

Month.	Temperature.						Wind, Direction from								Force of Wind.		Rain.		Snow.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.			Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																		in.		in.				
January	2·0	12·1	3·1	5·1	34·0	45·0	20	2	15	3	26	3	15	9	0			0·00	0	27·5	11	1	1	0
February	3·1	15·6	9·6	7·9	48·0	38·0	6	2	4	5	36	3	31	0	0			0·00	0	5·5	4	7	0	0
March	6·4	18·6	5·9	6·0	41·0	35·0	10	0	6	0	29	6	33	9	0			0·30	1	7·0	4	3	0	0
April	29·8	46·8	36·0	37·2	60·0	5·0	8	0	22	2	33	8	13	4	0			2·00	8	7·0	3	0	0	0
May																								
June	58·3	76·4	60·0	63·7	92·0	40·0	10	3	4	3	17	6	8	3	36			0·70	3			2	0	0
July	52·1	77·1	56·7	60·6	92·0	35·0	13	0	0	1	28	17	28	6	0			1·20	8			3	0	0
August	46·1	72·1	53·1	56·1	90·0	35·0	0	0	0	2	43	22	24	2	0			2·60	12			9	0	0
September	44·9	56·2	42·6	44·9	69·0	25·0	6	0	5	1	38	14	17	3	0			1·10	4	2·0	1	7	0	0
October	26·3	41·1	32·8	33·2	59·0	12·0												1·60	4	5·5	5	0	0	0
November	14·0	25·1	20·4	20·0	45·0	25·0	30	7	8	5	18	6	11	5	0			1·60	3	33·5	15	2	0	0
December	1·1	14·1	6·2	6·9																				
Year																								

Monthly and Annual Summaries for the Year 1896, New Westminster, British Columbia – Latitude, N. 49° 13′: Longitude, W. 122° 54′. Height above Sea, 33 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	41·7	33·4	8·3	53·0	11·0	42·0	37·6	11·81	15	6·0	1	1	0	...	...
February	45·9	36·6	9·3	55·5	26·0	29·5	41·2	5·25	10	21·3	2	0	0	...	...
March	48·7	33·6	15·1	60·0	18·0	42·1	41·2	1·71	8	...	...	0	3	...	...
April	54·2	38·0	16·2	67·5	25·0	42·5	46·1	4·54	16	...	...	0	5	...	...
May	61·4	43·8	17·6	75·3	36·5	38·8	52·6	2·12	8	...	....	2	1	...	...
June	70·6	50·4	20·2	91·5	43·2	48·3	60·5	3·05	5	...	...	0	0	...	...
July	77·4	53·4	24·0	87·8	44·7	43·1	65·4	0·00	0	...	...	...	...	...	...
August	74·1	54·7	19·4	88·0	46·7	41·3	64·4	1·04	3	...	...	...	....	...	...
September	65·0	48·0	17·0	75·0	37·0	38·0	38·0	1·30	6	...	...	....	....	...	...
October	60·1	42·6	17·5	72·0	36·7	35·3	51·3	4·21	7	...	...	....	....	...	...
November	37·4	24·8	12·6	62·2	5·0	57·2	31·1	5·33	11	27·5	12	...	...	...	...
December	45·4	33·9	11·5	54·0	18·2	35·8	39·7	0·34	2	...	...	....	....	...	...
Year	56·8	41·1	15·7	91·5	5·0	86·5	47·1	40·70	91	54·8	15	....	....	....	....

Monthly and Annual Summaries for the Year 1896, Nicola Lake, British Columbia—Latitude, N. 50° 9′; Longitude, W. 120° 39′. Height above Sea, 2,120 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	29·6	11·2	18·4	49·0	12·0	61·0	20·4	0·39	4	14·3	10	0	0	0	0
February	41·9	26·9	15·0	56·5	7·5	64·0	34·4	0·27	7	6·0	7	0	0	0	0
March	41·1	19·7	21·7	61·0	10·0	71·0	30·6	0·42	5	1·0	1	0	0	0	0
April	53·2	31·0	22·2	69·0	19·5	49·5	42·1	0·77	9	0·3	1	0	0	0	0
May	59·8	36·8	23·0	72·5	30·0	42·5	48·3	1·56	10	...	...	0	0	0	0
June	69·2	44·4	24·8	92·5	34·0	58·5	56·8	0·20	4	...	..	0	0	0	2
July	79·6	51·4	28·2	90·0	45·0	45·0	65·4	0·00	0	...	...	0	0	0	0
August	77·6	48·0	29·6	88·5	39·0	49·5	62·8	0·10	3	...	...	0	0	0	0
September	65·7	39·2	26·5	86·0	29·0	57·0	52·4	1·00	6	...	...	0	0	0	0
October	55·5	32·4	23·1	67·0	21·0	46·0	43·9	0·28	6	...	...	0	0	0	0
November	20·4	5·4	15·0	49·0	18·5	67·5	12·9	0·48	4	2·8	12	0	0	0	0
December	36·0	23·4	12·6	48·0	5·0	43·0	29·7	0·44	9	5·3	6	0	0	0	0
Year	52·5	30·8	21·7	92·5	18·5	111·0	41·6	5·91	67	4·67	37	0	0	0	2

MONTHLY and Annual Summaries for the Year 1896, North Bay, Ontario—Latitude, N. 49° 34′; Longitude, W. 79° 30′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cdbs.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	18·3	9·3	27·6	34·0	30·0	64·0	4·5	..	..	...		0	0	0	0
February	21·5	2·5	24·0	39·0	32·0	71·0	9·5	..	....			0	0	0	0
March	29·2	6·2	23·0	42·0	12·0	54·0	17·7	.	.	.	.	0	0	0	0
April	41·3	28·9	12·4	65·0	4·0	61·0	35·1		.	.		0	0	0	0
May	55·5	46·7	8·8	68·0	34·0	34·0	51·1	..				0	0	0	0
June	63·6	49·9	13·7	75·0	35·0	40·0	56·8	.	. .		.	1	0	0	0
July	72·6	56·2	16·4	85·0	49·0	36·0	64·4				.	4	0	0	2
August	74·4	54·4	20·0	87·0	38·0	49·0	64·4		...	.		0	0	2	1
September	61·6	44·0	17·6	76·0	25·0	51·0	52·8					0	2	3	0
October	47·7	31·6	16·1	60·0	21·0	39·0	39·6			. .	.	0	3	1	0
November	37·1	22·7	14·4	58·0	1·0	57·0	29·9	.	...	...	..	0	3	0	1
December	23·3	6·7	16·6	37·0	17·0	54·0	15·0	.	. .			0	1	1	0
Year	45·5	27·9	17·6	87·0	32·0	119·0	36·7	..		.		5	9	7	3

MONTHLY and Annual Summaries for the Year 1896, Nepigon, Ontario—Latitude, N. 48° 51′; Longitude, W. 88° 40′. Height above Sea, ——.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								Force of Wind.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days.	Amt.	Days.	Cdbs.	Fogs.	Thunder.
																	in.		in.				
January	0·7	5·3	3·7	3·0	28·0	40·0	25	0	0	0	0	3	11	34	20	..	0·00	0	24·0	11	3	0	0
February	3·4	5·7	0·3	0·7	45·0	30·0	62	0	0	1	9	2	8	5	0	.	.	.	8·0	6	1	0	0
March	4·2	2·1	1·3	0·9	20·0	25·0	68	0	0	0	13	1	11	0	0	.	0·10	1	10·0	3	2	0	0
April	27·4	33·8	30·9	30·8	55·0	5·0	62	0	0	0	17	0	11	0	0	.	1·60	5	26·0	2	1	0	0
May	53·7	59·6	56·2	56·4	70·0	45·0	75	1	0	0	7	0	10	0	0	...	0·70	5	.		1	0	0
June	56·5	66·0	60·6	60·9	75·0	48·0	69	10	2	0	7	0	12	0	0	..	0·95	8			0	0	0
July																							
August																							
September																							
October																							
November																							
December	2·4	8·6	4·4	5·0	38·0	32·0	15	26	3	2	8	18	0	21	0	.	0·00	0	2·3	4	0	0	0
Year																							

Monthly and Annual Summaries for the Year 1896, North Bruce, Ontario.—Latitude, N. 44° 23′; Longitude, W. 81° 25′. Height above Sea, —

Month.	Temperature.						Wind, Direction From								Force of Wind	Rain.		Snow.				Thunder.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amt.	Days.	Amt.	Days.	Cases.	Pegs.	
																	in.		in.				
January..	20·3	24·3	21·3	21·8	34·2	15·0	3	18	18	17	0	19	10	7	1	.. .. ..	0·25	2	38·9	22	4	1	0
February.	18·3	24·2	20·5	20·9	44·0	15·0	13	11	10	1	8	22	10	12	0	.... . .	0·30	2	15·7	15	16	1	0
March ...	16·1	26·8	20·9	21·2	45·0	9·0	14	10	13	4	5	22	15	10	0	. .. .	0·83	6	9·9	15	8	1	0
April ...	43·5	53·1	46·3	47·3	80·0	16·0	2	2	21	11	14	10	23	7	0	... .	1·07	11	0·5	3	2	4	0
May.	53·9	67·8	56·5	58·7	84·0	40·0	2	4	13	12	0	38	18	6	0	. . .	2·94	11	...	.	4	2	0
June....	59·4	72·4	60·2	63·0	86·0	45·0	2	5	3	4	13	21	27	4	4	. ... ..	1·62	8	.	.	0	2	0
July.	63·4	75·2	63·7	66·5	91·0	54·0	2	0	7	11	12	31	27	3	0	. . .	1·43	12	.		1	2	0
August .	62·2	74·6	62·4	65·9	90·0	48·0	0	2	2	9	8	38	28	6	0	. . . .	6·55	18	.	...	3	0	0
September	52·0	62·2	55·4	56·2	82·0	32·0	11	1	14	10	10	16	15	10	3	. . . .	4·20	12	....	...	2	0,	0
October ..	39·2	50·8	42·4	43·7	72·0	31·0	9	10	5	14	9	18	21	7	0	.. ..	1·32	11	.	2	3	0	0
November	37·1	40·9	37·2	38·1	62·0	17·0	2	5	15	5	15	15	30	3	0	. .. .	2·56	11	6·0	5	4	0	0
December	26·4	30·4	27·6	28·0	52·0	3·0	5	10	20	7	10	21	20	0	0	. .. . .	0·26	5	8·8	15	2	0	0
Year...	41·0	50·2	85·9	44·3	91·0	15·0	65	78	141	105	104	271	244	75	8	... ..	23·33	109	79·8	77	49	13	0

Monthly and Annual Summaries for the Year 1896, Niagara, Ontario.—Latitude, N. 43° 13′; Longitude, W. 79° 6′. Height above Sea, ——.

Month.	Temperature.							Rain.		Snow.					Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cases.	Pegs.	Auroras.	
								in.		in.					
January ..	29·0	19·5	9·5	37·5	0·3	37·2	24·2	2·46	3	8·8	10	4	2	0	0
February ..	31·5	20·1	11·4	53·2	4·0	49·2	25·8	1·52	4	28·4	8	1	1	0	0
March	32·4	18·2	14·2	62·5	4·0	58·5	25·3	1·41	4	14·3	5	4	1	3	0
April	56·6	38·8	17·8	85·0	20·0	65·0	47·7	0·76	9	1·2	3	2	1	2	1
May . .	71·0	50·1	20·9	91·0	41·0	50·0	60·6	2·35	11	. . .	..	1	0	1	4
June	74·7	55·7	19·0	91·0	43·5	47·5	65·2	1·56	7	..	....	0	0	0	1
July . .	81·4	62·1	19·3	93·5	51·0	42·5	71·7	4·09	9	. . .	.	1	1	0	1
August . . .	81·0	60·4	20·6	93·0	47·0	46·0	70·7	1·48	10	. .	...	0	0	0	8
September . .	66·8	51·9	14·9	90·0	42·0	48·0	59·4	4·10	12	..	..	3	1	0	0
October . .	54·3	29·6	12·7	73·0	28·5	44·5	46·0	0·99	6	. . .	...	0	1	0	0
November . .	50·1	35·5	14·6	67·0	21·0	46·0	42·8	2·00	9	*	1	2	1	0	0
December . .	33·4	24·7	8·7	54·0	10·0	44·0	29·1	0·74	6	1·5	4	0	0	0	0
Year . . .	55·0	39·7	15·3	93·5	0·3	93·2	47·4	23·46	90	54·2	31	21	9	6	15

MONTHLY and Annual Summaries for the Year 1896, New Glasgow, Nova Scotia—Latitude, N. 45° 36′; Longitude, W. 62° 37′. Height above Sea, 40 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	16·6	23·4	18·4	19·2	28·5	11·7	16·8	48·0	20·5	19	8	0	8	11	5	13	29	0
February	17·0	27·8	20·7	21·5	31·5	11·1	20·4	49·0	24·0	8	5	1	14	7	15	5	32	0
March	26·2	36·0	28·7	29·9	40·1	22·6	17·5	57·0	7·0	9	6	5	17	12	23	4	17	0
April	32·0	44·7	33·5	36·0	48·0	27·7	20·3	65·8	19·5	25	5	1	3	16	8	7	23	2
May	43·9	58·5	44·3	47·8	61·8	37·3	24·5	76·1	24·6	6	11	3	14	21	9	4	16	9
June	54·7	67·1	58·9	58·4	69·8	46·5	23·3	83·1	33·6	9	3	2	0	29	20	5	10	12
July	62·4	73·2	62·8	65·3	78·1	56·3	21·8	89·5	45·8	9	5	2	4	11	15	3	16	4
August	60·0	70·5	60·1	62·7	72·9	53·4	19·5	85·0	40·0	5	7	0	6	23	26	6	15	2
September	54·5	64·3	54·1	56·8	66·6	46·9	19·7	84·0	36·0	2	8	0	9	0	42	0	24	0
October	47·4	53·7	47·1	48·8	56·5	41·5	15·0	72·0	27·0	4	16	7	14	5	15	1	31	0
November																		
December																		
Year																		

MONTHLY and Annual Summaries for the Year 1896, New Glasgow, Nova Scotia—Latitude, N. 45° 36′; Longitude, W. 62° 37′. Height above Sea, 40 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%	%		%	in.		in.						
January				85	78	76	79	0·08	1	16·5	13	0	4	1	0	0
February				73	68	65	68			22·0	11	0	3	0	0	0
March				73	73	70	72	3·94	11	16·2	9	0	7	1	0	0
April				59	61	49	56	0·58	5	2·8	4	0	1	0	0	0
May				58	56	45	54	0·91	9	0·4	1	0	2	3	1	0
June				48	55	44	49	2·18	13			0	2	0	2	0
July				72	64	56	64	5·77	12			0	6	0	3	0
August				62	51	41	51	1·65	7			3	1	5	5	1
September				63	58	59	60	4·30	7			3	0	0	1	0
October				74	77	64	71	6·32	17			2	5	0	0	0
November																
December																
Year																

MONTHLY and Annual Summaries for the Year 1896, Oonikup, N. W. T. -Latitude, N. 53° 30′; Longitude, W. 101° 20′. Height above Sea,——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORAS.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	5·7	25·5	19·8	20·5	50·5	71·6	15·6					4	0	0	0
February	15·0	10·2	25·2	42·0	13·0	85·0	2·4					3	1	0	0
March	22·0	7·6	29·6	44·0	28·5	72·5	7·2					2	0	2	0
April	39·3	17·6	21·7	58·5	0·5	59·0	28·4					5	4	0	1
May	61·4	35·5	25·9	78·0	22·0	56·0	48·4					1	4	0	2
June	72·9	46·5	26·4	89·0	33·0	56·0	59·7					2	0	0	2
July	76·3	51·7	24·6	91·0	36·0	55·0	64·0					1	0	0	9
August	72·3	48·3	24·0	86·5	32·0	54·5	60·3					2	0	0	5
September	58·7	37·6	21·1	73·0	20·0	53·0	48·2					3	1	0	1
October	46·5	27·4	19·1	71·5	10·5	61·0	36·9					2	1	0	1
November	12·2	1·6	13·8	34·0	29·5	63·5	5·3					0	1	0	0
December	17·0	0·4	17·4	38·0	26·0	64·0	8·3					2	0	1	0
Year	40·7	18·3	22·4	91·0	50·5	141·5	29·5					27	12	3	21

MONTHLY and Annual Summaries for the Year 1896, Orillia, Ont.—Latitude, N. 44° 34′; Longitude, W. 79° 24′. Height above Sea,——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORAS.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	21·4	5·7	15·7	32·0	32·0	64·0	13·6	0·00	0	26·5	17	4	1	0	0
February	24·3	5·5	18·8	45·0	32·0	77·0	14·9	0·33	3	36·3	15	2	0	0	0
March	25·7	6·9	18·8	47·0	11·0	58·0	16·3	0·43	2	11·0	10	1	0	0	0
April	54·2	35·1	19·1	79·5	11·0	68·5	44·7	1·25	11	5·8	4	0	1	0	2
May	68·3	46·2	22·1	84·0	34·0	50·0	57·2	1·58	10			7	0	0	2
June	73·9	51·1	22·8	83·0	37·0	46·0	62·4	3·01	7			4	0	0	4
July	77·2	56·0	21·2	89·0	43·0	46·0	66·6	1·88	11			1	0	0	5
August	75·8	54·9	20·9	91·0	40·0	51·0	65·4	2·92	15			0	0	0	6
September	63·3	47·3	16·0	85·0	24·0	61·0	55·3	5·19	12			0	1	0	1
October	49·6	34·2	15·4	64·0	24·0	40·0	41·9	4·08	7	10·0	7	0	4	0	0
November	42·9	28·7	14·2	61·0	13·0	48·0	35·8	2·27	9	8·5	8	3	0	0	1
December	29·1	14·5	14·6	49·0	16·0	65·0	21·8	0·55	3	10·0	13	1	0	0	0
Year	50·5	32·2	18·3	91·0	32·0	123·0	41·3	23·49	90	108·1	74	23	7	0	21

Monthly and Annual Summaries for the Year 1896, Otonabee, Ontario—Latitude, N. 44° 20′; Longitude, W. 78° 18′. Height above Sea, ——.

Month.	Temperature.						Wind. Direction from									Force of Wind.	Rain.		Snow.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amt.	Days.	Amt.	Days.	Cases.	Eggs.	Thunder.
																	in.		in.				
January																	0·45	1	14·5	10	1	0	0
February																	0·15	1	27·3	9	0	0	0
March																	1·04	3	9·8	5	2	0	0
April	42·1		48·4	45·2	84·0	12·0	1	1	10	15	6	28	18	11	0		1·49	6	2·1	3	5	0	0
May	54·4		59·3	56·8	87·0	44·0	3	4	21	8	5	7	24	21	0		2·13	11			3	0	0
June	58·7	75·6	63·3	65·2	84·0	47·0	1	1	17	4	8	28	11	20	0		2·68	8			1	0	2
July	62·1	78·0	68·9	69·5	88·0	50·0	2	1	6	6	6	42	9	21	0		2·10	7			2	0	3
August	63·0	80·5	69·3	70·5	96·0	49·0	0	0	0	0	9	43	18	23	0		1·16	6			6	0	0
September	52·2	67·1	57·7	58·7	88·0	30·0	3	1	9	7	7	40	6	17	0		1·40	8			4	0	0
October	39·0	54·7	44·0	45·4	74·0	30·0	0	6	21	10	4	16	13	21	0		2·55	5	1·5	2	0	0	1
November	36·9	48·1	40·5	41·5	65·0	18·0	0	2	6	12	1	35	18	16	0		1·72	6	4·0	2	6	0	0
December	21·9	31·1	24·7	25·6	45·0	1·0	9	6	14	1	0	46	1	13	0		0·50	2	5·3	5	1	0	0
Year																	20·37	64	64·5	36	34	0	6

Monthly and Annual Summaries for the Year 1896, Owen Sound, Ontario—Latitude, N. 44° 34′; Longitude, W. 80° 55′. Height above Sea, ——

Month.	Temperature.							Wind. Direction From									Force of Wind.	Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days.	Amt.	Days.	Cases.	Eggs.	Thunder.	Aurora.
																	in.		in.					
January	28·2	13·9	14·3	21·1	37·0	19·5	9	7	2	13	19	7	0	9	0		0·55	2	25·2	16	1	0	0	0
February	29·6	12·7	16·9	21·1	46·0	22·5	11	8	0	6	15	6	5	11	0		0·37	3	19·7	11	2	0	0	0
March	31·1	12·5	18·6	21·8	58·0	8·5	18	0	1	7	17	2	13	12	0		0·51	3	7·0	5	5	0	0	1
April	58·2	37·5	20·7	47·8	83·0	13·0	17	2	0	11	20	3	1	13	0		1·37	12	1·2	5	7	1	3	0
May	70·6	48·0	22·6	59·3	86·0	34·0	26	1	1	0	26	9	2	11	0		2·82	10			5	0	3	0
June	75·4	50·1	25·3	62·7	89·5	36·5	31	1	1	2	21	2	3	6	0		1·45	9			2	1	3	0
July	79·3	57·1	22·2	68·2	94·0	42·0	25	2	1	6	17	1	0	5	2		1·92	10			2	0	1	0
August	78·4	56·3	22·1	67·3	94·0	40·0	21	1	0	2	28	8	1	14	0		5·12	13			2	0	0	0
September	65·9	48·1	17·8	57·0	85·5	29·0	8	6	0	3	26	5	0	6	6		4·56	13			2	0	0	0
October	54·3	35·6	18·7	45·0	74·5	25·0	6	4	1	2	19	1	1	7	18		0·76	7	7·0	3	0	0	0	0
November	47·0	32·2	14·8	39·6	65·0	19·0	5	3	1	1	21	9	0	8	9		2·27	7	13·5	7	6	0	1	0
December	33·2	21·9	11·3	27·5	50·5	2·5	9	7	3	0	24	2	1	5	19		0·28	1	22·0	10	0	0	0	1
Year	54·3	35·5	18·8	44·9	94·0	22·5	189	15	11	59	253	61	30	107	51		20·01	93	98·6	57	34	2	23	2

MONTHLY and ANNUAL SUMMARIES for the Year 1895, Princeton, British Columbia—Latitude, N. 49° 29′; Longitude, W. 120° 29′. Height above Sea, 1,650 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	30·6	8·0	22·6	46·0	15·0	61·0	19·3	0·85	4	7·5	5	.			.
February	44·4	12·1	32·3	57·0	15·0	72·0	28·2	0·25	1	8·0	4		...	..	
March	51·0	20·6	30·4	67·0	10·0	57·0	35·8	0·25	1	3·0	2		.		
April															
May															
June	76·2	34·3	41·9	94·0	30·0	64·0	55·3	0·20	1						..
July	86·4	44·0	42·4	100·0	34·0	66·0	65·2	1·00	1						.
August	84·7	42·5	42·2	92·0	38·0	54·0	63·6	1·40	3						..
September	71·9	34·7	37·2	92·0	25·0	67·0	58·3	1·20	2						.
October	60·8	28·8	32·0	72·0	20·0	52·0	44·8	1·90	4						..
November	32·5	13·2	19·3	48·0	15·0	63·0	22·8	1·20	3	22·0	9				.
December	33·3	17·6	15·7	46·0	10·0	56·0	25·4	0·00	0	10·0	6	.			
Year															

MONTHLY and ANNUAL SUMMARIES for the Year 1896, Pincher Creek, North-west Territories—Latitude, N. 49° 0′ Longitude, W. 114° 0′. Height above Sea, 3,750 feet.

MONTH.	TEMPERATURE.					WIND, DIRECTION FROM									FORCE OF WIND.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January				13·4	50·0	38·0	1	1	11	1	0	1	30	1	10		0·00	0	7·2	4	1		0
February																							
March				29·1	55·0	15·0											r	1	16·3	6	2		0
April				34·9	66·0	3·0	1	6	14	1	0	5	29	1	3		0·00	0	19·1	5	2		0
May				45·1	71·0	26·0	3	5	5	1	0	3	32	5	8		4·69	5		8	0		2
June				58·4	90·0	33·0	1	3	1	0	0	7	36	1	11		0·28	4			2		0
July				64·8	95·0	39·0	0	2	10	0	0	6	25	2	17		1·31	3			0		2
August																							
September																							
October				43·9	71·0	20·0											6·32	1		2	0	1	0
November				6·6	50·0	23·0											0·00	9	9·0	0	0	0	0
December				30·6	49·0	30·0											0·00	0	3·7	3	0	1	0
Year																							

MONTHLY and Annual Summaries for the Year 1896, Pense, North-west Territories—Latitude, N. 50° 20′; Longitude, W. 105° 0′. Height above Sea, —

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORAS.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	3·3	8·3	11·6	37·0	36·0	73·0	2·5	0·00	0			0		0	0
February	17·0	2·2	14·8	40·0	29·0	69·0	8·9	0·00	0			0		1	0
March	21·8	5·4	16·4	41·0	10·0	31·0	13·6	0·00	0			0		1	0
April	42·6	26·3	16·3	65·0	13·0	52·0	34·5	*0·37	1	19·0	2	0		1	2
May	60·3	40·3	20·0	75·0	32·0	43·0	50·3	3·88	14			0		1	2
June	76·5	49·4	27·1	98·0	40·0	58·0	62·9	4·80	8			1		0	2
July	83·3	51·4	31·9	94·0	37·0	57·0	67·4	1·65	8			0		1	1
August								2·03	7						
September								0·62	2						
October															
November	7·1	−8·1	15·2	43·0	35·0	78·0	0·5	0·00	0						
December	23·6	4·9	18·7	43·0	27·0	60·0	14·3	0·00	0						
Year															

MONTHLY and Annual Summaries for the Year 1896, Portage la Prairie, Manitoba—Latitude, N. 49° 57′; Longitude, W. 98° 10′. Height above Sea, 830 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORAS.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	8·3	14·4	22·7	36·0	38·0	74·0	3·1	0·39	1	5·0	1	2	2	2	0
February	20·1	3·8	24·2	46·0	34·0	80·0	8·3	0·00	0	*	1	2	1	2	0
March	24·9	6·1	18·8	49·0	22·0	71·0	15·5	0·00	0	15·0	2	2	0	3	0
April	42·5	27·7	14·8	78·0	8·0	70·0	35·1	1·30	4	3·6	1	2	0	1	0
May	65·2	43·6	21·6	87·0	32·0	55·0	54·4	1·84	12			2	1	1	2
June	75·0	53·5	21·5	87·0	42·0	45·0	64·3	4·22	9			1	0	1	3
July	76·1	54·3	21·8	93·0	46·0	47·0	65·2	2·39	7			2	0	2	4
August	74·3	50·2	24·1	84·0	33·0	51·0	62·2	2·61	6			1	1	2	4
September	61·9	41·1	20·8	84·0	28·0	56·0	51·5	2·82	4	*	2	1	0	0	0
October	49·2	28·2	21·0	75·0	14·0	61·0	38·7	0·00	0	*	3	3	2	0	0
November										*	12	3	0	0	0
December	23·6	9·2	14·4	42·0	5·0	47·0	16·1	0·00	0		3	1	1	2	0
Year										23·6	28	25	8	16	13

Monthly and Annual Summaries for the Year 1896, Pelee Island, Ont.—Latitude, N. 41° 50′; Longitude W. 82° 38′. Height above Sea, — —

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	30·2	20·2	10·0	40·0	0·0	40·0	25·2	0·75	2	11·0	5	0	1	1	0
February	32·3	24·6	7·7	39·5	0·0	39·5	28·4	0·75	1	1·5	5	0	1	0	0
March	37·6	27·6	10·0	60·0	17·0	43·0	32·6	1·95	3	16·0	3	0	0	0	0
April	66·1	43·6	22·5	88·0	30·0	58·0	54·9	3·09	4			0	0	0	2
May	79·0	59·6	19·4	87·5	50·0	37·5	69·8	1·87	4			0	0	0	1
June	79·6	64·5	15·1	87·5	53·5	34·0	72·0	2·00	3			0	0	0	6
July	84·5	70·3	14·2	92·0	64·5	27·5	77·4	6·50	6			0	0	0	6
August	84·1	67·9	16·2	93·0	58·0	35·0	76·0	1·75	2			0	0	0	4
September	64·8	52·7	12·1	80·0	40·0	40·0	58·7	2·25	3			0	0	0	1
October	54·5	41·9	12·6	69·5	31·0	38·5	48·2	1·75	3		1	0	0	1	1
November	48·0	41·0	7·0	65·0	30·0	35·0	44·5	0·75	2		3	0	2	0	0
December	33·3	26·1	7·2	45·0	10·0	35·0	29·7	2·25	4	2·5	7	0	0	0	0
Year	57·8	45·0	12·8	93·0	0·0	93·0	51·4	25·57	37	31·0	24	0	4	2	24

Monthly and Annual Summaries for the Year 1896, Port Dover, Ont.—Latitude, N. 42° 47′; Longtitude, W. 80° 13′. Height above Sea, 635 feet.

Month	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	29·6	18·1	11·5	40·0	4·1	44·1	23·9	0·91	2	12·9	11	0	0	0	0
February	29·4	16·5	13·0	47·8	18·3	66·1	13·0	0·73	5	22·9	14	0	0	0	0
March	30·6	15·9	14·7	57·5	0·1	57·6	23·3	1·50	3	12·8	11	0	0	1	1
April	46·3	28·4	17·9	78·7	15·5	63·2	47·4	1·85	13	0·9	2	0	0	1	0
May	71·1	52·4	18·7	87·6	43·1	44·5	61·7	2·48	17			1	0	1	7
June	75·0	56·1	18·7	81·3	42·5	38·8	65·7	3·02	14			1	0	0	6
July	78·8	61·5	17·3	86·1	48·9	37·5	70·2	1·99	12			1	0	0	2
August	75·9	61·3	14·5	89·0	44·1	44·9	68·6	3·32	11			4	0	1	8
September	68·5	50·4	18·1	81·9	28·9	53·0	59·4	3·98	11			4	0	0	0
October	54·4	38·4	16·0	67·8	28·1	39·7	46·4	1·49	8			4	0	0	0
November	49·3	34·7	14·6	64·3	18·5	45·8	42·0	3·03	16	3·3	4	6	0	0	0
December	31·2	22·3	11·9	52·3	7·0	45·3	28·2	0·43	5	5·9	7	4	0	0	0
Year	54·4	38·9	15·5	89·0	18·3	107·3	45·8	27·73	117	58·7	49	28	0	4	24

MONTHLY and Annual Summaries for the Year 1896, Port Rowan, Ontario—Latitude, N. 42° 38′; Longitude, W. 80° 29′. Height above Sea, ———.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cables.	Frgts.	Arrivals.	Thunder Storms.
								in.		in.					
January	29·6	18·3	11·3	37·0	0·0	37·0	24·0	1·93	7			9	2	0	0
February	31·5	17·8	13·7	45·5	16·5	62·0	25·2	2·27	10			2	1	0	0
March	32·6	16·7	15·9	54·0	2·0	52·0	24·6	2·65	5			1	0	4	0
April	56·0	39·2	16·8	74·0	19·0	55·0	47·6	1·57	10			1	0	2	2
May	69·8	53·6	16·2	84·0	42·5	41·5	61·7	2·54	12			4	0	2	7
June	75·9	55·6	20·3	84·0	42·0	42·0	65·7	2·19	10			0	0	1	6
July	79·0	61·4	17·6	91·0	50·0	41·0	70·2	3·55	7			2	3	0	5
August	78·0	60·3	17·7	88·0	40·5	47·5	69·2	3·67	12			0	0	0	5
September	67·2	49·4	17·8	85·0	29·0	56·0	58·3	3·20	9			3	0	0	0
October	53·2	38·7	14·5	70·0	25·0	45·0	45·9	1·15	6			1	0	0	0
November	47·9	34·3	13·6	62·0	12·0	50·0	41·1	3·75	8			0	0	0	0
December	33·6	21·8	11·8	56·0	0·0	50·0	27·7	1·32	2			0	0	0	0
Year	54·5	38·9	15·6	91·0	16·5	107·5	46·8	29·79	98			23	6	9	25

Snow melted and included in rain.

MONTHLY and Annual Summaries for the Year 1896, Paris, Ontario—Latitude, N. 43° 12′; Longitude, W. 80° 25′. Height above Sea, ——

MONTH	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cables.	Frgts.	Arrivals.	Thunder Storms.
								in.		in.					
January	30·0	14·6	15·4	41·0	8·0	49·0	22·3	1·00	1	9·5	7	0	0	0	0
February	31·5	12·1	19·4	49·5	23·0	72·5	21·8	1·48	5	17·0	9	0	0	0	0
March	34·4	11·6	22·8	60·5	4·0	64·5	23·0	1·02	3	17·0	6	0	0	0	1
April	60·1	37·0	23·1	86·0	16·0	70·0	48·6	1·29	9	0·5	1	0	0	0	0
May	76·3	49·8	26·5	90·0	38·0	52·0	63·0	2·24	9			2	0	0	4
June	79·2	52·5	26·7	89·0	38·0	51·0	65·8	3·53	10			1	0	0	2
July	82·7	59·5	23·2	91·5	40·0	51·5	71·1	3·95	12			1	0	0	3
August	78·7	55·9	22·8	90·0	40·0	50·0	67·3	4·35	11			0	0	0	3
September	69·2	46·6	22·6	89·0	27·0	62·0	57·9	5·60	10			0	0	0	0
October	54·3	33·7	20·6	73·5	24·0	49·5	44·0	1·38	7			0	0	0	0
November	49·8	30·5	19·3	64·5	16·0	48·4	40·2	2·28	9	1·0	3	1	0	0	0
December	34·7	17·8	16·9	53·5	5·0	58·5	26·3	0·47	2	3·8	6	0	0	0	0
Year	56·7	35·1	21·6	91·5	25·0	114·5	45·9	28·59	88	48·8	32	5	0	0	13

MONTHLY and Annual Summaries for the Year 1896, Point Clark, Ontario—Latitude, N. 44° 5′; Longitude, W. 81° 44′. Height above Sea, 595 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM.								FORCE OF WIND.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	7 a.m.	2 p.m.	9 p.m.	Amt.	Days.	Amt.	Days.	Gales.	Figs.	Thunder.
																			in.		in.				
January	23·0	26·8	24·5	24·7	36·0	3·0	5	7	25	4	21	15	11	5	0	1·1	1·1	1·1	0·00	0	24·0	5	0	0	0
February	21·3	25·9	23·1	23·4	43·0	−5·0	15	8	11	3	10	24	14	2	0	1·3	1·6	1·5	0·59	2	24·0	6	0	1	0
March	19·4	27·2	22·8	23·0	42·0	8·0	25	13	3	4	25	8	2	13	0	1·2	1·6	1·2	0·22	1	. . .	.	0	0	2
April	40·3	47·5	42·9	43·4	68·0	18·0	18	9	8	5	35	7	6	2	0	1·3	1·1	1·1	2·02	4	4·0	1	0	6	4
May	55·9	61·1	55·7	57·1	77·0	36·0	17	9	5	11	26	15	5	5	0	1·3	1·3	1·0	0·75	1	.	.	0	0	6
June	61·4	66·4	60·7	62·3	79·0	47·0	30	7	3	3	29	7	4	7	0	0·9	1·2	0·8	2·15	5	. .	.	0	2	5
July	65·3	70·3	65·7	66·8	79·0	57·0	20	12	3	3	33	8	4	10	0	1·2	1·5	1·3	1·64	5			0	2	3
August	66·1	71·0	67·1	67·8	81·0	47·0	20	12	0	7	37	10	2	5	0	1·5	1·6	1·4	5·11	8			0	0	14
September	56·5	66·4	58·0	58·5	72·0	44·0	18	9	5	6	17	16	14	5	0	1·4	1·8	1·7	4·25	8	. . .	.	0	1	2
October	43·1	50·0	45·5	46·0	63·0	28·0	13	7	9	6	13	15	18	12	0	1·5	1·6	1·4	0·36	2	. . .	.	0	1	0
November	38·5	41·0	39·1	39·4	56·0	22·0	5	5	8	6	22	25	13	6	0	1·8	1·9	2·1	3·08	6	5·0	1	0	0	1
December	28·1	32·3	30·2	30·2	44·0	11·0	10	14	8	6	21	19	9	6	0	1·3	1·4	1·3	0·00	0	9·0	2	0	0	0
Year	43·2	49·0	44·6	45·2	81·0	−5·0	196	112	88	64	289	169	102	78	0	1·3	1·5	1·3	20·17	42	. .		0	13	37

MONTHLY and Annual Summaries for the Year 1896, Peterborough, Ontario—Latitude, N. 44° 17′; Longitude, W. 78° 10′. Height above Sea, 722 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Figs.	Auroras.	
								in.		in.					
January	22·1	7·8	14·3	35·0	22·0	57·0	15·0	0·80	2	17·0	10	0	1	0	0
February	22·6	7·1	15·5	47·0	38·0	85·0	14·8	2·52	2	12·2	12	2	0	0	0
March	29·0	10·2	18·8	51·0	8·0	59·0	19·6	0·85	3	13·0	4	4	0	0	1
April	56·7	39·1	17·6	82·0	10·0	72·0	47·9	0·88	6	2·0	1	0	0	0	1
May	74·5	51·7	22·8	90·0	39·0	51·0	63·1	2·72	10	. . .		0	0	1	4
June	77·4	55·2	22·2	90·0	46·0	44·0	66·3	2·80	8			0	0	0	7
July	81·9	60·1	21·8	92·0	50·0	42·0	71·0	2·58	8			0	0	1	1
August	81·4	56·4	25·0	94·0	38·0	56·0	68·9	1·06	6		. . .	0	0	3	1
September	66·5	47·2	19·3	90·0	26·0	64·0	56·9	3·15	12		. . .	0	1	0	2
October	52·8	35·9	16·9	65·0	22·0	43·0	44·4	3·19	9	4·0	2	0	2	0	2
November															
December	21·2	7·2	17·0	39·0	11·0	50·0	15·7								
Year															

MONTHLY and Annual Summaries for the Year 1896, Point des Monts, Quebec Latitude, N. 49° 20′; Longitude, W. 67° 22′. Height above Sea, — —

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	2·0	7·9	3·6	4·3	25·0	25·0	21	44	0	0	0	1	19	8	0	....	0	60	0	3·0	5	0	0
February	16·6	19·1	16·4	17·1	30·0	0·0	5	44	1	0	0	2	34	1	0	.	0	30	1	21·0	7	1	0
March	13·1	22·4	17·7	17·7	40·0	15·0	7	35	0	1	0	19	31	0	0	.	2	60	5	56·0	10	1	0
April	26·9	39·5	27·7	30·4	55·0	5·0	5	40	6	0	0	10	28	1	0	.	1	00	3	26·0	4	2	2
May	43·2	52·3	44·0	45·9	65·0	35·0	10	32	11	0	2	13	23	2	0	. .	4	00	7	.	.	0	2
June	49·3	62·6	53·2	54·6	77·0	40·0	10	34	2	0	2	12	28	2	0	.	5	00	9	.	.	1	2
July	51·9	66·6	52·6	55·9	78·0	45·0	5	13	0	0	0	10	53	0	12	.	2	30	6	.	.	1	8
August	50·7	62·2	49·9	53·1	70·0	45·0	5	34	0	0	2	15	34	0	3	.	4	00	7	.	.	0	9
September	44·8	52·2	44·1	46·3	75·0	40·0	5	13	9	0	0	17	38	2	6	.	3	40	8	.	.	4	3
October	35·3	38·4	37·2	36·9	55·0	25·0	1	24	20	3	1	18	11	9	6	.	6	65	11	.	.	7	4
November	20·6	28·0	23·2	31·7	45·0	7·0	14	17	6	0	3	13	24	13	0	.	0	41	6	41·0	9	3	0
December	9·2	17·5	14·0	13·7	35·0	20·0	15	22	0	0	0	12	26	13	5	.	0	00	0	2·0	5	3	0
Year	30·3	39·1	32·0	34·0	78·0	25·0	103	352	55	4	10	142	349	51	32		29	66	63	149·0	40	23	30

MONTHLY and Annual Summaries for the Year 1896, Parker's Ridge, New Brunswick—Latitude, N. 46° 29′; Longitude, W. 66° 31′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.				
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	16·3	2·0	14·3	31·0	20·0	51·0	9·1	...		19·0	7		.		..
February	24·6	8·3	16·3	42·0	20·0	62·0	16·5	0·30	1	38·0	7		1	.	...
March	29·7	13·9	15·8	49·0	4·0	53·0	21·8	2·83	6	36·0	7	1	...		. .
April	.	. .	. .	.	.	.	.....	0·50	2	10·0	2	2	.	. .	.
May	63·0	38·4	24·6	79·0	24·0	55·0	50·7	1·13	5	.			1	1	1
June	70·7	46·7	24·0	87·0	35·0	52·0	58·7	3·02	8				2		2
July	75·0	54·7	20·3	88·0	46·0	42·0	64·9	3·06	12				.		5
August	76·0	53·2	22·8	91·0	39·0	52·0	64·9	1·42	8			1	1		2
September	60·5	43·7	16·8	84·0	27·0	57·0	52·1	6·29	9				1	.	
October	47·6	35·6	12·0	56·0	24·0	32·0	41·6	5·23	9						.
November			..									.	.		
December	..						.							...	. . .
Year															

Monthly and Annual Summaries for the Year 1896, Pictou, Nova Scotia Latitude, N. 45° 42′ ; Longitude, W. 62° 41′. Height above Sea, ——

Month.	Temperature of the Air.									Wind, Direction From								
	a.m.	p.m.	p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
				°	°	°	°	°	°									
January				21·0	25·6	16·5	9·1	43·0	10·0	12	9	11	7	2	6	8	35	3
February				20·2	27·4	13·1	14·3	47·0	13·5	11	4	7	4	0	22	13	21	5
March				31·2	38·2	24·2	14·0	55·5	10·0	10	6	22	4	7	24	7	13	0
April				38·1	45·8	30·4	15·4	68·0	24·0	17	18	21	4	1	17	1	6	5
May				49·3	59·0	39·6	19·4	76·0	30·0	3	17	19	2	10	24	3	8	7
June				59·1	67·9	50·2	17·7	83·5	39·0	1	5	23	2	10	24	6	10	9
July				67·5	75·9	59·1	16·8	88·0	48·0	5	1	13	0	4	46	8	1	15
August				65·2	73·2	57·2	16·0	85·0	57·0	2	5	8	2	9	35	5	12	15
September				59·3	66·3	52·4	13·9	83·8	42·0	5	6	4	0	7	45	4	15	4
October				50·3	55·5	45·1	10·4	70·0	30·5	16	9	18	3	9	15	0	22	1
November				37·4	42·3	32·4	9·9	60·5	12·5	11	19	3	9	13	13	0	21	1
December				24·4	30·1	18·7	11·4	51·0	1·0	13	8	5	1	8	25	10	23	0
Year				43·6	50·6	36·6	14·0	88·0	13·5	106	107	154	38	80	296	65	187	65

Monthly and Annual Summaries for the Year 1896, Pictou, Nova Scotia—Latitude, N. 45° 42′ ; Longitude, W. 62° 41′. Height above Sea, ——

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%				in.		in.						
January	2·1	2·4	2·5	56	52	60	56	1·00	1	30·0	9	0	3	...	0	0
February	1·9	2·0	2·3	41	47	40	43	0·48	3	21·5	8	2	3	...	0	0
March	2·7	2·9	3·2	44	43	54	47	1·64	5	18·0	3	2	7	2	0	0
April	2·3	2·7	2·5	36	34	32	34	0·50	2	3·0	2	1	0	0	2	0
May	2·5	3·0	2·1	32	22	21	25	1·34	6	...	...	1	2	1	0	0
June	2·2	2·7	1·8	38	23	33	31	2·77	9	...	...	0	5	1	1	0
July	2·0	2·5	2·0	32	37	37	35	3·79	11	...	...	0	3	...	2	0
August	2·0	2·5	2·0	36	26	24	28	2·01	7	...	...	6	1	1	3	1
September	2·9	2·7	2·4	38	33	41	37	4·05	11	...	...	3	3	0	2	0
October	2·3	2·8	2·6	59	60	61	60	4·23	13	...	...	5	5	0	0	0
November	2·5	2·6	2·8	78	88	87	84	2·07	6	4·0	1	0	5	0	0	0
December	2·6	2·6	2·7	44	52	60	52	1·03	4	8·0	2	0	1	0	0	0
Year	2·3	2·6	2·4	44	43	46	44	24·91	78	84·5	25	20	38	5	10	1

MONTHLY and Annual Summaries for the Year 1896, Point Lepreaux, New Brunswick—Latitude, N. 45° 4′; Longitude, W. 66° 28′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE.									WIND, DIRECTION FROM							
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.
January	11·0	22 0	19 1	18 6				43 0	13·0	26	26	3	2	0	5	4	15	0
February	18 5	25 8	23 4	22 8				40 0	12·0	7	14	6	9	1	6	7	25	0
March	24 8	31 2	28 6	28 3				41 0	9·0	10	15	8	8	2	11	3	21	0
April	34 2	41 8	37 5	37 8				54 0	21·0	13	17	8	13	1	9	6	11	0
May	42 8	48 4	43 2	44 4				60 0	30·0	4	7	13	14	1	26	9	4	0
June	49 0	56 3	50 7	51 7				70 0	43 0	11	2	4	8	3	19	6	18	7
July	54 7	60 1	55 0	56 2				78 0	50·0	11	1	6	8	2	24	5	24	0
August	55 6	60 7	56 9	57 5				68 0	49·0	6	2	11	13	3	13	11	19	0
September	52 5	56 7	53 7	54 1				62 0	43·0	11	6	9	3	2	27	10	10	0
October	44 9	49 6	46 5	46 9				57 0	35 0	5	13	16	0	4	26	2	15	0
November	35 4	39 6	37 4	36 4				53 0	3·0	16	12	1	4	4	14	9	15	0
December	22 6	26 6	22 6	23 6				44 0	0·0	21	17	1	0	3	7	7	25	0
Year	37 4	43 2	39 5	39 9				78 0	-13·0	141	132	86	82	26	187	79	202	7

MONTHLY and Annual Summaries for the Year 1896, Point Lepreaux, New Brunswick—Latitude, N. 45° 4′; Longitude, W. 66° 28′. Height above Sea, 30 feet.

MONTH.	FORCE OF WIND.			CLOUDS OF SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%		%	%	in.		in.						
January	2 3	1 9	2 0	47	36	43	42	0 35	2	5 0	3		1			
February	2 1	2 2	2·3	50	56	57	55	3 15	3	24·0	6		1			
March	2 0	2·6	2·6	57	56	57	57	2 15	6	22·0	11	3	3			
April	1 5	1 8	1 7	44	41	37	41	0 75	5	3 0	5	5				
May	1 5	1 7	1·5	43	42	43	43	1 00	4			8			1	
June	1 5	1 6	1 3	40	35	35	37	3 20	10			12			1	
July	1 0	1 1	1 2	58	49	50	53	5 22	9			17			0	
August	1 2	1 1	1 2	46	44	41	44	1 80	8			15			1	
September	1 6	1 6	1 5	57	51	52	53	5 65	7			7			0	
October	2 1	2 3	2 0	60	65	63	63	5 05	9			6				
November	2 0	2 1	2·0	61	69	56	61	3 88	9	9·0	3	6				
December	2 2	2 1	2·1	55	36	32	42	1 65	3	7 0	3		1			
Year	1 8	1 9	1 8	52	49	47	49	33 85	75	70·0	31	79	6		3	

MONTHLY and Annual Summaries for the Year 1896, Port Hastings, Nova Scotia.—Latitude, N. 45° 38′; Longitude, W. 61° 24′. Height above Sea, 45 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mthly Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	25·6	8·8	16·8	58·0	6·0	64·0	17·2			3·1	6	3	....	....	....
February	22·1	7·1	15·0	30·0	10·0	40·0	14·6			19·4	7	2	....	....	....
March	35·8	21·6	14·2	48·0	10·0	38·0	28·7	2·10	9	12·7	4	3	....	....	....
April	44·0	29·7	14·3	54·0	21·0	33·0	36·9	0·27	5	0·7	2	8	....	....	....
May	53·1	35·7	17·4	78·0	25·0	53·0	44·4	1·92	8	....	....	8	2	....	....
June	64·1	43·3	20·8	75·0	34·0	41·0	53·7	3·25	9	....	....	3	....	....	....
July	73·4	52·6	20·8	85·0	34·0	51·0	63·0	5·31	10	....	....	5	....	....	2
August	70·8	50·8	20·0	86·0	42·0	44·0	60·8	3·05	11	....	....	6	....	....	....
September	65·1	45·2	19·9	73·0	38·0	35·0	55·1	2·74	8	....	....	8	....	....	....
October	54·3	40·6	13·7	71·0	30·0	41·0	47·5	6·50	13	....	....	10	....	....	....
November	44·1	28·9	15·2	60·0	15·0	45·0	36·5	3·10	10	4·2	3	10	....	....	....
December	28·6	16·1	12·5	42·0	1·0	41·0	22·3	1·23	5	5·5	4	10	....	....	....
Year	48·1	31·7	16·7	86·0	10·0	96·0	40·1			45·6	26	76	2	0	2

MONTHLY and Annual Summaries for the Year 1896, Point Rich, Newfoundland.—Latitude, N. 50° 42′; Longitude, W. 57° 25′. Height above Sea,——.

MONTH.	TEMPERATURE.						WIND. DIRECTION FROM									FORCE OF WIND.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	14·0	15·4	15·1	14·9	35·0	8·0	24	31	4	3	2	5	12	12	0	..	0·00	0	18·0	7	3	0	0
February	12·7	17·9	18·9	17·1	36·0	10·0	12	24	7	5	2	3	21	13	0	..	0·00	0	18·0	7	2	0	0
March	22·9	27·2	26·5	25·8	45·0	5·0	0	25	2	3	11	17	29	6	0		1·50	1	7·3	5	8	1	0
April	26·1	31·5	30·0	29·5	39·0	17·0	16	36	0	0	3	2	23	10	0	..	0·00	0	6·0	5	4	0	0
May	34·1	41·4	39·0	38·4	57·0	25·0	17	24	0	6	2	5	34	5	0		1·47	6	1·8	3	1	1	0
June	45·9	51·0	49·7	49·1	65·0	39·0	6	28	2	3	0	18	31	2	0	..	1·15	5	..	..	5	5	0
July	54·9	60·0	57·8	57·6	75·0	49·0	7	0	0	1	5	9	66	5	0	..	4·80	5	..	..	3	8	0
August	58·4	63·0	61·3	61·0	69·0	52·0	8	9	1	1	2	9	58	5	0	..	2·00	4	..	..	0	4	0
September	51·0	54·7	53·3	53·1	68·0	39·0	8	8	2	7	5	10	41	9	0	..	3·32	9	..	..	4	2	0
October	42·6	47·0	45·4	45·1	60·0	32·0	12	18	3	18	9	8	25	0	0	..	3·55	8	..	..	2	2	0
November	26·8	30·2	30·5	29·5	43·0	10·0	12	8	1	3	5	7	15	9	0	..	0·73	3	8·0	6	3	0	0
December	15·9	18·4	18·8	18·0	38·0	1·0	33	16	0	0	1	9	25	9	0	..	0·15	1	13·0	7	3	0	0
Year	33·8	38·1	37·2	36·6	75·0	10·0	185	227	22	50	47	102	380	85	0	..	18·07	42	72·1	10	42	23	0

MONTHLY and Annual Summary for the Year 1896, Quatsino, British Columbia—Latitude, N. 50° 32′; Longitude, W. 128° 3′. Height above Sea, .

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	40·9	31·1	9·8	51·5	22·0	29·5	36·0	6·25	12	8·8	7	0	0	0	0
February	43·4	35·5	7·9	51·5	26·0	25·5	39·5	13·28	18	28·9	5	0	0	0	1
March	43·6	30·4	13·2	51·5	19·0	32·5	37·0	6·73	11	4·1	4	0	0	0	0
April	48·2	33·8	14·4	61·0	30·0	34·0	41·0	3·27	11	26·4	8	0	0	0	0
May	53·7	40·1	13·6	69·0	33·5	35·5	46·9	4·70	17			0	1	0	0
June	55·9	46·2	9·7	81·5	42·0	39·5	51·1	10·59	20			0	0	0	0
July	65·6	51·9	13·7	81·0	47·0	34·0	58·8	2·05	10			0	0	0	0
August	66·0	50·9	15·1	79·0	49·0	30·0	58·4	0·75	7			0	2	0	0
September	61·8	44·6	17·2	72·0	38·0	34·0	53·2	1·04	3			0	5	1	0
October	53·2	43·8	9·4	58·0	36·0	22·0	48·5	13·49	20			0	0	0	2
November	38·3	29·5	8·8	49·1	19·0	30·1	33·8	9·27	13			0	0	0	0
December	44·7	37·3	7·4	53·0	28·5	24·5	41·0	30·33	27			0	0	0	2
Year	51·3	39·6	11·7	81·5	19·0	62·5	45·4	101·75	169	68·2	24	0	8	1	5

MONTHLY and Annual Summaries for the Year 1896, Quesnelle, British Columbia—Latitude, N. 52° 59′; Longitude, W. 122° 30′. Height above Sea, 1,700 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	19·2	0·0	19·2	45·0	25·0	70·0	9·6	0·00	0	9·0	1	3	0	0	0
February															
March	46·2	24·8	21·4	61·0	12·0	52·0	35·5	0·00	0	0·0	0	0	0	0	0
April	53·8	25·1	28·7	72·0	15·0	57·0	39·4					2	0	0	0
May	61·9	33·8	28·1	76·0	23·0	53·0	47·9	0·52	4						
June	73·1	41·3	26·8	96·0	30·0	66·0	57·2	0·66	5			6	0	0	0
July	81·2	47·2	34·0	89·0	38·0	51·0	64·2	0·13	1			1	0	0	0
August															
September															
October															
November	5·7	13·9	19·6	39·0	31·0	70·0	4·1	0·00	0	10·0	3	2	0	0	0
December	34·0	14·6	19·4	48·0	15·0	63·0	24·3					0	0	0	0
Year				96·0	31·0	127·0									

MONTHLY and Annual Summaries for the Year 1896, Quamichan, British Columbia—Latitude, N. 48° 47′; Longitude, W. 123° 42′. Height above Sea, —.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	42·8	28·8	14·0	60·0	12·0	48·0	35·8	7·10	13	28·0	7		...	...	..
February	47·2	32·6	14·6	56·0	24·0	32·0	39·9	5·20	11	0·0	0		...		
March								..							..
April								...	...						
May	58·6	41·3	17·4	74·0	36·0	38·0	49·9	2·80	8						
June	71·4	45·6	25·8	92·0	40·0	52·0	58·5	0·20	1						1
July	81·3	44·8	36·5	93·0	31·0	61·0	63·1	0·10	1						
August	81·3	48·8	32·5	92·0	35·0	57·0	65·1	0·90	4						..
September								..							..
October															..
November															
December															..
Year															..

MONTHLY and Annual Summaries for the Year 1896, Regina, North-west Territories—Latitude, N. 50° 27′; Longitude, W. 104° 37′. Height above Sea, 1,885 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	4·4	10·0	14·4	38·0	38·0	76·0	2·8	0·00	0	3·3	4	7	0	0	0
February	18·4	0·8	17·6	40·0	30·0	70·0	9·6	R	0	0·8	3	4	0	0	0
March	22·2	3·4	18·8	45·0	23·0	68·0	12·8	0·00	0	1·0	2	4	1	1	0
April	44·0	26·1	17·9	67·5	10·0	57·5	35·1	0·88	4	13·5	7	3	0	2	2
May	60·6	41·9	18·7	74·0	32·0	42·0	51·3	4·00	13			5	0	0	5
June	72·4	49·1	23·3	91·0	39·5	51·5	60·7	5·49	9			3	0	0	7
July	78·1	51·5	26·6	93·5	36·0	57·5	64·8	1·63	8			0	2	0	3
August	72·8	46·5	26·3	90·0	33·0	57·0	59·6	2·71	12			1	1	1	6
September	61·3	39·4	21·9	82·0	20·5	61·5	50·3	0·48	3			3	0	0	0
October	52·7	24·2	28·5	79·5	6·5	73·0	38·4	R	0	*	2	1	1	0	0
November	7·9	8·5	16·4	41·5	46·5	88·0	0·3	0·00	0	13·0	18	0	5	2	0
December	19·4	0·7	20·1	40·5	35·0	75·5	9·4	0·00	0	5·5	10	2	5	2	0
Year	42·9	22·0	20·9	93·5	46·5	140·0	32·4	15·19	49	37·1	46	33	15	8	23

MONTHLY and Annual Summaries for the Year 1896, Russell, Manitoba—Latitude, N. 50° 59′; Longitude, W. 101 20′. Height above Sea, —

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	7 a.m.	2 p.m.	9 p.m.	Amt.	Days	Amt.	Days	Gales.	Fogs.	Thunder.
																			in.		in.				
January..	7 8	0 5	5 1	7·3	37 0	45 0	13	10	4	28	10	3	7	18	0	2 4	2 7	2 3	0 00	0	5·0	9	5	0	0
February.	2 1	10 2	4 9	3·1	45 0	30 0	7	8	4	17	9	5	5	32	0	2 5	2 9	2 1	0 00	0	3·0	4	8	0	0
March....	2 8	17·8	12·0	6 8	45 0	22 0	12	10	6	22	14	5	9	15	0	2 0	2 5	2 1	0 10	1	17·0	13	9	0	0
April..	25 2	37 6	30 6	29·8	69 0	4 0	18	12	13	25	4	3	1	14	0	2 6	2 9	2 7	0 75	4	24·0	10	11	0	1
May . .	45 2	59 5	51 7	50 7	79 0	29 0	5	14	9	23	11	6	10	14	0	1 9	2 5	1 7	2 54	16			2	0	7
June..	55 5	68 7	61 5	59 1	85 0	40 0	6	7	4	19	13	9	4	28	0	2 4	3 6	2 0	3 67	14			8	1	5
July...	55 3	70 1	61 0	60 5	86 0	29 0	8	16	12	14	13	6	4	20	0	1 7	3 2	1 6	2 50	13			3	1	5
August...	51 0	67 2	55·2	56·1	84 0	32 0	10	3	6	13	10	10	7	34	0	2 2	3·1	1 8	1 74	10			6	0	8
September	40 3	56 0	47 1	46 1	80 0	25 0	19	1	7	12	6	11	8	25	1	2 4	3 8	2 3	1 18	8		1	10	0	0
October. .	26 5	44 4	34 7	34·5	74 0	9 0	22	13	4	9	16	7	1	21	6	2 0	4·3	2 2	0 00	0		3	11	0	0
November	1 6	5 5	0 7	1 7	46 0	39 0	15	17	4	7	1	1	4	38	0	2 7	4·1	2 8	0 00	0	6·0	8	13	0	0
December	7 7	14 2	10·7	7 7	41 0	33 0	5	2	5	20	17	6	16	22	0	2 0	3·1	2 5	0 00	0	10 0	8	6	1	0
Year...	25·2	37 6	30 4	29·1	86 0	4 5 0	140	113	78	209	124	72	76	281	1	2 2	3 2	2 2	12 48	66	65·0	56	92	3	26

MONTHLY and Annual Summaries for the Year 1896, Renfrew, Ontario—Latitude, N. 45° 26′; Longitude, W. 76° 39′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	
								in.		in.					
January	23·1	2 8	20·3	36 0	24 2	60 2	13·0			5·0	7	0	0	0	0
February	22 5	2 9	25·4	38 0	35 6	73 6	9 8					1	0	0	0
March	27 3	0 5	27 8	51 0	19 2	70 2	13 4	...	..			4	0	0	0
April	55 9	30 3	25 6	84 0	11 0	73 0	43 1	0·15	1			1	0	0	0
May	71 0	44·0	27·0	93 0	33 1	59 9	57 5	1 41	4			3	0	0	0
June	79 0	49 8	29·2	91 0	39 2	51 8	64 4	4·94	5			1	0	0	0
July	82 7	56 2	26·5	92 5	43 2	49 3	69 5					0	0	0	0
August	79 2	49 6	29·6	93 5	46 2	53 3	64 4	3·77	2			0	0	0	0
September	70 7	43 0	27 7	91 0	25 1	65 9	56 9	1·08	1			0	0	0	
October	53 3	32 2	21·1	72 0	23 1	48 9	42 8	4 37	3	1 3	2	0	0	0	
November	46 5	24 9	21·6	60 0	2 0	58 0	35 7				4	1	0	0	0
December	27 9	4 3	23·6	43 0	18 0	61 0	16·1			3 2	3	0	0	0	0
Year	53 3	27 8	25 5	93 5	35 6	129·1	40 5					11	0	0	0

Monthly and Annual Summaries for the Year 1896, Richmond, Quebec—Latitude, N. 45° 40′; Longitude, W. 72° 8′. Height above Sea, 437 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.	Calm.
January	7·8	16·2	10·8	11·4	20·5	0·1	20·6	34·5	28·0	0	12	4	17	5	11	17	11	16
February	8·8	20·4	14·7	14·7	24·8	0·8	24·0	44·1	40·9	1	1	0	23	12	14	16	7	13
March	14·8	25·2	18·8	19·4	29·5	5·7	23·8	47·6	25·8	2	0	4	11	10	14	25	17	10
April	34·2	49·9	39·7	40·9	52·5	27·1	25·4	76·6	9·5	2	9	3	11	4	14	14	11	22
May	51·2	67·0	55·1	57·1	69·6	41·1	28·5	85·3	28·0	0	2	3	13	12	13	13	11	17
June	58·4	71·1	59·2	61·3	74·2	46·4	27·8	88·0	33·5	0	3	0	18	10	20	14	11	14
July	63·6	75·2	64·9	67·2	77·8	54·6	23·2	89·1	41·7	1	3	0	17	8	25	14	6	16
August	59·2	73·5	62·3	64·3	75·9	56·5	24·4	90·2	37·5									
September	49·6	62·6	53·3	54·7	64·4	42·9	21·5	84·0	27·2	0	2	11	26	2	11	16	6	10
October	38·0	48·8	39·6	41·5	50·5	31·5	19·0	65·0	18·8	5	4	12	14	2	17	17	15	7
November	32·4	37·1	33·1	33·9	41·9	24·5	17·4	59·5	12·9	1	1	7	19	2	16	26	10	8
December	11·1	19·1	13·7	14·4	25·3	3·8	21·5	43·7	23·0	2	0	5	17	8	9	31	6	9
Year	35·8	47·2	38·8	40·1	50·6	27·5	23·1	90·2	40·9									

Monthly and Annual Summaries for the Year 1896, Richmond, Quebec—Latitude, N. 45° 40′; Longitude, W. 72° 8′. Height above Sea, 437 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%	%	%	%	in.		in.						
January	1·5	1·7	1·1	57	44	44	48	0·00	0	16·0	15	0	2	2	0	...
February	1·6	2·2	1·6	62	63	48	58	0·63	1	33·0	12	1	4	0	0	...
March	2·1	2·7	1·9	68	67	52	62	0·89	2	68·0	17	0	6	0	0	
April	1·5	1·9	0·8	48	54	38	48	0·34	5	12·6	5	2	2	0	1	...
May	1·9	2·4	1·1	48	51	48	49	2·78	8			1	3	0	4	...
June	1·7	2·0	0·9	48	51	47	49	3·63	11			0	3	1	1	...
July	1·8	2·5	1·2					5·14	11			0	2	0	4	...
August								2·97	12			1	0	0	0	...
September	2·2	2·4	1·8	65	61	75	67	3·38	8			3	4	0	0	...
October	1·9	2·8	2·1	71	54	54	60	2·73	8	1·5	1	2	8	1	0	
November	2·4	2·9	2·0	85	77	68	76	4·53	8	6·5	9	0	11	1	0	...
December	1·6	1·8	1·9	61	66	50	59	0·42	1	7·0	5	0	4	0	0	...
Year								27·42	75	144·6	64	10	49	5	10	...

MONTHLY and Annual Summaries for the Year 1896, Roberval, Quebec—Latitude, N. 48° 31′; Longitude, W. 72° 13′. Height above Sea, ——

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								FORCE OF WIND.	RAIN.		SNOW.				
	8 a.m.	2 p.m.	6 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	C.		Amount.	Days.	Amount.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	2·6	2·8	0·0	0·1	31·0	28·0	0	0	0	0	0	66	0	21	0		0·00	0	*	4			
February	3·6	10·7	6·7	7·0	40·0	26·0	0	0	0	0	0	66	0	21	0		0·00	0		6			
March	10·9	18·8	14·9	14·9	40·0	15·0	0	0	0	0	0	24	0	66	0		R	1	*	12			
April	37·2	42·6	38·7	39·3	67·0	25·0	0	0	0	0	0	48	0	27	0		R	5					
May																							
June																							
July																							
August																							
September							0	0	0	0	0	66	0	24	0		R	6					
October	36·4	40·6	37·3	37·9	65·0	21·0	0	0	0	0	0	60	0	33	0		R	10	*	3			
November	32·1	34·6	32·4	33·0	60·0	5·0	0	0	0	0	0	58	0	32	0		R	7	*	3			
December	6·2	11·5	10·4	9·6	37·0	12·0	0	0	0	0	0	21	0	69	0		R	6					
Year																							

MONTHLY and Annual Summaries for the Year 1896, St. Albans, Manitoba—Latitude, N. 49° 42′; Longitude, W. 99° 33′. Height above Sea, ——

MONTH.	TEMPERATURE.					RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	7·9	14·9	22·8	39·5	41·0	80·5	3·5	0·10	1	9·8	13	1		4	0
February	21·2	4·4	25·6	46·5	30·5	77·0	8·4	0·00	0	2·6	5	5		1	0
March	25·7	3·4	22·3	48·0	29·0	77·0	14·5	0·39	2	9·1	12	0		6	0
April	44·3	26·4	17·9	78·5	11·0	67·5	35·3	2·34	6	7·5	5	9		2	0
May															
June	77·9	51·6	26·3	92·0	41·0	51·0	64·8	3·38	15			5		1	8
July	79·4	52·8	26·6	97·5	42·5	55·0	66·1	2·45	11			2		1	4
August		46·6		90·0	32·0	58·0		1·23	6			6		3	2
September		39·1		86·0	24·5	61·5		1·47	8	0·5	1	4		2	1
October	48·9	24·5	24·4	75·5	5·0	70·5	36·7	0·01	1	1·8	3	0		4	1
November	11·4	1·2	12·6	31·5	29·0	60·5	5·1	0·00	0	14·0	16	3		2	0
December	21·8	1·9	19·9	40·0	29·0	69·0	11·9	0·08	1	3·2	8	3		6	0
Year										51·5	63				

Monthly and Annual Summaries for the Year 1896, St. Mary's, Ontario—Latitude, N. 43° 15′; Longitude, W. 81° 11′. Height above Sea, 1,046 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	26·4	16·6	9·8	38·0	8·0	46·0	21·4	R.	1	14·0	10	0	0	0	0
February	27·5	14·4	13·1	47·0	18·0	65·0	29·9	0·00	0	25·0	16	0	1	0	0
March	29·3	13·0	16·3	53·0	5·0	58·0	21·4	0·75	2	12·0	10	0	0	0	0
April	56·2	39·5	16·7	84·0	17·0	67·0	47·8	1·93	14	1·0	3	0	0	0	1
May	71·6	50·9	20·7	84·0	35·0	49·0	61·2	1·66	7			3	0	1	4
June	74·6	52·8	21·8	85·0	34·0	51·0	63·7	3·22	14			0	0	0	4
July	78·2	59·0	19·2	89·0	44·0	45·0	68·6	2·44	9			0	0	0	1
August	74·8	57·0	17·8	88·0	40·0	48·0	65·9	4·56	13			0	0	0	4
September	63·9	47·6	16·3	82·0	24·0	58·0	55·8	5·10	13			0	0	0	2
October	51·0	35·8	15·2	68·0	23·0	45·0	43·4	1·95	12			0	0	0	0
November	43·5	31·5	12·0	62·0	16·0	46·0	37·5	2·45	10	10·0	3	0	1	0	0
December	31·1	20·6	10·5	49·0	3·0	46·0	25·8	0·33	5	15·0	11	0	0	0	0
Year	52·3	36·6	15·7	89·0	18·0	107·0	44·5	24·39	100	77·0	53	3	2	1	16

Monthly and Annual Summaries for the year 1896, St. Ann's, Ontario—Latitude, N. 43° 6′; Longitude, W. 79° 32′. Height above Sea, ——

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	27·7	18·6	9·1	38·9	3·0	41·9	23·2			3·2	17	8	1	0	0
February	28·4	15·7	12·7	48·9	13·0	61·9	22·1					13	0	0	0
March	30·0	15·0	15·0	54·9	1·0	55·9	22·5					10	0	5	2
April	55·9	38·7	17·2	80·4	18·0	62·4	47·3	1·50	7	0·2	4	8	0	0	1
May	70·3	50·7	19·6	87·5	43·0	44·5	60·5	1·30	9			15	0	0	4
June	74·9	53·8	21·1	87·0	39·0	48·0	64·4	2·18	7			0	1	0	4
July	79·8	56·5	23·3	89·0	49·0	40·0	68·1	3·81	9			11	0	1	3
August	78·6	58·9	19·7	90·0	40·5	49·5	68·8	0·94	4			3	0	0	3
September	67·8	48·8	19·0	83·0	29·0	54·0	58·3	1·42	2			0	0	1	0
October	52·8	37·8	15·0	74·9	24·0	50·9	45·3	0·73	4	*	3	6	2	1	0
November	45·7	32·0	13·7	64·9	18·0	46·9	38·9	2·37	10	*	3	14	2	0	0
December	33·2	22·4	10·8	51·9	14·9	66·8	27·8	0·45	3	6·0	12	3	2	1	0
Year	53·8	37·4	16·4	90·0	14·9	104·9	45·6					91	8	9	17

MONTHLY and Annual Summaries for the Year 1896, St. George, Ontario Latitude, N. 43° 14′; Longitude, W. 80° 12′. Height above Sea, 722 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	20 7	27 8	21 3	22 8	28 5	14 1	14 4	38 0	10 0	14	26	20	0	0	8	15	10	0
February	21 3	27 7	21 4	22 8	27 8	13 8	14 0	48 0	16 0	20	7	6	1	2	7	22	22	0
March	19 9	30 4	22 8	24 0	31 7	13 4	18 3	52 0	4 0	22	11	8	0	2	7	12	31	0
April	43 5	56 5	45 4	47 7	56 3	37 5	18 3	85 0	13 0	19	5	13	4	2	13	17	17	0
May	56 7	72 2	57 4	60 9	72 2	50 0	22 2	88 0	40 0	15	9	20	1	5	20	16	7	0
June	61 9	76 5	60 8	65 0	76 6	54 2	22 4	87 0	43 0	18	9	13	8	3	16	10	13	0
July	64 4	80 0	66 3	69 2	80 0	59 1	20 9	91 0	50 0	16	5	3	3	0	23	17	26	0
August	61 1	77 3	64 1	66 9	78 3	56 1	22 2	91 0	41 0	11	3	5	2	0	36	16	20	0
September	53 1	66 4	55 0	57 4	67 2	47 6	19 6	87 0	28 0	6	4	13	2	0	28	18	19	0
October	40 7	53 0	41 1	44 0	54 5	35 5	19 0	71 0	23 0	15	7	13	6	0	12	18	22	0
November	37 9	46 1	37 1	39 6	48 1	30 5	17 6	65 0	16 0	11	2	14	0	2	27	21	13	0
December	25 9	32 8	26 7	28 0	33 4	19 8	13 6	52 0	7 0	13	4	15	1	0	11	34	15	0
Year	42 3	53 9	43 3	45 7	54 6	36 0	18·6	91 0	16 0	180	92	143	28	16	208	216	215	0

MONTHLY and Annual Summaries for the Year 1896, St. George, Ontario—Latitude, N. 43° 14′; Longitude, W. 80° 12′. Height above Sea, 722 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Above.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.					
				%	%	%		in.		in.						
January				82	70	77	76	0 60	0	11 1	6	0	2	0	0	0
February				61	61	52	58	0 68	2	21 2	9	0	3	0	0	0
March				41	37	48	42	1 80	1	11 0	7	0	4	0	0	1
April				49	42	44	45	0 64	2	1 5	3	0	2	0	0	0
May				27	14	25	22	2 82	9			0	3	0	0	0
June				22	18	34	25	2 22	10			0	0	0	0	0
July				35	28	42	35	4 80	0			0	1	0	0	0
August				34	28	28	30	2 76	13			0	1	0	0	0
September				46	45	38	43	4 81	9			0	2	0	0	0
October				61	49	44	51	1 04	1	0 5	1	0	1	0	0	0
November				69	65	58	63	2 33	8	8 8	2	0	3	0	0	0
December				69	65	62	65	0 03	1	3 5	2	0	0	0	0	0
Year				50	43	46	46	23 93	59	57 6	30	0	22	0	0	1

Monthly and Annual Summaries for the Year 1896, Stuart's Lake, British Columbia—Latitude, N. 54° 28′; Longitude, W. 124° 12′. Height above Sea, 1,800 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°				°		in.		in.					
January	11·2	13·6	24·8	39·9	44·6	84·5	1·2	0·54	3	37·1	10	0	0	1	0
February	32·9	6·2	26·7	46·5	26·6	73·1	19·6	2·20	1	12·5	6	1	0	0	1
March	31·2	1·7	29·5	45·0	32·9	77·9	16·6	0·29	3	6·7	6	0	0	4	0
April	42·9	18·2	24·7	57·5	2·0	55·5	30·6	0·39	4	4·4	2	1	0	1	0
May	57·4	27·0	30·4	70·5	19·2	51·3	42·2	0·23	4	[illegible]	1	0	0	1	0
June	65·2	62·6	32·6	90·0	22·2	67·8	48·9	1·51	11			0	0	0	0
July	74·3	37·1	37·2	85·5	27·2	58·3	55·7	1·27	8			0	0	0	2
August	71·0	34·9	36·1	82·5	24·7	57·8	52·9	0·40	5			0	0	0	0
September	59·3	26·9	32·4	78·0	15·7	62·3	43·1	0·36	3			0	0	0	0
October	45·4	23·0	22·4	55·0	8·6	46·4	34·2	1·68	11	1·0	1	0	3	0	0
November	9·8	10·4	20·2	40·5	36·4	76·9	0·3	0·27	3	8·6	7	0	0	0	0
December	29·3	14·4	14·9	45·5	16·6	62·1	21·8	1·34	6	17·3	13	0	0	1	0
Year	44·2	16·5	27·7	90·0	44·6	134·6	30·5	10·48	62	87·6	46	2	3	8	3

Monthly and Annual Summaries for the Year 1896, Salmon Arm, British Columbia—Latitude, N. 50° 42′; Longitude, W. 119° 18′. Height above Sea, 1,152 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	29·9	15·0	14·9	48·4	11·5	59·9	22·4	0·27	3	31·0	11				
February	41·0	22·4	18·6	54·9	2·8	52·1	31·7	0·00	0	13·0	3				
March	45·7	21·9	23·8	59·6	1·0	60·6	33·8	0·00	0	2·0	1				
April	57·1	33·6	23·5	71·2	22·5	48·7	45·3	0·71	6						
May	64·2	39·2	25·0	76·3	30·0	46·3	51·7	1·34	6						
June	73·6	43·8	29·8	91·3	27·0	64·3	58·7	0·65	5						
July	81·3	47·8	33·5	89·8	40·0	49·8	64·6	0·00	0						
August	79·0	45·3	33·7	94·3	37·4	56·9	62·1	0·57	3						
September	68·3	36·2	32·1	82·8	25·0	57·8	52·3	1·16	3						
October	53·1	34·1	19·0	70·8	22·5	48·3	43·6	1·77	8						
November	27·1	11·3	15·8	50·5	21·5	72·0	19·2	1·10	5	18·0	4				
December	36·5	26·6	9·9	46·1	16·5	29·9	31·5	0·30	3	23·5	6				
Year	54·7	31·4	23·3	94·3	21·5	115·8	43·1	7·87	42	87·5	25				

MONTHLY and Annual Summaries for the Year 1896, Savanne, Ontario—Latitude, N. 48° 55′; Longitude, W. 90° 18′. Height above Sea, 1,506 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.	RAIN.		SNOW.				
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.	Auroras.
	°	°	°																					
January..	13·1	9·2	22·3	1 9	35 0	49 0	2	9	2	9	3	12	5	13	38	.. .. ..	R	0	5·0	9	2	1	0	6
February.	18·5	8 4	26 9	5 1	42 0	43 0	0	2	0	3	5	8	5	22	42	.. .. ..	0 00	0	4·0	4	7	0	0	13
March....	23 1	6 3	29·4	8·4	42 0	38 0	1	8	0	6	2	8	8	17	43	.. ..	0 00	0	6·0	2	4	0	0	20
April.	44 5	22·0	22·5	33 2	75 0	23 0	0	9	9	10	2	7	5	11	37	. . .	1 50	5	.	3	3	1	1	7
May.	66 1	38·6	27·5	52 3	89 0	26 0	3	13	5	6	3	18	1	12	32	.. ..	3 45	8	.. ..	..	2	0	1	9
June.	73 4	41 8	31·6	57 6	84 0	28 0	4	8	0	1	3	26	10	7	31	. . .	3 07	6	. .	. .	0	0	1	9
July.. . .	73 7	45·1	28 6	59·4	90 0	30 0	0	4	2	3	1	35	11	9	28	.. .. ..	4 79	7	..	..	0	0	2	6
August...	71 1	43 6	27 6	57·3	87·0	30 0	0	4	0	7	6	21	9	16	30	.. .	2 65	6	.	..	1	0	0	12
September	59·2	37·0	22·1	48·1	73 0	14 0	2	6	0	5	1	12	8	24	32	. .	4 25	5	. .	. .	2	0	1	7
October...	44 5	24·2	20 3	34 4	66 0	8 0	3	13	0	6	1	9	3	17	41	. .. .	1 30	3	5·0	2	2	0	0	5
November	19 6	3 9	15·7	11 8	47 0	34 0	2	10	9	1	0	8	6	14	40	. .	0 00	0	19·0	8	1	1	0	0
December	19 3	2 8	22·1	8 2	40 0	40 0	0	5	4	1	4	12	5	7	52		0 00	0	5·0	3	1	1	0	9
Year...	43 8	24·7	19·1	31·5	90·0	19 0	17	91	31	61	31	176	76	169	446	. . ..	21·01	40	44·0	31	25	1	6	103

MONTHLY and Annual Summaries for the Year 1896, Schreiber, Ontario—Latitude, N. 48° 50′; Longitude W. 87° 15′. Height above Sea ———

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
	°	°	°														in.		in.				
January ..	3 6	11·2	11·4	9·4	33·0	30 0	12	3	0	10	10	1	4	6	17	....	0·00	0	32·0	12	0	2	0
February....	7·5	15·4	13·5	12·1	40·0	25 0	29	3	0	12	11	10	1	15	6	.	R	0	8·0	4	0	0	0
March	0 8	11·4	10·3	8 6	37·0	25 0	32	5	0	12	16	13	2	10	3	.	R	0	2·0	9	0	0	0
April.....	29·0	36 8	34 8	33·6	53 0	5 0	16	7	7	10	10	14	3	9	14		0 81	5	8·0	5	0	3	0
May	45 3	52·7	50·2	49 4	75 0	38 0	9	9	2	21	12	11	0	14	12		0 38	3	.		0	1	0
June.....	55 8	62·0	59·5	59 2	78 0	39 0	8	12	0	14	27	5	0	8	16	.	1 92	6	.		0	2	0
July	57 6	64·9	62·6	60 4	72·0	48 0	9	5	0	8	25	11	0	6	29		0 42	3	..		0	1	0
August ...	54 4	62 6	59 4	58 9	75·0	43 0	5	13	0	8	16	14	0	10	27	....	1 31	6	..		0	5	0
September...	47 6	53·1	50 8	49·2	64·0	32 0	21	11	0	8	6	7	0	16	3	..	0 33	3	.	1	0	0	0
October. . . .	38 0	41·4	40·0	39 8	49·0	30 0	13	0	5	2	4	8	0	13	24	. .	0 42	4	1 0	9	0	1	0
November...	19 0	22·9	21·5	21·1	18 0	20 0	43	22	0	3	3	9	0	6	3		1 05	2	23·0	9	0	0	0
December..	8 8	15·6	14·2	12·9	43·0	20 0	34	2	1	5	8	9	2	4	28		0 00	0	8·0	12	0	0	0
Year....	30·6	37 5	35·7	34·5	78 0	30·0	261	93	15	116	148	112	12	117	182	.	6 64	32	82·0	61	0	18	0

MONTHLY and Annual Summaries for the Year 1896, Sudbury, Ontario—Latitude, N. 56° 27′; Longitude, W. 80° 55′. Height above Sea 840 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.			
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Cases.	Fogs.	Thunder.
																			in.		in.				
January	8·4	16·8	12·2	12·4	35·0	25·0													0·00	0	19·0	9	3	0	0
February	8·5	19·3	11·6	12·9	38·0	35·0	6	0	2	1	1	1	6	7	63				0·00	0	10·5	5	3	0	
March	11·0	24·3	11·9	14·8	40·0	15·0	14	0	0	0	4	1	8	1	65				R	1	3·0	2	2	0	0
April	40·3	51·8	43·6	44·8	80·0	10·0														3		1	1	0	0
May	58·3	66·4	58·8	60·6	91·0	43·0	4	4	1	5	8	8	2	3	56					4			2	0	0
June					87·0	50·0																			
July	61·9	73·2	62·1	64·8	91·0	51·0																			
August	62·7	73·9	59·8	64·0	88·0	45·0	0	2	0	1	5	4	18	4	59										
September																									
October	36·6	44·7	36·2	38·4	63·0	22·0																	2		0
November	26·9	34·4	29·2	29·9	50·0	10·0														5		2	1		0
December	14·6	19·8	16·9	17·0	40·0	21·0	20	0	1	3	2	10	1	23	33							4			
Year					91·0	35·0																			

MONTHLY and Annual Summaries for the Year 1896, Sarnia, Ontario—Latitude, N. 42° 59′; Longitude, W. 82° 24′. Height above Sea, 586 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amount.	Days.	Amount.	Days.	Cases.	Fogs.	Thunder.
																			in.		in.				
January	22·3	28·9	23·4	24·5	40·0	5·0	0	1	15	5	10	5	38	2	17				0·05	1	2·0	2	0	0	0
February	20·8	30·3	22·9	24·2	47·0	−23·0	12	2	7	3	25	9	23	2	4				0·17	1	9·0	5	3	0	1
March	21·2	32·9	25·4	26·2	60·0	1·0	12	0	6	7	14	8	27	4	15				0·63	2	7·0	4	3	0	0
April	46·5	58·5	47·4	49·9	83·0	21·0	8	0	8	6	27	6	12	6	17				2·09	7			0	1	2
May	60·9	74·7	58·3	63·1	90·0	37·0	3	1	9	3	23	20	8	3	23				2·10	5			5	0	1
June	65·0	78·1	60·8	66·2	92·0	44·0	18	0	5	4	16	7	2	3	35				1·25	5			1	0	0
July	67·6	79·0	65·4	69·3	93·0	42·0	23	2	2	7	12	8	8	4	27				7·40	10			0	1	1
August	63·7	77·0	63·3	66·8	90·0	40·0	11	0	2	0	33	3	8	1	35				4·34	6			0	0	0
September	54·0	67·7	55·0	57·8	89·0	27·0	19	0	2	5	26	5	11	0	22				4·70	7			0	0	1
October	38·2	53·7	40·8	43·8	73·0	20·0	12	0	10	6	24	5	6	8	22				1·40	3			1	0	0
November	36·0	44·2	36·0	38·0	66·0	6·0	8	1	6	4	21	8	22	4	16				1·47	7		1	1	0	0
December	24·0	33·8	27·6	28·3	53·0	3·0	9	0	11	3	14	5	16	3	32				0·47	2	8·5	2	0	0	0
Year	43·3	54·9	43·9	46·5	93·0	−23·0	135	7	83	53	245	89	181	40	265				26·07	56	26·5	14	14	2	6

MONTHLY and Annual Summaries for the Year 1896, Spence, Parry Sound, Ontario—Latitude, N. 45° 33′; Longitude, W. 79° 39′. Height above Sea ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	19·3	2·8	22·1	33·0	40·0	73·0	8·2	0·00	0	18·5	8	0	0	0	0
February	24·5	2·1	22·4	45·0	38·0	83·0	13·3	0·00	0	10·3	5	0	0	0	0
March	27·9	1·6	26·3	44·0	21·0	65·0	14·7	0·00	0	3·5	2	1	1	0	0
April	55·7	31·0	24·7	80·0	4·0	76·0	43·3	1·35	8	2·5	1	0	1	1	2
May	68·6	41·3	27·3	88·0	29·0	59·0	54·9	1·13	6			0	2	0	0
June	77·4	46·1	31·3	88·0	32·0	56·0	61·8	1·07	5			0	0	0	1
July	77·2	51·6	25·6	87·0	38·0	49·0	64·4	0·60	7			0	1	0	0
August	73·3	40·4	32·9	87·0	32·0	55·0	56·8	0·80	6			0	2	0	0
September	64·4	36·8	27·6	80·0	25·0	55·0	50·4	2·28	7			0	0	0	0
October	42·4	20·5	21·9	62·0	13·0	49·0	31·4	0·75	3	3·5	2	0	0	0	0
November	40·4	21·5	18·9	58·0	2·0	60·0	30·9	1·00	6	7·0	5	0	0	0	0
December	26·9	4·0	22·9	41·0	25·0	16·0	15·4	0·00	0	14·0	4	0	0	0	0
Year	49·8	24·5	25·3	88·0	40·0	128·0	37·1	8·98	48	59·3	27	1	7	1	3

MONTHLY and Annual Summaries for the Year 1896, Sprucedale, Ontario—Latitude, N. 45° 30′; Longitude, W. 79° 40′. Height above Sea ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	20·0	0·0	20·0	33·0	14·0	77·0	10·0	0·21	2	26·0	9	0	0	2	0
February	22·8	1·7	21·1	45·0	41·0	86·0	12·2	0·65	2	19·0	9	0	1	0	0
March	26·7	0·7	26·0	44·0	24·0	68·0	26·1	0·64	4	9·0	4	0	1	2	0
April	57·3	30·8	26·5	81·0	2·0	79·0	44·0	1·47	8	5·0	2	0	0	1	2
May	72·2	41·3	30·9	91·0	26·0	65·0	56·7	2·38	11			4	0	0	2
June	78·2	44·8	33·4	91·0	30·0	61·0	61·5	1·35	5			5	0	1	0
July	79·7	50·7	29·0	92·0	39·0	53·0	65·2	2·96	8			8	0	0	3
August	78·8	48·1	30·7	92·0	30·0	62·0	63·4	4·48	10			1	0	1	9
September	65·2	40·2	25·0	84·0	25·0	59·0	52·7	5·36	12			0	2	0	1
October	50·7	28·4	22·3	68·0	15·0	53·0	39·6	2·67	6	5·5	2	0	0	0	0
November	38·9	26·2	12·7	58·0	2·0	56·0	32·0	4·17	13	15·0	6	0	0	0	1
December	25·8	7·7	18·1	39·0	23·0	62·0	16·7	0·42	2	13·0	4	0	0	1	0
Year	51·4	26·7	24·7	92·0	14·0	136·0	40·0	26·76	83	92·5	36	24	4	8	18

Monthly and Annual Summaries for the Year 1896, Stouffville, Ontario—Latitude, N. 43° 56′; Longitude, W. 79° 11′. Height above Sea, ——.

Month.	Temperature.								Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder-Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.		Amt.	Days.	Amt.	Days.				
									in.		in.					
January	24·5	12·5	12·0	33·0	17·0	50·0	18·5		2·65	1	21·6	18	2	2	0	0
February	26·9	11·1	15·8	48·0	24·0	72·0	19·0		0·61	3	34·1	14	4	1	0	0
March	28·8	11·3	17·5	55·0	0·0	55·0	20·1		1·37	4	15·6	8	8	1	1	0
April	57·9	37·4	20·5	89·0	13·0	76·0	47·6		2·17	8	3·3	3	0	4	1	1
May	72·8	49·8	23·0	92·0	42·0	50·0	61·3		2·50	7	..	..	1	1	1	2
June	76·4	54·1	22·3	87·0	42·0	45·0	65·2		2·60	9	..	..	4	1	0	3
July	80·8	57·5	23·3	92·0	49·0	43·0	69·2		2·19	13	..	..	1	2	0	0
August	83·2	56·5	26·7	97·0	42·0	55·0	69·9		1·22	11	..	..	1	1	1	2
September	68·1	47·9	20·2	92·0	27·0	65·0	58·0		4·68	10	..	..	1	3	0	0
October	53·0	36·9	16·1	68·0	26·0	42·0	44·9		1·36	4	4·5	1	0	2	0	0
November	46·2	31·7	14·5	62·0	13·0	49·0	38·9		2·61	7	7·0	4	0	5	0	0
December	31·2	19·9	11·3	47·0	3·0	50·0	25·6		0·25	1	12·2	12	0	4	1	0
Year	54·2	35·6	18·6	97·0	24·0	121·0	44·9		24·21	78	98·3	60	22	27	5	8

Monthly and Annual Summaries for the Year 1896, Sable Island, East Point, Nova Scotia—Latitude, N. 43° 58′; Longitude, W. 59° 46′. Height above Sea, 25 feet.

Month.	Temperature.						Wind, Direction from									Force of Wind.	Rain.		Snow.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.	Auroras.
																	in.		in.					
January	30·6	30·9	30·7	30·7	45·0	6·0	10	17	12	4	4	5	4	34	3		2·33	7	12·0	13	11	4	0	0
February	30·1	32·3	30·5	30·9	43·0	10·5	8	14	2	10	0	12	13	23	5		1·47	4	9·5	6	6	2	0	0
March	33·9	35·7	34·3	34·5	48·0	22·0	6	8	8	18	6	11	19	11	6		2·64	6	10·5	7	10	12	0	0
April	35·8	38·7	35·4	36·3	47·0	30·0	15	20	14	5	3	9	11	9	4		1·04	2	18·0	6	4	4	0	0
May	42·6	46·1	42·4	43·4	52·0	34·0	6	14	10	8	5	14	12	6	18		2·36	5	..	..	3	16	1	2
June	50·9	54·6	49·6	51·2	63·5	42·5	10	7	2	7	6	21	17	18	12		0·30	3	..	..	19	1	0	
July	59·1	61·2	58·5	60·1	71·0	50·0	1	2	2	4	10	35	16	4	19		6·48	11	..	..	24	1	1	
August	61·8	66·7	60·3	62·3	74·0	58·0	8	5	8	21	6	13	4	11	17		2·43	6	..	..	17	3	1	
September	60·3	65·0	59·6	61·1	74·0	48·0	6	13	9	8	9	23	6	5	11		2·52	7	..	..	1	6	3	0
October	54·8	57·3	54·9	55·5	68·0	42·5	8	9	3	24	10	3	9	13	14		3·54	7	..	..	1	9	3	0
November	44·9	46·4	45·0	45·3	58·0	27·0	18	14	3	3	6	16	14	8	8		1·10	7	3·0	1	6	5	0	0
December	32·2	34·7	35·6	33·5	49·0	15·5	15	12	3	3	4	7	13	25	11		2·85	3	9·0	6	10	0	0	0
Year	44·8	47·7	44·6	45·4	74·0	6·0	111	135	76	115	69	169	138	167	128		29·06	68	62·0	39	55	118	12	4

MONTHLY and Annual Summaries for the Year 1896, Stony Creek, Ontario - Latitude, N. 43° 13′; Longitude, W. 79° 45′. Height above Sea, 292 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM							
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	20·3	28·0	23·9	24·0	30·1	17·4	12·7	39·0	9·0	4	2	19	11	3	22	15	8	9
February	21·5	30·0	23·9	24·8	31·8	18·4	13·4	52·0	14·0	8	5	9	5	6	30	11	7	6
March	21·7	33·7	25·5	26·6	34·9	18·6	16·3	62·0	2·0	7	5	15	7	17	15	8	17	2
April	43·0	56·2	45·1	47·3	57·2	39·4	17·8	91·0	20·0	6	13	14	2	15	14	6	5	15
May	56·9	70·8	59·7	61·8	71·8	51·1	20·7	93·0	40·0	10	12	12	0	8	28	11	2	10
June	69·1	75·6	64·0	65·9	76·5	55·4	21·1	92·0	41·0	8	10	15	2	7	17	6	7	18
July	67·4	82·3	68·7	71·8	83·0	61·6	21·4	94·0	47·0	7	4	12	1	14	24	10	5	13
August	66·3	81·1	69·8	71·8	81·8	60·2	21·6	95·0	43·0	5	3	5	0	14	29	12	9	16
September	55·3	69·8	59·4	60·9	70·4	50·9	19·5	92·0	30·0	12	8	14	3	13	20	7	3	10
October	40·9	53·6	44·7	46·0	54·2	38·0	16·2	73·0	28·0	7	13	11	4	11	20	10	6	11
November	40·2	48·2	42·5	43·3	50·9	35·5	15·4	70·0	20·0	3	6	8	4	17	23	11	8	10
December	26·3	35·4	29·8	30·3	36·6	23·2	13·4	55·0	8·0	7	5	13	5	10	33	6	4	10
Year	43·3	55·4	46·4	47·9	56·7	39·2	17·5	95·0	14·0	84	86	147	44	135	275	113	81	130

MONTHLY and Annual Summaries for the Year 1896, Stony Creek, Ontario—Latitude, N. 43° 13′; Longitude, W. 79° 45′. Height above Sea, 292 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN		SNOW.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amount.	Days.	Amount.	Days.	No. of Fogs.	No. of Ozone.	No. of Auroras.	No. of Thunder Storms.	Lightning.
						%		in.		in.						
January	2·9	4·2	3·6	74	73	73	73	1·87	3	7·5	7	1	6	0	0	0
February	3·6	4·7	3·8	59	53	60	57	2·26	5	28·0	7	0	9	0	0	0
March	3·7	5·4	4·4	44	41	36	40	2·01	5	16·0	10	0	11	3	1	0
April	2·3	4·7	3·0	49	53	45	49	1·06	7	2·9	3	2	5	0	1	0
May	2·4	5·3	3·1	37	41	31	36	4·47	12	...	.	0	9	0	3	0
June	2·2	4·8	2·0	28	34	31	31	1·71	9			1	5	0	2	2
July	2·4	4·9	2·8	36	55	39	43	3·84	11			1	5	0	5	0
August	2·1	5·5	3·2	20	43	30	31	0·98	5			0	9	0	3	3
September	2·9	5·2	2·8	52	51	34	45	4·82	10			1	6	0	0	1
October	3·1	4·9	2·7	48	50	39	46	1·70	5			1	5	0	0	1
November	3·1	4·9	4·3	61	59	52	57	1·68	6	4·0	1	2	8	0	0	1
December	2·9	4·7	4·5	51	65	43	53	0·92	4	6·7	3	0	6	0	0	0
Year	2·8	4·8	3·3	48	52	43	47	27·32	89	65·1	31	9	84	3	15	11

MONTHLY and Annual Summaries for the Year 1896, Tobacco Plains, British Columbia—Latitude, N. 49° 1′; Longitude, W. 114° 50′. Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	
								in.		in.					
January.															
February	44·3	27·0	17·3	57·1	10·0	47·1	35·6	0·15	1						
March	43·9	24·1	19·8	61·1	9·9	71·0	33·8	0·10	3	1·0	1	5	0	0	0
April	56·2	31·8	24·4	67·6	16·0	83·6	44·0	0·20	1	0·7	1	2	0	0	0
May	65·6	40·2	25·4	82·6	32·0	50·6	52·9	0·67	6			1			
June	83·4	43·8	39·6	103·1	33·0	70·1	63·6	1·00	2						1
July	86·4	51·1	35·4	100·1	40·0	60·1	68·7	1·09	3			2			1
August	79·2	44·4	34·8	89·1	34·0	55·0	61·8	0·76	3			1	0	0	1
September	67·5	37·0	30·5	86·1	26·0	60·1	52·3	0·29	3			0	0	0	0
October	58·8	29·9	28·9	72·6	20·0	52·6	44·4	0·16	3			1	1	0	0
November	29·5	14·0	15·5	58·1	29·2	28·9	21·7	2·69	4	18·0	6	4	0	0	0
December	39·2	28·4	10·8	55·1	6·0	49·1	33·8	0·32	3	1·0	1	3	3	0	0
Year															

MONTHLY and Annual Summaries for the Year 1896, Treherne, Manitoba—Latitude, N. 49° 38′; Longitude, W. 98° 42′. Height above Sea, 1,212 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	
								in.		in.					
January	5·5	12·9	18·4	37·0	40·0	77·0	3·7	0·02	1	13·5	9	0	0	9	0
February	18·2	0·3	18·5	50·0	27·0	77·0	9·0	0·00	0	3·5	5	0	0	10	0
March	22·4	2·9	19·5	50·0	22·0	72·0	12·6	0·42	1	16·0	9	0	0	9	0
April	40·5	26·9	13·6	77·0	10·0	67·0	33·7	5·94	8	8·0	3	0	0	7	1
May	62·9	42·6	20·3	84·0	33·0	51·0	52·8	6·65	16			0	1	6	10
June	72·2	52·3	19·9	84·0	44·0	40·0	62·2	3·07	14			0	0	5	7
July	73·9	54·3	19·6	88·0	45·0	43·0	64·1	2·50	8			0	2	1	3
August	72·3	49·7	22·6	82·0	32·0	50·0	61·0	1·08	10			2	0	3	6
September	60·0	39·3	20·7	80·0	26·0	54·0	49·7	2·71	10			0	0	5	0
October	48·4	29·7	18·7	72·0	13·0	59·0	39·0	0·37	2	1·5	2	1	0	6	1
November	14·8	5·0	19·8	43·0	32·5	75·5	4·9	0·00	0	16·5	7	2	0	2	0
December	27·8	2·6	25·2	52·0	31·0	83·0	15·2	0·00	0	3·0	3	2	0	2	0
Year	43·2	23·5	19·7	88·0	40·0	128·0	33·4	22·76	70	62·0	38	7	3	65	28

MONTHLY and Annual Summaries for the Year 1896, Thorold, Ontario —Latitude, N. 43° 13'; Longitude, W. 79° 11'. Height above Sea, 384 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	29·6	18·9	10·7	39·5	2·0	41·5	24·3	2·47	2	9·0	3				
Februaay	32·2	18·9	13·3	52·9	11·0	63·9	25·5	1·23	2	23·0	5				
March	35·1	16·9	18·2	59·4	1·0	58·4	26·0	2·02	4	26·0	4				
April	62·2	38·9	23·3	89·0	18·5	70·5	50·6	0·48	4						
May	76·3	51·1	25·2	91·9	38·5	53·4	63·7	1·05	5						
June	82·3	55·3	27·0	94·5	41·0	53·5	68·8	2·52	6						
July	84·7	61·9	22·8	95·0	50·0	45·0	73·3	4·15	7						
August	83·2	59·9	23·3	97·5	45·0	52·5	71·6	1·58	10						
September	70·4	52·3	18·1	91·9	30·0	61·9	61·3	4·07	8						
October	55·5	39·3	15·2	74·5	27·0	47·5	47·4	1·81	5						
November	49·9	36·3	13·6	67·4	20·5	46·9	43·1	2·17	7						
December	35·0	23·3	11·7	54·1	6·0	48·4	29·1	0·66	2	8·0	3				
Year	58·0	39·4	18·6	97·5	11·0	108·5	48·7	24·21	62	66·0	15				

MONTHLY and Annual Summaries for the Year 1896, Uplands, Ontario Latitude, N. 45° 48'; Longitude, W. 79° 25'. Height above Sea,——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January	22·4	1·1	21·3	31·5	38·2	69·7	11·8	0·15	2	34·5	20	0	0	0	0
February	24·9	3·1	21·8	45·5	36·0	81·5	14·0	0·50	1	28·5	13	0	1	0	0
March	27·8	3·1	24·7	44·6	16·0	60·6	15·5	0·20	1	17·5	12	1	0	0	0
April	56·8	30·6	26·2	78·0	6·5	71·5	43·7	0·65	5	8·5	6	0	0	0	0
May	68·7	42·7	26·0	89·5	30·9	58·6	55·7	2·05	11			1	0	0	1
June	76·2	45·5	30·7	86·5	33·6	52·9	60·8	1·48	4			0	0	0	2
July	77·1	50·6	26·5	87·0	40·0	47·0	63·9	1·12	9			0	0	1	2
August	75·9	49·0	26·9	90·0	32·8	57·2	62·5	4·63	13			2	0	0	5
September	62·9	40·5	22·4	81·0	25·1	55·9	51·7	5·08	10			0	0	0	2
October	51·1	30·0	21·1	63·6	17·4	46·2	40·6	3·68	5	18·5	9	0	2	0	1
November	41·1	25·0	16·1	57·8	1·4	59·2	33·0	6·11	13	23·0	15	0	0	0	1
December	26·1	7·9	18·2	40·4	18·0	58·4	17·0	0·24	3	27·0	11	0	0	0	0
Year	50·9	27·4	23·5	90·0	38·2	128·2	39·2	25·89	77	157·5	86	4	3	1	14

MONTHLY and Annual Summaries for the Year 1896, Vernon, British Columbia—Latitude, N. 50° 14′; Longitude, W. 119° 15′. Height above Sea, 1,243 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·7	11·4	17·3	48·0	6·0	54·0	20·1	0·00	0	7·5	4	0	0	0	0
February	40·5	24·2	16·3	53·0	8·0	45·0	32·3	0·00	0	11·5	3	0	0	0	0
March	46·8	23·6	23·2	59·0	2·0	57·0	35·2	0·00	0	0·0	0	0	0	0	0
April	55·8	32·3	23·5	69·0	18·0	51·0	38·2	0·70	6	..	..	0	0	0	0
May	64·0	39·5	24·5	79·0	28·0	51·0	51·7	1·52	5		..	0	0	0	0
June	75·3	42·5	32·8	97·0	30·0	67·0	58·9	0·66	2	..	..	0	0	0	0
July	84·9	49·7	35·2	96·0	41·0	55·0	67·3	0·00	0	..	..	0	0	0	0
August	81·5	47·1	34·4	88·0	37·0	51·0	64·3	0·45	2	..	..	0	0	0	0
September	68·0	38·4	29·6	81·0	26·0	55·0	53·2	0·31	2	..	..	0	0	0	0
October	53·7	35·5	18·2	90·0	22·0	68·0	44·6	1·28	5	..	..	0	0	0	0
November	26·6	13·6	13·0	50·0	17·0	67·0	20·1	0·32	2	11·5	1	0	0	0	0
December	35·9	24·4	11·5	50·0	12·0	38·0	30·2	2·35	3	19·0	6	0	0	0	0
Year	55·1	31·8	23·3	97·0	17·0	144·0	43·0	7·59	27	49·5	17	0	0	0	0

MONTHLY and Annual Summaries for the Year 1896, Windsor, Ontario—Latitude, N. 42° 19′; Longitude, W. 83° 2′. Height above Sea, 604 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May															
June															
July	79·9	62·2	17·7	90·5	50·3	40·2	71·0	5·84	13						
August	78·2	61·1	17·1	91·1	49·0	42·1	69·7	1·58	16						
September	67·2	51·2	16·0	83·0	34·5	48·5	59·2	1·22	10						
October	54·8	39·0	15·8	72·1	24·6	47·8	46·9	1·77	7						
November	48·1	34·1	14·0	66·2	18·0	48·2	41·1	1·98	12		1				
December	33·9	23·2	10·7	55·0	2·8	32·2	28·5	0·02	1	13·0	8				
Year															

MONTHLY and Annual Summaries for the Year 1896, Waterford, Ontario—Latitude, N. 42° 54′. Longitude, W. 80° 15′. Height above Sea, ——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean	Amt.	Days	Amt.	Days	Gales.	Fogs.	Auroras.	
								in.		in.					
January	31·1	16·4	14·7	49·0	5·0	54·0	23·7	0·50	1	4·0	6	2	0	0	0
February	31·3	15·4	15·9	50·0	15·0	65·0	23·3	R	.	15·0	5	2	1	0	0
March	33·5	14·0	19·5	61·0	9·0	70·0	23·7			9·0	5	0	0	0	0
April	58·9	38·7	20·2	84·0	16·0	68·0	48·8	0·92	2	*	1	0	0	0	0
May	72·6	48·7	23·9	86·0	40·0	46·0	60·7	2·17	7			0	0	0	2
June	75·4	52·7	21·7	85·0	42·0	43·0	64·1	1·10	6			0	0	0	0
July															
August															
September				86·0	28·0	58·0	....								
October	62·4	35·9	26·5	78·0	21·0	57·0	49·1	0·50	1			0	0	0	0
November	50·5	32·2	18·3	78·0	16·0	62·0	41·4	1·65	15						
December															
Year															

MONTHLY and Annual Summaries for the Year 1896, Whiteside, Ontario—Latitude, N. 45° 0′; Longitude, W. 79° 43′. Height above Sea,——.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean	Amt.	Days	Amt.	Days	Gales.	Fogs.	Auroras.	
								in.		in.					
January	21·6	4·4	17·2	31·5	35·5	67·0	13·0	0·49	2	45·0	16	0	0	0	0
February	26·5	7·2	19·3	41·5	36·0	77·5	16·8	0·53	2	18·5	15	2	0	0	0
March	30·3	6·3	14·0	50·5	14·5	65·0	18·3	0·77	4	7·6	7	5	2	0	0
April	56·4	32·8	23·6	82·0	7·0	75·0	44·6	1·44	10	5·5	5	0	0	0	1
May	71·7	45·4	26·3	85·5	32·5	53·0	58·6	2·15	11			5	0	0	1
June	78·5	50·4	28·1	91·5	36·5	55·0	64·5	2·18	4			5	0	0	3
July	79·1	56·3	22·8	92·0	47·0	45·0	67·7	3·07	8			0	0	0	5
August	77·8	53·6	24·2	91·5	38·5	53·0	65·7	6·60	10			1	0	1	6
September	63·6	44·4	19·2	82·0	24·0	58·0	54·0	5·25	9			1	1	0	0
October	50·4	34·7	15·7	62·5	22·0	40·5	43·5	3·44	8	6·5	6	0	3	0	1
November	42·4	30·8	11·6	61·0	16·5	44·5	36·6	3·58	9	26·0	9	4	0	0	1
December	28·5	14·6	13·9	38·0	14·5	52·5	21·6	1·17	3	26·2	14	2	0	0	0
Year	51·4	31·7	19·7	92·0	36·0	128·0	42·1	30·67	80	135·3	72	29	6	1	18

Monthly and Annual Summaries for the Year 1896, Welland, Ont.—Latitude, N. 42° 50′; Longitude, W. 79° 17′. Height above Sea, ——

Month.	Temperature.							Rain		Snow.					Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	
								in.		in.					
January	28·5	16 8	11 7	38 0	3·0	41 0	22·7	2 98	4	10 5	14	0	4	1	0
February	29 6	15 2	14·4	50·0	18·0	68·0	22·4	1 39	5	54·0	16	0	1	0	0
March	32 2	14 4	17 8	57·0	7·0	64 0	23 3	0 76	2	13 2	14	0	0	3	1
April	58 4	37 4	21 0	80 0	19·0	61 0	47 9	0 75	6		4	0	7	0	2
May	72 4	49 5	22 9	86 0	40 0	46 0	60 9	1 85	7	..	...	1	0	1	5
June	78 6	54 6	24·0	89·0	41·0	48 0	66 6	1·45	9	. .	..	0	3	0	5
July	81 1	60 3	20 8	90 0	46·0	44 0	70·7	2·42	7	.	....	0	2	0	4
August	78·5	58·5	20·0	92·0	42 0	50 0	68 5	1 72	12		..	0	0	0	6
September	68 4	48 6	19 8	86·0	30·0	56·0	58 5	5 07	12		.	0	0	0	0
October	52 4	36·9	15·5	70·0	27 0	43·0	44 6	1 59	8		2	0	3	1	0
November	48 6	32·7	15 9	68·0	17·0	51·0	40 7	2 66	11	3·0	4	0	2	0	0
December	34 0	21 4	12 6	52·0	1·0	53 0	27 7	0 57	2	32 0	8	0	2	1	0
Year.	55 2	37 2	18 0	92 0	-18·0	110·0	46 2	23 21	85	112 7	62	1	24	7	23

Monthly and Annual Summaries for the Year 1896, West Point, Anticosti, Que.—Latitude, N. 49° 52′; Longitude, W. 64° 32′. Height above Sea,

Month.	Temperature.						Wind. Direction from									Force of Wind.	Rain.		Snow.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calms.		Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder.
																	in.		in.				
January	9 6	13 5	11 2	11 4	30 0	10·0	16	9	33	4	2	1	5	23	0		0·00	0	14·0	5	4	0	..
February	12 0	17·4	15 9	15 3	36 0	12·0	11	3	27	3	10	1	12	20	0		0·00	0	28·0	6	2	0	
March	19 3	23 1	21 6	21·4	38 0	2·0	4	11	19	2	15	7	21	14	0	.	0·17	2	38·0	9	4	1	
April	28 2	35 2	30 9	31 3	44 0	21 0	15	10	16	6	15	2	11	15	0	.	0·02	1	17 0	2	0	1	
May	40 1	46 4	40 7	42 0	57 0	29 0	11	8	6	8	35	5	8	12	0		1 05	4	.		1	5	
June	50 8	56 8	49 7	51 8	68 0	41·0	5	10	11	12	19	4	17	12	0		2·43	8			1	6	
July	54 4	60 6	54 4	55 9	73·0	45 0	4	3	3	5	35	5	20	18	0		1 82	7	.		1	6	
August	54 9	61 2	55 0	56 5	70 0	47 0	7	3	5	10	30	8	10	20	0		1 92	9	. .		0	12	.
September	47 4	52·0	48 6	49 2	68 0	36 0	6	8	5	16	17	3	15	20	0		3 04	8			1	3	
October	39 3	42 8	40 0	40 5	54·0	28·0	4	6	27	8	10	5	10	23	0	.	4·66	10	.	1	3	10	
November	26 3	28 2	26 4	26 8	45 0	10·0	7	16	10	4	7	6	11	29	0	..	3·16	6	41·0	7	1	1	.
December	14 9	17·5	15 6	15 9	33 0	6·0	10	11	7	7	3	8	9	38	0	.	0 00	0	21 2	9	3	0	
Year	33·1	37 9	34 2	34 9	73·0	12 0	100	98	169	85	198	55	149	244	0		18 27	55	162·2	39	21	45	

MONTHLY and Annual Summaries for the Year 1896, Whitehead, Nova Scotia.—Latitude, N. 45° 15′: Longitude, W 61° 8′. Height above Sea, ——

MONTH.	TEMPERATURE.						WIND. DIRECTION FROM									Force of Wind.	RAIN.		SNOW.				
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.		Amt.	Days.	Amt.	Days.	Grales.	Fogs.	Thunder.
																	in.		in.				
January	25·1	26·3	25·0	25·4	43·0	3·0	14	18	9	8	1	14	2	27	0		0·49	2	18·0	11	8		
February	22·8	25·7	24·8	24·8	38·0	4·0	9	12	8	7	2	10	12	22	5		0·86	1	13·0	5	7	2	
March	28·1	32·1	29·7	29·9	40·0	16·0	9	7	5	19	5	20	13	11	4		3·25	5			2	10	3
April	32·4	38·1	33·4	34·3	45·0	27·0	23	13	4	11	4	22	1	4	8		1·43	3	15·0	3	2	3	
May	40·0	44·9	39·4	40·9	55·0	32·0	12	9	8	15	7	29	0	3	10		2·47	7		1	2	11	
June	50·3	55·2	50·1	51·4	68·0	42·5	13	3	6	8	3	39	0	2	16		3·96	10				9	
July	55·8	59·6	56·1	56·9	70·0	50·0	6	3	3	5	6	42	3	1	24		5·46	9				14	1
August	59·5	65·4	60·5	61·5	75·0	50·0	4	4	7	7	15	32	4	8	12		4·99	7			1	7	
September	56·8	61·5	57·1	58·1	68·0	46·5	8	10	1	10	6	37	5	9	4		5·54	15				3	2
October	50·0	54·0	50·5	51·3	63·0	37·0	6	17	8	11	11	20	7	9	4		6·36	13			6	6	
November	38·6	41·5	39·1	39·6	55·0	21·0	10	13	2	5	8	17	10	22	3		2·69	16		2	3	4	
December	26·8	29·8	28·3	28·3	45·0	10·0	10	15	2	3	4	16	10	31	2		1·81	4	4·0	2	10		
Year	40·5	44·5	41·2	41·9	75·0	3·0	124	124	63	109	76	298	67	149	92		39·25	92	50·0	26	49	62	3

MONTHLY and Annual Summaries for the Year 1896, Yarrow, North-west Territories—Latitude, ; Longitude, Height above Sea, ——

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Grales.	Fogs.	Auroras.	Thunder Storms.
								in.		in.					
January															
February															
March															
April	47·5	22·5	29·0	68·0	2·0	66·0	35·0	0·00	0						
May	56·4	28·2	28·2	71·0	18·0	53·0	42·3	0·00	0						
June	71·4	37·9	36·5	93·0	29·0	64·0	56·2	0·29	1						
July	79·8	47·1	32·7	100·0	34·0	66·0	63·5	1·81	3			1	0	0	2
August	71·2	43·7	27·5	83·0	35·0	48·0	57·5	2·25	4			2	0	1	0
September	58·7	34·5	24·2	81·0	24·0	57·0	46·6	0·49	2	5·8	1	2	0	0	0
October	37·3	30·4	26·9	72·0	17·0	55·0	43·8	0·00	0			3	0	1	0
November	12·7	5·0	17·7	48·0	31·0	79·0	3·9	0·00	0			0	1	0	0
December	41·6	23·8	17·8	51·0	19·0	70·0	32·7	0·00	0			6	1	0	0
Year															

PART III.

Bi-Hourly and Hourly Temperature.

OBSERVED BI-HOURLY TEMPERATURE at Regina, North-west Territories—January, 1896.

DAY.	12·30 a.m.	2·30 a.m.	4·30 a.m.	6·30 a.m.	8·30 a.m.	10·30 a.m.	12·30 p.m.	2·30 p.m.	4·30 p.m.	6·30 p.m.	8·30 p.m.	10·30 p.m.	Means.
1	−10·0	−10·0	− 8·0	4·0	− 2·0	− 6·0	−11·0	−18·0	−20·0	−21·0	−21·0	−22·0	− 12·76
2	25·0	25·0	−26·5	−26·0	−26·0	26·0	−23·0	− 23·0	−24·0	−25·0	−25·0	−26·0	−25·05
3	−26·0	27·0	−27·0	−29·0	−32·0	−30·0	−26·0	−26·0	− 27·0	−34·0	−34·0	−38·0	29·66
4	38·0	−34·0	−34·0	−30·0	−29·0	27·0	−24·0	−20·0	−19·5	−18·0	−17·0	−15·0	−25·46
5	−13·0	−11·0	−10·0	− 8·0	− 7·0	− 5·0	− 3·0	− 3·0	− 3·0	6·5	− 6·0	− 6·0	- 6·79
6	− 4·0	4·0	− 3·0	− 1·0	0·0	0·0	1·0	2·0	− 2·0	− 5·0	− 3·0	0·0	− 1·25
7	2·0	10·0	20·0	25·0	21·0	23·0	24·5	32·0	32·0	33·0	33·0	35·0	24·20
8	30·0	24·0	18·0	14·0	16·0	22·0	22·0	22·0	22·0	23·0	25·0	24·0	21·83
9	30·0	32·0	36·0	37·0	37·0	38·0	38·0	38·0	37·0	34·0	32·0	30·0	34·91
10	27·0	24·0	24·0	24·0	26·0	21·0	25·0	24·0	23·0	23·0	23·0	23·0	23·91
11	20·0	20·0	20·0	19·0	18·0	17·0	16·0	17·0	18·0	16·0	14·0	10·0	17·08
12	5·0	0·0	2·0	·0·0	3·0	7·0	9·0	15·0	11·0	10·0	5·0	5·0	5·66
13	5·0	6·0	6·5	6·0	5·0	6·0	7·0	4·0	4·0	3·0	3·0	1·0	4·70
14	− 4·0	− 4·0	− 4·0	− 6·0	− 7·0	− 5·0	− 6·0	− 6·0	− 6·0	− 8·0	− 8·0	− 8·0	− 6·01
15	− 8·0	− 9·0	−16·0	−23·0	−27·0	−25·0	−25·0	−26·0	−29·0	−33·0	−35·0	−33·0	−24·09
16	30·0	−27·0	−23·0	−18·0	−16·0	−14·0	−13·0	−12·0	−13·0	−16·0	−18·0	−20·0	18·34
17	−15·0	−15·0	−17·0	−20·0	−19·0	18·0	−17·0	−18·0	−21·0	−22·0	−18·0	−16·0	−19·01
18	−15·0	−13·0	−10·0	−10·0	9·0	− 7·0	6·0	− 6·0	− 5·0	− 6·0	7·0	− 3·0	− 8·84
19	5·0	10·0	13·0	21·0	17·0	10·0	7·0	5·0	2·0	0·0	0·0	3·0	7·75
20	− 1·0	−10·0	15·0	−15·0	−11·0	− 2·0	− 2·0	0·0	0·0	− 2·0	− 2·0	− 3·0	5·26
21	− 5·0	− 5·0	− 3·0	0·0	8·0	6·0	3·0	3·0	− 6·0	−13·0	−14·0	−15·0	- 3·92
22	−15·0	−16·0	−17·0	−19·0	−20·0	−20·0	−19·0	−22·0	−24·0	−25·0	−19·0	−19·0	−19·59
23	24·0	25·0	−26·0	−21·0	−20·0	−18·0	−15·0	−15·0	−12·0	−12·0	−13·0	−13·0	−17·84
24	−15·0	15·0	-15·0	−13·0	−12·0	− 8·0	-10·0	−11·0	−11·0	−17·0	−20·0	−23·0	14·17
25	−25·0	−27·0	26·0	−26·0	−23·0	−20·0	−18·0	−16·0	17·0	−17·0	−17·0	−17·0	−20·75
26	16·0	−16·0	−16·0	−15·0	−11·0	− 8·0	6·0	− 4·0	- 4·0	− 3·0	− 3·0	− 1·0	− 8·58
27	− 1·0	0·0	1·0	2·0	3·0	8·0	11·0	15·0	15·0	20·0	20·0	27·0	10·08
28	27·0	19·0	10·0	3·0	3·0	3·0	2·0	6·0	8·0	9·0	8·0	8·0	8·83
29	8·0	7·0	7·0	5·0	4·0	4·0	8·0	8·0	5·0	7·0	7·0	7·0	6·41
30	8·0	10·0	9·0	9·0	8·0	9·0	10·0	10·0	10·0	11·0	12·0	12·0	9·83
31	13·0	14·0	15·0	11·0	11·0	10·0	14·0	18·0	15·0	9·0	6·0	4·0	11·66
Means	− 3·87	− 3·77	− 3·84	− 3·49	− 2·94	− 1·78	0·85	0·22	− 1·37	− 2·91	− 2·96	− 2·87	− 2·53

Observed Bi-Hourly Temperature at Regina, North-west Territories.—February, 1896.

Day.	12·30 a.m.	2·30 a.m.	4·30 a.m.	6·30 a.m.	8·30 a.m.	10·30 a.m.	12·30 p.m.	2·30 p.m.	4·30 p.m.	6·30 p.m.	8·30 p.m.	10·30 p.m.	Means.
1	4·0	5·0	5·0	3·0	6·0	18·0	26·0	32·0	32·0	29·0	27·0	27·0	17·83
2	27·0	27·0	25·0	25·0	25·0	21·0	23·0	23·0	23·0	21·0	20·0	18·0	23·16
3	10·0	7·0	5·0	5·0	3·0	6·0	10·0	14·0	18·0	18·0	18·0	18·0	11·00
4	18·0	16·0	16·0	14·0	8·0	10·0	10·0	11·0	8·0	1·0	0·0	0·0	9·33
5	0·0	— 1·0	— 1·0	— 2·5	— 2·0	— 2·0	8·0	8·0	8·0	8·0	10·0	10·0	3·62
6	8·0	8·0	8·0	8·0	9·0	9·0	10·0	10·0	12·0	12·0	12·0	11·0	9·75
7	10·0	10·0	9·0	8·0	4·0	8·0	14·0	16·0	17·0	16·0	16·0	22·0	12·00
8	23·0	26·0	26·0	24·0	19·0	20·0	20·0	20·0	11·0	9·0	5·0	3·0	17·16
9	11·0	11·0	12·0	18·0	22·0	30·0	24·0	26·0	23·0	23·0	22·0	12·0	19·50
10	8·0	5·0	2·0	0·0	— 1·0	— 5·0	4·0	— 4·0	— 4·0	7·0	—12·0	—12·0	— 2·83
11	15·0	—17·0	—18·0	-20·0	-18·0	7·0	0·0	1·0	0·0	— 1·0	— 2·0	— 3·0	— 8·33
12	— 1·0	— 3·0	— 3·0	- 4·0	-11·0	-13·0	-16·0	-16·0	—20·0	-20·0	-21·0	—23·0	-12·50
13	25·0	—25·0	—26·0	-28·0	30·0	29·0	23·0	—23·0	22·0	-22·0	—20·0	—17·0	—24·16
14	—17·0	—17·0	—17·0	-12·0	9·0	5·0	— 3·0	— 7·0	— 8·0	-10·0	-13·0	—15·0	-11·08
15	—13·0	10·0	-11·0	12·0	-11·0	6·0	— 2·0	— 3·0	— 3·0	0·0	— 5·0	8·0	7·00
16	—11·0	—12·0	—10·0	- 8·0	— 7·0	4·0	3·0	12·0	22·0	26·0	31·0	34·0	6·33
17	33·0	30·0	32·0	26·0	20·0	20·0	20·0	22·0	20·0	18·0	17·0	10·0	22·33
18	15·0	13·0	12·0	14·0	16·0	10·0	13·0	10·0	10·0	13·0	13·0	13·0	12·66
19	13·0	12·0	11·0	12·0	6·0	7·0	8·0	8·0	10·0	6·0	2·0	0·0	7·91
20	— 1·0	— 2·0	3·0	- 4·0	— 5·0	— 1·0	11·0	14·0	10·0	10·0	6·0	4·0	3·25
21	3·0	3·0	2·0	0·0	0·0	8·0	19·0	32·0	31·0	23·0	21·0	25·0	13·91
22	25·0	25·0	27·0	29·0	32·0	33·0	34·0	33·0	31·0	31·0	31·0	28·0	29·91
23	27·0	27·0	16·0	12·0	14·0	19·0	32·0	31·0	31·0	30·0	29·0	18·0	23·81
24	12·0	10·0	8·0	8·0	10·0	18·0	22·0	33·0	30·0	33·0	33·0	34·0	20·91
25	34·0	33·0	32·0	31·0	32·0	32·0	34·0	35·0	34·0	34·0	35·0	34·0	33·58
26	35·0	36·0	37·0	37·0	37·0	38·0	39·0	38·0	36·0	35·0	34·0	30·0	36·00
27	20·0	10·0	9·0	7·0	7·0	8·0	9·0	9·0	6·0	2·0	— 5·0	— 9·0	6·08
28	—10·0	— 8·0	— 6·0	- 5·0	- 3·0	0·0	2·0	3·0	2·0	0·0	— 1·0	— 1·0	- 2·20
29	— 2·0	- 2·0	— 3·0	- 4·0	- 3·0	- 1·0	2·0	4·0	2·0	- 8·0	— 9·0	—18·0	- 3·50
Means	8·32	7·45	6·76	6·39	5·87	8·35	11·89	13·52	12·76	11·30	10·19	8·02	9·60

Observed Bi-Hourly Temperature at Regina, North-west Territories,—March, 1896.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	−17·0	−17·0	−16·0	−18·0	−12·0	− 4·0	5·0	3·0	3·0	− 3·0	− 6·0	− 8·0	− 7·50
2	−12·0	−12·0	−11·0	−10·0	− 6·0	0·0	2·0	4·0	4·0	1·0	2·0	2·0	− 3·00
3	1·0	9·0	− 3·0	− 4·0	− 3·0	1·0	2·0	3·0	− 1·0	− 8·0	− 6·0	− 5·5	− 2·12
4	− 5·0	4·0	− 2·0	0·0	1·0	4·0	5·0	7·5	8·6	8·0	9·0	11·0	3·54
5	10·0	9·0	9·0	8·0	11·0	12·0	16·0	18·0	14·0	9·0	8·0	8·0	11·00
6	7·5	6·0	6·0	5·0	3·0	8·0	12·0	14·0	12·0	10·5	5·0	0·0	7·41
7	− 5·0	4·0	− 2·0	2·0	3·0	5·0	10·0	11·0	8·0	− 2·0	− 3·0	− 8·0	1·25
8	− 5·0	− 4·0	− 4·0	3·0	7·0	10·0	15·5	15·0	13·0	10·0	3·0	0·5	5·33
9	− 1·0	− 3·0	− 3·0	− 3·0	− 3·0	6·0	16·0	14·0	12·0	10·0	7·0	3·0	4·58
10	− 3·0	− 6·5	−10·0	−13·0	− 8·0	1·0	7·0	7·0	4·5	1·0	− 3·0	− 3·5	− 2·20
11	− 4·0	− 5·0	− 8·0	0·0	0·0	4·0	4·0	4·0	4·0	0·0	− 1·0	− 5·0	− 0·58
12	−10·0	−15·0	−18·0	−22·5	−14·0	− 4·0	1·0	3·0	6·0	3·0	3·0	2·0	− 5·45
13	2·0	1·0	− 1·0	− 1·0	4·0	7·0	11·0	15·0	12·0	5·5	5·0	3·0	5·29
14	2·5	6·0	9·0	4·0	− 0·5	10·0	12·0	12·0	14·0	14·0	13·0	13·0	9·08
15	5·0	4·0	− 4·0	3·0	7·0	10·0	26·0	26·0	24·0	22·0	22·0	20·0	12·25
16	18·0	18·0	15·0	18·0	22·0	22·5	28·0	29·0	27·0	26·0	26·0	20·0	22·45
17	16·0	16·0	17·0	20·5	21·5	23·5	26·0	27·0	28·0	25·0	21·0	15·0	21·37
18	9·0	8·0	8·0	12·0	18·0	22·0	29·0	28·0	28·0	17·5	10·0	6·0	16·29
19	3·0	2·0	2·0	− 2·0	7·0	18·0	22·0	28·0	25·0	23·0	20·0	26·0	14·50
20	30·0	35·0	36·0	35·0	38·0	39·0	40·0	38·0	36·5	35·0	27·0	13·5	33·58
21	7·0	5·0	2·0	5·0	6·0	− 5·0	− 3·0	− 3·0	4·0	4·0	− 4·0	3·0	− 1·91
22	3·0	− 5·0	− 9·0	− 4·5	11·0	16·0	18·0	23·0	20·0	14·5	14·0	9·0	8·67
23	8·0	8·0	7·0	8·0	14·0	16·5	29·0	35·0	36·0	38·0	36·0	34·0	22·46
24	36·0	35·0	36·0	38·0	38·5	40·0	33·0	30·0	26·0	24·0	21·0	20·0	31·46
25	15·0	10·0	8·0	5·0	4·5	16·0	23·0	29·0	26·0	24·0	17·0	12·0	15·79
26	11·0	10·0	11·5	13·0	20·5	27·5	33·0	35·0	34·0	32·0	30·0	27·0	23·71
27	25·0	25·0	24·0	25·0	30·0	34·0	39·0	38·0	38·0	35·0	35·0	34·0	31·83
28	33·0	32·0	29·0	29·0	34·0	35·0	37·0	36·0	33·0	28·0	28·0	29·0	31·92
29	29·0	22·0	24·0	24·0	28·0	32·0	35·0	32·0	33·0	32·0	31·0	29·5	29·29
30	29·0	28·0	28·0	26·0	26·0	27·0	29·0	29·0	29·0	26·0	25·0	24·0	27·16
31	20·0	20·0	19·0	19·0	24·0	30·0	36·0	36·0	35·0	28·0	25·0	23·0	26·25
Means	7·81	6·98	6·44	6·92	10·34	14·91	19·31	20·21	18·97	15·64	13·55	11·32	12·70

Observed Bi-Hourly Temperature at Regina, North-west Territories—April, 1896.

Day.	12·30 a.m.	2·30 a.m.	4·30 a.m.	6·30 a.m.	8·30 a.m.	10·30 a.m.	12·30 p.m.	2·30 p.m.	4·30 p.m.	6·30 p.m.	8·30 p.m.	10·30 p.m.	Means.
1	20·0	20·0	17·5	20·0	27·0	30·0	31·0	31·0	30·5	38·0	22·0	17·0	24·50
2	14·0	12·0	10·0	17·0	22·0	28·0	34·0	35·0	34·0	28·0	26·0	25·0	23·75
3	23·0	23·0	22·0	24·0	25·5	28·0	38·0	39·5	41·0	33·0	31·0	30·0	29·83
4	28·0	26·0	24·0	30·5	34·0	31·0	43·0	42·0	41·0	33·0	32·0	29·5	32·83
5	26·0	24·0	22·0	22·5	33·0	39·0	42·0	42·5	42·5	38·0	33·0	31·0	32·96
6	29·5	29·0	30·0	30·0	32·0	32·0	33·0	35·0	37·0	37·0	36·0	36·0	33·04
7	36·0	32·0	31·0	31·0	33·0	34·0	36·0	36·0	36·0	35·0	33·5	33·0	33·88
8	30·0	27·0	25·5	28·0	38·5	45·0	53·0	53·5	53·0	46·0	35·0	32·5	39·25
9	37·0	40·0	36·0	34·5	36·0	38·0	40·0	39·0	36·0	32·0	23·0	22·5	34·50
10	19·0	18·0	17·0	17·0	20·0	26·5	30·0	32·5	35·0	33·0	29·0	26·0	25·25
11	26·0	24·0	21·0	27·0	28·0	28·0	29·0	29·0	29·0	29·0	27·0	26·0	26·92
12	25·0	25·5	22·0	20·0	27·5	30·0	46·0	41·0	44·0	39·0	33·0	34·0	31·75
13	34·0	28·0	31·5	34·0	38·0	50·0	57·0	58·0	52·0	45·0	40·0	38·0	42·13
14	35·0	33·0	36·0	36·0	36·5	37·0	34·0	34·0	33·0	33·0	31·0	30·0	34·04
15	30·0	27·0	25·5	25·0	24·0	23·0	23·0	23·0	22·0	22·5	22·0	20·0	23·92
16	19·0	17·0	15·0	18·0	21·0	25·5	27·0	27·0	28·0	26·0	25·5	25·0	22·83
17	21·0	22·0	23·0	24·0	27·5	32·0	32·0	30·0	29·0	28·0	27·0	27·0	26·87
18	25·5	25·0	24·0	24·0	24·0	25·0	25·0	27·0	28·0	28·0	27·0	26·5	25·75
19	26·0	26·0	27·0	27·0	28·0	30·0	32·0	32·0	32·0	30·5	26·0	22·5	28·25
20	22·0	21·0	27·0	28·0	28·5	30·0	31·0	33·0	32·0	30·0	29·0	26·0	28·73
21	22·0	19·5	17·0	19·0	30·0	37·0	39·0	39·5	39·0	35·0	33·0	29·0	29·92
22	27·0	27·0	26·0	29·0	35·0	40·0	42·0	42·5	43·5	43·5	43·0	43·5	36·83
23	44·0	41·0	37·0	35·0	39·0	39·5	40·0	39·0	40·0	39·0	38·0	36·0	38·96
24	35·0	33·5	30·0	31·0	37·0	42·0	46·5	51·0	53·0	49·0	41·0	38·0	40·58
25	37·0	33·0	34·0	38·5	50·0	58·0	63·0	65·0	67·0	61·0	53·0	53·0	51·04
26	51·0	49·0	46·0	51·0	58·0	62·0	65·0	67·5	67·0	58·0	49·0	47·0	55·88
27	44·0	44·0	42·0	43·0	48·0	57·0	60·0	62·0	59·0	49·0	44·0	44·0	49·66
28	44·0	41·0	39·0	42·0	40·0	48·0	59·0	62·5	60·0	50·0	45·0	43·0	47·78
29	42·0	40·0	36·0	38·0	50·0	58·0	64·0	65·0	65·0	63·5	49·0	44·0	51·20
30	41·0	36·5	35·5	40·0	53·0	62·0	65·0	65·5	65·5	60·0	56·0	50·5	52·54
Means	30·13	28·80	27·64	29·47	34·14	38·19	41·79	42·05	42·46	38·73	34·76	32·85	35·16

Observed Bi-Hourly Temperature at Regina, North-west Territories—May, 1896.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
1	40·0	36·0	39·0	38·0	50·0	60·0	62·0	63·0	63·5	62·0	49·0	39·0	50·13
2	36·0	32·0	34·0	36·0	56·0	64·0	67·0	68·0	65·0	60·0	57·0	50·0	52·08
3	40·0	39·0	40·0	41·0	44·0	51·0	55·0	57·0	58·5	56·0	48·0	40·5	47·50
4	40·0	40·0	...	44·0	56·0	58·0	57·0	61·0	52·0	51·0	58·0	47·0	51·21
5	46·0	45·0	44·9	47·0	49·5	54·0	55·0	55·5	55·0	50·0	51·5	51·0	50·29
6	52·5	49·5	48·5	50·0	54·0	57·5	67·0	68·5	66·0	61·0	53·0	44·5	56·00
7	42·5	41·0	40·0	42·0	45·0	48·0	52·5	53·0	53·0	54·0	42·5	41·0	46·21
8	40·0	38·5	44·0	48·5	58·0	61·0	67·0	70·0	69·5	64·0	55·0	55·0	55·87
9	53·0	46·0	47·0	48·0	56·0	56·0	56·0	55·0	53·0	50·0	48·0	47·0	51·25
10	46·0	45·0	43·0	44·0	48·0	52·0	60·0	61·0	62·5	59·0	55·0	53·5	52·42
11	49·0	48·0	45·0	46·0	49·0	50·0	53·0	54·0	53·0	53·0	54·0	53·0	50·59
12	52·0	50·0	50·0	50·5	51·0	52·0	52·0	52·0	51·0	50·0	48·5	47·0	50·51
13	45·0	44·0	43·5	45·0	46·0	47·0	48·0	49·0	50·0	48·0	45·0	43·0	46·09
14	41·0	41·0	40·0	41·5	43·0	47·0	50·0	50·0	49·0	48·0	41·5	41·0	44·42
15	39·0	38·0	37·5	41·0	43·0	43·0	45·0	52·5	50·5	42·0	40·0	40·0	42·63
16	39·0	37·0	42·5	45·0	54·0	58·0	59·0	58·0	56·0	53·5	49·0	46·0	49·76
17	44·0	44·0	41·0	46·0	51·5	56·0	55·0	58·0	58·0	55·0	49·5	44·0	50·17
18	43·0	42·0	40·0	45·0	52·0	54·5	58·0	59·0	58·0	56·5	48·0	42·0	49·84
19	38·0	33·0	32·0	37·0	43·5	52·0	58·0	57·0	55·0	52·0	49·0	47·5	46·16
20	47·0	46·0	47·0	48·0	50·0	50·1	51·0	52·0	52·0	51·5	51·0	50·0	49·62
21	49·0	48·0	45·0	46·0	55·5	58·0	61·0	63·0	63·0	60·0	53·0	50·0	54·25
22	47·5	45·5	45·5	50·0	61·0	69·0	71·0	69·0	66·0	60·0	53·0	48·0	57·12
23	48·0	48·0	50·0	58·0	64·0	69·0	74·0	74·0	71·0	65·0	56·0	55·0	60·00
24	56·0	56·0	52·5	57·0	63·0	69·0	70·0	71·0	70·0	68·5	53·0	49·5	61·27
25	49·0	48·0	48·0	50·0	50·0	51·0	50·0	54·0	54·0	53·0	47·0	43·0	49·75
26	40·0	39·0	39·0	41·0	49·0	55·0	59·0	59·0	55·0	52·0	50·0	47·0	48·75
27	44·0	42·0	40·5	52·0	55·5	58·5	60·0	62·5	59·0	52·0	48·0	45·0	51·59
28	44·0	38·0	39·0	49·0	57·5	60·0	63·0	64·0	63·0	62·0	55·5	51·5	53·87
29	50·0	46·0	46·0	49·0	54·5	58·0	61·5	62·0	61·5	62·0	52·0	45·0	53·96
30	42·0	40·0	37·0	38·0	59·0	62·0	65·0	67·0	69·0	68·0	56·0	52·0	55·42
31	46·0	45·0	44·0	54·0	65·0	68·0	73·0	70·0	71·0	67·0	60·0	55·0	59·83
Means	44·79	42·91	43·38	46·37	52·68	56·40	59·19	60·29	59·16	56·32	50·51	47·19	51·62

Observed Bi-Hourly Temperature at Regina, North-west Territories—June, 1896.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
1	52·0	49·5	47·0	50·0	60·8	72·0	75·0	76·0	71·0	72·0	61·0	57·0	62·54
2	51·5	49·0	50·0	53·0	64·5	71·0	74·0	76·0	74·0	69·0	58·0	57·0	62·25
3	55·0	52·0	49·0	65·0	69·0	76·0	74·0	76·0	73·0	58·0	58·5	57·0	63·54
4	58·0	55·0	54·0	54·0	55·0	58·0	64·0	64·5	64·0	60·0	58·5	53·0	58·16
5	47·0	40·0	42·0	51·0	61·0	66·0	67·0	70·0	68·0	65·0	56·0	54·0	57·25
6	52·0	53·0	54·0	55·0	56·0	55·0	55·0	51·0	51·0	50·0	50·0	50·0	52·66
7	49·0	49·5	48·0	48·0	48·0	47·0	46·0	46·0	47·0	48·0	45·0	46·5	47·35
8	46·0	46·5	47·0	48·0	51·0	55·5	63·0	66·0	66·0	64·0	60·0	58·0	56·17
9	57·0	55·0	55·0	57·0	60·0	60·0	65·0	72·0	71·5	70·0	60·0	56·0	61·55
10	56·0	52·0	53·0	54·0	57·0	59·0	60·0	59·0	59·0	58·0	57·0	49·0	56·08
11	48·0	48·0	47·5	47·0	48·0	51·0	62·0	58·0	60·0	58·0	54·0	50·0	52·62
12	48·0	46·0	43·0	51·0	54·0	67·0	79·0	73·0	74·0	72·0	60·0	54·0	59·34
13	53·0	52·0	54·0	60·0	68·0	72·0	75·0	76·0	79·0	79·0	67·5	61·0	66·37
14	61·0	60·0	57·5	63·0	70·5	75·0	78·0	79·0	81·0	77·0	66·0	60·0	69·00
15	57·0	54·0	52·5	59·0	72·0	79·0	82·0	84·0	84·0	80·0	70·0	61·0	69·54
16	61·0	60·5	61·0	65·0	70·0	74·0	75·0	76·0	76·0	73·5	65·0	59·0	68·60
17	55·0	52·0	55·0	65·0	71·0	75·0	73·5	65·0	60·0	61·0	59·0	54·0	62·38
18	52·0	51·0	49·5	61·0	68·0	70·0	76·0	75·0	76·0	74·0	64·0	58·0	64·54
19	51·5	41·5	50·0	59·0	70·0	76·0	76·0	76·0	74·0	70·0	64·0	56·0	63·67
20	54·0	54·0	56·0	60·0	65·0	68·0	71·0	72·0	72·5	71·0	60·0	55·0	63·21
21	51·0	51·0	51·5	61·0	66·0	68·0	69·0	70·0	64·0	68·0	59·0	53·0	60·95
22	49·0	49·5	49·5	55·0	58·0	62·0	58·0	61·0	59·0	58·0	57·0	57·0	56·08
23	58·0	55·0	54·0	56·0	57·0	60·0	65·0	67·0	65·0	64·0	55·0	51·0	58·91
24	48·5	48·0	50·0	51·0	59·0	63·0	64·0	65·5	63·0	62·5	60·0	51·0	57·12
25	50·0	46·0	47·0	54·0	65·0	70·0	72·5	74·0	72·0	68·0	66·0	58·5	61·92
26	50·0	44·0	46·0	56·0	68·0	72·0	79·0	79·5	78·0	72·0	59·0	54·0	63·29
27	51·0	49·0	48·0	50·0	62·0	67·0	70·0	73·0	73·5	72·0	61·5	55·0	61·00
28	53·0	55·0	56·0	64·0	72·0	78·0	80·0	82·0	85·0	82·0	69·0	60·0	69·66
29	56·5	55·0	56·0	62·0	80·0	84·0	88·0	91·0	90·0	84·0	79·0	66·0	74·45
30	68·0	65·0	60·0	66·0	79·0	86·0	90·0	90·0	88·0	79·5	75·5	75·0	76·83
Means	53·30	51·26	51·43	56·66	63·74	68·05	70·57	71·49	72·72	67·99	61·15	56·26	61·88

OBSERVED Bi-Hourly Temperature at Regina, North-west Territories—July, 1896.

DAY.	12·30 a.m.	2·30 a.m.	4·30 a.m.	6·30 a.m.	8·30 a.m.	10·30 a.m.	12·30 p.m.	2·30 p.m.	4·30 p.m.	6·30 p.m.	8·30 p.m.	10·30 p.m.	Means.
1	70·0	65·5	65·0	71·0	72·0	68·0	80·0	76·0	72·0	70·0	67·0	63·0	69·96
2	58·0	55·0	55·0	59·0	63·0	67·0	71·0	71·5	70·0	67·0	62·0	56·0	62·87
3	52·5	50·0	51·0	58·0	68·0	74·0	78·0	79·0	78·5	77·0	63·0	60·0	65·75
4	56·0	54·0	53·0	63·0	75·0	79·0	83·0	86·0	88·0	80·0	71·0	65·0	71·08
5	61·0	59·0	67·0	68·0	76·0	78·5	80·0	81·0	80·5	75·0	67·5	60·5	71·17
6	56·0	50·0	52·0	55·0	65·0	72·0	76·0	78·0	78·0	73·0	64·0	60·0	64·92
7	57·0	52·5	58·0	60·0	70·0	78·0	82·0	80·0	82·0	75·0	71·0	68·0	69·46
8	65·0	65·0	62·0	64·0	70·0	72·0	81·0	83·0	83·0	76·0	70·0	62·0	71·00
9	62·0	56·0	52·0	62·0	76·0	83·0	87·0	88·5	87·0	85·0	78·0	73·0	74·13
10	78·0	71·0	64·0	70·0	78·0	86·0	91·0	92·5	92·5	85·0	75·5	68·0	79·29
11	67·0	64·0	63·0	70·0	77·0	82·0	83·0	85·0	83·0	80·0	70·0	63·0	73·92
12	65·0	63·0	60·0	62·0	65·0	72·0	75·0	77·0	77·5	73·0	66·0	60·0	67·96
13	62·0	60·0	60·0	65·0	72·0	66·0	79·0	83·0	85·0	82·0	75·0	71·0	72·42
14	67·0	61·0	56·0	60·0	66·5	72·0	75·0	78·0	76·0	70·0	67·0	64·0	67·71
15	60·0	59·0	60·0	65·0	70·0	75·0	78·0	78·0	80·5	80·0	70·5	70·0	70·50
16	55·5	55·0	53·0	60·5	74·0	82·0	86·0	86·0	80·0	64·0	62·0	60·0	68·16
17	57·0	55·0	52·0	56·0	62·0	68·0	71·0	74·5	74·5	70·0	63·0	55·0	63·16
18	50·0	48·0	47·0	56·0	62·0	72·0	74·0	76·0	76·0	74·0	57·0	56·0	62·33
19	55·0	54·0	53·5	55·0	58·0	66·0	69·5	68·0	67·0	63·0	58·0	51·5	59·88
20	49·0	45·5	44·0	49·0	55·0	59·5	59·0	56·0	55·5	55·0	54·0	53·0	52·88
21	52·0	50·0	49·5	49·0	50·0	54·0	56·0	60·5	60·0	57·0	51·0	45·0	52·83
22	43·0	38·0	36·0	43·0	57·0	60·5	65·0	68·0	68·5	65·0	57·0	55·0	54·66
23	52·0	49·0	47·0	59·0	64·0	68·0	69·5	69·0	72·5	66·0	58·5	55·5	60·83
24	48·0	45·5	44·0	58·5	61·0	78·0	76·5	79·0	78·5	74·5	59·5	57·0	63·34
25	55·5	53·0	51·0	56·0	59·5	57·0	60·0	63·5	67·0	63·5	54·0	49·0	57·41
26	44·0	41·0	41·0	49·0	58·0	65·0	70·0	73·0	71·0	65·0	55·0	50·0	56·84
27	48·0	44·0	43·0	49·0	68·0	72·0	75·0	84·5	83·0	72·0	64·0	57·0	63·29
28	55·0	54·0	49·5	52·0	67·0	72·0	73·0	71·0	72·0	67·0	65·0	57·0	62·88
29	56·0	55·0	53·0	55·0	60·0	62·0	68·0	66·0	59·0	58·5	50·0	48·0	57·79
30	46·0	46·0	45·0	52·0	61·5	70·0	75·5	79·0	76·5	65·0	65·0	62·5	62·00
31	61·0	58·0	55·0	57·0	64·5	72·0	77·0	79·0	79·0	72·0	62·0	57·0	62·12
Means	56·89	54·06	52·95	58·32	65·97	71·37	74·97	76·44	75·86	70·95	63·73	59·09	65·05

Observed Bi-Hourly Temperature at Regina, North-west Territories—August, 1896.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	55·0	53·5	57·0	60·0	73·0	82·0	88·0	90·0	81·0	81·0	68·0	59·0	72·62
2	60·0	57·5	55·5	66·0	74·0	80·5	79·0	76·0	75·0	72·0	64·0	60·0	68·29
3	56·0	51·0	49·0	51·0	63·0	67·0	68·0	69·0	73·0	73·0	61·0	55·0	61·33
4	53·0	54·0	55·0	60·0	59·0	60·0	60·0	59·0	60·0	53·0	54·0	59·0	57·17
5	56·5	55·0	53·5	53·5	60·0	62·5	65·0	67·0	67·0	64·0	59·0	54·0	59·75
6	51·0	50·0	48·0	54·5	67·0	66·0	75·0	76·0	75·0	75·5	63·0	59·0	63·33
7	55·0	51·5	53·0	57·0	69·5	75·0	79·0	80·0	78·5	72·0	63·0	61·5	66·25
8	56·0	55·0	54·0	52·0	70·5	76·5	79·5	75·0	78·0	75·0	63·0	59·0	66·13
9	58·0	54·0	52·0	56·0	63·0	67·0	71·5	73·0	66·5	65·5	57·0	53·0	61·37
10	50·0	48·5	50·0	53·0	53·0	57·0	57·5	57·0	56·5	52·0	51·0	45·0	52·54
11	43·0	42·0	40·0	44·0	55·5	63·0	66·5	70·0	68·0	58·0	53·0	52·0	54·58
12	50·0	44·0	48·0	51·5	57·0	61·5	64·5	63·0	64·0	61·0	49·0	48·0	55·13
13	46·5	47·0	47·0	52·0	59·0	61·0	63·0	65·0	67·0	64·0	53·0	49·0	56·13
14	45·5	45·0	40·5	44·0	52·0	60·0	65·0	64·0	64·0	62·0	57·0	50·0	53·58
15	47·0	43·0	40·0	39·0	54·0	58·0	62·0	63·5	63·0	57·0	50·0	49·0	52·13
16	40·0	38·0	36·0	41·5	56·5	62·0	64·0	65·0	63·5	60·0	58·5	55·0	53·34
17	48·0	45·0	43·5	52·0	60·0	62·0	63·5	62·0	59·5	58·0	57·0	55·0	55·46
18	55·0	53·0	51·0	52·5	56·5	59·0	68·0	72·0	73·0	68·0	62·0	58·0	60·66
19	55·0	53·0	53·0	57·0	67·0	73·0	76·0	79·0	79·0	73·0	61·0	59·0	65·41
20	55·5	55·0	49·5	56·0	67·5	74·0	81·0	81·5	80·0	73·0	61·5	59·0	66·12
21	56·0	65·5	57·0	57·5	59·0	59·0	55·5	56·5	54·0	51·5	52·0	50·5	56·16
22	48·0	41·0	42·0	48·0	57·0	62·0	68·0	69·0	66·0	63·0	52·0	47·0	55·25
23	45·0	44·0	42·0	46·0	58·0	61·0	68·0	71·0	74·0	71·5	54·0	52·0	57·21
24	49·0	49·0	46·0	49·0	61·0	74·0	77·0	79·5	76·0	70·0	67·0	60·0	63·12
25	58·0	56·0	54·0	51·0	54·0	57·0	60·0	62·5	61·0	56·0	47·0	44·0	55·04
26	39·0	34·0	33·0	42·0	57·0	60·0	69·0	71·0	71·0	71·0	52·0	47·0	53·83
27	43·0	43·5	44·0	47·0	60·0	73·0	83·0	84·5	80·0	76·0	68·0	66·0	64·00
28	55·0	55·0	54·0	55·0	58·0	71·0	74·0	77·0	76·0	66·0	61·0	60·0	63·50
29	61·0	60·0	58·0	56·0	64·0	74·0	76·0	78·0	76·0	65·0	59·0	53·0	65·00
30	51·0	47·0	46·5	46·0	58·0	61·0	70·0	73·0	70·0	61·0	52·0	50·0	57·13
31	43·0	41·0	40·0	45·0	58·0	60·5	70·0	69·5	64·0	62·0	58·0	53·0	55·33
Means	51·09	49·39	48·13	51·46	60·68	65·79	69·87	70·92	69·66	65·49	57·45	54·23	59·51

Observed Bi-Hourly Temperature at Regina, North-west Territories—September, 1896.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	55·0	48·0	48·0	50·0	60·5	65·0	67·0	69·0	64·0	60·0	49·0	45·0	56·71
2	41·0	40·0	36·5	39·0	49·0	58·0	62·0	65·0	63·5	57·0	45·5	42·0	49·88
3	39·5	39·0	36·0	38·0	50·0	65·0	72·0	72·5	72·0	61·0	64·0	53·0	55·17
4	51·0	47·0	42·0	48·0	50·0	51·0	51·5	54·0	53·0	47·0	41·0	38·0	47·79
5	35·0	31·0	28·0	30·0	45·0	55·0	62·0	66·0	66·0	56·0	49·0	48·0	47·59
6	47·0	44·5	45·0	47·0	55·0	71·0	78·0	82.0	75·0	70·0	64·0	60·5	61·59
7	57·0	49·0	46·5	46·0	58·0	54·5	53·0	49·0	49·0	50·0	44·0	38·5	49·54
8	40·0	38·5	40·0	44·0	45·5	47·5	51·0	52·0	52·0	48·0	45·0	45·0	45·71
9	44·0	42·0	41·0	40·0	44·0	49·0	43·0	49·0	47·0	43·0	37·0	31·0	42·50
10	28·0	25·0	22·0	23·0	39·0	48·5	49·0	53·0	52·0	41·0	33·0	33·0	37·19
11	33·0	34·0	36·0	40·0	43·0	50·0	48·0	48·0	45·0	43·0	42·5	44·0	42·21
12	45·5	45·0	45·0	45·0	46·0	46·0	47·0	48·0	47·0	46·0	45·5	45·0	45·92
13	44·0	42·0	40·0	40·0	42·0	46·0	47·0	48·0	45·0	44·0	43·0	41·0	43·50
14	40·0	39·0	39·0	39·0	43·0	46·0	47·0	48·5	48·0	47·5	46·0	41·0	43·66
15	43·0	43·0	43·0	44·0	46·0	52·0	55·0	57·0	52·0	50·0	49·5	53·0	48·95
16	47·0	46·0	44·0	44·0	46·0	53·0	56·5	59·0	57·5	50·0	47·0	46·0	49·66
17	46·0	43·0	46·5	48·5	49·5	53·0	57·0	59·0	60·0	54·0	55·0	52·0	51·96
18	49·0	40·0	38·0	34·0	35·0	41·0	45·0	47·0	48·0	41·0	33·5	30·0	40·12
19	29·0	27·0	26·0	25·0	48·0	59·5	65·0	68·0	68·0	59·0	54·0	57·0	48·80
20	53·0	44·0	41·0	40·0	52·0	58·0	61·0	61·0	58·0	50·0	43·0	39·0	50·00
21	38·0	33·0	31·0	28·0	40·0	52·0	56·0	59·0	60·0	47·0	39·0	35·0	43·16
22	34·0	34·0	33·0	33·0	52·0	70·0	75·0	76·0	76·5	58·0	49·0	43·0	52·79
23	38·5	38·0	35·0	37·0	58·0	76·0	78·5	81·0	79·5	66·0	61·0	62·0	59·21
24	60·0	54·0	51·0	50·5	52·0	54·0	54·0	53·0	54·5	50·0	46·0	46·0	52·08
25	41·0	37·0	37·0	39·0	40·5	43·0	47·0	49·0	50·0	39·0	34·5	34·0	40·91
26	31·0	30·0	26·0	29·0	37·0	41·0	42·0	51·0	53·0	40·0	35·0	33·0	37·33
27	31·0	43·0	46·0	45·0	50·0	61·0	67·0	72·0	70·0	58·0	52·0	46·5	53·45
28	41·0	37·0	32·5	35·0	56·0	69·0	78·0	81·0	78·0	63·0	54·0	48·0	56·04
29	44·0	38·0	33·0	35·0	45·0	63·0	67·0	67·5	65·0	55·0	51·0	49·0	51·04
30	46·0	45·0	44·0	45·0	56·0	65·0	75·0	79·0	73·0	71·0	68·0	59·0	60·50
Means	42·38	39·87	38·43	39·36	47·76	55·43	58·55	60·78	59·38	52·15	47·33	44·58	48·83

OBSERVED Bi-Hourly Temperature at Regina, North-west Territories—October, 1896.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
1	66·0	65·0	55·0	52·5	56·0	68·0	69·0	67·0	64·5	57·0	46·0	40·0	58·84
2	38·0	36·5	39·0	40·0	65·0	70·0	79·0	80·0	77·0	62·0	60·0	54·0	58·38
3	58·5	63·0	60·0	52·0	53·0	57·0	59·5	60·4	56·0	50·0	45·0	40·0	54·50
4	35·0	32·0	28·5	30·0	40·0	43·0	47·0	47·0	47·0	42·0	40·0	38·5	39·17
5	39·0	38·0	36·0	36·5	39·0	46·0	46·0	46·0	39·0	35·0	36·0	35·0	39·29
6	35·0	35·0	32·0	34·0	32·0	34·0	35·0	35·0	35·0	34·0	34·0	32·5	33·92
7	26·5	21·0	21·0	24·0	32·0	40·0	50·0	51·0	51·0	48·0	38·0	30·0	36·05
8	31·0	28·0	26·0	26·5	35·0	44·5	46·0	44·0	40·5	39·5	39·0	39·0	36·59
9	38·0	35·0	33·0	34·0	37·0	44·0	47·0	50·0	49·0	37·0	31·0	30·0	38·75
10	33·0	31·5	32·0	23·0	40·0	56·0	59·0	64·0	58·0	50·0	46·0	41·0	44·46
11	37·0	34·0	33·0	32·0	42·5	58·0	61·0	64·5	62·0	48·0	37·5	37·0	45·54
12	35·0	28·0	26·0	23·5	34·0	47·0	55·0	57·0	55·0	45·0	35·0	30·0	39·21
13	29·0	30·0	29·0	30·0	49·0	61·0	69·5	71·0	67·0	50·0	43·5	40·0	47·42
14	43·0	43·0	40·0	46·0	47·0	56·5	58·0	56·0	49·0	40·0	37·0	32·0	45·62
15	27·0	24·0	24·0	24·0	36·0	55·0	60·0	64·0	59·0	49·5	43·0	36·0	41·80
16	33·0	30·0	28·5	29·0	36·0	46·0	47·0	46·0	46·0	39·5	32·0	30·0	36·88
17	21·0	19·0	19·0	21·0	22·0	32·5	47·0	47·0	45·0	35·0	24·0	22·0	29·54
18	19·0	20·0	24·0	21·0	29·0	48·0	53·0	53·0	52·0	45·0	45·0	44·0	37·66
19	41·0	26·0	14·0	14·0	16·0	26·0	28·0	31·5	28·5	23·0	15·5	12·5	23·00
20	9·0	11·0	12·0	13·0	20·0	29·0	35·0	38·5	37·0	30·0	21·0	25·0	23·38
21	23·0	29·0	33·0	32·0	36·0	39·0	43·0	43·0	35·0	22·0	16·0	15·0	30·50
22	11·0	11·0	10·0	7·0	23·5	35·0	41·0	43·0	41·0	29·0	20·0	16·0	23·96
23	14·0	12·0	10·0	9·0	19·0	39·0	44·5	45·0	40·0	30·0	25·0	24·0	25·96
24	28·0	24·0	22·0	23·0	28·0	42·0	45·0	60·0	53·0	45·0	43·0	41·0	37·83
25	39·0	37·0	30·0	34·0	34·0	47·0	51·5	52·0	48·0	46·0	38·0	35·0	40·96
26	36·0	33·0	28·0	21·0	27·0	44·5	51·5	51·0	40·0	33·0	33·0	37·0	36·25
27	37·0	38·5	40·0	33·0	32·5	36·0	39·0	40·0	38·0	35·0	34·0	32·0	36·25
28	31·0	28·0	24·0	29·0	28·0	40·0	43·0	42·0	35·0	24·0	19·0	21·5	30·37
29	15·5	18·0	14·0	15·0	20·5	34·0	38·0	36·5	26·0	21·0	17·0	20·5	23·00
30	20·0	20·0	18·5	16·0	14·0	27·0	38·0	41·0	32·0	27·0	25·0	18·0	24·70
31	12·0	14·0	12·0	10·0	20·0	34·0	40·0	40·5	30·0	21·0	18·0	14·0	22·13
Means	30·99	29·50	27·52	26·94	33·65	44·48	49·21	50·50	46·30	38·47	33·43	31·04	36·83

Observed Bi-Hourly Temperature at Regina, North-west Territories—November, 1896.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Means.
	°	°	°	°	°		°	°		°	°	°	
1	21·0	21·0	19·0	18·0	24·0	25·0	27·0	28·0	26·0	26·0	25·0	25·0	23·75
2	25·0	24·5	24·0	24·0	25·0	26·0	26·0	27·5	26·0	25·0	25·0	25·0	25·25
3	23·5	23·0	23·0	24·5	27·5	28·5	29·0	28·5	28·0	26·0	25·0	25·0	26·04
4	26·0	27·0	25·0	24·5	24·0	29·0	30·0	35·0	30·5	29·0	27·5	25·5	27·75
5	26·0	25·0	25·0	24·0	23·0	24·5	26·0	24·0	22·0	20·0	19·0	19·0	23·12
6	15·0	15·0	16·0	14·0	16·0	19·0	20·0	19·5	18·0	18·0	17·0	16·5	17·00
7	15·5	17·0	15·0	14·0	14·5	17·0	19·0	18·6	14·0	3·0	2·0	2·0	12·58
8	3·0	− 1·0	− 1·0	0·0	6·0	11·5	13·5	18·0	17·0	14·5	14·0	14·0	9·13
9	13·0	13·0	12·0	12·0	10·0	11·0	13·0	13·5	12·0	10·5	9·0	4·0	11·08
10	4·5	0·0	− 2·5	− 6·5	- 8·5	- 2·0	0·0	6·0	0·5	0·0	3·0	5·0	0·13
11	5·0	4·0	5·0	6·0	6·0	10·0	12·0	12·0	11·0	7·0	4·0	3·0	7·09
12	1·0	0·0	3·0	− 8·0	−11·5	- 6·0	0·0	10·0	1·0	- 5·0	7·5	- 4·0	- 2·93
13	− 2·0	2·0	5·0	8·0	8·5	10·0	10·5	11·0	10·0	9·5	9·0	9·0	7·46
14	7·0	6·0	5·5	10·0	11·0	11·0	12·0	11·0	10·5	9·0	10·0	11·0	9·50
15	11·5	9·0	9·0	8·0	8·5	7·5	9·0	9·0	7·0	8·0	8·0	7·0	8·46
16	6·0	5·0	1·5	0·5	1·0	3·0	3·0	2·0	2·0	6·0	11·0	9·0	0·67
17	- 8·0	−10·0	−12·0	10·0	0·0	4·0	5·0	6·0	1·0	1·0	0·0	8·0	2·59
18	13·0	−14·0	−14·0	21·5	26·5	21·5	19·0	19·0	23·5	26·0	−28·0	29·0	1·25
19	-38·0	-33·0	−33·5	37·0	31·0	29·0	22·0	19·0	29·0	-35·0	-44·0	- 45·5	33·00
20	46·0	-46·0	−45·5	44·0	40·0	−31·5	−21·0	21·0	23·0	−25·0	−26·0	−26·5	32·96
21	−27·0	−28·5	−29·0	−27·5	29·0	12·0	9·0	14·0	19·0	23·0	−21·0	17·0	20·59
22	−14·0	− 9·0	− 4·0	− 1·0	0·0	0·0	3·0	4·0	2·0	- 4·0	− 7·0	8·0	3·16
23	− 6·0	− 7·0	10·0	− 7·0	- 3·0	1·0	2·0	3·0	2·5	2·0	1·0	3·5	2·25
24	6·5	12·0	19·0	-19·0	20·0	-17·5	−10·5	- 9·0	9·0	− 7·0	5·5	- 4·0	11·58
25	4·0	3·0	- 4·0	4·5	- 4·0	3·0	2·0	2·0	4·0	3·0	- 3·0	- 5·0	− 3·46
26	− 5·0	- 5·0	− 5·5	5·0	- 7·0	8·0	9·5	10·0	10·5	−14·0	−15·0	−15·5	− 9·16
27	−16·0	−19·0	−22·0	23·0	−23·5	−22·0	−21·0	−20·5	25·0	22·0	−26·0	−27·0	- 22·25
28	−27·0	−20·5	−21·0	−25·0	−27·0	−23·0	−21·0	-19·0	16·0	- 16·0	22·0	−19·0	21·37
29	−11·0	−17·0	−23·5	27·0	-29·0	−27·5	- 23·0	-22·0	- 24·5	24·5	- 23·0	−24·0	23·00
30	24·0	−27·0	-28·0	25·0	−22·5	-20·0	18·0	- 20·0	- 24·0	−25·0	−26·0	−26·0	- 23·79
Means	− 1·49	- 2·01	- 3·08	− 3·45	- 2·35	0·43	2·80	3·68	0·88	− 0·90	− 2·21	− 2·66	0·86

OBSERVED Bi-Houriy Temperatures at Regina, North-west Territories—December, 1896.

DAY.	12:30 a.m.	2:30 a.m.	4:30 a.m.	6:30 a.m.	8:30 a.m.	10:30 a.m.	12:30 p.m.	2:30 p.m.	4:30 p.m.	6:30 p.m.	8:30 p.m.	10:30 p.m.	Means.
1	25·0	24·0	28·0	–33·0	35·0	27·0	24·0	–26·0	29·5	-32·0	–33·0	33·0	29·12
2	32·5	31·0	30·0	28·5	25·0	19·5	13·5	-13·0	–10·0	– 3·0	– 2·0	0·0	–17·33
3	2·0	4·0	4·5	9·0	10·0	15·0	16·0	14·0	10·0	6·0	3·0	6·5	8·33
4	5·0	4·0	4·0	4·0	5·0	9·0	9·0	8·5	7·0	6·5	6·0	6·0	6·16
5	3·5	4·0	4·0	4·0	6·0	9·0	14·0	18·0	20·0	21·0	21·5	21·0	10·83
6	20·0	18·0	12·0	10·0	11·5	15·0	18·0	16·0	11·0	9·0	– 1·0	– 4·0	11·29
7	4·0	5·0	2·5	2·0	12·5	29·0	27·0	26·0	19·0	15·0	15·0	9·0	11·92
8	10·0	8·5	2·0	0·0	11·0	23·0	31·0	34·0	38·0	39·0	39·0	38·5	22·50
9	37·5	29·0	26·0	31·0	27·5	30·0	33·0	39·0	40·0	36·0	39·0	38·0	34·42
10	28·0	23·0	22·5	22·5	33·0	37·0	40·0	38·0	38·0	38·0	37·5	37·0	32·88
11	34·0	31·5	26·5	23·0	25·0	25·0	28·0	20·0	20·0	18·5	21·0	24·0	24·70
12	24·0	18·0	13·0	9·0	0·0	4·0	10·0	6·0	2·0	0·0	2·0	0·5	7·29
13	0·0	22·0	24·0	20·0	25·0	27·0	25·0	25·5	25·0	24·0	22·0	28·0	22·29
14	27·0	24·0	20·0	18·0	21·0	22·0	24·0	24·0	23·0	20·0	15·0	8·5	20·54
15	7·0	4·0	9·0	8·0	15·0	17·0	18·5	13·0	15·0	12·5	13·5	15·0	12·29
16	17·0	18·0	18·5	18·0	17·5	17·0	16·0	15·0	13·0	17·0	14·0	9·0	15·83
17	8·0	6·0	5·0	– 4·0	– 7·0	– 5·0	3·0	– 4·0	– 9·0	– 9·0	-12·0	12·0	4·66
18	-12·0	14·5	15·0	– 8·0	2·5	0·0	7·0	7·0	2·0	– 6·0	–10·0	1·0	4·41
19	0·0	6·0	11·0	11·0	8·0	7·0	6·0	8·0	0·0	– 5·0	8·0	8·0	3·00
20	11·5	9·0	11·5	6·0	2·0	1·0	7·0	11·0	10·0	8·0	8·0	8·0	1·08
21	7·5	6·0	4·0	2·5	7·0	15·0	20·0	21·0	15·0	17·0	19·5	9·0	11·96
22	4·0	9·0	8·0	13·0	16·0	20·0	24·0	26·0	22·0	23·0	20·0	19·0	17·00
23	18·5	22·0	21·0	20·0	19·5	23·0	19·5	23·0	23·0	24·0	19·5	10·0	20·25
24	3·5	2·0	0·0	0·0	4·0	13·0	18·0	18·0	17·0	17·0	15·0	15·0	10·21
25	15·0	16·0	8·0	8·0	4·0	7·0	11·0	10·0	0·0	1·0	–2·0	0·0	6·33
26	0·0	0·0	–1·0	–1·0	0·0	7·0	12·0	12·0	12·0	12·0	13·0	5·5	5·97
27	10·0	10·0	8·0	5·0	8·5	11·0	12·0	20·0	30·0	25·0	31·0	32·0	16·86
28	29·0	25·0	20·0	19·0	18·0	25·0	30·5	33·0	26·0	16·0	13·0	13·0	22·29
29	14·0	18·0	21·0	22·0	31·0	21·0	18·0	13·0	11·0	7·0	5·0	1·0	15·42
30	1·0	1·0	3·0	7·0	3·0	0·0	12·0	12·0	5·0	5·0	10·0	10·0	5·42
31	10·0	10·0	8·0	8·0	8·0	8·0	10·0	11·0	10·0	8·0	7·0	5·0	8·58
Means	8·0	7·92	6·23	6·89	8·89	12·53	12·35	15·45	13·40	11·85	10·88	9·99	10·42

Observed Bi-Hourly Temperature at Kingston—January, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
1	27·0	27·0	27·0	27·0	26·0	27·0	29·0	30·0	29·0	27·0	25·0	24·0	27·08
2	24·0	23·0	23·0	25·0	28·0	30·0	32·0	33·0	33·0	36·0	37·0	34·0	29·83
3	34·0	34·0	34·0	31·0	28·0	26·0	27·0	27·0	25·0	20·0	15·0	10·0	25·91
4	5·0	4·0	0·0	0·0	— 2·0	1·0	4·0	3·0	4·0	0·0	0·0	— 3·0	0·25
5	— 4·0	8·0	— 9·0	—11·0	11·0	10·0	— 9·0	— 9·0	—10·0	—11·0	—12·0	—14·0	— 9·83
6	—15·0	16·0	17·0	—17·0	—17·0	—14·0	—10·0	— 7·0	— 7·0	—10·0	—10·0	— 9·0	12·41
7	— 9·0	10·0	— 9·0	8·0	— 8·0	— 2·0	— 1·0	0·0	0·0	0·0	0·0	— 2·0	— 4·08
8	— 3·0	— 3·0	5·0	— 5·0	— 5·0	0·0	4·0	6·0	6·0	7·0	7·0	8·0	0·58
9	9·0	10·0	11·0	12·0	13·0	14·0	13·0	12·0	11·0	12·0	10·0	7·0	11·16
10	5·0	4·0	4·0	8·0	11·0	12·0	14·0	15·0	15·0	6·0	4·0	2·0	8·33
11	4·0	6·0	8·0	10·0	12·0	12·0	13·0	13·0	12·0	13·0	13·0	13·0	10·75
12	13·0	12·0	9·0	10·0	18·0	27·0	29·0	33·0	33·0	28·0	24·0	21·0	21·41
13	21·0	20·0	20·0	18·0	20·0	20·0	21·0	24·0	24·0	23·0	22·0	21·0	21·16
14	20·0	19·0	19·0	18·0	17·0	16·0	18·0	20·0	19·0	12·0	12·0	10·0	16·66
15	8·0	6·0	3·0	3·0	4·0	7·0	11·0	13·0	14·0	12·0	10·0	1·0	7·66
16	0·0	0·0	2·0	6·0	14·0	20·0	24·0	27·0	30·0	30·0	29·0	28·0	17·50
17	26·0	22·0	20·0	17·0	15·0	16·0	17·0	20·0	20·0	21·0	21·0	21·0	19·66
18	19·0	18·0	18·0	19·0	19·0	20·0	23·0	25·0	25·0	21·0	21·0	22·0	20·83
19	22·0	21·0	21·0	20·0	20·0	21·0	24·0	22·0	20·0	20·0	20·0	20·0	20·91
20	19·0	19·0	18·0	17·0	16·0	19·0	21·0	24·0	25·0	29·0	29·0	29·0	22·08
21	29·0	30·0	31·0	31·0	31·0	34·0	34·0	34·0	32·0	29·0	23·0	17·0	29·58
22	15·0	13·0	10·0	11·0	11·0	14·0	17·0	20·0	21·0	17·0	14·0	12·0	14·58
23	10·0	10·0	8·0	8·0	8·0	14·0	20·0	24·0	23·0	23·0	23·0	23·0	16·16
24	22·0	22·0	23·0	24·0	25·0	27·0	29·0	29·0	28·0	28·0	28·0	28·0	26·08
25	28·0	28·0	28·0	28·0	30·0	30·0	31·0	32·0	32·0	31·0	31·0	31·0	30·00
26	31·0	30·0	31·0	31·0	31·0	31·0	33·0	33·0	32·0	30·0	30·0	25·0	30·66
27	21·0	17·0	13·0	9·0	9·0	8·0	11·0	15·0	17·0	18·0	20·0	19·0	14·75
28	17·0	14·0	12·0	8·0	5·0	6·0	7·0	8·0	8·0	8·0	9·0	9·0	9·25
29	10·0	10·0	10·0	10·0	11·0	12·0	12·0	12·0	13·0	12·0	9·0	10·0	10·91
30	10·0	11·0	11·0	12·0	14·0	17·0	21·0	25·0	25·0	22·0	13·0	7·0	15·66
31	5·0	1·0	0·0	1·0	2·0	10·0	11·0	22·0	17·0	16·0	15·0	14·0	9·50
Means.	13·61	12·71	12·06	11·71	12·75	14·84	16·81	18·87	18·58	17·10	15·87	14·13	14·92

Observed Bi-Hourly Temperature at Kingston—February, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
1	13·0	13·0	15·0	17·0	19·0	23·0	31·0	33·0	35·0	37·0	33·0	34·0	25·25
2	34·0	34·0	32·0	26·0	24·0	24·0	24·0	25·0	23·0	22·0	17·0	13·0	24·83
3	13·0	12·0	10·0	9·0	9·0	10·0	13·0	15·0	16·0	15·0	14·0	14·0	12·50
4	15·0	16·0	17·0	19·0	19·0	20·0	22·0	25·0	25·0	24·0	23·0	24·0	20·75
5	25·0	26·0	32·0	32·0	33·0	34·0	34·0	34·0	34·0	32·0	32·0	30·0	31·50
6	28·0	29·0	30·0	32·0	32·0	33·0	35·0	33·0	32·0	34·0	33·0	33·0	32·00
7	32·0	32·0	31·0	31·0	32·0	33·0	33·0	34·0	32·0	29·0	29·0	31·0	31·58
8	29·0	29·0	29·0	29·0	29·0	30·0	30·0	31·0	31·0	29·0	28·0	26·0	29·17
9	24·0	26·0	29·0	26·0	21·0	18·0	15·0	19·0	15·0	17·0	17·0	17·0	20·33
10	17·0	18·0	15·0	15·0	18·0	22·0	30·0	31·0	32·0	30·0	29·0	29·0	23·83
11	30·0	29·0	28·0	27·0	25·0	26·0	25·0	25·0	23·0	20·0	18·0	16·0	24·33
12	14·0	14·0	12·0	11·0	9·0	12·0	14·0	16·0	17·0	16·0	16·0	16·0	13·92
13	16·0	15·0	15·0	16·0	17·0	18·0	18·0	18·0	16·0	14·0	14·0	15·0	16·00
14	15·0	14·0	13·0	13·0	12·0	16·0	24·0	24·0	20·0	18·0	16·0	17·0	16·83
15	17·0	15·0	16·0	19·0	20·0	19·0	15·0	12·0	9·0	7·0	6·0	5·0	13·33
16	0·0	- 2·0	2·0	2·0	- 2·0	- 4·0	3·0	- 3·0	- 5·0	12·0	15·0	-20·0	5·83
17	20·0	—22·0	22·0	24·0	—26·0	—18·0	13·0	- 8·0	- 8·0	13·0	—18·0	—22·0	17·83
18	-25·0	-25·0	-28·0	29·0	—26·0	—16·0	3·0	2·0	4·0	1·0	2·0	3·0	-11·67
19	0·0	16·0	16·0	18·0	19·0	21·0	23·0	25·0	23·0	20·0	19·0	18·0	18·17
20	17·0	15·0	11·0	12·0	9·0	10·0	12·0	14·0	15·0	14·0	12·0	10·0	12·83
21	7·0	3·0	0·0	- 3·0	4·0	2·0	2·0	5·0	7·0	5·0	4·0	4·0	2·33
22	0·0	5·0	7·0	15·0	15·0	20·0	24·0	28·0	28·0	26·0	29·0	30·0	18·92
23	30·0	31·0	27·0	29·0	30·0	34·0	35·0	35·0	35·0	35·0	34·0	34·0	32·42
24	34·0	33·0	32·0	32·0	33·0	30·0	28·0	26·0	25·0	20·0	15·0	15·0	26·92
25	12·0	8·0	4·0	3·0	- 2·0	1·0	3·0	5·0	11·0	9·0	5·0	1·0	5·00
26	- 1·0	6·0	8·0	9·0	11·0	15·0	15·0	19·0	19·0	15·0	13·0	13·0	11·83
27	11·0	11·0	13·0	13·0	15·0	18·0	24·0	28·0	31·0	30·0	27·0	29·0	20·83
28	31·0	34·0	35·0	36·0	37·0	38·0	40·0	42·0	41·0	39·0	38·0	37·0	37·33
29	35·4	34·0	34·0	35·0	35·0	32·0	34·0	35·0	37·0	39·0	37·0	35·6	35·17
Means	15·62	16·17	15·93	16·07	15·97	17·83	20·14	21·66	21·48	19·72	18·17	17·48	18·02

Observed Bi-Hourly Temperature at Kingston—March, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 a.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	32·0	32·0	30·0	31·0	32·0	33·0	33·0	33·0	32·0	30·0	27·0	23·0	30·67
2	20·0	18·0	16·0	15·0	15·0	16·0	16·0	18·0	19·0	17·0	14·0	13·0	16·42
3	12·0	12·0	13·0	14·0	15·0	16·0	19·0	21·0	21·0	18·0	15·0	14·0	15·83
4	12·0	10·0	7·0	5·0	5·0	6·0	11·0	13·0	15·0	14·0	12·0	10·0	10·00
5	9·0	8·0	6·0	4·0	5·0	10·0	16·0	26·0	27·0	26·0	25·0	23·0	15·42
6	20·0	20·0	16·0	16·0	17·0	22·0	24·0	26·0	28·0	29·0	29·0	29·0	23·00
7	28·0	28·0	29·0	30·0	34·0	35·0	35·0	34·0	33·0	33·0	32·0	31·0	31·83
8	31·0	30·0	30·0	27·0	27·0	27·0	27·0	27·0	25·0	22·0	20·0	20·0	26·08
9	19·0	20·0	20·0	20·0	21·0	23·0	25·0	25·0	23·0	23·0	21·0	17·0	21·42
10	14·0	12·0	10·0	10·0	11·0	14·0	17·0	19·0	19·0	22·0	18·0	15·0	15·08
11	13·0	10·0	7·0	5·0	6·0	12·0	16·0	17·0	15·0	13·0	12·0	11·0	11·42
12	11·0	10·0	9·0	9·0	8·0	10·0	11·0	15·0	17·0	14·0	9·0	9·0	11·00
13	7·0	7·0	5·0	5·0	6·0	11·0	14·0	18·0	18·0	15·0	13·0	11·0	10·83
14	10·0	9·0	5·0	3·0	9·0	15·0	19·0	23·0	21·0	19·0	22·0	20·0	14·58
15	12·0	12·0	10·0	8·0	12·0	17·0	29·0	31·0	30·0	24·0	20·0	20·0	18·92
16	19·0	19·0	16·0	14·0	15·0	21·0	25·0	26·0	26·0	25·0	24·0	24·0	21·12
17	22·0	21·0	21·0	21·0	22·0	26·0	32·0	34·0	35·0	31·0	29·0	28·0	26·83
18	28·0	29·0	29·0	31·0	31·0	34·0	35·0	36·0	34·0	32·0	32·0	32·0	31·92
19	31·0	31·0	30·0	30·0	30·0	30·0	31·0	31·0	31·0	30·0	31·0	30·0	30·67
20	28·0	25·0	22·0	19·0	15·0	17·0	20·0	20·0	25·0	22·0	18·0	15·0	20·50
21	15·0	14·0	14·0	15·0	18·0	30·0	32·0	32·0	33·0	32·0	32·0	35·0	25·17
22	36·0	38·0	38·0	37·0	31·0	32·0	33·0	32·0	32·0	24·0	19·0	15·0	30·58
23	13·0	11·0	8·0	6·0	8·0	10·0	14·0	16·0	17·0	14·0	10·0	9·0	11·33
24	5·0	8·0	3·0	0·0	5·0	11·0	17·0	21·0	23·0	19·0	19·0	19·0	12·50
25	18·0	18·0	21·0	23·0	23·0	26·0	32·0	35·0	36·0	36·0	36·0	36·0	28·33
26	36·0	36·0	36·0	36·0	36·0	36·0	36·0	34·0	27·0	22·0	21·0	21·0	31·42
27	19·0	16·0	11·0	10·0	11·0	14·0	20·0	23·0	27·0	25·0	24·0	23·0	18·58
28	22·0	20·0	19·0	17·0	20·0	23·0	26·0	28·0	27·0	27·0	27·0	29·0	23·75
29	32·0	32·0	32·0	35·0	35·0	36·0	38·0	42·0	42·0	40·0	40·0	40·0	37·00
30	39·0	38·0	37·0	35·0	37·0	39·0	42·0	45·0	44·0	38·0	38·0	35·0	38·92
31	32·0	32·0	32·0	32·0	35·0	38·0	41·0	42·0	43·0	38·0	35·0	33·0	36·08
Means	20·87	20·19	18·77	18·16	19·19	22·26	25·35	27·19	27·26	25·03	23·35	22·26	22·49

Observed Bi-Hourly Temperature at Kingston—April, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	28·0	27·0	25·0	24·0	26·0	30·0	30·0	31·0	30·0	31·0	31·0	34·0	28·92
2	37·0	37·0	36·0	34·0	34·0	36·0	36·0	36·0	35·0	24·0	26·0	25·0	33·00
3	24·0	24·0	21·0	21·0	24·0	26·0	26.0	28·0	28·0	27·0	25·0	22·0	24·67
4	23·0	21·0	19·0	17·0	18·0	20·0	22·0	30·0	32·0	31·0	28·0	28·0	24·08
5	27·0	26·0	24·0	23·0	27·0	30·0	33·0	35·0	36·0	32·0	32·0	31·0	29·67
6	30·0	29·0	28·0	28·0	31·0	36·0	38·0	40·0	37·0	35·0	32·0	30·0	32·83
7	28·0	28·0	27·0	27·0	31·0	53·0	34·0	35·0	34·0	34·0	32·0	31·0	31·17
8	31·0	30·0	29·0	29·0	34·0	36·0	40·0	43·0	43·0	39·0	35·0	31·0	35·00
9	28·0	27·0	27·0	26·0	32·0	37·0	40·0	43·0	45·0	44·0	37·0	35·0	35·08
10	35·0	34·0	33·0	33·0	38·0	41·0	44·0	46·0	45·0	41·0	40·0	39·0	39·08
11	37·0	36·0	35·0	33·0	38·0	40·0	45·0	55·0	44·0	44·0	41·0	37·0	39·58
12	35·0	33·0	33·0	34·0	38·0	47·0	52·0	55·0	55·0	53·0	53·0	47·0	44·58
13	45·0	44·0	43·0	43·0	45·0	54·0	56·0	60·0	58·0	53·0	50·0	47·0	49·83
14	45·0	45·0	47·0	49·0	46·0	46·0	48·0	52·0	55·0	48·0	45·0	42·0	47·33
15	42·0	40·0	38·0	38·0	42·0	48·0	56·0	62·0	66·0	59·0	53·0	49·0	49·42
16	50·0	45·0	44·0	47·0	52·0	54·0	59·0	66·0	65·0	60·0	58·0	52·0	54·33
17	46·0	45·0	45·0	45·0	48·0	52·0	51·0	61·0	61·0	57·0	52·0	48·0	50·92
18	55·0	49·0	45·0	42·0	51·0	52·0	60·0	59·0	62·0	60·0	56·0	55·0	53·83
19	53·0	53·0	52·0	54·0	55·0	56·0	59·0	64·0	70·0	64·0	57·0	54·0	57·58
20	52·0	44·0	38·0	38·0	45·0	48·0	54·0	58·0	60·0	56·0	54·0	50·0	49·75
21	48·0	46·0	47·0	48·0	49·0	50·0	49·0	48·0	48·0	45·0	40·0	37·0	46·25
22	34·0	34·0	36·0	37·0	40·0	45·0	51·0	53·0	55·0	47·0	44·0	43·0	43·25
23	40·0	39·0	39·0	37·0	44·0	47·0	49·0	52·0	50·6	49·0	45·0	47·0	44·83
24	46·0	45·0	45·0	42·0	46·0	53·0	54·0	56·0	56·0	53·0	49·0	46·0	49·25
25	46·0	46·0	45·0	45·0	44·0	45·0	46·0	46·0	46·0	47·0	45·0	43·0	45·33
26	40·0	38·0	36·0	36·0	44·0	52·0	54·0	58·0	60·0	51·0	47·0	46·0	46·83
27	45·0	44·0	44·0	48·0	53·0	57·0	61·0	64·0	69·0	59·0	56·0	54·0	54·50
28	52·0	47·0	45·0	49·0	50·0	50·0	50·0	53·0	57·0	59·0	54·0	54·0	51·67
29	54·0	52·0	50·0	48·0	49·0	55·0	60·0	58·0	58·0	57·0	53·0	50·0	53·67
30	48·0	47·0	45·0	43·0	49·0	55·0	60·0	63·0	66·0	61·0	56·0	53·0	53·83
Means	40·13	38·50	37·37	37·27	40·77	44·37	47·23	50·00	50·87	47·33	44·20	42·00	43·34

Observed Bi-Hourly Temperature at Kingston—May, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·0	47·0	49·0	49·0	50·0	59·0	66·0	65·0	62·0	54·0	54·0	55·0	54·83
2	56·0	54·0	53·0	53·0	54·0	55·0	57·0	59·0	60·0	62·0	59·0	52·0	56·17
3	50·0	49·0	52·0	52·0	56·0	65·0	67·0	67·0	65·0	56·0	53·0	56·0	57·33
4	55·0	54·0	47·0	47·0	52·0	54·0	48·0	58·0	57·0	56·0	55·0	55·0	53·17
5	53·0	50·0	49·0	48·0	57·0	62·0	62·0	59·0	57·0	59·0	58·0	57·0	55·92
6	54·0	50·0	48·0	48·0	50·0	52·0	56·0	58·0	59·0	58·0	55·0	53·0	53·42
7	51·0	48·0	48·0	45·0	53·0	56·0	62·0	65·0	66·0	60·0	57·0	52·0	55·25
8	50·0	50·0	52·0	54·0	54·0	55·0	57·0	62·0	63·0	61·0	58·0	54·0	55·83
9	50·0	48·0	48·0	49·0	51·0	61·0	65·0	71·0	72·0	72·0	68·0	65·0	60·00
10	60·0	58·0	60·0	64·0	68·0	72·0	76·0	83·0	88·0	83·0	80·0	67·0	71·58
11	60·0	54·0	54·0	55·0	56·0	61·0	71·0	75·0	76·0	66·0	64·0	63·0	62·92
12	60·0	58·0	55·0	50·0	52·0	55·0	68·0	66·0	64·0	64·0	60·0	58·0	59·17
13	53·0	51·0	52·0	58·0	55·0	58·0	62·0	64·0	64·0	64·0	60·0	58·0	58·25
14	58·0	51·0	51·0	52·0	60·0	60·0	71·0	74·0	76·0	72·0	69·0	63·0	63·08
15	60·0	61·0	62·0	57·0	59·0	63·0	65·0	67·0	67·0	67·0	64·0	59·0	62·58
16	54·0	51·0	50·0	53·0	56·0	60·0	64·0	65·0	66·0	64·0	63·0	60·0	58·83
17	60·0	60·0	59·0	58·0	61·0	63·0	63·0	65·0	64·0	59·0	57·0	54·0	60·25
18	54·0	57·0	61·0	62·0	64·0	68·0	64·0	65·0	71·0	65·0	62·0	59·0	62·67
19	58·0	57·0	54·0	53·0	53·0	54·0	58·0	63·0	62·0	55·0	52·0	50·0	55·75
20	50·0	48·0	47·0	47·0	53·0	57·0	64·0	67·0	70·0	66·0	62·0	58·0	57·42
21	58·0	55·0	54·0	55·0	57·0	60·0	65·0	67·0	67·0	58·0	56·0	56·0	59·00
22	56·0	55·0	54·0	56·0	57·0	60·0	67·0	68·0	70·0	70·0	68·0	63·0	62·00
23	58·0	56·0	54·0	51·0	52·0	56·0	60·0	69·0	66·0	63·0	59·0	56·0	58·33
24	53·0	52·0	51·0	51·0	58·0	65·0	66·0	66·0	65·0	63·0	60·0	57·0	58·92
25	56·0	56·0	56·0	57·0	60·0	63·0	65·0	66·0	68·0	65·0	62·0	60·0	61·17
26	58·0	58·0	58·0	59·0	57·0	60·0	65·0	65·0	65·0	61·0	57·0	60·0	60·25
27	58·0	56·0	52·0	50·0	54·0	59·0	60·0	62·0	59·0	57·0	53·0	52·0	56·00
28	54·0	50·0	52·0	53·0	54·0	55·0	57·0	59·0	60·0	57·0	53·0	50·0	54·25
29	48·0	46·0	48·0	48·0	50·0	52·0	54·0	58·0	58·0	55·0	50·0	49·0	51·33
30	49·0	48·0	47·0	50·0	52·0	53·0	56·0	60·0	63·0	62·0	55·0	54·0	54·08
31	51·0	48·0	45·0	50·0	55·0	61·0	64·0	58·0	58·0	56·0	56·0	55·0	54·75
Means	54·52	52·77	52·32	52·71	55·48	59·16	62·74	65·03	65·42	62·26	59·32	56·77	58·21

OBSERVED Bi-Hourly Temperature at Kingston—June, 1896.

DAY.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	56·0	56·0	56·0	56·0	58·0	59·0	63·0	65·0	65·0	62·0	57·0	56·0	59·08
2	50·0	45·0	45·0	47·0	54·0	59·0	62·0	68·0	68·0	67·0	60·0	55·0	56·67
3	55·0	52·0	50·0	52·0	56·0	59·0	64·0	68·0	72·0	68·0	62·0	56·0	59·50
4	54·0	52·0	54·0	55·0	63·0	68·0	72·0	74·0	76·0	68·0	65·0	62·0	63·58
5	60·0	58·0	58·0	58·0	68·0	73·0	78·0	83·0	83·0	80·0	71·0	68·0	69·83
6	64·0	62·0	63·0	65·0	67·0	68·0	71·0	75·0	75·0	74·0	71·0	69·0	68·67
7	69·0	61·0	61·0	63·0	66·0	71·0	72·0	75·0	79·0	76·0	70·0	68·0	69·25
8	65·0	62·0	62·0	61·0	64·0	65·0	69·0	74·0	75·0	79·0	75·0	74·0	68·75
9	70·0	69·0	69·0	69·0	70·0	68·0	64·0	62·0	62·0	62·0	62·0	62·0	65·75
10	60·0	59·0	59·0	58·0	58·0	59·0	62·0	64·0	68·0	66·0	60·0	57·0	60·83
11	55·0	52·0	53·0	55·0	57·0	63·0	69·0	71·0	73·0	72·0	72·0	70·0	63·50
12	69·0	65·0	54·0	56·0	58·0	66·0	69·0	69·0	68·0	68·0	61·0	54·0	63·08
13	48·0	56·0	53·0	57·0	65·0	67·0	68·0	69·0	70·0	67·0	64·0	62·0	62·00
14	59·0	58·0	56·0	57·0	62·0	67·0	69·0	71·0	72·0	67·0	63·0	60·0	63·42
15	57·0	56·0	55·0	59·0	61·0	64·0	68·0	73·0	78·0	71·0	68·0	65·0	64·33
16	60·0	58·0	55·0	61·0	65·0	71·0	74·0	79·0	81·0	75·0	70·0	67·0	68·00
17	64·0	60·0	63·0	65·0	67·0	69·0	71·0	75·0	76·0	68·0	68·0	66·0	67·67
18	66·0	64·0	64·0	64·0	65·0	73·0	78·0	78·0	78·0	75·0	72·0	68·0	70·42
19	67·0	65·0	63·0	66·0	68·0	71·0	75·0	77·0	79·0	70·0	68·0	68·0	69·75
20	67·0	66·0	66·0	68·0	70·0	74·0	81·0	84·0	82·0	79·0	73·0	70·0	73·33
21	69·0	69·0	68·0	68·0	70·0	70·0	73·0	72·0	73·0	74·0	68·0	67·0	70·08
22	67·0	66·0	65·0	65·0	69·0	72·0	74·0	76·0	76·0	71·0	66·0	62·0	68·92
23	57·0	54·0	54·0	56·0	63·0	67·0	69·0	70·0	71·0	69·0	65·0	64·0	63·25
24	63·0	59·0	56·0	59·0	65·0	70·0	73·0	79·0	74·0	69·0	65·0	63·0	66·25
25	60·0	58·0	60·0	61·0	63·0	65·0	64·0	64·0	65·0	65·0	65·0	64·0	62·67
26	64·0	66·0	62·0	62·0	66·0	77·0	79·0	81·0	83·0	75·0	72·0	66·0	71·08
27	60·0	59·0	57·0	59·0	67·0	70·0	72·0	75·0	77·0	76·0	72·0	70·0	67·83
28	68·0	67·0	64·0	65·0	68·0	70·0	72·0	68·0	70·0	70·0	67·0	64·0	67·75
29	61·0	60·0	59·0	64·0	65·0	66·0	70·0	70·0	71·0	67·0	61·0	57·0	64·25
30	52·0	50·0	50·0	49·0	59·0	61·0	64·0	69·0	70·0	66·0	63·0	63·0	59·67
Means	61·20	59·47	58·47	60·00	63·83	67·33	70·30	72·53	73·67	70·63	66·53	63·90	65·66

Observed Bi-Hourly Temperature at Kingston—July, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	62·0	61·0	64·0	66·0	70·0	73·0	76·0	77·0	81·0	76·0	71·0	68·0	70·42
2	66·0	65·0	62·0	66·0	69·0	73·0	78·0	80·0	85·0	79·0	72·0	70·0	72·08
3	70·0	70·0	67·0	62·0	63·0	68·0	72·0	76·0	74·0	73·0	69·0	67·0	69·25
4	65·0	60·0	59·0	60·0	62·0	65·0	67·0	67·0	68·0	66·0	64·0	64·0	63·92
5	62·0	62·0	62·0	63·0	66·0	67·0	72·0	72·0	74·0	72·0	68·0	68·0	67·33
6	65·0	62·0	63·0	64·0	66·0	71·0	76·0	78·0	81·0	80·0	73·0	69·0	70·67
7	65·0	61·0	58·0	57·0	61·0	65·0	65·0	71·0	71·0	66·0	68·0	63·0	64·25
8	60·0	58·0	56·0	57·0	66·0	70·0	74·0	75·0	72·0	74·0	69·0	66·0	66·42
9	66·0	64·0	65·0	67·0	66·0	68·0	73·0	74·0	77·0	77·0	74·0	72·0	70·25
10	70·0	68·0	66·0	68·0	70·0	72·0	75·0	78·0	80·0	72·0	72·0	70·0	71·75
11	68·0	68·0	66·0	66·0	68·0	70·0	72·0	78·0	89·0	82·0	76·0	74·0	73·08
12	72·0	69·0	67·0	70·0	74·0	76·0	78·0	81·0	83·0	79·0	76·0	76·0	75·08
13	74·0	70·0	69·0	69·0	70·0	72·0	72·0	74·0	75·0	71·0	70·0	68·0	71·17
14	68·0	65·0	63·0	67·0	69·0	73·0	77·0	79·0	81·0	73·0	70·0	69·0	71·17
15	67·0	66·0	67·0	68·0	70·0	75·0	77·0	82·0	82·0	74·0	68·0	62·0	71·50
16	59·0	55·0	53·0	52·0	57·0	63·0	65·0	66·0	66·0	63·0	61·0	60·0	60·00
17	59·0	59·0	58·0	61·0	64·0	68·0	71·0	75·0	74·0	74·0	68·0	64·0	66·25
18	61·0	59·0	59·0	66·0	69·0	71·0	75·0	78·0	79·0	77·0	73·0	70·0	69·75
19	69·0	67·0	66·0	67·0	70·0	71·0	73·0	75·0	78·0	72·0	72·0	70·0	70·83
20	68·0	68·0	66·0	66·0	67·0	67·0	69·0	67·0	71·0	71·0	70·0	68·0	68·17
21	68·0	67·0	67·0	68·0	73·0	75·0	77·0	78·0	80·0	76·0	74·0	72·0	72·92
22	70·0	70·0	69·0	70·0	74·0	76·0	80·0	82·0	80·0	78·0	75·0	73·0	74·75
23	71·0	62·0	60·0	62·0	63·0	66·0	69·0	72·0	75·0	74·0	68·0	65·0	67·25
24	63·0	60·0	59·0	58·0	58·0	66·0	68·0	67·0	66·0	66·0	64·0	61·0	63·00
25	60·0	58·0	58·0	58·0	65·0	72·0	76·0	75·0	76·0	74·0	71·0	67·0	67·50
26	66·0	64·0	63·0	65·0	68·0	73·0	78·0	78·0	78·0	72·0	72·0	70·0	70·58
27	70·0	68·0	66·0	66·0	67·0	69·0	72·0	72·0	72·0	71·0	69·0	68·0	69·17
28	68·0	67·0	67·0	68·0	68·0	71·0	75·0	79·0	81·0	76·0	73·0	71·0	72·00
29	69·0	67·0	66·0	65·0	70·0	76·0	81·0	83·0	80·0	79·0	75·0	72·0	73·58
30	72·0	70·0	69·0	69·0	72·0	75·0	80·0	78·0	80·0	81·0	76·0	70·0	74·33
31	66·0	61·0	55·0	58·0	64·0	67·0	72·0	74·0	73·0	71·0	70·0	68·0	66·58
Means	66·42	64·23	63·07	64·16	67·06	70·45	73·71	75·52	76·84	73·84	70·68	68·26	69·52

Observed Bi-Hourly Temperature at Kingston—August, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	'	'	'	'	'	'	'	'	'	'	'	°
1	66·0	60·0	62·0	58·0	59·0	59·0	71·0	77·0	78·0	72·0	69·0	64·0	66·25
2	65·0	64·0	63·0	62·0	68·0	69·0	74·0	75·0	72·0	72·0	72·0	69·0	68·75
3	67·0	64·0	63·0	62·0	67·0	70·0	74·0	75·0	76·0	72·0	70·0	70·0	69·17
4	69·0	69·0	68·0	70·0	74·0	78·0	80·0	81·0	82·0	78·0	76·0	75·0	75·00
5	75·0	72·0	71·0	71·0	72·0	75·0	76·0	83·0	83·0	80·0	75·0	72·0	75·42
6	72·0	72·0	72·0	72·0	75·0	80·0	80·0	80·0	79·0	76·0	73·0	73·0	75·33
7	72·0	72·0	71·0	71·0	78·0	81·0	82·0	86·0	84·0	84·0	76·0	75·0	77·67
8	72·0	70·0	70·0	69·0	75·0	80·0	80·0	84·0	85·0	76·0	74·0	74·0	75·75
9	74·0	71·0	74·0	76·0	78·0	81·0	84·0	86·0	85·0	81·0	80·0	77·0	79·17
10	75·0	74·0	74·0	75·0	76·0	83·0	78·0	78·0	87·0	81·0	80·0	78·0	78·25
11	78·0	64·0	67·0	69·0	78·0	81·0	83·0	83·0	82·0	77·0	78·0	74·0	76·17
12	74·0	73·0	75·0	76·0	77·0	79·0	81·0	84·0	80·0	78·0	77·0	75·0	77·42
13	73·0	69·0	66·0	65·0	67·0	70·0	75·0	80·0	83·0	78·0	74·0	72·0	72·67
14	65·0	64·0	63·0	62·0	71·0	76·0	81·0	84·0	82·0	77·0	73·0	71·0	72·42
15	68·0	65·0	62·0	65·0	74·0	78·0	80·0	83·0	85·0	76·0	76·0	74·0	73·83
16	74·0	74·0	75·0	74·0	74·0	76·0	76·0	78·0	78·0	73·0	69·0	64·0	73·75
17	60·0	59·0	58·0	57·0	62·0	64·0	70·0	71·0	71·0	70·0	67·0	64·0	64·42
18	60·0	57·0	56·0	55·0	61·0	65·0	67·0	65·0	66·0	60·0	58·0	57·0	60·58
19	55·0	54·0	51·0	51·0	58·0	59·0	60·0	67·0	68·0	64·0	61·0	58·0	58·83
20	56·0	54·0	52·0	54·0	61·0	65·0	70·0	72·0	73·0	68·0	65·0	63·0	62·75
21	61·0	60·0	59·0	58·0	67·0	73·0	77·0	76·0	69·0	65·0	65·0	65·0	66·25
22	67·0	67·0	67·0	66·0	69·0	71·0	75·0	78·0	80·0	78·0	73·0	72·0	71·75
23	72·0	70·0	68·0	69·0	70·0	72·0	77·0	78·0	80·0	75·0	74·0	69·0	72·83
24	68·0	65·0	62·0	65·0	68·0	73·0	74·0	76·0	77·0	74·0	68·0	65·0	69·58
25	62·0	57·0	55·0	54·0	62·0	68·0	72·0	75·0	75·0	71·0	66·0	66·0	65·25
26	65·0	65·0	67·0	67·0	69·0	75·0	75·0	79·0	79·0	73·0	72·0	65·0	70·92
27	60·0	55·0	54·0	52·0	58·0	60·0	65·0	65·0	62·0	64·0	61·0	58·0	59·50
28	56·0	55·0	52·0	51·0	53·0	58·0	61·0	65·0	68·0	66·0	63·0	58·0	58·83
29	55·0	54·0	53·0	52·0	60·0	68·0	68·0	71·0	70·0	67·0	66·0	65·0	62·42
30	63·0	62·0	63·0	66·0	69·0	72·0	75·0	77·0	75·0	73·0	68·0	63·0	68·83
31	63·0	60·0	57·0	57·0	56·0	59·0	61·0	63·0	65·0	60·0	54·0	52·0	58·92
Means	66·52	64·32	63·55	63·58	67·94	71·55	74·26	76·61	76·74	72·81	70·09	67·64	69·63

Observed Bi-Hourly Temperature at Kingston—September, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.	51·0	47·0	46·0	46·0	51·0	56·0	61·0	62·0	64·0	61·0	56·0	54·0	54·58
2	53·0	51·0	51·0	58·0	61·0	63·0	64·0	68·0	67·0	65·0	65·0	66·0	61·00
3	66·0	67·0	67·0	68·0	65·0	65·0	65·0	59·0	58·0	58·0	56·0	54·0	62·33
4	52·0	48·0	42·0	45·0	49·0	54·0	57·0	60·0	62·0	58·0	55·0	53·0	52·92
5	52·0	51·0	50·0	49·0	52·0	60·0	62·0	58·0	57·0	56·0	57·0	58·0	55·17
6	56·0	59·0	62·0	63·0	64·0	65·0	67·0	67·0	63·0	63·0	62·0	61·0	62·67
7	60·0	59·0	58·0	55·0	53·0	62·0	66·0	68·0	65·0	64·0	63·0	59·0	61·00
8	56·0	53·0	51·0	51·0	61·0	64·0	66·0	67·0	69·0	67·0	62·0	57·0	60·33
9	56·0	55·0	54·0	54·0	59·0	67·0	74·0	76·0	73·0	67·0	65·0	62·0	63·50
10	60·0	58·0	57·0	57·0	63·0	69·0	73·0	75·0	75·0	70·0	68·0	67·0	66·00
11	67·0	67·0	67·0	67·0	70·0	75·0	77·0	78·0	80·0	76·0	74·0	72·0	72·50
12	68·0	66·0	64·0	62·0	65·0	73·0	75·0	75·0	71·0	70·0	65·0	65·0	68·25
13	63·0	62·0	62·0	60·0	64·0	61·0	69·0	70·0	69·0	67·0	64·0	61·0	64·33
14	59·0	58·0	57·0	58·0	60·0	65·0	69·0	70·0	71·0	66·0	66·0	65·0	63·67
15	65·0	64·0	61·0	61·0	60·0	62·0	64·0	64·0	64·0	59·0	56·0	53·0	61·08
16	52·0	51·0	50·0	49·0	51·0	55·0	60·0	64·0	63·0	61·0	60·0	60·0	56·33
17	59·0	58·0	57·0	56·0	60·0	62·0	66·0	66·0	67·0	64·0	60·0	57·0	61·00
18	55·0	54·0	53·0	50·0	56·0	61·0	66·0	67·0	67·0	64·0	63·0	61·0	59·75
19	60·0	59·0	59·0	57·0	57·0	56·0	56·0	56·0	58·0	53·0	53·0	49·0	56·08
20	45·0	43·0	41·0	40·0	45·0	47·0	51·0	57·0	55·0	59·0	55·0	55·0	49·42
21	54·0	54·0	53·0	54·0	57·0	59·0	62·0	65·0	61·0	59·0	59·0	57·0	57·83
22	55·0	54·0	51·0	48·0	45·0	45·0	45·0	47·0	50·0	45·0	45·0	43·0	47·75
23	36·0	34·0	31·0	31·0	37·0	42·0	48·0	50·0	50·0	48·0	49·0	50·0	42·17
24	51·0	52·0	51·0	51·0	52·0	54·0	58·0	61·0	62·0	56·0	55·0	54·0	54·75
25													
26													
27													
28													
29													
30													
Means	56·29	55·17	53·96	53·75	56·54	60·08	63·37	64·58	64·21	61·50	59·71	58·04	58·93

OBSERVED Bi-Hourly Temperature at Kingston—October, 1896.

DAY.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
1													
2													
3													
4													
5													
6													
7													
8													
9	47·0	43·0	36·0	36·0	38·0	40·0	46·0	47·0	46·0	43·0	38·0	33·0	41·08
10	32·0	32·0	32·0	32·0	38·0	42·0	49·0	50·0	52·0	50·0	42·0	42·0	41·08
11	39·0	37·0	35·0	36·0	39·0	46·0	53·0	57·0	56·0	50·0	49·0	46·0	45·25
12	43·0	42·0	39·0	38·0	40·0	45·0	51·0	54·0	55·0	52·0	50·0	48·0	46·42
13	47·0	46·0	44·0	42·0	43·0	45·0	48·0	53·0	54·0	51·0	51·0	50·0	47·83
14	49·0	48·0	47·0	45·0	45·0	51·0	56·0	58·0	56·0	53·0	50·0	46·0	50·33
15	44·0	43·0	41·0	40·0	40·0	50·0	57·0	57·0	57·0	53·0	52·0	51·0	48·75
16	49·0	47·0	47·0	43·0	43·0	42·0	42·0	41·0	42·0	42·0	43·0	36·0	43·08
17	36·0	35·0	35·0	32·0	35·0	33·0	33·0	37·0	38·	38·0	36·0	33·0	35·08
18	32·0	31·1	31·0	31·0	32·0	34·0	36·0	38·0	38·0	36·0	34·0	30·0	33·58
19	28·0	26·0	27·0	30·0	38·0	44·0	46·0	44·0	42·0	40·0	38·0	40·0	36·92
20	43·0	41·0	39·0	42·0	45·0	49·0	49·0	48·0	48·0	44·0	44·0	45·0	44·75
21	47·0	47·0	45·0	45·0	40·0	44·0	45·0	44·0	41·0	40·0	39·0	37·0	42·83
22	35·0	34·0	34·0	35·0	37·0	40·0	43·0	47·0	47·0	41·0	41·0	38·0	39·33
23	39·0	42·0	43·0	44·0	44·0	45·0	48·0	49·0	47·0	43·0	40·0	39·0	43·58
24	38·0	40·0	42·0	44·0	43·0	44·0	46·0	49·0	43·0	37·0	34·0	34·0	41·17
25	33·0	32·0	29·0	26·0	29·0	33·0	36·0	38·0	40·0	36·0	38·0	39·0	34·08
26	40·0	40·0	40·0	39·0	45·0	48·0	51·0	53·0	54·0	48·0	47·0	45·0	45·83
27	45·0	43·0	42·0	42·0	42·0	46·0	53·0	58·0	56·0	52·0	42·0	40·0	46·75
28	40·0	39·0	39·0	37·0	38·0	43·0	51·0	56·0	54·0	51·0	52·0	54·0	46·17
29	54·0	54·0	52·0	52·0	52·0	52·0	51·0	51·0	55·0	53·0	53·0	53·0	52·67
30	50·0	50·0	49·0	49·0	53·0	57·0	59·0	58·0	58·0	57·0	57·0	56·0	54·42
31	56·0	55·0	53·0	51·0	51·0	54·0	54·0	56·0	55·0	53·0	51·0	49·0	53·17
Means	42·00	41·17	40·04	39·61	41·30	44·65	47·96	49·70	49·30	46·22	44·39	42·78	44·09

Observed Bi-Hourly Temperature at Kingston—November, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	49·0	50·0	50·0	50·0	51·0	51·0	54·0	53·0	52·0	52·0	53·0	52·0	51·42
2	49·0	45·0	41·0	40·0	40·0	45·0	48·0	51·0	50·0	47·0	45·0	43·0	45·33
3	41·0	40·0	38·0	37·0	40·0	47·0	50·0	55·0	53·0	49·0	46·0	43·0	44·92
4	42·0	42·0	41·0	41·0	42·0	53·0	59·0	55·0	55·0	55·0	55·0	54·0	49·50
5	54·0	54·0	54·0	55·0	55·0	57·0	59·0	60·0	58·0	56·0	54·0	48·0	55·33
6	46·0	45·0	42·0	43·0	43·0	43·0	44·0	45·0	42·0	41·0	40·0	40·0	42·83
7	40·0	40·0	40·0	39·0	39·0	41·0	44·0	45·0	45·0	41·0	42·0	42·0	41·50
8	39·0	39·0	39·0	39·0	40·0	41·0	41·0	40·0	39·0	40·0	41·0	39·0	39·75
9	35·0	37·0	35·0	35·0	36·0	38·0	40·0	41·0	40·0	38·0	36·0	35·0	37·17
10	35·0	35·0	35·0	35·0	36·0	36·0	38·0	40·0	39·0	40·0	39·0	41·0	37·42
11	43·0	43·0	44·0	44·0	46·0	50·0	50·0	52·0	50·0	46·0	44·0	44·0	46·33
12	42·0	42·0	40·0	40·0	40·0	42·0	42·0	42·0	42·0	39·0	37·0	36·0	40·33
13	36·0	35·0	35·0	34·0	35·0	35·0	36·0	35·0	34·0	32·0	30·0	28·0	33·75
14	27·0	26·0	26·0	25·0	26·0	27·0	29·0	31·0	30·0	33·0	33·0	34·0	28·92
15	39·0	42·0	46·0	45·0	46·0	46·0	46·6	47·0	46·0	44·0	42·0	40·0	44·08
16	35·0	35·0	36·0	39·0	44·0	45·0	50·0	48·0	45·6	52·0	52·0	52·0	44·42
17	52·0	52·0	52·0	52·0	55·0	58·0	60·0	58·0	48·0	44·0	41·0	39·0	50·92
18	38·0	35·0	34·0	33·0	33·0	37·0	46·0	55·0	56·0	56·0	56·0	56·0	44·58
19	50·0	45·0	42·0	40·0	38·0	34·0	32·0	32·0	31·0	30·0	26·0	26·0	35·50
20	24·0	24·0	22·0	20·0	24·0	24·0	22·0	22·0	22·0	27·0	27·0	29·0	23·92
21	32·0	32·0	30·0	30·0	30·0	34·0	31·0	33·0	31·0	30·0	30·0	28·0	30·92
22	28·0	26·0	26·0	25·0	24·0	28·0	29·0	30·0	29·0	24·0	21·0	20·0	25·83
23	19·0	16·0	21·0	31·0	29·0	31·0	35·0	39·0	40·0	40·0	40·0	41·0	31·83
24	42·0	44·0	44·0	45·0	49·0	46·0	45·0	44·0	43·0	40·0	36·0	34·0	42·67
25	32·0	32·0	31·0	31·0	31·0	30·0	30·0	32·0	31·0	30·0	30·0	30·0	30·83
26	30·0	31·0	32·0	32·0	33·0	34·0	36·0	49·0	52·0	53·0	55·0	55·0	41·00
27	55·0	55·0	55·0	55·0	55·0	55·0	53·0	51·0	52·0	53·0	53·0	53·0	53·75
28	52·0	50·0	45·0	40·0	34·0	33·0	32·0	32·0	32·0	32·0	31·0	30·0	36·92
29	29·0	29·0	27·0	26·0	26·0	28·0	28·0	29·0	29·0	29·0	28·0	28·0	28·00
30	28·0	26·0	24·0	23·0	22·0	24·0	25·0	28·0	26·0	23·0	23·0	21·0	24·42
Means	38·77	38·27	37·57	37·47	38·07	39·77	41·13	42·47	41·40	40·53	39·53	38·70	39·47

Observed Bi-Hourly Temperature at Kingston—December, 1896.

Day.	Mid-night.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Means.
1	19·0	18·0	18·0	18·0	18·0	20·0	22·0	22·0	21·0	14·0	12·0	10·0	17·68
2	10·0	8·0	8·0	6·0	9·0	11·0	11·0	16·0	16·0	17·0	17·0	18·0	12·25
3	18·0	20·0	22·0	21·0	20·0	22·0	25·0	26·0	26·0	23·0	21·0	19·0	22·00
4	18·0	17·0	15·0	18·0	26·0	29·0	30·0	33·0	33·0	33·0	33·0	35·0	26·67
5	36·0	34·0	33·0	32·0	33·0	36·0	38·0	39·0	35·0	36·0	35·0	37·0	35·33
6	40·0	42·0	43·0	42·0	43·0	44·0	44·0	42·0	40·0	38·0	37·0	37·0	41·00
7	36·0	35·0	32·0	32·0	32·0	33·0	33·0	32·0	31·0	30·0	30·0	30·0	32·17
8	30·0	32·0	32·0	32·0	32·0	33·0	34·0	35·0	35·0	32·0	32·0	31·0	32·50
9	30·0	30·0	29·0	30·0	32·0	33·0	33·0	32·0	31·0	38·0	38·0	38·0	32·83
10	36·0	35·0	35·0	35·0	32·0	35·0	37·0	39·0	38·0	37·0	35·0	35·0	35·75
11	34·0	32·0	30·0	31·0	31·0	32·0	33·0	35·0	35·0	37·0	40·0	40·0	34·17
12	40·0	39·0	38·0	38·0	37·0	38·0	40·0	43·0	43·0	39·0	40·0	43·0	39·83
13	42·0	42·0	42·0	42·0	45·0	41·0	42·0	42·0	42·0	40·0	38·0	35·0	41·08
14	33·0	29·0	22·0	23·0	23·0	21·0	23·0	25·0	22·0	23·0	20·0	19·0	23·58
15	17·0	15·0	14·0	12·0	11·0	14·0	18·0	20·0	19·0	16·0	15·0	14·0	15·42
16	12·0	13·0	13·0	14·0	14·0	16·0	20·0	21·0	21·0	20·0	18·0	17·0	16·58
17	15·0	15·0	14·0	14·0	15·0	18·0	23·0	25·0	25·0	25·0	24·0	28·0	20·08
18	26·0	27·0	28·0	30·0	34·0	36·0	36·0	33·0	33·0	34·0	34·0	33·0	32·00
19	28·0	20·0	15·0	12·0	10·0	10·0	14·0	15·0	15·0	14·0	11·0	9·0	14·42
20	9·0	9·0	9·0	9·0	10·0	12·0	13·0	12·0	11·0	11·0	11·0	10·0	10·50
21	9·0	12·0	9·0	5·0	4·0	7·0	9·0	7·0	6·0	4·0	4·0	4·0	6·67
22	4·0	5·0	4·0	6·0	5·0	4·0	7·0	7·0	6·0	5·0	4·0	5·0	5·17
23	5·0	5·0	4·0	5·0	6·0	1·0	4·0	4·0	5·0	3·0	2·0	1·0	3·75
24	0·0	−2·0	−3·0	−7·0	7·0	−1·0	4·0	6·0	5·0	4·0	5·0	5·0	0·75
25	6·0	7·0	8·0	9·0	12·0	18·0	24·0	25·0	25·0	29·0	29·0	29·0	18·42
26	29·0	29·0	29·0	29·0	29·0	31·0	32·0	29·0	23·0	16·0	13·0	9·0	24·83
27	5·0	3·0	1·0	0·0	1·0	3·0	7·0	8·0	10·0	9·0	9·0	11·0	5·58
28	11·0	11·0	5·0	4·0	21·0	23·0	26·0	28·0	28·0	28·0	29·0	30·0	20·33
29	30·0	30·0	31·0	33·0	33·0	35·0	37·0	37·0	36·0	36·0	36·0	35·0	34·08
30	35·0	35·0	35·0	36·0	36·0	36·0	37·0	37·0	38·0	39·0	39·0	38·0	36·75
31	37·0	35·0	32·0	30·0	22·0	20·0	20·0	21·0	21·0	19·0	17·0	17·0	24·25
Means	22·58	22·00	20·87	20·68	21·58	22·94	25·06	25·68	25·00	24·16	23·48	23·29	23·11

Observed Bi-Hourly Temperature at Montreal—January, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	27·0	26·3	25·9	25·7	26·0	26·4	23·4	28·6	27·3	25·3	24·7	24·2	25·90
2	24·0	23·9	22·9	21·2	25·2	29·3	30·1	30·3	30·6	29·5	32·7	31·8	27·65
3	30·2	32·3	35·2	32·0	29·4	26·8	26·2	24·9	22·3	19·6	12·8	5·9	24·80
4	1·9	− 1·5	4·1	5·3	4·6	4·0	− 2·3	3·7	− 4·1	− 6·7	−11·0	−13·2	4·88
5	15·1	−16·9	−17·6	−18·3	18·5	−17·6	16·8	−15·1	−16·2	17·3	−18·5	−19·7	−17·30
6	20·5	21·1	−20·8	−20·5	−20·5	15·7	−13·8	−12·7	−13·1	−11·5	−11·8	−12·0	−16·17
7	12·8	12·8	−13·1	−11·6	- 9·4	− 7·1	- 5·0	3·7	- 2·3	-- 1·0	1·1	1·3	− 6·77
8	− 2·5	- 3·0	2·7	2·3	− 1·1	2·7	5·2	5·8	4·1	4·5	5·9	5·7	1·86
9	6·0	4·9	4·2	5·9	5·9	8·0	9·5	9·7	9·8	10·3	10·1	9·5	7·82
10	8·3	8·7	9·6	9·7	11·2	12·8	14·2	14·8	9·7	11·9	9·9	8·1	10·74
11	7·2	6·4	9·5	4·7	6·1	10·3	13·2	14·2	11·9	9·7	10·6	9·4	9·43
12	5·8	5·2	3·3	3·7	7·0	10·2	14·2	23·8	24·7	25·6	26·5	27·5	14·79
13	22·4	21·4	20·0	18·6	19·7	20·8	22·6	23·1	22·4	21·9	22·0	22·0	21·41
14	21·7	20·8	18·9	17·7	18·5	19·3	20·4	20·4	19·4	16·1	17·7	17·3	19·02
15	14·2	13·2	12·0	12·8	12·9	14·5	13·4	12·3	9·1	7·5	5·9	6·3	11·18
16	6·2	5·9	6·6	8·1	9·3	12·6	14·2	18·3	16·1	18·2	17·9	19·7	12·76
17	21·1	19·1	16·1	14·8	11·9	14·3	15·2	13·5	13·1	12·6	12·9	13·0	14·80
18	14·2	14·0	14·4	14·7	15·7	19·8	19·8	20·9	20·2	19·5	18·7	17·7	17·47
19	15·6	18·0	20·2	15·9	16·5	17·1	17·7	15·9	16·9	14·0	12·0	10·8	15·88
20	9·2	8·8	8·8	9·6	10·5	12·9	14·2	16·9	18·9	17·7	17·8	17·4	13·56
21	18·0	18·1	17·9	17·9	19·2	20·3	22·9	23·6	22·4	21·7	21·4	20·8	20·35
22	20·2	19·9	20·5	18·7	20·9	23·3	22·2	21·1	20·3	14·7	14·9	16·7	19·38
23	17·6	16·9	14·0	14·1	14·0	15·3	15·5	16·7	14·2	14·1	13·7	13·0	14·93
24	12·2	11·9	12·1	13·3	15·6	19·8	21·4	22·9	24·2	25·7	25·7	25·2	19·17
25	24·8	24·2	24·2	24·7	26·2	28·3	29·0	29·7	24·4	28·5	27·9	28·7	26·72
26	27·2	28·1	26·9	25·1	25·8	26·5	27·0	27·9	26·3	24·9	25·0	25·1	26·33
27	24·8	24·9	24·3	18·7	12·5	12·9	13·4	13·3	14·2	11·7	10·8	9·7	15·93
28	8·3	5·0	1·7	1·7	− 2·3	0·8	3·0	2·9	1·7	2·7	1·6	2·4	2·18
29	2·2	2·0	1·7	1·1	− 0·5	2·8	3·9	3·9	1·9	2·3	1·9	2·9	1·99
30	5·7	5·9	6·9	8·6	10·1	14·5	17·2	18·4	17·5	16·7	17·1	14·5	12·76
31	11·2	8·9	6·2	4·6	5·1	6·9	7·6	8·3	6·4	6·7	5·9	6·6	7·03
Means	11·49	10·95	10·51	9·68	10·24	12·41	13·52	14·42	13·36	12·81	12·31	11·80	11·96

OBSERVED Bi-Hourly Temperature at Montreal—February, 1896.

DAY.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	7·5	8·1	6·3	10·6	11·9	16·6	23·0	29·2	30·5	32·0	30·9	29·0	19·62
2	27·8	26·7	24·8	22·1	21·8	21·5	21·2	20·9	18·9	16·7	14·9	13·4	20·89
3	11·2	8·5	7·3	6·1	6·9	10·2	13·3	13·9	13·9	13·6	11·0	9·5	10·45
4	8·7	8·9	13·9	8·7	10·7	15·5	18·5	19·9	20·3	20·2	20·0	20·1	15·45
5	20·5	21·8	25·0	27·3	29·5	31·9	32·6	33·0	33·1	33·6	33·8	34·1	29·68
6	31·4	32·1	32·5	33·1	33·8	34·4	33·2	32·1	33·1	32·9	32·8	32·7	32·84
7	32·4	32·0	31·4	30·7	31·7	32·7	32·6	32·4	32·9	32·0	33·0	32·9	32·23
8	26·7	20·5	23·9	21·4	22·8	24·3	24·7	25·1	23·2	19·7	19·3	18·8	22·53
9	15·6	12·4	11·2	10·1	10·8	11·5	12·2	15·8	23·2	17·7	16·6	15·5	14·38
10	14·5	13·4	13·8	14·7	15·5	16·3	18·8	21·3	18·9	21·7	21·5	21·2	17·63
11	23·5	25·9	26·8	29·7	28·6	27·6	25·8	24·0	26·6	20·6	26·6	21·5	25·60
12	19·0	16·2	12·4	9·7	12·3	14·9	14·8	14·7	14·6	10·4	9·6	8·9	13·13
13	10·5	11·9	14·6	10·5	10·3	10·0	9·5	8·9	14·7	11·5	14·7	16·4	11·96
14	15·8	15·1	14·6	9·7	12·5	15·3	17·0	18·5	17·3	12·7	10·0	7·3	13·82
15	6·0	4·7	1·2	— 0·3	— 0·7	— 1·0	1·3	— 1·6	— 1·1	0·4	— 1·1	1·5	0·56
16	- 1·1	- 3·8	1·1	— 9·7	— 9·1	— 8·4	7·8	— 5·1	- 6·8	— 8·3	—13·1	--16·7	— 7·66
17	—19·0	—21·1	—21·5	—22·0	—16·5	—16·5	—12·4	—10·1	—11·1	—11·5	—13·1	—15·0	—15·82
18	-14·4	—15·1	18·7	-22·3	—19·6	—13·4	— 8·4	6·3	—11·1	— 3·3	— 5·1	— 5·6	—11·94
19	- 6·5	— 6·1	— 11·1	0·5	0·9	6·7	14·0	21·4	16·4	16·0	12·9	12·5	6·38
20	13·0	13·4	13·0	14·2	13·7	17·9	20·2	14·4	14·6	18·0	14·9	12·3	14·97
21	8·5	5·0	1·5	0·4	2·1	2·5	2·2	0·6	— 0·1	— 1·0	— 2·1	— 2·3	1·47
22	— 2·9	- 4·6	— 0·1	2·9	11·1	18·8	21·8	23·5	23·0	22·4	23·0	22·4	13·44
23	22·0	19·4	16·8	13·7	17·5	21·3	25·1	28·9	33·9	34·7	35·5	35·7	25·38
24	34·6	35·2	34·8	33·6	32·9	28·4	23·2	24·2	21·6	18·0	14·5	11·0	26·00
25	7·0	0·9	- 0·6	— 2·0	0·9	3·8	5·0	7·4	5·9	3·8	1·9	1·2	2·93
26	1·2	1·2	3·6	— 4·3	— 3·1	3·2	7·0	9·9	8·3	5·7	6·0	5·3	2·87
27	4·8	1·8	1·3	— 0·7	2·7	10·3	14·3	18·3	20·4	19·7	19·4	19·0	10·94
28	24·4	25·2	27·1	29·2	33·2	37·2	38·2	39·9	40·2	40·5	40·1	39·5	34·56
29	40·0	39·8	39·6	39·9	40·4	39·7	37·2	36·2	35·9	35·3	34·9	33·7	37·72
Means	13·20	11·97	11·63	10·92	12·61	14·94	16·39	17·63	17·61	16·75	15·97	15·03	14·55

Observed Bi Hourly Temperature at Montreal—March, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	33·1	33·8	34·5	35·2	35·2	35·4	35·6	35·7	37·9	36·3	33·4	32·2	34·86
2	29·3	26·5	23·4	21·4	18·9	19·7	18·6	17·4	15·4	14·7	15·9	16·4	19·80
3	17·7	19·3	19·1	17·6	16·1	17·8	17·5	18·6	19·2	17·8	13·5	10·0	17·00
4	7·5	4·5	1·6	0·8	4·7	7·7	15·7	18·7	19·8	17·0	13·1	11·4	10·21
5	10·8	9·1	8·5	8·6	11·9	14·1	16·6	19·6	18·3	17·8	19·9	23·5	14·89
6	22·3	20·9	18·5	21·1	22·7	25·4	26·9	26·0	26·3	26·3	24·9	26·7	24·00
7	26·5	27·2	26·0	31·5	32·2	33·0	32·2	33·7	31·0	31·5	29·0	28·0	30·15
8	28·2	29·1	29·3	25·8	25·9	23·8	23·7	22·0	20·8	18·4	16·1	15·5	23·22
9	15·4	15·4	14·9	12·6	12·7	15·8	17·4	19·1	19·1	15·8	14·9	11·9	15·42
10	10·7	9·5	6·0	6·0	9·3	10·9	13·2	14·6	14·3	12·8	11·9	10·6	10·82
11	9·9	5·4	2·6	1·2	4·2	9·7	11·6	13·7	11·8	12·4	12·6	12·7	8·98
12	11·5	10·8	10·0	9·3	11·4	11·4	14·3	15·7	13·9	11·6	8·9	7·2	11·33
13	5·8	5·2	3·6	2·8	6·7	10·3	11·5	12·1	10·0	8·7	6·9	6·1	7·48
14	5·8	5·2	3·0	3·5	8·9	14·4	16·2	19·3	17·9	15·2	12·7	11·8	11·16
15	9·6	10·3	7·7	8·6	12·2	13·2	20·2	20·3	20·9	18·7	15·4	14·1	14·27
16	10·0	12·0	4·3	4·1	9·8	17·7	21·7	27·7	23·1	21·9	21·9	22·8	16·08
17	21·2	21·0	22·6	23·6	27·1	32·5	32·2	32·1	29·0	26·0	26·9	25·3	26·62
18	23·5	22·9	23·8	25·9	29·7	33·5	33·8	34·9	34·5	30·6	28·9	28·9	29·28
19	29·1	28·3	28·8	30·0	30·4	31·2	30·4	30·3	30·1	30·6	30·9	31·4	30·12
20	31·3	31·1	29·3	27·5	25·1	23·7	21·8	21·3	20·6	20·1	15·1	15·3	23·52
21	13·1	11·1	9·6	10·3	20·4	20·5	24·5	28·4	29·1	29·0	26·5	22·0	20·38
22	27·8	33·1	36·7	36·8	36·3	35·5	26·8	24·0	20·9	16·6	11·9	9·1	26·29
23	5·4	1·9	0·3	1·3	1·5	4·4	5·0	5·9	6·8	3·8	2·9	2·1	3·22
24	0·2	1·3	3·1	0·7	5·8	10·9	14·8	16·1	15·4	13·7	11·2	10·5	7·88
25	9·2	11·0	14·7	17·5	22·5	28·0	32·1	35·2	33·8	32·5	34·1	34·5	25·42
26	34·0	33·9	34·2	34·5	35·3	36·2	36·6	39·0	37·3	34·6	28·9	22·4	33·91
27	19·9	17·4	13·4	11·0	13·3	16·8	18·8	22·6	21·4	20·7	22·1	20·3	18·16
28	17·2	14·9	14·7	13·8	19·7	24·7	24·8	25·9	26·2	22·6	21·7	20·5	20·56
29	17·0	14·9	12·9	16·4	20·1	25·1	31·5	34·4	36·7	35·8	36·0	36·3	26·42
30	36·5	36·8	36·6	36·0	38·6	44·6	44·7	44·9	44·6	41·9	39·6	37·3	40·18
31	36·9	35·6	34·1	35·6	38·3	41·1	41·4	41·7	39·4	35·1	30·5	26·0	36·31
Means	18·58	17·96	17·47	16·72	19·58	22·23	23·62	24·74	24·05	21·95	20·59	19·44	20·58

OBSERVED Bi Hourly Temperature at Montreal -April, 1896.

DAY.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	21·5	20·2	19·9	20·2	22·2	21·9	24·8	25·7	16·7	27·3	26·1	28·2	23·99
2	28·6	31·9	34·9	35·5	34·3	33·5	33·8	34·1	35·1	32·3	29·0	27·2	32·52
3	21·0	20·9	20·6	21·1	23·5	25·9	28·4	25·9	27·5	28·4	25·9	24·4	24·71
4	23·2	21·6	18·9	18·6	21·2	21·0	27·4	29·2	28·1	28·2	26·6	27·3	24·52
5	26·9	25·6	23·9	26·0	28·1	30·9	32·1	33·8	32·9	32·4	31·8	31·3	29·65
6	30·2	29·5	28·5	29·3	33·2	35·4	35·4	35·4	35·9	32·3	30·1	28·4	31·97
7	26·6	27·4	28·9	28·3	33·8	37·1	37·0	36·8	36·0	33·3	33·8	31·3	32·52
8	29·8	27·9	26·5	30·4	33·8	35·6	37·2	38·8	38·6	35·9	33·1	32·8	33·35
9	28·5	24·3	24·4	31·1	33·8	38·6	39·4	39·3	40·5	35·7	34·1	32·8	33·54
10	30·2	27·7	25·2	28·5	35·8	41·2	44·1	47·0	46·2	39·8	40·6	41·5	37·32
11	40·5	39·5	38·4	36·8	37·9	40·8	42·2	43·7	42·4	41·2	43·1	43·1	40·80
12	41·0	38·8	36·6	39·1	42·6	44·2	46·2	47·5	46·2	43·5	40·8	42·0	42·37
13	41·0	39·3	37·6	40·6	43·8	52·6	48·2	45·3	41·6	37·1	34·8	33·9	41·32
14	34·1	33·6	33·1	35·5	40·8	45·4	43·3	46·3	52·8	55·9	53·9	51·9	43·88
15	51·2	50·5	49·9	49·2	53·1	60·6	62·4	64·3	66·6	56·0	55·1	54·2	56·09
16	50·5	46·8	43·1	47·5	54·4	61·3	66·6	68·6	67·6	66·5	55·6	44·7	56·10
17	42·6	40·5	37·2	37·1	39·3	43·2	47·1	52·8	54·2	51·3	51·3	51·3	45·66
18	49·5	48·5	50·0	47·3	46·4	45·6	46·9	48·9	49·5	48·0	46·1	46·0	47·72
19	44·6	44·0	43·9	45·2	52·3	59·5	73·9	76·6	70·6	65·1	60·3	55·6	57·63
20	51·4	47·8	46·4	49·4	56·0	62·4	65·9	60·8	59·4	57·1	55·4	47·0	54·92
21	43·4	39·8	37·1	36·8	38·3	41·4	40·5	40·3	39·7	38·9	33·8	37·7	38·93
22	36·8	34·8	32·9	33·9	38·8	42·7	48·2	48·4	50·0	47·6	45·3	43·9	41·94
23	45·4	41·9	38·3	41·6	49·0	57·4	59·4	59·8	58·8	51·4	44·8	40·2	49·00
24	39·1	37·8	35·4	40·6	44·4	50·2	55·3	52·8	50·5	46·5	42·7	39·0	44·52
25	37·1	35·3	35·8	34·2	52·3	54·8	54·9	55·7	50·3	45·9	45·8	45·7	45·65
26	46·0	46·4	45·1	48·4	52·1	55·9	57·0	60·1	60·1	54·5	52·0	50·0	52·30
27	48·1	47·0	41·8	47·9	56·9	63·0	67·5	68·7	66·9	62·1	57·5	56·2	56·97
28	53·7	51·3	49·7	50·8	52·7	50·2	51·7	50·9	53·1	54·1	52·0	48·2	51·53
29	45·1	42·0	38·7	44·2	50·3	51·5	54·5	56·9	58·0	53·7	48·3	43·4	48·88
30	39·7	37·3	34·1	41·1	49·7	53·0	56·7	56·3	52·9	52·0	48·8	46·0	47·30
Means	38·34	36·66	35·23	37·19	41·69	45·43	47·60	48·36	47·96	45·13	42·62	40·84	42·25

Observed Bi-Hourly Temperature at Montreal.—May, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	41·2	38·2	36·4	42·8	51·4	60·1	65·8	65·3	63·7	55·8	51·3	46·9	51·57
2	42·1	39·6	38·2	44·2	54·0	63·7	67·4	67·3	65·3	62·0	58·4	56·7	54·91
3	51·9	50·1	48·9	53·4	57·9	62·3	67·9	69·1	68·0	64·9	61·8	62·0	59·77
4	58·7	55·3	54·3	55·3	63·2	67·0	70·2	62·6	65·5	64·4	62·2	57·9	61·38
5	56·9	52·6	53·9	56·3	62·0	64·7	58·5	58·6	53·3	48·4	45·8	43·7	54·56
6	42·2	41·9	42·0	43·0	46·4	49·8	54·8	56·9	56·1	51·8	48·5	45·2	48·22
7	41·9	40·8	39·8	44·1	51·9	59·7	61·5	62·6	63·3	60·3	57·8	57·1	53·40
8	54·1	54·1	53·7	56·6	59·8	66·0	69·5	69·8	71·1	66·3	63·2	60·5	62·06
9	59·5	58·1	56·4	63·4	70·6	77·4	82·8	83·1	81·9	77·7	73·3	70·0	71·17
10	68·7	67·4	66·6	70·0	73·5	83·3	85·3	87·3	82·2	73·9	65·6	57·4	73·43
11	57·7	57·8	57·9	59·5	63·0	66·4	70·1	70·7	72·9	63·3	59·0	56·5	62·90
12	54·2	52·6	51·5	54·8	58·1	61·4	64·3	65·8	66·8	60·7	56·0	51·7	58·16
13	49·7	46·8	45·2	49·5	53·5	56·7	59·0	61·0	62·5	57·7	55·1	52·5	54·10
14	51·7	48·2	45·1	54·0	60·2	66·4	70·1	69·3	69·3	63·3	60·8	62·5	60·08
15	57·1	53·9	50·8	55·8	62·9	69·0	72·5	70·9	66·2	63·7	61·8	60·0	62·05
16	56·1	53·4	53·4	57·1	62·0	63·9	66·7	67·4	65·4	60·8	57·6	55·5	59·93
17	56·7	57·0	50·1	56·9	65·0	70·7	70·1	70·3	70·2	68·2	66·1	63·4	63·72
18	65·4	64·9	56·9	59·8	64·1	66·0	67·7	69·5	65·1	58·3	60·0	55·0	62·72
19	51·7	50·4	49·1	46·6	47·2	52·7	56·8	57·5	59·1	54·1	52·2	50·4	52·32
20	47·8	46·4	45·1	50·9	55·2	60·6	64·7	64·6	64·2	60·2	57·2	54·2	55·92
21	50·6	49·5	49·1	56·1	62·8	66·4	69·0	67·5	65·4	60·8	58·2	55·8	59·27
22	54·8	55·5	55·3	55·7	62·4	69·2	70·2	62·6	67·9	64·4	61·0	57·4	61·37
23	54·6	51·6	47·1	50·8	54·3	55·2	58·6	61·1	60·4	55·0	51·0	50·2	54·16
24	48·8	46·5	45·5	51·2	56·7	62·2	68·0	68·2	64·9	61·6	57·1	53·3	57·00
25	52·7	51·7	51·1	56·5	61·8	65·1	67·3	69·0	67·6	66·2	64·8	63·0	61·40
26	59·3	54·3	52·1	52·1	57·3	62·6	69·5	76·3	72·4	68·6	65·9	63·7	62·85
27	61·0	57·7	55·0	54·0	59·8	63·3	65·2	66·9	66·1	61·0	56·8	53·5	60·02
28	49·7	48·3	48·1	55·0	56·8	59·2	58·3	56·8	57·3	57·0	55·8	54·7	54·75
29	54·7	55·4	54·3	56·4	57·6	58·8	58·2	56·1	53·6	52·7	51·8	51·8	55·12
30	51·6	50·5	48·7	52·7	53·0	53·2	55·5	56·9	57·6	55·2	53·8	52·1	53·40
31	50·9	48·3	48·3	55·9	61·6	62·5	63·3	64·9	64·1	61·1	57·1	55·8	57·82
Means	53·30	51·57	50·00	53·88	58·90	63·40	66·09	66·32	65·47	61·27	58·29	55·82	58·69

Observed Bi-Hourly Temperature at Montreal—June, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	55·2	54·3	53·0	56·8	65·2	65·6	65·5	61·0	61·1	61·2	56·9	53·2	59·08
2	51·9	50·3	48·9	55·0	57·6	60·2	63·8	64·4	63·9	60·2	57·3	57·2	57·56
3	56·6	54·3	53·2	57·6	65·0	71·6	76·4	76·8	74·1	69·9	67·0	63·2	65·48
4	59·9	59·6	60·2	65·5	71·4	77·0	79·8	79·7	77·1	70·2	67·3	66·5	69·52
5	59·9	60·3	59·2	69·6	75·9	82·2	84·9	85·8	82·6	74·6	71·8	70·4	73·10
6	61·8	61·3	61·7	65·9	70·9	75·2	80·6	79·5	75·3	70·4	67·9	66·4	69·78
7	62·6	60·1	60·9	60·6	60·8	62·6	64·6	64·3	63·9	61·6	60·7	59·8	61·98
8	59·6	58·4	58·5	58·6	59·1	59·7	61·5	61·3	59·9	59·8	59·4	59·0	59·57
9	58·5	57·8	56·4	56·8	57·6	58·5	62·2	63·8	65·1	63·1	60·3	60·8	60·08
10	59·8	57·9	55·9	59·8	62·3	63·8	64·4	65·3	64·9	60·9	56·8	56·6	60·70
11	54·1	51·6	52·2	57·1	60·0	63·8	66·0	65·8	61·3	59·7	58·0	57·4	59·08
12	56·7	55·1	51·6	53·8	55·2	59·1	61·2	60·7	60·9	57·8	53·3	51·8	56·43
13	51·1	50·3	49·2	56·6	60·8	65·0	66·1	67·1	65·5	63·1	57·9	58·0	59·22
14	56·5	52·3	50·9	57·0	65·2	70·5	71·6	71·3	69·9	67·4	60·1	57·6	62·52
15	54·7	52·7	53·5	58·1	59·7	63·2	70·1	69·9	69·4	66·0	64·1	64·0	62·12
16	62·9	60·4	64·2	68·1	72·2	75·6	78·5	78·6	72·9	68·4	64·8	63·6	69·18
17	64·0	60·2	59·1	66·6	72·4	78·2	78·9	78·1	74·9	70·9	65·2	63·2	69·31
18	63·1	62·4	62·1	67·2	72·8	77·6	81·2	83·3	81·5	76·9	73·1	70·0	72·60
19	68·7	67·3	64·4	71·1	75·0	78·2	81·1	81·6	79·1	76·0	74·0	71·2	73·98
20	69·7	67·7	66·3	74·7	77·9	81·2	84·1	84·6	81·6	68·3	75·2	72·6	75·32
21	67·7	65·1	64·4	69·4	71·1	72·8	66·9	69·3	69·0	67·9	67·2	67·2	68·15
22	67·0	67·3	67·3	69·5	74·9	75·9	74·7	73·4	69·7	64·6	58·1	54·7	68·09
23	54·7	52·7	52·6	58·6	62·2	65·9	69·0	69·3	67·5	63·5	61·4	62·2	61·63
24	58·7	55·4	55·1	60·0	64·6	68·2	69·4	70·3	69·9	67·6	62·6	59·6	63·45
25	58·1	56·3	55·9	56·6	67·8	72·4	73·6	73·1	70·2	67·0	64·3	62·9	64·85
26	62·7	63·1	62·9	62·6	68·2	78·2	79·3	78·8	76·1	69·9	67·0	65·7	69·54
27	63·5	60·6	60·3	65·7	69·5	70·7	73·9	74·3	74·1	69·4	64·8	63·0	67·48
28	63·5	60·5	61·1	63·7	72·8	77·6	79·9	79·1	69·9	66·8	63·8	61·5	68·35
29	60·3	58·5	59·9	64·2	68·8	67·3	63·7	63·9	56·3	55·6	53·9	51·4	60·32
30	49·7	46·4	45·3	52·5	59·6	62·8	65·7	67·6	65·9	65·3	63·8	63·3	58·99
Means	59·77	58·01	57·54	61·95	66·55	70·02	71·95	72·07	69·78	66·13	63·27	61·87	64·91

Registered Bi-Hourly Temperature at Montreal—July, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 a.m.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	66·7	64·0	63·1	68·7	73·3	75·1	76·3	78·4	76·2	72·4	67·4	67·0	70·72
2	65·7	64·3	62·5	71·2	78·9	83·0	86·7	88·7	85·5	81·4	77·1	69·7	75·48
3	56·5	56·6	56·2	56·8	60·9	64·2	67·7	65·3	64·1	61·5	59·8	58·2	60·65
4	54·8	54·3	54·9	57·6	57·3	58·1	60·2	61·3	61·6	61·2	61·8	61·0	58·66
5	59·9	58·6	57·9	56·8	57·4	59·5	61·7	63·1	62·1	60·1	58·3	58·0	59·45
6	57·8	57·1	56·1	56·0	59·4	62·9	66·1	69·7	70·7	67·5	65·0	64·0	62·69
7	64·5	65·2	64·1	66·4	69·8	73·1	71·7	66·8	62·8	62·4	60·0	59·1	65·49
8	59·3	57·6	57·3	65·2	69·2	74·4	76·8	77·3	75·6	72·6	71·3	70·0	68·88
9	69·5	68·1	63·7	66·7	71·7	77·7	78·4	75·8	76·5	75·1	72·8	70·9	72·24
10	70·6	70·3	69·1	73·2	76·9	80·2	79·7	79·6	78·4	73·6	71·1	70·8	74·46
11	70·3	67·6	66·9	67·6	69·9	77·0	77·7	79·3	78·9	77·5	75·3	73·2	73·43
12	71·6	69·1	69·1	71·7	77·8	81·2	84·7	86·1	83·7	78·6	73·4	71·0	76·50
13	70·7	69·3	68·2	73·2	74·7	76·2	80·8	77·5	65·6	65·1	65·3	65·5	71·01
14	63·7	62·2	61·3	63·8	68·1	72·5	74·7	75·4	73·5	69·4	67·5	65·2	68·11
15	62·3	59·4	60·3	67·6	66·3	64·2	68·1	76·0	76·5	69·6	60·1	57·0	65·62
16	55·9	54·3	52·1	58·7	63·9	64·2	66·9	63·5	64·1	61·6	59·0	60·6	60·40
17	61·1	59·3	60·0	60·8	66·9	73·2	75·5	75·3	73·9	67·6	66·9	66·2	67·22
18	62·5	60·2	56·6	67·2	72·4	77·6	78·5	78·3	76·9	72·3	69·2	67·4	69·92
19	65·3	65·2	64·9	66·7	70·9	78·2	77·8	77·4	76·9	73·4	72·8	70·3	71·65
20	68·7	67·9	67·1	65·9	65·6	65·9	68·2	70·5	70·1	69·6	68·8	69·2	68·12
21	69·7	69·4	69·4	71·7	75·5	79·3	81·7	80·8	79·2	75·0	73·1	71·3	74·68
22	70·0	66·5	65·1	67·6	74·6	79·0	81·9	83·3	77·8	76·0	71·8	72·1	73·81
23	68·7	64·4	61·0	66·6	67·7	69·7	69·7	71·0	69·6	64·9	62·4	59·9	66·30
24	59·5	58·8	58·1	61·9	66·3	71·0	72·7	71·1	69·9	65·9	63·4	63·0	65·13
25	62·9	62·4	61·4	62·0	70·0	74·1	78·5	77·8	76·1	71·9	68·8	67·2	69·42
26	64·7	63·1	62·4	68·5	72·9	78·2	81·1	80·6	78·1	74·6	69·9	68·0	71·84
27	68·6	64·8	65·1	67·9	70·4	73·0	70·7	77·3	76·8	73·2	71·6	70·3	70·81
28	69·0	67·2	67·4	73·6	74·8	78·0	77·9	80·1	78·9	75·9	69·8	69·0	73·46
29	68·7	66·5	64·9	78·6	78·8	81·1	84·1	82·6	81·2	79·7	72·8	73·2	76·02
30	72·5	71·6	69·9	75·8	78·6	81·6	82·0	82·6	72·2	70·6	67·8	63·9	74·09
31	59·6	57·4	55·8	60·6	65·2	67·2	68·5	68·0	67·7	63·4	61·2	60·2	62·90
Means	64·88	63·31	62·32	66·34	69·87	73·24	75·06	75·50	37·58	70·44	67·60	65·92	69·01

Observed Bi-Hourly Temperature at Montreal—August, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	59·5	55·4	56·0	63·0	68·0	72·3	73·2	72·3	71·6	67·0	64·0	62·9	65·43
2	65·7	64·4	62·0	64·3	69·9	75·0	75·8	76·5	75·1	71·5	67·8	65·4	69·45
3	63·3	61·3	58·7	68·3	77·6	78·0	80·1	80·3	78·8	75·2	71·8	69·2	71·36
4	68·8	70·7	70·1	71·2	75·8	79·5	82·2	82·3	81·7	77·7	74·4	71·0	75·45
5	68·7	66·6	65·2	64·2	62·0	61·2	62·9	62·6	61·1	59·5	59·2	60·0	62·75
6	59·2	58·6	59·2	60·0	62·1	66·7	66·7	65·7	66·3	65·6	64·8	64·1	63·25
7	63·7	63·4	64·2	66·6	72·8	78·3	82.7	83·4	82·9	77·2	76·9	75·2	73·98
8	73·7	69·8	66·4	75·1	79·4	84·0	84·7	83·5	81·9	77·6	74·8	73·5	77·03
9	73·7	72·4	72·1	73·2	76·0	80·5	85·4	84·9	82·5	78·9	76·3	76·0	77·64
10	71·7	69·4	68·4	71·8	78·9	83·0	86·7	86·8	85·8	80·4	78·3	76·9	78·18
11	74·3	74·6	74·6	77·8	83·8	85·3	89·0	88·5	87·2	83·5	79·9	77·7	81·35
12	74·8	73·2	72·2	76·6	82·3	85·5	85·7	83·6	82·8	77·6	75·2	69·3	78·23
13	65·5	61·5	59·3	65·6	67·6	69·6	76·2	76·1	75·4	73·9	70·0	69·1	69·15
14	67·1	65·0	62·6	68·9	72·8	76·5	79·6	78·1	74·1	71·7	70·4	67·9	71·22
15	65·4	62·1	59·4	64·6	70·0	76·9	80·7	76·0	77·1	67·5	67·6	67·8	69·59
16	67·9	67·5	68·5	72·2	75·0	63·5	68·1	68·1	71·7	67·9	64·9	63·4	68·22
17	61·7	59·5	56·8	61·8	66·6	67·0	68·7	68·0	66·4	61·7	59·3	57·3	62·90
18	59·1	54·3	55·9	57·2	54·8	56·5	62·0	63·6	61·9	53·5	54·8	54·2	57·32
19	54·5	52·7	51·9	52·7	59·8	62·7	63·7	63·6	61·9	57·9	56·8	57·4	57·88
20	57·8	57·6	57·1	57·2	62·8	69·9	72·0	71·1	69·2	64·8	61·5	61·0	64·33
21	57·9	55·2	53·7	60·1	65·9	69·5	73·8	70·5	63·1	62·0	60·3	59·1	62·59
22	59·6	57·6	57·6	59·7	63·8	71·0	73·3	73·9	66·9	63·1	63·6	64·2	64·52
23	64·8	66·3	66·6	68·8	66·8	67·3	68·4	72·5	70·6	71·2	70·0	67·2	68·36
24	63·6	60·4	68·9	68·7	69·8	73·1	73·6	71·6	70·2	62·2	60·4	55·3	66·48
25	54·5	51·3	50·7	56·8	63·8	67·2	67·5	66·6	65·9	61·0	57·9	55·5	59·89
26	54·8	54·3	54·2	62·1	68·1	73·7	75·7	75·9	75·5	71·6	68·8	69·0	66·97
27	62·1	62·9	62·2	58·4	63·8	64·2	67·6	67·3	65·8	62·5	61·0	59·0	63·06
28	59·5	56·3	55·4	58·9	63·0	66·8	67·5	66·1	64·8	58·9	59·5	57·4	61·18
29	54·9	50·6	48·7	53·9	61·8	65·8	67·9	68·0	66·5	61·4	59·0	59·0	59·79
30	57·9	57·1	55·1	60·4	65·8	69·4	74·2	74·4	73·6	69·1	66·9	63·9	65·73
31	62·7	60·8	60·0	59·1	58·3	57·5	62·7	61·3	61·1	58·3	55·9	53·7	59·26
Means	63·50	61·70	61·09	64·49	68·67	71·87	74·14	73·68	72·24	68·13	66·19	64·60	67·53

Observed Bi-Hourly Temperature at Montreal—September, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	52·2	50·6	50·9	51·5	56·6	59·2	61·2	60·8	58·3	53·6	51·0	50·2	54·67
2	49·1	47·7	49·5	51·6	56·8	58·6	61·7	63·8	62·3	60·6	59·8	60·2	56·81
3	57·7	59·3	60·3	59·8	59·9	63·7	63·9	62·4	60·5	56·4	53·8	51·3	59·08
4	50·2	48·1	46·2	48·6	51·7	55·0	57·5	56·4	54·9	50·1	49·2	47·4	51·28
5	44·9	43·9	42·1	45·2	52·5	58·3	60·8	62·3	61·3	59·3	55·4	55·2	53·43
6	55·7	52·7	52·7	53·6	55·9	59·7	64·2	63·5	63·4	58·2	56·0	56·5	57·67
7	57·7	58·1	57·3	58·4	61·1	62·1	63·8	65·4	62·9	57·4	57·0	57·4	59·88
8	53·8	52·5	51·4	52·0	60·8	66·9	69·7	69·3	65·6	60·0	58·8	57·6	59·87
9	56·7	54·4	53·1	53·6	61·2	68·0	71·7	71·6	69·3	65·4	63·3	63·2	62·65
10	60·9	58·5	56·2	58·1	64·4	72·7	75·8	76·3	73·9	68·4	65·7	66·5	66·47
11	62·8	63·9	62·5	67·6	74·9	80·2	83·8	83·3	81·0	78·8	78·9	74·7	74·37
12	72·6	69·3	65·9	64·4	66·3	70·7	71·7	70·2	66·3	64·4	63·2	61·3	66·35
13	60·9	60·4	59·8	58·6	61·1	64·1	65·9	65·3	63·5	61·4	59·1	57·1	61·43
14	55·8	53·0	52·3	55·0	58·3	66·2	66·7	68·2	67·4	68·6	64·3	63·7	61·62
15	63·6	60·5	59·2	60·3	61·0	66·2	64·5	62·9	59·4	54·6	50·3	48·8	59·28
16	48·1	46·8	46·0	46·6	54·1	58·3	59·8	59·3	55·9	52·8	53·0	53·2	52·82
17	51·7	51·4	52·1	51·6	53·8	56·6	60·6	62·0	60·8	58·9	57·8	56·7	56·17
18	54·7	51·3	50·4	52·1	56·8	60·7	63·9	63·3	61·1	56·5	55·0	56·5	56·86
19	56·7	55·9	55·7	56·1	57·0	56·4	56·5	55·7	56·4	55·2	53·8	53·6	55·75
20	51·3	46·3	42·6	44·7	49·9	52·4	53·2	54·2	52·9	50·9	50·3	49·4	49·84
21	50·0	49·3	48·6	51·6	55·9	60·2	62·8	61·4	60·1	57·3	55·9	54·9	55·67
22	51·9	50·3	44·1	40·7	42·8	44·7	45·9	48·3	48·8	45·4	41·0	39·0	45·24
23	36·6	34·8	34·8	35·2	42·9	46·7	47·7	47·6	46·3	46·0	41·8	45·8	42·13
24	44·7	44·9	46·8	46·8	51·5	56·2	58·3	58·5	56·6	53·9	51·8	49·0	51·58
25	50·0	50·3	50·4	51·9	59·7	63·2	65·7	64·9	64·3	61·8	61·6	61·3	58·76
26	57·3	55·5	55·1	56·8	63·8	68·2	70·0	67·4	65·7	63·0	62·1	61·0	62·16
27	61·7	60·4	59·3	60·4	62·1	61·2	61·8	60·1	58·2	56·9	55·9	54·9	59·41
28	52·2	48·2	46·1	45·2	51·0	53·9	54·6	54·3	50·9	47·9	45·9	44·8	49·58
29	43·7	41·1	39·4	41·5	48·9	57·1	62·5	64·3	62·2	60·9	59·8	58·5	53·32
30	58·3	58·1	58·1	57·6	62·1	66·7	68·9	68·9	62·5	60·6	58·3	54·4	61·21
Means	54·12	52·58	51·64	52·58	57·16	61·14	63·17	63·06	61·09	58·17	56·32	55·14	57·18

OBSERVED BI-HOURLY TEMPERATURE AT MONTREAL—OCTOBER, 1896.

DAY.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	52·7	52·0	51·7	52·1	52·9	56·3	58·7	57·4	54·1	50·7	51·1	50·3	53·50
2	54·2	50·2	46·2	45·1	46·7	45·7	46·2	46·1	44·2	43·5	42·1	41·8	46·00
3	41·7	41·7	42·1	42·3	43·1	45·3	48·3	49·4	47·3	46·2	46·1	46·0	44·99
4	45·4	45·5	46·1	46·6	48·8	49·2	50·4	50·5	49·0	49·0	48·1	47·4	48·00
5	46·7	44·6	44·3	44·2	45·8	48·6	50·6	51·3	50·2	48·1	48·3	44·7	47·28
6	42·7	41·9	40·0	41·3	42·9	44·1	46·5	47·3	47·0	46·3	45·3	44·2	44·13
7	43·7	43·3	42·1	42·6	43·3	44·7	46·0	46·5	45·4	44·4	43·1	42·7	43·98
8	40·9	38·4	38·1	38·9	40·0	42·3	44·8	45·3	42·8	41·1	39·5	38·4	40·89
9	37·9	36·3	33·5	35·7	40·8	43·7	43·9	44·3	42·1	40·0	38·7	36·9	39·48
10	35·8	34·3	32·9	33·6	39·2	39·5	43·1	47·0	44·1	41·2	38·3	39·7	39·06
11	36·9	34·3	33·9	34·6	41·6	52·7	52·2	53·3	50·1	46·1	43·8	38·7	43·18
12	37·9	37·0	39·6	42·2	44·8	50·6	54·1	53·5	51·2	50·0	45·8	42·1	45·73
13	39·8	38·4	38·3	38·9	43·8	49·0	52·7	53·3	51·2	47·6	46·2	44·8	45·33
14	44·7	43·4	43·9	42·3	47·7	50·8	54·6	55·5	50·4	48·1	45·9	49·3	48·05
15	44·8	42·2	42·3	42·2	43·6	51·9	56·9	57·4	53·3	50·2	50·1	50·0	48·99
16	40·5	42·4	40·4	40·7	41·5	42·2	43·2	40·8	39·2	36·6	36·1	35·7	40·70
17	35·0	34·3	32·2	30·9	34·1	37·2	39·7	38·4	37·4	36·2	35·8	34·2	35·45
18	34·7	34·5	34·6	34·1	36·8	44·5	45·1	43·4	40·6	39·9	39·8	38·9	38·91
19	36·0	35·4	33·6	33·1	36·9	39·3	41·4	42·0	40·1	35·1	35·1	34·0	36·83
20	32·8	33·3	34·6	35·7	38·0	40·2	42·7	45·6	46·2	46·0	42·9	42·3	40·02
21	42·8	43·5	45·1	49·7	50·5	54·4	48·2	43·9	40·1	40·0	36·9	35·2	44·19
22	37·4	35·2	33·1	33·0	37·8	41·7	42·9	42·4	41·0	37·6	39·0	38·6	38·31
23	38·7	37·5	37·9	37·7	39·9	41·3	47·6	48·5	46·1	44·0	39·0	37·0	41·27
24	37·7	38·3	39·2	37·1	42·8	47·3	45·7	41·7	39·9	38·5	37·1	35·2	40·04
25	32·2	30·7	30·6	32·2	33·8	34·2	35·1	35·1	32·6	31·7	33·8	32·9	32·91
26	34·3	34·3	33·9	35·0	39·8	47·2	50·1	50·4	48·1	47·1	46·4	45·8	42·70
27	44·3	45·3	42·3	43·0	46·1	50·2	50·5	52·0	46·2	42·3	39·8	35·7	44·81
28	32·7	31·4	31·0	30·8	35·7	42·3	46·7	47·8	42·6	40·6	38·9	38·9	38·28
29	39·6	39·2	40·9	47·6	48·9	50·3	54·7	51·6	50·1	51·3	47·2	45·2	47·22
30	46·1	46·7	46·0	45·8	47·5	47·3	49·9	48·3	45·6	45·1	44·8	43·7	46·40
31	43·7	43·4	43·1	42·6	44·3	56·8	56·5	54·5	51·6	47·8	43·9	44·9	47·76
Means	40·75	39·64	39·47	39·73	42·24	46·25	48·03	47·89	45·48	43·62	42·22	41·13	43·04

OBSERVED Bi-Hourly Temperature at Montreal – November, 1896.

DAY.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
	°	°	°	°		°		°	°	°	°	°	
1	45·8	41·3	45·7	41·4	46·9	52·4	53·6	54·3	52·0	46·9	48·8	49·0	48·17
2	49·7	49·2	46·1	44·3	44·8	46·8	48·7	48·3	45·4	44·4	42·9	42·5	46·09
3	41·2	40·7	39·9	37·9	40·8	44·7	45·4	45·9	43·9	41·0	38·3	36·4	41·34
4	34·8	33·3	32·5	32·8	36·8	50·1	52·6	52·1	51·5	50·7	50·8	51·0	44·08
5	51·6	50·6	50·1	50·9	51·7	53·1	54·5	54·4	55·0	54·9	55·6	50·8	52·77
6	48·2	46·4	44·9	44·7	42·7	43·3	42·2	42·3	43·8	41·9	41·7	40·8	43·57
7	39·3	39·1	38·4	37·6	40·3	43·3	43·6	43·2	41·0	40·4	40·4	40·3	40·58
8	42·7	44·2	40·5	40·6	41·0	41·3	35·7	35·8	35·7	35·2	32·8	34·2	38·31
9	33·9	32·6	33·8	32·7	36·0	39·8	41·4	40·5	37·5	35·9	36·3	35·8	36·35
10	35·2	33·8	33·7	34·1	35·9	38·3	39·7	39·2	37·2	36·5	35·9	35·9	36·28
11	36·3	36·3	38·5	38·6	38·2	44·8	45·6	46·7	45·5	44·3	43·3	42·1	41·68
12	42·6	42·3	42·0	42·4	43·2	45·1	44·9	44·6	42·0	40·8	37·9	35·3	41·92
13	34·5	32·7	32·0	31·4	31·3	33·0	33·3	31·9	29·5	28·9	27·3	25·3	30·93
14	26·6	27·2	26·8	26·7	27·0	27·8	27·7	28·6	28·0	27·9	27·9	27·5	27·48
15	26·6	29·1	31·4	37·1	38·8	40·8	41·4	40·3	38·4	35·0	30·6	29·7	34·93
16	29·4	26·9	26·5	27·3	26·3	28·0	28·8	28·6	27·9	28·4	28·9	30·5	28·12
17	33·9	44·3	53·0	56·0	55·9	56·9	52·6	46·7	40·3	34·8	32·6	30·8	44·82
18	30·1	29·2	28·6	29·1	29·8	30·2	32·6	34·7	47·5	51·3	51·2	57·6	35·66
19	55·1	42·8	37·2	33·6	31·3	29·7	27·6	25·6	22·8	21·3	19·1	17·8	30·32
20	15·0	12·3	11·6	12·2	14·7	18·0	18·8	19·8	19·6	19·3	17·8	17·9	16·42
21	18·4	19·8	23·7	22·3	23·7	26·3	26·4	26·2	25·8	24·8	23·7	23·0	23·67
22	21·9	21·8	23·0	22·1	24·6	26·1	24·7	23·8	19·4	15·4	14·3	13·0	20·84
23	10·6	10·0	11·5	11·1	13·7	16·3	24·8	30·1	30·7	33·1	35·3	36·5	21·98
24	36·0	36·3	37·2	33·3	43·1	44·1	43·4	41·8	37·2	35·2	32·0	29·4	37·42
25	27·7	26·2	24·1	22·6	21·8	22·3	22·2	22·2	22·8	21·9	21·0	21·6	23·03
26	23·6	23·2	27·2	29·6	26·7	24·1	26·7	26·3	25·2	24·8	23·8	24·9	25·51
27	25·0	26·3	26·0	27·6	29·9	32·3	36·1	46·4	50·8	52·7	53·6	50·9	38·13
28	51·9	49·8	47·0	45·0	40·8	40·3	38·6	36·9	34·0	33·6	32·1	31·8	40·15
29	31·1	29·1	29·5	28·6	29·2	29·1	29·1	28·8	27·0	25·6	23·9	23·2	27·85
30	23·6	24·2	25·0	25·4	26·0	25·1	28·1	27·2	25·2	23·9	22·7	21·4	24·82
Means	34·08	33·37	33·58	33·29	34·43	36·45	37·03	37·11	36·08	35·03	34·08	33·56	34·84

Observed Bi-Hourly Temperatures at Montreal—December, 1896.

Day.	1 a.m.	3 a.m.	5 a.m.	7 a.m.	9 a.m.	11 a.m.	1 p.m.	3 p.m.	5 p.m.	7 p.m.	9 p.m.	11 p.m.	Means.
1	19·5	20·5	19·6	19·1	16·2	18·1	18·5	18·5	15·9	15·4	11·7	8·2	16·77
2	4·8	1·6	— 0·4	1·0	0·6	5·1	5·3	6·2	5·1	5·8	5·6	5·8	3·71
3	3·8	4·0	2·3	4·6	7·2	11·2	14·9	17·9	18·8	17·6	15·7	14·1	11·01
4	12·0	8·8	8·6	8·3	11·0	15·3	17·6	16·4	17·1	27·8	27·7	27·3	16·48
5	30·3	31·9	35·2	36·1	34·9	35·4	32·6	32·2	31·9	30·7	20·7	21·0	31·08
6	18·1	19·0	20·3	21·4	22·4	22·9	24·9	35·8	39·9	39·2	37·8	35·5	28·10
7	32·5	30·1	30·5	30·5	31·2	32·0	32·6	31·8	31·1	31·2	29·9	28·4	30·98
8	26·3	21·0	26·2	26·8	29·1	33·5	33·2	32·5	33·1	33·5	33·0	32·0	30·27
9	30·1	30·0	29·6	30·1	29·9	32·0	34·0	32·0	32·2	32·7	34·0	34·1	31·81
10	33·3	33·9	33·9	33·9	34·7	35·5	32·3	32·0	31·0	30·6	30·1	29·6	32·57
11	28·8	28·0	27·8	27·8	27·0	27·5	26·3	27·8	28·3	28·9	29·5	30·8	28·21
12	32·3	33·0	33·2	34·3	35·3	36·3	37·3	36·9	33·9	32·6	32·9	33·1	34·26
13	32·3	30·9	30·0	30·7	35·9	38·4	39·1	38·9	41·0	39·9	38·1	35·8	35·92
14	30·9	25·1	21·6	16·8	17·1	17·4	18·7	19·1	16·9	14·2	12·9	10·2	18·41
15	8·7	7·3	5·6	4·9	6·2	7·5	9·0	9·0	8·6	8·8	9·0	9·1	7·81
16	9·0	8·7	7·7	9·3	11·3	13·4	14·9	16·3	16·3	15·9	14·9	14·1	12·65
17	11·9	11·1	9·0	8·1	9·8	16·5	19·0	20·0	17·2	16·9	17·8	16·6	14·59
18	15·3	15·4	14·6	14·0	13·8	17·1	21·6	29·9	31·0	31·1	30·1	31·4	22·11
19	32·1	26·5	20·1	13·6	12·7	12·2	12·9	12·3	9·9	8·3	6·8	4·1	14·29
20	3·8	1·5	1·6	2·7	3·8	4·9	6·3	7·5	5·9	5·3	4·8	3·9	4·33
21	0·8	0·5	0·9	0·7	1·4	1·0	1·7	1·7	0·8	- 1·4	0·1	1·2	0·30
22	1·1	3·3	5·5	- 5·5	5·2	1·3	1·2	2·2	0·2	- 0·6	1·0	3·2	—1·71
23	3·2	4·3	5·3	3·8	- 4·2	0·9	0·8	2·5	0·4	- 1·0	— 1·4	— 1·1	- 1·79
24	— 2·1	2·3	— 3·5	5·0	- 5·6	- 3·6	— 0·9	1·6	- 0·5	— 1·3	1·4	0·1	— 2·04
25	0·9	1·8	2·1	1·1	2·6	7·4	10·4	12·2	14·1	16·6	22·7	26·5	9·87
26	26·0	24·8	24·1	25·1	27·7	27·7	22·9	16·8	5·1	2·3	- 1·7	— 1·8	16·58
27	3·0	4·0	7·4	5·5	-- 3·6	0·3	2·4	3·2	1·1	0·5	0·6	1·9	— 1·16
28	4·5	1·0	0·0	4·2	7·7	15·3	20·4	22·0	19·6	18·0	16·2	16·8	12·14
29	19·9	21·3	23·0	24·6	27·2	30·4	33·8	34·4	34·7	35·2	34·9	35·0	29·53
30	34·9	34·1	34·4	35·3	35·2	35·9	36·4	38·5	39·4	38·5	37·9	37·5	36·50
31	36·2	33·4	23·6	17·5	16·0	14·4	15·0	16·1	14·5	13·4	12·7	13·0	18·82
Means	17·08	15·95	14·95	14·82	15·73	18·09	19·19	20·13	19·12	18·92	18·15	17·78	17·49

Observed Bi-Hourly Temperature at Quebec—January, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	26·0	25·0	23·0	23·0	21·0	21·0	21·0	21·0	20·0	19·0	18·0	18·0	21·3
2	16·0	15·0	15·0	15·0	18·0	21·0	22·9	21·0	22·0	23·0	24·0	24·0	19·7
3	24·0	25·0	26·0	28·0	32·0	31·0	31·0	24·0	21·0	16·0	11·0	5·0	22·8
4	0·0	— 6·0	—10·0	—12·0	—10·0	— 8·0	— 6·0	— 8·0	— 9·0	—12·0	15·0	—17·0	— 9·4
5	—20·0	—22·0	—23·0	—23·0	—21·0	19·0	—17·0	—17·0	19·0	—19·0	—22·0	—22·0	—20·3
6	21·0	—22·0	—23·0	— 21·0	—18·0	—15·0	—13·0	—13·0	14·0	—15·0	—17·0	—17·0	—17·4
7	—17·0	—17·0	—17·0	17·0	—13·0	—11·0	5·0	— 6·0	— 4·0	— 2·0	- 5·0	—11·0	—10·4
8	—12·0	—11·0	—10·0	9·0	— 6·0	— 1·0	2·0	4·0	1·0	— 1·0	2·0	— 3·0	— 4·0
9	- 3·0	— 4·0	— 3·0	— 1·0	5·0	7·0	8·0	8·0	8	9·0	8·0	8·0	4·2
10	8·0	9·0	9·0	9·0	10·0	11·0	11·0	11·0	11·0	11·0	11·0	11·0	10·2
11	11·0	11·0	11·0	11·0	13·0	13·0	14·0	12·0	11·0	11·0	10·0	9·0	11·4
12	6·0	4·0	4·0	5·0	9·0	14·0	18·0	20·0	18·0	18·0	19·0	20·0	12·9
13	20·0	20·0	20·0	20·0	20·0	21·0	21·0	21·0	19·0	19·0	19·0	18·0	19·8
14	18·0	17·0	17·0	17·0	19·0	20·0	20·0	20·0	19·0	20·0	19·0	17·0	18·6
15	16·0	14·0	13·0	12·0	13·0	15·0	14·0	13·0	10·0	9·0	6·0	2·0	11·4
16	0·0	0·0	0·0	2·0	4·0	7·0	8·0	9·0	10·0	10·0	10·0	9·0	5·7
17	6·0	2·0	1·0	3·0	7·0	10·0	12·0	12·0	12·0	12·0	13·0	14·0	8·7
18	14·0	13·0	13·0	13·0	18·0	19·0	21·0	20·0	19·0	18·0	17·0	11·0	16·3
19	11·0	11·0	12·0	11·0	12·0	12·0	12·0	11·0	10·0	9·0	8·0	10·0	10·8
20	10·0	10·0	10·0	10·0	11·0	11·0	12·0	12·0	12·0	12·0	12·0	13·0	11·3
21	14·0	14·0	16·0	17·0	18·0	19·0	20·0	20·0	20·0	20·0	20·0	20·0	18·2
22	19·0	18·0	17·0	18·0	19·0	19·0	19·0	18·0	17·0	17·0	14·0	12·0	17·3
23	8·0	6·0	6·0	7·0	11·0	15·0	17·0	16·0	14·0	14·0	15·0	15·0	12·0
24	18·0	18·0	18·0	19·0	20·0	22·0	22·0	23·0	22·0	23·0	23·0	22·0	20·8
25	22·0	23·0	24·0	25·0	25·0	25·0	24·0	24·0	25·0	25·0	23·0	23·0	24·0
26	22·0	23·0	24·0	23·0	24·0	25·0	25·0	25·0	25·0	24·0	24·0	23·0	23·9
27	23·0	23·0	23·0	23·0	25·0	23·0	18·0	16·0	12·0	9·0	6·3	3·0	17·0
28	0·0	4·0	— 7·0	— 7·0	— 4·0	— 4·0	— 1·0	— 1·0	— 3·0	5·0	— 6·0	7·0	— 4·1
29	7·0	8·0	—10·0	—10·0	— 5·0	— 3·0	2·0	2·0	1·0	0·0	0·0	1·0	— 3·1
30	3·0	3·0	5·0	6·0	8·0	8·0	9·0	12·0	17·0	13·0	10·0	6·0	8·3
31	4·0	0·0	— 3·0	— 2·0	4·0	5·0	7·0	7·0	5·0	6·0	7·0	9·0	4·1
Means.	7·7	6·8	6·5	7·0	9·3	10·7	11·8	11·5	10·7	10·0	9·0	7·9	9·10

Observed Bi-Hourly Temperature at Quebec—February, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	10·0	10·0	12·0	12·0	14·0	14·0	12·0	18·0	19·0	20·0	20·0	22·0	15·3
2	22·0	22·0	23·0	23·0	22·0	23·0	23·0	21·0	18·0	17·0	15·0	12·0	20·1
3	10·0	4·0	3·0	4·0	9·0	12·0	12·0	15·0	13·0	13·0	12·0	9·0	9·7
4	9·0	9·0	8·0	9·0	15·0	16·0	17·0	17·0	17·0	18·0	19·0	20·0	14·5
5	20·0	21·0	21·0	21·0	22·0	23·0	24·0	24·0	24·0	24·0	24·0	24·0	22·6
6	25·0	26·0	26·0	27·0	29·0	29·0	31·0	30·0	29·0	29·0	27·0	27·0	27·9
7	25·0	25·0	26·0	27·0	27·0	28·0	27·0	27·0	26·0	25·0	26·0	27·0	26·3
8	28·0	26·0	24·0	19·0	20·0	22·0	24·0	24·0	24·0	22·0	18·0	15·0	22·2
9	12·0	8·0	6·0	6·0	15·0	16·0	17·0	17·0	19·0	19·0	18·0	17·0	14·2
10	14·0	13·0	13·0	15·0	16·0	17·0	20·0	19·0	18·0	17·0	16·0	14·0	16·0
11	13·0	12·0	12·0	14·0	19·0	20·0	22·0	22·0	22·0	21·0	21·0	17·0	17·9
12	17·0	16·0	14·0	13·0	3·0	11·0	18·0	19·0	18·0	13·0	11·0	11·0	13·8
13	6·0	3·0	4·0	5·0	9·0	12·0	13·0	13·0	15·0	15·0	15·0	14·0	10·3
14	14·0	12·0	14·0	15·0	11·0	12·0	15·0	12·0	10·0	8·0	3·0	- 2·0	10·3
15	6·0	10·0	-10·0	9·0	- 5·0	3·0	0·0	1·0	1·0	2·0	2·0	0·0	3·4
16	2·0	6·0	9·0	8·0	- 4·0	6·0	5·0	— 2·0	8·0	11·0	—15·0	—17·0	- 7·8
17	—18·0	—20·0	22·0	22·0	-18·0	14·0	-10·0	—11·0	12·0	—13·0	—14·0	16·0	15·8
18	-10·0	—22·0	22·0	19·0	-14·0	8·0	4·0	0·0	0·0	1·0	3·0	4·0	7·6
19	2·0	1·0	5·0	6·0	9·0	12·0	13·0	14·0	14·0	13·0	13·0	12·0	9·5
20	13·0	14·0	15·0	15·0	16·0	18·0	18·0	18·0	17·0	16·0	15·0	15·0	15·8
21	8·0	5·0	3·0	4·0	3·0	3·0	6·0	8·0	5·0	2·0	— 1·0	- 2·0	3·7
22	- 2·0	— 5·0	- 7·0	7·0	0·0	5·0	7·0	9·0	16·0	19·0	20·0	20·0	6·3
23	20·0	19·0	18·0	19·0	20·0	20·0	21·0	25·0	25·0	25·0	26·0	31·0	22·4
24	34·0	33·0	32·0	34·0	33·0	32·0	26·0	26·0	18·0	18·0	15·0	9·0	25·8
25	6·0	4·0	1·0	1·0	3·0	9·0	5·0	9·0	13·0	10·0	7·0	3·0	5·9
26	6·0	12·0	10·0	8·0	2·0	6·0	9·0	10·0	8·0	6·0	4·0	2·0	6·8
27	- 2·0	- 4·0	- 8·0	3·0	4·0	11·0	13·0	18·0	16·0	15·0	15·0	18·0	7·8
28	21·0	21·0	21·0	30·0	31·0	36·0	39·0	39·0	36·0	34·0	34·0	34·0	31·3
29	34·0	36·0	38·0	38·0	44·0	42·0	42·0	42·0	39·0	37·0	34·0	33·6	38·3
Means	11·3	9·8	9·3	10·2	12·2	14·7	15·7	16·6	15·8	15·0	13·9	13·8	13·11

Observed Bi-Hourly Temperature at Quebec—March, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	32·0	31·0	30·0	30·0	30·0	31·0	32·0	34·0	35·0	35·0	34·0	35·0	32·4
2	32·0	32·0	32·0	33·0	31·0	31·0	29·0	26·0	24·0	21·0	19·0	19·0	27·4
3	18·0	19·0	20·0	26·0	24·0	24·0	21·0	17·0	15·0	15·0	12·0	18·0	19·1
4	8·0	8·0	10·0	10·0	13·0	13·0	14·0	14·0	12·0	10·0	10·0	11·0	11·1
5	11·0	9·0	10·0	12·0	16·0	20·0	24·0	26·0	22·0	21·0	20·0	18·0	17·4
6	18·0	15·0	23·0	21·0	27·0	24·0	25·0	19·0	23·0	23·0	24·0	23·0	22·1
7	23·0	24·0	25·0	27·0	27·0	29·0	28·0	28·0	28·0	29·0	30·0	29·0	27·3
8	28·0	27·0	27·0	25·0	23·0	22·0	22·0	21·0	12·0	10·0	9·0	9·0	19·6
9	9·0	6·0	4·0	4·0	6·0	10·0	12·0	14·0	12·0	9·0	8·0	8·0	8·5
10	6·0	5·0	2·0	3·0	4·0	6·0	8·0	9·0	9·0	7·0	5·0	2·0	5·5
11	−1·0	5·0	−5·0	1·0	5·0	8·0	11·0	14·0	12·0	10·0	10·0	9·0	5·7
12	9·0	8·0	9·0	10·0	12·0	14·0	15·0	15·0	10·0	8·0	7·0	5·0	10·2
13	4·0	3·0	2·0	4·0	5·0	6·0	8·0	9·0	8·0	7·0	5·0	3·0	5·3
14	1·0	−2·0	−5·0	1·0	8·0	10·0	13·0	15·0	12·0	11·0	8·0	8·0	6·7
15	3·0	−1·0	−3·0	3·0	9·0	15·0	18·0	18·0	16·0	11·0	9·0	8·0	8·8
16	6·0	6·0	5·0	11·0	23·0	24·0	27·0	28·0	24·0	24·0	24·0	25·0	18·9
17	25·0	24·0	24·0	24·0	24·0	24·0	28·0	31·0	26·0	26·0	23·0	20·0	24·9
18	18·0	18·0	17·0	22·0	27·0	30·0	32·0	33·0	30·0	29·0	26·0	24·0	25·5
19	22·0	21·0	21·0	23·0	25·0	28·0	29·0	29·0	29·0	29·0	31·0	31·0	26·5
20	31·0	30·0	30·0	31·0	31·0	32·0	29·0	24·0	20·0	18·0	16·0	15·0	25·6
21	12·0	10·0	8·0	10·0	15·0	16·0	20·0	22·0	22·0	23·0	26·0	25·0	17·4
22	26·0	27·0	29·0	31·0	35·0	27·0	20·0	16·0	12·0	8·0	4·0	1·0	19·7
23	0·0	−5·0	−5·0	3·0	9·0	9·0	9·0	7·0	7·0	5·0	3·0	0·0	3·5
24	1·0	7·0	−8·0	1·0	9·0	13·0	14·0	14·0	13·0	9·0	6·0	5·0	5·4
25	7·0	8·0	12·0	18·0	22·0	25·0	30·0	34·0	34·0	36·0	36·0	35·0	25·6
26	32·0	33·0	33·0	33·0	35·0	36·0	36·0	37·0	34·0	33·0	33·0	27·0	33·5
27	21·0	19·0	12·0	15·0	14·0	16·0	18·0	20·0	20·0	19·0	17·0	16·0	17·5
28	12·0	10·0	10·0	14·0	19·0	24·0	26·0	30·0	26·0	23·0	19·0	16·0	19·0
29	13·0	17·0	19·0	21·0	22·0	22·0	23·0	22·0	22·0	19·0	17·0	17·0	19·5
30	20·0	23·0	25·0	28·0	33·0	33·0	34·0	33·0	33·0	33·0	33·0	32·0	30·0
31	31·0	32·0	34·0	35·0	39·0	37·0	36·0	35·0	31·0	29·0	24·0	20·0	32·0
Means	15·3	14·3	14·4	17·1	20·1	21·3	22·0	22·4	21·1	19·0	17·7	16·6	18·44

OBSERVED Bi-Hourly Temperature at Quebec—April, 1896.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	20·0	20·0	22·0	26·0	27·0	27·0	27·0	27·0	27·0	25·0	24·0	24·0	24·7
2	25·0	28·0	30·0	31·0	31·0	32·0	33·0	33·0	32·0	32·0	30·0	30·0	30·6
3	25·0	23·0	21·0	21·0	24·0	25·0	26·0	26·0	25·0	25·0	24·0	24·0	24·1
4	27·0	27·0	28·0	29·0	38·0	34·0	33·0	33·0	32·0	32·0	31·0	30·0	31·2
5	30·0	29·0	31·0	33·0	33·0	33·0	32·0	30·0	29·0	28·0	28·0	28·0	30·3
6	27·0	25·0	26·0	29·0	29·0	31·0	31·0	31·0	29·0	29·0	29·0	29·0	28·7
7	27·0	27·0	28·0	31·0	33·0	31·0	31·0	31·0	30·0	30·0	28·0	25·0	29·3
8	24·0	24·0	23·0	33·0	33·0	33·0	33·0	31·0	32·0	30·0	28·0	25·0	29·1
9	22·0	22·0	22·0	23·0	34·0	38·0	40·0	40·0	40·0	38·0	34·0	32·0	32·1
10	29·0	26·0	27·0	30·0	35·0	42·0	45·0	43·0	40·0	38·0	32·0	32·0	34·9
11	31·0	30·0	29·0	38·0	40·0	42·0	43·0	41·0	40·0	40·0	39·0	39·0	37·7
12	35·0	35·0	35·0	38·0	41·0	45·0	43·0	41·0	41·0	41·0	38·0	36·0	38·9
13	33·0	33·0	33·0	34·0	33·0	32·0	32·0	31·0	30·0	31·0	30·0	31·0	31·9
14	31·0	31·0	31·0	34·0	36·0	39·0	39·0	36·0	36·0	36·0	40·0	40·0	35·7
15	40·0	40·0	42·0	44·0	45·0	50·0	48·0	47·0	43·0	42·0	42·0	42·0	43·8
16	42·0	42·0	42·0	42·0	42·0	43·0	42·0	39·0	39·0	37·0	34·0	37·0	40·1
17	31·0	33·0	33·0	35·0	35·0	38·0	39·0	38·0	38·0	38·0	37·0	36·0	35·9
18	36·0	36·0	39·0	41·0	41·0	41·0	45·0	46·0	43·0	43·0	36·0	36·0	40·2
19	37·0	36·0	36·0	36·0	39·0	42·0	45·0	47·0	45·0	45·0	47·0	50·0	42·1
20	48·0	46·0	45·0	48·0	51·0	54·0	56·0	54·0	50·0	44·0	40·0	35·0	47·7
21	33·0	32·0	33·0	35·0	35·0	33·0	33·0	35·0	32·0	33·0	33·0	34·0	33·4
22	33·0	33·0	36·0	36·0	37·0	37·0	39·0	39·0	36·0	36·0	32·0	30·0	35·3
23	30·0	30·0	32·0	35·0	45·0	47·0	47·0	47·0	45·0	41·0	37·0	36·0	39·3
24	34·0	36·0	41·0	39·0	38·0	40·0	38·0	38·0	36·0	35·0	33·0	32·0	36·7
25	32·0	32·0	34·0	38·0	43·0	45·0	47·0	44·0	40·0	39·0	37·0	37·0	39·0
26	39·0	40·0	40·0	43·0	48·0	52·0	53·0	54·0	52·0	48·0	42·0	41·0	46·0
27	38·0	39·0	42·0	53·0	57·0	59·0	62·0	63·0	60·0	53·0	50·0	48·0	52·0
28	46·0	45·0	45·0	52·0	56·0	58·0	58·0	48·0	43·0	40·0	37·0	35·0	46·9
29	35·0	36·0	37·0	39·0	40·0	42·0	44·0	44·0	43·0	42·0	40·0	38·0	40·0
30	35·0	36·0	38·0	40·0	40·0	42·0	46·0	45·0	42·0	40·0	38·0	38·0	40·0
Means	32·5	32·4	33·4	36·2	38·6	40·2	41·0	40·1	38·3	37·0	35·0	34·3	36·58

Observed Bi-Hourly Temperature at Quebec—May, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	35·0	35·0	37·0	43·0	47·0	47·0	46·0	45·0	42·0	40·0	39·0	38·0	41·2
2	38·0	38·0	40·0	42·0	48·0	55·0	60·0	66·0	59·0	56·0	49·0	44·0	49·6
3	39·0	39·0	46·0	54·0	63·0	68·0	70·0	68·0	64·0	60·0	58·0	54·0	56·9
4	46·0	44·0	45·0	48·0	46·0	44·0	43·0	43·0	42·0	41·0	41·0	41·0	43·7
5	41·0	42·0	42·0	42·0	41·0	41·0	42·0	40·0	40·0	39·0	39·0	38·0	40·6
6	38·0	38·0	37·0	41·0	42·0	45·0	48·0	49·0	46·0	43·0	41·0	40·0	43·3
7	39·0	38·0	42·0	52·0	54·0	55·0	57·0	59·0	58·0	56·0	50·0	48·0	50·7
8	46·0	48·0	48·0	57·0	58·0	60·0	63·0	64·0	62·0	59·0	56·0	54·0	56·2
9	53·0	50·0	55·0	54·0	65·0	67·0	74·0	79·0	76·0	74·0	66·0	65·0	64·8
10	65·0	66·0	68·0	71·0	76·0	73·0	73·0	67·0	59·0	57·0	56·0	55·0	65·5
11	53·0	55·0	48·0	49·0	54·0	58·0	55·0	56·0	51·0	48·0	48·0	48·0	51·9
12	48·0	48·0	49·0	50·0	57·0	58·0	59·0	59·0	56·0	53·0	49·0	43·0	52·4
13	43·0	42·0	42·0	45·0	50·0	58·0	61·0	61·0	61·0	52·0	48·0	46·0	50·8
14	45·0	44·0	44·0	59·0	62·0	65·0	65·0	63·0	60·0	54·0	52·0	48·0	55·1
15	47·0	47·0	51·0	52·0	54·0	56·0	60·0	59·0	56·0	55·0	53·0	52·0	53·5
16	50·0	51·0	53·0	63·0	67·0	69·0	71·0	70·0	66·0	62·0	56·0	55·0	61·1
17	50·0	49·0	55·0	62·0	68·0	74·0	74·0	74·0	69·0	67·0	67·0	60·0	64·1
18	58·0	58·0	60·0	60·0	60·0	64·0	65·0	64·0	63·0	61·0	54·0	56·0	60·2
19	46·0	44·0	43·0	43·0	47·0	49·0	50·0	50·0	48·0	46·0	42·0	40·0	45·7
20	38·0	35·0	42·0	43·0	53·0	56·0	58·0	60·0	59·0	54·0	51·0	51·0	50·0
21	51·0	50·0	50·0	58·0	66·0	71·0	75·0	74·0	69·0	65·0	62·0	59·0	62·1
22	57·0	55·0	53·0	51·0	54·0	59·0	59·0	59·0	59·0	57·0	55·0	46·0	55·3
23	48·0	49·0	49·0	54·0	55·0	55·0	58·0	60·0	57·0	52·0	48·0	44·0	52·4
24	41·0	42·0	45·0	49·0	54·0	60·0	61·0	60·0	65·0	60·0	59·0	57·0	54·4
25	55·0	55·0	57·0	59·0	63·0	69·0	73·0	75·0	72·0	66·0	61·0	58·0	63·6
26	55·0	49·0	50·0	50·0	52·0	51·0	54·0	58·0	64·0	61·0	63·0	60·0	55·6
27	58·0	57·0	57·0	58·0	55·0	56·0	56·0	53·0	50·0	48·0	46·0	46·0	53·3
28	44·0	46·0	44·0	53·0	58·0	60·0	56·0	52·0	54·0	50·0	48·0	46·0	50·9
29	46·0	48·0	49·0	50·0	51·0	50·0	48·0	48·0	48·0	48·0	48·0	48·0	48·5
30	48·0	48·0	48·0	50·0	50·0	52·0	53·0	55·0	54·0	54·0	52·0	51·0	51·3
31	51·0	51·0	51·0	52·0	52·0	54·0	54·0	53·0	51·0	48·0	48·0	48·0	51·1
Means	47·5	47·1	48·4	51·9	55·6	58·0	59·4	59·5	57·4	54·4	51·8	49·6	53·38

Observed Bi-Hourly Temperature at Quebec—June, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	47·0	48·0	48·0	54·0	57·0	64·0	64·0	63·0	60·0	55·0	53·0	50·0	55·2
2	50·0	50·0	50·0	56·0	58·0	61·0	61·0	60·0	61·0	57·0	53·0	52·0	55·7
3	49·0	46·0	48·0	57·0	65·0	69·0	72·0	76·0	75·0	71·0	65·0	61·0	62·8
4	58·0	56·0	60·0	64·0	70·0	74·0	78·0	71·0	70·0	66·0	63·0	59·0	65·8
5	55·0	55·0	57·0	66·0	71·0	73·0	66·0	65·0	61·0	59·0	59·0	58·0	62·1
6	58·0	58·0	60·0	65·0	67·0	68·0	68·0	67·0	58·0	57·0	57·0	53·0	61·3
7	52·0	52·0	54·0	56·0	59·0	66·0	65·0	64·0	58·0	56·0	54·0	54·0	57·5
8	54·0	52·0	52·0	51·0	56·0	57·0	58·0	60·0	58·0	56·0	55·0	54·0	55·2
9	53·0	53·0	54·0	55·0	60·0	64·0	65·0	65·0	64·0	61·0	58·0	57·0	59·1
10	55·0	53·0	51·0	58·0	58·0	58·0	58·0	58·0	56·0	54·0	49·0	47·0	54·6
11	47·0	46·0	48·0	51·0	53·0	55·0	58·0	55·0	53·0	51·0	51·0	49·0	51·4
12	46·0	44·0	48·0	50·0	57·0	56·0	57·0	56·0	55·0	53·0	51·0	47·0	51·7
13	44·0	42·0	52·0	58·0	61·0	62·0	63·0	61·0	60·0	57·0	55·0	55·0	55·8
14	55·0	56·0	58·0	61·0	64·0	67·0	66·0	66·0	62·0	61·0	58·0	56·0	60·8
15	55·0	57·0	59·0	61·0	62·0	64·0	66·0	65·0	65·0	64·0	58·0	56·0	61·1
16	54·0	53·0	53·0	66·0	73·0	78·0	78·0	78·0	78·0	73·0	68·0	62·0	67·8
17	59·0	58·0	59·0	70·0	76·0	80·0	81·0	80·0	78·0	74·0	68·0	66·0	70·7
18	64·0	62·0	65·0	71·0	75·0	79·0	78·0	72·0	75·0	73·0	68·0	65·0	70·6
19	63·0	63·0	65·0	68·0	74·0	78·0	79·0	80·0	77·0	72·0	65·0	64·0	70·7
20	63·0	62·0	68·0	73·0	79·0	81·0	80·0	78·0	73·0	69·0	66·0	62·0	71·2
21	60·0	59·0	60·0	69·0	74·0	74·0	70·0	71·0	71·0	68·0	67·0	65·0	67·3
22	63·0	64·0	65·0	66·0	71·0	73·0	73·0	71·0	66·0	59·0	55·0	51·0	64·8
23	50·0	52·0	53·0	57·0	63·0	64·0	65·0	65·0	64·0	62·0	60·0	58·0	59·4
24	56·0	54·0	56·0	59·0	65·0	66·0	66·0	66·0	67·0	64·0	57·0	56·0	61·0
25	54·0	53·0	63·0	66·0	72·0	74·0	76·0	77·0	74·0	72·0	68·0	64·0	67·8
26	64·0	62·0	62·0	63·0	62·0	62·0	68·0	72·0	72·0	67·0	62·0	68·0	65·3
27	58·0	58·0	58·0	64·0	68·0	68·0	69·0	69·0	70·0	66·0	62·0	60·0	64·2
28	60·0	58·0	65·0	68·0	78·0	79·0	81·0	80·0	71·0	67·0	61·0	61·0	69·1
29	60·0	60·0	60·0	67·0	69·0	63·0	61·0	60·0	50·0	49·0	46·0	45·0	57·5
30	44·0	43·0	43·0	48·0	56·0	61·0	66·0	66·0	62·0	61·0	59·0	59·0	55·7
Means	55·0	54·3	56·5	61·3	65·8	67·9	68·5	67·9	65·5	62·5	59·0	57·1	61·77

Observed Bi-Hourly Temperature at Quebec—July, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	56·0	56 0	61 0	64·0	67 0	71 0	73 0	73 0	71·0	67 0	64 0	63·0	65 5
2	62 0	63 0	63 0	72·0	79·0	83 0	88 0	87 0	59 0	59 0	56 0	53·0	68·7
3	53·0	53·0	54 0	54·0	56 0	58 0	60 0	60 0	59 0	59 0	57 0	56 0	56 6
4	54 0	54 0	56 0	60·0	60·0	60 0	59 0	59 0	69 0	62 0	56 0	55 0	58 7
5	53·0	52 0	54·0	53·0	57 0	55 0	55 0	55 0	58 0	57 0	56 0	56 0	55 1
6	57 0	55 0	55 0	57·0	59 0	60 0	69 0	69 0	61·0	60 0	60 0	60 0	60 2
7	56·0	57 0	58 0	61·0	63 0	66 0	66 0	68 0	67·0	64 0	60 0	59 0	62 1
8	59·0	57 0	57 0	60·0	69 0	74 0	79 0	79 0	75 0	76 0	67 0	65 0	68 1
9	64 0	64 0	64 0	69·0	76 0	79 0	81 0	81 0	76 0	74 0	70·0	69 0	72 2
10	68 0	68 0	68 0	72·0	77 0	79 0	78 0	78 0	74 0	72 0	68·0	68·0	72·5
11	66 0	62 0	64 0	74·0	75 0	77 0	79 0	79 0	73 0	73 0	70·0	68 0	71 6
12	66 0	66 0	68 0	70·0	76 0	79 0	81 0	77 0	73 0	73 0	73 0	70 0	72·7
13	68 0	68 0	68 0	73·0	78 0	78 0	78 0	78 0	76 0	72 0	66·0	64 0	72 2
14	61 0	61 0	64 0	69·0	71 0	72 0	72 0	73 0	70·0	68 0	65·0	63 0	67 4
15	63 0	63 0	63 0	64·0	63 0	61 0	61 0	61·0	63·0	61 0	58·0	57 0	61 5
16	58 0	52 0	57 0	58·0	59 0	62 0	62 0	63 0	61·0	60·0	59 0	59 0	59·2
17	59 0	59 0	61 0	65·0	67·0	68 0	70 0	70 0	70·0	67 0	62 0	61 0	64·9
18	61 0	61 0	61 0	67·0	73 0	76 0	78 0	78 0	75 0	72 0	68 0	65 0	69 6
19	65 0	64 0	64 0	67 0	75 0	79 0	81 0	78·0	76 0	72·0	68 0	66 0	71 2
20	63 0	64 0	64 0	66 0	68 0	68 0	67 0	67 0	69 0	69 0	67 0	66 0	66 5
21	65 0	63 0	65 0	67 0	77 0	75 0	78 0	80·0	77 0	76 0	74·0	70 0	72·2
22	66 0	63 0	63 0	68 0	76 0	77 0	78 0	78 0	76·0	72 0	68 0	68 0	71·1
23	66 0	63 0	63 0	63·0	65·0	69 0	70 0	74 0	68 0	63 0	60 0	57 0	65·1
24	56 0	56 0	58 0	63 0	69 0	73 0	72 0	71 0	69 0	67 0	62 0	60 0	64·7
25	60 0	55 0	57 0	60 0	68 0	72 0	75 0	75 0	74 0	70 0	68 0	66 0	66·6
26	65 0	62 0	60 0	70·0	74 0	78 0	80 0	80 0	75 0	72 0	69 0	67·0	71·0
27	66 0	64 0	66 0	67·0	69 0	74 0	78 0	77 0	65 0	65 0	65 0	65 0	68 4
28	64 0	64 0	65 0	73·0	77 0	78 0	79 0	79 0	76 0	70 0	70 0	69 0	72 0
29	68 0	65 0	64 0	70·0	79 0	80 0	84 0	82 0	79 0	76 0	71 0	69 0	74 0
30	65 0	62 0	66 0	65·0	67 0	73 0	72 0	68 0	68·0	66·0	65·0	61 0	66 5
31	55	56 0	57 0	60·0	61 0	63 0	64 0	65 0	65 0	63 0	63 0	62 0	61 2
Means	61·6	60 4	61·5	65·2	69·4	71·5	73 1	73·0	69·9	67·6	64 7	63·1	66 75

Observed Bi-Hourly Temperature at Quebec—August, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	58·0	56·0	58·0	60·0	64·0	66·0	66·0	68·0	68·0	64·0	60·0	58·0	62·2
2	59·0	59·0	59·0	60·0	64·0	64·0	66·0	69·0	65·0	63·0	62·0	57·0	62·3
3	56·0	58·0	59·0	61·0	70·0	77·0	76·0	78·0	70·0	69·0	68·0	64·0	67·2
4	60·0	58·0	66·0	68·0	72·0	78·0	78·0	76·0	76·0	73·0	69·0	66·0	70·0
5	64·0	63·0	62·0	63·0	61·0	61·0	61·0	61·0	61·0	60·0	60·0	58·0	61·3
6	57·0	56·0	55·0	54·0	54·0	55·0	56·0	57·0	68·0	67·0	62·0	57·0	58·2
7	55·0	55·0	60·0	64·0	68·0	71·0	75·0	75·0	74·0	73·0	71·0	68·0	67·4
8	65·0	63·0	64·0	72·0	77·0	80·0	82·0	82·0	79·0	76·0	71·0	70·0	73·4
9	70·0	71·0	71·0	74·0	78·0	84·0	83·0	84·0	80·0	75·0	74·0	74·0	76·5
10	75·0	75·0	72·0	75·0	79·0	81·0	85·0	83·0	80·0	78·0	77·0	75·0	77·9
11	74·0	75·0	76·0	76·0	78·0	80·0	85·0	89·0	76·0	65·0	62·0	60·0	74·7
12	60·0	60·0	63·0	67·0	81·0	83·0	84·0	84·0	78·0	76·0	70·0	66·0	72·7
13	64·0	64·0	64·0	66·0	66·0	68·0	68·0	68·0	66·0	64·0	63·0	62·0	65·3
14	60·0	60·0	61·0	62·0	68·0	70·0	72·0	68·0	65·0	63·0	63·0	63·0	64·6
15	62·0	61·0	59·0	69·0	75·0	76·0	78·0	79·0	75·0	76·0	75·0	74·0	71·6
16	75·0	76·0	78·0	79·0	79·0	78·0	78·0	78·0	76·0	71·0	66·0	59·0	74·4
17	55·0	54·0	54·0	61·0	63·0	64·0	63·0	63·0	65·0	60·0	55·0	53·0	59·1
18	50·0	47·0	48·0	55·0	60·0	62·0	62·0	67·0	63·0	61·0	57·0	56·0	57·3
19	54·0	53·0	54·0	57·0	61·0	62·0	62·0	62·0	60·0	58·0	54·0	50·0	57·3
20	43·0	46·0	47·0	57·0	61·0	67·0	63·0	63·0	63·0	62·0	60·0	57·0	57·4
21	56·0	54·0	56·0	60·0	66·0	70·0	72·0	73·0	72·0	66·0	64·0	61·0	64·2
22	59·0	59·0	60·0	60·0	64·0	65·0	66·0	66·0	64·0	62·0	60·0	57·0	61·8
23	58·0	58·0	59·0	64·0	65·0	65·0	63·0	61·0	62·0	63·0	63·0	63·0	62·0
24	60·0	60·0	61·0	65·0	69·0	71·0	71·0	71·0	70·0	68·0	65·0	62·0	66·1
25	60·0	60·0	60·0	63·0	63·0	64·0	68·0	68·0	63·0	60·0	55·0	53·0	61·4
26	50·0	50·0	53·0	64·0	69·0	70·0	76·0	74·0	73·0	68·0	66·0	65·0	64·8
27	62·0	60·0	59·0	59·0	59·0	63·0	63·0	62·0	59·0	55·0	53·0	52·0	58·8
28	52·0	52·0	56·0	56·0	60·0	62·0	62·0	62·0	58·0	54·0	50·0	48·0	56·0
29	46·0	44·0	44·0	49·0	55·0	61·0	64·0	62·0	60·0	58·0	56·0	55·0	54·5
30	55·0	54·0	54·0	58·0	59·0	60·0	65·0	69·0	67·0	66·0	64·0	62·0	61·1
31	61·0	60·0	60·0	61·0	61·0	62·0	63·0	59·0	55·0	51·0	48·0	47·0	57·3
Means	59·2	58·7	59·7	63·2	66·7	69·0	70·2	70·4	68·1	65·3	62·7	60·4	64·47

Observed Bi-Hourly Temperature at Quebec—September, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	45·0	43·0	44·0	50·0	55·0	56·0	51·0	55·0	57·0	47·0	46·0	47·0	49·7
2	43·0	40·0	42·0	48·0	50·0	52·0	54·0	55·0	54·0	54·0	53·0	53·0	49·8
3	53·0	53·0	52·0	54·0	55·0	57·0	60·0	60·0	59·0	56·0	53·0	50·0	55·3
4	48·0	40·0	46·0	50·0	53·0	53·0	53·0	53·0	59·0	56·0	53·0	50·0	51·2
5	48·0	40·0	45·0	49·0	52·0	56·0	58·0	58·0	55·0	50·0	48·0	43·0	50·2
6	41·0	40·0	45·0	47·0	51·0	52·0	52·0	53·0	53·0	54·0	55·0	54·0	49·8
7	54·0	55·0	56·0	59·0	59·0	61·0	62·0	61·0	59·0	57·0	53·0	50·0	57·2
8	46·0	43·0	45·0	55·0	59·0	64·0	64·0	65·0	65·0	59·0	55·0	50·0	55·8
9	50·0	50·0	50·0	62·0	68·0	68·0	72·0	72·0	69·0	63·0	58·0	58·0	61·7
10	50·0	55·0	55·0	60·0	66·0	72·0	73·0	75·0	73·0	73·0	70·0	69·0	65·9
11	70·0	70·0	71·0	72·0	73·0	75·0	80·0	80·0	76·0	74·0	73·0	70·0	73·7
12	64·0	60·0	60·0	59·0	59·0	59·0	59·0	59·0	59·0	58·0	57·0	55·0	59·0
13	55·0	53·0	54·0	54·0	55·0	56·0	56·0	54·0	53·0	53·0	50·0	50·0	53·6
14	50·0	50·0	50·0	52·0	53·0	55·0	57·0	61·0	61·0	61·0	60·0	58·0	55·7
15	54·0	52·0	53·0	59·0	60·0	60·0	61·0	60·0	58·0	52·0	50·0	47·0	55·5
16	46·0	46·0	45·0	50·0	55·0	57·0	59·0	59·0	55·0	50·0	50·0	48·0	51·7
17	48·0	47·0	45·0	50·0	52·0	53·0	58·0	55·0	53·0	54·0	55·0	56·0	52·2
18	56·0	55·0	56·0	56·0	57·0	60·0	60·0	60·0	55·0	53·0	53·0	52·0	56·1
19	50·0	49·0	50·0	53·0	54·0	54·0	55·0	55·0	53·0	52·0	53·0	51·0	52·4
20	51·0	52·0	50·0	49·0	49·0	50·0	49·0	49·0	49·0	48·0	47·0	46·0	49·1
21	46·0	46·0	47·0	47·0	51·0	56·0	57·0	57·0	56·0	54·0	50·0	48·0	51·3
22	46·0	44·0	44·0	45·0	44·0	45·0	44·0	44·0	44·0	41·0	39·0	38·0	43·2
23	39·0	37·0	36·0	41·0	44·0	46·0	47·0	46·0	43·0	41·0	40·0	40·0	41·7
24	38·0	39·0	40·0	43·0	48·0	50·0	52·0	51·0	48·0	46·0	44·0	44·0	45·3
25	40·0	40·0	39·0	41·0	49·0	50·0	54·0	55·0	53·0	52·0	53·0	52·0	48·2
26	53·0	54·0	54·0	56·0	59·0	65·0	67·0	65·0	66·0	64·0	51·0	50·0	58·7
27	49·0	48·0	48·0	55·0	57·0	59·0	59·0	59·0	53·0	49·0	47·0	45·0	52·3
28	42·0	41·0	41·0	43·0	48·0	50·0	52·0	52·0	49·0	46·0	45·0	43·0	46·0
29	40·0	38·0	38·0	45·0	51·0	55·0	58·0	59·0	56·0	54·0	52·0	50·0	49·7
30	47·0	48·0	50·0	53·0	53·0	56·0	57·0	57·0	55·0	55·0	55·0	54·0	53·3
Means	48·7	47·6	48·4	51·9	54·6	56·7	58·0	58·1	56·6	54·2	52·3	50·7	53·15

Observed Bi-Hourly Temperature at Quebec—October, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	54·0	53 0	52 0	52 0	51 0	50 0	51 0	51·0	52 0	50 0	49 0	48·0	51 1
2	46 0	44 0	44 0	44 6	43 0	43 0	41 0	41 0	41 0	41 0	41 0	41 0	42 5
3	41 0	40·0	40 0	40 0	41·0	43 0	43 0	42·0	40·0	40 0	39 0	38 0	40 6
4	37·0	39 0	40 0	42 0	48 0	49 0	49 0	50 0	45·0	43·0	42·0	40 0	43 7
5	38 0	36·0	37 0	41 0	46 0	47 0	48 0	48·0	49 0	48 0	47·0	44·0	44 1
6	40 0	39 0	37 0	40 0	43 0	43 0	45·0	44 0	44·0	44 0	44·0	43 0	42 2
7	43 0	43 0	43 0	43 0	44 0	44 0	43 0	43 0	40 0	40·0	40·0	39 0	42 1
8	40 0	40 0	40 0	40 0	41 0	44 0	46 0	45 0	42·0	41 0	40 0	39 0	41 5
9	38 0	37 0	35 0	40 0	41 0	42 0	41 0	40 0	40 0	37 0	34 0	32 0	38 1
10	31 0	30 0	32 0	35 0	39 0	39 0	41·0	41 0	40 0	39 0	38 0	37 0	36 8
11	36 0	36 0	37 0	41 0	43·0	46 0	47 0	47 0	43·0	43 0	42 0	42 0	41 9
12	40 0	40 0	40 0	42 0	43 0	44 0	47 0	45 0	44 0	41 0	41 0	40 0	42·3
13	38 0	39 0	40 0	44 0	45 0	49 0	48 0	46 0	46·0	44 0	43 0	42 0	43 7
14	40 0	42·0	45 0	41 0	43 0	45 0	46 0	45 0	44 0	44 0	42·0	41 0	43 2
15	35·0	34·0	34 0	37 0	43 0	47 0	47 0	46 0	44 0	44 0	42·0	42 0	41 3
16	40 0	39 0	39 0	39 0	39 0	44 0	44·0	44 0	41 0	40 0	37·0	35·0	40 1
17	33 0	32·0	32 0	33 0	34 0	35 0	36·0	36 0	35 0	34 0	34·0	34 0	34 0
18	34 0	35·0	36 0	37 0	38 0	40·0	40 0	40 0	40 0	41 0	38 0	38 0	38·1
19	38·0	38·0	38 0	38 0	38 0	39 0	39·0	36 0	33 0	33 0	31·0	30·0	35 9
20	29 0	29·0	29 0	33 0	36 0	33 0	33 0	36·0	37 0	37 0	37 0	37 0	33·8
21	38·0	39·0	39 0	41 0	42·0	47 0	51 0	47 0	44 0	42 0	40·0	39 0	42 4
22	36·0	36·0	35·0	36 0	38 0	40·0	41 0	39·0	35 0	31 0	31 0	30 0	35·7
23	29·0	32·0	35 0	35 0	37·0	40 0	45·0	43 0	36 0	35 0	35 0	36 0	36·5
24	36·0	38 0	40 0	43 0	45 0	47 0	47·0	47·0	36·0	37 0	37·0	37 0	40·8
25	32 0	31·0	31 0	32 0	33 0	33·0	33·0	32·0	32 0	31 0	31 0	30 0	31 8
26	30 0	31·0	31 0	32 0	33 0	35 0	36·0	36·0	36 0	37·0	37·0	36 0	34·2
27	35·0	36·0	37 0	38 0	41·0	41 0	41 0	38·0	36 0	34·0	32 0	32 0	36·8
28	30·0	26 0	26 0	31 0	35 0	38·0	39·0	39·0	36·0	36·0	36·0	36 0	34 0
29	36 0	36·0	36·0	36·0	36·0	36 0	38·0	39·0	39 0	39·0	40 0	40 0	37 6
30	39 0	39·0	39·0	40·0	40 0	49 0	42·0	41·0	40 0	40 0	39·0	39 0	40 6
31	39·0	38·0	38·0	38 0	35 0	35·0	35·0	35·0	36 0	36 0	35 0	36 0	36 3
Means	37·1	37 0	37 3	38 8	40 5	42·2	42 7	42 0	40 2	39·4	38 5	37 8	39·46

Observed Bi-Hourly Temperature at Quebec—November, 1896.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	35·0	35·0	35·0	35·0	40·0	42·0	42·0	43·0	40·0	38·0	37·0	37·0	38·3
2	35·0	37·0	38·0	38·0	38·0	38·0	41·0	39·0	40·0	37·0	37·0	36·0	37·8
3	36·0	35·0	36·0	35·0	38·0	40·0	41·0	38·0	36·0	35·0	34·0	34·0	36·5
4	33·0	32·0	32·0	33·0	35·0	37·0	37·0	37·0	37·0	36·0	35·0	36·0	35·0
5	37·0	37·0	38·0	38·0	38·0	38·0	38·0	36·0	46·0	49·0	48·0	47·0	40·8
6	47·0	45·0	43·0	44·0	44·0	44·0	43·0	41·0	40·0	41·0	41·0	41·0	42·8
7	39·0	38·0	38·0	38·0	39·0	41·0	41·0	40·0	40·0	39·0	38·0	37·0	39·0
8	37·0	37·0	38·0	38·0	38·0	38·0	37·0	36·0	35·0	35·0	34·0	33·0	36·3
9	33·0	34·0	34·0	34·0	34·0	35·0	38·0	36·0	34·0	34·0	34·0	34·0	34·5
10	33·0	32·0	30·0	31·0	32·0	33·0	34·0	33·0	30·0	30·0	30·0	31·0	31·6
11	31·0	32·0	33·0	35·0	32·0	35·0	36·0	36·0	36·0	42·0	40·0	40·0	35·7
12	40·0	39·0	39·0	39·0	40·0	40·0	40·0	38·0	36·0	34·0	34·0	32·0	37·6
13	29·0	29·0	30·0	30·0	32·0	32·0	30·0	29·0	29·0	29·0	26·0	25·0	29·2
14	25·0	24·0	24·0	23·0	25·0	26·0	26·0	26·0	25·0	25·0	25·0	25·0	24·9
15	25·0	25·0	25·0	25·0	28·0	35·0	35·0	34·0	30·0	30·0	30·0	29·0	29·3
16	28·0	25·0	24·0	22·0	20·0	20·0	20·0	19·0	23·0	25·0	27·0	28·0	23·4
17	30·0	35·0	38·0	39·0	43·0	45·0	41·0	39·0	30·0	28·0	26·0	26·0	35·0
18	23·0	23·0	24·0	25·0	26·0	26·0	26·0	26·0	30·0	31·0	39·0	38·0	28·1
19	36·0	35·0	34·0	30·0	32·0	25·0	23·0	20·0	13·0	12·0	11·0	11·0	23·5
20	8·0	6·0	7·6	9·0	10·0	11·0	12·0	12·0	10·0	10·0	9·0	9·0	9·4
21	10·0	11·0	12·0	14·0	17·0	19·0	20·0	21·0	20·0	20·0	20·0	20·0	17·0
22	19·0	18·0	18·0	19·0	20·0	19·0	19·0	14·0	9·0	6·0	5·0	4·0	14·2
23	2·0	1·0	2·0	4·0	3·0	12·0	11·0	18·0	14·0	12·0	15·0	19·0	9·4
24	22·0	24·0	27·0	30·0	35·0	35·0	37·0	34·0	31·0	26·0	21·0	14·0	28·0
25	14·0	14·0	14·0	16·0	19·0	20·0	20·0	20·0	19·0	19·0	20·0	19·0	17·8
26	18·0	16·0	16·0	16·0	17·0	17·0	18·0	19·0	20·0	20·0	20·0	21·0	18·2
27	21·0	22·0	23·0	24·0	26·0	29·0	30·0	30·0	33·0	35·0	36·0	42·0	29·3
28	42·0	40·0	40·0	40·0	39·0	39·0	37·0	35·0	34·0	34·0	32·0	31·0	36·9
29	30·0	28·0	27·0	27·0	28·0	29·0	28·0	26·0	26·0	25·0	24·0	23·0	26·8
30	20·0	18·0	17·0	17·0	18·0	20·0	21·0	21·0	20·0	20·0	20·0	19·0	19·3
Means.	27·9	27·6	27·9	28·3	29·5	30·7	30·7	29·9	28·9	28·6	28·3	28·0	28·85

OBSERVED Bi-Hourly Temperature at Quebec—December, 1896.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Means.
1	10·0	11·0	14·0	13·0	13·0	14·0	14·0	13·0	10·0	8·0	7·0	5·0	11·0
2	−1·0	4·0	−7·0	6·0	4·0	−2·0	1·0	0·0	1·0	2·0	−2·0	−3·0	2·8
3	2·0	2·0	−2·0	4·0	0·0	4·0	6·0	7·0	7·0	9·0	10·0	8·0	2·6
4	4·0	1·0	1·0	2·0	4·0	7·0	9·0	11·0	11·0	15·0	17·0	20·0	8·5
5	21·0	27·0	31·0	32·0	33·0	29·0	26·0	23·0	19·0	19·0	16·0	15·0	24·3
6	15·0	13·0	12·0	13·0	14·0	14·0	16·0	18·0	19·0	19·0	22·0	30·0	17·1
7	30·0	30·0	28·0	26·0	28·0	27·0	29·0	29·0	28·0	28·0	28·0	28·0	28·3
8	27·0	26·0	25·0	26·0	28·0	30·0	30·0	29·0	29·0	29·0	29·0	29·0	28·1
9	29·0	29·0	29·0	28·0	30·0	30·0	30·0	29·0	29·0	28·0	27·0	27·0	28·7
10	28·0	28·0	28·0	28·0	30·0	32·0	34·0	33·0	30·0	29·0	29·0	28·0	29·8
11	25·0	18·0	19·0	18·0	11·0	20·0	23·0	23·0	23·0	23·0	24·0	25·0	21·0
12	27·0	27·0	29·0	29·0	32·0	32·0	33·0	34·0	34·0	33·0	33·0	32·0	31·3
13	29·0	27·0	27·0	28·0	30·0	32·0	30·0	29·0	29·0	33·0	32·0	30·0	29·7
14	27·0	20·0	16·0	15·0	16·0	16·0	13·0	10·0	8·0	7·0	4·0	2·0	12·8
15	1·0	0·0	0·0	2·0	3·0	7·0	9·0	9·0	10·0	9·0	8·0	8·0	5·5
16	9·0	10·0	12·0	12·0	12·0	12·0	9·0	9·0	13·0	13·0	12·0	11·0	11·2
17	9·0	7·0	7·0	8·0	8·0	9·0	11·0	11·0	10·0	10·0	8·0	6·0	8·7
18	4·0	5·0	6·0	9·0	12·0	12·0	18·0	22·0	22·0	22·0	23·0	23·0	14·8
19	23·0	24·0	24·0	24·0	22·0	12·0	14·0	14·0	12·0	8·0	6·0	4·0	15·6
20	−2·0	4·0	−3·0	2·0	1·0	3·0	4·0	4·0	2·0	1·0	1·0	2·0	0·3
21	−3·0	4·0	−6·0	−6·0	4·0	0·0	0·0	1·0	0·0	2·0	1·0	−3·0	−1·8
22	−5·0	−8·0	−9·0	9·0	−7·0	−2·0	−1·0	2·0	−3·0	−5·0	7·0	−9·0	−5·6
23	−10·0	10·0	−9·0	7·0	5·0	2·0	2·0	3·0	2·0	0·0	−5·0	6·0	−3·9
24	−8·0	9·0	−9·0	7·0	3·0	3·0	3·0	3·0	1·0	1·0	0·0	0·0	2·3
25	−1·0	−3·0	5·0	5·0	4·0	0·0	1·0	2·0	3·0	4·0	7·0	8·0	0·6
26	13·0	18·0	23·0	23·0	23·0	23·0	12·0	5·0	1·0	2·0	5·0	7·0	10·4
27	−10·0	10·0	−11·0	10·0	9·0	−7·0	−5·0	2·0	2·0	−5·0	−6·0	−6·0	6·9
28	−4·2	−2·0	0·0	3·0	3·0	7·0	11·0	11·0	10·0	14·0	8·0	11·0	6·0
29	14·0	20·0	20·0	21·0	22·0	24·0	26·0	28·0	31·0	31·0	32·0	31·0	25·0
30	30·0	30·0	31·0	33·0	34·0	34·0	35·0	36·0	36·0	36·0	36·0	35·0	33·8
31	25·0	20·0	22·0	18·0	20·0	20·0	21·0	15·0	9·0	9·0	8·0	5·0	16·0
Means	11·4	10·8	11·1	11·5	12·7	14·2	14·9	14·7	13·8	13·7	13·0	12·1	12·8

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.	20·5	20·9	21·0	20·8	20·2	20·9	21·2	22·0	22·3	23·8	25·0	25·2
2	28·0	29·6	31·0	31·1	31·8	32·1	32·8	32·2	34·3	35·3	36·1	35·9
3	32·0	29·0	26·5	24·8	23·9	23·0	24·0	23·0	23·1	23·5	23·9	23·0
4. ...	72·0	10·7	10·0	9·0	6·9	6·7	8·0	7·9	8·8	10·7	9·0	9·9
5	6·7	7·0	4·0	3·4	1·9	1·0	— 0·2	— 3·9	— 4·1	— 2·0	— 2·0	— 2·7
6	—10·0	10·3	—10·2	8·1	6·2	— 5·9	— 5·0	— 4·9	3·7	— 2·8	— 1·0	2·1
7	14·3	14·6	15·2	7·6	7·3	7·9	7·8	7·2	7·4	7·5	8·2	8·5
8	0·9	— 1·0	— 2·0	— 3·4	3·0	0·0	— 0·9	2·0	4·0	8·5	10·3	13·0
9	24·5	24·5	24·9	25·3	25·1	21·6	21·1	21·0	21·0	21·0	20·9	20·7
10.....	17·0	16·0	15·4	15·0	14·9	14·9	14·9	13·3	12·2	12·9	14·2	16·0
11. .	17·9	18·8	19·0	19·6	21·4	20·1	20·0	21·6	23·4	24·2	25·0	25·0
12 .	28·1	29·0	29·4	29·6	29·9	31·0	32·9	33·8	35·2	34·0	34·0	33·0
13.....	16·9	16·9	16·7	16·3	16·9	16·7	16·6	16·9	17·6	18·6	19·9	20·1
14	19·1	19·3	19·3	19·9	20·0	20·0	19·7	19·4	19·1	19·9	20·0	20·9
15.....	15·2	15·0	14·0	13·3	12·2	10·9	7·0	9·8	15·1	18·3	19·7	20·0
16	11·4	13·1	14·3	21·6	21·0	22·5	23·0	23·6	22·1	25·2	26·9	27·0
17... ...	28·2	27·9	27·1	26·8	25·2	24·2	23·1	23·1	24·8	25·8	26·9	27·9
18 .,.	26·0	26·9	28·7	29·0	28·1	27·2	26·8	27·0	29·0	31·0	31·0	31·5
19	28·0	27·8	27·1	27·0	26·6	26·8	26·1	25·9	26·1	27·2	27·3	27·4
20 . .	25·0	24·8	24·6	24·7	24·8	25·0	25·1	25·8	26·3	29·8	30·1	30·0
21.....	32·5	32·3	32·2	32·0	31·7	31·7	31·8	32·0	32·9	33·0	32·8	32·2
22	8·7	7·3	7·8	9·0	10·5	11·0	12·9	13·0	13·9	16·6	19·0	23·0
23	26·9	25·2	26·9	26·3	26·3	27·7	27·5	27·3	29·0	29·4	29·1	30·2
24 . .	31·6	31·8	31·1	31·6	31·1	31·0	30·9	30·8	30·3	31·0	31·1	31·8
25.	29·3	29·1	29·0	28·9	28·7	28·2	28·3	28·8	29·7	30·9	32·0	32·0
26 ...	31·0	30·9	30·4	30·1	30·2	30·7	30·8	30·8	31·1	31·7	31·3	32·0
27 . . .	16·7	16·2	15·0	14·2	14·1	13·9	13·9	14·0	16·2	17·3	20·0	20·9
28. . ..	24·1	23·4	23·6	23·1	23·2	23·6	23·9	24·0	25·7	27·4	28·2	28·2
29	25·9	26·1	25·9	25·4	26·4	27·2	27·1	27·9	28·3	29·0	29·1	29·9
30	29·5	30·6	30·1	30·0	29·9	29·3	29·2	29·2	29·6	31·2	32·2	33·2
31 .	26·6	26·0	27·0	27·1	28·9	28·0	25·0	27·0	26·3	23·8	24·9	26·2
Means.	20·70	20·63	20·48	20·35	20·33	20·29	20·17	20·40	21·20	22·38	23·07	23·70

Photographic Instruments during the Month of January, 1896.

Hour Ending.											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
25·1	23 1	23 9	23 6	22 0	21 0	20 8	20 8	21 0	22 6	23 0	27 0	22 40
36·0	36·6	36·3	36 0	36 0	36 6	36 9	35 6	34 3	33 9	34 0	33 6	34 04
23·8	23 8	23·0	21 8	19 6	18 2	18 2	18 0	18 0	16 7	15 9	14 8	22 15
9·1	9 0	9 2	9 2	8 1	7 5	6 8	5 9	5 1	4 9	6 1	5 8	8 18
− 2 3	− 1·6	- 1 4	− 1 6	− 2 1	− 4 9	− 5 8	6 7	− 7 7	8·0	8 6	− 9 0	2 11
8 0	9 0	9 0	9 8	10 1	11 3	12 1	12 0	13 0	14 0	14 0	14 2	2 94
8·8	9 2	9 4	9 9	8 8	7 8	6 1	5 0	3 9	2 8	0 1	0 9	7 72
12·1	13·9	14 6	15 1	15 9	18 4	19 0	20 0	20 2	21 0	23 0	23 7	10 15
21·2	20 5	20·0	19 7	19 3	18 8	17 9	17 3	17 2	17 8	17 9	17 7	20 70
18·1	18·3	17·8	16 2	15 7	15 9	16 1	16 0	16 0	17 1	17 1	17 5	15 77
26·1	26 5	26·9	27 0	27 2	28 0	29 0	28 9	28 3	28 8	28 2	28 0	24 54
31·3	29·9	27·0	24 0	22 0	21 2	21 0	20 7	19 6	18 1	17 1	17 0	27 01
20 5	21 0	20·5	19 9	18·3	18 0	17 9	17 7	17 7	18 0	18·4	19 0	18 21
22·0	23 2	22 7	21·8	18 7	17 9	16 9	16 1	15 0	16 0	16·1	15 2	19 09
20·2	22·2	22·1	21 0	18 9	17·3	16 6	14 9	13 1	12 0	12·1	12 1	15 54
28 0	29 2	30·2	31 0	30 9	30 0	29 9	29 2	29 0	29 2	29·1	28 7	25 25
26·5	26 0	26·1	27 0	28 4	29 1	27 0	25 0	24 9	24 9	26·0	25 7	26 15
31 2	31 9	31·8	32 0	32 1	32·4	32 8	32 5	32 0	30 7	29·3	28·8	29 99
27·8	27 1	27·1	27 0	26 9	26 4	26 2	26 1	26 2	26 0	26·0	25 1	26 72
31 0	31 9	32·1	32 9	33 0	33 1	32 9	32 9	32 3	32 9	32·9	32 9	29 45
32 9	32 0	29·0	27 3	25 0	22 2	19 3	17 2	16 5	15 0	12·1	10 1	26 90
23 3	23·0	22·9	23·0	23 0	23 9	24 7	25 9	23 9	24 8	25 9	26 0	18 46
31·9	32 9	32·6	32 7	32 9	33 3	33 6	34 0	33 9	32 2	32 0	31 9	30 20
31·1	31·1	31·9	31 8	31·1	30 9	30 3	30 9	30·9	29 9	29·1	29 0	30 92
33 1	34·4	34·9	34 0	33 8	33 2	32 9	32 6	32 1	32 0	31·8	31 4	31 30
32·7	31·9	30 6	28 9	27 0	24 9	23 3	23 4	20 9	17 9	16·8	16 0	27 72
22·9	25·7	27 9	27 6	27 0	26 0	25 1	24 9	24 9	26 0	25·0	24 7	29 85
27·9	28·0	27·5	27 9	26 8	26 1	26 3	26 8	26 1	24 0	24·0	25 1	25 62
30 3	31·0	31·1	31 2	30 5	29 8	28 9	26 8	27 9	29 0	29·3	29 0	28 46
34·0	32·9	31·2	30 8	30 2	30 1	30 1	30 2	30 3	30 0	28·2	27 9	30 41
25·2	25 0	25 3	25 9	25 9	25 7	24 1	22 9	23 0	26 0	26 1	26 8	25 78
24 19	24·47	24·30	23·98	23 32	22·91	22·48	22·05	21·58	21 49	21·23	21·18	21 95

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	26·8	28·9	29·1	30·0	31·0	31·2	31·9	32·0	32·7	33·3	33·8	34·7
2.	34·0	34·0	33·9	33·0	32·0	31·3	30·1	30·0	29·3	28·0	28·0	28·1
3.	22·0	24·0	25·0	21·1	20·1	17·9	16·2	15·7	15·3	15·3	17·0	19·1
4.	25·1	25·2	26·6	26·8	26·7	26·8	26·8	26·9	27·0	26·0	26·5	27·7
5.	33·6	33·7	33·1	32·9	31·0	29·3	30·2	32·0	33·0	33·8	34·1	35·9
6.	29·8	31·0	32·1	33·4	34·1	34·0	33·8	33·0	33·9	34·5	34·0	34·7
7.	33·9	34·1	34·1	34·0	34·1	34·0	34·0	34·0	34·2	34·3	34·9	34·0
8.	30·0	28·2	26·5	27·4	25·9	23·3	22·0	21·4	22·2	26·1	27·9	29·9
9.	25·8	25·6	25·6	25·0	24·9	23·9	22·9	22·3	22·6	22·2	22·3	22·0
10.	22·9	24·0	24·9	25·1	25·4	25·2	25·5	26·0	26·9	29·7	31·8	32·8
11.	29·9	26·2	24·8	23·8	22·7	22·0	21·0	21·0	21·5	22·2	22·9	22·5
12.	15·2	15·0	15·0	15·0	15·2	14·3	13·6	15·9	17·2	19·9	21·0	22·9
13.	19·9	21·8	24·9	25·0	20·6	20·9	20·6	21·0	20·6	20·9	21·8	21·3
14.	19·0	17·8	19·1	21·7	23·9	23·3	22·2	22·1	26·0	26·8	26·1	26·5
15.	26·0	27·1	29·0	29·3	30·0	31·0	32·1	36·0	37·6	38·4	39·1	39·3
16.	8·0	6·0	4·9	3·0	1·0	1·0	− 2·6	− 4·0	− 4·0	− 4·1	− 3·9	− 3·8
17.	−13·8	14·8	−15·9	−16·4	−17·0	−15·0	−14·6	−13·0	−11·0	− 8·5	− 5·8	− 2·9
18.	0·8	− 0·2	− 2·7	− 3·2	5·2	− 5·5	− 6·2	− 0·2	5·0	13·9	16·8	17·2
19.	22·8	22·9	22·9	22·0	21·0	21·0	20·9	22·9	23·1	22·9	22·4	22·9
20.	10·3	9·0	7·3	5·2	3·7	2·4	2·0	2·2	2·9	2·9	5·5	6·1
21.	5·0	4·9	3·7	1·1	− 1·1	4·4	6·9	− 3·6	0·4	3·6	6·0	9·5
22.	12·1	10·9	9·9	9·9	10·5	11·0	10·9	11·6	14·0	17·1	21·0	24·9
23.	31·1	31·6	32·0	32·9	33·0	33·0	34·1	34·0	34·7	35·0	35·0	35·6
24.	33·7	33·7	33·7	32·8	32·4	32·0	31·0	29·0	29·0	26·0	23·1	22·6
25.	9·0	6·0	4·3	2·9	1·5	0·3	− 0·1	0·8	2·2	4·0	7·2	8·6
26.	24·0	25·7	27·2	28·3	29·3	30·0	31·0	33·0	35·0	35·2	34·2	31·2
27.	26·9	27·8	28·1	28·9	28·9	29·0	29·1	30·0	30·7	32·6	34·1	34·2
28.	35·0	35·1	36·1	34·0	35·3	35·0	37·2	38·9	41·2	44·3	46·1	47·0
29.	30·9	29·9	27·6	25·7	23·2	22·0	21·3	20·4	21·2	24·7	27·1	28·2
Means	21·83	21·66	21·58	21·13	20·58	20·04	19·79	20·56	21·70	22·93	23·93	24·68

Photographic Instruments, during the month of February, 1896.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°											
36·2	39·1	39·1	38·2	37·1	37·0	36·8	36·9	36·7	36·5	36·0	35·2	34·18
27·5	28·4	29·0	28·6	26·7	24·7	23·7	22·0	21·2	20·8	19·5	20·0	27·66
19·0	19·7	19·9	22·1	23·0	23·6	24·2	24·6	23·9	24·1	25·0	25·1	20·99
28·8	29·0	30·1	30·7	30·6	30·4	30·8	31·0	32·0	32·1	32·9	33·0	28·73
35·0	35·7	36·0	35·0	34·0	31·8	30·3	29·6	27·9	29·5	30·0	29·0	32·35
34·0	34·0	34·1	34·9	35·2	35·9	34·9	35·0	34·0	34·0	34·0	34·0	33·81
32·2	34·6	34·2	33·6	32·5	32·0	31·4	32·0	32·0	31·3	31·2	31·0	33·32
30·3	30·9	30·1	29·0	28·3	27·0	25·9	24·0	24·9	25·0	24·4	25·4	26·50
22·0	22·3	22·2	22·2	22·8	22·4	23·0	23·1	22·4	21·0	19·9	22·0	22·93
32·4	32·2	31·0	30·6	30·9	31·9	32·4	31·7	32·3	32·6	32·9	32·0	29·30
22·1	22·1	20·9	18·2	17·1	15·7	14·9	14·5	14·6	14·6	14·7	15·1	20·21
24·0	24·6	24·0	23·4	22·2	22·0	22·1	21·8	20·0	19·0	19·2	20·0	19·27
21·0	20·2	19·9	19·9	19·2	20·0	20·0	20·0	19·8	19·3	19·6	19·1	20·72
25·1	24·0	24·4	23·0	21·9	21·7	21·0	22·8	22·9	23·0	23·9	25·6	23·05
38·9	37·0	27·4	24·0	23·0	22·0	20·0	18·0	16·3	13·9	11·3	10·0	27·36
— 3·2	— 2·8	2·2	— 2·7	— 4·8	7·0	— 8·5	— 9·8	10·3	—11·2	—12·2	—13·2	— 3·68
— 2·0	— 1·0	0·0	0·3	— 1·1	— 2·8	— 3·0	— 2·2	— 2·0	— 2·0	— 1·2	0·2	— 6·92
19·0	20·0	21·2	21·7	21·7	23·0	24·1	24·6	22·4	21·4	19·9	20·3	12·07
23·6	23·4	23·0	21·9	20·4	20·0	19·0	17·0	16·0	14·2	12·6	12·0	20·45
7·2	7·3	7·0	6·4	5·9	5·7	3·2	4·3	6·0	5·9	6·0	6·0	5·43
12·5	15·0	14·9	15·0	14·2	12·3	10·9	9·7	9·9	12·0	12·7	13·0	7·10
27·4	29·0	30·2	30·1	29·7	28·5	27·8	27·3	27·9	28·6	28·9	29·8	21·21
35·7	36·3	37·0	36·9	36·1	35·8	35·3	35·8	35·1	34·4	34·8	33·9	35·45
20·9	20·6	19·7	19·0	16·9	14·9	13·8	13·3	13·5	13·7	13·0	12·0	25·21
10·0	12·0	13·2	15·1	16·7	16·1	17·8	19·0	20·6	21·9	22·0	24·0	11·25
30·0	29·2	29·2	28·4	27·3	26·9	26·9	25·4	26·0	26·9	27·1	27·3	28·95
35·0	35·1	35·4	35·9	35·5	34·8	35·0	35·0	34·1	32·9	31·9	32·8	32·24
46·0	46·0	46·0	45·6	44·4	37·8	36·3	35·7	34·9	34·0	33·2	31·7	39·03
29·4	29·5	31·1	32·1	33·0	31·3	32·1	33·9	35·1	34·0	32·8	31·0	28·65
25·02	25·43	25·27	24·90	23·32	23·40	22·97	22·78	22·57	22·32	22·10	22·07	22·65

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	29·9	28·0	26·0	24·9	24·1	23·2	22·1	21·0	21·3	22·3	23·3	24·0
2.	17·9	17·3	17·1	16·2	15·0	14·9	13·9	14·0	14·1	15·3	17·0	17·1
3.	11·8	12·0	12·1	12·7	12·0	11·0	9·9	9·4	9·9	10·0	11·1	12·7
4.	12·1	11·6	9·9	8·9	7·4	6·1	6·3	7·7	7·8	9·2	9·1	10·4
5.	10·9	9·9	9·0	8·3	8·0	7·0	8·2	10·0	11·9	15·2	17·9	20·0
6.	16·0	17·1	17·1	17·8	23·0	26·9	27·9	28·5	28·8	29·3	29·3	30·0
7.	31·3	31·0	32·1	32·0	32·0	32·2	33·8	33·2	33·2	32·8	33·9	33·2
8.	27·0	25·9	24·8	23·1	22·6	23·2	23·8	24·4	25·2	22·2	24·6	25·2
9.	24·8	22·5	21·0	19·9	18·0	16·9	16·4	19·6	21·8	22·8	24·0	26·9
10.	17·0	16·0	14·2	14·1	13·8	14·0	15·0	17·0	20·1	21·6	22·9	23·0
11.	12·1	11·4	10·8	11·0	11·3	12·0	11·4	13·6	14·0	15·7	16·1	17·2
12.	12·9	12·2	11·0	9·8	8·0	6·2	5·8	5·7	5·9	8·0	8·8	10·8
13.	8·2	8·4	7·8	7·0	6·3	5·0	6·0	7·7	10·0	13·7	15·0	17·2
14.	11·2	11·1	10·6	9·9	9·9	8·1	8·1	11·0	14·8	18·6	21·0	23·0
15.	14·0	13·6	13·1	12·1	11·6	12·1	12·8	16·9	23·0	25·2	26·1	26·0
16.	15·8	16·3	16·4	18·1	19·6	20·3	21·8	22·7	24·9	25·0	25·8	26·2
17.	17·7	17·9	19·0	19·0	19·0	18·9	19·8	22·1	25·0	27·2	30·0	31·9
18.	29·1	28·9	29·0	29·0	27·9	27·2	28·0	29·7	31·9	34·4	36·2	36·2
19.	31·2	32·0	32·5	32·7	32·1	32·0	32·0	31·9	31·2	31·2	31·1	31·6
20.	21·0	19·0	17·0	15·0	13·5	12·1	10·8	10·0	11·1	13·0	14·2	15·4
21.	15·4	14·9	14·9	14·0	13·8	15·0	17·7	25·7	29·3	30·6	32·0	33·1
22.	40·9	39·9	39·1	38·1	34·8	29·0	25·0	24·0	23·8	21·1	20·9	20·0
23.	8·8	8·6	8·8	8·0	8·7	8·3	10·0	13·0	14·5	16·4	17·8	18·8
24.	14·4	14·3	13·3	12·0	10·1	10·6	12·6	17·1	20·0	21·7	23·9	24·1
25.	27·0	28·1	29·7	30·0	30·1	30·1	31·3	33·6	35·9	38·0	39·3	41·0
26.	39·0	38·9	38·8	38·9	38·8	38·4	38·0	35·9	30·2	26·5	23·9	21·8
27.	16·4	14·9	13·2	12·1	11·3	10·9	11·9	14·3	16·2	18·3	21·2	24·4
28.	23·6	23·9	22·1	20·4	20·0	19·0	21·2	29·0	31·3	32·7	32·8	33·3
29.	34·0	34·2	35·0	35·9	36·3	37·1	38·0	41·0	41·2	44·0	46·3	48·9
30.	35·0	34·1	34·1	34·1	33·5	34·0	37·3	42·0	43·8	46·2	47·1	47·8
31.	36·0	37·6	37·8	39·0	38·1	39·6	40·0	42·5	44·7	46·9	48·3	49·9
Means.	21·37	21·02	20·56	20·13	19·67	19·40	19·90	21·75	23·09	24·36	25·51	26·49

Photographic Instruments, during the Month of March, 1896.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
23·2	23 0	21·9	21 4	21·1	19 0	18·1	18 2	18 3	18 0	18 2	17·9	22·02
18 2	17 8	17·0	14 6	13 4	13 1	13 9	15 0	15 0	15 0	13 3	12 2	15 38
12·4	12 9	13·6	13 4	13 1	12 1	12·3	12 9	12 8	13 0	12 9	12 8	12 63
11·0	11 9	12·1	12 5	12 6	11 9	11·7	11·9	11·6	11 9	12 0	11 5	10·38
21·2	22·8	23·8	25·0	23 0	21 0	18·5	17 9	17·0	15 8	16 1	15 0	15 56
31·0	31 3	31·5	31 5	31·7	32 1	32·3	32 2	32 1	32 3	32 3	31·9	28 08
31·0	32 2	32·0	31 7	30 7	30 0	29·5	29 1	29 0	29 8	30 0	28 0	31·40
26·9	27 0	27·0	27 2	27 3	26 3	26·6	26 8	26·0	25 9	25 2	25 0	25 38
26 4	25 2	26 0	26 7	26 4	24 9	23·2	21 0	18·7	17 9	16 1	16 1	21 80
23 3	23 7	23 4	23 1	23 0	22 3	21·0	20 5	19 0	17 0	15·0	13 4	18 89
18·1	18 1	18·8	18 6	16 7	15·2	14·1	13 9	12 4	12 7	12 8	12 8	14 20
11 8	13 2	13·9	14 0	12 5	11 0	9·3	8 6	8 1	8 2	8 0	8 1	9 66
19 5	20 2	19·0	19 1	17 1	15 3	14·0	13 0	12 2	11 7	11 0	10 3	12 28
23·0	22 7	23·8	22 9	21 6	19 5	18 0	17 0	15 0	13 8	14 2	13 9	15 91
26 0	26 9	26 1	26 0	25 0	23 7	22 0	20 9	19 4	18 6	17 0	16 0	19 78
26 2	27 1	27·2	27 8	27 3	26 4	25·1	23 2	22 2	21 2	19 9	18 0	22·69
32·9	33 6	35 9	36 0	35 0	33 0	32 0	31 1	29 9	29 0	29 0	28 9	27·24
36 1	36 8	36·1	36 0	35 4	33 7	32·2	32 9	33 1	32·3	32 1	31 9	32 34
32·1	32 1	32·6	32 4	31 8	31 0	30·2	29 9	28 6	28·2	25·7	23 6	30 82
16·0	17 0	18·1	20 0	20 1	19 1	17·4	16 8	15 2	15·2	15 7	15·8	15·77
35 0	36 3	36 8	36 4	36 7	36 3	36·1	26 8	37 4	37 3	38 0	38 2	29 07
19 9	20 6	20·1	20 0	19 9	17 0	15·2	13 8	12 5	11 6	10 2	9 8	22·80
18·9	19 1	19 9	20 0	19 9	19 0	18·0	17 8	16 1	15 2	15 0	15·1	14 82
24 9	25·1	26·0	27 0	26 1	25 0	24·7	25 3	25 9	25 9	26 4	26 9	20 97
41·2	41 0	40·8	41 0	41 2	41 6	40·9	41 2	42 2	41 0	40 9	39 8	36 96
20 0	20 1	21·0	21 5	22 2	20 7	19·9	20 0	20 0	19 9	20 0	18 2	27·19
26 7	28 0	28·9	30 0	30 2	29 7	28·1	27 3	26 9	26 0	25 0	24 0	21 45
33 7	33 2	33·8	34 0	32 6	32 0	32·0	32·8	33 2	33·9	33 8	33·9	29·51
51·0	51·0	52·0	52 0	51 7	52 0	49·0	45 0	46 0	40 0	38 0	37 0	43 19
47 5	48 0	48·3	47 8	47 1	45 9	43·7	42 0	41 0	40 2	37 4	37·9	41·49
50·4	48 8	48·8	48 0	46·8	43·0	39·8	38 0	36 8	36 0	34·0	35 0	41·88
26 95	27·31	27·65	27 67	27·07	25 90	24·78	24·28	23·66	23·05	22·43	21 80	23·58

TEMPERATURE at Toronto Observatory, for each Hour, from Self-registering

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	35·1	34·8	33·9	33·1	32·0	31·0	31·1	30·9	31·9	30·5	31·9	33·4
2. ...	34·9	35·0	34·7	34·0	33·8	33·7	33·0	34·1	34·8	37·0	33·0	31·4
3.	22·0	22·0	21·7	21·9	21·9	21·0	21·1	21·0	22·7	22·1	22·8	22·3
4. ..	21·7	20·0	19·1	18·9	19·3	19·0	19·2	21·8	24·0	25·3	26·2	28·5
5. ..	25·6	26·0	26·1	26·0	25·0	25·0	26·9	30·2	32·2	34·0	35·0	37·6
6. ..	31·2	29·3	28·7	28·0	29·8	30·9	33·1	35·0	35·9	36·6	36·8	35·8
7. .	29·3	29·1	29·1	28·0	27·1	27·0	29·9	30·9	31·8	32·1	34·0	34·1
8.....	31·9	31·1	31·0	30·5	30·2	30·0	32·1	36·3	39·5	40·7	41·0	43·0
9.	30·4	30·2	30·0	30·1	30·0	30·1	34·0	37·0	37·2	38·0	38·9	39·6
10. ..	37·0	36·9	37·0	37·8	37·2	37·0	37·1	38·1	38·6	39·9	40·9	42·0
11	39·0	39·0	38·2	37·8	37·8	37·9	38·2	38·3	38·9	39·0	41·0	44·0
12... ...	42·0	41·9	41·8	41·4	40·8	41·0	41·1	43·6	42·9	41·9	43·1	44·9
13.....	40·5	40·7	39·0	39·8	39·1	40·0	42·0	47·2	51·3	57·5	60·0	60·4
14	52·3	51·9	51·5	51·0	48·9	48·9	48·2	52·0	56·7	59·8	63·0	63·8
15... ..	50·0	48·8	49·0	46·5	45·9	47·2	50·0	54·9	58·8	62·3	63·8	63·9
16	50·2	49·3	48·4	48·3	47·0	47·9	51·0	59·0	63·1	66·5	68·6	75·0
17.	59·1	59·0	57·4	57·2	59·0	60·4	58·4	63·6	70·3	70·7	72·3	74·6
18.	57·6	57·9	57·2	57·9	58·8	58·8	60·5	64·8	64·6	61·4	69·1	64·4
19.....	53·8	52·8	53·0	52·0	50·0	48·2	50·0	57·7	62·0	64·9	69·0	72·0
20.....	48·0	47·0	45·7	44·9	44·4	45·0	48·8	55·2	58·9	59·7	61·9	64·0
21.....	50·7	50·2	49·9	48·3	46·7	48·0	51·0	54·6	55·3	54·0	53·0	54·0
22.....	43·1	42·0	38·0	38·8	39·3	39·8	40·0	43·0	46·0	48·1	49·9	51·1
23.	37·2	36·8	35·0	33·6	34·2	36·7	42·0	49·0	53·0	53·3	54·1	54·6
24.....	46·8	47·9	47·2	45·0	45·1	43·1	43·2	43·0	43·0	42·8	42·8	42·9
25.....	43·0	43·0	44·2	44·9	43·0	43·4	44·9	49·9	53·9	54·8	55·7	57·9
26 .	45·0	45·1	45·0	43·0	42·5	43·9	48·0	54·0	55·9	56·0	58·0	57·9
27.... .	46·2	47·0	47·8	47·9	47·8	47·2	48·2	50·3	55·0	59·8	59·1	61·1
28.....	53·6	52·9	52·1	51·8	50·0	50·5	50·8	52·1	53·0	55·8	59·0	62·0
29.....	54·9	54·0	52·9	52·8	52·7	52·8	53·9	56·4	56·7	56·0	55·8	55·7
30 ..	44·9	45·9	44·0	44·0	45·0	45·7	45·6	47·5	48·9	49·0	50·9	52·2
Means...	41·90	41·58	40·98	40·51	40·14	40·37	41·78	45·05	47·23	48·32	49·39	50·80

Photographic Instruments during the Month of April, 1896.

Hour Ending.											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid.	
°	°	°	°	°	°	°	°	°	°	°	°	°
33·7	34·7	34 7	34 1	34 6	34 6	34·2	34 8	34·7	34·1	34 9	35·9	33·53
30·0	29·8	29 6	26 0	27 0	25 8	23·9	23·1	22·9	22 8	22 5	22·0	29·78
22·1	21·7	21 2	23 6	21 9	21 0	19 9	20 0	20 6	21·1	21 2	22·1	21·62
28·7	29·0	29 0	29 9	29 1	28 5	27 8	27 0	27·0	26·7	26·0	25 1	24·87
38·0	38·9	41·0	42·0	41 8	39 8	37·9	37·0	36 9	25·9	34 2	33 6	33·58
35·4	34·2	33 9	32·9	31 8	30 2	30 0	29 8	29 1	28 8	29 1	29·0	31·89
35 2	35·7	36 8	35 2	35 0	34 0	32 9	32 0	34 0	33 9	32 6	32 0	32·15
43·0	43·3	42 0	42 4	41 7	40 0	37·0	35·0	35·0	34 0	32 6	31 1	36·43
40·9	40·8	40·1	39 7	39 0	38 3	38·3	38 0	37 9	37 0	37 0	36 9	36·23
44·2	44·1	41·9	40·0	39 0	39 1	39·8	39 2	38 3	38 0	38 1	39 0	39·18
46·9	46·0	45·8	45·8	45 7	44 1	43 8	43 1	43 0	42 9	42 1	42 1	41·68
46·3	47·7	48 3	50 0	49 2	48 1	46 0	44·0	42 3	41·9	40 9	40·2	43·80
64·0	65·5	67 0	66 0	66·9	66·0	62·0	57 0	53 8	51·8	51·9	52 9	53·46
66·0	68 2	63 1	64·5	64·0	60 0	58 0	56 5	56 9	57 0	54 1	55 8	57·17
64·1	66 5	68 0	70 0	68 9	68·2	65·0	63·0	58 2	53·8	52 9	51 0	57·93
75·7	75·2	73 8	75 0	72 3	71 0	68 9	70 0	70 1	69 0	66 0	62 8	63·50
75·3	77·7	75·0	69 4	66 0	68 2	65 0	65 0	60 0	61·0	58 2	59·0	65·08
66 2	64·6	64 1	62 8	62 0	61 2	60 0	57 0	56 0	55 1	55 2	56 0	60·18
70·0	68·0	65 8	62 1	64 3	62 0	59 9	56 9	54·9	52 0	51·3	50 6	58·47
62 9	61·0	62 3	60 2	59 9	60 3	57 9	56·9	57 0	56 1	55 0	53 0	55·25
54·8	55·3	55 9	62·1	54·0	51 0	53·9	49 0	46·0	45·2	43·9	42 0	51·20
52·9	53 9	53·3	53 8	53 0	53 0	50 0	47 0	47 0	45·2	42·2	40 8	46·30
56·0	55·9	57·3	56 9	56 0	53 0	51·0	49 0	48·0	47·0	48 0	47 9	47·73
43·1	45·1	46 0	45·7	45 3	46 0	45 9	46·1	46·8	46·2	45·1	45·0	44·96
59·9	60 0	60 1	60·3	60 0	61 3	57 0	54·0	51 0	47·0	44·3	44 1	51·57
57·1	58 6	59·1	57·2	55·9	53·4	52 1	50 0	48 0	47·3	46·3	46·0	51·05
62·9	63 0	62·0	61·0	60·1	59 8	57·0	54·9	53 3	54 0	54 0	54·1	54·73
60 6	58·3	58·0	59 8	61 9	61·7	54 0	53·0	51 1	52·9	53·0	53·6	55·06
55·0	54·9	52 9	52·0	52 7	50·0	48 0	46·3	45 0	44·0	44 8	44·0	51·84
55·0	57·2	57 9	58 0	57 3	57 0	52 9	50 0	49 8	47·2	46 1	46·0	49·92
51·53	51·83	51·53	51·28	50·52	49·55	47·67	46·15	45·15	44·30	43·45	43 12	46·01

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	46·0	45 9	45·8	46 2	47·0	48·2	49·4	50·1	51·0	50 7	53 1	54·8
2.	50 2	48·0	46 9	46·0	45·9	47·7	50 9	55·0	58·0	59 0	60·3	62 9
3 . .	52·0	51 9	49 9	48 7	47·9	49·5	51·2	55·0	57 0	58 7	63·0	62·0
4.... ..	49 3	49 0	48 0	50 0	50·1	51·0	53 0	55·0	57·8	57 6	63·8	61 6
5.....	51·0	49 0	47 1	46·0	46 7	49 2	53 0	59 0	61·0	63 0	64·2	65·7
6.....	53 1	52 2	51 1	51 0	50 0	51 9	54 2	57 8	58 2	57 8	58 0	58·0
7.... .	47·1	47 0	46 0	45 0	44 8	47 0	51·0	56·0	56 3	58·1	58 0	57·0
8.....	50 2	50 9	51·6	52·0	50·6	49 0	52·7	57·8	60 0	70·0	71·2	72 9
9.....	63·9	66 5	70·0	68·9	66 0	68 5	69 7	76·1	79·0	85·0	86 6	87·1
10. ...	70 0	70 0	69 9	68·0	68 0	69 1	72 0	78 2	82 8	85 0	86·9	87·5
11. ..	71·0	71 0	68 5	66 0	65 2	65 3	66 9	74·0	77·0	79 8	81 3	82·8
12.....	63 9	61·3	56 2	56 9	58 0	58·8	58 2	59·8	61·3	62 0	63 3	62·8
13.	51 0	51·0	50·0	49 2	50 0	53 6	55 0	57·0	56 5	57 0	58 3	60·0
14. ..	52·9	51 0	51 8	54 0	55 0	55·1	56 2	58 9	59 3	61 9	62 8	64·5
15.....	57 0	56·8	55 0	54·0	53·1	60 0	60 8	63 0	64 9	67·3	68·9	69·7
16 .. .	55·1	54 9	53 3	53 1	54 1	59·8	61·0	67 3	72 0	72 9	70·0	72 2
17.....	55 8	55·7	56·1	55 8	55 2	55 9	55·2	56 7	62 0	63 7	66·8	67·3
18 ..	67 8	66 9	65 0	64 0	62 1	64 2	65 7	68 0	68 8	69 2	70·0	69·0
19.... .	59 0	58 2	57 1	55 9	54 2	52 0	52 9	54 6	57 0	57 6	58 4	60·9
20.....	45 8	43 0	40 8	37 6	39 0	44 8	49 0	53 0	54 7	58 0	59 0	60·9
21.....	45 9	45 0	45 0	44 9	44 0	49·3	53 0	56 9	58 7	61 1	61·6	63·9
22.....	53·2	54 8	53 0	51 9	52·8	57 8	66 0	70 0	72·8	73·9	74·9	75·2
23 .	54·0	53 0	52 0	51 2	50 8	51 0	52 8	54 9	56 0	57 0	58 0	56 5
24	48 9	48 0	47 9	45 0	46 0	51 0	52 1	55 9	57·0	57·0	57·0	59·9
25 ..	49 1	48 2	47 8	50·0	50 9	52·0	51·9	51 0	54 9	60·8	63 8	63·3
26 . .	60 8	61 3	62 0	64 3	63 0	68 0	68 2	69 8	71·9	73 0	74·0	75·0
27	55 4	54 9	53 2	52 9	51 8	52 0	53 1	57·3	58·9	59 5	60 0	59 9
28	55 0	54 8	54 1	52 8	50 9	50 0	50 0	50 0	49 8	49 9	50·3	53·9
29.....	50 0	48 9	48 2	48 0	48 1	49 0	49 0	49·9	50 8	53·0	55 8	54 2
30 .	50 3	49 1	48 0	47 0	47 0	47 0	49 9	53 3	58 8	60 9	62·2	64·6
31..... .	48 1	46 8	46 1	45 4	45 3	50 4	52 0	55·4	57 1	58 2	60 0	61·4
Means...	54·28	53 71	52·82	52·31	52 05	54·13	56·00	59·25	61 33	63 18	64·56	65·40

Photographic Instruments, during the Month of May, 1896.

Hour Ending											
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	Means.
°	°	°				°	°		°	°		
59·0	61·8	62 9	63 2	60·7	58·0	55·2	54·8	53·9	54·9	54·0	52 0	53·28
63·0	62·0	60·9	60 1	59·6	54·0	53 9	48·0	50·0	53·9	53·0	52·1	54·22
66·0	67·0	66·8	67 5	67·1	67·3	63·9	59·0	55·9	55 7	56·0	51 1	57·92
62·6	61·0	65·2	69 1	68·0	64 4	61·8	57·1	60·0	56·3	54 0	53·0	57·45
67·0	67·1	68·0	68·9	69 0	67·7	63·8	60·3	57·9	56·7	55 8	54·9	58·83
58·3	57·8	58·2	58 8	58·4	56·0	53·1	50·9	49·9	49·1·	48·7	48 0	54 19
60·0	60·8	59·7	61 0	60 1	59·8	56·3	53·2	51·9	50·2	48·9	49 1	53·51
72·3	77·6	82·8	82 3	84 0	86·0	81·0	76·0	73·9	70·0	65·0	63 9	66·82
88·0	88·8	89·2	89 5	89 0	86 7	81·4	77·8	75·0	71·6	70·8	69 9	77·71
88·0	88·0	88·0	88 2	87 9	86·4	82·0	77·6	73·3	74 0	73 0	72 0	78·58
84·0	77·9	81·0	78 8	78 2	76 2	75·9	72 7	70·9	68·9	66 9	65 2	73·56
62·2	60·6	62·3	61·4	61 9	59·6	56·4	55 0	52·9	51·1	52 2	53 0	58·80
62·7	62·4	64·0	66 0	64 6	64·1	57·9	54 0	52·9	52·6	52 3	52 0	56·42
64·9	66·8	68 9	68 8	66·4	65·0	61·8	60 7	59·3	58·0	55 9	57 0	59·87
70·9	71·1	72·0	72 6	72 7	71·6	67 3	64·1	61·9	58·0	56 6	56 0	63·55
73·2	74·0	76·0	72 3	70 1	74·0	69·0	65 0	65·0	63·1	63·2	62 0	65·53
68 8	74·9	74·3	72 6	71 9	73 0	65·3	61·3	60·0	59·1	59·0	64 2	62·94
71 2	70·2	67·0	66 8	72·0	73·7	64 0	61·8	61·1	59·0	61·9	59 2	66 19
62·2	61·1	58·0	59 1	60 8	61·0	58·8	54·0	51·2	48 1	46·3	47 0	56 06
62·1	62·1	63 0	60 0	58 2	59·6	55·9	52 0	50·9	49·3	47·2	47·1	52·21
63 8	62 9	62 0	59 6	60 0	58·1	57·0	55 9	56·3	56·2	53 9	52 2	55·30
76·0	77·0	78·0	77 9	76·8	73·0	66 6	63 0	59·8	57·8	55 8	55·2	65 55
57·0	57·7	57·2	58·9	60 8	60·0	54·0	51 2	49·9	49·0	49·9	50 9	54·32
62·0	63·0	59 2	60 4	58·0	56·0	53·8	51 0	50·4	49·9	49 3	50 0	53·70
58·1	60·0	65·9	64·1	63 0	61 7	61·0	61·1	60 7	61·1	59 0	60 2	57·48
76·0	75·9	75·6	75 8	75 0	73·0	69 2	65 0	62·0	59·0	58 0	56·9	68 03
61·0	56·3	62 3	62·8	63 1	60·0	57·3	54 9	55·0	55·7	56·0	55·1	57·02
64·0	65·7	68 0	65·1	63 2	62·5	60·0	58 0	56·3	55·7	53·1	51·2	56·01
53·9	56·2	58·8	58·9	58 0	57·3	55·9	54 0	52·9	52·0	51·1	50·8	52·70
66·0	66·0	66 7	65·8	62·0	56·9	55·1	55 7	52·1	51·0	50·9	50 0	55·68
59·4	59·0	56·8	58·5	60·1	63·0	59·0	54 7	53·0	51·0	48·9	47·7	54·05
66·57	66·86	67·70	67·57	67·12	65·99	62·37	59 32	57·94	56 71	55·70	55·13	59·92

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	46·8	46·9	45·9	46·0	46·8	50·4	52·5	56·8	59·0	58·7	60·0	61·9
2. ...	47·0	45·6	46·0	46·1	47·1	52·2	55·2	59·7	61·0	62·7	62·7	64·7
3. ..	45·1	45·0	44·6	44·5	45·4	53·1	53·0	60·6	64·0	66·8	67·0	68·8
4	57·9	58·0	57·9	55·9	55·8	55·9	56·5	59·0	63·0	67·9	64·6	66·8
5	57·1	56·9	56·8	54·8	54·0	59·0	64·0	65·3	66·0	68·0	73·8	74·8
6	64·1	60·0	60·1	60·7	59·9	60·0	65·0	69·3	70·0	74·9	70·0	76·8
7. ..	62·2	61·8	61·0	61·7	62·0	67·0	71·0	76·2	80·0	83·0	80·9	82·4
8.	67·0	66·0	65·0	64·0	64·1	63·5	65·8	66·4	67·0	69·9	71·9	71·5
9...	66·8	62·6	63·8	65·1	65·0	65·0	64·7	65·2	66·8	66·3	66·1	65·8
10. ..	59·0	58·2	58·0	58·0	57·8	57·0	58·4	61·4	62·0	63·0	64·9	65·0
11...	54·3	52·9	51·8	51·0	53·0	57·6	60·2	63·6	64·9	66·0	67·1	69·4
12....	58·0	54·9	55·2	55·9	55·9	60·3	64·0	67·9	67·9	68·9	69·7	70·3
13....	55·9	55·1	53·2	54·0	54·6	59·2	62·0	64·5	65·9	66·0	68·4	70·0
14.....	54·4	53·0	53·0	53·3	54·2	60·1	63·9	67·7	69·0	69·5	68·2	68·8
15.....	56·3	54·9	54·0	51·9	53·3	56·4	62·0	63·8	67·0	67·1	67·2	68·2
16.....	57·6	56·1	56·0	57·2	57·1	60·5	62·0	61·9	60·1	59·9	67·0	66·9
17.....	57·1	57·0	57·9	58·3	60·0	60·2	62·1	64·0	66·0	69·9	71·0	72·5
18. ..	61·4	62·0	58·9	57·0	58·8	61·0	66·7	75·0	77·3	77·8	77·3	78·5
19 ...	57·9	56·7	55·1	54·9	54·9	60·8	70·0	74·3	78·2	76·7	76·8	80·1
20. ..	71·2	70·0	67·0	67·0	67·3	70·6	75·9	77·0	77·5	79·6	79·4	80·0
21.	68·1	68·0	67·0	66·9	67·0	69·0	71·0	74·0	78·0	76·0	76·0	74·3
22.	66·0	65·0	64·8	64·1	62·1	62·8	66·0	67·0	69·4	72·2	74·7	76·7
23. ...	56·0	55·0	53·8	53·0	52·0	53·9	57·0	63·6	66·8	68·0	69·1	70·5
24.	56·0	55·9	55·0	55·7	56·0	59·0	62·8	65·2	67·2	68·9	68·0	68·1
25 ..	57·0	56·3	56·2	56·2	56·9	58·0	59·9	61·0	63·7	65·8	65·0	67·9
26. .	62·0	62·1	64·0	65·0	65·1	69·0	71·6	74·1	75·0	75·1	76·3	76·5
27.....	57·8	56·7	58·7	58·0	55·8	61·5	68·0	72·7	73·8	72·9	73·9	76·8
28.	64·7	63·7	63·9	63·2	62·9	65·1	67·9	69·2	72·0	70·1	66·0	67·4
29 .	55·0	54·6	56·1	58·0	58·1	62·0	63·5	63·9	65·2	65·6	65·9	67·5
30.. .	49·0	48·8	47·2	46·0	45·5	49·5	54·5	61·1	65·6	64·9	66·2	68·4
Means..	58·29	57·32	56·93	56·78	56·95	60·00	63·24	66·38	68·31	69·40	70·04	71·24

Photographic Instruments, during the Month of June, 1896.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
°	°	°	°	°	°	°	°	°	°	°	°	°
62·0	62·8	64·0	65·0	64·6	63·0	58·0	54·9	52·2	50·2	48·6	47·2	55·18
63·0	62·9	64·0	64·0	64·0	63·9	58·8	53·9	50·8	50·0	47·0	46·0	55·76
68·9	69·9	69·0	67·0	64·0	64·9	60·9	59·2	58·0	57·0	55·9	55·0	58·65
70·9	72·8	72·3	75·3	74·8	65·3	60·8	58·1	56·6	56·1	56·0	56·8	62·29
75·7	77·8	74·9	72·0	72·9	69·9	68·1	66·2	65·9	65·4	65·2	64·7	66·22
77·0	75·0	76·0	76·7	75·0	72·0	69·0	68·0	67·0	66·2	65·1	64·0	68·66
83·6	83·1	81·6	81·0	77·0	70·2	69·2	66·8	65·0	65·1	66·4	67·8	74·92
72·0	71·0	65·0	65·1	65·1	66·0	66·0	66·0	66·2	66·2	65·2	66·3	66·76
67·0	63·7	62·8	62·8	61·0	60·0	59·7	58·9	59·1	59·9	60·2	60·0	63·26
66·1	64·8	65·6	67·0	68·0	68·0	64·3	61·0	59·0	55·9	54·9	54·2	61·32
71·2	72·5	72·9	72·8	73·6	73·7	70·0	66·2	64·0	62·0	60·1	58·7	63·73
72·3	71·6	71·8	71·5	70·0	70·0	65·2	61·5	58·0	57·9	56·7	56·8	63·84
70·4	69·2	71·4	70·0	68·0	66·0	62·0	59·3	57·9	56·4	56·1	55·0	62·10
67·8	67·1	68·0	69·0	70·0	69·6	66·0	61·5	58·3	57·3	55·9	55·3	62·54
69·0	70·6	67·9	68·6	67·0	64·8	63·0	61·0	60·0	59·9	58·9	58·8	62·15
68·2	69·5	68·0	67·0	65·1	64·9	63·9	62·0	60·2	59·6	58·9	58·8	62·02
71·0	71·5	73·0	73·1	71·7	71·2	68·0	64·8	61·2	61·2	60·0	61·2	65·16
77·7	77·9	78·9	79·2	78·0	77·2	73·0	67·1	63·8	62·0	61·0	59·0	69·44
81·9	82·2	81·7	80·0	80·8	78·4	75·9	74·0	73·0	72·2	72·0	72·0	71·69
81·9	81·9	78·8	81·0	78·0	77·9	74·0	73·0	70·1	70·0	68·9	68·7	74·45
78·0	80·9	83·2	84·8	85·8	85·0	80·9	75·7	73·0	71·8	68·9	68·0	74·64
76·0	73·8	72·8	72·9	71·6	69·9	65·8	62·7	60·1	59·0	57·0	56·0	67·02
71·1	71·8	71·2	72·0	70·8	68·6	65·9	62·8	60·2	59·0	57·0	56·3	62·73
68·0	70·0	68·0	68·1	67·9	66·6	63·0	60·9	61·0	60·2	59·0	57·9	62·85
68·3	68·0	69·0	70·0	69·9	64·9	63·3	61·8	62·1	63·0	62·1	61·9	62·84
76·0	76·5	78·8	79·8	78·2	76·0	72·0	68·0	63·6	60·0	58·1	58·0	70·03
76·2	78·3	76·0	76·6	74·7	74·0	71·9	69·0	69·6	68·1	67·0	65·8	68·91
70·0	73·9	73·6	69·0	70·9	70·1	67·0	64·0	61·0	59·0	58·0	57·8	66·27
67·0	67·9	67·8	67·0	65·8	64·1	61·1	58·2	54·9	52·9	51·0	49·9	60·96
71·0	73·0	72·9	74·0	74·0	72·0	68·4	67·2	65·7	65·9	63·2	59·0	62·21
71·97	72·40	72·03	72·08	71·27	69·60	66·50	63·79	61·92	60·98	59·81	59·23	64·85

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	58·9	61·1	61·4	62·0	61·9	63·3	68·7	70·0	73·0	75·6	79·2	79·8
2.....	60·0	58·0	57·0	56·2	55·5	60·4	70·0	74·2	77·1	77·4	81·8	83·8
3.....	71·6	68·0	67·0	66·0	66·0	68·8	71·0	70·1	69·8	68·8	69·0	68·7
4.....	63·0	62·2	61·8	61·0	61·0	61·9	62·0	63·0	66·0	68·7	65·1	64·9
5.....	65·1	66·0	65·3	65·1	65·0	66·0	64·8	66·0	67·0	68·0	70·0	70·6
6.....	60·4	59·8	58·4	57·0	56·3	60·6	65·9	67·7	71·0	70·0	70·2	71·9
7.....	58·0	57·0	55·2	54·1	52·8	55·3	58·2	61·9	63·9	63·0	64·1	65·0
8.....	55·2	54·6	56·4	58·0	59·8	61·6	65·6	71·0	75·8	75·2	73·0	72·8
9.....	63·8	63·3	64·8	65·9	61·4	61·1	60·9	60·7	61·0	63·4	65·6	67·0
10.....	63·4	63·6	63·1	63·0	62·1	63·3	67·0	69·0	71·0	73·2	77·0	70·0
11.....	64·9	63·4	63·0	62·0	61·0	63·0	65·1	73·4	77·9	77·2	80·8	82·1
12.....	71·0	72·3	70·9	69·0	68·0	69·6	72·8	76·7	84·0	87·0	88·8	86·5
13.....	74·7	73·0	72·1	71·0	70·3	68·6	69·7	69·2	70·2	72·6	74·9	76·9
14.....	67·8	66·5	65·8	65·2	64·0	65·9	68·2	72·4	73·8	75·2	74·8	73·3
15.....	64·8	64·0	64·0	64·0	64·2	68·0	72·0	78·0	77·7	79·0	79·9	80·8
16.....	58·2	56·7	52·8	50·3	48·9	54·7	56·6	62·2	63·9	65·8	67·0	67·9
17.....	55·1	54·2	53·0	54·0	54·2	58·1	62·2	68·3	71·0	73·0	71·0	70·9
18.....	54·0	51·3	51·9	52·3	53·2	57·3	61·0	65·8	68·5	69·7	73·6	75·0
19.....	66·9	66·4	67·0	66·9	66·0	64·9	65·7	66·9	67·0	70·1	73·9	74·0
20.....	66·0	65·8	65·6	64·4	65·1	65·8	66·2	67·2	67·9	69·0	70·3	70·2
21.....	66·2	66·0	64·9	64·2	65·0	67·0	69·9	74·0	77·0	77·4	76·0	79·0
22.....	66·0	65·8	65·1	65·0	64·9	65·4	69·0	72·4	73·8	76·3	78·0	79·9
23.....	60·6	59·0	58·0	57·9	57·0	61·0	61·9	62·0	65·0	66·9	68·4	69·9
24.....	58·0	56·2	56·3	57·0	56·7	57·8	58·5	60·1	62·2	63·9	64·0	65·2
25.....	56·9	55·6	54·8	56·0	54·8	60·8	62·9	69·9	73·2	75·9	77·0	76·4
26.....	62·0	59·0	61·9	59·8	58·2	62·8	65·1	70·4	74·1	76·8	78·6	79·6
27.....	67·1	67·0	67·3	67·1	67·4	68·0	68·8	66·8	70·0	71·9	70·6	73·0
28.....	67·8	66·6	67·0	66·9	65·0	64·9	66·0	71·4	74·9	75·0	77·2	77·7
29.....	67·9	66·3	66·0	66·1	66·0	67·7	71·0	74·0	76·0	78·0	78·0	79·7
30.....	67·0	66·4	67·9	68·1	67·8	69·0	70·9	75·8	78·2	80·2	82·3	86·8
31.....	64·0	62·0	59·0	57·9	55·5	59·1	62·0	70·9	72·3	74·3	74·8	75·7
Means...	63·43	62·49	62·09	61·72	61·15	63·28	65·79	69·08	71·43	72·85	74·03	74·68

Photographic Instruments, during the month of July, 1896.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 a.m.	Mid.	
°		°	°	°	°	°	°	°	°	°		°
81·0	81·1	81·8	81·0	79·0	76·1	74·0	70·0	70·9	67·2	64·9	62·3	71·01
86·9	86·7	86·8	86·0	83·3	82·9	79·0	76·6	77·0	75·0	75·2	74·8	74·23
71·0	69·9	71·6	72·9	71·0	67·0	69·0	68·0	67·1	66·2	65·0	64·0	68·67
65·3	64·1	64·0	70·0	68·6	66·8	65·9	65·2	65·1	64·1	64·0	64·7	64·52
72·5	73·2	75·0	74·4	71·7	71·0	68·0	65·0	62·8	62·0	59·9	60·0	67·27
74·6	72·7	74·0	74·9	77·0	74·3	70·0	67·0	63·9	61·3	60·0	59·0	66·58
67·9	69·8	69·0	67·8	69·0	67·8	67·0	63·6	63·0	62·0	59·0	56·6	62·13
74·5	75·3	75·9	76·0	76·0	76·6	72·0	66·3	65·8	65·5	65·0	64·0	68·00
69·0	70·7	73·0	72·9	74·0	74·1	72·6	66·7	67·0	65·8	64·2	63·6	66·33
72·9	71·0	68·3	72·5	71·9	71·1	70·9	69·0	68·0	68·1	67·2	65·5	68·46
84·0	84·0	84·2	89·3	89·0	87·9	83·9	79·0	75·0	74·1	71·9	71·4	75·31
86·0	86·5	86·2	90·8	90·2	89·0	85·8	83·1	79·0	77·9	75·8	74·8	80·11
79·0	81·2	82·0	83·2	81·9	80·7	75·2	72·0	70·3	70·0	69·3	68·4	74·02
73·0	74·9	75·7	76·6	76·1	74·1	69·7	67·1	66·0	67·8	66·2	66·0	70·25
79·8	79·7	77·0	77·1	74·0	71·0	67·9	64·8	64·0	63·8	62·9	60·7	70·80
69·0	68·7	70·0	70·4	70·0	69·3	65·0	62·0	59·0	58·0	57·7	56·8	61·70
71·0	71·1	72·0	72·8	72·7	71·8	67·9	62·1	59·8	57·2	56·0	55·0	63·93
73·8	76·1	72·2	73·0	72·6	70·2	69·1	68·3	68·3	68·0	67·0	66·8	65·79
75·9	75·7	75·0	72·3	72·3	70·9	71·9	70·1	68·9	68·0	66·3	66·2	69·55
70·1	71·9	72·0	75·0	76·1	73·0	74·2	71·8	70·1	69·1	69·9	67·4	69·34
80·7	81·0	82·0	83·0	81·6	80·0	77·9	74·8	72·1	70·0	68·9	67·0	73·57
78·3	79·6	84·0	84·4	86·1	84·8	80·0	76·0	70·0	67·3	65·2	62·1	73·31
70·1	72·9	72·9	70·1	68·2	68·0	66·4	64·9	63·0	60·2	58·3	59·0	64·23
65·8	65·6	66·1	65·8	66·0	67·6	63·7	60·0	59·4	58·0	56·0	57·0	61·12
76·0	78·0	77·1	76·8	77·8	75·4	76·1	72·0	68·0	68·0	64·1	62·8	68·60
78·0	76·8	77·6	76·5	74·3	71·8	71·2	69·0	68·6	67·2	67·5	67·4	69·76
77·0	79·9	82·0	73·9	73·9	74·9	74·3	72·0	69·4	68·9	69·1	69·0	71·22
79·0	80·3	77·0	80·8	82·0	77·9	76·0	73·2	71·0	69·4	68·8	68·2	72·67
76·0	74·0	72·0	70·1	72·7	71·0	71·0	69·0	68·9	68·0	67·4	66·9	70·99
87·0	86·0	83·4	83·0	81·0	79·0	75·9	73·3	71·8	70·0	68·8	66·0	75·21
75·3	76·0	75·9	77·0	77·0	74·2	69·8	66·8	64·9	63·2	61·2	59·0	67·82
75·50	75·95	75·99	76·46	76·03	74·52	72·28	69·31	67·71	66·49	65·23	64·27	69·24

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	58·7	58·0	57·0	56·9	56·7	58·0	62·5	69·0	70·9	72·0	74·0	74·1
2.....	62·0	62·4	62·2	62·1	62·2	64·0	65·7	70·0	72·0	72·3	73·3	75·2
3.....	59·3	57·2	56·4	56·0	55·2	58·0	62·1	68·4	71·0	73·7	74·7	76·8
4	65·0	64·3	65·1	63·6	66·0	68·0	69·9	76·4	80·9	82·8	84·2	86·3
5.	72·7	72·0	71·0	73·8	71·0	69·7	71·0	76·1	78·0	80·8	83·0	83·7
6.....	72·9	72·2	72·7	73·2	71·0	71·8	71·9	73·0	78·0	80·4	79·8	79·2
7.....	71·8	70·8	70·0	71·0	70·2	71·0	75·8	79·0	82·8	84·7	82·0	83·3
8	63·6	62·0	63·2	62·7	62·2	63·8	66·7	74·6	76·8	77·2	79·2	81·4
9	73·5	73·6	74·0	74·8	72·0	73·6	77·1	81·1	81·5	83·9	85·2	85·9
10.....	72·4	72·0	72·9	73·1	73·0	73·1	72·3	74·8	77·4	82·0	83·0	83·7
11.....	70·3	68·7	67·1	68·2	68·4	67·8	70·9	76·1	77·6	79·2	81·1	83·2
12.....	75·2	72·7	70·1	66·0	67·2	69·1	71·0	74·5	77·0	80·3	80·0	80·9
13	66·3	66·6	65·1	64·7	63·2	63·6	66·3	69·1	72·2	74·0	73·6	73·0
14.	69·0	66·8	64·1	63·0	60·0	59·7	63·3	72·2	73·6	74·1	75·9	76·0
15.....	62·9	60·1	59·6	59·0	58·9	61·0	65·0	71·7	77·0	76·8	77·0	79·2
16.....	72·1	71·0	72·0	71·2	70·1	70·0	72·0	74·3	76·8	77·5	79·9	80·1
17.....	57·1	56·0	55·2	55·0	54·1	55·0	58·6	64·8	67·0	68·5	70·2	61·8
18.....	54·1	54·8	55·0	54·3	54·0	54·2	56·3	60·7	63·0	67·7	67·2	61·7
19.....	54·0	52·3	51·3	50·9	50·9	50·6	54·0	59·5	61·2	61·0	63·1	63·8
20.	46·4	46·0	46·2	43·9	43·7	45·2	51·2	60·8	64·2	65·6	66·0	67·1
21.	59·8	59·2	58·9	58·0	57·2	58·3	62·4	65·6	68·3	69·4	67·3	66·6
22.....	56·8	56·1	55·4	55·9	54·9	55·2	58·6	65·1	68·4	70·0	71·7	73·2
23.....	68·8	68·9	67·4	67·1	66·9	67·3	68·1	75·3	77·9	78·0	79·2	79·0
24. .	61·9	59·2	59·2	57·2	56·0	57·0	62·0	67·7	70·5	72·2	73·3	74·2
25.	51·0	49·0	48·1	47·8	48·3	49·2	54·0	62·9	66·0	67·9	68·0	68·9
26	57·9	56·9	56·1	57·0	56·7	57·1	60·5	68·3	70·0	73·0	75·0	77·2
27	48·0	47·9	47·0	46·2	46·0	47·9	51·9	59·4	63·9	63·4	60·0	62·0
28.....	50·2	50·2	48·8	49·0	50·7	50·8	55·4	60·9	64·1	64·4	65·3	65·1
29.....	51·0	49·7	47·9	46·0	45·2	48·0	52·1	60·6	63·1	65·1	65·6	68·6
30.	60·3	60·1	59·0	56·0	59·0	57·1	62·2	64·9	66·0	69·9	70·6	72·9
31.....	56·1	54·8	53·7	53·6	52·2	50·3	53·0	56·9	58·9	60·6	63·0	61·7
Means...	61·97	61·02	60·38	50·91	59·45	60·17	63·35	68·83	71·48	73·17	73·92	74·38

Photographic Instruments, during the Month of August, 1896.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
72·6	71·8	70·9	68·9	66·3	65·0	64·0	63·9	63·6	63·0	62·8	62·3	65·12
75·0	74·3	73·1	74·1	71·8	74·2	72·6	69·2	67·2	65·8	63·3	60·6	68·65
78·6	80·8	80·2	80·0	78·4	75·0	73·9	71·0	70·0	68·3	68·0	67·4	69·18
87·1	88·2	84·9	85·0	83·3	80·8	77·8	74·7	75·3	76·0	74·5	74·0	76·42
87·1	87·0	87·2	87·0	85·0	84·6	81·0	78·0	80·0	74·5	73·3	73·2	78·36
85·0	83·8	86·2	86·8	83·3	83·0	80·7	78·5	77·0	75·9	74·0	72·0	77·60
84·1	85·1	84·8	84·5	84·0	85·0	82·0	78·2	74·0	70·6	67·0	65·2	77·37
81·0	82·1	82·9	85·0	81·7	81·0	80·2	78·2	75·8	76·0	74·9	75·2	74·48
85·7	86·0	84·1	83·7	83·0	80·0	79·0	76·9	74·4	73·7	74·0	73·2	78·75
82·0	82·2	84·1	85·7	85·0	81·6	80·2	78·0	77·9	78·0	74·5	73·8	78·63
84·0	86·1	86·0	85·1	84·7	81·0	77·7	75·9	75·0	73·6	72·0	78·2	76·58
82·2	82·2	82·9	82·0	82·8	80·1	75·2	71·0	70·0	67·9	66·9	66·8	74·75
74·0	74·5	74·8	74·1	73·6	75·1	70·9	67·0	68·0	70·0	70·2	69·8	69·99
76·8	76·6	76·9	76·7	76·2	75·0	72·0	67·0	65·0	63·9	64·0	64·2	69·67
81·0	83·0	83·8	83·6	79·8	78·4	78·0	78·0	74·8	74·4	74·0	73·2	72·93
81·0	81·1	80·8	80·0	77·2	73·6	68·6	66·0	64·2	62·0	60·0	58·8	72·51
68·8	69·0	70·1	70·8	72·2	70·2	66·0	63·0	60·0	57·6	55·0	52·7	62·45
67·0	67·6	69·0	66·0	65·0	63·0	61·0	59·0	56·8	55·9	54·1	54·9	60·10
64·0	63·8	64·0	64·9	64·7	64·8	61·2	58·0	53·2	51·3	51·8	48·0	57·60
67·9	68·9	68·0	67·0	66·0	64·8	63·5	63·0	62·1	61·9	60·9	60·0	59·18
67·8	66·9	69·0	67·9	66·6	66·9	66·1	65·0	63·0	61·3	58·2	57·0	63·61
73·0	75·3	72·9	72·8	71·0	69·7	69·1	67·5	67·3	69·0	68·9	69·0	66·12
78·8	78·6	78·2	79·1	76·6	75·2	73·3	70·9	67·2	64·9	63·1	62·3	72·17
72·2	74·3	75·3	74·4	74·0	72·0	66·0	63·1	58·0	55·0	52·8	51·5	64·96
70·8	71·3	71·0	69·1	69·0	67·4	64·1	64·3	63·9	64·2	63·0	59·3	61·60
78·0	73·9	72·0	67·1	62·2	61·1	59·0	57·1	55·0	52·8	50·6	49·0	62·65
60·8	60·9	62·0	62·8	63·0	63·1	61·0	57·8	55·9	54·3	52·8	51·2	56·22
66·0	65·4	65·0	64·0	63·9	62·7	57·9	55·9	57·2	57·0	55·9	55·0	58·37
68·0	68·7	69·6	69·9	67·9	65·9	63·7	63·8	62·8	61·9	61·1	60·2	60·27
72·9	73·0	71·2	72·7	70·2	69·3	66·2	65·8	64·1	63·0	62·0	59·0	65·31
64·0	66·0	65·0	63·2	62·4	58·0	55·0	52·7	47·8	47·3	45·9	45·0	56·13
75·39	75·75	75·67	75·29	74·03	72·50	69·90	67·69	66·02	64·87	63·53	62·65	67·97

TEMPERATURE at Toronto Observatory for each Hour, from Self-Registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	44·9	45·0	46·0	47·4	45·2	46·1	48·9	54·6	58·7	60·0	62·0	62·0
2	50·1	49·3	48·7	48·0	46·0	46·3	50·0	57·2	59·2	60·3	61·7	61·3
3	58·0	58·9	61·9	64·9	63·2	61·9	62·0	64·0	62·0	62·4	64·8	62·9
4	51·0	50·0	49·0	50·0	50·1	49·2	49·3	55·0	57·9	58·2	58·2	58·2
5	53·0	53·7	53·8	54·0	54·2	55·0	55·2	56·9	57·2	57·2	57·0	58·1
6	58·2	57·8	55·9	55·1	55·1	54·4	55·1	57·9	59·1	62·6	61·0	62·9
7	54·9	55·0	54·2	53·0	52·0	52·1	53·1	58·9	61·9	63·3	65·0	66·2
8	50·0	49·5	49·0	49·2	48·6	49·9	53·0	57·2	61·9	65·4	66·7	67·0
9	56·0	56·0	54·9	54·8	52·9	53·0	55·4	62·0	65·0	65·3	66·9	67·8
10	59·9	58·0	58·0	58·0	57·3	58·0	60·0	65·0	68·0	70·0	71·3	73·9
11	62·1	62·0	61·0	60·7	60·0	59·0	61·2	68·5	73·0	76·8	79·9	82·6
12	65·8	64·8	64·1	64·1	64·1	64·1	65·1	67·7	70·9	73·7	74·0	71·2
13	63·8	63·0	62·3	62·0	61·9	61·9	62·2	63·0	64·0	65·0	65·7	66·4
14	59·3	61·0	60·8	61·5	61·7	62·2	63·3	65·0	67·0	69·7	71·0	71·3
15	64·8	64·0	63·2	62·2	62·1	60·4	61·6	64·9	65·0	65·8	67·9	66·4
16	52·4	51·8	51·0	50·7	49·3	49·6	51·0	54·3	56·2	59·0	62·2	61·9
17	57·9	56·2	56·3	56·2	57·0	57·8	58·2	59·0	60·0	60·9	63·5	64·0
18	53·1	54·0	52·0	50·2	48·6	47·7	51·1	57·6	61·0	63·0	64·0	65·3
19	56·3	56·8	56·1	56·3	56·3	56·1	56·1	56·1	56·2	55·6	54·8	54·9
20	42·2	40·1	40·1	38·1	39·2	37·9	39·5	45·0	47·9	51·7	52·9	55·8
21	46·0	47·9	46·9	47·0	46·9	46·9	48·9	51·0	53·9	59·1	61·6	62·7
22	53·1	52·6	52·9	52·0	51·0	50·2	48·8	45·0	43·4	43·6	44·9	47·1
23	34·2	33·7	33·1	31·0	29·9	28·9	32·5	39·1	42·5	45·4	47·2	48·9
24	44·0	42·0	45·0	46·9	46·1	45·9	46·1	48·9	53·3	60·0	62·7	61·4
25	44·3	44·1	43·1	44·0	43·0	41·9	48·0	54·0	58·0	61·0	63·1	64·3
26	54·2	54·0	53·0	53·2	52·7	52·8	55·0	58·2	61·3	64·1	64·0	62·0
27	56·0	55·8	55·0	53·8	51·3	51·0	51·6	52·2	53·3	53·9	56·0	56·0
28	48·9	49·1	48·4	47·3	47·0	46·8	47·3	50·0	53·5	54·3	55·1	56·0
29	51·1	52·9	52·8	52·2	52·0	52·0	53·0	54·7	55·9	56·6	57·1	57·9
30	56·9	56·1	56·9	56·4	56·0	57·0	55·6	53·2	54·0	56·3	56·2	55·9
Means	53·10	53·17	52·85	52·67	52·02	51·97	53·27	56·54	58·71	60·67	61·95	62·41

Photographic Instruments, during the Month of September, 1896.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
61·8	61·1	63·0	62·9	61·7	60·0	54·2	53·9	54·0	53·1	52·1	50·9	54·56
59·7	58·6	58·3	59·7	61·7	61·0	61·7	62·0	60·0	57·0	55·8	56·3	56·25
62·2	65·1	64·0	64·0	62·3	60·0	57·8	56·3	55·4	51·8	49·0	50·3	60·21
58·6	59·0	60·0	59·3	59·1	57·8	54·0	52·0	51·7	50·0	50·8	50·8	54·13
57·4	57·0	57·1	57·9	57·9	57·8	57·1	56·9	57·0	57·1	57·3	58·0	56·41
62·0	62·8	62·2	62·0	60·9	60·4	59·1	57·9	56·0	55·0	55·8	55·0	58·51
65·0	66·0	65·9	65·5	64·1	61·8	57·6	57·1	57·4	56·0	53·0	51·9	58·79
68·0	68·0	68·2	66·8	65·0	63·0	60·8	58·9	58·0	57·4	57·0	56·6	58·96
68·0	67·0	68·0	69·4	68·0	64·0	62·9	62·6	61·0	61·0	61·1	60·7	61·82
78·0	78·8	77·1	75·4	75·9	73·6	70·0	67·0	65·9	65·1	64·0	63·3	67·15
84·3	82·9	84·0	84·0	80·7	79·0	80·0	74·0	71·0	69·0	67·2	66·5	71·98
71·8	72·1	72·3	74·9	73·0	70·9	68·9	68·0	67·9	65·9	65·0	64·3	68·53
66·9	67·5	68·0	67·3	67·0	65·0	63·4	61·2	60·3	61·0	61·0	59·4	63·72
72·0	73·0	72·0	73·7	73·1	72·3	71·9	70·0	69·9	69·0	68·0	66·0	67·70
66·0	67·0	66·0	64·3	62·9	60·0	57·9	55·6	54·2	54·0	53·5	53·3	61·79
62·1	62·9	61·8	61·7	61·0	59·1	59·1	59·7	59·0	58·0	57·8	57·1	57·03
70·1	69·3	67·8	67·1	65·8	62·3	59·2	57·3	54·3	54·2	54·8	54·7	60·16
65·2	65·9	66·1	66·0	64·8	63·0	61·2	62·0	60·4	58·8	57·9	56·9	58·99
58·2	58·0	59·5	55·0	50·8	49·4	47·2	46·6	44·9	44·3	43·2	43·1	52·99
57·9	59·8	59·9	59·3	59·0	55·9	52·8	52·9	51·0	49·7	48·2	46·2	49·29
62·9	62·9	63·1	62·0	63·0	60·6	57·0	55·0	55·1	53·0	51·6	53·8	54·95
48·6	48·0	48·0	48·3	46·9	45·0	42·2	40·9	39·8	38·7	37·0	34·9	45·95
50·0	52·0	53·1	54·0	53·2	51·7	50·0	48·0	47·3	46·3	44·9	44·8	43·40
63·8	67·7	68·3	68·0	65·9	59·6	57·2	55·0	53·7	49·3	46·0	45·0	54·24
64·2	62·9	63·3	64·8	64·2	60·8	59·3	59·0	57·6	56·8	53·8	54·0	55·52
62·1	62·8	63·3	64·1	63·0	60·0	60·0	60·0	59·8	57·9	56·9	55·3	58·74
58·1	59·0	58·3	57·9	56·9	53·0	51·7	51·1	50·0	49·2	48·9	48·8	53·70
55·9	56·0	56·0	55·1	53·2	50·8	49·0	48·3	48·2	48·1	48·4	51·0	50·99
58·9	59·0	59·0	59·0	58·8	59·2	59·0	60·0	58·1	57·3	57·0	57·0	56·27
56·0	55·0	53·0	52·0	51·9	51·3	51·2	51·0	51·0	51·0	51·1	51·9	54·00
63·19	63·57	63·55	63·38	62·39	60·28	58·38	57·34	56·33	55·17	54·27	53·89	57·56

TEMPERATURE at Toronto Observatory for each Hour, from Self-Registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	NOON.
	°		°									
1	49·0	50·4	51·0	50·8	51·1	52·0	51·0	51·0	51·0	52·2	53·8	54·2
2	44·8	43·9	43·2	42·0	41·2	40·7	41·2	44·9	48·0	50·3	52·1	54·3
3	40·5	40·1	40·8	40·9	42·9	43·9	45·1	47·8	50·2	51·9	52·0	52·1
4	42·7	42·3	41·7	43·0	44·1	44·2	45·1	47·2	50·3	51·8	52·0	52·0
5	43·0	42·9	41·4	40·9	40·0	42·0	43·7	47·1	50·0	52·3	53·3	52·9
6	42·8	41·7	39·9	40·0	41·7	42·8	44·0	46·9	50·0	51·6	52·3	53·0
7	45·7	45·0	44·8	44·4	44·1	44·7	45·1	44·9	45·0	44·8	44·9	45·9
8	38·8	38·3	37·6	37·2	36·8	36·4	36·7	38·0	39·1	41·2	42·9	41·3
9	36·0	35·0	32·2	31·1	30·3	29·8	31·0	35·2	38·0	40·0	41·0	41·9
10	42·2	41·9	41·6	41·9	43·1	43·0	43·0	44·8	45·2	46·9	47·7	48·9
11	45·7	45·7	42·3	41·0	40·0	39·9	41·5	46·0	47·5	50·1	51·0	51·9
12	44·9	44·2	43·9	43·1	43·0	43·0	43·7	44·8	46·1	47·9	48·3	48·0
13	47·0	46·8	44·9	44·9	44·1	44·2	44·6	46·0	47·1	48·8	51·0	53·0
14	47·1	46·9	46·7	45·9	45·1	45·3	45·1	48·0	51·9	55·0	57·3	59·0
15	48·9	48·8	47·3	47·1	42·0	39·0	38·0	42·9	49·9	55·0	57·0	58·3
16	50·0	48·0	47·1	45·8	44·9	44·1	43·8	43·8	44·5	46·2	43·0	44·1
17	35·9	35·9	35·1	34·9	35·1	35·1	35·1	35·1	36·6	38·1	38·9	39·1
18	34·0	33·9	33·3	33·4	33·4	33·3	33·6	34·3	36·0	37·2	38·6	40·0
19	33·0	33·2	32·9	31·9	30·9	29·9	30·0	33·2	36·9	38·7	42·0	42·0
20	40·8	41·0	43·0	44·9	47·1	46·1	45·0	43·9	45·0	45·9	46·0	45·2
21	38·9	38·0	38·0	38·6	38·8	39·0	40·0	40·6	40·9	42·0	42·9	41·1
22	37·0	36·1	34·6	33·9	34·2	33·8	33·0	36·0	37·9	42·0	43·9	44·0
23	33·8	35·2	34·4	33·0	32·1	32·1	33·0	36·0	39·0	43·1	45·9	45·0
24	38·5	37·9	36·0	35·0	36·2	37·0	37·7	38·1	40·0	41·8	41·9	42·4
25	35·0	35·1	35·1	35·2	35·7	34·9	34·8	36·0	37·9	40·2	41·0	42·2
26	35·0	32·7	31·8	32·8	32·2	32·9	34·0	38·9	44·2	49·3	52·0	55·0
27	39·0	37·0	36·0	36·8	35·0	34·9	35·0	38·9	44·0	48·3	50·0	52·0
28	44·0	43·0	42·9	43·0	43·0	43·0	44·0	44·9	47·3	48·8	49·9	49·1
29	49·1	48·6	48·6	49·0	52·9	53·3	53·0	54·6	55·7	57·9	60·0	61·4
30	53·4	52·9	53·0	52·8	52·2	52·3	53·0	53·6	54·3	55·0	56·9	59·9
31	52·7	50·0	49·9	48·8	48·5	48·7	49·0	50·4	52·0	53·0	53·6	54·4
Means	42·23	41·75	41·00	40·77	40·71	40·69	41·06	43·03	45·21	47·33	48·49	49·12

Photographic Instruments, during the Month of October, 1896.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	
54·2	52·9	52·0	54·0	54·1	51·8	50·0	48·3	48·0	47·0	46·1	45·2	50·88
52·2	52·0	51·9	51·0	49·9	47·2	44·2	42·1	41·0	40·9	40·0	40·8	45·83
52·8	52·0	51·9	51·6	51·0	50·2	50·0	46·8	44·9	43·0	42·4	42·7	46·98
53·0	53·3	53·7	52·9	51·9	47·2	45·0	43·9	42·6	42·0	42·0	42·7	46·94
52·4	53·0	52·3	52·2	51·0	49·0	47·3	45·0	44·0	43·7	43·6	42·5	46·90
52·1	50·9	49·9	49·1	48·3	48·4	48·3	48·0	47·9	47·7	47·0	45·8	47·09
45·4	45·0	45·1	43·8	43·0	42·0	41·1	41·0	39·4	39·1	39·1	38·9	43·43
42·0	41·2	41·1	40·6	39·2	38·8	38·8	38·5	38·2	38·0	36·9	36·9	38·94
42·0	43·0	43·0	42·0	41·0	39·0	38·0	39·0	40·0	36·1	41·1	42·2	37·83
49·0	50·0	49·8	49·0	47·9	47·1	47·6	48·0	48·7	45·9	45·9	46·1	46·05
52·1	51·2	51·9	51·9	50·7	49·7	48·0	45·9	47·4	48·9	46·2	45·0	47·15
48·3	49·1	49·9	49·3	48·2	48·0	48·0	47·2	47·1	47·0	47·0	46·9	46·54
53·6	55·3	56·6	56·9	54·4	51·9	48·8	47·0	47·1	47·9	47·2	47·0	49·00
58·0	58·8	59·0	57·2	56·1	53·8	52·0	49·9	48·3	47·0	46·6	48·1	51·17
59·2	61·0	62·0	60·9	58·0	57·7	58·0	56·0	54·1	53·1	52·0	50·7	52·37
44·0	44·1	44·0	42·3	42·0	41·0	40·0	39·3	39·2	39·0	38·3	36·4	43·12
39·0	39·1	38·2	37·9	37·0	35·8	33·6	33·1	33·0	33·2	33·8	34·0	35·94
40·8	40·5	39·0	38·0	37·3	33·6	32·9	32·9	30·7	32·0	32·1	32·9	35·15
42·9	43·7	44·2	44·0	41·9	40·0	41·9	43·0	43·4	44·2	41·9	41·0	38·61
45·9	46·0	45·9	46·0	44·9	39·0	35·9	37·1	39·1	41·0	39·4	39·1	43·06
41·0	41·1	40·3	39·0	37·3	36·5	37·0	36·2	36·0	36·0	36·0	36·7	38·83
45·7	44·1	44·1	44·0	42·2	39·7	35·7	35·0	35·7	34·0	32·4	31·9	37·95
47·0	47·7	47·9	46·0	45·1	44·0	42·1	42·8	41·0	42·0	42·2	39·9	40·43
41·2	40·2	39·0	38·8	37·3	35·9	33·9	33·0	32·6	34·7	35·1	35·8	37·50
44·0	44·1	44·1	43·9	43·0	41·0	41·0	40·8	40·0	38·9	37·4	37·0	39·10
55·1	56·9	56·9	56·9	51·7	48·2	48·8	48·2	44·1	42·0	40·6	38·9	44·13
52·3	53·4	54·6	53·0	50·5	48·6	46·9	45·3	45·9	45·3	45·2	44·2	44·67
49·6	49·9	49·9	49·6	49·0	48·9	49·0	48·3	48·0	47·4	48·0	48·0	47·02
63·9	63·4	64·0	62·9	60·9	57·1	56·5	56·2	55·0	54·9	54·0	54·0	56·12
62·0	62·2	63·0	62·9	61·0	58·2	56·3	56·4	25·0	53·7	55·4	54·1	56·23
54·1	53·1	53·2	52·0	51·2	50·6	49·0	48·2	47·0	45·8	43·6	41·0	49·99
49·51	49·62	49·63	49·02	47·65	45·80	44·70	43·95	43·36	42·95	42·53	42·14	44·68

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

Day.	Hour Ending											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	39·3	37·4	36·0	35·2	34·2	33·8	35·1	41·5	47·2	51·8	54·9	56·2
2	37·6	36·8	36·0	35·2	35·0	34·6	35·3	37·8	41·0	44·2	46·1	47·2
3	44·5	44·0	44·0	43·0	43·9	43·9	44·0	45·2	47·0	47·9	48·5	49·0
4	46·1	45·9	45·1	45·8	45·7	46·0	46·3	48·5	50·1	51·0	51·9	52·8
5	54·3	53·5	53·0	52·2	52·1	52·8	52·9	53·3	54·8	56·0	57·0	57·4
6	42·0	41·0	40·2	40·0	40·0	39·1	39·1	39·9	40·0	41·9	43·6	44·9
7	36·8	35·9	34·7	34·0	33·2	33·1	33·5	37·0	42·0	43·9	44·9	44·7
8	37·1	36·8	36·1	35·3	34·8	32·9	33·0	34·6	35·2	37·0	40·3	42·2
9	30·2	31·0	31·1	31·2	31·4	30·7	30·7	31·0	32·3	35·7	36·0	37·0
10	33·0	33·1	32·9	32·8	32·2	32·2	32·7	34·2	36·1	37·7	38·8	39·9
11	40·0	41·0	41·8	43·9	44·3	44·9	45·6	46·1	47·2	47·9	48·0	48·2
12	40·1	40·0	40·0	39·2	38·8	38·0	38·2	38·4	39·3	40·3	40·0	41·1
13	33·2	33·8	34·1	33·1	33·1	32·8	32·2	32·9	33·8	34·8	35·3	36·8
14	30·0	29·2	28·8	28·1	27·9	27·0	25·8	26·7	28·0	29·6	32·0	33·0
15	41·9	42·2	42·9	43·0	43·5	43·9	44·0	44·0	44·0	44·6	47·9	51·0
16	41·0	40·9	40·6	41·0	42·7	46·7	47·2	48·9	50·0	53·4	56·0	59·0
17	57·1	56·9	57·2	56·3	54·4	54·8	55·8	56·4	55·1	57·0	55·0	52·7
18	39·0	38·9	39·0	38·9	39·0	38·8	39·4	41·0	43·0	44·3	47·1	49·9
19	41·0	39·0	37·9	36·0	35·0	34·7	31·7	30·9	30·9	30·7	28·8	28·0
20	23·3	23·9	23·8	24·3	24·2	24·0	24·0	25·0	28·2	30·2	31·3	32·0
21	32·7	33·1	33·7	34·0	34·3	35·1	35·9	36·3	33·3	33·3	33·0	33·8
22	28·1	29·3	29·0	29·6	28·3	26·9	27·4	27·3	28·8	30·2	30·0	30·7
23	22·0	20·9	21·6	21·8	33·0	33·6	34·0	34·6	35·1	35·8	39·0	40·0
24	47·2	48·0	49·0	50·8	51·0	48·0	46·0	45·1	45·0	45·0	44·2	44·4
25	34·2	34·1	34·5	34·9	35·5	36·9	36·1	36·0	34·9	32·7	32·7	33·0
26	38·3	39·1	39·8	40·6	40·7	40·3	40·2	40·0	41·2	45·0	48·9	51·2
27	55·1	54·4	54·6	56·0	59·1	58·9	58·0	56·8	53·6	53·1	54·1	56·0
28	40·6	37·7	36·0	35·5	34·3	33·8	32·8	32·1	32·0	31·8	31·0	31·0
29	24·9	24·1	24·3	24·0	23·9	23·0	21·9	23·0	23·4	24·6	26·0	27·7
30	21·3	21·9	21·9	21·8	21·9	21·9	21·4	21·6	22·0	23·0	23·0	25·0
Means	37·73	37·46	37·32	37·25	37·58	37·14	37·34	38·20	39·15	40·46	41·68	42·53

Photographic Instruments, during the Month of November, 1896.

Hour Ending.											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
"	"	"	"									
56·0	56·1	55·2	54·0	54·1	54·2	50·0	46·9	44·4	42·0	40·2	39·0	45·61
47·8	47·0	47·0	46·8	44·9	42·2	42·2	42·3	42·9	43·4	43·2	43·9	41·68
49·1	49·3	48·7	48·0	47·0	46·0	47·2	47·8	47·9	47·1	46·8	46·7	46·52
53·7	53·3	52·9	52·4	53·1	53·8	53·9	54·0	54·2	54·1	54·4	54·2	50·80
57·0	56·5	54·8	53·1	48·9	47·8	46·2	44·6	43·4	42·9	42·3	42·8	51·23
46·0	45·9	45·7	44·0	43·0	42·0	41·8	42·0	40·6	39·0	40·1	39·0	41·70
43·8	44·2	45·2	46·0	43·7	42·2	42·0	41·7	40·0	39·4	38·1	37·6	39·90
42·9	41·6	40·3	39·1	37·4	35·9	35·1	34·9	34·8	33·8	33·0	30·9	36·46
38·8	38·9	39·6	37·8	35·9	33·6	32·8	33·0	33·2	33·9	33·2	33·8	33·84
39·8	39·3	39·8	39·7	39·6	40·0	41·1	42·5	43·2	42·8	40·2	39·7	37·63
45·8	45·0	45·0	44·9	43·6	42·7	43·1	42·0	41·9	41·1	40·8	40·7	44·19
41·0	41·9	40·1	39·9	37·9	37·2	37·3	36·9	36·0	34·8	33·9	33·0	38·47
36·0	37·2	36·4	35·1	34·2	33·8	32·0	30·9	30·1	30·0	30·2	30·8	33·44
34·0	34·7	35·1	35·8	36·0	36·2	36·9	37·1	38·9	39·6	39·9	39·9	32·93
51·0	52·2	52·7	48·9	46·0	45·9	45·9	44·0	44·1	42·5	40·9	41·0	45·33
55·8	56·0	56·0	58·1	58·0	58·0	58·0	55·0	53·0	52·0	55·0	56·7	51·63
51·6	51·2	50·6	50·9	50·2	50·0	47·9	47·0	44·2	41·9	40·0	39·2	51·39
52·3	54·9	56·7	56·0	62·9	62·4	62·6	61·6	53·9	48·3	45·0	43·8	48·24
28·1	27·6	27·2	26·8	24·4	24·0	24·8	24·9	24·8	24·9	23·3	23·0	29·52
32·7	32·9	32·7	31·6	30·0	29·1	29·0	30·2	29·2	29·6	30·0	31·8	28·46
34·0	34·0	33·8	33·4	33·0	33·0	33·2	32·9	32·6	32·2	31·9	30·0	33·44
30·0	29·9	29·0	28·6	25·7	23·0	22·0	21·9	21·8	20·9	20·5	21·2	26·71
41·2	42·2	42·2	42·9	43·0	43·8	44·0	44·0	45·3	46·6	47·3	47·0	37·54
43·9	43·0	41·9	39·9	38·0	36·9	35·7	34·6	34·1	34·0	34·0	34·5	42·26
34·1	34·0	34·6	35·1	36·1	37·0	37·1	37·3	37·4	37·7	37·2	37·3	35·43
53·6	54·0	54·8	52·5	51·7	50·1	49·0	48·1	48·9	53·0	54·1	55·0	47·09
56·0	55·0	55·1	57·2	55·0	52·6	52·0	53·8	50·8	48·8	46·0	42·8	53·95
30·0	30·0	30·1	29·1	28·0	26·9	26·8	26·2	26·0	25·8	25·3	25·0	30·74
28·5	28·0	27·0	26·0	25·2	25·0	24·9	24·1	23·7	23·0	21·7	21·4	24·55
25·1	24·3	23·9	21·8	20·3	19·2	18·8	18·0	19·0	18·0	17·0	16·5	21·19
42·65	42·67	42·50	41·85	40·86	40·15	39·78	39·34	38·68	38·10	37·52	37·27	39·40

TEMPERATURE at Toronto Observatory for each Hour, from Self-registering

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	15·8	15·7	16·0	16·0	15·3	15·6	16·7	16·9	17·7	19·7	20·0	20·7
2	15·6	14·9	14·1	14·6	14·9	15·0	15·0	15·3	18·0	20·2	22·0	23·0
3	16·0	18·3	19·0	19·7	20·0	21·6	20·3	18·9	20·9	24·0	26·0	27·6
4	21·0	22·0	23·6	24·7	28·8	30·0	30·1	30·0	30·2	31·1	32·7	34·0
5	33·2	34·0	33·9	33·7	32·9	32·6	32·2	32·2	32·7	33·0	32·8	32·7
6	41·0	41·4	41·9	42·0	41·4	41·0	42·0	41·9	42·2	41·9	42·4	42·2
7	33·8	33·1	32·9	32·7	32·4	32·0	32·1	32·3	33·8	34·6	35·0	35·1
8	33·9	34·7	35·0	35·6	35·9	35·7	36·1	36·9	38·0	38·7	39·0	39·0
9	34·2	34·2	34·2	34·0	34·0	34·0	34·2	35·2	36·0	37·9	37·0	36·0
10	37·3	36·9	37·2	36·8	36·9	36·6	35·0	35·2	36·9	38·0	38·2	40·0
11	36·0	35·0	34·4	35·1	36·1	35·4	34·7	34·9	34·9	37·0	39·0	40·8
12	38·0	37·8	37·0	36·4	36·8	36·8	36·2	36·1	38·5	41·8	44·1	45·3
13	37·9	35·9	38·0	38·9	37·7	39·0	39·0	38·0	39·0	41·0	42·1	41·8
14	31·4	30·8	29·6	28·9	28·0	27·4	26·8	25·1	25·6	26·8	27·3	28·7
15	21·0	20·9	21·9	21·9	18·9	18·2	17·2	17·3	20·2	20·7	22·0	22·9
16	21·4	21·6	21·1	21·1	21·0	21·0	20·9	20·8	22·0	23·7	25·2	27·2
17	22·8	21·8	19·0	17·9	17·7	17·8	18·3	19·1	23·0	28·5	31·5	32·8
18	35·9	36·0	35·8	36·0	37·0	37·4	37·5	38·0	38·9	37·3	36·9	36·3
19	21·9	21·0	20·0	19·6	20·0	19·1	19·1	19·0	20·1	22·0	24·0	25·1
20	25·1	25·2	25·3	25·7	25·1	24·0	23·3	23·0	25·5	27·8	29·2	30·7
21	22·9	20·0	19·0	19·1	19·0	19·1	19·2	18·6	19·1	20·0	20·0	20·3
22	11·9	10·1	10·0	11·9	13·3	14·9	15·0	16·2	18·6	20·0	23·1	24·0
23	11·0	10·0	10·1	8·9	6·9	5·8	5·3	5·0	5·6	6·8	8·0	8·7
24	4·2	4·8	4·3	4·2	4·1	3·2	3·0	3·7	4·0	5·8	8·1	9·2
25	15·0	18·9	18·7	19·0	19·1	20·0	20·0	19·9	20·8	21·0	22·2	23·1
26	28·9	28·8	28·3	28·2	28·1	28·2	28·8	29·0	30·1	31·1	32·9	33·0
27	10·1	9·8	8·0	7·0	6·1	5·8	5·9	6·6	8·8	11·8	14·6	18·0
28	12·6	11·9	10·8	10·1	10·3	11·0	11·2	12·2	17·0	22·0	23·0	25·0
29	35·0	35·0	35·2	36·0	36·0	35·9	36·2	36·6	36·9	36·9	36·7	37·2
30	35·3	35·1	35·0	35·3	35·3	35·2	35·4	36·9	36·7	37·0	37·9	38·0
31	34·3	34·0	34·0	32·9	33·0	31·6	30·2	32·0	31·2	31·9	32·9	32·8
Means	25·63	25·47	25·27	25·29	25·23	25·19	25·06	25·22	26·55	28·06	29·22	30·04

Photographic Instruments, during the Month of December, 1896.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
21·1	21·1	21·0	17·9	16·3	15·7	14·9	13·5	14·0	15·3	15·4	16·0	17·01
22·8	22·7	22·2	21·9	20·4	19·2	18·3	17·1	16·5	14·3	13·6	13·3	17·70
28·0	28·0	27·6	26·9	25·2	23·9	23·0	22·6	22·0	21·2	21·3	21·2	22·67
33·9	32·4	32·3	33·8	34·1	35·0	34·9	34·8	34·3	34·0	34·0	32·9	31·03
34·0	35·3	36·5	37·2	38·9	38·5	39·0	39·1	40·0	41·4	40·9	40·1	35·67
41·7	41·0	40·1	39·0	38·0	37·6	37·0	36·4	36·1	35·6	34·2	35·0	39·71
36·2	36·0	35·9	35·6	35·1	34·9	35·0	35·1	35·0	34·9	33·9	33·9	34·22
39·6	39·2	38·7	38·0	37·9	37·0	35·2	35·0	35·7	35·0	34·9	34·8	36·65
36·4	36·8	36·0	36·6	37·0	37·7	38·3	39·6	39·0	39·2	39·0	38·9	36·48
40·6	40·9	40·9	41·1	40·8	39·0	37·9	37·0	36·0	36·0	35·7	36·0	37·79
40·0	40·4	46·6	40·1	39·9	38·6	37·9	37·5	37·0	36·9	37·1	37·3	37·36
45·2	46·0	46·6	45·1	43·7	42·0	40·8	37·6	36·9	34·8	35·0	34·9	39·73
40·1	40·0	39·8	39·3	39·0	38·4	38·9	37·9	35·6	35·0	34·0	32·9	38·30
29·0	29·2	29·0	28·5	27·4	27·0	26·6	25·7	24·9	24·0	23·0	22·0	27·20
22·3	24·1	25·1	25·7	25·0	25·0	25·5	25·4	24·8	23·8	22·2	21·7	22·24
28·9	30·1	30·0	29·9	28·0	26·2	25·0	25·1	24·9	24·8	23·3	22·9	24·42
34·0	33·8	32·9	32·7	32·0	32·9	33·6	33·9	34·8	34·9	35·2	35·8	28·20
36·1	35·5	35·8	36·0	35·0	33·7	31·0	28·0	25·3	24·7	23·8	22·9	33·78
26·8	26·3	26·7	26·0	26·0	24·8	25·2	25·1	25·0	25·0	25·0	24·9	23·23
31·0	30·9	30·9	30·0	29·2	28·0	26·8	25·8	25·3	25·9	26·0	25·1	26·87
20·2	21·2	20·9	19·8	19·1	18·9	19·0	18·8	18·0	17·1	16·3	14·8	19·18
24·0	24·1	24·2	24·3	21·0	18·6	17·1	15·5	15·2	14·3	13·0	12·4	17·21
8·2	8·1	7·5	6·2	4·9	5·1	4·9	4·9	3·0	2·6	1·7	2·9	6·31
10·9	13·0	13·1	13·3	13·2	13·1	15·0	14·3	15·0	14·1	13·8	13·1	9·19
24·8	25·3	25·8	25·1	26·1	26·9	27·2	27·8	28·2	28·0	28·0	28·6	23·34
33·2	31·6	30·2	27·9	25·3	22·7	20·0	18·0	15·1	13·5	12·1	11·3	25·68
21·0	21·9	22·6	22·0	21·0	19·8	17·2	15·3	15·0	14·0	14·0	13·0	13·72
28·0	30·0	31·3	33·0	33·0	32·9	31·1	31·0	33·4	34·0	34·0	35·0	23·49
37·2	37·0	37·0	37·0	36·9	36·4	36·2	36·1	36·0	35·9	35·8	35·7	36·28
39·2	41·0	41·7	41·8	41·7	41·2	40·8	41·0	39·9	38·0	37·0	35·3	37·95
31·8	30·3	29·7	29·0	29·0	29·3	30·0	30·1	30·0	30·0	29·7	28·2	31·16
30·52	30·75	30·73	30·35	29·65	29·03	28·49	27·92	27·18	27·02	26·55	26·22	27·54

PART IV.

Mean Temperature, Maximum, Minimum Temperature and Mean Daily range, 1896.

Sunshine registered in each day of the year 1896.

Mean Temperature for the several Months and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.													
Abbotsford	34·4	40·0	39·7	44·6	51·7	59·0	66·0	63·2	56·2	49·7	29·6	39·3	47·1
Agassiz	32·4	44·6	46·2	44·7	50·6	56·0	65·8	62·1	54·0	51·9	29·1	40·0	47·7
Alberni	32·9		43·7	47·8	58·0	62·8	71·8	69·0	59·8	54·8	38·5	42·3	
Barkerville	12·6	25·2	21·0	35·6	41·5	49·7	59·2	57·1	47·9	39·5	5·2	26·0	34·8
Camloops	39·1	41·3	39·6	44·9	48·2	54·1	59·0	61·8	54·0	49·3	37·1	43·5	47·0
Cascades	33·5	38·6	37·4	44·4	49·9	58·4	64·8	62·9	53·9	48·1	32·7	39·2	47·0
Chilliwack	32·8	40·9	40·9	46·3	54·1	61·4	68·8	65·1	57·3	49·1	30·2	38·3	48·8
Clinton		24·0	28·2	41·4			64·2	63·0	52·8	41·0	2·3	24·3	
Donald	9·9	20·6	22·4	37·5	46·8	54·2	62·1	58·1	48·4				
Esquimalt	38·2	41·5	40·6	45·3	49·7	55·5	60·3	58·2	51·4	48·1	36·8	42·8	47·4
Esquimalt	21·5	31·9	33·7	46·3	52·5	60·0	67·9	64·4	57·8	45·1	21·1	36·9	44·4
Fort Steele	21·4	30·7	31·6	42·1	50·1	59·4	67·2	62·9	51·9	43·2	16·7	29·9	42·3
Fraser Creek	37·2	38·9	37·9	43·6	49·3	55·6	63·6	62·3	51·0	47·1	32·6	40·8	46·7
Glacier	17·5	27·4	28·6	34·6	43·6	51·1	60·5	56·3	49·1	39·6	16·7		
Griffin Lake	20·7	32·6	33·0	46·0	53·1	61·2	67·3	64·5	53·2	43·4	21·8	35·9	44·4
Gurry Point		40·5	39·0	44·9	50·6	56·8	67·1	66·1	52·7	48·0	33·0	41·7	
Hedley	36·8	41·7	41·4	47·4	51·2	57·6	64·9	60·6	54·7	50·5	33·2	41·6	48·2
Kamloops	25·8	35·7	35·6	47·7		64·6		67·3	57·2	47·4	15·5	33·6	
Kaslo	39·6	39·1	38·2	44·7	50·9	57·6	64·4	61·2	52·8	46·8	34·1	41·3	47·3
Kaslo	28·1	32·1	32·7	43·3	51·4	57·5	67·3	63·6	52·2	45·9	26·5	31·0	44·5
Loch Lomond	31·7	42·9	41·3	46·9	55·8	60·8	66·4	63·5	58·4				
Mission Valley	22·1	39·6	39·5	42·5	49·5	58·2	65·0	62·2	51·0	42·5	20·7	28·6	42·1
Midway	24·9	29·6	35·1	42·8	49·3	59·2	69·4	64·4	54·3	44·6	23·9	27·6	43·7
Nicola Lake	29·4	34·4	30·6	42·1	48·3	56·8	65·4	62·8	52·4	43·9	12·9	29·7	41·6
New Westminster	35·6	41·2	41·2	47·1	52·6	60·5	65·4	64·4	56·5	51·3	31·1	39·7	49·0
Port Simpson	28·6	35·4	35·8	40·4	48·3	51·9	58·1	57·8	53·5	47·9	28·2	39·9	43·8
Princeton	30·3	28·9	35·8				65·2	63·6	53·3	44·8	22·8	25·4	
Quesnelle	36·0	39·5	37·0	41·9	46·9	54·1	58·8	58·4	53·2	48·5	33·8	41·0	45·4
Quesnelle	9·6		35·7	39·4	47·9	57·2	64·2				4·0	24·3	
Rock Bay	39·4	39·7	37·1	43·2	49·5	55·2	61·5	60·8	55·3	47·9	31·2	39·5	45·1
Spences Bridge	22·2	37·3	37·6	48·6	57·2	66·8	74·4	75·9	63·6	52·3	19·4	33·6	49·2
Sicamous	27·4	31·7	33·8	45·3	51·7	58·7	64·6	62·1	52·3	43·6	19·2	31·5	43·1
Stuart Lake	1·2	19·6	16·6	30·6	42·2	49·1	55·7	52·9	43·1	31·2	0·3	21·8	30·5
Tobacco Plains		35·6	33·8	41·0	52·9	60·0	68·7	61·8	52·3	44·4	21·7	33·8	
Vernon	29·1	32·2	35·2	38·2	51·7	58·9	67·3	64·3	53·2	44·6	29·1	30·2	43·0
Wilmer	9·1	32·6	34·3	45·9	53·6	61·1	72·4	64·0	54·6	46·0	28·5	34·3	46·0
N. W. Territories.													
Alexander	5·8	9·7	7·1	32·7	52·1	60·0	61·5	56·0					
Battleford	8·0	12·6	11·6	35·5	50·9	60·8	66·4	60·8	50·8	40·7	1·9	7·1	32·5
Banff	11·4	24·9	29·8	33·1	42·1	51·8	60·0	55·1	45·3	39·1	1·7	26·1	34·3

MEAN Temperature for the several Months and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. TERRITORIES—*Continued.*													
Calgary	3·7	24·3	19·3	36·3	45·8	58·5	64·6	60·0	49·3	41·3	2·4	26·1	36·0
Calgary (2)	1·1	22·6	19·1	35·2	45·2	57·7	63·4	59·7		41·2	3·1	26·4	
Chaplin	1·1	13·1	19·6	40·0	52·1	60·8	66·9	57·5	49·3	39·2	1·1	19·0	34·6
Cannington Manor	0·4	9·9	12·6	34·2	50·7	60·0	63·7	60·0	50·5	39·3	3·2	13·6	33·1
Edmonton	3·0	22·0	20·0	35·9	49·3	58·8	64·2	58·0	49·9	42·3	0·4	20·3	34·8
Henrietta	8·4	9·2	10·5	34·6	48·9	59·2	65·4	59·0		38·2	−4·6	6·4	
Indian Head	1·3	11·5	13·1	34·6	50·7	61·1	64·1	58·9	48·5	36·6	0·2	11·6	32·3
Knechill											0·9	19·7	
Medicine Hat	9·2	25·3	23·9	40·6	51·2	65·0	71·2	65·2	53·4	45·2	2·0	26·5	39·9
Moose Jaw	1·0	13·2	14·3	36·5	50·3	60·3	64·7	59·0	50·1	39·5	1·0	13·9	33·3
Macleod	13·0	31·1	24·8	39·5	48·2	62·2	69·6	63·9	52·2	47·3	4·7	33·0	40·8
Oonikup	15·6	2·4	7·2	28·4	48·4	59·7	64·0	60·3	48·2	36·9	5·3	8·3	29·5
Prince Albert	10·1	7·2	11·5	32·7	50·2	58·5	63·7	58·1	48·4	37·7	1·1	8·2	30·6
Pincher Creek	13·4		29·1	34·9	45·1	58·4	64·8			43·9	6·6	30·6	
Pense	−2·5	8·9	13·6	34·5	50·3	62·9	67·4				0·5	14·3	
Qu'Appelle	−2·1	12·1	13·2	34·6	51·3	60·9	63·9	59·5	50·1	38·8	0·7	13·6	33·1
Regina	2·8	9·6	12·8	35·1	51·3	60·7	64·8	59·6	50·3	38·4	0·3	9·4	32·4
Swift Current	6·3	21·6	20·5	39·1	50·4	63·7	69·3	61·6	50·2	42·7	4·0	23·8	37·7
Yarrow				35·0	42·3	56·2	63·5	57·5	46·6	43·8	3·9	32·7	
MANITOBA.													
Brandon	5·1	8·8	12·8	36·1	53·7	61·8	63·7	60·2	50·4	36·6	3·1	9·7	32·6
Channel Island	8·6	1·0	6·3	25·7	42·8	60·3	66·1	63·6	50·5	37·4	5·3	5·9	31·4
Emerson	3·3	9·2	13·4	36·6	56·1	65·1	66·5	63·5	51·2	40·2	4·3	12·1	34·9
Elkhorn	3·2	6·2	11·7	33·1	51·6	61·9	64·7	60·3	49·6	35·8	6·9	11·9	32·5
Fort Osborne	3·9	5·6	13·9	37·2	58·2	65·8	67·1	62·6	55·5	40·3	7·4	13·9	35·3
Hillview	5·8	1·0	9·7	34·4	53·0	61·2	63·0	58·8	48·9	36·6	1·9	7·4	31·1
Minnedosa	2·5	8·8	13·5	34·5	53·2	62·0	64·0	59·1	50·4	38·2	6·6	13·9	33·5
Portage la Prairie	3·1	8·3	15·5	35·1	54·4	64·3	65·2	62·2	51·5	38·7		16·4	
Russell	7·3	3·1	6·8	29·8	50·7	59·1	60·5	56·9	46·1	34·5	1·7	7·7	29·4
Rosebank				36·8	54·6	63·8	64·7	60·1	49·4				
St. Alban's (Aweme)	3·5	8·4	11·5	35·3		64·8	66·1			36·7	5·1	11·9	
Stony Mountain	5·0	3·5	10·7	34·3	59·2	62·9	64·0	60·8	49·8	37·3	6·1	10·5	32·8
Treherne	3·7	9·0	12·6	33·7	52·8	62·2	64·1	61·0	49·7	39·0	4·9	15·2	33·4
Winnipeg	3·7	5·5	12·4	36·1	55·1	64·0	64·8	61·4	50·2	37·6	6·9	10·7	33·4
ONTARIO.													
Agincourt		18·3	19·4	46·9	61·6	64·0						24·6	
Alton	17·2	17·9	19·2	45·0	60·2	62·9	66·9	65·5	55·4	41·7	35·3	23·5	42·6
Biscotasing	3·4				53·6	64·3	65·0						
Barclay	0·4	1·7	4·5	28·4		49·6		51·4	45·8	27·9	7·1		
Bognor	18·3	17·3	17·3	47·3	59·0	60·8	66·2	65·4	54·8	42·2	37·7	24·5	42·6

MEAN Temperature for the several Months and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Con.*													
Beatrice	12·2	15·3	16·5	43·1	55·9	61·0	63·9	61·9	51·9	40·0	34.6	19·5	38·8
Birnam	23·7	22·4	24·6	50·0	62·8	64·3	69·8	67·4	58·1	44·9	39·7	27·0	46·2
Burk's Falls			17·0	45·5	56·8	62·8	64·8	62·5	52·0	40·5			
Brantford	20·4	20·4	21·6	47·2	61·9	65·9	68·9	66·4	57·4	43·6	38·4	25·0	44·8
Bancroft	11·8	14·6	16·6	41·4		61·7	65·5		52·7	40·2	34·0	18·7	
Bloomfield				48·2	59·8	64·8	69·3	69·1	40·0	45·4	39·9	26·3	
Barrie	16·1	17·9	18·4	45·8	58·7	63·9	67·1	65·7	56·1	43·7	37·1	24·2	42·9
Collingwood	19·5	18·9	19·5	45·7	58·5	64·4	67·5	66·3	55·8	45·9	39·2	25·4	43·6
Collingwood (2)	17·2	17·0	16·8	43·5	59·0	61·3	66·2	64·8	52·6	42·6	34·0	20·5	41·3
Coldwater	11·9	14·4	13·2	45·9	57·7	63·2	66·4	65·4	54·7	42·9	36·9	21·7	41·2
Chatham	25·5	24·6	27·2	50·4	61·1	66·3	70·2	68·4	58·5	45·9	41·0	28·6	47·6
Cottam	26·4	26·0	28·9	50·8	61·8	67·8	71·4	67·6	59·6	42·0	40·6	29·4	47·9
Comestogo	19·5	19·4	20·1	46·0	59·9	64·9	67·4	65·7	55·3	43·9	36·7	24·8	44·1
Clontarf	11·2	13·3	16·4	44·6	58·6	62·7	67·2	65·2	54·4	42·3	37·1	19·1	41·0
Carlton						67·7	66·4	62·2			37·1	16·7	
Calvin	6·9	10·8	15·0	43·1	57·0	61·8	64·9	62·8	51·7	39·5	31·5	15·2	38·4
Durham	20·2	19·4	21·0	48·6	61·5	66·5	68·4	66·8	56·6	45·8	38·5	26·3	45·0
DeCewsville	22·8	23·0	24·1	47·0	61·1	63·9	69·4	67·8	58·4	44·8	40·2	28·3	45·9
Deseronto	15·8	19·1	22·4	45·9	61·0	65·4	69·7	70·2	58·9	44·4	40·0	24·2	44·8
Desbarats	15·4	15·2	39·8	33·7	61·6					40·8	33·2	21·1	
Erasmus	15·8	16·0	15·4	43·7	57·9	59·0	65·5	63·9	52·3	40·4	34·7	21·5	39·8
Gravenhurst	13·3	16·8	17·3	44·8	58·6	64·9	67·9	66·6	55·2	42·5	36·6	21·3	42·1
Galt			20·6	46·6	60·8	64·4	69·0	67·9	54·6	42·1	37·2	24·4	
Heron Bay	7·5	11·4	16·8	39·6	56·5	54·7	58·4	55·8	46·9	36·1	19·2	6·5	34·1
Haliburton	12·0	14·5	17·1	44·3	57·8	62·4	66·1	65·0	53·8	42·1	34·8	18·8	40·7
Haileybury	5·0	10·5	12·7	40·2	54·3	61·5	65·0	62·2	50·7	38·2	28·4	12·2	36·7
Kingston	15·4	16·8	21·5	43·0	56·8	63·1	67·8	68·5	58·1	45·0	39·6	23·5	43·3
London	23·6	23·4	25·3	50·3	65·2	68·9	71·8	68·9	59·3	44·9	39·9	28·1	47·5
Lucknow	21·1	21·2	22·4	48·1	61·3	64·8	68·6	67·4	56·7	44·5	38·0	27·6	45·1
Lindsay	15·4	16·0	18·3	45·0	59·3	64·1	67·7	66·9	55·4	41·7	36·6	22·4	42·4
Lakefield	12·2	14·1	17·1	43·9	60·2	65·1	68·7	69·3	56·5	42·8	37·5	20·8	42·3
Missanabie	5·1	7·9	6·0	37·2		63·7	60·6	56·1	44·9	33·2	45·0	6·9	
Mattawa	7·3	8·7	13·2	44·6	55·9	63·0	65·3	63·1	52·8	40·9	31·1	12·8	38·3
Mill Brook	13·2	15·9	19·6	46·8	59·9	64·1	68·4		54·9	42·2	35·3	22·9	
North Bay	4·5	9·5	17·7	35·1	51·1	56·8	64·4	64·4	52·8	39·6	29·9	15·0	36·7
North Bruce	21·8	20·9	21·2	47·3	58·7	63·0	66·5	65·9	56·2	43·7	38·1	28·0	44·3
Niagara	24·2	25·8	25·3	47·7	60·6	65·2	71·7	70·7	59·4	46·0	42·8	29·1	47·4
Nepigon	3·0	0·7	0·9	30·8	56·4	60·9						5·0	
Owen Sound	21·1	21·1	21·8	47·8	59·3	62·7	68·2	67·3	57·0	45·0	39·6	27·5	44·9
Ottawa	19·9	13·0	18·7	43·8	59·2	64·1	68·9	67·0	56·1	43·1	34·8	17·0	41·4
Orombee				45·2	56·8	65·2	69·5	70·5	58·7	45·4	41·5	25·6	

Mean Temperature for the several Months and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO *Continued.*													
Orillia	13·6	14·9	16·3	44·7	57·2	62·4	66·6	65·4	55·3	41·9	35·8	21·8	41·3
Port Arthur	9·3	12·4	15·9	35·5	51·6	59·8	63·5	60·2	51·1	38·5	19·7	16·0	36·1
Parry Sound	13·4	16·1	17·7	44·4	56·4	62·4	66·4	64·7	54·1	43·6	36·1	21·8	41·4
Point Clark	24·7	23·4	23·0	43·4	57·1	62·3	66·8	67·8	58·5	46·0	39·4	30·2	45·2
Port Stanley	24·7	24·0	24·5	45·3	59·8	64·7	68·6	67·3	58·5	44·8	40·2	27·9	45·9
Port Dover	23·9	13·0	23·3	47·4	61·7	65·7	70·2	68·6	59·4	46·4	42·0	28·2	45·8
Pelee Island	25·2	28·4	32·6	54·9	69·8	72·0	77·4	76·0	58·7	48·2	44·5	29·7	51·4
Port Rowan	24·0	25·2	24·6	47·6	61·7	65·7	70·2	69·2	58·3	45·9	41·1	27·7	46·8
Paris	22·3	21·8	23·9	48·6	63·0	65·8	71·1	67·3	57·9	44·0	40·2	26·3	45·9
Peterborough	15·0	14·8	19·6	47·9	63·1	66·3	71·0	68·9	56·9	44·4		15·7	
Renfrew	13·0	9·8	13·4	42·1	57·5	64·4	69·5	64·4	56·9	42·8	35·7	16·1	40·5
Rockliffe	7·5	10·6	14·4	43·4	57·5	63·6	66·4	64·9	53·8	41·5	32·6	16·0	39·3
Savanne	1·9	5·1	8·4	33·2	52·3	57·6	59·4	57·3	48·1	34·4	11·8	8·2	31·5
Schreiber	9·4	12·1	8·6	33·6	49·4	59·2	60·1	58·9	49·2	39·8	21·1	12·9	34·5
Sudbury	12·4	12·9	14·8	44·8	60·6		64·8	64·0		38·4	29·9	17·0	
Saugeen	21·1	21·0	22·2	46·0	57·9	61·9	66·6	66·6	55·8	44·5	38·5	27·7	44·2
Spence	8·2	13·3	14·7	45·3	54·9	61·8	64·4	56·8	50·4	31·4	30·9	15·4	37·1
Sprucedale	10·0	12·2	16·1	44·0	56·7	61·5	65·2	63·4	52·7	39·6	32·0	16·7	40·0
St. George	22·8	22·8	24·0	47·7	60·9	65·0	69·2	66·9	57·4	44·0	39·6	28·0	45·7
St. Mary's	21·4	20·9	21·4	47·8	61·2	63·7	68·6	65·9	55·8	43·4	37·5	25·8	44·5
St. Ann's	23·2	22·1	22·5	47·3	60·5	64·4	68·1	68·8	58·3	45·3	38·9	27·8	45·6
Stratford	19·8	19·4	20·6	47·2	60·7	63·5	67·6	65·2	55·2	42·5	36·5	25·0	43·6
Stony Creek	24·0	24·8	26·6	47·3	61·8	65·9	71·8	71·8	60·9	46·0	43·3	30·3	47·9
Stouffville	18·5	19·0	20·1	47·6	61·3	65·2	69·2	69·9	58·0	44·9	38·9	25·6	44·9
Sarnia	24·5	24·2	26·2	49·9	63·1	66·2	69·3	66·8	57·9	43·8	38·0	28·3	46·5
Toronto	22·2	22·6	23·6	45·8	59·8	64·8	68·7	67·5	57·4	44·8	39·4	27·8	45·4
Thorold	24·3	25·5	26·0	50·6	63·7	68·8	73·3	71·6	61·3	47·4	43·1	29·1	48·7
Uplands	11·8	14·0	15·5	43·7	55·7	60·8	63·9	62·5	51·7	40·6	33·0	17·0	39·2
White River	4·7	7·2	5·2	35·9	53·9	57·7	59·4	56·6	46·9	35·0	16·3	6·5	32·1
Whitevale	13·0	16·8	18·3	44·6	58·6	61·5	67·7	65·7	54·0	43·5	36·6	21·6	42·1
Woodstock	21·9	22·0	22·8	47·6	61·2	65·3	68·9	66·2	56·6	42·8	38·4	26·3	45·0
Welland	22·7	22·4	23·3	47·9	60·9	66·6	70·7	68·5	58·5	44·6	40·7	27·7	46·2
Windsor							71·0	69·7	59·2	46·9	41·1	28·5	
Waterford	23·7	23·3	23·7	48·8	60·7	64·1				49·1	41·4		
QUEBEC.													
Abitibi							62·9	61·0	49·5	36·9	21·2	7·5	
Anticosti, E. Pt	11·2	13·0	19·3	26·7	36·1	49·7	59·9	55·7	49·0	39·5	25·0	13·3	33·2
Anticosti, W. Pt	11·4	15·3	21·4	31·3	42·0	51·8	55·9	56·5	49·2	40·5	26·8	15·9	34·9
Anticosti, S.W. Pt.	14·0	17·0	22·6	31·4	40·7	50·7	55·7	55·0	49·2	41·9	26·4	17·0	35·1
Bird Rocks	21·5	21·0	25·1	29·9	37·5	48·1	58·8	59·8	55·1	46·1			

MEAN Temperature for the several Months and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC—*Continued.*													
Bronc.	10·9	13·1	18·7	40·1	55·3	58·9	65·0	62·8	54·1	41·4	33·9	14·6	39·1
Bicquette				34·0	43·4	50·2	54·4	52·6	46·1	37·9	27·4		
Chicoutimi	2·6	5·4	13·7	36·4	52·0	60·7	65·2	61·6	50·4			6·8	
Cape Chatte	8·9	14·5	21·0	33·6	46·7	52·9	61·8	59·8	51·7	39·2	29·2	16·2	36·3
Cape Magdalen	10·6	14·2	22·0	33·0	45·7	54·0	60·4	59·4	51·4	39·4	28·2	16·4	36·2
Father Point	5·3	10·2	17·6	33·4	45·4	52·8	57·5	55·0	48·3	37·1	27·1	13·6	33·6
Gaspe	11·3	12·5	22·2	32·4	45·3	55·1	64·1	60·4	51·9	41·9	27·9	13·4	36·5
Montreal	12·4	14·7	19·6	41·5	57·7	64·6	68·6	66·7	56·8	43·1	34·8	17·8	41·5
Pont des Monts	4·3	17·1	17·3	30·4	45·9	54·6	55·9	53·1	46·3	36·9	31·7	13·7	34·0
Quebec	9·5	12·7	18·3	37·5	54·7	61·7	67·4	63·9	53·4	40·3	29·9	13·5	38·6
Richmond	11·4	14·7	19·4	40·9	57·1	61·3	67·2	64·3	54·7	41·5	33·9	14·4	40·1
Roberval	0·1	7·0	14·9	39·3						37·9	33·0	9·6	
Grindstone	20·1	17·6	24·0	30·7	40·8	51·4	61·1	60·3	53·4	45·3	33·7	22·4	38·4
NEW BRUNSWICK.													
Bathurst	13·5	17·7			55·9		69·9	69·0	57·8	44·3	33·9	13·0	
Chatham	11·6	14·6	24·0	37·6	50·6	59·8	67·8	64·8	54·9	44·3	31·1	14·0	39·6
Dalhousie	6·7	12·4	19·4	34·3	47·7	56·7	62·8	60·5	50·7	41·3	27·6	12·9	36·1
Fredericton	12·9	17·7	25·1	39·5	51·7	60·5	67·5	65·3	55·0	44·6	32·2	16·1	40·7
Grand Manan	21·4	24·1	28·8	40·2	49·4	56·8	62·8	61·3	55·8	47·6	39·6	25·3	42·8
Point Lepreaux	18·6	22·8	28·3	37·8	44·4	51·7	56·2	57·5	54·1	46·9	36·4	23·6	39·9
St Andrews	17·2	20·2	28·0	40·2	49·8	58·3	64·2	60·7	54·2	44·9	35·8	22·3	41·3
St. John	17·2	21·7	28·1	39·4	48·7	57·0	62·2	61·0	55·2	46·5	37·4	21·9	41·3
Parker's Ridge	9·1	16·5	21·8		50·7	58·7	64·9	64·6	52·1	41·6			
NOVA SCOTIA.													
Digby	21·7	26·4	31·5	39·9	42·7	58·0	63·6	61·9	57·0	47·0	40·1	26·7	43·0
Guysborough	22·1	20·7	28·8	35·6	45·6	56·1			56·3	49·8	37·6	24·8	
Halifax	23·2	24·7	32·2	40·4	49·9	59·4	64·9	63·1	59·0	50·4	40·3	27·5	44·6
Pictou	21·0	20·2	31·2	38·1	49·3	59·1	67·5	65·2	59·3	50·3	37·4	24·4	43·6
Port Hastings	17·2	14·6	28·7	36·9	44·4	53·7	63·0	60·8	55·1	47·5	36·5	22·3	40·1
New Glasgow	19·2	21·5	29·9	36·0	47·8	58·4	65·2	62·7	56·8	48·8			
Sydney	23·8	20·6	29·4	34·8	44·8	55·6	63·7	61·7	56·2	49·4	37·8	26·4	42·0
Sable Island, East Pt	30·7	30·9	34·5	36·3	43·4	51·2	60·1	62·3	61·1	55·5	45·3	33·5	45·4
Sable Island, M Station	30·2	29·9	34·1	35·9	42·3	50·4	58·2	61·1	60·5	54·5	44·4	33·5	44·6
Truro	19·5	20·1	30·7	37·2	47·8	57·2	63·8	62·8	56·1	48·2	36·1	22·3	41·8
Whitehead	25·4	24·8	29·9	34·3	40·9	51·1	56·9	61·5	58·1	51·3	39·6	28·3	41·9
Yarmouth	21·4	26·8	32·3	39·1	46·7	55·5	60·3	60·5	55·6	49·1	41·4	28·1	43·5
P. E. ISLAND.													
Charlottetown	18·9	18·3	27·9	35·4	47·1	57·0	65·6	63·6	56·8	48·0	36·1	23·0	41·5
Georgetown	19·6	17·8	28·3	36·2	49·1	58·1	67·1	64·1	57·5	50·4	34·6	23·3	42·2

Mean Temperature for the several Months, and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Newfoundland.										°	°	°	
Amour Point	8·2	15·7	23·0	27·9	34·2	44·3	51·9						
Belle Isle	7·8	11·4	20·6	22·6	33·0	46·4	52·6	52·6	47·0	39·7	21·7	7·4	30·2
Channell			28·8	35·4	40·4	51·3	57·7	59·0	52·4	46·0	34·8	24·4	
Cape Norman	10·4	14·7	22·5	26·6	33·6	42·5	54·4	56·1	49·0	40·4	23·8	11·6	32·2
Point Rich	14·9	17·1	25·8	29·5	38·4	49·1	57·6	61·0	53·1	45·1	29·5	18·0	36·6
Sandy Point	12·0	17·5	20·6	29·3	38·8	56·1	61·9	61·9	51·2	42·4	31·0	20·2	37·9
St. Johns	26·4	23·7	30·7	31·9	40·2	51·2	60·8	58·4	55·1	48·1	35·2	24·9	40·6
Bermuda.													
Prospect	60·6	62·1	62·3	63·5	68·8	75·9	80·2	80·9	78·0	72·4	68·2	64·6	69·7

Monthly and Annual Maximum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Fraser Canyon.													
Ashcroft	58·0	61·0	64·0	68·0	81·0	93·6	89·0	89·0	88·0	72·0	57·0	55·0	93·0
[illegible]	[illegible]	64·0	68·0	71·0	[illegible]	95·0	99·0	93·0	80·0	75·0	58·0	53·0	95·0
Alberni	62·3		72·4	72·8	82·4	97	101·5	94·8	87·8	65·9	58·7	52·7	101·5
Barkerville	[illegible]	42·0	47·0	51·0	63·0	84·0	81·0	83·0	75·0	60·0	41·0	40·0	84·0
[illegible]	60·0	51·0	57·0	60·0	72·0	84·6	80·0	80·0	76·0	66·0	50·0	52·0	84·0
[illegible]	52·0	58·8	57·8	67·0	74·8	[illegible]	86·0	85·0	82·3	67·0	58·0	51·0	87·0
[illegible]	76·0	54·0	67·6	71·1	85·0	93·0	88·5	89·6	88·0	71·1	58·0	55·0	93·0
Chilcotin	15·0	52·0	60·0	72·0			89·0	88·0	90·0	60·0	46·0	45·0	89·0
Donald	37·0	40·0	47·0	66·0	78·0	94·5	94·0	84·0	80·0				
Esquimalt	55·1	55·1	59·3	64·1	65·2	86·1	78·2	73·7	69·9	65·5	56·7	55·0	86·4
Enderby	48·0	54·0	59·0	73·0	83·0	98·0	98·0	88·0	80·0	68·0	49·0	42·0	98·0
Fort Steele	17·4	50·8	56·9	67·0	82·5	96·0	100·1	90·2	83·9	73·0	58·0	51·6	100·1
French Creek	51·0	57·0	56·0	65·0	71·0	82·0	88·0	85·5	80·0	64·0	50·0	54·0	88·0
Glacier	38·0	43·0	48·0	55·0	66·0	80·0	86·0	75·0	74·0	54·0	42·0	36·0	86·0
Griffin Lake	[illegible]	45·0	56·0	71·0	83·0	103·0	99·0	90·0	79·0	58·0	47·0	45·0	103·0
Gorry Point		58·5	57·5	66·5	66·5	78·0	79·5	75·0	68·0	65·0	52·5	53·0	79·5
Hazelmere	57·0	60·0	67·0	69·0	79·0	89·0	86·0	87·0	82·0	72·0	55·0	55·0	89·0
Kamloops	52·0	64·0	69·0	72·0	86·0	101·0	100·0	88·2	84·0	71·6	56·0	52·8	101·0
Kuper Island	55·3	54·0	59·0	66·5	74·1	87·0	88·5	84·4	83·7	66·1	51·2	54·0	88·5
Kwalo	44·0	46·6	56·0	62·0	75·0	84·0	90·0	75·0	73·0	65·0	44·0	46·0	90·0
Lake Errock	56·6	57·0	63·0	67·0	85·0	90·0	89·0	87·0	86·0				90·0
Mission Mountain	[illegible]	55·0	65·0	67·0	80·0	94·0	98·0	85·0	81·0	74·0	50·0	44·0	98·0
Moresby	58·0	57·6	64·5	76·0	85·0	98·0	99·5	96·0	91·0	72·0	64·5	47·0	99·5
Nanaimo Lake	44·0	46	61·6	69·0	72·5	92·5	90·0	88·5	86·0	67·0	49·0	48·0	92·5
New Westminster	53·0	55·5	60·0	67·5	75·3	91·5	87·8	88·0	75·0	72·0	62·2	54·0	91·5
Port Simpson	[illegible]	63·0	52·0	60·0	70·5	78·0	82·0	75·0	69·0	63·0	53·0	59·0	82·0
Princeton	46·0	57·0	67·0			94·0	100·0	92·0	92·0	72·0	48·0	46·0	100·0
Quatsino	51·5	51·5	51·5	64·0	69·0	81·5	81·0	79·0	72·0	58·0	49·1	53·0	81·5
Quesnel	45·0		64·0	72·0	76·0	96·0	89·0	..			39·0	48·0	96·0
Revelstoke	46·8	54·2	59·9	65·2	74·1	90·0	86·5	77·8	72·3	62·5	48·2	48·0	90·0
Spence's Bridge	50·0	63·0	68·0	77·0	83·0	104·0	100·7	96·0	89·0	75·0	59·0	68·0	104·0
Sproat Lake	48·4	54·9	59·6	71·2	76·3	91·3	89·8	94·3	82·8	70·8	50·5	46·4	94·3
Spuzzum	39·9	46·5	45·0	57·5	70·5	90·0	85·5	82·5	78·0	55·0	40·5	45·5	90·0
Thomson Flats		57·1	61·1	67·6	82·6	103·1	100·1	89·1	86·1	72·6	58·1	55·1	103·1
Yale	48·0	53·0	59·0	69·0	79·0	97·0	96·0	88·0	81·0	90·0	50·0	50·0	97·0
Yale (Hospital)	50·0	55·0	60·0	77·0	90·0	89·0	89·0	82·0	77·0	73·0	53·0	53·0	90·0
N. W. [illegible]													
Alameda	35·3	37·0	39·0	68·6	75·7	86·0	89·0	89·0	..	..	..	..	..
[illegible]	[illegible]	[illegible]	42·0	70·0	79·0	90·0	96·0	84·0	84·0	80·0	38·0	44·0	96·0
Pasco	41·8	44·2	47·2	58·0	71·0	87·7	88·4	79·4	75·1	62·4	40·2	46·2	88·4

Monthly and Annual Maximum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. Territories *Continued.*													
Calgary	36·0	46·0	42·0	70·0	79·0	90·0	93·0	84·0	86·0	70·0	58·0	44·0	96·0
Calgary (2)	50·2	59·4	54·8	70·8	71·8	88·8	91·0	85·9		70·0	53·0	49·0	95·0
Chaplin	43·0	43·0	50·0	70·0	77·0	91·0	95·0	87·0	83·0	78·0	44·0	44·0	95·0
Cannington Manor	45·0	47·0	49·0	67·0	79·0	84·8	92·0	87·0	84·0	78·0	60·0	44·0	87·5
Edmonton	46·0	52·0	54·0	68·0	76·0	91·5	91·5	79·5	76·0	75·0	57·0	47·0	91·5
Henrietta	36·4	47·9	42·0	69·0	73·0	89·2	90·4	86·5		74·0	60·0	43·0	96·2
Indian Head	42·0	47·0	47·0	68·0	75·0	92·0	94·5	90·0	85·0	80·0	34·0	45·0	94·5
Knechill												42·0	
Medicine Hat	52·6	59·5	61·4	74·0	79·0	98·3	100·2	91·2	89·2	81·5	70·4	57·0	100·7
Moose Jaw	44·5	48·0	48·0	67·0	76·0	95·5	96·0	92·0	82·0	82·0	38·0	45·0	96·0
Macleod	26·9	61·0	60·0	71·0	74·0	98·0	102·0	89·0	89·0	77·0	54·0	63·0	102·0
Oonekup	20·5	42·0	44·0	58·5	70·0	89·0	91·5	85·5	73·0	70·0	31·0	38·0	91·0
Prince Albert	32·2	42·2	44·8	68·3	79·8	85·0	93·5	86·1	84·5	77·0	32·0	44·2	91·5
Pincher Creek	50·0	.	55·0	66·0	71·0	90·0	97·0			71·0	50·0	49·0	
Ponse	37·0	40·0	41·0	65·0	75·0	98·0	94·0				43·0	43·0	
Qu'Appelle	39·4	42·8	43·4	68·0	72·6	88·7	90·8	88·4	86·0	70·5	34·0	41·0	90·8
Regina	38·0	40·0	45·0	67·5	70·6	91·0	93·5	90·0	82·0	74·0	41·5	60·0	93·5
Swift Current	50·0	50·0	52·0	68·0	77·8	94·0	97·0	88·0	82·0	83·0	44·0	48·0	97·0
Yarrow				68·0	71·0	93·0	100·0	83·0	84·0	72·0	48·0	51·0	100·0
Manitoba.													
Brandon	33·3	45·6	47·4	77·6	88·4	85·9	89·8	85·3	85·8	76·3	30·7	39·5	89·8
Channel Island	22·0	36·5	41·5	49·0	65·0	82·5	79·0	79·0	71·0	58·0	35·0	34·0	82·5
Emerson	25·0	50·0	50·0	73·0	86·0	85·0	92·0	89·0	84·0	78·0	25·0	43·0	92·0
Elkhorn	39·0	47·0	49·0	73·0	80·0	87·0	91·0	86·0	81·0	74·0	31·0	44·0	87·0
Fort Osborne	35·0	42·0	40·0	68·0	83·0	89·0	88·0	87·0	75·0	70·0	37·0	41·0	88·0
Hillview	34·0	40·0	43·0	74·0	73·0	85·0	86·0	85·0	81·0	74·0	31·0	35·0	86·0
Minnedosa	37·9	44·6	36·8	74·3	79·3	85·8	91·3	82·5	84·3	73·6	33·9	39·8	91·3
Portage la Prairie	36·0	46·0	49·0	78·0	87·0	84·0	93·0	84·0	84·0	75·0		42·0	93·0
Russell	37·0	45·0	45·0	69·0	79·0	85·0	86·0	84·0	80·0	74·0	46·0	41·0	86·0
Rosebank	39·0	55·0		80·0	86·0	95·0	90·0	85·0	85·0	77·0	38·0	42·0	90·0
St. Alban's (Aweme)	39·5	46·5	48·0	78·5		90·0	92·5	90·0	86·0	75·5	34·5	40·0	97·5
Stony Mountain	32·0	41·0	42·0	70·0	84·0	84·0	90·0	83·0	78·0	73·0	35·0	38·0	90·0
Treherne	37·0	50·0	50·0	77·0	84·0	84·0	88·0	82·0	80·0	72·0	46·0	52·0	88·0
Winnipeg	34·8	45·8	48·9	75·3	85·0	84	90·5	84·6	78·6	73·6	36·5	40·0	90·5
Ontario.													
Aigncourt	35·0	46·0	45·0	83·0	89·5	89·0	94·0					47·0	
Alton	33·8	45·0	53·2	80·2	85·2	86·2	89·5	90·2	84·2	68·5	62·8	46·9	92·2
Biscotasing	14·0	. .			88·0	84·0	87·0						
Barclay	33·0	41·0	35·0	55·0		78·0		76·0	74·0	55·0	34·0		
Bognor	34·0	44·0	47·0	81·0	84·0	86·0	90·0	94·0	83·0	72·0	64·0	47·0	94·0

Monthly and Annual Maximum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Con.*													
Beatrice	30·0	41·0	44·0	78·0	80·5	84·0	85·0	84·0	80·0	62·0	57·0	37·0	85·0
Birnam	38·0	45·5	58·7	84·7	88·9	86·2	89·9	93·0	83·7	71·0	63·7	43·8	93·0
Burk's Falls	31·0	45·0	46·0	80·0	88·0	87·0	87·0	88·0	81·0	63·0	.....	.....	.....
Brantford	37·0	47·0	59·0	85·0	89·0	88·0	91·5	88·5	89·0	74·0	70·0	54·0	91·5
Bancroft	37·6	49·9	47·5	80·1	81·0	85·6	84·8	89·2	84·8	66·4	68·8	42·6	89·2
Bloomfield				81·5	89·0	86·5	88·0	92·0	86·0	65·0	68·0	60·0	92·0
Barrie	32·6	44·9	51·0	82·7	85·3	83·2	89·9	93·8	86·4	70·9	62·6	45·2	93·8
Collingwood	35·0	47·0	52·0	77·0	85·0	83·0	87·0	92·0	82·0	76·0	65·0	47·0	92·0
Collingwood (2)	40·0	46·0	50·0	81·0	85·0	86·0	88·0	90·0	82·0	71·0	62·0	39·0	90·0
Coldwater	34·2	33·5	40·6	67·6	72·0	88·0	91·5	93·6	87·0	69·2	69·2	48·6	93·6
Chatham	41·0	43·0	63·0	85·0	90·0	88·0	91·0	92·0	86·5	71·0	68·0	46·0	92·0
Cottam	42·0	58·0	62·0	87·0	91·0	90·0	91·0	96·0	88·0	72·0	71·0	50·0	96·0
Conestogo	36·9	45·9	51·9	82·2	84·7	84·7	88·7	90·2	84·6	67·8	47·8	48·9	90·2
Chantarl	34·6	50·5	51·0	86·0	93·0	90·5	91·5	92·5	90·0	74·5	63·5	43·0	93·0
Cartier						100·0	93·0	100·0			48·0	44·0	
Calvin	30·8	47·5	43·0	79·3	89·8	89·8	87·0	91·5	81·5	63·8	59·2	38·0	91·5
Durham	34·4	44·0	50·0	80·0	71·9	90·0	91·0	92·0	83·0	70·0	63·0	42·0	92·0
De Cewsville	38·0	46·0	58·0	77·0	86·0	83·0	87·0	87·0	86·0	68·0	64·0	48·0	87·0
Desoronto	37·8	45·0	49·8	79·0	89·5	88·0	91·8	94·4	88·5	65·3	64·0	46·0	94·0
Deshenats	50·0	47·0	73·0	85·0	90·0					70·0	54·0	52·0	
Erastus	31·3	44·0	48·2	43·7	81·6	85·0	88·0	89·5	81·7	67·1	60·8	44·3	89·5
Gravenhurst	32·0	45·0	45·0	78·2	81·0	87·0	90·0	90·0	84·0	65·0	60·0	39·0	90·0
Galt			54·0	82·9	85·9	87·0	94·0	93·9	86·1	69·0	64·0	49·9	94·0
Heron Bay	35·0	45·0	45·0	55·0	80·0	72·0	90·0	75·0	68·0	65·0	40·0	30·0	90·0
Haliburton	31·0	50·0	49·0	81·0	87·0	90·0	89·0	91·0	85·0	66·0	58·0	37·0	91·0
Haileybury	32·8	49·8	43·7	72·2	92·7	87·9	87·8	87·6	73·5	61·4	53·8	41·9	92·7
Kingston	38·3	43·5	45·8	71·5	86·0	81·6	82·5	85·2	78·3	60·4	62·0	46·3	85·2
London	40·0	47·5	60·5	84·0	89·0	86·0	89·0	92·5	87·0	70·0	64·0	51·5	92·5
Lucknow	35·9	45·0	52·0	83·5	84·8	90·9	93·5	94·9	85·0	74·9	64·2	54·0	94·9
Lindsay	36·6	44·0	45·6	81·6	87·6	89·6	93·9	95·6	89·4	65·9	60·3	42·1	95·6
Lakefield	33·5	44·5	44·5	78·0	84·0	88·0	90·5	94·5	88·0	64·0	59·5	41·0	94·5
Missanabie	34·0	48·0	41·0	60·0		92·0	92·0	90·0	69·0	59·0	45·0	.....	.....
Mattawa	33·0	38·0	44·0	83·5	91·5	89·0	90·0	92·5	83·0	62·0	60·0	43·0	92·5
Mill Brook	35·0	49·0	54·0	82·0	87·0	86·5	89·5		87·0	67·5	60·0	47·0	.....
North Bay	34·0	39·0	42·0	65·0	68·0	75·0	85·0	87·0	76·0	60·0	58·0	37·0	87·0
North Bruce	34·2	44·0	45·0	80·0	84·0	86·0	91·0	90·0	82·0	72·0	62·0	52·0	91·0
Niagara	37·5	53·2	62·5	85·0	91·0	91·0	93·5	93·0	90·0	73·0	67·0	54·0	93·5
Nepigon	28·0	45·0	20·0	55·0	70·0	75·0						38·0	
Owen Sound	37·0	46·0	58·0	83·0	86·0	89·5	94·0	94·0	85·5	74·5	65·0	50·5	94·0
Ottawa	38·6	45·0	45·0	82·8	90·5	87·4	92·8	92·1	89·0	64·0	61·0	41·0	92·8
Otterburn				84·0	87·0	84·0	88·0	96·0	88·0	74·0	65·0	45·0	96·0

Monthly and Annual Maximum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario *Con.*													
Orillia	32·0	45·0	47·0	79·5	84·0	83·0	89·0	91·0	85·0	64·0	61·0	49·0	91·0
Port Arthur	36·0	47·0	47·0	59·0	89·0	88·0	91·0	87·0	77·0	66·0	46·0	47·0	91·0
Parry Sound	34·8	44·2	46·8	75·8	81·9	85·2	86·7	85·7	80·0	66·8	57·8	43·7	86·7
Point Clark	36·0	43·0	42·0	68·0	77·0	79·0	79·0	81·0	72·0	63·0	56·0	44·0	81·0
Port Stanley	37·0	43·0	50·0	70·0	89·0	82·2	86·0	85·4	80·0	62·2	59·0	48·0	89·0
Port Dover	40·0	47·8	57·5	78·7	87·6	81·3	86·4	89·0	81·9	67·8	64·3	52·3	89·0
Pelee Island	40·0	39·5	60·0	88·0	87·5	87·5	92·0	93·0	80·0	69·5	65·0	45·0	93·0
Port Rowan	37·0	45·5	54·0	74·0	84·0	84·0	91·0	88·0	85·0	70·0	62·0	50·0	91·0
Paris	41·0	49·5	60·5	86·0	90·0	89·0	91·5	90·0	89·0	73·5	64·5	53·5	91·5
Peterborough	35·0	47·0	51·0	82·0	90·0	90·0	92·0	94·0	90·0	65·0		39·0	94·0
Renfrew	36·0	38·0	51·0	84·0	93·0	91·0	92·5	93·5	91·0	72·0	60·0	43·0	93·5
Rockliffe	32·0	42·0	50·0	83·0	91·0	89·0	92·0	92·0	84·0	65·0	61·0	40·0	92·0
Savanne	35·0	42·0	42·0	75·0	89·0	84·0	90·0	87·0	73·0	66·0	47·0	40·0	90·0
Schreiber	33·0	40·0	37·0	53·0	75·0	78·0	72·0	75·0	64·0	49·0	48·0	43·0	78·0
Sudbury	35·0	38·0	40·0	80·0	91·0	87·0	91·0	88·0		63·0	50·0	40·0	91·0
Saugeen	36·0	43·2	49·8	79·0	84·9	83·9	85·9	91·4	79·0	70·0	64·0	50·0	94·0
Spence	33·0	45·0	44·0	80·0	88·0	88·0	87·0	87·0	80·0	62·0	58·0	41·0	88·0
Sprucedale	33·0	45·0	44·0	81·0	91·0	91·0	92·0	92·0	84·0	68·0	58·0	39·0	92·0
St. George	38·0	48·0	52·0	85·0	88·0	87·0	91·0	91·0	87·0	71·0	65·0	52·0	91·0
St. Mary's	38·0	47·0	53·0	84·0	84·0	85·0	89·0	88·0	82·0	68·0	62·0	49·0	89·0
St. Ann's	38·9	48·9	54·9	80·4	87·5	87·0	83·0	90·0	83·0	74·9	64·9	51·9	90·0
Stratford	35·0	45·0	53·0	80·8	84·7	85·7	89·7	89·1	82·8	68·1	61·4	48·9	89·7
Stoney Creek	39·0	52·0	62·0	91·0	93·0	92·0	94·0	95·0	92·0	73·0	70·0	55·0	95·0
Stouffville	33·0	48·0	55·0	89·0	92·0	87·0	92·0	97·0	92·0	68·0	62·0	47·0	97·0
Sarnia	40·0	47·0	60·0	83·0	90·0	92·0	93·0	90·0	89·0	73·0	66·0	53·0	93·0
Toronto	37·7	48·9	54·9	79·7	90·8	86·3	91·3	89·9	86·3	66·8	63·8	48·9	91·3
Thorold	39·5	52·9	59·4	89·0	91·9	91·5	95·0	97·5	91·9	74·5	67·4	54·4	97·5
Uplands	31·5	45·5	44·6	78·0	89·5	86·5	87·0	90·0	81·0	63·6	57·8	40·4	90·0
White River	35·2	40·2	48·4	67·3	84·8	81·8	86·4	81·8	71·8	66·2	44·2	39·0	86·4
Whiteside	31·0	41·5	50·5	82·0	87·5	91·5	92·0	91·5	82·0	62·5	61·0	38·0	92·0
Woodstock	38·0	44·5	55·0	85·0	86·2	86·2	88·0	91·0	86·0	68·9	63·5	49·4	91·0
Welland	38·0	50·0	57·0	80·0	86·0	89·0	90·0	92·0	86·0	70·0	68·0	52·0	92·0
Windsor							90·5	91·4	83·0	72·4	66·2	55·0	
Waterford	49·0	50·0	61·0	84·0	86·0	85·0			86·0	78·0	78·0		
Quebec.													
Abitibi							82·0	83·0	70·6	61·0	49·0	37·0	
Anticosti, E. Pt	26·0	34·0	33·0	38·0	46·0	62·0	67·0	62·0	60·0	50·0	40·0	27·0	67·0
Anticosti, W. Pt	30·0	36·0	38·0	44·0	57·0	68·0	73·0	70·0	68·0	54·0	45·0	33·0	73·0
Anticosti, S. W. Pt.	37·0	33·5	43·6	42·3	53·1	67·5	66·3	65·6	62·0	53·1	46·0	39·0	67·5
Bird Rocks	37·1	35·5	46·1	43·5	48·6	62·2	75·0	72·7	67·1	59·1			75·0

Monthly and Annual Maximum Temperature during the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Quebec—*Con.*													
Brome	36·0	47·0	47·0	75·0	83·0	81·0	85·0	88·0	84·0	65·0	64·0	45·0	88·0
Bicquette				46·0	58·0	65·0	68·0	68·0	66·0	51·0	45·0		68·0
Chicoutimi	50·1	34·0	42·1	69·1	81·3	90·8	89·2	90·4	79·3	60·1	49·9	40·9	90·8
Cape Chatte	26·0	38·0	40·0	49·0	65·0	71·0	74·0	82·0	71·0	47·0	47·0	38·0	82·0
Cape Magdalen	28·0	40·0	48·0	63·0	69·0	72·0	74·0	80·0	83·0	53·0	48·0	37·0	83·0
Father Point	33·0	42·3	38·7	56·6	67·8	76·6	76·4	78·8	76·4	53·0	48·5	40·1	78·8
Gaspe	49·5	38·5	47·4	56·6	73·9	82·0	83·6	78·8	81·2	65·0	58·5	38·5	83·6
Montreal	35·3	41·5	45·6	77·0	88·7	86·4	89·3	89·7	83·8	58·3	57·6	42·0	89·7
Pont des Monts	25·0	30·0	40·0	55·0	65·0	77·0	78·0	70·0	75·0	55·0	45·0	35·0	78·0
Quebec	33·2	44·2	41·2	66·8	84·0	86·6	88·0	87·6	81·2	57·0	50·0	38·0	88·0
Richmond	34·5	44·1	47·6	76·6	85·3	88·0	89·1	90·2	84·0	65·0	59·5	43·7	90·2
Roberval	31·0	40·0	40·0	67·0						65·0	60·0	37·0	
Grindstone	41·0	35·0	42·0	51·0	60·0	70·0	77·0	70·0	73·0	60·0	51·0	5·0	77·0
New Brunswick.													
Bathurst	39·0	45·0			80·0		92·0	85·0	87·0	65·0	55·0	40·0	92·0
Chatham	38·5	42·0	49·5	65·0	79·5	91·0	90·3	91·7	79·7	70·0	62·5	41·0	91·7
Dalhousie	34·0	36·5	43·0	58·5	78·0	87·0	86·5	81·0	76·0	58·0	55·0	38·5	87·0
Fredericton	37·9	44·4	54·8	66·7	80·9	84·8	90·7	92·7	85·7	66·7	60·9	44·9	92·7
Grand Manan	42·7	43·7	46·7	68·6	83·6	80·1	79·8	79·6	75·1	61·0	57·5	48·7	83·6
Point Lepreaux	43·0	40·0	41·0	54·0	60·0	70·0	78·0	68·0	62·0	57·0	53·0	44·0	78·0
St. Andrews	45·8	43·8	54·0	66·0	84·0	89·0	86·0	81·0	73·0	63·0	58·5	47·8	89·0
St. John	42·1	44·5	46·0	67·5	84·8	78·5	83·5	77·5	74·0	60·2	54·7	47·8	84·8
Parker's Ridge	31·0	42·0	49·0		79·0	87·0	88·0	91·0	84·0	56·0			91·0
Nova Scotia.													
Digby	32·0	45·0	58·0	61·0	71·0	74·0	79·0	80·0	70·0	65·0	58·0	48·0	80·0
Guysborough	54·6	43·6	50·7	63·5	78·8	81·8			86·5	86·0	58·8	50·1	
Halifax	47·0	42·0	50·2	69·6	86·0	84·0	87·2	82·2	80·8	67·0	60·9	49·2	87·2
Pictou	43·0	47·0	55·0	68·0	76·0	83·5	88·0	85·0	83·8	70·0	60·5	51·0	88·0
Port Hastings	58·0	30·0	48·0	54·0	78·0	75·0	85·0	86·0	75·0	71·0	60·0	42·0	86·0
Sydney	46·5	40·5	55·0	61·0	74·0	82·0	84·0	79·0	83·5	68·0	58·0	52·5	84·0
Sable Island, E. Pt.	45·0	43·0	48·0	47·0	52·0	63·5	71·0	74·0	74·0	68·0	58·0	49·0	74·0
Sable Island, M. St'n.	45·0	44·0	45·2	43·4	53·0	61·0	66·2	68·5	71·5	68·0	56·2	49·2	71·5
Truro	47·0	49·0	55·2	63·6	79·5	83·3	87·0	85·8	83·5	73·6	60·3	49·0	87·0
Whitehead	43·0	38·0	40·0	45·0	55·0	68·0	70·0	75·0	68·0	63·0	55·0	45·0	75·0
Yarmouth	45·2	47·2	55·0	62·7	69·0	72·0	75·3	75·2	74·6	65·2	58·7	49·2	75·3
New Glasgow	48·0	49·0	57·0	65·8	76·1	83·1	89·5	85·0	84·0	72·0			89·5
P. E. Island													
Charlottetown	40·4	41·9	49·1	61·7	71·0	76·6	81·6	80·5	79·4	66·8	55·5	43·9	81·6
Georgetown	40·0	40·0	46·0	62·0	75·0	82·0	87·0	79·0	85·0	67·0	60·0	47·0	87·0

Monthly and Annual Maximum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Newfoundland.													
Amour Point	33·0	33·0	37·0	40·0	54·0	64·0	63·0						
Belle Isle	31·0	30·0	37·0	34·0	46·0	58·0	65·0	66·0	59·0	52·0	48·0	31·0	66·0
Channell			49·5	45·5	56·0	68·0	75·0	75·0	67·0	58·0	52·0	41·0	75·0
Cape Norman	33·0	35·0	37·0	38·0	53·0	65·0	67·0	67·0	64·0	53·0	44·0	38·0	67·0
Point Rich	35·0	36·0	45·0	39·0	57·0	65·0	75·0	69·0	68·0	60·0	43·0	38·0	75·0
Sandy Point	49·0	35·0	45·2	41·3	65·0	69·3	70·4	70·3	67·8	58·2	45·0	45·2	70·4
St. Johns	48·0	37·0	46·0	55·0	66·0	79·0	84·0	76·0	81·0	71·0	59·0	47·0	84·0
Bermuda.													
Prospect	71·9	74·1	73·1	75·5	80·9	85·5	89·3	90·9	87·5	82·7	77·1	75·5	90·9

Monthly and Annual Minimum Temperature during the Year 1896

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.													
Abbotsford	12·0	20·0	18·0	21·0	33·0	39·0	45·0	46·0	37·0	31·0	3·0	22·0	3·0
Agassiz	9·0	22·0	16·0	28·0	34·0	38·0	44·0	45·0	32·0	32·0	9·0	22·0	9·0
Alberni	19·6		11·8	29·7	39·5	41·0	41·6	41·2	42·0	41·4	14·8	31·5	11·8
Barkerville	-30·0	-12·0	-20·0	3·0	23·0	30·0	36·0	34·0	24·0	21·0	-28·0	2·0	-30·0
Carmanah	22·0	28·0	18·0	29·0	33·0	38·0	46·0	46·0	38·0	37·0	17·0	29·0	17·0
Cascade	17·0	24·0	13·0	25·0	29·0	37·5	45·0	41·0	32·0	29·0	5·0	24·0	5·0
Chilliwack	11·0	22·0	18·0	29·0	33·0	35·0	43·0	45·0	33·0	30·0	7·5	20·0	7·5
Chilcotin	-30·0	5·0	14·0	19·0			40·0	42·0	27·0	20·0	-31·0	-6·0	31·0
Donald	-29·0	-10·0	25·0	9·0	21·0	28·5	35·0	32·0	20·0				
Esquimalt	23·6	26·2	22·2	29·2	35·3	39·3	44·2	46·2	37·7	35·2	16·7	29·0	16·7
Enderby	-15·5	12·0	1·5	20·0	29·0	33·0	41·0	38·0	21·0	20·0	17·0	13·0	17·0
Fort Steele	-27·1	-2·1	-13·5	17·9	26·6	30·6	34·5	37·3	23·9	17·7	-36·4	-2·3	36·4
French Creek	19·0	26·0	15·0	27·0	32·0	34·0	16·0	44·0	33·0	29·0	8·0	26·0	8·0
Glacier	-18·0	4·0	13·0	8·0	20·0	30·0	40·0	38·0	28·0	23·0	-17·0	3·0	-18·0
Griffin Lake	-14·0	-15·0	12·0	25·0	31·0	35·0	41·0	42·0	31·0	29·0	-13·0	10·0	-15·0
Garry Point		23·0	11·0	26·0	35·0	39·0	42·0	43·0	33·0	32·0	4·5	23·0	
Hazelmere	10·0	24·0	15·0	23·0	30·0	31·0	36·0	39·0	34·0	27·0	-3·0	18·0	-3·0
Kamloops	6·2	10·5	4·8	23·5	33·9	41·9	53·8	44·8	34·0	25·0	-22·0	14·0	22·0
Kuper Island	22·0	26·0	19·5	27·5	32·0	35·6	45·4	47·5	36·4	33·0	10·5	26·2	10·5
Kaslo	3·0	19·0	2·0	24·0	33·0	41·0	47·0	49·0	39·0	34·0	0·0	15·0	0·0
Loch Erroch	14·0	24·0	19·0	31·0	38·0	40·0	40·0	42·0	39·0				
Mission Valley	-10·0	1·0	6·0	14·0	25·0	29·0	38·0	33·0	23·0	19·0	-17·0	14·0	17·0
Midway	-13·0	-4·0	3·0	15·0	25·0	31·0	37·0	35·0	23·0	21·0	-31·0	0·0	31·0
Nicola Lake	-12·0	7·5	10·0	19·5	30·0	34·0	45·0	39·0	29·0	21·0	18·5	5·0	-18·5
New Westminster	11·0	26·0	18·0	25·0	36·5	43·2	44·7	46·7	37·0	36·7	5·0	18·2	5·0
Port Simpson	3·0	14·0	12·0	24·0	29·0	34·0	40·0	38·0	32·0	30·0	6·0	22·0	3·0
Princeton	-15·0	-15·0	10·0			30·0	34·0	38·0	25·0	20·0	-15·0	-10·0	15·0
Quatsino	22·0	26·0	19·0	30·0	33·5	42·0	47·0	49·0	38·0	36·0	19·0	28·5	19·0
Quesnelle	-25·0		12·0	15·0	23·0	30·0	38·0				-31·0	-15·0	-31·0
Rivers Inlet	11·4	12·7	16·8	26·9	39·2	39·7	47·6	45·8	38·7	36·1	17·6	29·6	11·4
Spence's Bridge	2·0	14·0	6·0	25·0	34·0	40·5	49·0	52·0	39·0	30·0	-13·0	15·0	-13·0
Salmon Arm	-11·5	2·8	1·0	22·5	30·0	27·0	40·0	37·4	25·0	22·5	-21·5	16·5	-21·5
Stuart's Lake	41·6	26·6	32·9	2·0	19·2	22·2	27·2	24·7	15·7	8·6	-36·4	16·6	44·6
Tobacco Plains		10·0	9·9	-16·0	32·0	33·0	40·0	34·0	26·0	20·0	29·2	6·0	-29·2
Vernon	6·0	8·0	2·0	18·0	28·0	30·0	41·0	37·0	26·0	22·0	-17·0	12·0	17·0
West Kootenay	20·0	-3·0	14·0	14·0	30·0	38·0	51·0	49·0	32·0	28·0	-16·0	10·0	20·0
N. W. Territories.													
Alameda	-37·5	25·0	21·8	10·8	29·9	38·0	33·3	27·0					
Battleford	12·0	29·0	-18·0	4·0	28·0	42·0	37·0	35·0	18·0	10·0	-40·0	-40·0	42·0
Banff	32·0	-12·0	-27·0	4·0	25·5	28·0	30·0	31·0	22·5	11·5	-40.8	12·7	40·8

Monthly and Annual Minimum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. Territories *Continued.*													
Calgary	34·2	21·2	34·2	13·5	22·0	33·5	34·0	38·0	24·0	16·5	−29·2	−15·5	−34·2
Calgary (2)	38·6	−20·2	−33·9	13·0	21·0	32·0	34·0	36·5	.....	15·0	28·8	−18·3	−38·6
Chaplin	35·0	30·0	10·0	18·0	35·0	37·0	35·0	37·0	27·0	15·0	−40·0	20·0	−40·0
Cannington Manor	35·5	−26·5	18·0	13·0	31·0	40·5	40·0	34·5	22·0	11·0	−28·5	−26·3	−35·5
Edmonton	−46·5	−32·5	−24·0	5·5	27·5	33·0	37·5	37·0	24·0	19·5	−36·5	−27·0	−46·5
Henrietta	−41·4	35·2	20·1	9·9	31·4	37·9	35·1	35·1	.....	5·6	−45·4	8·8	−45·4
Indian Head	38·0	30·0	20·0	8·0	20·0	39·0	35·0	31·5	24·0	4·0	−38·0	33·0	−38·0
Kneehill	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	−42·0	−13·0	.....
Medicine Hat	−35·0	19·6	−25·0	8·0	31·8	38·5	36·0	38·0	25·0	16·5	−36·0	−23·0	−36·0
Moose Jaw	−32·5	29·0	−20·1	15·0	30·5	37·0	32·0	33·0	23·0	6·0	−42·0	33·0	−42·0
MacLeod	−1·0	17·0	31·0	8·0	30·0	34·0	41·0	41·0	29·0	19·0	−33·0	−22·0	−33·0
Oonikup	−50·5	−43·0	−28·5	0·5	22·0	33·0	36·0	32·0	20·0	10·5	−29·5	−26·0	−50·5
Prince Albert	−50·9	−43·1	−22·0	4·9	31·3	30·5	38·5	34·1	23·3	10·6	−34·8	39·4	−50·9
Pincher Creek	−38·0	.....	−15·0	3·0	26·0	33·0	39·0	.....	.....	20·0	−23·0	−30·0	−38·0
Pense	−36·0	−29·0	10·0	13·0	32·0	40·0	37·0	.....	.....	.....	−35·0	−27·0	−36·0
Qu'Appelle	−40·0	−30·0	17·0	11·0	31·6	40·5	36·8	33·0	26·0	6·0	29·8	29·4	−40·0
Regina	38·0	−30·0	23·0	10·0	32·0	39·5	36·0	33·0	20·5	6·5	−46·5	−35·0	−46·5
Swift Current	−32·0	−22·0	6·0	15·6	32·0	40·0	40·0	32·0	28·0	20·0	−30·0	−20·0	−32·0
Yarrow	.....	.....	.....	2·0	18·0	29·0	34·0	35·0	24·0	17·0	−31·0	19·0	.....
Manitoba.													
Brandon	−44·0	−30·7	−31·8	11·3	31·7	41·1	39·4	33·0	21·6	4·3	−40·7	−33·7	−44·0
Channel Island	−39·0	−34·0	23·0	7·0	26·0	44·0	50·0	42·0	30·0	21·0	−19·0	17·0	39·0
Emerson	−45·5	31·0	30·0	8·0	35·0	48·0	43·0	33·0	22·0	10·0	−29·0	36·0	−45·5
Elkhorn	−35·0	27·0	28·0	−3·0	31·0	40·5	39·0	33·0	23·0	7·0	−32·0	−28·5	−35·0
Fort Osborne	−39·0	−40·0	17·0	13·0	35·0	53·0	49·0	49·0	30·0	20·0	−30·0	−35·0	40·0
Hillview	−43·0	−30·0	−33·0	6·0	31·0	43·0	40·0	32·0	20·0	6·0	−40·0	−35·0	−43·0
Minnedosa	−42·2	29·4	27·6	7·1	31·8	42·0	42·5	32·0	21·5	7·9	−24·6	−26·1	−42·2
Portage la Prairie	−38·0	34·0	−22·0	8·0	32·0	42·0	46·0	33·0	28·0	14·0	.....	−5·0	−38·0
Russell	−45·0	−30·0	22·0	4·0	29·0	40·0	29·0	32·0	25·0	9·0	−39·0	−33·0	−45·0
Rosebank	−45·0	−32·0	27·0	11·0	31·0	44·0	41·0	30·0	22·0	9·0	31·0	−28·0	45·0
St. Albans (Aweme)	−41·0	−30·5	29·0	11·0	.....	41·0	42·5	32·0	24·5	5·0	−29·0	−29·0	−41·0
Stony Mountain	−41·0	−32·0	23·0	3·0	32·0	43·0	43·0	35·0	21·0	14·0	30·0	−32·0	−41·0
Treherne	−40·0	−27·0	22·0	10·0	33·0	44·0	45·0	32·0	26·0	13·0	−32·5	−31·0	−40·0
Winnipeg	45·2	−42·4	27·2	0·4	32·0	42·7	42·7	32·0	20·0	13·4	31·7	−32·7	−45·2
Ontario.													
Agincourt	−13·5	24·5	1·0	15·0	40·0	40·0	.....	.....	.....	.....	.....	−4·0	24·5
Alton	−24·0	29·2	−2·9	9·8	31·5	34·1	40·5	35·0	21·4	21·9	13·8	−6·1	29·2
Biscotasing	−11·0	.....	.....	.....	35·0	40·0	44·0	.....	.....	.....	.....	.....	.....
Barclay	−53·0	46·0	−45·0	18·0	.....	32·0	.....	32·0	16·0	12·0	−45·0	.....	.....
Bognor	−27·0	−32·0	−12·0	10·0	31·0	31·0	41·0	36·0	29·0	26·0	17·0	9·0	−32·0

Monthly and Annual Minimum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario *Con.*													
Beatrice	32·0	−33·0	−14·5	7·0	32·0	34·0	40 0	37·0	22 0	22·0	13 0	−17 0	−33·0
Birnam	4 3	−14·7	0·8	19 5	35·0	37·4	43 2	42 5	34·5	23·8	12 0	— 4 0	−14·7
Burk's Falls	−35·0	−37·0	15·0	10·0	39·0	44 0	50 0	39 0	22 0	20·0			
Brantford	− 8·0	−18·0	− 1 0	16·0	39·0	40·0	46 0	38 5	27 0	25·0	12 0	- 8·0	−18·0
Bancroft	35 7	−40·7	−24·0	7·1	28·7	34 0	42 4	33 6	29 3	29·1	7 0	-17·6	−40·7
Bloomfield				10·0	38·5	41 0	42 0	40 0	26 0	24·0	10 5	− 8 0	
Barrie	24 0	−24·8	2 2	12·9	37 9	39 9	47 2	44 1	29 6	27·0	15 9	7·3	24·8
Collingwood	−21·0	−24·0	3 0	13·0	35·0	42 5	47 0	44 0	30 0	26 5	19 0	2 0	24·0
Collingwood (2)	−16·2	−22·0	− 7·0	7·5	35·0	27·0	43 0	42 0	29·5	24·0	10 0	1 5	−22·0
Coldwater	−35·5	−39·0	18·8	12 6	30·6	33·4	39 4	37 2	22 4	19 8	15·4	- 16 5	−39·0
Chatham	4 0	− 7·0	− 5·0	21·0	37·0	38·0	45 0	41·0	30 0	21·0	17 0	4·0	− 7·0
Cottam	1 0	− 8·0	4·0	23·0	33·0	52 0	55 0	51 0	29 0	23·0	15 0	3 0	− 8 0
Conestogo	−15·8	−28·5	5·0	15·0	35·0	39·0	43 0	37 5	25 5	25 0	14 0	− 3 0	+28·5
Clontarf	−27·8	−36·0	22 8	10 8	28·0	34·7	39 7	39 7	20 8	21·8	11 8	13 6	−36·0
Cartier						38·0	51 0	39 0			2 0	−15 0	
Calvin	−39·2	32 0	−15·5	10 0	29 5	34·5	42 0	34 0	18 0	18 8	2 5	- 21·5	−39·2
Durham	−22·0	26·0	4 0	11·0	48·1	35·0	40 0	36 0	26 0	23 0	12 0	2 0	- 26·0
DeGewsville	−12·0	−17·0	− 2·0	20·0	49·0	45·0	56 0	46 0	31 0	25·0	18 0	13·0	−17·0
Deseronto	-19·6	32 0	4 5	14 2	40·5	42 7	46 0	44 0	24 0	24·5	14 0	9·0	- 32·0
Desbarats	−33·0	−30·0	- 5·0	26·0	31·0					12 0	4 0	-16 0	33 0
Erasmus	−22·5	−24·3	6 7	10·8	34·1	35·0	43 4	34 0	23 8	25 4	12 9	1·5	24·3
Gravenhurst	36 0	−36·0	−16 0	11·0	33·0	38·0	45 0	40 0	24 0	24·0	18·0	13 8	36·0
Galt			− 3·0	15·0	37·0	38 0	43·0	40 0	25·0	24·0	13 0	1·0	
Heron Bay	−42·0	38·0	-22·0	18·0	43·0	40 0	35 0	42·0	30 0	25 0	−10 0	25 0	42 0
Haliburton	38·0	−38·0	−20·0	6 0	31·0	36·0	43 0	39 0	22 0	20 0	10·0	23·0	38·0
Haileybury	40 2	−33·1	25 3	5·1	27·8	34·5	44 4	35 7	25 0	16·1	5 7	18·2	40·2
Kingston	−18·2	−31·7	2 0	15·7	42 5	42·9	48 8	47 6	29 0	23 2	17 5	9 0	−31·7
London	− 4·0	-17·0	− 4·0	18 0	37 5	38·0	42 0	38 5	27 5	23 0	15 5	1 0	17·0
Lucknow	14 9	−14·0	0 0	14·8	33·9	34 9	39 9	36 5	25 9	24 7	15 2	5·0	14 9
Lindsay	−11·6	33 8	− 5·1	10 6	36 4	38 8	44 8	38 2	23 9	24 7	9 5	11 5	33·8
Lakefield	−23·0	−28·0	8 5	10·0	39·5	45·0	49 0	44 5	28 0	27 5	11 5	12 0	28 0
Missanabie	45 0	−38·0	−35·0	5·0		40·0	35 0	35 5	25 0	12 0	−25 0		
Mattawa	−40·0	40·0	27 5	10·0	30·0	30·0	15 0	36 0	20·0	18 0	2 0	17 0	40 0
Mill Brook	−21·0	−38·0	−12·0	11·5	35·5	40 0	44 5		23 0	24 0	11 0	10·0	38·0
North Bay	−30·0	32 0	−12·0	4·0	34·0	35 0	49 0	38 0	25 0	21·0	1·0	−17·0	−32 0
North Bruce	−15·0	−15·0	- 9·0	16·0	40·0	45·0	54 0	48 0	32 0	31 0	17 0	3·0	- 15 0
Niagara	0 3	4·0	4·0	20·0	41·0	43 5	51 0	47 0	42 0	28 5	21·0	10·0	0·3
Nepigon	-40·0	-30·0	−25·0	5·0	45 0	48·0						32 0	
Owen Sound	19 5	−22·5	8 5	13·0	34·0	36 5	42 0	40 0	29 0	25 0	19·0	− 2 5	22 5
Ottawa	25 0	−30·7	9·2	13 0	37 1	42·5	48 5	41 0	30 0	25 8	8 2	15 0	30 7
Otonabee				12·0	44·0	47 0	50 0	49 0	30 0	30 0	18 0	1·0	

Monthly and Annual Minimum Temperature during the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario—*Con.*													
Orillia	32·0	—32·0	11·0	11·0	31·0	37·0	43·0	40·0	24·0	24·0	13·0	—16·0	32·0
Port Arthur	33·0	26·0	18·0	6·0	31·0	38·0	41·0	34·0	23·0	14·0	—21·0	—24·0	—33·0
Parry Sound	29·4	—35·6	15·2	9·2	34·2	37·2	44·2	41·2	24·6	21·8	12·5	15·2	—35·6
Point Clark	3·0	5·0	8·0	18·0	36·0	47·0	57·0	47·0	44·0	28·0	22·0	11·0	5·0
Port Stanley	— 1·5	17·8	2·0	18·3	39·6	40·4	48·0	41·9	28·0	25·3	16·1	0·4	—17·8
Port Dover	4·1	18·3	0·1	15·5	43·1	42·5	48·9	44·1	28·9	28·1	18·5	7·0	—18·3
Pelee Island	0·0	0·0	17·0	30·0	50·0	53·5	64·5	58·0	40·0	31·0	30·0	16·0	0·0
Port Rowan	0·0	16·5	2·0	19·0	42·5	42·0	50·0	46·5	29·0	25·0	12·0	0·0	—16·5
Paris	8·0	—23·0	4·0	16·0	38·0	38·0	40·0	40·0	27·0	24·0	16·0	— 5·0	—23·0
Peterborough	—22·0	—38·0	8·0	10·0	39·0	46·0	50·0	38·0	26·0	22·0	....	-11·0	—38·0
Renfrew	24·2	—35·6	19·2	11·0	33·1	39·2	43·2	40·2	25·1	23·1	2·0	—18·0	—35·6
Rockliffe	37·0	—37·0	25·0	12·0	30·0	37·0	45·0	42·0	26·0	24·0	— 2·0	—18·0	—37·0
Savanne	49·0	—43·0	38·0	23·0	26·0	28·0	30·0	30·0	14·0	8·0	-34·0	-40·0	-49·0
Schreiber	—30·0	—25·0	—25·0	5·0	38·0	39·0	48·0	43·0	32·0	30·0	-20·0	-20·0	—30·0
Sudbury	—25·0	35·0	15·0	10·0	43·0	50·0	51·0	45·0	....	22·0	10·0	-21·0	—35·0
Saugeen	14·2	—20·7	4·5	13·1	33·1	37·1	43·6	42·1	28·1	23·1	17·1	3·6	—20·7
Spence	40·0	—38·0	21·0	4·0	29·0	32·0	38·0	32·0	25·0	13·0	— 2·0	25·0	—40·0
Sprucedale	—44·0	41·0	24·0	2·0	26·0	30·0	39·0	30·0	25·0	15·0	2·0	-23·0	44·0
St. George	—10·0	16·0	1·0	13·0	40·0	43·0	50·0	41·0	28·0	23·0	16·0	- 7·0	—16·0
St. Mary's	8·0	—18·0	5·0	17·0	35·0	34·0	44·0	40·0	24·0	23·0	16·0	3·0	—18·0
St. Ann's	3·0	—13·0	1·0	18·0	43·0	39·0	49·0	40·5	29·0	24·0	18·0	-14·9	—14·9
Stratford	18·3	24·4	1·4	15·5	34·8	36·9	41·7	37·0	23·3	22·8	14·7	1·2	24·4
Stony Creek	— 9·0	—14·0	2·0	20·0	40·0	41·0	47·0	43·0	30·0	28·0	20·0	—8·0	—14·0
Stouffville	—17·0	24·0	0·0	13·0	42·0	42·0	49·0	42·0	27·0	26·0	13·0	3·0	—24·0
Sarnia	— 5·0	23·0	1·0	21·0	37·0	44·0	42·0	40·0	27·0	20·0	6·0	3·0	—23·0
Toronto	—10·3	—17·9	4·6	18·3	36·5	41·9	47·2	42·3	27·6	28·7	17·5	1·1	—17·9
Thorold	- 2·0	11·0	1·0	18·5	38·5	41·0	50·0	45·0	30·0	27·0	20·5	6·0	—11·0
Uplands	38·2	—36·0	16·0	6·5	30·9	33·6	40·0	32·8	25·1	17·4	- 1·4	-18·0	—38·2
White River	—48·5	—43·7	15·5	-21·5	25·0	29·0	33·0	28·6	21·5	4·7	-34·4	—45·9	—48·5
Whiteside	-35·5	—36·0	14·5	7·0	32·5	36·5	47·0	38·5	24·0	22·0	16·5	14·5	—36·0
Woodstock	- 9·0	23·5	2·5	15·0	37·0	39·0	45·0	35·0	25·0	20·0	14·4	1·0	23·5
Welland	3·0	18·0	7·0	19·0	40·0	41·0	46·0	42·0	30·0	27·0	17·0	— 1·0	-18·0
Windsor	....	....	....	....	....	....	....	50·3	49·0	34·5	24·6	18·0	2·8	.....
Waterford	— 5·0	15·0	9·0	16·0	40·0	42·0	.....	.....	28·0	21·0	16·0	....	.....
Quebec.													
Abitibi	....	....	....	....	....	....	....	....	45·0	41·0	30·0	20·0	13·0	28·0	....
Anticosti, E. Pt.	15·0	-17·0	9·0	15·0	15·0	39·0	54·0	50·0	35·0	30·0	10·0	0·0	-17·0
Anticosti, W. Pt.	10·0	12·0	2·0	21·0	29·0	41·0	45·0	47·0	36·0	28·0	10·0	- 6·0	12·0
Anticosti, S. W. Pt.	5·2	-11·2	2·5	22·2	30·3	40·0	45·5	44·6	33·7	29·8	7·6	0·0	—11·2
Bird Rocks	1·2	0·9	8·2	22·0	25·3	37·7	47·7	47·2	42·5	35·3	....	.....	— 1·2

Monthly and Annual Minimum Temperature during the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Quebec.—*Concluded.*													
Brome	32·0	—38 0	24 0	10·0	28·0	35·0	41 0	37 0	25 0	20·0	—12 0	24 0	38 0
Bicquette	.....	.....	.....	24·0	32 0	40·0	45 0	40 0	36 0	33 0	5·0	.....	.....
Chicoutimi	-33·0	37 0	-28·4	12·4	27 0	37·0	44 1	38 8	26 6	23 5	16 6	-21 3	-37·0
Cape Chatte	10 0	14 0	0·0	22 0	33 0	38·0	49 0	50 0	40·0	33·0	9·0	3·0	—14 0
Cape Magdalen	-10·0	11 0	1·0	18·0	33 0	38·0	47·0	47·0	36 0	32 0	8·0	1·0	—11·0
Father Point	—25·1	—21·9	-13·7	9 0	21 4	35·3	38 1	36 8	28 0	23 3	2 1	—11 0	- 25·1
Gaspe	—11·5	—24 3	-11·8	4 5	20 0	37·1	45 2	39 8	28·5	24 6	1·6	-15·8	—24 3
Montreal	—21·2	23 4	— 3·2	17 6	36 0	44·2	51·3	47·8	34·3	21·6	8·8	— 6·9	—23·4
Point des Monts	—25·0	0 0	—15·0	5 0	35 0	40·0	45 0	45 0	40 0	25·0	7 0	—20·0	—25·0
Quebec	—23·8	-23 6	—11·2	14 8	33 2	39 5	50 6	41·0	33·2	24 5	0 0	—12·0	—23·8
Richmond	-28·0	—40·9	-25·8	9 5	28 0	33 5	41·7	37·5	27 2	18·8	—12·9	—23·0	—40 9
Roberval	-28·0	26·0	—15·0	25·0	.....	.....	.....	.....	.....	21 0	5·0	—12 0	—28·0
Grindstone	— 7·0	- 7 0	3·0	17 0	29·0	35·0	43·0	45·0	35·0	31·0	15 0	5·0	7·0
New Brunswick.													
Bathurst	-13·0	24 0	.....	.....	26·0	.....	50 0	32·0	31·0	14·0	10·0	—15 0	—24 0
Chatham	-20·6	—25·0	13 5	14 5	26 0	37 5	48 5	43 0	30 5	26 0	— 4·7	22 0	—25·0
Dalhousie	-17·0	—22 0	13 0	8 0	24 5	38·5	42 0	40 0	29·5	24 0	0 0	-10 0	—22·0
Fredericton	-16·3	—20·0	- 9 3	16·8	26·0	35 0	46 0	40 3	27·0	25·4	— 1·1	—10 7	—20·0
Grand Manan	— 9 5	—12 5	10 0	22 0	30·0	41 0	48·0	48·5	37·0	30·0	13 5	0 0	- 12 5
Point Lepreaux	- 13·0	—12 0	9 0	21·0	30 0	43 0	50 0	49 0	43·0	35 0	3 0	0 0	13 0
St. Andrews	- 16 6	—17 4	3 6	18 8	24 7	39 0	46 2	43 2	31·3	27·3	3·0	— 5·4	—17·4
St. John	-12 5	—15 0	6·5	20 0	28 0	42 0	50 5	48 0	33 5	29 0	7·5	- 2 5	—15·0
Parker's Ridge	—20 0	—20·0	— 4 0	.....	24·0	35 0	46 0	39 0	27 0	24 0	.....	.....	.....
Nova Scotia.													
Digby	- 3 0	— 4·0	16·0	29 0	40 0	47 0	54 0	52·0	40·0	34·0	15 0	9·0	— 4·0
Guysborough	— 9 5	—10 7	5 5	21·4	28 5	36 5	.....	.....	35·7	27·0	13·9	— 0·9	-10·7
Halifax	— 6 1	— 7 0	12 0	25·4	29 1	40 0	49 7	46 0	40·5	28 9	12 4	2 7	— 7·0
Pictou	—10·0	—13 5	10 0	24 0	30 0	39 0	48 0	57 0	42·0	30·5	12·5	1·0	- 13·5
Port Hastings	6·0	—10·0	10 0	21 0	25·0	34 0	34 0	42 0	38·0	30 0	15 0	1·0	—10·0
New Glasgow	—20 5	—24 0	7·0	19 5	24 6	33·6	45 8	40·0	36·0	27·0	.....	.....	.....
Sydney	— 6 0	—13 8	2 0	16 0	24 0	38 5	39 0	40·0	30 0	26·9	16 5	2·5	—13·8
Sable Island, E. Pt	6·0	10 5	22 0	30 0	34 0	42 5	50 0	58·0	48 0	42 5	27·0	15 5	6 0
Sable Island, M. St'n.	5 4	10·0	22 0	30 0	34 5	43 0	50 0	55·2	51 0	42 8	29·0	17 5	5·4
Truro	21 3	25 5	2 7	19 6	23 3	31 8	39 8	35·3	32 8	22·4	6·0	— 7·0	-25·5
Whitehead	3 0	4 0	16 0	27 0	32 0	42 5	50 0	50 0	46 5	37 0	21 0	10 0	— 3 0
Yarmouth	- 1 7	1 5	13·3	23 0	28 6	55 3	47 4	40 5	32 2	32 0	14·9	4·0	— 1 7
P. E. Island.													
Charlottetown	-12·0	9 2	8·0	22·3	28·7	40 3	49 5	48·5	39 7	32·1	11·3	0·0	-12·0
Georgetown	12·0	-15·0	9·0	19 0	29·0	41·0	47 0	47·0	40 0	34·0	11·0	- 1·0	15·0

Monthly and Annual Minimum Temperature during the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Newfoundland.	°		°	°					°	°	°		
Amour Point	—12·0	– 4·0	10·0	11·0	20·0	35·0	45·0						
Belle Isle	—13·0	12·0	– 9·0	7·0	15·0	33·0	40·0	41·0	34·0	28·0	– 1·0	-12·0	-13·0
Channell			7·5	16·5	25·5	39·0	43·0	45·0	36·0	30·0	15·0	9·0	
Cape Norman	—17·0	–11·0	5·0	7·0	17·0	33·0	43·0	47·0	34·0	29·0	0·0	– 8·0	-17·0
Point Rich	– 8·0	-10·0	5·0	17·0	25·0	39·0	49·0	52·0	39·0	32·0	10·0	1·0	10·0
Sandy Point	0·0	0·0	4·9	15·2	21·8	41·1	48·7	50·0	42·0	29·0	10·2	0·0	0·0
St. Johns	– 1·0	5·0	12·0	15·0	25·0	36·0	40·0	40·0	34·0	30·4	11·0	1·0	– 1·0
Bermuda.													
Prospect	46·8	45·8	47·0	51·0	57·6	64·0	71·0	70·0	68·8	63·0	56·2	50·8	45·8

Mean Daily Range in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.													
Abbotsford	12·8	14·2	19·0	18·9	19·4	20·7	27·3	21·8	22·2	19·0	13·0	11·2	18·3
Agassiz	9·1	11·3	17·2	18·7	18·7	25·5	30·8	32·0	29·6	24·9	9·8	11·2	19·9
Alberni	.....	.....	19·9	22·7	25·5	21·7	26·4	30·7	25·0	20·7	16·8	5·6	.....
Barkerville	13·6	11·4	17·9	15·6	17·7	23·6	29·3	31·4	30·1	15·3	16·0	13·3	19·6
Carmanah	8·1	8·3	13·8	14·0	14·1	14·4	15·6	23·5	13·9	10·6	10·5	7·2	12·8
Canobie	12·6	15·5	18·8	19·2	20·9	22·4	25·3	24·3	24·0	18·5	13·3	9·9	18·7
Chilliwack	10·2	12·3	19·0	18·9	20·3	24·0	28·8	23·1	24·0	18·9	10·5	9·8	18·3
Chilcotin	.....	20·9	23·7	26·6	.....	.....	29·6	30·2	30·9	20·7	12·8	12·4	.....
Donald	18·0	20·8	25·9	25·2	28·1	32·4	35·3	33·6	33·0	.....	.....	.....	.....
Esquimalt	9·1	9·8	13·9	14·4	15·4	17·5	19·8	17·1	16·1	13·4	7·4	8·2	13·5
Enderby	15·9	17·4	23·2	25·1	26·8	31·2	35·6	32·9	29·6	17·7	13·0	8·1	23·0
Fort Steele	18·0	19·4	22·9	24·1	25·0	37·5	37·1	36·5	31·4	32·1	20·5	11·7	26·3
French Creek	10·3	12·6	17·2	17·1	19·3	20·8	24·3	23·9	21·9	17·5	11·7	8·1	17·1
Glacier	13·2	14·4	18·2	20·2	23·0	29·1	30·8	27·4	23·4	15·7	15·4	.....	.....
Griffin Lake	17·2	12·0	19·9	26·4	28·5	33·4	35·2	33·3	28·6	14·3	11·4	7·3	22·3
Garry Point	.....	10·6	14·8	15·4	15·8	17·1	20·0	18·9	17·6	14·9	12·0	8·9	...
Hazlemere	14·4	14·9	23·4	23·1	22·5	26·8	33·0	27·0	26·1	21·2	15·5	9·3	21·4
Kamloops	14·2	14·8	21·8	21·8	.....	27·6	.....	30·8	25·3	15·7	14·7	7·8	....
Kuper Island	9·8	11·6	16·7	16·7	19·6	22·2	24·7	22·1	20·2	16·8	10·1	9·1	16·6
Kaslo	7·6	6·0	12·7	15·8	18·3	25·8	19·8	16·0	12·8	12·8	9·3	6·4	13·6
Loch Erroch	9·2	10·5	15·5	16·4	20·3	24·2	28·5	24·0	20·6	.....	.....	.....	.....
Mission Valley	15·9	20·2	28·8	28·4	27·7	36·0	36·8	34·4	33·7	24·1	14·0	8·0	25·7
Midway	14·4	23·4	28·7	26·0	27·0	37·3	41·1	40·8	37·8	44·6	21·8	15·2	29·8
Nicola Lake	18·4	15·0	21·7	22·2	23·0	24·8	28·2	29·6	26·5	23·1	15·0	12·6	21·7
New Westminster	8·3	9·3	15·1	16·2	17·6	20·2	24·0	19·4	17·0	17·5	12·6	11·5	15·7
Port Simpson	12·1	13·2	15·4	16·9	18·3	15·2	15·7	17·6	17·6	14·2	15·0	14·5	15·5
Princeton	22·6	32·3	30·4	.....	.....	11·9	42·4	42·2	37·2	32·0	19·3	15·7	.....
Quatsino	9·8	7·9	13·2	14·4	13·6	9·7	13·7	15·1	17·2	9·4	8·8	7·4	11·7
Quesnelle	19·2	.....	21·4	28·7	28·1	26·8	34·0	.....	.....	.....	19·6	19·4	.....
Rivers Inlet	7·7	8·7	14·6	17·2	19·6	15·3	18·2	17·5	18·8	9·2	6·4	5·6	13·2
Spence's Bridge	13·0	20·2	23·3	25·5	28·0	31·1	31·2	31·1	24·2	23·2	16·0	14·6	23·4
Salmon Arm	14·9	18·6	23·8	23·5	25·0	29·8	33·5	33·7	32·1	19·0	15·8	9·9	23·3
Stuart's Lake	24·8	26·7	29·5	24·7	30·4	32·6	37·2	36·1	32·4	22·4	20·2	14·9	27·7
Tobacco Plains	.....	17·3	19·8	24·4	25·4	39·6	35·4	34·8	30·5	28·9	15·5	10·8	...
Vernon	17·3	16·3	23·2	23·5	24·5	32·8	35·2	34·4	29·6	18·2	13·0	11·5	23·3
West Kootenay	21·7	24·2	26·3	28·2	28·4	29·9	17·2	23·1	24·2	23·3	19·6	10·4	23·0
N. W. Territories.													
Alameda	15·9	24·4	21·9	18·6	19·6	24·8	28·8	28·5	.....	.....	.....	.....	.....
Battleford	17·1	20·3	20·1	21·1	22·3	25·0	28·1	28·5	28·0	27·8	15·6	19·1	22·7
Banff	21·0	16·5	23·7	21·8	21·0	32·4	32·8	28·6	24·8	21·4	19·4	13·8	23·0

Mean Daily Range in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. Territories *Continued.*													
Calgary	21·7	22·4	21·9	22·6	22·1	32·1	30·8	27·3	24·6	25·0	13·3	18·0	23·5
Calgary (2)	18·9	22·1	21·6	21·7	21·9	31·1	29·1	27·8	.....	29·4	14·7	18·9	.....
Chaplin	17·7	22·5	20·2	16·6	19·9	29·6	29·4	30·1	24·4	27·7	14·1	9·8	21·8
Cannington Manor	18·8	20·0	19·9	18·2	21·7	22·3	23·4	24·5	30·5	29·8	17·4	20·0	22·2
Edmonton	15·8	19·3	22·3	21·8	22·1	26·8	27·3	23·9	26·9	24·9	16·8	15·3	21·9
Henrietta	19·0	23·7	24·2	17·7	19·5	22·7	26·9	25·1	.....	27·8	22·2	21·9	.....
Indian Head	19·6	21·8	22·7	18·2	23·2	25·1	28·7	26·5	26·1	29·3	19·8	19·3	23·4
Kneehill	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17·9	17·7	.....
Medicine Hat	25·8	20·9	22·8	25·7	22·7	32·1	30·5	29·7	25·3	28·9	18·1	20·6	25·3
Moose Jaw	13·4	16·2	18·8	19·9	19·7	24·9	28·3	26·4	26·2	28·7	14·1	19·4	21·3
MacLeod	27·9	21·8	25·8	25·9	22·0	33·5	33·7	30·4	24·4	28·1	18·8	17·9	25·8
Oonikup	19·8	25·2	29·6	21·7	25·9	26·4	24·6	24·0	21·1	19·1	13·8	17·4	22·4
Prince Albert	22·5	25·9	27·8	20·6	25·8	25·9	25·5	24·1	24·3	24·1	16·6	19·8	23·6
Pincher Creek	16·3	.....	19·3	20·3	19·1	28·6	27·6	.....	.....	21·0	14·8	13·1	.....
Pense	11·6	14·8	16·4	16·3	20·0	27·1	31·9	.....	.....	.....	15·2	18·7	.....
Qu'Appelle	17·3	17·3	19·4	18·0	21·0	22·9	25·6	25·2	23·9	24·9	13·1	15·7	20·4
Regina	14·4	17·6	18·8	17·9	18·7	23·3	26·6	26·3	21·9	28·5	16·4	20·1	20·9
Swift Current	18·9	16·6	16·9	21·8	21·0	24·3	29·7	27·9	25·9	25·7	12·0	14·4	21·3
Yarrow	.....	.....	.....	29·0	28·2	36·5	32·7	27·5	24·2	26·9	17·7	17·8	.....
Manitoba.													
Brandon	23·5	28·1	24·3	18·2	25·8	24·6	25·3	28·5	26·4	28·8	17·4	9·7	23·4
Channel Island	16·3	19·4	22·5	16·6	16·6	15·6	15·0	14·1	12·9	9·4	15·2	10·4	15·3
Emerson	22·3	22·9	19·6	15·2	19·7	19·2	24·2	29·2	26·3	26·7	16·9	17·7	21·7
Elkhorn	15·6	19·0	19·1	15·5	17·2	26·8	27·1	29·3	24·4	27·7	13·8	19·2	21·2
Hillview	13·6	20·9	21·1	16·7	21·4	23·2	23·4	26·9	24·9	26·6	9·8	14·5	20·2
Minnedosa	20·3	24·4	24·1	17·4	21·3	22·8	24·2	26·2	23·8	23·3	11·9	18·4	21·5
Portage la Prairie	22·7	24·2	18·8	14·8	21·6	21·5	21·8	24·1	20·8	21·0	.....	14·4	.....
Russell	20·2	24·4	23·7	20·1	25·9	23·6	25·4	26·2	25·4	27·3	14·7	18·3	.....
Rosebank	.....	.....	.....	17·6	24·3	23·9	26·0	30·0	23·2	.....	.....	.....	.....
St. Albans (Aweme)	22·8	25·6	22·3	17·9	.....	26·3	26·6	.....	.....	24·4	12·6	19·9	.....
Stony Mountain	17·9	19·4	19·5	15·9	18·3	18·6	20·2	23·4	21·9	18·5	12·8	17·2	18·6
Treherne	18·4	18·5	19·5	13·6	20·3	19·9	19·6	22·6	20·7	18·7	19·8	25·2	19·7
Winnipeg	26·2	26·0	25·2	17·9	21·2	21·2	22·2	26·8	23·6	22·3	17·3	19·8	22·5
Ontario.													
Agincourt	14·8	17·2	15·1	18·8	23·6	23·7	.....	.....	.....	.....	.....	13·8	.....
Alton	14·2	19·2	19·1	18·3	24·4	24·6	23·6	27·8	24·0	18·6	17·4	14·8	20·5
Bognor	12·2	17·1	18·7	19·1	23·5	25·9	24·6	22·5	18·1	19·3	15·1	10·4	18·9
Beatrice	17·2	18·1	21·5	21·9	24·0	24·8	20·9	21·3	19·4	16·9	13·3	15·1	19·5
Birnam	9·3	12·3	13·6	16·5	22·3	21·7	19·6	19·1	16·1	16·0	10·8	11·4	15·7
Brantford	14·9	17·2	17·9	18·9	24·1	24·9	20·3	22·3	21·2	19·9	18·6	15·9	19·7

Mean Daily Range in each Month and for the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario *Con.*	°	°	°	°	°	°	°	°	°	°	°	°	
Bancroft	23·7	19·7	28·0	26·5	.....	28·6	23·2	.....	24·0	20·5	20·0	18·0	.....
Bloomfield	.....	.....	.....	23·3	23·3	23·7	23·8	24·9	22·2	22·1	18·9	20·8	.....
Barrie	12·4	15·7	17·1	17·4	19·8	19·5	17·7	19·0	16·1	14·7	13·5	11·7	16·3
Collingwood	12·9	17·9	14·7	17·1	18·6	17·5	16·3	15·4	14·3	15·3	15·1	12·9	15·7
Collingwood (2)	12·6	17·7	17·3	15·5	18·3	18·9	17·5	18·3	13·9	13·4	15·0	11·0	15·8
Coldwater	18·3	.....	.....	.....	.....	26·3	24·9	26·3	23·4	23·0	13·8	16·4	.....
Chatham	9·2	12·3	15·5	19·6	22·6	22·5	20·8	20·6	19·7	18·5	14·4	12·2	17·3
Conestogo	14·7	17·2	18·9	17·8	22·1	23·6	21·2	21·3	19·2	16·7	14·9	10·4	18·2
Clontarf	18·8	23·6	25·1	25·5	27·3	28·2	24·4	27·0	23·9	19·8	18·6	18·6	23·4
Calvin	15·5	17·7	19·7	25·7	29·1	29·3	23·3	24·8	21·0	18·0	13·0	16·6	21·1
Durham	11·7	13·6	16·7	18·1	23·8	25·6	21·9	21·6	15·8	17·8	11·8	12·4	17·6
Deseronto	16·9	17·6	19·9	21·7	23·2	24·1	22·4	22·6	20·2	17·4	15·9	14·3	19·6
Desbarats	.....	30·2	38·4	24·3	33·7	40·4	.....	.....	.....	31·1	22·6	27·0	.....
Erasmus	11·7	16·0	16·6	16·0	20·5	22·8	20·0	22·3	18·7	15·0	13·1	10·8	17·0
Gravenhurst	19·9	19·0	23·1	20·5	24·6	24·7	22·2	24·4	19·8	17·1	13·3	15·5	20·3
Galt	.....	.....	18·0	18·5	22·3	25·4	24·2	24·8	21·2	18·8	17·0	13·2	.....
Haliburton	18·4	18·3	25·6	25·7	26·1	26·8	23·9	25·9	21·5	16·9	11·1	14·8	21·3
Haileybury	20·6	21·2	25·3	21·7	23·0	26·2	20·2	21·2	18·8	16·1	14·5	19·2	20·7
Kingston	14·8	17·7	16·5	18·2	18·8	17·1	14·7	15·5	16·1	15·8	14·8	13·2	16·1
London	11·7	14·2	18·9	20·3	23·0	24·6	21·1	22·5	20·9	20·2	16·3	12·8	18·9
Lucknow	12·3	15·0	18·2	19·5	24·1	27·3	23·8	23·3	19·9	18·7	14·9	11·0	19·0
Lindsay	18·0	19·2	20·2	20·7	25·3	25·8	24·0	27·6	20·7	18·0	16·0	13·6	20·8
Lakefield	16·4	17·8	18·6	17·9	22·1	22·0	21·2	24·1	18·6	14·8	15·8	14·1	18·6
Mattawa	22·1	24·9	27·8	27·8	28·6	31·4	25·4	27·9	24·7	23·9	16·7	17·2	24·9
Mill Brook	17·6	23·0	22·2	21·3	24·3	24·3	23·7	.....	25·7	21·5	18·7	16·9	.....
North Bay	27·6	24·0	23·0	12·4	8·8	13·7	16·4	20·0	17·6	16·1	14·4	16·6	17·6
Niagara	9·5	11·4	14·2	17·8	20·9	19·0	19·3	20·6	14·9	12·7	14·6	8·7	15·3
Owen Sound	14·3	16·9	18·6	20·7	22·6	25·3	22·2	22·1	17·8	18·7	14·8	11·3	18·8
Ottawa	13·8	16·9	18·6	21·4	23·1	22·3	21·1	23·2	19·6	15·8	14·8	15·6	18·8
Orillia	15·7	18·8	18·8	19·1	22·1	22·8	21·2	20·9	16·0	15·4	14·2	14·6	18·3
Port Arthur	21·4	23·5	22·9	16·7	22·3	24·0	22·8	23·5	20·5	16·6	15·9	19·5	20·8
Parry Sound	20·1	20·9	24·4	22·6	22·1	23·1	20·8	19·4	18·0	18·3	13·7	16·5	20·0
Port Stanley	11·1	13·4	15·8	15·8	17·9	19·6	17·9	19·2	18·4	16·9	14·2	12·6	16·0
Port Dover	11·5	13·0	14·7	17·9	18·7	18·7	17·3	14·5	18·1	16·0	14·6	11·9	15·5
Pelee Island	10·0	7·7	10·0	22·5	19·4	15·1	14·2	16·2	12·1	12·6	7·0	7·2	12·8
Port Rowan	11·3	13·7	15·9	16·8	16·2	20·3	17·6	17·7	17·8	14·5	13·6	11·8	15·6
Paris	15·4	19·4	22·8	23·1	26·5	26·7	23·2	22·8	22·6	20·6	19·3	16·9	21·6
Peterborough	14·3	15·5	18·8	17·6	22·8	22·2	21·8	25·0	19·3	16·9	.....	17·0	.....
Renfrew	20·3	25·4	27·8	25·6	27·0	29·2	26·5	29·6	27·7	21·1	21·6	23·6	25·5
Rockliffe	18·7	23·9	28·7	26·1	26·7	28·9	23·0	23·8	20·4	18·8	13·4	18·2	22·5
Savanne	22·3	26·9	29·4	22·5	27·5	31·6	28·6	27·6	22·1	20·3	15·7	22·1	19·1

Mean Daily Range in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO *Con.*													
Saugeen	13·1	15·6	20·2	29·3	20·7	29·1	17·4	18·2	16·3	17·5	14·8	11·4	17·1
Spence	22·1	22·4	26·3	24·7	27·3	31·3	25·6	32·9	27·6	21·9	18·9	22·9	25·3
Spruedale	20·0	21·1	26·6	26·5	30·9	33·4	29·0	30·7	25·0	22·3	12·7	18·1	24·7
St. George	14·4	14·0	18·3	1·5	22·2	22·4	20·9	22·2	19·6	19·0	17·6	13·6	18·6
St. Mary's	9·8	13·1	16·3	16·7	20·7	21·8	19·2	17·8	16·3	15·2	12·0	10·5	15·7
St. Ann's	9·1	12·7	15·0	17·2	19·6	21·1	23·3	19·7	19·0	15·0	13·7	10·8	16·4
Stratford	12·0	14·8	17·1	17·2	22·1	21·6	21·7	21·5	19·4	16·4	13·8	11·6	17·7
Stony Creek	12·7	13·4	16·3	17·8	20·7	21·1	21·4	21·6	19·5	16·2	15·4	13·4	17·5
Stouffville	12·0	15·8	17·5	20·5	23·0	22·3	23·3	26·7	20·2	16·1	14·5	11·3	18·6
Sarnia	9·9	13·3	11·7	18·5	24·8	26·1	23·5	21·2	19·3	19·7	12·4	13·3	17·8
Toronto	13·2	15·8	15·9	17·9	21·9	22·0	20·6	22·6	18·4	15·0	15·2	12·4	17·6
Thorold	10·7	15·3	18·2	23·5	25·2	27·0	22·8	23·3	18·1	15·2	13·6	11·7	18·6
Uplands	21·3	21·8	24·7	26·2	26·0	30·7	26·5	26·9	22·4	21·1	16·1	18·2	23·5
White River	24·2	29·4	34·9	27·9	25·3	32·2	26·9	24·0	21·2	23·0	17·7	28·1	26·3
Whiteside	17·2	19·3	14·0	23·6	26·3	28·1	22·8	24·2	19·2	15·7	11·6	13·9	19·7
Woodstock	13·0	15·3	18·0	19·5	23·6	25·1	22·1	25·5	22·2	19·8	15·9	13·5	19·5
Welland	11·7	14·4	17·8	21·0	22·9	24·0	20·8	20·0	19·8	15·5	15·9	12·6	18·0
Windsor							17·7	17·1	16·0	15·8	14·0	10·7	
Waterford	14·7	15·9	19·5	20·2	23·9	21·7				26·5	18·3		
QUEBEC.													
Abitibi							14·7	14·0	12·1	13·4	13·4	21·9	
Anticosti, S. W. Pt.	10·9	10·0	9·3	6·2	7·1	7·2	5·7	7·8	10·3	7·9	10·2	11·8	8·7
Bird Rocks													
Brome	16·9	19·9	18·0	23·8	24·7	23·1	18·6	22·2	20·8	16·1	15·8	15·5	19·6
Chicoutimi	18·8	22·8	25·4	21·4	26·5	26·9	22·8	22·1	19·7			21·3	
Father Point	18·4	20·6	18·3	16·1	19·1	18·1	19·3	20·4	16·1	12·0	13·8	16·9	17·4
Gaspe	15·9	18·8	19·3	18·5	19·3	20·1	20·7	21·3	19·3	12·5	17·0	17·8	18·3
Montreal	10·8	14·8	15·0	16·9	20·1	17·7	16·0	16·3	14·6	12·2	13·8	13·3	15·1
Quebec	13·4	16·0	17·2	15·5	21·2	22·6	17·7	18·4	15·1	10·1	11·9	14·2	16·1
Richmond	20·6	24·0	23·8	25·4	28·5	27·8	23·2	24·4	21·5	19·0	17·4	21·5	23·1
Grindstone	10·9	13·2	11·7	11·5	11·7	12·3	14·2	12·1	13·3	10·3	11·5	11·1	12·0
NEW BRUNSWICK.													
Bathurst	21·1	25·9			28·8		18·0	26·3	25·4	27·0	22·7	22·7	
Chatham	18·5	20·9	18·4	18·9	24·8	23·1	22·4	22·6	19·6	14·0	14·5	21·1	19·9
Dalhousie	18·0	19·0	22·1	18·8	21·5	21·7	20·7	20·2	16·3	14·3	16·5	18·5	19·0
Fredericton	17·2	18·5	20·0	21·9	27·3	26·0	23·5	25·2	22·0	16·1	17·8	19·0	21·2
Grand Manan	11·9	13·0	11·6	14·3	16·5	16·8	16·5	15·1	12·6	10·2	14·1	14·5	13·9
St. Andrews	16·8	17·3	18·5	19·8	24·5	24·3	21·9	19·7	16·6	15·0	17·4	20·3	19·3
St. John	15·3	14·7	14·3	16·6	19·6	16·2	16·2	14·4	13·9	12·1	15·4	15·9	15·4

Mean Daily Range in Each Month and for the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Nova Scotia.		"		"									°
Guysborough	12·7	15·1	13·2	13·6	17·6	18·1	.	....	17·4	15·7	15·2	14·6	....
Halifax	14·5	14·4	12·9	17·7	22·2	19·0	18·5	15·5	16·0	13·8	14·9	16·3	16·4
Pictou	9·1	11·3	14·0	15·4	19·4	17·7	16·8	16·0	13·9	10·4	9·9	11·4	14·0
Port Hastings	16·8	15·0	14·2	14·3	17·4	20·8	20·8	20·0	19·9	13·7	15·2	12·5	16·7
Sydney	11·9	17·5	14·3	16·6	20·3	19·7	19·5	17·2	20·4	13·5	15·1	14·7	16·8
Truro	17·5	20·3	16·4	19·6	25·1	23·5	21·1	23·3	23·5	15·8	16·3	19·0	20·1
Yarmouth	11·5	12·1	11·8	13·9	17·1	14·2	14·5	14·6	14·0	12·0	13·9	13·4	13·6
New Glasgow	16·8	20·4	17·5	20·3	21·5	23·3	21·8	19·5	19·7	15·0	. . .	....	...
P. E. Island.													
Charlottetown	12·7	15·1	13·5	13·9	17·9	15·2	14·6	13·5	13·6	10·8	13·0	13·7	14·0
Georgetown	13·2	15·8	14·2	16·6	20·2	20·6	18·1	16·3	17·4	12·7	13·6	14·7	16·1
Newfoundland.													
Belle Isle	8·8	7·4	8·0	9·4	8·3	8·4	15·7	16·0	13·7	8·5	7·9	8·4	10·1
Channell			11·8	13·9	13·3	14·2	14·0	12·5	12·2	8·5	11·0	11·1	....
Sandy Point	12·2	9·9	9·4	8·8	8·4	9·1	8·8	9·3	11·0	11·7	9·7	11·7	10·0
St. Johns	11·5	11·9	11·1	10·8	13·9	17·3	19·3	13·9	16·4	10·8	15·3	13·4	13·9
Bermuda.													
Prospect	9·0	9·4	9·7	10·5	12·0	11·0	12·0	11·7	10·6	8·1	8·6	8·3	10·1

RAINFALL in inches in each Month and for the Year, 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Abbotsford	7·21	6 01	2 36	5 12	3·83	2 97	0 04	1 47	1·84	4 11	10 49	8 67	54 12
Agassiz	7 17	12 25	3 58	5 29	4 62	2 86	0 30	0 38	2·19	6 34	9 02	10 79	64 70
Alberni	9 50	4 63	4 75	3 58	1 59	1 03	0 00	0 24	0·14	3 63	5·48	13 10	47 67
Barkerville	0 51	0·00	0 00	0 00	1·58	1 95	0 16	1 75	0·99	1 97	0 00	0 00	8 01
Beaver Creek	20 02	11 71	4 35	3·87	2 69	2 90	0 09	0 37	0 27	5 65	7 27	17 02	76 21
Carmanah	25 20	27 88	6 92	14 06	7 41	6 25	R	1 10	0 64	7 96	15 45	23 73	136 57
Canoble	10 54	8 79	2 21	1 84	2 14	1 62	R	0 44	0·94	4 21	12 07	10 80	55 60
Chilliwack	10 55	8 27	4 03	4 29	2·73	3 42	0·05	1 73	1 88	4 62	12 21	12 68	66 46
Chilcotin		0 00	R	0 47			0 02	0 29	0·70	0 52	0 00	0 07	
Donald	0 68	1 55	1 13	1 23	1·03	0 58	0 10	0 80	0 57				
Esquimalt	2 34	5 97	1 55	1 08	1 62	0 69	R	0 57	1·57	2 87	10 08	10 41	38 75
Enderby	0 32	0 09	0 00	1 33	1 56	1 21	0 00	0 62	0 87	1 19	0 60	2 17	9 96
Fort Steele	0 76	0 21	0 67	0 83	0 89	1 09	0 83	2 29	0·72	0 19	0 96	0 83	10 18
French Creek	8 63	4 63	1 78	1 58	2 61	1 03	0 08	0 31	0·51	2 12	3 82	6 61	33 76
Glacier	0 00	0 00	0 00	0 00	0·27	0 88	0 16	0 72	2·15	0 00	0 25	0 20	4 63
Griffin Lake	0 00	R											
Garry Point		4 02	1 03	3 11	1·83	1 45	0 00	0 23	0·92	3 50	7 31	7 85	
Goldstream	15 32	13 73	3 94	2 50	3·76	1 28	0 00	0 92	1·61	4 25	18 46	16 69	82 46
Hazlemere	6 17	4 87	1 16	4 35	2 87	2 14	0 00	0 81	1·18	3·61	8·21	10 27	45 64
Hatzic										4 72	17 45	11 45	
Kamloops		0 70	0 34	0 92	0·97	0 51		0 42	0 95	0 44	0 19	0 53	
Kuper Island	11·08	5 93	1 16	1 39	1·49	1 17	0 01	0 34	0·89	2 51	9 36	9 79	45 12
Kaslo	2 19	1 69	0 54	1 78	1·16	1 31	0 51	1 20	1·13	1 22	0 67	1 85	15 25
Loch Enoch	12 09	15 46	5 25	6 43	5 78	4 32	0 00	0 14	0 23				
Langley	8 83	8 84	2 51	5 35	4 32	3 26	0 00	1 86	1·38	4 11	10 10	12 06	62 62
Mission Valley	0 38	0 00	0 01	0 50	1·52	0 93	0 22	0 51	0·15	0 65	0 37	0 28	5 52
Midway	0 52	0 07	0 07	1 18	3 06	0 62	0 00	0 32	1·05	0 42	0 00	0 20	7 51
McCoy Lake								0 93	0 60	5 56	13 14	23 60	
Nicola Lake	0 39	0 27	0 42	0 77	1·56	0 20	0 00	0 10	1·00	0 28	0 48	0 44	5 91
New Westminster	4 81	5 25	1 71	4 54	2·12	3 05	0 00	1 04	1 30	4 21	5 33	0 31	40 70
Nanaimo	11·01	6 12	1 01	1 30	1 96	1 39	0 00	0 53	0 79	2 85	7 71	9 44	44 11
Pilot Bay	1·24	1 34	0 00	1 31	1·18	1 03	0 70	0 74					
Port Simpson	5·73	9 68	5 84	0 98	2·55	5 39	3 39	2 42	3 49	9·08	4 26	18 13	71 14
Princeton	0 85	0 25	0 25			0 20	1 00	1 40	1·20	1·90	1 20	0 00	
Quamichan	7·10	5 20			2·80	0 20	0 10	0 90					
Quatsino	6 25	13 28	6·73	3 27	4·70	10 59	2 05	0 75	1 04	13 49	9 27	30 33	101 75
Quesnelle	0 00	0 00	0 00		0 52	0 66	0 13				0 00	0 00	
Rivers Inlet	11·22	16·30	6 22	3 07	3 03	8 77	1 42	1 20	1 79	13 50	8 26	20 06	94 84
Royal Oak	4 83	6 47	1 74	1 39	1·20	0 86	0 10	0 29	1·15	2 76	10 97	10·24	42 00
Spence's Bridge	0·60	0 55	0 19	0 66	0·26	0·01	0 00	0 03	0·04	0 02	0 02	0 06	2 44
Salmon Arm	0·27	0 00	0 00	0 71	1 34	0·65	0 00	0 57	1·16	1 77	1·10	0·30	7·87

RAINFALL in inches in each Month and for the Year 1896.

	January	February	March	April	May	June	July	August	September	October	November	December	Year.
BRITISH COLUMBIA. *Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Stuart's Lake	0·54	2·20	0·29	0·39	0·23	1·51	1·27	0·40	0·36	1·68	0·27	1·34	10·48
Salt Spring Island ..	7·59	4·73	1·24	1·08	1·65	0·92	0·30	0·51	1·09	2·54	8·04	8·58	38·18
Tobacco Plains.		0·15	0·10	0·20	0·67	1·00	1·09	0·76	0·29	0·16	2·69	0·32	.....
Union	19·56	8·89	2·68	2·75	2·34	1·06	0·02	0·89	0·41	3·61	6·22	15·76	61·19
Vernon.	0·00	0·00	0·00	0·70	1·52	0·66	0·00	0·45	0·31	1·28	0·32	2·35	7·59
Valdez Island	13·10	6·59	2·18	3·30	2·66	2·87	0·02	0·59	0·13	4·42	5·87	12·71	54·14
West Kootenay. ...			0·50	1·49	0·53	1·35	0·19	0·29	0·67	1·21	2·91	1·44	.....
N. W. TERRITORIES.													
Alameda			0·75	0·03	3·61	2·48	1·36	0·94					.....
Battleford	0·00	0·00	0·00	0·28	3·69	2·26	0·94	1·16	0·30	R	0·00	0·02	8·65
Banff	0·30	0·17	0·38	0·02	0·80	0·80	1·13	1·33	0·47	0·24	0·02	0·45	6·11
Calgary	0·00	0·00	0·00	0·36	1·85	1·22	1·84	1·66	1·29	0·46	0·00	0·00	8·68
Calgary (2).	0·00	0·00	0·00	0·35	1·38	2·05	0·64	1·45	1·31	0·50	0·00	0·00	7·68
Chaplin	0·00	0·00	0·00	0·12	3·30	0·52	0·36	1·09	0·14	0·03	0·00	0·00	5·56
Cannington Manor...	0·07	0·00	0·00	0·71	3·63	3·49	2·26	1·85	0·85	0·23	0·00	0·00	13·09
Edmonton.....	R	R	0·16	0·22	1·94	2·62	2·07	2·04	0·22	0·17	0·00	0·06	9·50
Gatesgarth (Pense)....	0·00	0·00	0·00	0·57	3·89	4·80	1·65	2·03	0·62	0·00	0·00	0·00	13·56
Henrietta.	0·00	0·00	0·00		3·09	2·80	2·01	2·68	0·56	0·00	0·00	0·00	....
Indian Head.....	R	R	0·00	0·15	2·83	4·32	1·90	1·39	0·60	0·00	0·00	0·00	11·19
Medicine Hat.	0·00	0·20	0·16	1·07	3·00	1·59	1·11	1·79	1·74	0·55	0·00	R	11·21
Moose Jaw..	0·00	0·00	0·00	1·03	2·79	2·65	1·24	1·66	0·52	0·00	0·00	0·00	9·89
Macleod	0·00	0·00	0·00	0·00	2·74	0·48	1·27	1·99	2·23	0·24	0·00	0·00	8·95
Oonikup..	0·00	0·00	0·00								0·00	0·00	.. ....
Prince Albert	0·00	0·20	0·00	2·78	2·40	2·40	3·09	1·39	0·83	0·16	0·00	0·10	13·35
Pincher Creek	0·00	0·00	R	0·00	4·69	0·28	1·31			0·00	0·00	0·00	... .
Qu'Appelle..	0·02	0·10	0·00	0·33	4·73	4·52	2·50	2·05	1·21	0·00	0·00	0·00	15·46
Regina..	0·00	R	0·00	0·88	4·00	5·49	1·63	2·71	0·48	R	0·00	0·00	15·19
Swift Current.	0·00	R	0·01	0·01	2·90	1·40	0·26	2·68	2·08	0·02	0·26	R	9·62
Wallace	0·00	0·00	0·00	0·46	3·31	6·76	3·53	2·94					.. ....
Yarrow.				0·00	0·00	0·29	1·81	2·25	0·49	1·00	0·00	0·00	.....
MANITOBA.													
Brandon	0·00	0·00	0·00	1·49	3·09	3·76	2·99	2·39	0·61	0·00	0·00	0·00	14·33
Beaver Creek.....	0·00	0·00	0·00	4·35	6·37	3·39	1·99	0·74	1·96	0·00	0·00	0·00	18·71
Edmonton	0·00	0·00	0·50	1·56	3·04	3·88	2·55	1·56	0·55	0·18	0·00	0·30	14·12
Cartwright	0·00	0·00	0·00	3·44		2·56	1·47	0·40	0·68	0·00	0·00	0·00	.....
Channel Island....	0·00	0·00	0·00	2·09	1·04	0·85	4·61	5·26	3·55	0·13	0·00	0·00	17·53
Cartwright, North.	0·00	0·00	0·00	6·13	4·60	3·36	1·94	0·29	2·46	0·84	0·00	0·00	..... .
Emerson	0·01	0·00	0·41	5·42	5·94	4·15	1·56	1·56	0·84	0·59	0·00	0·45	20·99
Elkhorn	R	0·00	0·00	2·05	4·53	3·36	1·80	1·40	0·70	0·00	0·00	0·00	13·84
Greenwood	0·00	0·00	0·00	4·28	4·11	6·80	1·83	2·85	1·99	0·51	0·00	0·00	22·37

Rainfall in Inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August	September.	October.	November.	December.	Year.
Manitoba *Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Gretna	0·00	0·00	0·65	6·13	6·48	3·07	1·29	1·25	1·60	0·57	0·00	0·25	21·29
Hillview	0·00	0·00	0·20	1·69	3·84	3·84	3·49	2·08	0·92	0·00	0·00	0·00	16·06
Hartney	R	0·00	0·15	1·02	5·37	3·83	2·43	0·86	1·02	0·00	0·00	0·00	14·70
Lundyville						5·66	1·65	3·66	2·41	0·75	0·00	0·02	
Minnedosa	0·03	R		1·75	3·07	2·93	3·56	3·69	1·63	0·02	0·00	0·14	
Morden	R	0·00	0·60	4·95	5·18	6·07	1·54	2·12	2·09	0·86	0·00	0·25	23·66
Norquay	0·00	0·00	0·00	5·06	6·94	3·60	1·52	2·54	2·38	0·30	0·00	0·20	22·54
Portage la Prairie	0·39	0·00	0·00	4·30	4·84	4·22	2·39	2·61	2·82	0·00	0·00	0·00	21·57
Pilot Mound	0·00	0·00	0·83	6·20	3·04	2·79	1·55	2·87	1·92	0·17	0·00	R	19·37
Pembina Crossing	0·00	0·00	R	3·65	4·16	4·31	1·38	2·32	2·74	0·45	0·00	R	19·31
Russell	0·00	0·00	0·10	0·75	2·54	3·67	2·50	1·74	1·18	0·00	0·00	0·00	12·48
Rosebank	0·00	0·00	0·00	5·51	6·82	3·73	1·68	1·45	2·57	0·77	0·00	0·00	22·53
Rapid City	R	0·00	0·00	1·94		4·08	2·27	3·45	1·10	R	0·00	0·00	
Rathwell	0·00	0·00	0·00		4·89	3·02				0·43	0·00	0·16	
Selkirk	0·00	0·00	0·00		1·31	7·81	1·73	2·20	1·66	0·65	0·00	0·00	
St. Albans (Awæme)	0·10	0·00	0·39	2·34		3·38	2·45	1·23	1·47	0·01	0·00	0·58	
Stony Mountain	0·00	0·00	0·24	3·49	5·32	5·64	2·25	1·47	4·10	0·73	0·00	0·00	23·24
Shoal Lake	0·00	R	0·00	1·36	4·17	4·01	2·20	2·65	0·89	0·00	0·00	0·00	
Treherne	0·02	0·00	0·42	5·94	6·65	3·07	2·50	1·08	2·71	0·37	0·00	0·00	22·76
Turtle Mountain	R	0·00	0·07	2·10	3·51	4·69	1·31	3·55	1·24	0·90	0·00	0·00	17·37
Winnipeg	0·04	R	0·70	5·44	5·32	3·96	2·01	1·51	1·96	0·96	0·00	0·08	21·98
Ontario.													
Agincourt													
Alton	0·00	0·15	0·40	1·56	2·10	1·70	4·17	1·61	3·95	2·00	2·81	0·05	20·50
Arden	1·00	1·23	0·68	1·33	1·60	3·78	2·63	2·84	1·23	1·81	2·51	0·46	23·10
Aurora	1·65	0·00	0·34	1·08	1·79	3·43	1·61	0·98	1·86	1·33	1·89	0·08	19·04
Biscotasing					0·73	1·50	0·51						
Bignor	0·67	0·47	1·22	1·15	1·75	2·36	2·69	1·88	1·30	0·92	2·29	0·25	22·95
Beatrice	0·42	0·34	0·97	1·37	2·90	2·82	2·54	6·03	4·47	3·70	3·87	0·56	29·99
Barclay	0·00	0·00	0·00	0·80		1·69		2·55	0·70	0·19	0·00		
Birnam	0·40	0·48	1·12	2·84	1·63	3·72	2·81	4·15	4·86	1·64	2·28	0·44	26·37
Burk's Falls	0·21	0·00	0·20	1·10	2·41	2·04	1·88	3·65	5·98	2·51			
Brantford	0·00	0·00	0·74	1·03	2·11	0·95	4·37	1·92	3·84	1·18	0·43	0·22	
Bancroft	0·00	0·00	0·26	1·16	1·33	2·79	3·07	3·58	3·80	2·20	3·62	0·00	21·81
Bloomfield				2·21	2·67	1·41	2·36	1·97	4·34	1·61	3·83	0·57	
Barrie	0·82	0·12	0·50	1·14	0·97	4·07	1·94	7·64	5·08	1·92	1·39	0·15	25·74
Blenheim	1·23	0·58	1·20	1·43	3·73	5·82	5·33	5·35	4·49	11·94	2·31	1·79	45·20
Bobcaygeon	0·00	0·00	0·84	1·28	0·91	1·16	0·96	2·51	4·70	1·80	1·97	0·45	16·58
Collingwood				0·52	0·74	1·73	1·82	5·36	4·20	2·17	1·83		
Collingwood (2)	0·00	0·00	0·00	1·13	0·80	4·90	2·76	4·21	5·47	4·48	1·22	0·00	24·97

RAINFALL in inches in each Month and for the Year 1896.

ONTARIO—*Cont.*	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Coldwater	0·20	0 23	0·14	0·89	1 58	4·39	2·95	3 29	4·66	1 58	2 07	0 54	22·52
Chatham	2 55	1 08	1 25	2·11	2·29	4·31	5·71	4 98	3·62	1 31	2·09	0 37	31 62
Cottam	1·22	0 35	1·65	3·21*	3 63	6 92	5·64	2·24	4·12	1·64	1·89	0·98	33·49
Conestogo	0 80	0·00	0.20	1·52	3·53	1·12	1·75	1 41	5 29	0 84	2 20	0 00	18·66
Clontarf	0·00	0 00	0 65	0·80	0·51	4 96	2·85	4 71	4 19	0 94	1 65	0 00	20·66
Cartier						0·60	0·27	0 54			0 50	0 00	
Calvin	0 00	R	R	0 62	2·51	3·25	1 87	4·60	4 94	2 48	2 10	0 00	22 37
Cherry Valley	0·24	1 33	1·08	0·26	1·24	1 52	2·20	1 55	4·53	0 56	3 13	0 56	18·20
Croydon	0·00	0·80	1 76	0 53	2 20	2·68	2 26	1 45	4·45	1·80	1 76	0 46	20 15
Coldstream	0 57	0 31	0·70	2 39	2·63	3 78	3 65	3 86	4 65	1 63	2 56	0 52	27·25
Cowal	0 82	0·05	0 63	2·08	1 90	2·43	5 41	3 60	3 78	1 70	2 35	0 45	28·20
Denbigh	0 00	0 00	0 30	0·13	1 46	2·00		2 58	2 05	1 01	0 56		
Dunham	R	R	0 25	0·70	1·32	1·40	2·69	1 27	3 99	0 90	2 34	R	17·86
De Cewsville	1 68	1 02	1·77	1 74	2·31	3 04	4·52	2 48	4·70	1 47	2 92	0 32	27·97
Deseronto	0 00	1 44	1·51	1·15	5 69	2 20	4·40	2 82		2 53	5 06	0 91	
Deskarats		0 23	1·10	1 15	6 91	3 82				0 36	0 27	0 00	
Deer Park	2 04	2 32	0 41	0·71	2 30	1·09	1 97	0 83	4·91	1 94	2 16	0 36	20·47
Dealtown	1 42	0 71	1·37	2·06	2·81	4·36	7·05	5 08	3·62	1 34	2 26	0 91	32·99
Erasmus	0 39	0 09	0·69	1 09	1·71	1·01	3 07	2 63	4 83	1 78	2 24	0 15	19·68
Ensdale	0 25	0 00	0·45	1 44	2 22	2·29	1·58	1 42	5 71	2 50	3 68	0 63	25·17
Ennismore	0 00	0 25	0·15	0 89	0·98	4 05	2·10	1 00	5·04	1 71	2 80	0 00	18·97
Elgin										1 40	2 13	0 32	
Gravenhurst	0 40	0 08	0 99	1 05	2·94	5 26	1·74	2 70	5·50	2 04	2 83	0 71	26·30
Galt			0 75	1 69	3·04	1·69	1·63	2 24	5·37	1 18	1 94	0 00	
Georgetown	0 91	0 41	0 84	0·97	2·21	0·99	3·02	1 77	5·03	1 63	2 70	0 06	20·54
Goderich	0 24	0 04	0·50	0 63	0·40	0·89	1·45	2 40	1 83	1 40	0 93	0 04	10·75
Glastonbury	0 00	0 13	0 60	0·02	1·60	3·05	2·65	1 80		2 38	0 90	0 15	
Heron Bay	1 00	0·00	0 00	1·00	2·00	2·30	1·00	1 57	1·10	0 20	0 60	0 00	10·77
Haliburton	0 10	0 15	0·20	1·54	1 88	4 59	1·56	5 17	5·35	2 23	4 09	0 01	26·87
Haileybury	0 00	0·02	0 21	0 52	4·27	1·28	4·34	4 45	4·72	0 44	2 97	0 07	23·19
Huntsville	0 22	0 08	0·20	1·72	2·71	1·61	1 53	5 24	4 60	5 05	3·40	0 10	26·46
Hilsey	0 60	R	0 40	2 38	2 98	3 66	3·05	3 85	4·31	1 82	2 93	0 35	26 33
Jermyn	0 44	0·09	0·17	1 14	1·84	1·63	2 91	0 81	4·51	1 92	2·28	0·17	17·91
Kingston	0 06	1·00	1 69	0·60	2·49	1·67	1 67	2 13	3·85	1 63	2 73	0 68	20·20
London	0 80	0 55	1 00	2 64	1 16	2·71	2·87	1 06	4·09	1 89	2 94	0 49	28·20
Lucknow	0 36	0 57	0·71	2·00	1·47	2·01	1·59	4 59	5·16	1 98	3 34	0·39	24·17
Linden Valley				1·63	0·98	3·02	1·97	1 90	5·51	1 61			
Lindsay	0 24	0·22	0 58	1·72	1·42	3·03	2 31	0 93	6·10	1 69	2 28	0 07	20·62
Lakefield	0 37	0 36	1·23	1·53	1·16	2 95	1·23	1 35	5·00	1 80	2 64	0 41	20·03
Lion's Head	0 70	0·08	0·43	1 46	2·27	2 20	0 25	3 65	5·53	0 85	3 47	0 76	21·65
Lansdowne	0 70	0 69	2 62	1 06	1·98	1·54	1 67	1·94	3 87	1 43	3·52	0 40	21·42

RAINFALL in inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO. *Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Missanabie	0·00	0·00	0·30	2·00	.	0·70	1·20	2·60	1·10	1·60	1·00	.....	...
Mattawa	0·00	0·00	0·00	0·00	0·63	2·94	3·99	4·05	4·56	2·45	3·08	0·00	77·9
Mill Brook	...	...	0·30	0·93	2·16	1·84	2·29	.	...	....	...	...	....
Midland	0·50	0·59	0·53	1·41	1·71	5·47	2·19	3·38	5·23	1·31	2·61	0·73	25·66
Montague	0·00	0·00	0·00	0·94	2·18	2·61	3·75	3·63	3·94	1·01	2·09	0·00	20·15
Mount Forest	0·13	0·23	0·65	0·90	1·49	0·91	1·86	2·83	5·35	1·53	1·77	0·18	17·83
North Bruce	0·25	0·30	0·83	1·07	2·94	1·62	1·43	6·55	4·20	1·32	2·56	0·26	23·33
Niagara	2·46	1·52	1·41	0·76	2·35	1·56	4·09	1·48	4·10	0·99	2·00	0·74	23·46
Nepigon	0·00	...	0·10	1·60	0·70	0·95	...	...	...	...	...	0·00	...
Owen Sound	0·55	0·37	0·54	1·37	2·82	1·45	1·92	5·12	4·56	0·76	2·27	0·28	20·01
Ottawa	0·00	0·22	1·32	0·57	2·26	3·34	3·04	3·91	3·42	1·07	1·79	R	20·94
Otonabee	0·45	0·15	1·04	0·49	2·13	2·68	2·10	1·16	4·40	2·55	1·72	0·50	20·37
Orillia	0·00	0·33	0·43	1·25	1·58	3·01	1·88	2·92	5·19	4·08	2·27	0·55	23·49
Orangeville	0·55	0·11	0·12	1·47	2·24	1·69	3·94	2·53	5·18	1·59	2·46	0·00	21·88
Oliver's Ferry	0·09	0·40	1·68	0·40	3·02	2·35	3·36	3·44	3·94	1·11	3·39	0·00	23·09
Port Arthur	0·00	0·00	0·12	2·32	4·10	2·04	1·75	1·73	1·41	3·04	1·28	0·00	17·79
Parry Sound	0·30	0·32	0·22	1·08	1·88	0·92	1·39	4·28	4·65	2·13	3·67	0·74	21·58
Point Clark	0·00	0·59	0·22	2·02	0·75	2·15	1·64	5·11	4·25	0·36	3·08	0·00	20·17
Port Stanley	1·58	0·11	0·45	1·54	1·93	1·13	2·23	1·83	3·37	1·28	4·54	3·51	23·50
Port Dover	0·91	0·73	1·50	1·85	2·48	3·02	4·99	3·32	3·98	1·49	3·03	0·43	27·73
Pelee Island	0·75	0·75	1·95	3·00	1·87	2·00	6·50	1·75	2·25	1·75	0·75	2·25	25·57
Port Rowan	1·93	2·27	2·65	1·57	2·54	2·19	3·55	3·67	3·20	1·15	3·75	1·32	29·79
Paris	1·00	1·48	1·02	1·29	2·24	3·53	3·95	4·35	5·60	1·38	2·28	0·47	28·59
Peterborough	0·80	2·52	0·85	0·88	2·72	2·80	2·58	1·06	3·15	3·19	...	...	...
Presque Isle	0·60	0·80	1·00	2·75	2·97	2·64	1·26	3·60	4·77	1·10	3·00	0·20	24·69
Princeton	1·25	0·80	0·12	1·19	1·26	1·97	3·00	5·32	4·72	0·89	2·10	0·12	22·74
Parma	0·00	0·98	2·09	1·65	5·33	2·40	2·74	1·32	4·36	1·69	4·25	0·52	27·33
Port Hope	...	...	...	0·80	2·96	2·26	3·78	2·46	5·75	1·15	2·71	0·70	.....
Roblins Mills	0·27	0·48	0·51	0·72	2·94	1·32	1·97	1·62	5·10	1·64	3·18	1·10	20·85
Renfrew	0·00	0·00	0·00	0·15	1·41	4·94	...	3·77	1·08	4·37	...	...	.....
Rockliffe	0·00	0·06	0·24	0·39	2·11	2·40	5·63	4·07	4·74	1·46	0·97	0·04	22·11
Savanne	R	0·00	0·00	1·50	3·45	3·07	4·79	2·65	4·25	1·30	0·00	0·00	21·01
Schreiber	0·00	R	R	0·81	0·38	1·92	0·42	1·31	0·33	0·42	1·05	0·00	6·64
Sudbury	0·00	0·00	R	...	...	...	...	...	...	...	...	...	.....
Saugeen	0·29	0·19	0·62	1·08	1·46	1·42	1·86	3·56	3·58	1·50	2·32	0·20	18·08
Smith's Falls	0·00	0·00	0·70	0·73	2·02	3·06	2·71	4·09	3·98	1·12	2·45	0·29	21·15
Spence	0·00	0·00	0·00	1·35	1·13	1·07	0·60	0·80	2·28	0·75	1·00	0·00	8·98
Sprucedale	0·21	0·65	0·64	1·47	2·38	1·35	2·96	4·48	5·36	2·67	4·17	0·42	26·76
St. George	0·00	0·68	1·80	0·64	2·82	2·22	4·80	2·76	4·81	1·04	2·33	0·03	23·93
St. Mary's	R	0·00	0·75	1·93	1·66	3·22	2·44	4·56	5·10	1·95	2·45	0·33	24·39
St. Ann's	.....	...	.....	1·50	1·30	2·18	3·81	0·94	1·42	0·73	2·37	0·45	.....

Rainfall in inches in each Month and for the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Con.*	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.
Strafford	0·27	0·36	0·84	2·21	1·82	1·78	2·75	5·52	4·87	1·30	2·61	0·22	24·55
Stony Creek	1·87	2·26	2·01	1·06	4·47	1·71	3·84	0·98	4·82	1·70	1·68	0·92	27·32
Stouffville	2·65	0·61	1·37	2·17	2·50	2·60	2·19	1·22	4·68	1·36	2·61	0·25	24·21
Sarnia	0·05	0·17	0·63	2·09	2·10	1·25	7·40	4·34	4·70	1·40	1·47	0·47	26·07
Sparrow Lake	2·00	R	0·00	0·95	2·92	3·46	1·94	4·87	5·52	3·49	4·47	0·55	30·17
Sunshine	0·05	0·47	0·91	1·73	1·44	1·87	2·35	4·18	6·50	1·51	3·73	0·24	24·98
Scarborough	1·50	1·16	1·55	0·97	2·06	1·52	1·84	0·86	4·67	1·73	2·60	0·55	21·01
Toronto	1·86	0·99	1·34	0·73	2·44	1·11	2·17	1·13	5·19	1·96	2·61	0·34	21·77
Thorold	2·47	1·23	2·02	0·18	1·05	2·52	4·15	1·58	4·07	1·81	2·17	0·66	24·21
Thedford	0·83	0·77	0·96	2·25	0·82	2·93	1·53	4·33	4·87	2·20	1·18	0·65	23·32
Thomson	0·00	0·00	0·20	1·27	4·91	2·12	1·67	4·03	3·96	3·49	3·09	0·00	24·74
Uplands	0·15	0·50	0·20	0·65	2·05	1·48	1·12	4·63	5·08	3·68	6·11	0·24	25·89
Ursa	0·00	0·75	1·28	1·43	2·43	3·32	2·24	6·13	5·15	2·98	4·14	0·90	30·75
White River	0·02	0·00	0·02	1·49	3·21	1·53	1·21	4·36	1·28	2·42	0·35	0·20	16·09
Whiteside	0·49	0·53	0·77	1·44	2·15	2·18	3·07	6·60	5·25	3·44	3·58	1·17	30·67
Woodstock	0·56	0·00	0·00	1·54	2·73	2·65	3·50	2·80	4·61	1·29	3·34	0·17	23·19
Welland	2·98	1·39	0·76	0·75	1·85	1·45	2·42	1·72	5·07	1·59	2·66	0·57	23·21
Windsor	.	.	.	.	.	.	5·84	4·58	4·22	1·77	1·98	0·02	.
Wiarton	0·44	0·30	0·22	1·26	2·53	1·99	1·58	4·58	4·23	1·23	2·38	1·00	21·74
Watford	0·20	0·00	0·50	2·11	3·58	1·97	4·55	3·20	4·61	1·99	2·10	0·30	25·11
Westport	0·00	0·00	0·00	1·04	2·76	3·66	1·08	2·82	3·86	1·50	2·55	0·93	20·20
Wyoming	0·10	0·25	0·70	2·28	2·75	2·25	3·58	3·81	4·25	1·50	1·72	0·55	23·74
Waterford	0·60	R	. . .	0·92	2·17	1·10	. . .	. . .	. . .	0·50	1·65	. . . .	. . . . .
Wooler	0·00	0·82	. . .	. . .	1·65	1·47	1·96	0·34	. . .	. . .	. . .	. . .	. . . . .
QUEBEC.													
Alabibi				. .	. .	. .	. .	5·41	R	R	R	R	. . . .
Anticosti, E. Pt	0·00	R	R	0·00	R	0·52	0·00	0·84	R	1·37	0·12	0·00	2·85
Anticosti, W. Pt	0·00	0·00	0·17	0·02	1·05	2·43	1·82	1·92	3·04	4·66	3·16	0·00	18·27
Anticosti, S. W. Pt	0·00	0·10	0·53	0·37	0·98	3·39	3·06	2·03	4·43	9·85	4·33	0·00	29·07
Becquette	. .	.	.	0·20	1·12	3·85	4·10	2·87	3·95	4·40	4·50	. .	. . . . .
Bonne	0·00	0·75	1·09	0·74	2·74	1·33	2·86	2·25	4·12	3·08	1·61	0·00	23·57
Bird Rocks	0·19	0·06	1·73	0·19	1·88	2·00	2·36	1·86	1·68	3·38	. .	. .	. . . . .
Chicoutimi	0·00	0·00	0·00	0·19	2·18	2·67	4·16	3·20	2·56	2·43	R	0·00	17·39
Cape Chatte	0·00	0·00	R	R	1·82	3·80	1·82	2·87	2·44	3·24	R	0·00	15·99
Cape Magdalen	0·00	0·00	0·32	0·00	1·65	1·64	3·54	1·16	2·79	5·54	2·15	0·20	21·99
Father Point	0·00	0·21	1·61	0·18	3·37	3·37	3·46	3·17	3·15	4·20	3·52	0·00	26·54
Grindstone	0·00	0·20	3·11	0·06	0·86	2·35	2·30	3·02	4·16	5.15	3·61	0·44	25·26
Grosse	0·00	0·00	0·00	0·46	1·12	2·44	2·20	0·64	3·67	6·87	R	0·00	17·40
Montreal	0·00	0·35	2·13	0·85	2·74	4·06	1·84	5·35	3·11	2·48	3·48	0·08	29·47
Pont des Monts	0·00	0·30	2·60	1·00	4·00	5·00	2·30	4·00	3·40	6·65	0·41	0·00	29·66

RAINFALL in inches in each Month and for the Year 1896.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC *Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Percé	....	....	....	....	....	....	....	....	6·23	9·25	3·50	0·02	....
Quebec	0·00	0·57	1·37	1·10	2·15	1·52	5·19	4·32	4·72	6·82	5·25	0·19	33·20
Richmond	0·00	0·63	0·89	0·34	2·78	3·63	5·14	2·97	3·38	2·73	4·53	0·42	27·44
NEW BRUNSWICK.													
Bathurst	0·00	0·20	....	....	0·40	....	2·81	1·12	2·82	3·10	2·10	0·10	....
Chatham	0·00	0·31	1·84	0·47	1·17	3·33	3·89	2·09	4·12	5·83	2·43	0·21	25·69
Dalhousie	0·00	0·11	1·36	0·06	0·66	1·63	1·41	1·95	2·84	2·58	2·82	0·00	15·42
Fredericton	0·11	0·78	3·18	0·91	0·87	1·92	3·80	1·10	7·02	5·15	4·02	0·27	29·13
Grand Manan	0·26	2·89	2·80	1·16	1·54	3·57	5·29	1·87	5·50	7·06	3·39	2·09	37·51
Point Lepreaux	0·35	3·15	2·15	0·75	1·00	3·20	5·22	1·80	5·65	5·65	3·88	1·65	33·85
Parker's Ridge	....	0·30	2·83	0·50	1·13	3·02	3·06	1·42	6·29	5·23	....	....	....
Point Escuminac	0·00	0·70	1·46	0·30	0·84	1·37	3·15	1·55	4·32	5·14	2·28	0·08	21·19
St. Andrews	0·00	2·12	2·59	0·88	1·12	3·45	6·18	1·01	3·68	3·87	1·80	1·23	27·93
St. John	0·16	1·04	2·32	1·07	0·92	3·12	5·43	1·69	6·06	6·59	4·50	1·39	34·29
NOVA SCOTIA.													
Digby	....	0·75	3·60	0·50	0·90	3·90	0·32	1·60	2·70	4·30	0·50	....	....
Guysborough	0·60	....	....	0·40	1·69	3·25	....	....	5·76	9·47	3·95	2·71	....
Halifax	0·27	1·85	7·23	1·10	2·53	4·66	8·73	3·02	12·10	15·02	3·43	2·62	62·56
Pictou	1·00	0·48	1·64	0·50	1·34	2·77	3·79	2·01	4·05	4·23	2·07	1·03	24·91
Port Hastings	....	....	2·10	0·27	1·92	3·25	5·31	3·05	2·74	6·50	3·10	1·23	....
Port Morien	0·25	0·40	3·46	0·50	1·36	4·02	4·82	3·49	1·57	6·75	3·16	1·78	31·56
Sydney	0·42	0·94	5·84	0·78	3·06	3·47	5·70	1·60	4·52	7·83	2·87	1·57	38·60
Sable Island, E. Pt.	2·33	1·47	2·64	1·04	2·36	0·50	6·48	2·43	2·52	3·54	1·10	2·85	29·06
Sable Island, M. Sta.	2·83	2·96	3·93	0·83	3·60	3·19	9·38	4·13	3·71	6·38	4·28	3·77	48·99
Truro	0·37	0·16	3·82	0·60	1·46	3·44	6·19	2·16	5·02	11·46	2·59	1·49	38·76
Whitehead	0·49	0·80	3·25	1·43	2·47	3·96	5·46	4·99	5·54	6·36	2·69	1·81	39·25
Yarmouth	0·19	2·41	5·43	1·01	3·72	3·51	5·78	4·31	3·10	4·48	3·44	2·46	39·84
New Glasgow	0·08	0·00	3·94	0·58	0·91	2·18	5·77	1·65	4·30	6·32	....	....	....
PRINCE EDWARD ISLAND.													
Charlottetown	0·12	0·28	2·73	0·66	1·25	3·78	4·70	1·80	3·20	10·38	2·13	1·64	32·67
Georgetown	R	0·00	1·07	0·55	0·80	3·05	3·64	1·88	4·13	7·95	0·72	1·31	25·10
NEWFOUNDLAND.													
Amour Point	0·00	R	0·75	0·00	....	4·65	1·90	....	....	....	....	....	....
Belle Isle	....	....	....	....	....	6·19	4·00	3·70	2·75	7·04	5·02	....	....
Channell	....	....	5·03	1·54	5·38	4·62	7·54	3·00	4·65	10·14	5·81	3·10	....
Cape Norman	0·00	0·00	R	0·00	1·27	1·98	2·27	0·92	1·32	2·95	1·22	R	11·93
Point Rich	0·00	0·00	1·50	0·00	1·47	1·15	4·80	2·00	3·32	3·55	0·73	0·15	18·67
Sandy Point	0·13	0·00	0·32	0·11	0·58	0·69	0·71	0·40	0·41	1·12	0·29	0·34	5·10
St. John's	5·78	1·36	4·42	2·10	3·34	4·18	5·62	2·74	4·38	4·11	4·99	2·07	45·69
BERMUDA.													
Prospect	6·88	5·18	8·39	1·70	2·84	4·09	1·94	4·60	7·22	6·79	3·38	6·40	59·41

SNOWFALL in inches in each Month and for the Year, 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Aldermere	7·0	8·0	3·9	....	....	....	....	....	....	....	2·0	0·0	20·9
Agassiz	17·0	4·0	6·0	....	....	....	....	....	....	....	8·5	0·0	35·5
Alberni	22·0	2·0	....	....	....	....	....	....	....	....	9·0	4·0	37·0
Barkerville	18·0	29·0	22·0	8·0	6·0	....	....	....	....	7·0	23·0	13·0	126·0
Beaver Creek	35·8	8·5	3·0	0·5	....	....	....	....	....	....	17·0	2·5	67·3
Carmanah	10·3	2·0	1·0	....	....	....	....	....	....	....	13·5	0·0	26·8
Cassiar	31·5	3·5	3·8	....	....	....	....	....	....	....	16·0	*	54·8
Chilliwack	31·3	10·0	7·5	....	....	....	....	....	....	....	6·0	*	54·8
Chilcotin	....	10·5	5·7	2·0	....	....	....	....	....	....	31·3	3·5	....
Donald	77·0	21·3	5·2	1·0	....	....	....	....	....	....	....	....	....
Esquimalt	21·2	7·4	1·6	*	....	....	....	....	....	....	5·9	0·0	36·1
Enderby	25·8	15·5	1·0	2·7	....	....	....	....	....	....	19·3	21·0	85·3
Fort Steele	11·0	1·0	....	....	....	....	....	....	....	....	18·0	4·0	34·0
French Creek	22·0	3·4	2·3	....	....	....	....	....	....	....	14·0	0·0	41·7
Glacier	133·3	98·0	11·5	26·5	2·5	....	....	....	....	4·7	107·7	100·0	514·2
Griffin Lake	17·5	18·5	11·5	5·0	....	....	....	....	....	....	11·0	0·0	63·5
Gurry Point	....	4·0	2·5	....	....	....	....	....	....	....	6·5	0·0	....
Goldstream	3·9	3·0	....	....	....	....	....	....	....	....	12·0	0·0	18·9
Hazelmere	8·0	1·0	1·7	....	....	....	....	....	....	....	4·2	0·0	17·9
Hatzic	....	....	....	....	....	....	....	....	....	....	4·1	0·0	....
Kamloops	19·3	1·0	1·3	0·8	....	....	....	....	....	....	23·3	3·8	29·5
Kuper Island	34·2	4·0	10·0	....	....	....	....	....	....	....	29·1	0·0	77·3
Kaslo	36·7	9·7	2·3	....	....	....	....	....	....	....	34·7	16·6	100·0
Loch Ennoch	21·0	4·0	....	....	....	....	....	....	....	....	....	....	....
Langley	17·3	5·0	1·0	*	....	....	....	....	....	....	9·0	0·0	40·3
Mission Valley	10·2	13·0	1·0	....	....	....	....	....	....	....	11·5	25·0	60·7
Midway	1·3	2·7	0·4	....	....	....	....	....	....	....	10·0	14·0	18·4
McCox Lake	....	....	....	....	....	....	....	....	....	....	18·5	*	....
Nicola Lake	14·3	6·0	1·0	0·3	....	....	....	....	....	....	22·8	5·3	46·7
New Westminster	6·0	21·3	....	....	....	....	....	....	....	....	27·5	0·0	54·8
Nanaimo	33·5	7·0	4·5	....	....	....	....	....	....	....	7·0	0·0	52·0
Pilot Bay	119·5	20·0	2·0	....	....	....	....	....	....	....	....	....	....
Port Simpson	19·0	17·0	4·5	9·2	....	....	....	....	....	....	2·8	17·5	70·0
Penticton	7·5	8·0	3·0	....	....	....	....	....	....	....	22·0	10·0	50·5
Quamichan	28·0	....	....	....	....	....	....	....	....	....	....	....	....
Quesnel	8·8	28·9	4·1	26·4	....	....	....	....	....	....	....	....	68·2
Quesnelle	9·0	....	0·0	....	....	....	....	....	....	....	10·0	....	....
Revelstoke	30·5	24·3	19·9	17·1	....	....	....	....	....	....	10·0	*	101·8
Rock Creek	11·0	....	0·5	....	....	....	....	....	....	....	8·5	0·0	20·0
Spences Bridge	8·8	4·0	0·8	....	....	....	....	....	....	....	16·0	1·3	30·9
Salmon Arm	51·0	15·0	2·0	....	....	....	....	....	....	....	18·0	23·5	87·5

SNOWFALL in inches in each Month and for the Year, 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA *Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Stuarts Lake	37·1	12·5	6·7	4·4						1·0	8·6	17·3	87·6
Salt Spring Island	20·8	1·0	4·5								12·5	0·0	38·3
Tobacco Plains			1·0	0·7							18·0	1·0	
Union	69·0	17·0	15·0								22·2	2·3	125·5
Vernon	7·5	11·5	0·0								11·5	19·0	49·5
Valdez Island	39·5	17·0	4·0								8·5	0·0	69·0
West Kootenay			8·6								44·5	25·5	
N. W. TERRITORIES.													
Alameda	17·0	2·5	5·5	12·0									
Battleford	3·7	0·1	8·6	11·6							13·7	5·1	42·8
Banff	11·0	4·8	5·6	7·7	2·4				8·8	1·7	48·6	6·9	97·5
Calgary	9·0	19·4	11·3	2·8	0·9				1·7	2·4	22·6	3·6	73·7
Calgary (2)	9·5	14·0	9·5	0·5	3·0					2·0	17·0	3·0	58·5
Chaplin	4·5	2·5	6·5	11·0						0·5	13·5	2·0	40·5
Cannington Manor	10·3	3·5	6·8	15·5						6·9	25·0	7·0	74·1
Edmonton	4·0	6·3	10·4	9·4							25·9	1·4	57·4
Gatesgarth		2·0	3·0	19·0									
Henrietta	1·5		7·0	16·5							28·0	3·0	
Indian Head		0·5		16·0						0·0	14·0	1·5	
Knechill											21·7	0·8	
Medicine Hat	13·8	10·4	8·5	11·9	1·0						2·2	2·9	69·7
Moose Jaw				12·0									
Macleod	1·5	5·3	7·0	4·0						2·0	17·0	1·0	37·8
Oonikup													
Prince Albert	15·6	4·9	14·9	5·9							14·4	7·2	62·9
Pincher Creek	7·2	9·8	16·3	19·4						3·2	9·0	3·7	68·6
Qu'Appelle	6·4	1·7	8·8	22·6							17·7	4·5	61·7
Regina	3·3	0·8	1·0	13·5							13·0	5·5	37·1
Swift Current	7·2	10·4	4·1	9·2							11·2	2·8	44·9
Wallace	11·3	8·2	8·1	13·4									
Yarrow									5·8				
MANITOBA.													
Brandon	18·5	3·5	15·7	11·5						4·0	23·8	10·0	87·0
Beaver Creek													
Belmont													
Cartwright													
Channel Island	2·0	8·5	9·0	7·0							12·0	0·0	38·5
Cartwright (North)				6·0						3·0			
Emerson	8·3	5·0	10·3	4·3						3·0	6·3	1·4	38·6
Elkhorn	10·5	2·0		8·2						4·0	15·0		39·7

SNOWFALL in inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA *Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Greenwood	..	.		7·0									
Gretna		5·5	10·5	7·0						3·0	28·5	4·0	
Hillview	26·0	4·1	15·5	16·5						3·5	30·0	17·0	112·6
Hartney	9·5	4·0	9·5	11·5						6·5	26·5	8·5	76·0
Lundyville									0·2	2·5	10·0	2·3	
Minnedosa	13·4	1·4	12·8	10·2					0·2	4·2	18·8	8·0	69·0
Morden	7·5	2·0	6·5	4·0						4·5	18·5	1·3	44·3
Norquay	13·3	2·7	17·8	8·2						4·5	0·0	5·0	51·5
Portage la Prairie	5·0		15·0	3·6									23·6
Pilot Mound	10·5	0·5	15·0	0·5						4·0	20·0	5·0	55·5
Pembina Crossing										3·0			
Russell	5·0	3·0	17·0	24·0							6·0	10·0	65·0
Rosebank				6·0						2·0	26·0	2·0	
Rapid City	14·0		10·0	11·7						3·0		6·5	
Rathwell										4·0	24·6	4·1	
Selkirk										14·0			
St. Albans (Aweme)	9·8	2·6	9·1	7·5					0·5	4·8	14·0	3·2	51·5
Stony Mountain	No measurement.												
Shoal Lake		2·5	6·0	19·0									
Treherne	13·5	3·5	16·0	8·0						1·5	16·5	3·0	62·0
Turtle Mountain	9·0	0·3	5·2	6·0						3·0	30·0	3·7	57·2
Winnipeg	9·9	4·2	11·5	2·0						0·5	13·1	1·9	43·1
ONTARIO.													
Aginecourt												5·4	
Alton	18·2	23·8	9·6	3·0							6·0	10·8	71·4
Arden	25·0	33·0	7·0	2·0							1·5	5·0	73·5
Aurora	17·5	19·5	12·3	0·5						4·5	6·7	7·8	68·8
Bascaraging	22·0												
Bognor	11·0	25·0	29·0	6·0						7·0	19·0	31·0	158·0
Beatrice	40·0	21·0	13·0	4·0						17·5	16·5	29·0	141·0
Barclay	8·0	9·0	15·0	3·6						2·0	9·0		
Barnes	9·3	21·6	12·3	0·7							1·5	21·9	67·3
Bark's Falls	17·0	21·0	12·0							6·0			
Brantford	9·0	22·5	11·5									7·0	50·0
Bancroft	34·9	11·9	28·8	11.0						9·3	6·3	11·1	143·3
Bloomfield				0·7							16·7		
Barrie	35·6	33·9	23·9	4·8						2·3	3·2	14·1	117·8
Blenheim	5·0	22·0	13·0	0·5							0·8	9·0	49·5
Bobcaygeon	23·2	33·0	17·0	4·0						4·5	5·0	8·0	94·2
Collingwood											8·0		

SNOWFALL in inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO *Continued.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Collingwood (2)	29·5	54·5	21·5	8·5						13·0			
Coldwater	33·3	36·6	16·7	2·3						14·4	15·1	19·5	137·9
Chatham	2·0	24·8	14·0								1·3	19·2	61·3
Cottam	0·7	13·7	12·2								0·5	11·5	38·6
Conestogo	20·8	30·3	6·0							0·2	5·0	5·0	67·3
Clontarf	27·0	61·0	31·7	8·0						4·5	4·5	7·3	144·0
Cartier											12·5	10·8	
Calvin	19·3	21·2	11·0	14·3						5·3	13·7	9·0	93·8
Cherry Valley	12·0	16·0	8·0								*	4·0	40·0
Croydon	19·0	46·0	2·5	*							9·0	1·5	78·0
Coldstream	4·2	27·5	14·0	5·0							0·7	10·5	61·9
Cowal	2·0	21·0	7·0	2·0							*	4·0	26·0
Denbigh	24·0	31·3	21·0	3·5						4·5	5·2		
Durham	45·0	42·0	28·0	12·0					*	1·0	8·0	14·0	150·0
DeCewsville	11·3	29·8	9·7	1·3							0·5	9·5	62·1
Deseronto	20·0	30·5	12·0	1·5						*	3·0	3·2	70·2
Desbarats		11·7	5·0	0·8						2·8	14·0	8·0	
Deer Park	13·3	18·9	5·7							*	2·5	4·3	44·7
Dealtown	1·8	16·8	7·5									5·0	31·1
Erasmus	13·8	26·0	12·8	3·0					*	4·4	6·9	8·6	75·5
Ensdale	15·3	19·0	7·2	5·5						4·3	8·2	15·7	75·2
Ennismore	12·0	31·0	6·0	1·5						2·0	2·0	3·0	57·5
Elgin										2·2	3·0	5·3	
Gravenhurst	41·5	24·0	10·0	3·0						11·0	16·3	23·0	128·8
Galt			14·9	0·8						2·0	3·4	9·0	
Georgetown	24·1	28·6	23·1	1·6						3·8	6·5	11·4	99·1
Goderich	15·0	23·0	8·0								10·0	10·0	66·0
Glastonbury	14·5	34·0	9·0	1·0						1·2	4·0	14·5	78·2
Heron Bay	41·0	10·0	15·0	8·0					1·0	2·0	21·5	9·0	107·5
Haliburton	16·0	16·3	12·5	3·0						5·3	5·7	14·0	72·8
Haileybury	21·3	18·3	11·5	11·1						3·5	13·8	8·1	87·6
Huntsville	10·5	18·0	10·0	3·0						4·5	7·5	8·5	62·0
Hubrey	7·0	21·0	9·0	2·0							4·0	7·0	50·0
Jermyn	19·2	30·9	7·6	3·3						1·5	3·0	3·0	68·5
Kingston	15·3	18·6	13·3	0·9						0·7	3·1	3·9	55·8
London	10·7	26·8	9·8	2·3						*	7·2	4·8	61·6
Lucknow	24·3	20·5	6·6	1·9							14·0	16·5	83·8
Linden Valley										3·0			
Lindsay	30·7	49·3	17·0	5·0						6·9	2·2	10·1	121·2
Lakefield	19·5	48·0	13·0	4·0						2·5	2·7	5·5	95·2
Lansdowne	10·5	26·0	6·0							*	4·0	3·0	49·5

SNOWFALL in inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO *Continued.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Missanabie	27·5	5·5	7·0	7·0					2·0	5·5	33·5		
Mattawa	23·5	11·0	15·5	10·0						3·5	11·4	3·0	77·9
Mill Brook			13·5	3·0									
Midland	22·5	22·5	6·0	*						2·0	11·0	5·5	69·5
Montague	12·0	17·0	8·0	2·0							3·0	4·0	46·0
Mount Forest	30·8	26·2	20·6	7·3						3·2	10·3	11·8	110·2
North Bay	7·0										3·3	2·0	
North Bruce	38·9	15·7	9·9	0·5							6·0	8·8	79·8
Niagara	8·8	28·4	14·3	1·2							*	1·5	54·2
Nepigon	24·0	8·0	10·0	26·0								2·3	
Owen Sound	25·2	19·7	7·0	4·2						7·0	13·5	22·0	98·6
Ottawa	23·0	38·1	20·5	2·7						1·7	5·3	12·5	103·8
Otonabee	14·5	27·3	9·8	2·1						1·5	4·0	5·3	64·5
Orillia	26·5	36·3	11·0	5·8						16·0	8·5	10·0	108·1
Orangeville	24·9	40·5	18·8	3·9						8·5	4·8	12·9	114·3
Oliver's Ferry	15·2	27·0	12·0	3·0							2·3	2·0	61·5
Port Arthur	5·5	2·1	6·4	6·8						1·1	13·4	1·6	36·9
Parry Sound	30·0	23·0	10·7	4·0						3·4	21·2	22·9	114·6
Point Clark	24·0	24·0		4·0							5·0	9·0	66·0
Port Stanley	9·5	34·3	16·9	5·2							*	7·2	73·1
Port Dover	12·9	22·9	12·8	0·9							3·3	5·9	58·7
Pelee Island	11·0	1·5	16·0							*	*	2·5	31·0
Port Rowan	Snow-fall included in rain.												
Paris	9·5	17·0	17·0	0·5							1·0	3·8	48·8
Peterborough	17·0	12·2	13·0	2·0						4·0			
Presque Isle	29·0	24·0	6·0	3·0						7·0	16·0	20·0	105·0
Princeton	13·4	34·0	23·5	2·5						1·0	2·0	8·0	84·4
Parma	19·5	51·5	11·8								2·0	3·5	88·3
Port Hope												3·8	5·0	
Roblins' Mills	30·0	36·0	7·5	*							*	2·0	9·0	84·5
Renfrew	5·0									1·3	*	3·2	
Rockliffe	15·0	18·8	8·7	16·6						4·6	28·8	7·1	99·6
Savanne	5·0	4·0	6·0	*						5·0	19·0	5·0	44·0
Schreiber	32·0	8·0	2·0	8·0						1·0	23·0	8·0	82·0
Sudbury	19·0	10·5	3·0										
Saugeen	30·3	22·2	16·9	1·9						2·9	10·2	23·6	108·0
Smith's Falls	14·8	29·2	6·0	2·5						0·5	1·5	4·8	59·3
Spence	18·5	10·3	3·5	2·5						3·5	7·0	14·0	59·3
Sprucedale	26·0	19·0	9·0	5·0						5·5	15·0	13·0	92·5
St. George	11·1	21·2	11·0	1·5						0·5	8·8	3·5	57·6
St. Mary's	14·0	25·0	12·0	1·0							10·0	15·0	77·0

Snowfall in inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario—*Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
St. Ann's	3·2	...		0·2						*	*	6·0	
Stratford	14·5	36·6	20·5	2·5						2·0	8·5	8·7	93·3
Stony Creek	7·5	28·0	16·0	2·9							4·0	6·7	65·1
Stouffville	21·6	34·1	15·6	3·3						4·5	7·0	12·2	98·3
Sarnia	2·0	9·0	7·0								*	8·5	26·5
Sparrow Lake	40·0	22·3	12·2	2·0						5·7	12·6	15·5	110·3
Sunshine	24·8	17·7	16·3	6·0						*	12·0	13·2	90·0
Scarborough	30·0	21·5	8·3	0·5						*	4·0	3·9	68·2
Toronto	20·7	29·6	11·4	0·3						1·9	3·4	6·0	73·3
Thorold	9·0	23·0	26·0									8·0	66·0
Thedford	19·5	23·0	15·0	3·0						*	6·0	21·0	87·5
Thomson	25·0	19·0	3·0						*	3·0	2·0	5·0	57·0
Uplands	34·5	28·5	17·5	8·5						18·5	23·0	27·0	157·5
Ursa	37·0	32·0	18·0	6·0						6·0	12·0	8·0	119·0
White River	31·7	13·8	14·3	9·6	1·9				1·2	0·8	27·1	2·9	123·3
Whiteside	45·0	18·5	7·6	5·5						6·5	26·0	26·2	135·3
Woodstock	4·0	14·0	4·5								0·5	3·3	26·3
Welland	10·5	54·0	13·2							*	3·0	32·0	112·7
Windsor											*	13·0	
Wiarton	28·0	24·0	13·0	2·0						5·0	10·0	16·0	98·0
Watford	No measurement.												
Westport	14·2	23·6	10·0	2·8						1·1	1·7	5·0	58·4
Wyoming	2·0	6·0	3·0							*	*	12·0	23·0
Waterford	4·0	19·0	9·0	*									
Wooler	12·5	21·7											
Quebec.													
Anticosti, E. Pt.	No measurement.												
Anticosti, W. Pt.	14·0	28·0	38·0	17·0						*	41·0	24·2	162·2
Anticosti, S.W. Pt.	10·5	9·2	19·8	1·9							2·1	6·2	49·7
Biquette				18·2							14·2		
Brome	10·5	24·5	36·0	15·0						*	3·0	8·0	97·0
Bird Rock	17·2	22·7	28·0	7·3	1·0								
Chicoutimi			20·0	*									
Cape Chatte	No measurement.												
Cape Magdalen	22·5	35·5	49·0	51·3						*	11·5	14·0	183·8
Father Point	18·1	25·9	35·1	7·7						*	7·2	10·1	104·1
Grindstone	35·0	36·2	36·3	10·4							15·6	42·1	175·6
Gaspé				36·0							*		
Montreal	20·7	25·9	39·5	3·2						*	5·9	10·8	106·0
Point des Monts	3·0	21·0	56·0	26·0							41·0	2·0	149·0

Snowfall in inches in each Month and for the Year 1896.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Quebec—*Con.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Percé	.	.	.	.	.	.	.	.	.	*	7·8	17·3	.
Quebec	11·0	12·5	20·6	9·6	.	.	.	.	.	1·5	11·2	10·4	76·8
Richmond	16·0	33·0	68·0	12·6	.	.	.	.	.	1·5	6·5	7·0	141·6
New Brunswick.													
Bathurst	14·8	18·5	.	.	.	.	.	.	.	.	6·0	4·0	.
Chatham	21·9	32·2	28·2	12·8	.	.	.	.	.	.	14·6	12·1	120·8
Dalhousie	12·0	24·5	40·0	13·0	*	.	.	.	.	.	11·5	16·0	117·0
Fredericton	12·5	40·0	26·3	2·8	.	.	.	.	.	.	9·6	9·1	100·3
Grand Manan	11·9	11·7	13·9	1·2	.	.	.	.	.	.	4·5	4·5	47·7
Parker's Ridge	19·0	38·0	36·0	10·0	.	.	.	.	.	.	.	.	.
Point Lepreaux	5·0	24·0	22·0	3·0	.	.	.	.	.	.	9·0	7·0	70·0
Point Escuminac	19·0	32·0	26·0	7·0	.	.	.	.	.	.	7·0	14·0	105·0
St. Andrews	5·6	29·4	24·2	4·0	.	.	.	.	.	.	3·0	2·0	68·2
St. John	9·6	19·6	13·7	1·6	.	.	.	.	.	.	6·7	2·8	54·0
Nova Scotia.													
Digby	4·0		2·0	6·0	.	.	.	.	.	.	.	.	.
Guysborough	6·0	.	.	.	.	.	.	.	.	.	3·5	*	.
Halifax	14·6	23·4	15·5	3·1	*	.	.	.	.	.	9·6	6·3	72·5
Pictou	30·0	21·5	18·0	3·0	.	.	.	.	.	.	4·0	8·0	84·5
Port Hastings	3·1	19·4	12·7	0·7	.	.	.	.	.	.	4·2	5·5	45·6
Port Morein	23·0	10·0	3·5	8·5	.	.	.	.	.	.	2·0	6·5	53·5
Sydney	34·5	22·5	10·5	11·5	.	.	.	.	.	.	5·5	11·0	95·5
Sable Island, E. Pt.	12·0	9·5	10·5	18·0	.	.	.	.	.	.	3·0	9·0	62·0
Sable Island, M. Sta.	16·5	9·6	8·0	5·5	.	.	.	.	.	.	0·2	9·0	48·8
Truro	28·2	17·5	13·6	4·9	0·1	.	.	.	.	.	7·5	16·9	88·7
Whitehead	18·0	13·0	*	15·0	*	.	.	.	.	.	*	4·0	50·0
Yarmouth	17·8	18·5	15·6	4·0	.	.	.	.	.	*	3·3	10·3	69·5
New Glasgow	16·5	22·0	16·2	2·8	0·4	.	.	.	.	.	.	.	.
P. E. Island.													
Charlottetown	16·9	12·0	17·3	1·6	.	.	.	.	.	.	4·2	5·5	57·5
Georgetown	12·7	14·0	14·5	.	.	.	.	.	.	.	4·7	7·0	52·9
Newfoundland.													
Ameour Point	27·5	20·0	20·0	4·0	.	.	.	.	.	.	.	.	.
Belle Isle	.	.	.	.	.	.	.	.	.	.	.	.	.
Channell	.	.	5·0	5·0	.	.	.	.	.	.	5·0	9·5	.
Cape Norman	.	.	.	.	.	.	.	.	.	0·4	.	.	.
Point Rich	18·0	18·0	7·3	6·0	1·8	.	.	.	.	.	8·6	13·0	72·1
Sandy Point	64·3	64·7	20·5	5·0	.	.	.	.	.	.	22·0	20·2	196·7
St. Johns	46·0	39·0	11·7	19·2	3·5	.	.	.	.	.	*	56·0	175·4
Bermuda.													
Prospect	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0

Registered amount of Bright Sunshine for each Day in the Year 1896.

ESQUIMALT.—Lat. N. 48° 26′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	3·7	0·0	0·0	4·7	4·0	12·6	13·0	1·8	0·0	5·5	0·0	0·0
2	2·5	5·3	8·8	9·8	10·0	2·7	9·5	0·5	4·1	6·9	0·2	0·0
3	0·0	0·0	10·0	10·6	0·0	1·0	10·7	3·2	8·4	0·0	0·0	0·0
4	0·0	0·0	0·0	2·3	6·2	0·2	8·2	5·7	8·6	7·2	5·3	4·6
5	0·5	8·1	3·5	4·4	2·0	5·3	12·1	5·9	1·5	7·4	3·7	0·0
6	0·0	0·0	4·8	0·3	7·4	5·3	10·9	5·6	6·2	3·6	5·7	0·0
7	0·0	0·5	2·2	3·1	5·6	6·6	7·2	9·3	0·0	3·4	0·0	0·0
8	0·0	0·0	0·0	0·0	7·4	5·4	12·8	5·3	3·1	7·9	0·0	0·0
9	3·5	7·2	0·0	3·1	11·1	7·3	13·2	9·4	0·0	7·2	0·7	0·0
10	6·8	0·8	2·2	8·7	0·0	10·0	12·8	12·2	0·6	0·0	5·6	0·8
11	6·3	1·2	2·0	0·0	7·6	0·4	8·5	12·2	2·4	8·2	1·9	0·0
12	6·2	0·0	7·8	2·5	4·7	10·0	12·4	12·3	0·0	4·1	0·0	1·3
13	1·9	0·0	10·7	2·5	8·5	5·0	12·2	10·4	3·6	3·8	0·0	4·0
14	0·3	0·0	10·0	7·5	2·3	7·7	12·6	10·7	0·3	4·4	0·3	3·9
15	1·6	0·0	10·6	5·4	5·8	8·1	11·8	10·4	0·0	9·0	0·0	0·0
16	0·0	8·2	10·6	9·1	1·4	7·5	9·9	10·0	0·0	9·3	0·0	0·0
17	3·4	7·9	10·7	11·3	9·1	9·1	9·1	4·4	1·9	8·3	1·3	0·0
18	1·2	9·0	6·6	3·8	9·9	6·2	8·5	5·7	9·1	7·9	0·5	0·0
19	0·0	9·0	8·3	10·3	2·4	8·5	5·7	6·7	9·2	0·0	7·9	0·0
20	4·1	0·0	7·1	11·8	12·7	8·3	5·8	9·4	5·9	5·8	1·8	1·3
21	4·4	1·9	8·3	5·9	7·1	10·9	0·0	10·3	0·0	7·8	0·0	0·0
22	0·0	3·9	4·9	0·0	0·0	8·6	0·0	9·2	0·0	7·7	2·3	0·0
23	4·9	0·0	3·0	4·8	6·3	8·3	0·0	5·5	0·0	0·0	0·0	0·0
24	0·0	0·0	7·7	3·2	4·0	10·2	0·0	4·7	0·0	2·9	0·2	0·0
25	1·0	0·0	4·5	3·5	0·0	10·2	0·0	2·9	0·0	3·1	7·7	1·3
26	0·0	6·2	9·0	1·2	6·9	8·7	1·4	3·6	6·2	2·9	7·7	0·0
27	1·0	4·2	3·4	0·4	7·4	9·0	8·9	0·0	4·4	8·5	7·6	0·0
28	0·0	3·8	3·3	4·0	11·2	1·7	9·5	6·0	1·6	0·0	7·1	1·0
29	5·3	2·0	6·6	4·7	5·6	9·5	5·8	9·5	0·0	6·0	0·0	0·0
30	0·0	...	7·9	0·8	1·4	9·5	6·9	0·0	0·9	0·0	0·0	0·0
31	0·0	...	8·5	...	6·6	...	3·2	0·0	...	6·3	...	0·0
	58·6	79·2	183·0	139·9	174·6	212·8	242·8	202·7	78·0	154·3	66·5	18·7

Registered amount of Bright Sunshine for each Day in the Year 1896.

KUPER ISLAND.—Lat. N. 48° 58′.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	3·6	0·9	0·0	6·2	6·0	9·0	13·6	1·2	0·0	2·7	0·0	0·0
2	2·9	7·0	9·5	10·8	8·0	6·6	10·5	0·5	4·0	5·4	0·0	0·0
3	0·0	0·0	9·6	9·0	0·0	2·9	12·5	4·7	10·5	1·1	0·0	0·0
4	0·0	0·0	0·0	5·1	1·9	0·0	9·1	5·3	9·3	8·9	4·2	2·4
5	0·9	7·4	0·0	3·2	8·6	4·7	13·1	9·2	7·5	6·8	4·0	0·4
6	0·0	0·0	9·1	0·3	9·3	2·0	10·3	2·8	7·7	0·2	4·5	0·0
7	0·2	3·3	2·6	3·8	6·5	3·7	2·0	6·5	3·2	1·2	0·0	0·0
8	0·0	0·0	0·0	1·3	8·0	2·0	12·9	2·8	4·0	5·8	2·3	0·0
9	2·3	5·3	0·0	6·3	12·8	6·1	13·2	9·0	0·0	2·4	0·0	0·0
10	6·0	0·5	0·0	10·3	0·3	9·7	13·9	12·7	0·0	0·0	6·3	2·0
11	6·7	3·1	1·4	0·0	5·2	0·3	8·8	12·6	4·2	5·4	4·0	0·2
12	5·9	0·0	4·0	1·9	5·7	13·6	8·4	13·2	0·0	0·0	0·0	0·5
13	3·5	0·0	9·8	5·1	11·1	6·5	13·3	12·5	0·0	3·6	0·0	3·6
14	0·0	0·7	9·3	7·8	11·5	3·4	14·0	7·5	1·6	8·5	0·0	5·0
15	5·2	0·0	9·7	8·8	6·0	6·4	13·7	8·8	0·0	8·5	2·8	4·1
16	0·0	8·2	9·1	9·9	5·8	9·9	12·4	10·3	1·0	8·1	0·0	0·1
17	2·0	6·7	9·8	11·1	12·2	9·8	8·6	7·1	0·0	8·1	0·0	0·0
18	2·0	7·2	5·9	4·8	12·9	4·2	9·6	6·2	8·9	6·8	6·9	0·0
19	0·0	8·5	1·4	10·4	3·5	7·0	6·5	9·5	8·2	0·0	1·3	0·0
20	1·6	0·0	7·1	12·0	9·0	13·0	10·3	11·8	0·0	2·0	0·0	0·0
21	5·2	2·9	8·0	4·0	13·3	14·0	0·0	10·5	0·0	7·8	0·0	0·0
22	0·3	1·5	3·9	1·0	0·0	9·3	1·0	7·7	0·0	5·4	0·1	0·0
23	3·9	0·0	2·9	6·3	6·0	14·6	0·0	5·0	0·0	4·8	0·0	0·0
24	0·0	0·0	7·3	6·5	2·7	14·1	0·0	5·0	0·0	4·1	2·7	0·0
25	0·0	0·0	1·6	9·0	0·0	13·6	0·0	0·0	0·0	5·5	5·6	0·5
26	0·0	7·0	6·6	0·1	9·1	13·6	4·5	4·4	3·4	5·9	7·1	0·1
27	1·0	0·0	4·3	0·0	5·0	11·8	9·5	0·0	6·7	7·6	4·7	0·0
28	0·0	7·5	5·3	4·2	12·7	5·9	10·2	9·1	1·6	0·0	4·6	0·5
29	1·0	5·3	8·5	0·7	11·7	12·2	5·3	10·3	0·0	4·0	0·0	0·0
30	0·0	—	10·1	2·0	3·5	13·8	7·0	0·0	2·2	0·0	0·0	0·0
31	0·0		5·7		3·1		5·8	0·0		6·1		2·8
	57·2	83·2	162·5	160·9	211·4	243·7	260·2	206·2	84·0	136·7	61·1	22·2

Registered amount of Bright Sunshine for each Day in the Year 1896.

AGASSIZ.– Lat. N. 49° 14′.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	0·0	0·0	0·2	0·0	0·0	8·4	12·3	0·0	0·0	7·0	0·0	0·0
2	4·1	0·5	5·5	3·7	3·8	6·5	10·3	8·3	1·3	2·3	0·0	0·0
3	0·0	2·2	9·2	8·4	0·8	8·3	11·5	5·6	7·8	3·9	0·0	0·0
4	0·0	0·0	2·6	6·4	2·0	0·0	10·9	4·2	9·5	0·4	0·9	0·0
5	0·0	1·6	0·0	0·0	0·0	2·5	12·2	10·9	3·9	7·3	0·5	0·0
6	0·0	0·0	6·9	1·5	7·1	3·1	12·6	6·8	1·7	4·8	7·0	0·0
7	0·0	0·3	0·0	1·1	1·2	0·0	2·4	5·0	5·5	0·0	0·0	0·0
8	0·0	0·1	0·0	4·7	5·2	1·0	12·1	0·0	7·1	1·0	0·0	1·8
9	2·3	1·6	0·0	3·8	11·4	1·3	12·0	2·8	4·5	6·5	0·0	0·0
10	3·4	0·8	1·6	6·0	0·9	7·6	12·3	11·8	2·7	2·0	0·5	0·2
11	6·2	0·0	0·6	0·0	6·7	2·1	9·3	12·2	5·1	5·1	0·0	0·0
12	6·3	0·0	0·0	0·0	1·2	11·1	9·9	12·8	0·0	0·0	0·0	0·0
13	0·0	0·0	8·8	0·4	5·3	9·5	11·2	11·8	0·6	1·1	0·0	0·0
14	0·0	0·7	8·2	0·0	8·0	3·6	11·1	9·9	1·3	7·3	0·0	0·5
15	0·0	3·0	8·2	11·0	5·0	10·1	11·3	9·3	0·0	8·0	0·0	4·8
16	0·0	1·0	9·1	11·8	1·0	8·2	11·7	6·4	6·6	8·4	2·7	1·7
17	0·9	7·0	9·2	9·5	11·5	2·6	8·8	0·7	3·8	8·3	0·2	0·0
18	0·5	8·5	7·9	5·5	11·1	3·6	5·2	7·3	10·3	6·0	7·4	0·0
19	0·0	8·7	2·5	4·3	5·7	4·6	5·5	9·1	8·7	5·0	4·7	0·0
20	0·0	1·0	4·5	9·2	9·2	12·4	0·0	9·3	7·8	0·0	0·0	1·1
21	0·5	0·0	0·7	1·9	12·3	11·7	0·0	10·9	7·3	2·0	0·0	0·0
22	0·0	5·0	5·9	0·0	7·0	7·9	7·2	11·0	7·0	8·6	0·2	0·2
23	0·0	0·0	0·2	0·0	0·9	12·7	4·2	8·0	0·0	0·0	6·3	0·0
24	1·1	0·0	0·0	2·5	1·1	12·8	0·0	0·0	0·0	3·5	5·9	0·0
25	0·0	0·0	2·5	7·4	0·7	12·8	0·0	0·0	6·3	0·0	6·4	1·3
26	0·0	0·0	9·0	0·0	6·0	12·8	6·5	0·0	7·7	7·5	6·2	1·8
27	0·0	0·0	1·8	0·0	8·5	10·8	0·0	0·0	8·5	8·0	5·7	0·0
28	1·8	1·5	0·0	2·2	8·0	9·7	0·0	6·1	3·5	0·3	1·1	0·0
29	0·0	5·7	4·7	7·2	9·2	0·0	0·0	8·8	0·0	3·0	0·0	0·0
30	2·8	.....	6·9	0·0	3·3	12·0	0·0	0·0	0·0	0·0	0·0	0·5
31	0·0	....	8·0	....	5·6	....	0·0	0·0	....	0·0	....	5·1
	29·4	49·2	124·1	108·5	159·7	204·9	209·9	184·8	134·5	117·3	55·7	19·2

REGISTERED amount of Bright Sunshine for each Day in the Year 1896.

BATTLEFORD.—Lat. N. 52° 1′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	4·7	0·9	0·7	9·0	10·9	8·8	8·2	11·3	10·4	7·6	0·0	4·2
2	0·7	7·6	1·3	10·4	10·2	0·1	13·7	9·0	10·7	5·2	0·0	1·8
3	3·5	4·3	9·2	5·5	1·4	1·8	9·2	8·3	1·9	3·3	0·0	1·1
4	0·0	2·5	3·8	10·8	1·4	7·2	13·7	0·0	9·3	6·0	0·0	0·0
5	0·0	1·0	4·0	9·7	0·7	4·1	11·8	4·0	9·3	0·6	0·0	4·6
6	5·8	0·0	8·6	3·9	0·0	2·0	6·0	10·6	0·0	6·4	0·0	1·9
7	4·3	2·7	8·4	0·0	0·0	2·5	4·7	13·4	0·0	2·8	8·0	3·0
8	4·4	6·9	5·8	2·3	10·0	7·9	13·3	7·0	2·4	6·0	0·0	0·0
9	4·8	3·0	8·7	5·8	4·0	3·5	12·0	11·0	6·3	3·6	0·0	2·3
10	1·3	7·3	5·9	10·6	0·1	1·4	10·8	5·4	4·9	6·9	7·9	2·1
11	3·9	6·3	4·1	0·0	0·0	10·1	13·5	6·4	3·2	6·2	0·0	3·4
12	1·3	4·6	0·0	5·3	0·6	14·1	11·3	11·7	0·0	7·0	1·6	7·3
13	0·0	5·5	9·0	0·0	0·0	11·2	3·5	9·6	7·7	2·6	0·0	6·2
14	0·0	5·9	1·9	0·0	5·2	13·8	6·7	11·2	4·2	9·4	0·0	5·9
15	5·7	5·4	6·7	0·0	0·0	10·2	13·1	13·3	4·4	7·9	0·0	0·0
16	0·0	0·0	4·8	6·7	6·0	13·9	3·9	9·2	5·8	9·4	8·0	0·0
17	1·8	7·4	0·3	3·0	0·0	14·4	14·1	16·0	1·5	6·4	0·0	0·0
18	0·8	5·7	8·8	0·0	14·3	14·8	11·2	0·0	9·6	4·8	8·0	0·1
19	3·1	4·1	9·0	0·6	11·0	5·1	11·5	9·6	7·9	5·0	8·2	4·3
20	0·0	8·8	2·7	11·5	8·0	12·6	1·9	8·7	6·8	3·3	8·0	1·4
21	1·4	3·7	8·8	11·0	6·6	15·0	9·5	4·7	9·7	6·9	7·0	3·3
22	4·9	8·8	9·6	10·9	11·1	9·0	13·8	7·4	10·7	8·3	0·0	0·0
23	0·0	6·8	9·0	4·3	8·6	2·4	11·2	9·9	8·8	5·3	4·1	2·5
24	2·2	5·1	0·0	10·4	9·5	13·9	11·5	1·5	1·4	1·1	0·0	0·0
25	2·2	3·9	8·2	8·2	0·9	6·3	7·3	10·8	10·2	2·2	6·7	6·7
26	1·2	0·0	1·3	12·3	7·6	3·6	13·9	9·2	7·4	8·8	0·0	2·4
27	3·7	7·9	8·1	4·8	4·8	13·1	9·2	7·0	9·6	0·9	3·0	0·6
28	0·0	0·7	1·9	10·3	4·8	14·7	3·1	3·7	6·4	2·2	0·5	0·0
29	0·0	4·6	6·9	12·9	12·6	14·4	4·9	8·2	4·8	1·1	3·2	6·4
30	0·0	.....	4·8	1·2	10·5	8·5	3·5	11·2	1·6	2·1	5·0	0·0
31	3·7	.....	10·5	.....	8·1	.....	8·8	0·0	.....	2·5	.....	0·0
	67·6	131·4	172·8	194·4	168·5	280·4	290·8	234·9	176·9	151·8	79·2	71·5

Registered amount of Bright Sunshine for each Day in the Year 1896.

INDIAN HEAD.—Lat. N. 50° 28′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	0·0	7·2	6·6	0·9	8·3	13·0	7·3	9·0	2·0	7·2	0·0	4·3
2	0·0	4·0	7·1	7·1	6·8	8·7	0·6	10·0	9·7	8·9	0·0	0·0
3	4·3	0·0	0·0	3·6	8·9	5·4	10·8	9·3	9·9	2·5	0·0	0·0
4	0·0	1·7	0·7	9·7	3·2	6·5	13·3	4·3	2·2	6·7	0·0	0·0
5	0·0	0·0	1·5	9·5	0·0	12·5	8·8	5·3	8·0	1·5	0·0	0·0
6	3·0	2·8	5·0	1·5	6·4	0·0	13·5	9·1	2·7	0·0	0·0	3·2
7	0·0	6·0	0·0	0·0	0·9	0·0	8·0	11·3	0·0	0·0	0·0	0·0
8	2·7	6·5	3·4	8·6	12·8	8·2	12·6	11·7	0·4	6·0	0·0	3·6
9	1·0	4·2	8·5	7·2	0·0	13·3	10·8	11·3	2·1	6·0	2·0	3·5
10	0·0	8·5	8·5	0·0	2·7	0·0	10·4	6·0	5·3	9·0	0·0	0·0
11	0·0	6·5	7·0	0·0	0·0	14·8	11·5	12·5	0·0	9·0	1·4	5·4
12	0·0	0·0	2·7	5·0	0·8	12·0	2·8	11·2	0·0	8·4	8·5	5·0
13	0·0	0·0	1·4	4·8	0·9	13·0	7·4	6·3	2·5	4·5	0·0	0·0
14	0·0	0·0	6·7	0·0	0·0	12·2	8·5	10·8	0·0	6·6	0·0	0·0
15	4·5	5·3	9·8	0·0	4·4	11·7	10·7	5·4	2·5	6·7	0·0	0·0
16	0·0	1·8	5·2	8·8	7·1	11·7	10·4	3·4	4·5	4·5	7·8	0·0
17	3·1	5·9	0·0	0·0	10·3	6·5	12·4	0·0	2·5	3·3	0·0	2·4
18	1·2	0·0	6·3	0·0	0·0	13·3	10·0	0·0	8·9	3·0	7·0	2·3
19	1·2	7·8	7·5	0·0	4·4	7·1	7·6	9·7	8·9	3·2	6·3	4·7
20	2·7	7·9	8·7	11·2	0·0	12·9	0·0	9·9	7·8	2·0	8·1	0·0
21	4·6	7·0	9·8	10·0	2·8	13·4	2·8	9·4	7·2	7·8	5·0	4·1
22	1·3	7·8	5·5	8·1	7·9	0·5	11·4	3·1	9·0	6·8	1·0	0·0
23	0·8	4·7	4·2	1·1	11·5	12·9	11·8	11·4	7·5	1·7	2·5	2·5
24	0·0	1·3	0·0	7·5	10·4	13·5	13·8	8·5	1·7	7·4	0·0	0·0
25	2·6	3·4	8·6	11·5	0·5	11·8	0·0	9·9	5·8	3·7	1·0	5·5
26	4·1	0·8	3·1	12·0	4·8	12·2	12·5	0·0	7·3	6·6	0·0	5·0
27	3·4	8·9	0·2	5·4	0·0	10·5	11·0	10·5	7·7	0·0	6·0	5·0
28	3·2	0·0	6·5	0·0	6·1	14·2	3·3	0·0	9·5	6·0	4·9	2·6
29	1·7	4·3	0·0	10·3	11·5	13·2	3·0	10·5	6·0	5·3	3·5	1·8
30	0·5	....	0·0	0·0	11·7	10·9	12·0	6·3	6·9	2·0	5·0	4·6
31	4·3	....	6·7	....	14·0	....	10·5	0·0	....	5·2	....	0·0
	50·2	114·3	141·2	143·8	159·1	295·9	269·5	225·8	148·5	151·5	70·0	65·5

Registered amount of Bright Sunshine for each Day in the Year 1896.

BRANDON.—Lat. N. 49° 51′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	0·0	5·3	9·3	9·2	8·1	7·6	10·9	10·3	0·0	5·4	0·0	5·4
2	6·6	3·3	8·5	11·2	10·7	4·1	0·0	8·2	9·9	5·5	0·0	5·9
3	6·7	1·4	6·6	8·8	8·3	7·6	4·0	11·8	10·2	1·4	0·0	0·0
4	2·5	0·0	0·0	9·7	6·8	3·8	9·6	0·4	0·6	2·8	0·0	0·0
5	0·0	3·0	0·0	9·5	3·4	12·7	13·2	9·7	4·8	7·5	0·0	0·0
6	0·6	4·9	8·7	9·3	6·0	0·0	12·9	11·0	0·5	1·0	0·0	0·7
7	1·4	5·9	7·4	0·0	4·5	9·8	12·0	8·7	8·1	3·2	0·0	0·0
8	5·7	0·5	2·5	0·8	8·0	0·0	5·9	11·7	5·9	6·9	0·0	0·8
9	0·0	5·2	4·3	4·9	3·6	4·0	12·3	8·7	6·4	0·0	0·0	3·3
10	0·0	8·5	6·0	4·6	10·8	0·0	6·1	11·4	0·0	8·5	3·0	0·8
11	3·7	8·7	9·7	0·0	3·2	0·0	11·1	13·1	0·0	8·0	0·0	4·9
12	1·7	8·4	9·1	8·2	3·4	12·9	5·8	8·9	0·0	5·5	4·7	5·0
13	2·2	8·7	6·7	0·6	0·0	12·8	9·1	5·3	6·7	3·7	0·0	0·0
14	1·4	0·0	7·9	0·0	0·0	4·1	10·6	10·4	0·4	6·8	0·0	1·3
15	4·8	6·9	8·0	0·1	5·2	11·1	9·0	12·5	0·9	4·3	0·0	0·0
16	0·0	7·5	6·4	9·1	2·9	10·4	10·0	6·1	8·1	0·0	4·2	0·0
17	0·0	1·7	3·6	1·5	0·0	0·0	10·9	7·0	3·0	2·1	0·0	0·0
18	3·5	2·9	8·2	0·2	6·9	12·7	12·2	4·2	7·7	1·9	7·6	0·3
19	2·4	6·5	7·6	6·5	7·7	13·6	4·2	10·6	10·5	0·0	5·7	4·4
20	3·1	7·7	9·8	1·1	0·0	0·0	4·3	7·0	3·6	6·6	5·3	0·0
21	6·3	3·2	8·9	12·4	2·5	11·7	6·3	5·1	0·0	7·9	4·9	0·8
22	0·0	8·7	4·1	10·4	12·7	4·9	13·0	7·3	9·3	7·9	0·0	0·0
23	7·3	6·8	8·7	0·0	10·6	11·4	11·5	10·7	7·2	8·2	7·6	4·3
24	0·0	0·0	2·8	14·9	1·2	4·0	13·6	11·3	0·0	0·5	0·0	2·3
25	1·3	5·8	8·2	12·1	0·0	10·2	10·7	8·9	7·8	1·2	0·6	6·8
26	3·0	5·8	7·3	11·0	1·6	13·5	11·8	11·5	4·4	8·2	0·0	5·7
27	6·5	0·3	5·6	6·8	11·2	10·7	12·1	11·3	5·2	0·0	0·3	3·6
28	3·2	5·0	0·0	0·0	8·7	13·7	6·8	7·3	8·7	8·2	6·0	6·4
29	2·6	0·0	0·0	0·0	7·3	12·4	5·8	7·9	6·5	2·5	6·7	3·1
30	0·0		0·0	0·0	10·7	12·3	11·7	11·2	6·7	0·0	7·0	5·4
31	4·4		10·7		12·8		9·4	7·9		0·0		0·0
	83·9	132·6	186·6	162·9	180·7	232·0	286·8	277·4	143·1	125·0	62·6	72·0

Registered amount of Bright Sunshine for each Day in the Year 1896.

WINNIPEG. Lat. N. 49° 53'.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	0·0	8·1	2·5	9·5	3·2	14·2	9·3	11·6	0·0	1·4	0·0	7·0
2	5·7	0·0	10·7	12·0	11·3	13·4	0·0	7·9	7·1	9·5	0·0	4·8
3	7·0	2·8	3·9	11·3	7·6	4·3	3·4	13·8	10·1	1·7	0·6	0·0
4	0·0	0·0	0·0	3·5	10·0	0·8	2·7	1·1	0·7	0·0	0·4	0·0
5	0·0	4·5	0·0	12·2	9·8	9·5	5·4	8·4	2·0	9·0	0·0	0·4
6	0·0	0·0	7·5	11·7	9·3	4·2	12·7	11·1	0·7	4·8	0·0	2·1
7	1·9	6·9	8·8	6·0	8·2	0·0	8·2	9·7	6·8	5·4	1·9	0·0
8	5·4	4·1	0·0	0·0	4·3	3·2	12·2	8·9	1·2	4·4	0·0	3·7
9	0·0	2·8	8·8	2·6	0·2	14·3	8·9	5·9	0·1	0·0	0·0	4·0
10	0·0	8·6	7·6	7·9	8·6	10·9	8·2	12·2	5·0	9·8	0·0	4·6
11	7·2	8·9	5·9	0·0	4·8	2·6	7·9	11·0	2·1	0·0	0·0	5·0
12	0·0	2·4	9·4	4·6	8·7	7·0	7·6	8·1	0·0	2·4	1·9	3·1
13	0·0	7·6	9·6	0·0	0·4	14·1	8·8	6·1	5·2	4·9	0·0	0·0
14	5·7	0·0	6·5	1·0	0·0	6·6	9·6	12·1	6·9	7·2	2·0	0·0
15	2·8	2·2	7·1	0·0	4·9	11·8	5·2	13·0	8·2	4·9	0·0	0·0
16	0·0	6·3	6·8	5·5	2·7	6·1	12·3	8·5	10·1	0·0	0·0	0·0
17	1·0	7·8	5·1	3·3	0·0	9·1	7·5	10·1	4·5	2·1	6·4	6·2
18	5·0	9·4	10·3	3·0	11·2	9·3	12·6	11·1	1·3	6·6	6·6	0·0
19	0·0	7·9	9·0	5·1	12·8	7·3	0·6	2·8	10·4	7·2	0·0	5·9
20	6·3	5·2	10·1	0·4	0·0	12·2	7·2	9·4	0·0	1·4	7·9	0·0
21	2·3	9·4	0·0	11·7	4·6	13·9	4·9	5·4	9·2	2·3	7·7	0·0
22	0·0	0·0	7·5	10·0	12·3	9·3	10·5	5·9	10·1	1·7	0·0	0·8
23	7·7	4·1	8·7	0·0	9·4	6·8	7·9	6·4	8·8	0·1	5·5	2·7
24	5·3	9·4	2·9	3·0	2·2	1·3	10·5	9·7	0·5	7·7	0·0	6·7
25	0·0	9·4	6·7	12·6	0·0	8·9	11·1	6·4	7·0	8·8	0·0	6·9
26	0·0	1·4	9·3	10·6	0·3	10·4	8·6	6·5	0·0	0·0	0·0	7·1
27	5·5	3·9	9·0	6·6	10·1	9·1	12·1	12·4	5·2	5·6	0·0	6·7
28	2·6	9·9	0·0	0·4	9·9	11·5	5·4	8·0	9·3	3·6	6·3	7·2
29	0·8	0·0	0·0	0·0	2·8	11·8	3·6	5·0	9·2	0·0	5·1	2·0
30	0·0		2·8	0·0	14·3	13·1	9·3	7·8	9·3	0·0	6·5	7·2
31	0·0		8·9		13·2		6·7	9·4		0·9		0·0
	72·2	143·0	185·4	154·5	197·1	257·0	240·9	265·7	151·0	113·4	58·8	94·1

Registered amount of Bright Sunshine for each Day in the Year 1896.

WOODSTOCK.—Lat. N. 43° 8′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	4·1	0·2	0·0	0·0	6·4	8·6	13·7	0·2	11·3	1·0	4·9	3·5
2	0·0	5·1	0·0	4·3	4·7	5·7	12·7	6·7	2·7	9·4	7·3	6·2
3	0·0	0·0	9·0	4·6	6·5	10·4	11·6	12·1	4·5	3·7	7·4	6·1
4	0·0	0·0	9·0	5·3	8·1	7·4	0·5	7·0	9·7	1·3	0·0	0·0
5	9·0	6·0	9·3	9·7	12·3	6·0	4·5	10·6	0·1	8·3	0·3	0·0
6	0·0	0·0	0·0	1·5	12·8	4·9	11·8	2·1	1·3	1·0	0·0	0·3
7	0·0	0·0	0·0	0·9	12·8	8·7	11·6	7·6	9·8	4·1	1·0	0·2
8	0·0	7·0	2·5	9·2	11·6	2·2	9·3	11·2	10·2	1·1	3·7	0·0
9	0·0	0·0	8·5	5·5	12·6	1·1	3·1	5·0	6·4	8·3	2·7	0·0
10	0·0	4·6	0·0	0·5	12·6	12·1	5·0	5·3	9·6	8·6	0·0	2·5
11	0·0	4·7	0·0	0·0	9·6	13·7	11·0	8·6	8·8	7·9	5·6	1·1
12	7·5	1·3	8·2	8·3	3·7	12·3	12·2	7·2	4·8	0·0	7·5	6·5
13	0·0	0·0	9·1	7·6	12·4	8·9	8·4	3·6	3·2	0·5	1·5	0·0
14	0·0	4·4	9·6	9·1	8·1	12·1	4·5	11·5	0·1	8·0	5·3	5·1
15	3·1	0·0	9·0	10·5	13·3	4·6	7·8	9·1	9·7	0·0	6·4	0·0
16	6·0	9·6	7·6	9·9	12·2	3·8	12·9	9·1	8·7	1·3	7·5	7·9
17	0·0	8·9	5·0	5·6	10·0	12·0	13·0	10·1	5·1	0·0	0·0	1·1
18	0·0	0·0	2·8	4·6	1·9	13·1	6·9	6·7	5·5	5·1	0·7	0·0
19	0·0	0·1	0·0	3·4	9·0	10·2	0·0	8·7	2·4	8·2	1·1	0·0
20	0·0	0·0	0·0	4·9	6·0	9·1	1·8	9·8	9·6	2·8	0·1	1·3
21	0·0	0·0	7·9	8·9	5·7	4·6	6·4	0·2	5·0	1·1	0·0	0·0
22	0·0	9·2	8·6	7·0	12·0	11·1	4·7	1·5	0·9	9·5	2·3	0·0
23	0·0	0·0	9·2	7·3	8·8	12·8	9·7	7·9	6·3	7·2	1·6	7·9
24	0·0	2·7	7·1	0·0	9·4	4·2	1·6	11·1	9·8	4·1	0·1	1·8
25	0·0	7·0	3·6	8·0	0·8	7·1	12·6	11·7	3·7	8·7	0·0	3·1
26	0·0	5·7	4·2	2·4	13·5	12·7	3·9	2·3	1·4	8·9	4·4	0·0
27	7·0	9·0	10·6	0·0	8·2	8·5	6·5	8·1	0·3	8·9	1·3	8·1
28	4·7	4·4	7·0	0·0	5·6	7·7	10·1	11·6	8·6	1·0	0·0	2·5
29	5·0	8·4	7·4	0·0	8·8	13·2	6·8	10·5	0·0	5·3	0·6	0·0
30	0·0	...	10·5	2·1	7·6	13·2	12·6	4·5	0·0	5·9	2·4	0·0
31	0·0	...	10·6	...	5·9	...	8·7	10·7	...	5·3	...	4·5
	37·1	98·3	167·3	141·1	272·9	262·0	245·9	232·3	159·5	146·5	75·7	69·7

REGISTERED amount of Bright Sunshine for each Day in the year 1896.

TORONTO.—LAT. N. 43° 39′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1.	3·5	0·3	0·0	0·8	2·9	13·2	12·2	3·2	11·1	0·8	4·3	5·8
2.	0·0	6·7	2·6	3·2	8·0	13·7	13·1	7·6	1·3	10·2	7·7	5·5
3.	4·7	0·0	9·8	6·9	7·9	10·6	10·0	12·1	4·7	0·0	7·9	7·5
4.	7·2	0·0	8·6	7·5	5·5	7·3	2·0	11·5	10·6	2·5	0·0	0·0
5.	8·6	3·2	10·6	10·1	12·1	11·4	1·5	11·9	0·0	1·0	0·0	0·0
6.	0·0	0·0	0·0	1·8	12·6	10·4	9·0	5·0	6·3	1·8	3·8	1·6
7.	0·0	3·0	0·9	1·3	12·4	10·3	6·5	10·2	10·8	1·1	1·0	0·0
8.	0·0	6·1	5·1	11·4	11·0	1·1	9·3	10·4	9·9	0·6	5·8	0·0
9.	0·0	0·0	10·2	9·2	12·6	0·0	6·2	7·1	9·6	9·4	5·0	0·6
10.	0·0	3·8	0·0	1·3	12·5	12·5	6·8	8·2	10·0	9·2	0·0	0·9
11.	0·0	8·5	0·0	1·1	10·4	13·2	12·1	11·9	9·6	9·7	3·2	3·9
12.	4·4	1·2	7·4	5·7	6·8	12·5	12·1	8·1	5·9	0·0	6·0	6·4
13.	0·0	0·0	9·6	7·5	13·1	13·4	2·9	7·3	2·5	4·2	1·7	0·2
14.	2·9	5·0	10·3	8·1	10·5	13·1	11·1	12·1	2·5	8·0	6·1	7·1
15.	3·9	0·0	5·9	11·7	13·4	10·3	9·7	9·3	10·0	9·4	4·7	0·0
16.	3·2	9·6	5·3	10·0	11·6	2·6	13·7	8·8	8·0	3·8	3·9	5·9
17.	0·0	9·4	10·1	6·9	8·6	8·6	13·4	10·4	5·7	0·0	0·9	3·6
18.	0·0	0·8	6·7	6·0	4·8	13·0	5·7	7·0	6·2	2·6	1·0	0·0
19.	0·0	0·0	0·0	5·6	8·4	10·4	1·1	12·1	3·4	8·3	2·2	5·3
20.	0·0	3·0	7·4	5·6	7·4	10·8	1·3	10·8	10·9	3·0	2·0	1·2
21.	0·0	5·7	3·7	7·9	10·0	7·2	10·2	1·1	5·9	4·8	0·0	0·0
22.	0·0	9·4	11·1	11·0	13·1	12·9	5·7	7·1	2·2	7·9	7·8	0·0
23.	0·0	0·0	8·2	9·1	9·5	12·0	8·4	8·4	8·8	7·1	1·1	6·7
24.	0·0	8·5	10·2	0·0	10·7	9·2	2·0	12·0	10·6	5·6	0·1	4·6
25.	0·0	9·8	4·4	7·3	1·1	5·3	12·8	12·2	3·2	2·8	0·0	1·5
26.	0·0	0·5	2·1	8·7	13·0	12·8	7·4	4·3	0·6	7·7	3·8	1·6
27.	6·3	8·6	11·0	2·6	10·4	11·9	2·9	5·7	0·0	7·9	0·6	0·9
28.	0·1	5·0	9·3	2·1	5·8	7·2	10·3	11·6	9·3	1·5	0·2	2·8
29.	0·0	5·1	8·5	11·6	2·6	10·8	4·7	9·3	0·0	5·8	4·9	0·0
30.	0·0	..	10·9	9·8	6·1	13·3	11·2	5·0	0·6	4·5	4·4	0·0
31.	0·0	..	11·1	..	7·2	..	11·4	10·5	..	2·0	..	3·7
	44·8	113·2	201·0	191·8	282·0	300·2	246·7	272·2	180·2	143·2	94·1	77·3

Registered amount of Bright Sunshine for each Day in the Year 1896.

BARRIE.—LAT. N. 44° 23'.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	3·6	0·3	0·0	3·8	0·0	13·8	10·8	1·8	8·2	4·5	1·9	2·9
2	0·0	4·4	1·4	0·9	0·7	13·5	13·8	9·2	0·0	9·8	5·0	0·8
3	2·0	0·0	10·0	2·0	0·8	6·9	7·4	11·0	6·2	6·3	4·2	7·3
4	0·0	0·6	9·2	0·9	0·8	11·2	0·0	11·8	9·6	8·4	0·0	0·0
5	6·2	1·3	10·8	10·0	1·2	11·1	0·0	6·4	0·3	0·0	0·0	0·0
6	0·8	0·0	0·0	1·8	1·2	10·1	5·9	9·2	3·5	0·0	3·5	0·0
7	0·9	1·7	0·0	0·5	12·3	6·6	3·7	9·9	11·5	1·6	1·5	0·1
8	0·0	4·3	0·0	10·9	8·4	0·2	10·1	10·7	11·1	7·5	1·6	0·0
9	0·0	0·0	0·4	9·4	12·0	0·0	1·9	8·7	8·4	9·3	4·3	0·0
10	0·5	2·5	8·2	0·0	12·6	13·7	2·7	7·9	9·8	6·3	1·5	0·2
11	6·9	7·6	0·0	0·0	10·3	13·9	13·5	11·2	7·7	11·2	0·0	5·2
12	0·2	1·9	7·0	4·7	0·0	11·3	11·2	10·8	0·0	5·4	2·1	7·0
13	0·0	0·0	9·1	5·4	12·7	13·9	5·2	6·4	0·1	8·2	0·6	1·0
14	3·5	1·0	7·0	9·0	12·9	13·0	13·6	12·6	0·0	8·0	1·6	7·6
15	0·3	0·0	7·7	10·4	11·9	13·4	0·0	6·4	2·4	8·6	3·6	2·5
16	0·0	10·0	9·1	0·0	5·9	12·9	10·5	10·5	5·8	0·2	4·9	5·5
17	0·0	9·5	7·1	7·4	13·1	14·0	12·8	10·4	5·4	0·0	0·1	2·8
18	0·0	1·0	8·0	2·8	7·4	1·2	5·3	4·1	7·5	1·6	0·0	0·0
19	0·0	1·3	0·0	4·7	11·3	7·1	0·0	12·4	1·5	2·4	0·4	0·0
20	0·0	1·6	8·4	6·0	11·6	11·2	0·6	11·2	9·5	2·2	1·8	1·0
21	1·1	8·2	2·2	7·5	2·2	12·0	12·5	9·4	4·8	4·4	0·0	4·8
22	2·4	8·4	10·2	12·6	12·8	14·0	4·0	10·4	10·8	2·2	2·1	7·2
23	0·0	8·5	9·7	8·1	11·5	12·0	9·3	7·5	2·7	5·5	0·0	0·0
24	0·0	0·0	8·1	0·0	1·8	13·3	4·6	12·0	3·3	1·2	0·0	2·8
25	0·0	9·9	0·7	7·8	10·8	14·0	13·0	11·6	3·5	2·0	0·0	3·2
26	0·0	0·4	1·8	7·3	10·8	13·9	6·4	3·4	6·5	9·3	0·0	1·5
27	5·8	6·7	11·6	2·4	1·8	12·1	5·0	0·0	5·0	7·9	1·1	5·9
28	0·5	3·2	9·4	3·1	0·0	13·4	8·3	11·1	10·3	0·7	2·5	3·6
29	0·0	9·7	8·5	5·6	0·4	14·0	5·1	7·7	0·0	6·3	3·7	0·0
30	0·0		11·0	11·4	8·6	12·0	10·8	8·9	6·2	4·0	3·6	6·4
31	0·0		11·1		10·2		12·6	7·5		0·0		7·5
	34·7	103·4	188·0	156·4	218·0	329·7	220·6	272·1	161·6	145·0	51·6	87·8

REGISTERED amount of Bright Sunshine for each Day in the Year 1896.

LINDSAY. LAT. N. 44° 20'.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	6·5	0·0	0·0	3·0	0·0	10·9	10·6	3·1	11·0	4·1	2·5	2·9
2	0·0	9·1	0·0	1·9	8·2	15·0	13·6	4·0	0·0	11·5	7·4	2·5
3	3·3	0·0	11·0	10·6	5·7	8·5	8·8	10·6	1·0	0·0	9·5	4·2
4	8·4	0·0	10·9	8·7	4·8	10·2	0·0	13·1	12·9	6·1	0·0	0·0
5	8·6	0·5	11·2	10·2	13·8	10·5	0·7	6·0	4·1	0·1	0·0	0·0
6	3·1	0·0	0·0	2·0	9·8	9·9	3·7	5·8	0·0	2·5	1·0	0·0
7	1·2	0·0	0·0	1·3	12·9	7·7	0·1	11·3	12·7	0·6	1·8	0·0
8	0·0	0·1	3·0	12·4	11·2	0·4	8·4	10·1	12·2	2·4	2·2	0·0
9	0·9	0·0	7·2	11·9	14·2	0·0	1·2	12·2	7·9	10·3	3·3	0·0
10	5·8	0·7	9·6	1·0	13·4	13·6	2·5	4·8	8·4	9·1	0·3	0·4
11	0·0	5·9	0·0	0·0	11·3	15·2	13·2	10·1	11·2	10·9	2·0	0·0
12	0·5	6·5	7·5	3·2	3·4	14·4	11·8	9·1	0·8	0·0	2·5	2·3
13	0·0	0·0	9·9	5·7	14·1	12·1	2·8	6·7	0·0	5·0	0·0	0·3
14	5·1	0·4	9·3	4·8	13·2	13·3	7·8	13·9	0·	8·0	2·7	8·0
15	9·0	0·0	2·4	11·8	12·7	13·7	9·9	5·6	4·3	7·9	0·7	1·6
16	0·0	10·3	9·3	9·1	14·5	11·7	7·7	9·6	0·2	0·9	5·1	1·3
17	0·0	10·4	7·0	7·1	6·3	10·3	14·9	11·8	8·8	0·0	0·4	1·7
18	0·0	1·3	9·0	1·8	6·3	15·2	6·9	7·2	7·9	0·0	0·0	0·0
19	0·0	0·0	0·0	4·2	10·3	9·9	0·0	13·7	0·2	2·4	5·6	1·9
20	0·0	2·2	9·9	5·9	6·8	12·8	1·8	12·1	12·0	2·9	1·8	0·0
21	0·1	10·3	4·3	1·9	5·5	5·8	9·3	2·2	14·7	0·0	0·0	4·1
22	5·2	7·8	10·5	13·2	14·0	11·7	1·3	8·1	2·3	2·7	4·8	0·0
23	0·0	0·0	10·8	11·4	9·6	12·5	7·8	5·8	7·3	6·2	3·1	8·0
24	0·0	9·0	6·5	0·0	10·8	8·5	1·0	13·4	8·4	2·8	0·7	7·4
25	0·0	10·6	0·0	7·3	0·0	0·4	14·7	12·1	4·0	4·7	0·0	1·8
26	0·0	0·7	2·6	10·7	14·0	15·2	8·2	4·3	1·3	9·9	2·6	3·7
27	4·7	4·1	12·4	6·8	11·4	10·2	3·9	3·5	0·1	8·1	0·0	5·8
28	0·9	4·5	9·7	0·0	1·7	7·2	9·1	12·7	10·5	1·1	0·4	4·0
29	0·0	7·6	7·5	10·8	0·0	11·5	4·4	6·9	0·2	1·8	0·0	0·0
30	0·0		12·2	13·5	7·5	12·1	8·9	2·2	0·0	0·5	2·8	0·0
31	0·0		12·6		8·7		11·3	7·4		0·0		5·5
	63·3	102·0	206·3	195·2	276·1	310·4	209·3	259·4	154·4	121·9	63·2	79·1

Registered amount of Bright Sunshine for each Day in the Year 1896.

KINGSTON. Lat. N. 44° 13'.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	1·5	0·0	0·2	5·8	5·6	5·6	13·4	6·0	10·3	2·8	7·8	3·6
2	3·4	9·3	0·0	4·2	5·1	13·8	13·6	7·6	0·8	5·0	8·0	5·4
3	3·5	0·0	9·9	1·4	4·6	10·9	11·5	11·6	0·6	0·0	8·5	4·3
4	8·3	0·0	10·6	8·0	5·4	11·6	0·2	11·8	11·3	0·0	0·2	0·0
5	6·4	0·0	10·7	10·4	8·3	12·9	6·7	3·7	0·7	3·2	0·0	0·0
6	8·2	0·0	0·4	6·7	11·1	3·4	8·3	5·4	5·0	3·4	0·2	0·0
7	0·6	0·0	0·1	3·2	12·9	7·8	11·0	12·1	9·2	0·0	3·8	0·0
8	3·7	1·2	3·5	11·5	8·8	2·8	10·8	11·4	16·6	4·3	0·6	0·0
9	0·0	0·0	7·4	11·9	10·5	0·0	10·1	9·8	10·4	10·0	4·1	0·0
10	4·9	1·1	8·1	8·9	12·4	14·1	8·2	7·0	10·6	10·3	0·1	1·8
11	0·0	7·0	1·6	0·1	9·1	13·0	11·9	12·4	11·4	9·3	2·2	0·0
12	0·0	8·9	0·0	7·4	7·1	13·0	12·5	6·4	9·2	1·2	1·8	4·1
13	0·0	0·0	9·6	8·8	13·7	14·0	3·6	10·2	9·6	0·1	0·0	0·7
14	5·6	6·3	9·7	5·7	12·9	11·6	10·1	12·9	2·3	4·2	4·6	8·2
15	8·4	0·0	3·9	11·4	9·9	13·9	11·2	10·6	9·8	9·8	0·1	4·3
16	0·1	9·3	1·7	11·1	13·1	12·4	7·7	6·0	9·6	0·0	3·7	0·6
17	3·3	9·7	10·6	4·6	7·9	8·3	12·1	11·0	3·1	0·3	0·9	7·3
18	0·0	7·1	5·8	0·0	8·2	12·8	9·3	5·6	9·3	0·1	0·3	0·0
19	0·0	1·6	0·0	6·1	7·6	12·1	0·7	11·9	0·9	4·5	1·1	6·8
20	0·0	1·8	3·9	8·7	8·6	13·6	0·1	12·2	10·3	4·4	0·8	1·3
21	0·1	8·3	5·6	2·5	3·2	3·9	12·1	3·4	5·3	1·7	0·0	0·0
22	5·4	1·3	10·4	12·2	12·0	13·3	4·8	11·3	0·5	4·1	1·1	0·0
23	0·0	0·0	9·3	12·1	10·9	13·3	13·0	5·9	9·4	9·2	3·3	5·3
24	0·0	8·7	10·6	6·9	7·9	10·7	0·4	12·0	5·3	3·3	1·7	8·3
25	0·0	10·4	4·2	0·3	5·9	0·0	13·2	12·2	4·2	7·5	0·0	0·0
26	0·0	0·0	0·0	12·3	9·5	12·2	10·5	6·1	3·2	6·9	2·9	3·4
27	6·6	2·8	11·2	8·0	13·1	13·7	0·3	8·2	0·0	8·4	0·0	8·2
28	7·9	5·3	11·3	0·1	0·0	9·1	9·7	9·2	9·6	3·0	0·0	7·6
29	0·0	0·0	4·2	12·9	0·7	12·7	8·3	9·5	0·0	1·1	2·7	0·0
30	2·2		10·1	12·9	8·6	11·9	7·8	7·8	2·8	0·3	3·9	0·0
31	1·3		10·8		7·1		13·2	5·7		3·5		8·4
	81·1	103·1	185·7	217·1	261·7	308·4	266·3	276·9	184·3	120·9	64·4	89·6

REGISTERED amount of Bright Sunshine for each Day in the Year 1896.

MONTREAL.—Lat. N. 45° 30′.

—	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	0·0	0·0	0·0	10·6	11·5	9·5	11·9	10·4	8·3	0·3	6·2	3·2
2	3·9	2·3	0·8	0·0	9·9	12·7	11·7	8·7	3·4	0·0	1·4	6·5
3	5·2	0·6	0·0	3·3	3·4	13·0	4·3	12·0	0·0	0·7	3·6	0·1
4	1·4	0·4	4·4	0·4	6·7	13·3	0·0	8·8	8·9	0·6	3·6	0·0
5	5·1	0·0	0·0	0·3	8·4	12·7	0·1	0·0	4·4	3·3	0·0	0·0
6	7·2	0·0	0·6	8·5	5·9	6·9	3·5	0·0	1·0	0·0	0·6	0·0
7	0·0	0·0	0·0	7·2	9·4	0·0	6·4	7·4	9·2	0·0	4·6	4·1
8	6·6	8·5	2·7	10·8	3·0	0·0	10·6	10·4	8·9	2·6	0·0	0·7
9	0·0	0·0	0·3	10·2	9·1	0·0	3·5	8·0	9·3	9·6	7·7	0·7
10	5·6	8·2	8·8	10·7	11·2	11·2	10·9	8·5	10·8	9·0	1·5	0·4
11	5·7	3·1	6·3	4·5	8·6	8·0	8·6	10·8	9·7	9·0	0·0	0·0
12	0·3	8·7	0·0	8·9	12·6	5·1	11·5	10·6	6·7	8·0	1·6	0·4
13	2·7	0·0	7·7	6·7	12·6	12·5	6·1	7·9	7·6	5·3	1·0	1·0
14	3·1	6·8	7·3	3·6	10·9	9·4	9·2	11·7	3·0	3·3	0·0	7·0
15	3·8	0·0	5·8	9·2	7·2	1·0	6·7	11·3	5·2	8·1	0·0	5·3
16	0·0	8·5	2·2	10·4	3·6	11·1	7·5	1·3	9·2	0·0	0·0	0·2
17	5·4	9·0	6·0	1·3	8·9	12·3	5·8	11·7	0·0	4·5	2·8	5·9
18	3·6	7·8	5·7	0·1	6·5	11·8	11·1	3·9	7·2	2·8	0·0	0·0
19	5·0	3·2	0·0	7·8	6·5	12·4	4·0	10·3	0·0	5·2	7·1	0·9
20	2·1	0·0	0·0	8·8	11·9	12·1	0·0	9·6	10·5	1·5	3·6	2·9
21	0·0	7·9	7·8	0·4	10·6	1·4	9·9	5·7	6·9	0·4	0·0	5·3
22	4·9	3·1	7·6	6·3	5·9	12·4	7·0	7·7	0·5	6·7	7·4	3·4
23	3·2	0·0	8·5	11·1	12·8	12·5	12·5	0·5	10·4	2·6	0·3	4·4
24	0·0	4·8	7·9	8·7	5·5	11·7	6·1	11·4	3·6	4·8	1·0	3·9
25	0·0	9·4	7·1	4·8	10·7	8·2	10·6	10·9	5·0	1·6	0·0	0·5
26	0·0	3·8	0·0	9·3	6·0	6·8	10·7	6·4	2·1	3·0	0·0	4·2
27	4·1	5·3	9·2	10·7	9·9	12·2	1·3	8·9	0·0	5·2	0·0	5·5
28	7·5	5·0	10·7	0·0	2·1	5·3	9·8	9·5	9·6	7·8	0·0	6·4
29	0·0	0·0	0·0	11·9	3·7	9·4	10·7	9·9	4·9	0·0	0·6	0·0
30	3·6	..	7·5	11·8	0·9	9·3	9·5	7·5	5·0	0·0	0·2	0·0
31	3·7	.	10·2	....	6·8	. .	12·6	3·0	. .	4·3	.....	6·9
	93·7	106·4	135·1	197·5	242·5	264·2	234·1	344·5	172·3	110·2	54·2	79·8

Registered amount of Bright Sunshine for each Day in the Year 1896.

FREDERICTON.—Lat. N. 45° 57′.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.	Hours.
1	6·5	0·0	0·0	12·0	13·3	3·5	12·3	13·1	11·7	1·7	0·0	1·8
2	7·5	0·0	0·0	6·1	13·5	5·5	13·4	0·0	8·5	0·0	0·0	8·0
3	0·0	1·4	0·0	0·0	9·3	13·2	7·8	12·3	0·0	1·1	7·0	5·8
4	7·3	0·3	0·0	0·0	2·7	8·0	0·0	8·0	10·9	6·8	8·2	5·6
5	7·8	0·0	0·0	4·3	0·0	8·6	0·0	7·3	10·5	0·0	0·0	7·0
6	7·2	0·0	0·0	0·1	6·8	5·6	0·0	5·4	0·0	0·0	3·7	0·0
7	7·8	0·0	0·0	4·6	13·5	13·3	0·0	0·0	7·6	0·0	1·9	0·0
8	7·6	1·9	1·9	11·9	12·2	10·0	9·8	10·1	11·5	4·3	2·7	7·7
9	6·2	0·8	2·5	12·6	1·3	0·0	9·7	6·8	5·2	8·3	0·0	0·0
10	8·0	3·3	5·2	12·3	8·2	3·2	12·9	11·0	1·3	8·9	7·4	3·4
11	0·0	8·8	7·5	3·6	7·9	9·8	10·8	12·5	4·0	7·8	0·0	7·1
12	6·9	7·5	0·0	8·9	11·8	4·4	12·9	10·2	8·9	7·9	1·5	0·0
13	0·9	5·6	9·0	0·0	13·6	6·4	7·4	7·9	5·8	3·4	5·4	0·0
14	0·0	3·0	9·9	0·0	12·8	11·0	12·0	0·0	10·8	0·1	2·9	5·4
15	7·2	7·7	9·9	5·8	12·8	0·0	0·0	12·2	7·9	0·0	0·0	7·0
16	3·2	5·4	5·8	0·0	10·6	14·0	12·2	7·6	8·9	5·2	0·0	0·0
17	7·9	9·4	0·0	0·0	10·3	13·8	10·2	11·1	0·0	5·3	0·0	7·1
18	2·8	9·9	8·1	3·3	9·0	12·1	14·7	11·0	5·4	0·0	1·1	3·4
19	1·1	4·0	0·0	0·8	8·1	10·0	12·8	5·4	0·0	2·5	5·2	0·0
20	0·9	2·6	0·0	11·6	13·2	12·0	7·2	12·9	8·9	7·1	6·8	5·4
21	0·0	9·4	8·4	12·1	13·6	7·4	6·2	11·2	6·9	1·1	0·0	7·9
22	4·4	2·6	3·8	7·5	4·1	5·0	10·1	2·7	0·0	2·7	6·9	6·9
23	8·5	5·3	8·2	13·2	13·4	12·0	7·1	5·3	10·0	6·9	6·7	4·7
24	0·0	5·9	11·5	12·8	9·8	14·9	11·1	7·4	0·4	0·0	0·0	6·9
25	0·0	1·0	7·7	13·3	13·2	13·8	1·7	13·2	8·5	5·3	0·6	7·7
26	0·0	4·5	2·4	13·1	0·3	0·0	13·1	7·7	0·0	6·0	0·0	1·2
27	4·0	7·5	0·0	9·0	7·1	12·2	7·2	2·6	4·7	5·4	0·0	7·5
28	8·4	5·2	7·7	7·5	0·0	11·8	11·3	11·2	3·8	9·2	0·0	3·8
29	8·8	0·0	7·3	13·7	13·1	13·5	12·0	10·9	10·0	0·0	1·9	0·6
30	6·9		0·0	13·1	8·4	14·7	0·0	7·8	0·0	0·0	0·0	0·0
31	8·9		1·2		4·2		10·4	8·2		0·0		7·8
	146·7	113·0	118·0	213·2	278·1	269·7	256·3	253·0	172·1	106·2	69·9	129·7

PRESSURE at Toronto Observatory for each Hour, from Self-Registering
27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 am.	11 a.m.	Noon.
	"	"	"	"	"	"	"	"	"	"	"	"
1	2·341	2 365	2 377	2 391	2 393	2·423	2·455	2·489	2·517	2·531	2·539	2·543
2	2 567	2 558	2 552	2 515	2 489	2·473	2 470	2 479	2·489	2·449	2·431	2·389
3	2 221	2 271	2·312	2 311	2 322	2·347	2 371	2·391	2·423	2·442	2·441	2·430
4	2 671	2 695	2 721	2 740	2 742	2·764	2 784	2 813	2·845	2·859	2 867	2·865
5	2 820	2·831	2 845	2 842	2 851	2·880	2 899	2 935	2 971	2·999	2·999	2·990
6	3 141	3 140	3 151	3 121	3·117	3·125	3·105	3·111	3 135	3·139	3·107	3·085
7	2 899	2 883	2 868	2 833	2 803	2·781	2 767	2 769	2·765	2·767	2·747	2·729
8	2 919	2 937	2 931	2 920	2 949	2·933	2 919	2 915	2·930	2 899	2 861	2·821
9	2·491	2 463	2 437	2 412	2 409	2·411	2·414	2·421	2·439	2·463	2·468	2.463
10	2 711	2·741	2 750	2 755	2 760	2·773	2·781	2·803	2 832	2·846	2·844	2·823
11	2 841	2 843	2 853	2 840	2 879	2·854	2 867	2 861	2·855	2·860	2·833	2·805
12	2 423	2 405	2 353	2·305	2 269	2·251	2 245	2 259	2·283	2·327	2·303	2·315
13	2 617	2 629	2 633	2 633	2 633	2 643	2 645	2 645	2·673	2·681	2·665	2·645
14	2 676	2 689	2 695	2 710	2 725	2·755	2 779	2 811	2·847	2·881	2 895	2·901
15	3·079	3·109	3 123	3 129	3 141	3·161	3·171	3 187	3·207	3·213	3·209	3·189
16	3 041	3 007	2 991	2 949	2 935	2·911	2 897	2 891	2·889	2·851	2 833	2·788
17	2·873	2 883	2 883	2·877	2 883	2·893	3 895	2 911	2·925	2·923	2 910	2 889
18	2·807	2 799	2 791	2·793	2 753	2·775	2 763	2 760	2·745	2·740	2 733	2·695
19	2·559	2 563	2·565	2·571	2 585	2 609	2 629	2 659	2·677	2·693	2 703	2·693
20	2 801	2 809	2 807	2 799	2·790	2 791	2 800	2 793	2·779	2·779	2·765	2·741
21	2 719	2 721	2·721	2·711	2 719	2·733	2·748	2 756	2·778	2·795	2·807	2·805
22	2 873	2·881	2 887	2 897	2 905	2 923	2 927	2 933	2·933	2·943	2·931	2·905
23	2 851	2 841	2 843	2 823	2 813	2 805	2 799	2 795	2·795	2·799	2 787	2·759
24	2·609	2 581	2 557	2 519	2 491	2·472	2 441	2 423	2·412	2·401	2·381	2·341
25	2 333	2 359	2 369	2 387	2 409	2·431	2 451	2 485	2·500	2·533	2·543	2·549
26	2 697	2 717	2 727	2 729	2 741	2 753	2 761	2 777	2·791	2·801	2 805	2·789
27	2 911	2 917	2 911	2·909	2 919	2·921	2 912	2 919	2·939	2·931	2·919	2·893
28	2 825	2 820	2 825	2 825	2 829	2·851	2 874	2·892	2·921	2·919	2 907	2·889
29	2 779	2 783	2 781	2 765	2 751	2 763	2 761	2 777	2·769	2·769	2 779	2·763
30	2 805	2 819	2 817	2·821	2 825	2·845	2 867	2·883	2·897	2·903	2·923	2·933
31	3 039	3 029	3 001	2 979	2 979	2·986	2 989	2 969	2·970	2·961	2·940	2·912
Means	2·7400	2 7445	2·7444	2·7358	2·7342	2·7431	2·7479	2·7585	2·7720	2·7773	2·7702	2·7528

Photographic Instruments, during the Month of January, 1896.

NUMBERS IN THE TABLES.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2·565	2 859	2·601	2 617	2 625	2 633	2 643	2 637	2·645	2 625	2·619	2·593	2·5315
2 341	2·327	2·331	2 312	2 301	2 269	2 257	2 225	2 239	2 221	2 211	2·201	2·3803
2·430	2 442	2·491	2 519	2 559	2 577	2 599	2 607	2 615	2 613	2 616	2 641	2·4580
2·871	2 885	2 891	2 898	2 903	2 907	2 905	2 901	2 886	2 867	2 845	2 831	2 8315
2·993	3·021	3 045	3 053	3 073	3 099	3 123	3 122	3 126	3·141	3 143	3·142	2·9976
3·057	3 042	3 047	3 033	3 025	3 020	3 007	3 011	2 983	2 975	2 943	2 911	3 0638
2·711	2 725	2 741	2 765	2 795	2 819	2 830	2 841	2 871	2 886	2 891	2·895	2 8078
2·821	2 789	2 777	2 733	2 711	2 681	2 645	2 616	2·589	2 539	3 535	2 501	2 7859
2·469	2·499	2 522	2 541	2 579	2 619	2·635	2 653	2 661	2·671	2 689	2 691	2 5217
2·813	2 815	2 818	2 812	2 821	2 831	2 841	2 855	2 861	2 851	2 853	2·829	2 8091
2·771	2 767	2 759	2 729	2 727	2 703	2 687	2 661	2 635	2 585	2 543	2 493	2 7588
2·323	2 338	2 369	2·413	2 450	2 477	2 499	2 533	2 563	2 577	2 591	2 599	2 3946
2·641	2 643	2 645	2 651	2 661	2 677	2 690	2 687	2 691	2 687	2 681	2·673	2 6570
2·895	2 905	2 923	2 949	2 987	2 991	3 005	3 023	3 044	3 063	3 071	3 071	2 8871
3·163	3·171	3 177	3 169	3 175	3·173	3 169	3·148	3·143	3·124	3 101	3 069	3·1542
2·749	2·739	2·757	2 757	2 787	2 810	2 827	2 827	2 839	2 861	2 861	2·873	2 8613
2·861	2 855	2 852	2 846	2 841	2 837	2 839	2 837	2 843	2 849	2·829	2 821	2 8690
2·659	2 633	2·617	2 607	2 605	2 593	2 589	2 577	2·577	2 571	2 571	2·565	2 6799
2·687	2 703	2 719	2 743	2 763	2 783	2 793	2 798	2 801	2 801	2 799	2 801	2 6957
2·703	2·685	2 687	2 668	2 651	2 665	2 677	2 675	2 683	2 693	2 713	2·712	2·7361
2·797	2·799	2 807	2 813	2 831	2 851	2 865	2 867	2 877	2 879	2 889	2 882	2 7988
2·895	2·891	2 893	2 897	2 897	2 921	2 917	2 901	2 895	2 891	2·889	2·871	2·9040
2·737	2 725	2 719	2 717	2 707	2 705	2 713	2 707	2 683	2·669	2·657	2 639	2 7537
2·343	2·301	2 293	2 281	2 277	2 285	2 291	2 293	2 295	2 299	2 311	2 325	2 3843
2·551	2·551	2 572	2·589	2 609	2 633	2 657	2·665	2 673	2 683	2 689	2·689	2 5379
2·771	2·783	2 791	2 810	2 835	2·849	2 869	2 873	2 881	2·889	2 915	2·919	2·8030
2·863	2 857	2 858	2 857	2 855	2 845	2 841	2 835	2 830	2 827	2 828	2 825	2 8801
2·881	2·867	2 855	2 857	2 849	2 841	2 843	2 837	2 833	2·823	2 817	2 811	2 8538
2·749	2 749	2 748	2 757	2 771	2 779	2·781	2·771	2·777	2 785	2 805	2 801	2·7714
2·931	2·933	2 949	2 971	2·989	3 005	3 032	3 031	3·032	3 035	3 057	3·033	2 9307
2·883	2·861	2·849	2 817	2 795	2 791	2·771	2 751	2·725	2 693	2 649	2 608	2·8724
2·7395	2·7384	2·7453	2 7478	2·7566	2·7635	2·7690	2·7676	2·7676	2 7636	2 7616	2·7521	2 7539

PRESSURE at Toronto Observatory for each Hour, from Self-Registering

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	2·587	2·543	2·509	2·467	2·433	2·412	2·385	2·369	2·339	2·321	2·313	2·293
2.....	2·375	2·417	2·429	2·443	2·483	2·531	2·561	2·585	2·623	2·609	2·621	2·621
3.....	2·543	2·587	2·531	2·505	2·499	2·491	2·497	2·499	2·475	2·463	2·439	2·391
4.....	2·289	2·297	2·280	2·279	2·277	2·271	2·279	2·293	2·293	2·297	2·299	2·279
5.....	2·319	2·319	2·319	2·323	2·343	2·355	2·367	2·383	2·387	2·391	2·410	2·377
6.....	2·327	2·299	2·289	2·245	2·231	2·209	2·177	2·139	2·089	2·051	1·999	1·939
7.....	1·833	1·863	1·887	1·915	1·957	1·989	2·025	2·047	2·079	2·113	2·139	2·153
8.....	2·487	2·517	2·527	2·545	2·569	2·577	2·591	2·627	2·655	2·656	2·641	2·637
9.....	2·425	2·401	2·375	2·355	2·337	2·315	2·297	2·263	2·237	2·209	2·179	2·153
10.....	2·293	2·309	2·317	2·325	2·349	2·365	2·369	2·379	2·381	2·369	2·379	2·359
11.....	2·051	2·077	2·107	2·145	2·182	2·202	2·231	2·255	2·283	2·305	2·333	2·357
12.....	2·715	2·751	2·777	2·802	2·821	2·837	2·855	2·885	2·907	2·911	2·909	2·909
13.....	2·671	2·623	2·579	2·527	2·511	2·475	2·429	2·419	2·389	2·367	2·323	2·295
14.....	2·497	2·515	2·519	2·513	2·511	2·505	2·511	2·519	2·547	2·583	2·625	2·637
15.....	2·599	2·563	2·523	2·487	2·460	2·435	2·409	2·407	2·401	2·399	2·401	2·395
16.....	2·725	2·751	2·771	2·799	2·825	2·859	2·889	2·923	2·949	2·965	2·983	2·997
17.....	3·225	3·235	3·227	3·239	3·241	3·251	3·255	3·265	3·271	3·273	3·273	3·245
18.....	2·955	2·925	2·893	2·843	2·817	2·783	2·752	2·725	2·709	2·657	2·625	2·557
19.....	2·193	2·160	2·113	2·081	2·051	2·019	2·001	1·973	1·947	1·907	1·893	1·863
20.....	2·151	2·179	2·192	2·217	2·249	2·285	2·317	2·343	2·363	2·383	2·399	2·408
21.....	2·741	2·763	2·787	2·811	2·837	2·867	2·894	2·923	2·945	2·945	2·953	2·945
22.....	2·889	2·903	2·895	2·897	2·893	2·881	2·865	2·871	2·863	2·855	2·829	2·793
23.....	2·595	2·583	2·567	2·557	2·541	2·507	2·491	2·477	2·459	2·438	2·411	2·385
24.....	2·461	2·445	2·425	2·437	2·445	2·447	2·471	2·493	2·525	2·549	2·571	2·590
25.....	2·779	2·795	2·819	2·829	2·845	2·859	2·871	2·891	2·905	2·909	2·905	2·901
26.....	2·343	2·281	2·227	2·171	2·133	2·109	2·105	2·099	2·107	2·113	2·131	2·175
27.....	2·425	2·409	2·399	2·381	2·383	2·397	2·401	2·391	2·373	2·377	2·353	2·329
28.....	2·173	2·173	2·173	2·174	2·189	2·191	2·205	2·207	2·215	2·217	2·213	2·205
29.....	2·455	2·475	2·487	2·493	2·489	2·503	2·513	2·517	2·531	2·517	2·511	2·493
Means...	2·4869	2·4882	2·4808	2·4760	2·4793	2·4802	2·4832	2·4885	2·4913	2·4879	2·4848	2·4718

Photographic Instruments, during the Month of February, 1896.

NUMBERS IN THE TABLE.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2·265	2·251	2·257	2·271	2·271	2·297	2·297	2·290	2·295	2·325	2·332	2·363	2·3535
2·585	2·587	2·597	2·617	2·607	2·577	2·623	2·645	2·613	2·585	2·549	2·569	2·5905
2·353	2·331	2·323	2·309	2·313	2·308	2·315	2·312	2·309	2·310	2·301	2·299	2·4043
2·271	2·259	2·261	2·265	2·275	2·289	2·299	2·300	2·309	2·315	2·319	2·318	2·2880
2·347	2·363	2·361	2·377	2·383	2·369	2·383	2·379	2·382	2·371	2·355	2·327	2·3621
1·883	1·815	1·765	1·746	1·737	1·741	1·757	1·759	1·775	1·787	1·791	1·809	1·9733
2·149	2·165	2·199	2·229	2·257	2·299	2·331	2·365	2·393	2·414	2·437	2·455	2·1539
2·620	2·621	2·601	2·621	2·593	2·593	2·593	2·581	2·549	2·519	2·493	2·461	2·5781
2·139	2·135	2·155	2·171	2·192	2·217	2·247	2·257	2·257	2·267	2·287	2·291	2·2567
2·341	2·323	2·313	2·289	2·263	2·247	2·215	2·159	2·099	2·045	1·999	2·033	2·2717
2·373	2·401	2·427	2·461	2·496	2·533	2·573	2·589	2·613	2·636	2·657	2·691	2·3741
2·889	2·875	2·875	2·873	2·877	2·853	2·835	2·811	2·801	2·777	2·737	2·699	2·8325
2·251	2·229	2·219	2·243	2·271	2·312	2·359	2·371	2·418	2·453	2·481	2·487	2·4043
2·667	2·671	2·689	2·711	2·732	2·733	2·736	2·731	2·723	2·685	2·661	2·629	2·6188
2·385	2·394	2·439	2·482	2·519	2·565	2·603	2·629	2·651	2·681	2·703	2·713	2·5101
3·003	3·009	3·023	3·035	3·063	3·109	3·133	3·155	3·183	3·191	3·195	3·211	2·9894
3·217	3·183	3·165	3·153	3·137	3·109	3·089	3·075	3·051	3·026	2·991	2·973	3·1737
2·505	2·455	2·429	2·405	2·391	2·369	2·363	2·337	2·323	2·301	2·272	2·232	2·5676
1·843	1·847	1·873	1·905	1·943	1·977	2·011	2·041	2·067	2·083	2·099	2·125	2·0096
2·411	2·439	2·469	2·495	2·524	2·565	2·597	2·623	2·647	2·667	2·681	2·709	2·4297
2·933	2·921	2·919	2·921	2·927	2·939	2·957	2·962	2·935	2·929	2·923	2·889	2·8990
2·749	2·731	2·719	2·703	2·693	2·693	2·691	2·673	2·661	2·653	2·621	2·603	2·7760
2·349	2·345	2·341	2·353	2·369	2·401	2·401	2·427	2·427	2·441	2·461	2·459	2·4494
2·595	2·607	2·619	2·635	2·653	2·683	2·707	2·707	2·721	2·733	2·743	2·760	2·5843
2·863	2·821	2·787	2·753	2·721	2·675	2·643	2·589	2·559	2·509	2·461	2·411	2·7542
2·187	2·229	2·289	2·309	2·345	2·383	2·393	2·401	2·403	2·405	2·419	2·417	2·2573
2·281	2·251	2·225	2·203	2·195	2·197	2·183	2·175	2·165	2·173	2·173	2·173	2·2022
2·199	2·207	2·205	2·231	2·253	2·283	2·321	2·347	2·361	2·407	2·427	2·449	2·2510
2·459	2·457	2·449	2·443	2·439	2·435	2·429	2·415	2·401	2·383	2·362	2·341	2·4582
2·4521	2·4456	2·4480	2·4555	2·4634	2·4742	2·4857	2·4864	2·4859	2·4852	2·4803	2·4795	2·4767

PRESSURE at Toronto Observatory for each Hour, from Self-Registering

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
			"	"								
1	2·321	2·304	2·273	2·247	2·231	2·221	2·222	2·211	2·193	2·179	2·183	2·187
2	2·427	2·443	2·462	2·475	2·511	2·525	2·557	2·579	2·599	2·613	2·619	2·623
3	2·803	2·785	2·803	2·830	2·855	2·855	2·907	2·943	2·965	2·975	2·973	2·963
4	2·963	2·961	2·945	2·961	2·957	2·953	2·955	2·953	2·979	2·981	2·972	2·955
5	2·919	2·907	2·909	2·909	2·920	2·937	2·935	2·951	2·938	2·937	2·909	2·879
6	2·712	2·705	2·698	2·669	2·644	2·635	2·639	2·641	2·587	2·570	2·519	2·489
7	2·330	2·323	2·247	2·197	2·125	2·133	2·109	2·121	2·157	2·203	2·237	2·269
8	2·423	2·431	2·437	2·439	2·447	2·461	2·471	2·488	2·499	2·527	2·541	2·543
9	2·605	2·605	2·609	2·617	2·627	2·647	2·667	2·669	2·681	2·673	2·665	2·661
10	2·608	2·588	2·561	2·553	2·537	2·539	2·541	2·543	2·540	2·531	2·515	2·495
11	2·503	2·485	2·469	2·459	2·459	2·455	2·463	2·459	2·425	2·415	2·393	2·349
12	2·195	2·181	2·173	2·173	2·179	2·181	2·193	2·213	2·237	2·273	2·297	2·328
13	2·669	2·683	2·687	2·689	2·719	2·743	2·770	2·805	2·829	2·860	2·873	2·887
14	3·037	3·038	3·027	3·029	3·035	3·051	3·077	3·099	3·110	3·120	3·117	3·109
15	3·089	3·087	3·059	3·034	3·013	2·995	2·971	2·961	2·939	2·911	2·873	2·855
16	2·695	2·701	2·681	2·680	2·672	2·673	2·673	2·675	2·659	2·649	2·641	2·627
17	2·613	2·613	2·615	2·625	2·637	2·658	2·683	2·703	2·723	2·743	2·743	2·747
18	2·785	2·783	2·785	2·791	2·799	2·810	2·829	2·839	2·845	2·853	2·839	2·827
19	2·585	2·535	2·503	2·473	2·421	2·379	2·337	2·293	2·261	2·233	2·173	2·141
20	2·149	2·171	2·191	2·233	2·275	2·315	2·361	2·389	2·411	2·443	2·453	2·477
21	2·697	2·707	2·707	2·717	2·709	2·713	2·701	2·683	2·677	2·663	2·629	2·611
22	2·373	2·376	2·385	2·445	2·519	2·609	2·697	2·755	2·799	2·861	2·901	2·933
23	3·113	3·113	3·112	3·108	3·113	3·131	3·141	3·145	3·143	3·155	3·151	3·151
24	3·184	3·185	3·187	3·189	3·193	3·215	3·231	3·224	3·223	3·225	3·201	3·179
25	2·771	2·727	2·699	2·679	2·659	2·635	2·625	2·599	2·569	2·533	2·504	2·471
26	2·169	2·161	2·157	2·149	2·155	2·169	2·181	2·179	2·205	2·231	2·241	2·265
27	2·597	2·613	2·615	2·645	2·677	2·713	2·741	2·763	2·769	2·761	2·747	2·739
28	2·769	2·767	2·771	2·767	2·789	2·805	2·813	2·795	2·809	2·801	2·771	2·748
29	2·319	2·285	2·248	2·235	2·229	2·221	2·219	2·213	2·210	2·201	2·195	2·171
30	2·321	2·345	2·341	2·361	2·367	2·393	2·410	2·409	2·425	2·459	2·462	2·481
31	2·713	2·721	2·719	2·733	2·733	2·757	2·771	2·779	2·787	2·799	2·797	2·794
Means	2·6275	2·6238	2·6153	2·6165	2·6195	2·6299	2·6416	2·6477	2·6514	2·6574	2·6495	2·6437

Photographic Instruments, during the Month of March, 1896.

NUMBERS IN THE TABLE.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
″	″	″			″	″		″				
2·187	2·197	2·223	2·255	2·285	2·315	2·337	2·351	2·369	2·385	2·393	2·415	2·2702
2·619	2·639	2·661	2·691	2·725	2·739	2·755	2·777	2·783	2·785	2·785	2·799	2·6330
2·959	2·947	2·947	2·949	2·955	2·963	2·957	2·955	2·947	2·939	2·955	2·947	2·9199
2·939	2·941	2·929	2·921	2·921	2·920	2·931	2·943	2·941	2·943	2·921	2·919	2·9460
2·865	2·829	2·829	2·839	2·831	2·839	2·817	2·817	2·829	2·821	2·791	2·751	2·8712
2·455	2·433	2·429	2·433	2·425	2·423	2·417	2·423	2·413	2·407	2·395	2·341	2·5209
2·291	2·303	2·317	2·335	2·367	2·383	2·389	2·399	2·403	2·409	2·411	2·423	2·2867
2·533	2·541	2·551	2·561	2·575	2·576	2·587	2·595	2·601	2·602	2·597	2·605	2·5263
2·645	2·639	2·632	2·630	2·625	2·631	2·633	2·631	2·643	2·633	2·631	2·615	2·6381
2·474	2·471	2·467	2·465	2·475	2·487	2·501	2·507	2·531	2·529	2·507	2·503	2·5195
2·315	2·287	2·275	2·261	2·251	2·249	2·239	2·231	2·217	2·200	2·195	2·193	2·3436
2·351	2·381	2·405	2·439	2·473	2·517	2·549	2·587	2·611	2·629	2·643	2·657	2·3694
2·891	2·891	2·909	2·931	2·945	2·967	2·987	3·001	3·019	3·031	3·032	3·035	2·8689
3·107	3·109	3·109	3·119	3·123	3·123	3·128	3·129	3·127	3·119	3·108	3·089	3·0933
2·815	2·791	2·769	2·747	2·745	2·733	2·741	2·751	2·741	2·735	2·719	2·719	2·8664
2·603	2·585	2·575	2·551	2·561	2·569	2·575	2·589	2·595	2·593	2·597	2·599	2·6258
2·741	2·729	2·739	2·747	2·745	2·752	2·755	2·767	2·770	2·770	2·773	2·775	2·7153
2·805	2·787	2·779	2·769	2·745	2·733	2·717	2·729	2·721	2·685	2·651	2·625	2·7721
2·087	2·049	2·049	2·027	2·029	2·049	2·049	2·073	2·071	2·079	2·093	2·121	2·2129
2·497	2·523	2·535	2·551	2·579	2·599	2·620	2·649	2·661	2·677	2·681	2·691	2·4638
2·581	2·543	2·521	2·499	2·481	2·463	2·435	2·427	2·445	2·433	2·411	2·381	2·5764
2·941	2·957	2·969	2·995	3·017	3·047	3·053	3·080	3·083	3·081	3·093	3·113	2·8368
3·131	3·113	3·118	3·127	3·141	3·150	3·157	3·169	3·181	3·187	3·191	3·185	3·1428
3·157	3·131	3·097	3·049	3·027	3·018	2·975	2·951	2·923	2·893	2·855	2·808	3·0967
2·427	2·363	2·311	2·265	2·267	2·240	2·227	2·223	2·209	2·219	2·201	2·185	2·4424
2·265	2·299	2·327	2·369	2·401	2·443	2·473	2·511	2·529	2·542	2·553	2·573	2·3145
2·725	2·721	2·721	2·723	2·733	2·737	2·743	2·763	2·771	2·767	2·769	2·775	2·7220
2·729	2·683	2·637	2·603	2·571	2·561	2·535	2·509	2·483	2·455	2·429	2·389	2·6662
2·155	2·149	2·137	2·143	2·160	2·183	2·203	2·233	2·243	2·275	2·293	2·309	2·2179
2·497	2·497	2·513	2·537	2·557	2·589	2·623	2·661	2·681	2·691	2·699	2·711	2·5013
2·791	2·791	2·779	2·781	2·801	2·799	2·791	2·791	2·779	2·783	2·789	2·795	2·7739
2·6315	2·6232	2·6213	2·6230	2·6302	2·6386	2·6419	2·6523	2·6555	2·6547	2·6504	2·6466	2·6372

PRESSURE at Toronto Observatory for each Hour from Self-Registering

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	2·785	2·775	2·771	2·741	2·713	2·713	2·705	2·677	2·655	2·640	2·599	2·571
2	2·355	2·359	2·353	2·365	2·359	2·359	2·353	2·333	2·319	2·311	2·295	2·288
3	2·357	2·345	2·337	2·339	2·342	2·353	2·375	2·395	2·411	2·419	2·429	2·451
4	2·645	2·659	2·671	2·683	2·703	2·727	2·739	2·747	2·750	2·751	2·749	2·757
5	2·893	2·899	2·903	2·917	2·929	2·943	2·951	2·951	2·961	2·965	2·959	2·951
6	2·735	2·713	2·703	2·697	2·695	2·703	2·718	2·725	2·713	2·715	2·717	2·724
7	2·745	2·737	2·727	2·723	2·725	2·741	2·759	2·779	2·801	2·833	2·851	2·881
8	3·137	3·135	3·135	3·143	3·169	3·196	3·219	3·227	3·229	3·239	3·229	3·213
9	3·117	3·107	3·095	3·083	3·072	3·077	3·073	3·047	3·023	2·997	2·965	2·920
10	2·675	2·673	2·687	2·709	2·711	2·733	2·791	2·799	2·815	2·835	2·833	2·895
11	2·881	2·821	2·839	2·833	2·827	2·833	2·827	2·837	2·837	2·815	2·811	2·787
12	2·857	2·867	2·877	2·851	2·855	2·863	2·869	2·867	2·855	2·857	2·841	2·811
13	2·617	2·603	2·587	2·581	2·579	2·581	2·585	2·580	2·567	2·561	2·540	2·543
14	2·345	2·325	2·327	2·339	2·359	2·363	2·374	2·377	2·389	2·399	2·407	2·404
15	2·615	2·611	2·615	2·623	2·645	2·661	2·679	2·687	2·693	2·685	2·669	2·662
16	2·649	2·657	2·655	2·647	2·655	2·665	2·673	2·669	2·663	2·661	2·643	2·644
17	2·643	2·635	2·633	2·631	2·639	2·662	2·671	2·667	2·664	2·662	2·649	2·629
18	2·609	2·609	2·619	2·615	2·625	2·637	2·631	2·635	2·645	2·645	2·645	2·643
19	2·573	2·563	2·555	2·551	2·551	2·563	2·569	2·569	2·567	2·567	2·569	2·597
20	2·751	2·757	2·765	2·761	2·773	2·773	2·781	2·777	2·755	2·743	2·723	2·683
21	2·471	2·447	2·447	2·439	2·442	2·447	2·451	2·431	2·420	2·421	2·407	2·377
22	2·497	2·531	2·563	2·591	2·639	2·685	2·719	2·743	2·749	2·761	2·767	2·769
23	2·827	2·837	2·859	2·862	2·873	2·879	2·891	2·891	2·867	2·867	2·839	2·841
24	2·719	2·677	2·669	2·669	2·675	2·691	2·687	2·689	2·673	2·631	2·645	2·639
25	2·579	2·583	2·585	2·580	2·603	2·621	2·631	2·641	2·649	2·655	2·659	2·661
26	2·747	2·742	2·749	2·771	2·777	2·785	2·795	2·799	2·791	2·801	2·799	2·796
27	2·723	2·721	2·727	2·727	2·735	2·737	2·745	2·757	2·757	2·748	2·743	2·731
28	2·707	2·709	2·713	2·717	2·715	2·743	2·763	2·761	2·777	2·787	2·785	2·775
29	2·859	2·852	2·853	2·847	2·863	2·875	2·883	2·883	2·892	2·889	2·885	2·873
30	2·747	2·743	2·723	2·709	2·701	2·707	2·707	2·709	2·713	2·713	2·701	2·683
Means.	2·6953	2·6897	2·6914	2·6912	2·6983	2·7105	2·7205	2·7216	2·7200	2·7191	2·7118	2·7066

Photographic Instruments, during the Month of April, 1896.

NUMBERS IN THE TABLE.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2 511	2 479	2 445	2·429	2·395	2 363	2 327	2 311	2·317	2 317	2·333	2·341	2 5380
2 313	2 313	2 321	2 341	2·361	2 383	2·397	2 399	2·395	2 385	2 381	2·367	2 3502
2 471	2 493	2 499	2 521	2·549	2 565	2 583	2 605	2·611	2·610	2 608	2·625	2·4705
2 757	2 765	2·765	2 765	2·797	2 821	2·841	2 863	2·867	2 881	2 883	2·889	2 7698
2 925	2 901	2 869	2 852	2·851	2 850	2 840	2 835	2·817	2 791	2 769	2·761	2 8868
2 723	2 738	2 735	2 747	2·769	2 783	2 782	2 781	2·775	2 771	2 757	2·749	2 7360
2 903	2 929	2 949	2 973	2·999	3 023	3·049	3 079	3·089	3 107	3 117	3·131	2 9021
3 199	3 181	3 169	3 165	3·160	3 151	3·151	3 165	3·159	3 151	3·146	3·139	3·1753
2 887	2 843	2 803	2 779	2·760	2 720	2·701	2 717	2·711	2 691	2 680	2·677	2 8977
2 857	2 861	2 875	2·881	2·891	2 872	2·877	2·875	2·857	2 857	2 871	2·899	2 8175
2·803	2 815	2 813	2 809	2·817	2 839	2 829	2 844	2·857	2 857	2 863	2·867	2 8317
2·777	2 763	2 735	2 717	2·697	2 681	2 663	2 661	2·657	2 643	2 633	2 629	2·7719
2 529	2 513	2 489	2 469	2·461	2 439	2·429	2 426	2·417	2 403	2 379	2·370	2 5103
2 413	2 433	2 447	2 462	2·479	2 497	2·513	2 541	2·556	2 575	2 583	2·597	2 4377
2 658	2 639	2 631	2 629	2 627	2 627	2·627	2 640	2·647	2 651	2 655	2·651	2 6470
2 643	2 631	2 621	2 625	2·625	2 629	2·631	2 641	2·649	2 649	2 645	2·641	2 6463
2 625	2 599	2 589	2 579	2·569	2 629	2 573	2 593	2·631	2 645	2 609	2·610	2 6265
2 635	2 629	2 613	2 609	2·605	2 587	2·581	2 595	2·595	2 593	2 593	2·583	2·6157
2 619	2 657	2 661	2 677	2·695	2 705	2·711	2 731	2·741	2 739	2 749	2·753	2·6347
2 667	2 651	2 611	2 603	2·557	2 541	2·543	2 547	2·533	2 515	2 503	2·493	2 6586
2 365	2·347	2 331	2 327	2·327	2 341	2·379	2 403	2·433	2·457	2 481	2·495	2 4119
2 765	2 765	2 763	2 757	2·757	2 761	2·777	2 803	2·812	2 819	2 821	2·829	2 7268
2 843	2 833	2 809	2 773	2·777	2 771	2·771	2 763	2·767	2 743	2 739	2 739	2 8192
2·627	2 619	2 604	2 609	2·596	2 585	2·587	2 597	2·609	2 599	2 585	2·589	2 6363
2 657	2 651	2 649	2 649	2·661	2 665	2·689	2 719	2·731	2 743	2 751	2·753	2 6569
2 791	2·785	2 770	2 771	2·767	2 753	2·745	2 757	2·757	2 759	2 755	2·753	2 7715
2 725	2 707	2 695	2 687	2·683	2 671	2·679	2 693	2·709	2·707	2 711	2·709	2 7178
2·775	2 777	2 781	2 785	2·793	2 801	2·811	2 837	2·847	2 857	2 859	2·857	2 7805
2 870	2·855	2 843	2 817	2·799	2 789	2·787	2 799	2·800	2 787	2 787	2·778	2 8402
2·665	2 645	2 612	2 595	2·587	2 581	2·592	2 593	2·609	2 611	2 609	2·609	2 6610
2 6997	2 6937	2·6832	2 6801	2·6804	2 6808	2·6822	2·6938	2·6985	2·6971	2·6952	2·6961	2·6982

PRESSURE at Toronto Observatory, for each Hour, from Self-registering

27 ENGLISH INCHES + THE

DAY.	HOURS ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1. . .	2·607	2·610	2·609	2·609	2·609	2·619	2·623	2·623	2·629	2·635	2·629	2·619
2. . . .	2·551	2·547	2·551	2·545	2·553	2·569	2·571	2·569	2·569	2·563	2·555	2·545
3.....	2·495	2·497	2·505	2·507	2·509	2·521	2·537	2·529	2·528	2·533	2·531	2·537
4	2·599	2·583	2·581	2·573	2·583	2·589	2·583	2·593	2·595	2·599	2·569	2·543
5	2·527	2·525	2·538	2·542	2·557	2·589	2·601	2·611	2·615	2·621	2·625	2·615
6 .	2·743	2·753	2·769	2·779	2·799	2·809	2·833	2·847	2·873	2·887	2·889	2·895
7. . . .	2·925	2·927	2·931	2·939	2·943	2·959	2·973	2·984	2·995	3·015	3·003	2·991
8 . .	2·841	2·817	2·809	2·813	2·821	2·835	2·829	2·831	2·815	2·791	2·771	2·757
9. .	2·709	2·703	2·709	2·718	2·731	2·741	2·751	2·741	2·737	2·727	2·707	2·691
10.....	2·571	2·571	2·575	2·573	2·577	2·577	2·573	2·565	2·547	2·541	2·527	2·515
11.	2·465	2·459	2·459	2·455	2·473	2·485	2·499	2·499	2·507	2·511	2·511	2·513
12 .	2·559	2·577	2·579	2·583	2·611	2·633	2·647	2·653	2·663	2·685	2·683	2·675
13. . . .	2·701	2·695	2·709	2·721	2·741	2·761	2·759	2·761	2·773	2·788	2·781	2·772
14	2·659	2·657	2·632	2·611	2·603	2·613	2·605	2·612	2·607	2·599	2·579	2·565
15.....	2·471	2·497	2·513	2·530	2·565	2·599	2·614	2·653	2·667	2·679	2·679	2·677
16 . . .	2·768	2·771	2·789	2·795	2·799	2·799	2·792	2·805	2·783	2·777	2·767	2·739
17 .	2·563	2·541	2·525	2·499	2·483	2·455	2·449	2·405	2·365	2·363	2·347	2·339
18.....	2·323	2·339	2·347	2·363	2·383	2·409	2·427	2·429	2·425	2·429	2·437	2·419
19. .	2·419	2·427	2·435	2·449	2·487	2·519	2·543	2·551	2·569	2·574	2·579	2·585
20 . .	2·753	2·757	2·765	2·775	2·812	2·819	2·835	2·827	2·825	2·839	2·831	2·821
21 .	2·725	2·719	2·719	2·707	2·711	2·711	2·721	2·713	2·709	2·699	2·685	2·667
22.....	2·517	2·521	2·509	2·519	2·533	2·567	2·571	2·575	2·583	2·605	2·613	2·617
23.	2·808	2·829	2·849	2·879	2·895	2·921	2·925	2·947	2·957	2·964	2·959	2·959
24. .	2·885	2·867	2·837	2·841	2·823	2·833	2·825	2·821	2·815	2·821	2·811	2·789
25. . .	2·679	2·649	2·639	2·645	2·623	2·639	2·633	2·625	2·597	2·575	2·553	2·537
26	2·175	2·141	2·151	2·171	2·185	2·207	2·221	2·245	2·243	2·249	2·259	2·259
27.....	2·463	2·473	2·477	2·497	2·515	2·535	2·551	2·571	2·596	2·613	2·589	2·579
28 .	2·499	2·461	2·427	2·377	2·357	2·314	2·295	2·253	2·223	2·189	2·161	2·127
29.	2·283	2·281	2·281	2·289	2·305	2·325	2·335	2·347	2·349	2·372	2·382	2·403
30	2·429	2·419	2·413	2·415	2·428	2·431	2·431	2·429	2·427	2·427	2·421	2·415
31	2·364	2·370	2·381	2·387	2·403	2·407	2·425	2·451	2·465	2·467	2·465	2·474
Means...	2·5831	2·5801	2·5811	2·5841	2·5941	2·6061	2·6122	2·6150	2·6145	2·6173	2·6096	2·6013

Photographic Instruments during the Month of May, 1896.

NUMBERS IN THE TABLE.

Hours Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2·613	2 601	2 581	2 581	2 579	2 565	2 560	2 563	2 563	2 549	2 547	2 543	2 5944
2 535	2 517	2 509	2 499	2·503	2 511	2 495	2 521	2 515	2 519	2 507	2 501	2 5342
2·557	2 557	2 557	2 551	2·559	2 567	2 583	2 607	2 607	2 607	2 608	2 607	2 5498
2 515	2·497	2 481	2 459	2·459	2 465	2 469	2·477	2 509	2 517	2 525	2 531	2 5373
2 615	2 609	2·603	2 613	2 615	2 621	2·631	2 649	2 661	2 669	2 685	2 707	2 6102
2 891	2·885	2 883	2 879	2·875	2 879	2 893	2 907	2 919	2 919	2 923	2 935	2 8610
2 971	2 950	2 923	2 915	2·891	2 883	2 879	2 869	2 877	2 869	2 861	2 845	2 9299
2·749	2 731	2 729	2 719	2·716	2 710	2 709	2 715	2 723	2 725	2 723	2 721	2 7667
2·665	2 639	2 615	2 607	2·603	2 601	2 593	2 593	2 591	2 579	2 579	2 579	2 6629
2 501	2·481	2·469	2 461	2·457	2 447	2 451	2 449	2 459	2 460	2 463	2 465	2 5115
2·509	2 501	2 485	2 475	2·480	2 485	2 502	2 502	2 499	2 515	2 531	2 539	2 4941
2·679	2 681	2 671	2 667	2·657	2 645	2 663	2 673	2 699	2 703	2 709	2 711	2 6544
2 753	2 751	2·725	2 701	2·695	2 681	2 674	2·675	2 691	2 683	2 689	2 685	2 7235
2·545	2·518	2 491	2 469	2·451	2 443	2 451	2 457	2 459	2 491	2 485	2 465	2 5445
2 669	2·671	2 677	2 689	2·693	2 713	2 719	2 727	2 751	2 759	2 765	2 763	2 6558
2 707	2 685	2·683	2 693	2·689	2 671	2 659	2 637	2 631	2 619	2 625	2 613	2 7207
2 341	2 321	2 329	2 333	2·325	2·319	2 322	2 315	2 331	2 331	2 325	2 313	2 3850
2·415	2 411	2 409	2 409	2 401	2 387	2 397	2 415	2 419	2 407	2 415	2 417	2 4013
2 591	2·595	2 599	2 611	2·621	2 629	2 657	2 677	2 715	2 731	2 715	2 737	2 5852
2·805	2·795	2 785	2 773	2 757	2 747	2 739	2 745	2 755	2 743	2 741	2 729	2 7822
2 631	2·617	2 605	2 587	2 563	2 551	2 549	2 545	2 547	2 543	2 533	2 531	2 6370
2 621	2·619	2·623	2 635	2·651	2 673	2 693	2 725	2 745	2 761	2 779	2 797	2 6272
2 947	2 943	2·939	2 923	2·917	2 901	2 890	2 883	2 905	2 901	2 887	2 881	2 9087
2 777	2 767	2·755	2 748	2·727	2 717	2 715	2 721	2 715	2 713	2 715	2 701	2 7808
2 521	2 461	2 413	2 385	2·371	2 341	2·301	2 267	2 249	2 257	2 239	2 203	2 4751
2 263	2 265	2 263	2 269	2·267	2·304	2 351	2·393	2 422	2 427	2 437	2 465	2 2763
2·577	2 627	2 595	2 611	2·603	2 583	2 587	2 587	2 586	2 583	2 567	2 529	2 5623
2 087	2 091	2 121	2 157	2·169	2 193	2 205	2 219	2 235	2 245	2·263	2 282	2 2479
2 409	2 407	2 401	2 409	2 413	2 423	2 425	2 415	2 421	2 441	2 435	2 431	2 3743
2 399	2 395	2 372	2 363	2·371	2 377	2 359	2 369	2 393	2 391	2 389	2 371	2·4014
2·479	2·481	2 493	2·497	2 501	2 517	2 525	2·533	2 563	2·577	2 591	2 591	2 4753
2 5915	2 5829	2 5737	2·5706	2·5671	2 5661	2·5692	2 5752	2 5856	2 5882	2 5899	2 5867	2·5894

PRESSURE at Toronto Observatory for each Hour, from Self-Registering
27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	2·591	2·591	2·609	2·617	2·637	2·643	2·657	2·679	2·691	2·713	2·719	2·723
2	2·821	2·831	2·835	2·845	2·857	2·862	2·867	2·872	2·869	2·877	2·875	2·871
3	2·843	2·835	2·845	2·849	2·857	2·859	2·873	2·861	2·843	2·829	2·810	2·787
4	2·643	2·646	2·639	2·639	2·635	2·643	2·668	2·683	2·685	2·684	2·681	2·677
5	2·658	2·651	2·667	2·685	2·711	2·719	2·721	2·723	2·721	2·717	2·711	2·707
6	2·617	2·595	2·601	2·605	2·611	2·621	2·637	2·655	2·641	2·647	2·641	2·642
7	2·575	2·577	2·572	2·563	2·562	2·572	2·581	2·573	2·571	2·561	2·535	2·521
8	2·396	2·399	2·387	2·382	2·355	2·355	2·349	2·347	2·329	2·311	2·305	2·283
9	2·161	2·161	2·155	2·173	2·185	2·199	2·209	2·221	2·231	2·245	2·245	2·267
10	2·375	2·373	2·377	2·383	2·395	2·415	2·435	2·455	2·469	2·467	2·463	2·461
11	2·473	2·471	2·472	2·478	2·483	2·491	2·495	2·499	2·489	2·485	2·469	2·459
12	2·359	2·351	2·353	2·355	2·361	2·375	2·369	2·367	2·361	2·357	2·349	2·331
13	2·349	2·347	2·345	2·353	2·372	2·377	2·405	2·419	2·429	2·443	2·447	2·453
14	2·583	2·585	2·583	2·587	2·593	2·601	2·623	2·629	2·631	2·643	2·653	2·659
15	2·773	2·775	2·773	2·783	2·787	2·801	2·815	2·827	2·823	2·837	2·829	2·825
16	2·805	2·799	2·791	2·797	2·797	2·799	2·799	2·807	2·815	2·809	2·801	2·791
17	2·691	2·679	2·679	2·673	2·683	2·683	2·691	2·691	2·690	6·679	2·671	2·667
18	2·621	2·621	2·619	2·617	2·627	2·649	2·667	2·681	2·669	2·670	2·667	2·657
19	2·637	2·640	2·638	2·634	2·630	2·626	2·628	2·631	2·634	2·637	2·623	2·603
20	2·557	2·557	2·569	2·578	2·589	2·589	2·597	2·600	2·607	2·603	2·615	2·611
21	2·497	2·488	2·479	2·483	2·469	2·465	2·463	2·459	2·455	2·447	2·439	2·447
22	2·461	2·443	2·447	2·465	2·479	2·499	2·519	2·535	2·537	2·552	2·545	2·540
23	2·687	2·697	2·697	2·707	2·717	2·723	2·733	2·737	2·747	2·743	2·739	2·733
24	2·727	2·695	2·705	2·703	2·701	2·709	2·709	2·713	2·709	2·701	2·701	2·707
25	2·737	2·731	2·729	2·728	2·735	2·747	2·770	2·775	2·773	2·769	2·767	2·761
26	2·593	2·597	2·597	2·615	2·631	2·660	2·684	2·695	2·707	2·717	2·725	2·741
27	2·761	2·745	2·729	2·730	2·729	2·720	2·719	2·713	2·701	2·682	2·667	2·643
28	2·379	2·349	2·321	2·309	2·297	2·281	2·267	2·251	2·233	2·230	2·237	2·253
29	2·369	2·373	2·370	2·369	2·364	2·377	2·380	2·403	2·432	2·473	2·499	2·517
30	2·777	2·783	2·791	2·810	2·843	2·841	2·855	2·859	2·858	2·851	2·837	2·811
Means	2·5839	2·5794	2·5789	2·5838	2·5897	2·5967	2·6062	2·6120	2·6117	2·6126	2·6088	2·6049

Photographic Instruments, during the Month of June, 1896.

NUMBERS IN THE TABLES.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
″	″	″	″	″	″	″	″	″	″	″	″	″
2·723	2·727	2·727	2·731	2·730	2·747	2·757	2·757	2·774	2·785	2·814	2·811	2·7061
2·860	2·850	2·839	2·829	2·819	2·825	2·829	2·827	2·838	2·837	2·836	2·833	2·8460
2·769	2·747	2·725	2·709	2·701	2·697	2·685	2·685	2·683	2·675	2·657	2·657	2·7700
2·661	2·641	2·643	2·629	2·621	2·637	2·649	2·651	2·671	2·667	2·661	2·661	2·6548
2·685	2·671	2·657	2·649	2·647	2·635	2·631	2·617	2·643	2·639	2·627	2·627	2·6716
2·625	2·609	2·591	2·571	2·559	2·561	2·571	2·581	2·588	2·583	2·585	2·587	2·6051
2·483	2·455	2·431	2·402	2·385	2·467	2·405	2·411	2·407	2·409	2·410	2·401	2·4929
2·257	2·221	2·225	2·209	2·185	2·191	2·190	2·185	2·197	2·193	2·181	2·163	2·2748
2·267	2·285	2·295	2·309	2·322	2·339	2·343	2·345	2·351	2·357	2·363	2·371	2·2666
2·457	2·461	2·455	2·453	2·449	2·451	2·459	2·463	2·485	2·481	2·481	2·473	2·4432
2·431	2·413	2·395	2·397	2·391	2·381	2·383	2·381	2·383	2·379	2·377	2·367	2·4351
2·307	2·299	2·289	2·283	2·281	2·289	2·295	2·307	2·321	2·325	2·331	2·343	2·3316
2·451	2·471	2·469	2·471	2·483	2·499	2·517	2·527	2·549	2·569	2·575	2·584	2·4543
2·664	2·669	2·665	2·661	2·663	2·675	2·687	2·699	2·721	2·732	2·749	2·759	2·6548
2·817	2·803	2·801	2·791	2·795	2·793	2·802	2·801	2·808	2·812	2·807	2·809	2·8036
2·787	2·757	2·747	2·739	2·733	2·725	2·717	2·713	2·719	2·717	2·719	2·701	2·7660
2·651	2·639	2·619	2·607	2·601	2·599	2·589	2·593	2·611	2·607	2·613	2·617	2·6468
2·651	2·649	2·639	2·625	2·619	2·619	2·621	2·617	2·629	2·633	2·631	2·633	2·6388
2·583	2·561	2·539	2·532	2·515	2·505	2·505	2·519	2·543	2·556	2·557	2·559	2·5848
2·593	2·573	2·563	2·541	2·531	2·525	2·519	2·529	2·523	2·529	2·533	2·513	2·5643
2·433	2·411	2·391	2·383	2·378	2·383	2·398	2·417	2·435	2·440	2·447	2·457	2·4402
2·543	2·561	2·569	2·572	2·591	2·589	2·609	2·627	2·649	2·659	2·673	2·685	2·5562
2·729	2·727	2·707	2·695	2·687	2·685	2·685	2·689	2·711	2·721	2·729	2·743	2·7153
2·703	2·707	2·705	2·709	2·711	2·719	2·709	2·711	2·725	2·742	2·750	2·747	2·7133
2·753	2·749	2·729	2·705	2·690	2·679	2·673	2·667	2·635	2·621	2·623	2·608	2·7148
2·741	2·741	2·727	2·719	2·719	2·729	2·743	2·760	2·775	2·773	2·770	2·764	2·7051
2·623	2·587	2·553	2·525	2·505	2·485	2·471	2·455	2·442	2·419	2·416	2·401	2·6009
2·235	2·233	2·239	2·273	2·279	2·297	2·321	2·333	2·359	2·369	2·375	2·377	2·2957
2·531	2·559	2·579	2·591	2·621	2·643	2·671	2·691	2·732	2·743	2·763	2·770	2·5342
2·779	2·759	2·747	2·733	2·729	2·729	2·735	2·743	2·752	2·749	2·759	2·757	2·7870
2·5931	2·5845	2·5753	2·5681	2·5647	2·5699	2·5723	2·5767	2·5886	2·5907	2·5937	2·5926	2·5891

PRESSURE at Toronto Observatory for each Hour from Self-Registering
27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	"	"	"	"	"	"	"	"	"	"	"	"
1.	2·750	2·754	2·759	2·765	2·785	2·793	2·799	2·807	2·800	2·803	2·791	2·797
2.	2·743	2·735	2·739	2·742	2·749	2·755	2·755	2·753	2·747	2·741	2·725	2·711
3.	2·669	2·669	2·691	2·693	2·709	2·731	2·719	2·741	2·733	2·741	2·743	2·737
4	2·611	2·595	2·583	2·581	2·561	2·561	2·551	2·541	2·527	2·523	2·501	2·499
5	2·409	2·409	2·423	2·437	2·453	2·473	2·491	2·505	2·503	2·503	2·507	2·511
6.	2·539	2·513	2·505	2·508	2·507	2·511	2·511	2·506	2·491	2·493	2·481	2·471
7	2·577	2·577	2·575	2·587	2·601	2·601	2·615	2·631	2·629	2·637	2·639	2·633
8.... .	2·687	2·681	2·685	2·695	2·709	2·720	2·735	2·743	2·751	2·757	2·761	2·771
9.....	2·736	2·717	2·701	2·689	2·694	2·679	2·677	2·669	2·657	2·647	2·647	2·641
10.	2·667	2·649	2·655	2·659	2·663	2·667	2·689	2·685	2·681	2·689	2·691	2·700
11.	2·723	2·715	2·721	2·724	2·733	2·737	2·747	2·757	2·751	2·749	2·741	2·731
12.	2·679	2·677	2·672	2·679	2·677	2·679	2·671	2·665	2·643	2·631	2·616	2·603
13.....	2·542	2·539	2·535	2·533	2·537	2·534	2·533	2·567	2·505	2·529	2·527	2·513
14	2·571	2·579	2·585	2·593	2·599	2·619	2·627	2·633	2·629	2·629	2·631	2·615
15.....	2·317	2·279	2·277	2·249	2·241	2·255	2·259	2·265	2·265	2·280	2·277	2·287
16.	2·461	2·463	2·491	2·509	2·517	2·529	2·549	2·552	2·553	2·551	2·551	2·553
17	2·690	2·699	2·715	2·733	2·757	2·769	2·779	2·793	2·797	2·807	2·805	2·809
18.	2·871	2·859	2·877	2·891	2·907	2·923	2·943	2·940	2·937	2·939	2·921	2·917
19.....	2·805	2·799	2·793	2·795	2·803	2·815	2·819	2·823	2·815	2·807	2·791	2·777
20	2·671	2·635	2·629	2·607	2·595	2·568	2·537	2·489	2·489	2·485	2·469	2·467
21	2·543	2·539	2·549	2·557	2·573	2·591	2·605	2·611	2·621	2·659	2·637	2·625
22.... ...	2·621	2·599	2·592	2·585	2·589	2·592	2·587	2·579	2·569	2·557	2·529	2·491
23	2·514	2·530	2·557	2·581	2·597	2·613	2·627	2·644	2·645	2·661	2·669	2·664
24	2·631	2·615	2·600	2·583	3·577	2·570	2·557	2·560	2·543	2·531	2·513	2·489
25	2·519	2·525	2·531	2·545	2·555	2·579	2·601	2·617	2·619	2·631	2·629	2·633
26.....	2·645	2·653	2·655	2·667	2·667	2·667	2·665	2·663	2·655	2·631	2·621	2·613
27	2·443	2·433	2·429	2·429	2·449	3·459	2·437	2·455	2·467	2·469	2·469	2·469
28	2·551	2·557	2·560	2·567	2·587	2·617	2·632	2·629	2·629	2·640	2·635	2·637
29	2·631	2·633	2·637	2·640	2·655	2·653	2·655	2·653	2·649	2·639	2·637	2·605
30	2·499	2·489	2·487	2·463	2·455	2·445	2·437	2·429	2·429	2·423	2·413	2·409
31.....	2·671	2·671	2·685	2·701	2·719	2·745	2·761	2·759	2·763	2·767	2·765	2·759
Means. .	2·6125	2·6060	2·6095	2·6125	2·6200	2·6274	2·6313	2·6343	2·6288	2·6300	2·6236	2·6173

Photographic Instruments during the Month of July, 1896.

NUMBERS IN THE TABLES.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	′	°	″	″	°	′	°	°	°	′	′	′
2·781	2·761	2·751	2·737	2·755	2·739	2·745	2 745	2·751	2·747	2·749	2 751	2 7665
2·682	2·663	2·650	2·627	2·617	2·611	2 617	2·635	2·669	2·669	2 667	2·663	2 6944
2·723	2·697	2·671	2·656	2·639	2·647	2 639	2 635	2·633	2·643	2·631	2·623	2·6839
2·491	2·469	2·453	2·419	2·423	2·409	2·401	2·413	2·421	2·417	2·425	2·413	2 4912
2·513	2 501	2·499	2·503	2·507	2·511	2·521	2·523	2·535	2 547	2·543	2·543	2 4946
2·463	2·447	2·449	2·447	2·465	2·491	2 507	2·535	2·551	2 561	2 565	2 575	2·5038
2·621	2·615	2 619	2·625	2·617	2·620	2·629	2·640	2·661	2·663	2·673	2·685	2 6238
2·761	2·757	2·750	2·733	2·729	2·731	2·737	2·737	2·747	2·743	2·743	2·735	2 7333
2·629	2·617	2·602	2·595	2·593	2·605	2 619	2·623	2 643	2·647	2·664	2·667	2·6524
2·695	2·693	2·701	2·691	2 681	2·687	2 695	2·695	2 723	2 725	2·727	2·725	2 6889
2·725	2 709	2·689	2 680	2·667	2·664	2 664	2 667	2·679	2·675	2 675	2·681	2 7085
2·587	2·553	2·539	2 529	2 525	2 521	2 519	2·522	2 539	2 539	2·535	2·551	2·5980
2·499	2·489	2·473	2·465	2·483	2 499	2·519	2·535	2·549	2 557	2·563	2 569	2·5248
2·587	2·563	2·541	2 515	2 489	2·473	2·467	2·463	2·442	2·415	2·387	2·349	2·5417
2·305	2·317	2 323	2 335	2·343	2·371	2 401	2·407	2·419	2 421	2 445	2 459	2·3249
2·559	2·561	2·561	2·573	2 583	2 609	2 623	2 651	2·667	2 673	2 683	2·689	2·5713
2·809	2·813	2·817	2·817	2·819	2·825	2 829	2 841	2·861	2·859	2 859	2 857	2·7983
2·899	2·882	2·869	2 867	2·859	2 849	2 839	2 821	2·815	2·803	2 812	2·815	2 8773
2·763	2·761	2 747	2·743	2·735	2 727	2 733	2·731	2·727	2·711	2·717	2 695	2 7680
2·469	2·459	2·461	2·461	2 453	2·462	2 469	2·483	2 511	2·519	2·531	2 541	2·5192
2·617	2·614	2·599	2 599	2·593	2·613	2·611	2·623	2·633	2·633	2·640	2·633	2·6041
2·463	2·459	2·439	2 423	2·405	2·409	2·412	2 421	2 467	2·484	2·493	2 509	2·5114
2·661	2·664	2·665	2·647	2·641	2 629	2·635	2·640	2·647	2·645	2 645	2 649	2 6279
2·473	2·453	2·443	2·431	2 429	2·425	2·443	2 451	2·471	2·491	2·499	2·513	2·5121
2·635	2·623	2·619	2 609	2 599	2·601	2 605	2 615	2·629	2·631	2·639	2 649	2·6016
2·615	2 597	2·587	2·565	2·551	2·549	2·539	2 519	2·517	2 495	2·481	2·459	2·5948
2·447	2·433	2 425	2·445	2 447	2·449	2·473	2·477	2·495	2 509	2·517	2·541	2 4611
2·623	2·605	2·615	2·603	2·599	2 601	2·613	2 629	2 631	2·617	2·627	2 633	2·6099
2·589	5·571	2·542	2·539	2·509	2·511	2 495	2·489	2·513	2·509	2 499	2·495	2 5812
2·417	2·421	2·431	2 431	2·445	2·475	2·505	2·537	2·561	2 593	2 631	2 655	2 4783
2·759	2 761	2·761	2·751	2 747	2 749	2·751	2 757	2 759	2·762	2 779	2 781	2 7451
2·6084	2·5977	2·5900	2·5826	2·5783	2·5826	2·5889	2·5955	2·6086	2·6098	2·6142	2·6162	2·6094

PRESSURE at Toronto Observatory for each Hour, from Self-Registering

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	2·755	2·753	2·755	2·749	2·742	2·739	2·733	2·725	2·707	2·689	2·661	2·639
2.....	2·433	2·427	2·429	2·447	2·467	2·475	2·499	2·501	2·508	2·509	2·515	2·513
3.....	2·587	2·593	2·595	2·603	2·633	2·642	2·655	2·650	2·655	2·643	2·629	2·609
4.....	2·581	2·577	2·577	2·591	2·595	2·601	2·600	2·602	2·601	2·603	2·597	2·605
5.....	2·579	2·547	2·581	2·601	2·579	2·573	2·585	2·575	2·587	2·577	2·539	2·506
6.....	2·541	2·551	2·563	2·569	2·559	2·599	2·617	2·565	2·583	2·599	2·607	2·607
7.....	2·625	2·623	2·629	2·631	2·635	2·639	2·655	2·653	2·663	2·663	2·658	2·661
8.....	2·660	2·658	2·651	2·657	2·659	2·673	2·677	2·667	2·642	2·651	2·645	2·617
9.....	2·495	2·505	2·481	2·479	2·501	2·511	2·531	2·541	2·549	2·553	2·561	2·561
10.....	2·549	2·541	2·551	2·531	5·561	2·561	2·591	2·539	2·567	2·573	2·579	2·573
11.....	2·577	2·581	2·587	2·589	2·601	2·605	2·611	2·623	2·629	2·641	2·635	2·639
12.....	2·627	2·611	2·679	2·709	2·719	2·695	2·671	2·691	2·705	2·710	2·723	2·733
13.....	2·741	2·743	2·741	2·749	2·751	2·771	2·777	2·781	2·787	2·791	2·783	2·775
14.....	2·733	2·737	2·739	2·743	2·759	2·764	2·763	2·765	2·765	2·767	2·769	2·769
15.....	2·709	2·705	2·707	2·717	2·721	2·727	2·721	2·729	2·737	2·731	2·719	2·715
16.....	2·543	2·537	2·519	2·517	2·499	2·515	2·525	2·523	2·531	2·537	2·537	2·555
17.....	2·673	2·673	2·681	2·689	2·697	2·711	2·713	2·717	2·715	2·717	2·707	2·716
18.....	2·641	2·639	2·629	2·629	2·645	2·651	2·651	2·637	2·629	2·627	2·617	2·637
19.....	2·751	2·767	2·791	2·813	2·843	2·875	2·893	2·909	2·919	2·929	2·925	2·919
20.....	2·909	2·907	2·911	2·909	2·915	2·923	2·923	2·921	2·913	2·900	2·873	2·849
21.....	2·657	2·653	2·637	2·629	2·621	2·621	2·613	2·597	2·584	2·573	2·561	2·549
22.....	2·513	2·512	2·514	2·513	2·511	2·515	2·528	2·525	2·521	2·515	2·513	2·487
23.....	2·285	2·275	2·289	2·273	2·287	2·321	2·345	2·363	2·373	2·395	2·409	2·425
24.....	2·591	2·591	2·594	2·603	2·613	2·633	2·649	2·652	2·659	2·669	2·667	2·663
25.....	2·709	2·709	2·713	2·721	2·729	2·737	2·741	2·737	2·739	2·741	2·723	2·697
26.....	2·575	2·561	2·553	2·549	2·545	2·545	2·547	2·536	2·536	2·519	2·507	2·491
27.....	2·693	2·699	2·707	2·705	2·731	2·751	2·770	2·783	2·795	2·799	2·805	2·803
28.....	2·927	2·931	2·943	2·947	2·961	2·983	2·995	3·007	3·019	3·025	3·021	3·013
29.....	2·933	2·925	2·911	2·901	2·905	2·933	2·935	2·925	2·917	2·899	2·876	2·849
30.....	2·591	2·565	2·560	2·541	2·541	2·519	2·521	2·501	2·473	2·433	2·409	2·361
31.....	2·389	2·395	2·399	2·410	2·427	2·457	2·471	2·481	2·491	2·508	2·505	2·509
	2·6314	2·6287	2·6328	2·6359	2·6436	2·6537	2·6615	2·6587	2·6613	2·6608	2·6541	2·6466

Photographic Instruments, during the Month of August, 1896.

NUMBERS IN THE TABLES.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2·632	2·609	2 589	2 575	2 545	2·517	2 509	2 487	2 461	2·457	2 458	2 449	2 6223
2·511	2 513	2·525	2·527	2 529	2 539	2 543	2 559	2·569	2·576	2 583	2 591	2 5120
2·597	2 585	2 575	2 579	2 570	2·549	2 565	2 561	2 563	2·567	2 565	2 581	2 5980
2·569	2·549	2 541	2 549	2 553	2 561	2 569	2 583	2·601	2 603	2 609	2 593	2 5834
2·512	2 495	2 497	2 498	2 479	2 493	2 511	2 555	2 561	2 569	2 575	2 553	2 5470
2 607	2 599	2·565	2 553	2 557	2 561	2 585	2 593	2 607	2 617	2 628	2 617	2 5854
2 648	2 641	2 625	2 609	2 601	2 607	2 615	2 624	2 649	2 659	2 661	2 659	2 6389
2·585	2 571	2 555	2 535	2 543	2 551	2 529	2 517	2 519	2 512	2 505	2 507	2 5953
2 533	2 533	2 525	2 539	2 489	2 475	2 513	2 541	2 535	2 529	2 545	2 555	2 5242
2 565	2 545	2 525	2 527	2 527	2 527	2 525	2 533	2 539	2 587	2 599	2 585	2 5542
2·639	2 619	2 605	2 595	2 587	2 591	2 608	2·621	2 623	2 621	2 627	2 655	2 6129
2·733	2 723	2 719	2 705	2 705	2 709	2 727	2 740	2 755	2 751	2 757	2 745	2 7101
2·767	2 761	2 749	2 735	2 719	2 717	2·717	2·729	2 743	2 737	2 733	2 733	2 7513
2·759	2 745	2 733	2 721	2 709	2 711	2·701	2·705	2 703	2 711	2 721	2 717	2 7379
2·693	2 669	2 651	2 629	2 623	2 607	2·623	2 622	2 607	2 591	2 577	2 559	2 6704
2·547	2 545	2 547	2 553	2 577	2 593	2 613	2·631	2 647	2 657	2 671	2 675	2 5664
2·681	2 669	2 661	2 655	2 651	2 655	2 659	2 679	2 677	2 665	2·663	2 657	2 6825
2·629	2·611	2 609	2 623	2 637	2 660	2 677	2 691	2 713	2·717	2·737	2 749	2 6535
2 915	2 903	2 899	2 899	2 899	2 901	2 913	2 931	2 933	2 935	2 923	2 915	2 8875
2 821	2 793	2 763	2 749	2 733	2 729	2·723	2 715	2 709	2 699	2·689	2·673	2 8187
2 539	2 529	2 511	2 507	2 507	2 503	2·503	2 511	2 517	2 517	2 513	2·514	2 5611
2 465	2·447	2 441	2 435	2 437	2 429	2 425	2 383	2 375	2 364	2 342	2 317	2 4595
2·435	2 445	2 463	2 471	2 483	2 497	2·517	2 535	2·559	2·575	2·581	2 591	2 4247
2·667	2 651	2 645	2 651	2 655	2 655	2 673	2 690	2 707	2 710	2 715	2 721	2 6552
2·689	2 671	2 657	2 643	2 633	2 622	2 613	2 615	2 603	2·601	2 595	2·597	2 6765
2·477	2 483	2·509	2 525	2 535	2 559	2·567	2 587	2 631	2 643	2 671	2 687	2 5558
2·805	2 811	2·809	2 817	2 829	2 837	2 862	2·883	2 899	2·913	2 921	2 923	2·8063
3·009	2 995	2 977	2·969	2·961	3 952	2·953	2 963	2·959	2 957	2 957	2 949	2 9739
2·821	2 791	2·777	2 743	2 725	2 709	2·707	2 693	2 684	2 675	2 667	2 625	2 8136
2 321	2·300	2·289	2 283	2 285	2·297	2·323	2 341	2 349	2 369	2 379	2 387	1 4141
3 512	2 501	2 521	2·539	2 567	2 599	2 629	2 661	2 661	2 675	2·687	2 703	2 5290
2 6349	2·6226	2 6147	2·6109	2·6081	2·6101	2·6193	2·6284	2·6341	2·6374	2·6402	2·6381	2 6362

PRESSURE at Toronto Observatory for each Hour, from Self-Registering

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	″	″	″	″	″	″	″	″	″	″	″	″
1.....	2·709	2·727	2·741	2·755	2·781	2·805	2·827	2·835	2·850	2·863	2·867	2·863
2.....	2·857	2·855	2·849	2·855	2·855	2·851	2·833	2·821	2·795	2·789	2·783	2·752
3.....	2·433	2·431	2·413	2·409	2·409	2·393	2·429	2·423	2·457	2·473	2·487	2·521
4.....	2·787	2·787	2·797	2·817	2·823	2·833	2·855	2·861	2·857	2·857	2·849	2·839
5.....	2·685	2·671	2·643	2·605	2·593	2·571	2·561	2·543	2·515	2·515	2·489	2·465
6.....	2·193	2·209	2·215	2·219	2·249	2·267	2·275	2·273	2·275	2·283	2·295	2·287
7.....	2·515	2·529	2·545	2·559	2·583	2·607	2·633	2·649	2·667	2·675	2·677	2·683
8.....	2·749	2·751	2·763	2·779	2·789	2·813	2·817	2·831	2·847	2·847	2·845	2·839
9.....	2·759	2·739	2·745	2·741	2·745	2·751	2·757	2·747	2·741	2·737	2·733	2·717
10.....	2·577	2·555	2·541	2·537	2·535	2·529	2·539	2·531	2·531	2·515	2·505	2·497
11.....	2·475	2·469	2·469	2·481	2·495	2·511	2·523	2·525	2·533	2·537	2·531	2·525
12.....	2·693	2·697	2·723	2·725	2·749	2·774	2·801	2·799	2·811	2·819	2·821	2·831
13.....	2·957	2·955	2·957	2·961	2·967	2·963	2·971	2·967	2·971	2·967	2·959	2·951
14.....	2·827	2·817	2·813	2·801	2·795	2·787	2·791	2·785	2·755	2·741	2·731	2·717
15.....	2·637	2·635	2·637	2·649	2·655	2·669	2·681	2·679	2·695	2·701	2·693	2·681
16.....	2·671	2·671	2·665	2·645	2·651	2·657	2·647	2·643	2·629	2·621	2·611	2·589
17.....	2·367	2·337	2·329	2·319	2·305	2·309	2·307	2·301	2·293	2·293	2·281	2·263
18.....	2·463	2·475	2·479	2·497	2·509	2·519	2·532	2·547	2·567	2·573	2·569	2·562
19.....	2·439	2·419	2·393	2·373	2·357	2·345	2·319	2·315	2·289	2·297	2·301	2·289
20.....	2·691	2·705	2·741	2·749	2·771	2·799	2·819	2·825	2·831	2·819	2·805	2·785
21.....	2·647	2·631	2·625	2·617	2·603	2·593	2·591	2·580	2·583	2·579	2·575	2·539
22.....	2·476	2·468	2·465	2·469	2·479	2·499	2·519	2·549	2·587	2·607	2·627	2·647
23.....	2·894	2·895	2·900	2·910	2·937	2·956	2·970	2·974	2·978	2·968	2·951	2·927
24.....	2·783	2·781	2·781	2·778	2·781	2·787	2·799	2·813	2·812	2·803	2·800	2·798
25.....	2·757	2·751	2·748	2·755	2·758	2·749	2·741	2·725	2·712	2·683	2·663	2·633
26.....	2·690	2·688	2·696	2·703	2·715	2·726	2·738	2·755	2·758	2·754	2·746	2·748
27.....	2·717	2·674	2·658	2·666	2·654	2·659	2·660	2·659	2·687	2·698	2·706	2·713
28.....	2·836	2·835	2·845	2·856	2·867	2·885	2·892	2·900	2·908	2·910	2·907	2·898
29.....	2·746	2·723	2·702	2·697	2·676	2·674	2·655	2·640	2·633	2·608	2·595	2·569
30.....	2·089	2·013	1·977	1·967	1·992	2·047	2·090	2·120	2·136	2·142	2·151	2·156
Means.	2·6373	2·6298	2·6285	2·6298	2·6359	2·6443	2·6524	2·6538	2·6568	2·6558	2·6511	2·6428

Photographic Instruments, during the Month of September, 1896.

NUMBERS IN THE TABLES.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
"	"											
2·869	2 865	2·851	2 847	2 855	2 855	2 863	2 875	2 873	2 881	2 877	2 869	2 8335
2·731	2·691	2·633	2 617	2 591	2 567	2 537	2 521	2 507	2 485	2 461	2 457	2 6955
2·553	2 567	2·589	2 607	2 637	2 665	2·695	2 721	2 735	2 748	2 759	2 779	2 5555
2·833	2·813	2·785	2 775	2 769	2 767	2·765	2 763	2 755	2 741	2 729	2 699	2·7982
2·457	2·431	2 399	2 377	2 368	2 349	2 337	2 311	2 293	2 253	2 233	2 205	2 4529
2 287	2 281	2·291	2 303	2 339	2 369	2 399	2 435	2 451	2 469	2 493	2 501	2 3191
2·681	2 677	2 663	2 671	2 683	2 687	2 703	2 719	2 725	2 739	2 745	2 751	2 6569
2·833	2·819	2·797	2 789	2 793	2 783	2 777	2 787	2 781	2 780	2 773	2 763	2 7977
2 697	2 671	2·651	2 629	2 619	2 617	2 609	2 611	2 612	2 602	2 597	2 587	2 6839
2·485	2·473	2·453	2·451	2 455	2 457	2 461	2 483	2 481	2 479	2 481	2 473	2 5010
2·529	2·525	2·523	2 531	2 553	2 565	2 600	2 631	2 641	2 663	2 672	3 685	2 5497
2·845	2·839	2·830	2·831	2 845	2·859	2 897	2 921	2 931	2 945	2 955	2 957	2 8201
2·945	2 929	2·911	2 901	2 891	2 869	2 863	2 881	2 875	2 865	2 841	2 831	2 9228
2·707	2·681	2·663	2 645	2 641	2 639	2 639	2 643	2 649	2 641	2 641	2 627	2 7157
2 675	2·677	2·675	2·677	2·681	2 685	2 689	2 699	2 691	2 689	2 679	2 675	2 6752
2·559	2·545	2·521	2 505	2 491	2 457	2 433	2 453	2 443	2 435	2 417	2 383	2 5559
2·257	2·273	2 297	2 301	2 337	2 369	2 397	2 429	2 439	2 449	2 464	2 463	2 3408
2·551	2·537	2·513	2·515	2 505	2 497	2 489	2 517	2 523	2 517	2 501	2 459	2 5173
2·277	2·281	2·285	2 321	2·371	2 397	2 441	2 503	2 557	2 608	2 647	2 665	2 3954
2·765	2·767	2·729	2 709	2 695	2 685	2·679	2 675	2 677	2 669	2 669	2 657	2 7382
2 517	2·499	2·485	2 477	2 484	2 481	2·487	2 497	2 503	2 492	2 489	2 471	2 5427
2·641	2·663	2·679	2 697	2 735	2 769	2 798	2 820	2 841	2 862	2 880	2 891	2 6528
2 896	2·869	3·848	2·837	2 825	2 820	2 824	2 824	2 807	2 793	2 783	2 777	2 8818
2·774	2·764	2·764	2 769	2 769	2 778	2 785	2 791	2 795	2 791	2 781	2 763	2 7850
2·608	2·615	2·619	2·621	2 634	2 642	2 655	2 661	2 674	2 683	2 684	2 688	2 6858
2·731	2·731	2·728	2 734	2 737	2 741	2 753	2 761	2 760	2 748	2 734	2 729	2 7335
2 719	2·720	2·737	2·746	2 761	2 773	2 793	2 808	2 821	2 838	2 831	2 834	2 7305
2·877	2·872	2·861	2 854	2 841	2 838	2·821	2 819	2 819	2 796	2 777	2 748	2 8526
2·525	2·498	2·471	2 424	2 397	2 370	2 344	2 288	2·249	2 208	2 162	2 104	2 4983
2 147	2·162	2·172	2 189	2·198	2 213	2 229	2 260	2 280	2 297	2 311	2 324	2 1526
2·6324	2·6245	2·6141	2·6117	2·6167	2·6188	2·6254	2·6369	2 6396	2·6389	2·6355	2 6272	2·6350

PRESSURE at Toronto Observatory for each Hour, from Self-registering
27 ENGLISH INCHES+THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	2·343	2·372	2·402	2·441	2·479	2·519	2·553	2·589	2·625	2·645	2·646	2·661
2..	2·751	2·744	2·751	2·759	2·765	2·771	2·772	2·781	2·775	2·767	2·756	2·740
3..	2·731	2·725	2·726	2·742	2·757	2·774	2·781	2·787	2·801	2·805	2·813	2·811
4..	2·831	2·831	2·834	2·836	2·858	2·896	2·912	2·906	2·908	2·910	2·909	2·903
5	2·880	2·865	2·859	2·858	2·860	2·861	2·868	2·862	2·872	2·864	2·861	2·851
6..	2·778	2·781	2·767	2·769	2·764	2·777	2·774	2·770	2·761	2·737	2·749	2·729
7..	2·562	2·555	2·561	2·559	2·560	2·569	2·591	2·619	2·635	2·656	2·664	2·667
8.....	2·807	2·813	2·824	2·838	2·852	2·867	2·885	2·907	2·924	2·934	2·925	2·928
9.....	3·067	3·061	3·069	3·090	3·109	3·120	3·143	3·150	3·166	3·157	3·157	3·146
10..	3·083	3·076	3·070	3·075	3·087	3·095	3·095	3·101	3·105	3·103	3·087	3·072
11.	2·968	2·961	2·961	2·961	2·964	2·976	2·981	2·993	2·996	2·991	2·989	2·975
12....	2·869	2·858	2·857	2·861	2·864	2·867	2·880	2·889	2·889	2·893	2·880	2·876
13..	2·741	2·727	2·723	2·711	2·704	2·705	2·703	2·705	2·703	2·692	2·669	2·642
14	2·521	2·501	2·503	2·511	2·513	2·521	2·531	2·551	2·567	2·567	2·557	2·549
15..	2·501	2·483	2·471	2·469	2·479	2·481	2·479	2·475	2·469	2·445	2·423	2·395
16.....	2·309	2·309	2·319	2·313	2·323	2·331	2·333	2·344	2·364	2·372	2·383	2·391
17.....	2·493	2·497	2·491	2·499	2·507	2·511	2·523	2·533	2·529	2·531	2·533	2·521
18.....	2·525	2·529	2·529	2·529	2·541	2·553	2·567	2·581	2·592	2·591	2·597	2·593
19.	2·661	2·655	2·649	2·659	2·663	2·673	2·689	2·703	2·707	2·708	2·701	2·685
20.	2·375	2·335	2·271	2·227	2·229	2·259	2·323	2·371	2·403	2·423	2·449	2·461
21. ..	2·408	2·391	2·361	2·359	2·367	2·373	2·393	2·423	2·447	2·449	2·465	2·491
22. . ..	2·645	3·659	2·657	2·659	2·673	2·669	2·683	2·695	2·701	2·691	2·685	2·669
23. . ..	2·535	2·521	2·493	2·497	2·489	2·469	2·469	2·471	2·461	2·447	2·433	2·403
24	2·203	2·199	2·201	2·217	2·232	2·253	2·275	2·295	2·303	2·315	2·327	2·359
25.... ..	2·645	2·659	2·670	2·681	2·695	2·703	2·719	2·747	2·753	2·767	2·761	2·751
26.	2·664	2·651	2·637	2·630	2·627	2·621	2·625	2·624	2·621	2·621	2·617	2·610
27 ..	2·727	2·739	2·741	2·767	2·781	2·791	2·799	2·819	2·825	2·821	2·825	2·811
28.	2·839	2·847	2·839	2·829	2·847	2·852	2·847	2·850	2·841	2·855	2·841	2·819
29	2·720	2·729	3·739	2·725	2·739	2·737	2·749	2·761	2·757	2·761	2·749	2·720
30. . ..	2·571	2·561	2·533	2·521	2·499	2·485	2·473	2·473	2·455	2·423	2·399	2·361
31.....	2·374	2·397	2·413	2·417	2·417	2·413	2·405	2·407	2·405	2·401	2·389	2·377
Means..	2·6493	2·6462	2·6426	2·6454	2·6530	2·6610	2·6716	2·6833	2·6890	2·6885	2·6851	2·6764

Photographic Instruments during the Month of October, 1896.

NUMBERS IN THE TABLES.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2·659	2 674	2 691	2·697	2 713	2·730	2 730	2·737	2 751	2 756	2 758	2·757	2 6220
2·725	2 717	2 707	2·715	2·714	3·710	2 727	2 737	2 735	2 738	2 738	2 729	2·7427
2·805	2·798	2·795	2·797	2·801	2·811	2 818	2·827	2·834	2 837	2 831	2 832	2·7933
2 891	2 888	2 874	2·878	2·871	2·870	2·877	2·882	2 883	2 880	2 878	2 881	2·8786
2·832	2 828	2 821	2 809	2 797	2·806	2 807	2·813	2 799	2 802	2 793	2 786	2·8356
2·704	2 701	2·678	2·658	2 651	2 626	2 617	2 603	2 595	2 591	2 581	2 561	2·6968
2·671	2 675	2 683	2·697	2 715	2·731	2 739	2·744	2 765	2 778	2 785	2 794	2·6656
2·928	2 930	2 934	2·950	2 965	2·979	2 998	3 007	3·023	3 032	3 041	3 051	2·9309
3·128	3 114	3 103	3·103	3 102	3·109	3·111	3·114	3 128	3 117	3 098	3 081	3·1143
3·054	3 036	3 025	3·010	3 003	3 004	3 006	2·998	2·996	2 982	2 974	2 965	3·0459
2·955	2 943	2·924	2·919	2 906	2·901	2 897	2 900	2 903	2 905	2 890	2 881	2·9433
2·852	2 843	2 833	2·827	2·821	2·811	2 813	2·815	2 803	2 783	2·775	2 745	2·8418
2·615	2 598	2 579	2·557	2 547	2·563	2 569	2·561	2 560	2 541	2·533	2 531	2·6325
2·528	2 523	2 523	2 519	2·525	2·531	2 533	2·541	2 535	2 529	2 520	2 510	2·5295
2 371	2 351	2 325	2·311	2 295	2 295	2 307	2 310	2 315	2 317	2 309	2 309	2 3910
2·393	2 397	2·403	2·423	2 447	2·469	2 493	2·495	2 499	2 503	2 503	2 493	2·4004
2 517	2·507	2·511	2·505	2 515	2·523	2 537	2 540	2 543	2 533	2 529	2 529	2·5190
2 591	2 597	2 605	2·613	2 623	2 651	2 659	2 659	2 667	2 670	2 667	2 660	2·5995
2·667	2·655	2 655	2·649	2 639	2·617	2 601	2 593	2 577	2 533	2 507	2 455	2·6375
2·469	2·479	2·479	2 479	2 485	2·497	2 493	2·485	2 481	2 477	2 445	2 411	2·4086
2·499	2 515	2·540	2 565	2·591	2·611	2 617	2·619	2 637	2 635	2·635	2 635	2·5011
2·651	2 639	2 631	2·623	2 627	2·629	2·627	2·611	2·613	2 593	2 569	2 553	2·6438
2·365	2 319	2·314	2·296	2 290	2·285	2 271	2·265	2 251	2 243	2 222	2 209	2·3758
2 369	2·391	2·427	2·453	2 487	2·525	2 551	2·573	2·593	2 599	2·615	2·629	2·3913
2·729	2 717	2 713	2·701	2 695	2·695	2 692	2·679	2 680	2·675	2 671	2 665	2·7026
2·595	2·605	2 611	2·615	2 631	2·647	2 675	2·679	2 699	2 699	2 711	2s719	2·6431
2 797	2·795	2 793	2·799	2 799	2·813	2 829	2·835	2 839	2 835	2 835	2 841	2·8023
2·797	2·777	2 783	2·777	2 769	2·775	2·773	2·769	2 757	2 753	2 736	2 735	2·8045
2·701	2 699	2 690	2·679	2 677	2 691	2 679	2·661	2·647	2 625	2 611	2 589	2·7015
2·322	2·289	2·277	2·257	2 259	2·273	2 279	2·279	2·285	2 289	2 331	2 353	2·3853
2·365	2 373	2 379	2·391	2 407	2·427	2 423	2·427	2·441	2 463	2 473	2 479	2·4110
2 6627	2·6572	2·6550	2·6539	2·6570	2 6647	2·6693	2 6696	2·6721	2·6682	2·6634	2·6570	2·6642

PRESSURE at Toronto Observatory for each Hour, from Self-registering

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	2·501	2·501	2·505	2·507	2·511	2·503	2·511	2·512	2·517	2·511	2·509	2·499
2	2·697	2·714	2·735	2·757	2·767	2·789	2·810	2·833	2·847	2·857	2·862	2·840
3	2·847	2·843	2·835	2·837	2·839	2·821	2·825	2·833	2·849	2·835	2·837	2·829
4	2·718	2·697	2·687	2·671	2·657	2·639	2·625	2·619	2·599	2·592	2·571	2·544
5	2·359	2·339	2·317	2·287	2·267	2·241	2·213	2·197	2·157	2·122	2·087	2·049
6	2·171	2·193	2·207	2·220	2·233	2·247	2·275	2·303	2·331	2·367	2·387	2·397
7	2·615	2·619	2·611	2·611	2·599	2·587	2·573	2·547	2·513	2·469	2·477	2·420
8	2·489	2·477	2·472	2·473	2·479	2·475	2·475	2·477	2·479	2·481	2·467	2·457
9	2·499	2·505	2·509	2·523	2·539	2·555	2·569	2·589	2·601	2·615	2·625	2·625
10	2·793	2·815	2·815	2·829	2·841	2·849	2·867	2·871	2·885	2·901	2·883	2·849
11	2·467	2·447	2·329	2·351	2·343	2·305	2·283	2·287	2·285	2·290	2·317	2·371
12	2·649	2·661	2·663	2·663	2·671	2·683	2·695	2·721	2·721	2·729	2·725	2·717
13	2·681	2·669	2·657	2·639	2·633	2·619	2·601	2·599	2·600	2·599	2·589	2·565
14	2·789	2·809	2·829	2·847	2·863	2·873	2·899	2·913	2·909	2·911	2·891	2·890
15	2·482	2·469	2·461	2·467	2·471	2·479	2·515	2·545	2·543	2·529	2·541	2·543
16	2·609	2·607	2·609	2·621	2·615	2·621	2·613	2·605	2·621	2·619	2·618	2·589
17	2·575	2·575	2·585	2·585	2·607	2·624	2·649	2·688	2·725	2·746	2·759	2·771
18	2·783	2·773	2·760	2·745	2·725	2·701	2·667	2·661	2·631	2·589	2·535	2·487
19	2·657	2·693	2·735	2·757	2·811	2·847	2·897	2·933	2·969	2·999	3·013	3·037
20	3·151	3·159	3·159	3·164	3·169	3·169	3·169	3·179	3·183	3·196	3·189	3·169
21	2·987	2·947	2·927	2·901	2·867	2·829	2·797	2·759	2·745	2·721	2·671	2·639
22	2·845	2·867	2·903	2·923	2·963	2·997	3·031	3·060	3·093	3·127	3·149	3·151
23	3·211	3·197	3·167	3·131	3·115	3·093	3·073	3·061	3·045	3·021	2·989	2·945
24	2·741	2·747	2·757	2·763	2·792	2·831	2·875	2·919	2·969	2·997	3·017	3·031
25	3·123	3·120	3·123	3·091	3·081	3·069	3·048	3·045	3·057	3·072	3·049	3·021
26	2·799	2·791	2·771	2·753	2·755	2·742	2·737	2·731	2·731	2·722	2·699	2·659
27	2·379	2·383	2·367	2·349	2·341	2·347	2·363	2·393	2·425	2·437	2·449	2·453
28	2·639	2·691	2·705	2·711	2·763	2·791	2·817	2·843	2·877	2·895	2·891	2·879
29	3·011	3·035	3·042	3·047	3·053	3·067	3·081	3·085	3·093	3·097	3·083	3·063
30	3·059	3·061	3·049	3·045	3·041	3·043	3·051	3·047	3·051	3·059	3·033	3·005
Means	2·7106	2·7135	2·7097	2·7089	2·7137	2·7145	2·7201	2·7285	2·7350	2·7368	2·7304	2·7165

Photographic Instruments, during the Month of November, 1896.

NUMBERS IN THE TABLES.

Hour Ending												Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
2·491	2·479	2·483	2·493	2·513	2 525	2 551	2 579	2·609	2 625	2 649	2·677	2 5317
2·837	2·832	2·841	2·847	2 841	2 845	2 842	2 843	2 835	2·847	2 857	2 857	2 8180
2·815	2 815	2·807	2 809	2·811	2 815	2 801	2 785	2 779	2·765	2·743	2·739	2·8131
2 519	2·510	2·501	2·489	2 475	2 471	2 461	2·449	2 447	2 427	2 405	2 379	2·5480
2·021	1·999	1 987	2 033	2·091	2·121	2·131	2 137	2 147	2·145	2 149	2 163	2 1566
2·429	2·449	2 478	2·509	2·543	2 571	2 589	2·599	2 609	2 617	2 619	2·623	2 4153
2·399	2·397	2 393	2·405	2 439	2 461	2 470	2·481	2 493	2 493	2 495	2·499	2 5028
2·451	2·443	2·447	2·449	2·455	2 469	2 479	2 477	2 483	2 481	2 489	2 495	2 4716
2·621	2·623	2 639	2 653	2 677	2 699	2 713	2 721	2 735	2 747	2 769	2·781	2 6305
2·823	2·795	2 805	2 783	2·735	2 725	2 695	2 643	2 621	2 591	2 553	2 509	2·7698
2·421	2·453	2·499	2 523	2 540	2 570	2 599	2 617	2 635	2 643	2 649	2 643	2 4528
2·705	2 709	2·707	2 707	2 721	2 741	2 743	2 749	2·737	2·725	2 707	2 697	2·7061
2·571	2 579	2 611	2 627	2 659	2 689	2 705	2 723	2 741	2·745	2 770	2 787	2 6524
2·835	2·797	2 769	2·731	2·715	2 699	2 653	2·625	2 597	2 555	2 545	2·529	2 7697
2·541	2·537	2 547	2 561	2·591	2 595	2 595	2 609	2 607	2 612	2 613	2 611	2 5443
2·575	2 561	2 571	2 559	2 555	2 571	2 571	2 579	2 575	2 573	2·571	2 581	2 5908
2·769	2·769	2·773	2 791	2 791	2 811	2·817	2 799	2 807	2 811	2 813	2·801	2 7267
2·435	2·397	2·377	2 369	2·355	2 357	2 358	2 381	2 463	2 521	2 561	2 599	2 5513
3·037	3·045	3·065	3·091	3·101	3 115	3 131	3 141	3 151	3 149	3 155	3 158	2·9870
3·147	3·139	3 134	3·117	3 122	3 120	3·105	3 097	3 081	3 065	3·031	3·011	3 1344
2·612	2·599	2·591	2·593	2·595	2 620	2 637	2 669	2 699	2 739	2·771	2 815	2 7388
3·169	3·181	3 185	3·205	3·227	3·245	3 259	3 257	3 239	3·225	3·229	3·235	3 1152
2·907	2·881	2·851	2·840	2 819	2 811	2·795	2 782	2 765	2 761	2·745	2·743	2 9474
3·057	3·071	3 097	3·109	3·125	3 125	3·139	3 163	3 151	3 151	3 147	3 141	2 9969
2·993	2·983	2·957	2·951	2 921	2 907	2 887	2·872	2 859	2 833	2·829	2 823	2 9881
2·633	2 601	2·579	2 573	2 551	2 537	2·520	2·486	2 455	2 435	2·421	2 405	2 6286
2·447	2·449	2·472	2·471	2·469	2 483	2 467	2 475	2 483	2 523	2·567	2 593	2 4410
2·885	2·884	2·899	2 915	2 939	2·947	2·969	2 975	2 977	2·989	2 995	3·007	2 8701
3·059	3 045	3·049	3·065	3 061	3·061	3 067	3 071	3·073	3·075	3·070	3·071	3·0635
2·991	2·989	2·985	2·997	3 009	3·014	3 018	2 991	2·997	2·981	2 979	2·983	3 0199
2·7065	2·7004	2·7033	2·7088	2·7149	2·7240	7·7256	2·7258	2·7283	2·7283	2 7299	2·7318	2·7194

PRESSURE at Toronto Observatory for each Hour, from Self-Registering
27 ENGLISH INCHES + THE

DAY.	HOURS ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.	2·971	2·993	2·993	3·014	3·011	3·011	3·013	3·027	3·025	3·038	3·031	3·031
2.	3·117	3·123	3·127	3·119	3·113	3·111	3·125	3·127	3·129	3·128	3·101	3·069
3	2·971	2·959	2·955	2·947	2·945	2·935	2·951	2·953	2·951	2·947	2·941	2·922
4	2·901	2·881	2·861	2·821	2·801	2·768	2·747	2·735	2·713	2·681	2·649	2·591
5.	2·533	2·563	2·579	2·579	2·591	2·611	2·615	2·637	2·635	2·635	2·615	2·591
6	2·395	2·399	2·399	2·401	2·415	2·425	2·447	2·483	2·531	2·567	2·569	2·583
7.	2·717	2·727	2·725	2·727	2·723	2·737	2·761	2·785	2·799	2·815	2·817	2·821
8.	2·869	2·863	2·859	2·841	2·831	2·831	2·829	2·825	2·813	2·799	2·791	2·743
9.	2·355	2·359	2·349	2·351	2·353	2·359	2·347	2·337	2·333	2·311	2·301	2·253
10	2·289	2·329	2·351	2·355	2·369	2·385	2·405	2·397	2·417	2·397	2·381	2·345
11.	2·491	2·519	2·563	2·581	2·603	2·635	2·655	2·683	2·701	2·715	2·711	2·687
12.	2·525	2·527	2·521	2·501	2·501	2·493	2·499	2·495	2·491	2·495	2·465	2·435
13.	2·183	2·171	2·151	2·143	2·137	2·134	2·141	2·155	2·185	2·210	2·211	2·232
14.	2·603	2·647	2·671	2·673	2·709	2·739	2·777	2·801	2·825	2·851	2·853	2·835
15.	2·843	2·847	2·849	2·843	2·833	2·831	2·822	2·821	2·819	2·831	2·821	2·763
16	2·763	2·773	2·775	2·771	2·771	2·785	2·809	2·829	2·849	2·859	2·845	2·830
17.	2·889	2·910	2·921	2·919	2·919	2·931	2·955	2·937	2·945	2·935	2·911	2·887
18.	2·573	2·545	2·511	2·483	2·455	2·443	2·425	2·419	2·415	2·411	2·389	2·559
19.	2·709	2·745	2·779	2·797	2·805	2·823	2·833	2·855	2·877	2·901	2·889	2·869
20.	2·731	2·717	2·701	2·677	2·669	2·663	2·645	2·643	2·645	2·641	2·619	2·593
21.	2·577	2·587	2·593	2·587	2·595	2·603	2·609	2·603	2·603	2·609	2·595	2·579
22	2·601	2·597	2·597	2·585	2·581	2·573	2·565	2·557	2·539	2·542	2·519	2·480
23.	2·533	2·567	2·607	2·633	2·663	2·703	2·748	2·783	2·821	2·861	2·889	2·897
24	3·085	3·105	3·113	3·109	3·117	3·129	3·149	3·159	3·175	3·185	3·167	3·163
25.	3·111	3·113	3·123	3·117	3·119	3·115	3·117	3·109	3·101	3·090	3·070	3·043
26.	2·733	2·725	2·731	2·727	2·735	2·743	2·765	2·783	2·817	2·841	2·863	2·867
27.	3·258	3·279	3·295	3·293	3·311	3·333	3·367	3·381	3·417	3·433	3·438	3·419
28	3·367	3·367	3·359	3·337	3·329	3·320	3·315	3·309	3·299	3·287	3·259	3·217
29.	2·961	2·951	2·943	2·931	2·917	2·923	2·939	2·957	2·963	2·967	2·961	2·937
30.	2·973	2·969	2·967	2·939	2·921	2·925	2·919	2·917	2·917	2·887	2·861	2·809
31	2·907	2·937	2·951	2·955	2·981	3·007	3·031	3·061	3·091	3·109	3·099	3·089
Means.	2·7592	2·7675	2·7716	2·7663	2·7685	2·7750	2·7847	2·7924	2·8013	2·8057	2·7945	2·7722

Photographic Instruments, during the Month of December, 1896.

NUMBERS IN THE TABLES.

Hour Ending											Means.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	
3·029	3 015	3·025	3·051	3 063	3.089	3·101	3 103	3 107	3 107	3 123	3 122	3·0455
3·052	3 049	3·021	3·015	3 015	3·015	3·011	3 005	2·995	2 983	2·985	2·985	3 0633
2·917	2·909	2·915	2·919	2 931	2·933	2·933	2 935	2·927	2 921	2 925	2·919	2 9359
2 539	2·507	2·481	2·480	2 463	2·459	2·463	2 478	2·487	2 497	2·507	2 521	2·6263
2·581	2 543	2 529	2·513	2 491	2·479	2·463	2 457	2·449	2·449	2 421	2·411	2·5404
2·621	2·625	2·645	2·669	2 683	2 683	2·695	2·715	2·703	2 707	2 703	2·711	2 5739
2·823	2·829	2·847	2·849	2 863	2·875	2·875	2·867	2·869	2·867	2 273	2·878	2 8112
2·717	2 673	2·639	2·603	2 573	2·543	2·519	2·489	2·455	2·409	2 391	2·379	2 6785
2·233	2·183	2·169	2·153	2·147	2 149	2·149	2·181	2·195	2·197	2 225	2·265	2 2606
2·317	2 295	2·291	2·279	2 285	2·295	2·337	2 351	2·389	2 389	2·441	2·467	2 3565
2 669	2·661	2·661	2 641	2 639	2·623	2·621	2·617	2·601	2 582	2 561	2·543	2·6235
2·412	2 391	2·369	2·355	2 345	2·329	2·317	2 301	2·273	2 253	2 229	2·201	2·4051
2·253	2·277	2 301	2·349	2 375	2·421	2·463	2 499	2·519	2 541	2 567	2·581	2 3000
2·821	2 823	2·823	2 833	2 835	2·853	2·863	2 873	2·849	2 845	2 845	2 845	2·7955
2·749	2 731	2·747	2·760	2 751	2·755	2·753	2·773	2·779	2 773	2 775	2·771	2 7933
2·825	2 827	2·851	2 849	2 867	2·870	2·873	2·879	2·885	2 905	2 903	2·895	2 8362
2·861	2 851	2·852	2·835	2 823	2·785	2·775	2 741	2·719	2 679	2 641	2·603	2 8427
2·343	2·340	2·355	2 369	2 405	2·433	2·473	2 517	2·561	2 609	2 647	2·687	2·4653
2·847	2 829	2·835	2·840	2 825	2·821	2·817	2·793	2·783	2·765	2 765	2·747	2 8145
2·575	2 565	2 561	2·563	2 565	2·569	2·575	2 575	2·575	2·567	2 577	2·573	2 6160
2·571	2·559	2·565	2·565	2 573	2·585	2·597	2·597	2·603	2·603	2 613	2·609	2 5908
2·457	2·429	2 407	2·399	2 407	2 413	2·423	2·441	2·459	2 471	2·483	2·508	2 5014
2·897	2·913	2 943	2·961	2 939	3·001	3·021	3·035	3·061	3 077	3·081	3·075	2 8629
3·149	3·147	3 135	3·135	3 140	3·147	3·150	3·143	3·139	3 117	3 125	3 123	3 1378
3·019	2·985	2·979	2·953	2 927	2·891	2·877	2·839	2·805	2·793	2 773	2·749	2 9924
2·877	2 907	2·945	2·989	3 029	3·077	3·121	3·147	3·167	3·193	3 211	3·237	2 9263
3·415	3·417	3 427	3·429	3 437	3·435	3 427	3·423	3·419	3·403	3 397	3·373	3 3844
3·183	3·149	3 129	3·102	3 093	3·085	3.077	3 045	3·025	2·997	2 993	2·967	3 1921
2·947	2 955	2 955	2·959	2 975	2 997	3·005	3 001	2·995	2·987	2 977	2·973	2 9615
2·781	2·773	2·775	2 789	2 795	2·803	2·821	2·837	2·845	2 855	2 877	2·885	2·8683
3·091	3 089	3·113	3·125	3 121	3·125	3·139	3 137	3·133	3 139	3 151	3·145	3 0719
2·7604	2·7499	2·7506	2·7526	2·7542	2·7593	2·7656	2·7675	2·7668	2·7639	2·7673	2·7661	2 7701

DEPARTMENT OF MARINE AND FISHERIES

REPORT

OF THE

METEOROLOGICAL SERVICE

OF

CANADA

BY

R. F. STUPART, Director

For the YEAR ENDED DECEMBER, 31, 1896

VOL. II.

OTTAWA
PRINTED BY S. E. DAWSON, PRINTER TO THE QUEEN'S MOST EXCELLENT MAJESTY
1898

CONTENTS

PART V.—Observations at the Chief Stations during the year 1896.

PART V.

Observations at the Chief Stations during the year 1896.

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of January, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·902	29·862	29·912	29·964	30·041	30·144	29·9708
2.	30·236	30·355	30·437	30·474	30·491	30·463	30·4093
3.	30·419	30·239	30·142	30·094	30·102	30·079	30·1792
4.	30·084	29·972	29·924	29·874	29·823	29·748	29·9042
5.	29·698	29·634	29·614	29·607	29·775	29·935	29·7105
6.	30·010	29·993	30·006	29·930	29·782	29·677	29·8997
7.	29·685	29·740	29·743	29·847	29·871	29·874	29·7933
8.	29·840	29·788	29·763	29·710	29·807	29·979	29·8145
9.	30·020	30·035	30·140	30·152	30·172	30·190	30·1182
10.	30·222	30·218	30·283	30·350	30·399	30·461	30·3222
11.	30·495	30·490	30·464	30·370	30·335	30·276	30·4050
12.	30·257	30·244	30·229	30·179	30·133	30·086	30·1880
13.	30·064	30·004	30·097	29·974	29·951	29·936	30·0043
14.	29·936	29·877	29·915	29·924	29·966	29·961	29·9298
15.	29·934	29·838	29·738	29·608	29·553	29·558	29·7048
16.	29·560	29·583	29·594	29·493	29·315	29·118	29·4438
17.	29·103	29·118	29·260	29·432	29·533	29·449	29·3158
18.	29·335	29·090	29·023	29·249	29·424	29·579	29·2833
19.	29·677	29·734	29·734	29·606	29·342	29·206	29·5498
20.	29·178	29·043	29·055	29·150	29·381	29·469	29·2127
21.	29·509	29·522	29·610	29·728	29·820	29·930	29·6865
22.	29·973	29·981	29·981	29·916	29·818	29·738	29·9012
23.	29·674	29·602	29·599	29·698	29·816	29·894	29·7138
24.	29·939	29·969	29·957	29·849	29·664	29·444	29·8037
25.	29·372	29·412	29·410	29·339	29·289	29·469	29·3818
26.	29·414	29·407	29·347	29·304	29·313	29·398	29·3638
27.	29·439	29·507	29·669	29·686	29·680	29·702	29·6138
28.	29·738	29·736	29·716	29·700	29·735	29·802	29·7378
29.	29·848	29·948	30·052	30·096	30·126	30·157	30·0378
30.	30·173	30·151	30·194	30·186	30·160	30·113	30·1628
31.	30·073	29·958	29·858	29·713	29·605	29·687	29·8157
Means	29·8325	29·8081	29·8215	29·8130	29·8136	29·8233	29·8186

ABSTRACT of Barometer at 32° Farenheit, at Esquimault, British Columbia, for the Month of February, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·755	29·783	29·846	29·875	29·915	29·962	29·8560
2	30·040	30·064	30·119	30·136	30·108	30·143	30·1017
3	30·168	30·242	30·304	30·305	30·270	30·245	30·2557
4	30·213	30·159	30·162	30·074	29·953	29·920	30·0802
5	29·866	29·954	30·086	30·150	30·178	30·249	30·0805
6	30·292	30·333	30·353	30·315	30·259	30·202	30·2923
7	30·173	30·227	30·305	30·319	30·329	30·318	30·2785
8	30·294	30·225	30·161	30·030	29·832	29·932	30·0790
9	30·043	30·104	30·208	30·275	30·312	30·325	30·2112
10	30·318	30·291	30·241	30·179	30·128	30·060	30·2028
11	30·013	29·966	29·969	29·986	29·998	29·993	29·9875
12	29·998	29·953	29·901	29·848	29·855	29·870	29·9042
13	29·868	29·833	29·786	29·682	29·735	29·787	29·7818
14	29·890	29·971	30·076	30·148	30·175	30·197	30·0762
15	30·220	30·218	30·262	30·256	30·199	30·127	30·2137
16	30·035	30·018	30·110	30·214	30·368	30·486	30·2052
17	30·582	30·618	30·647	30·585	30·491	30·424	30·5578
18	30·415	30·313	30·275	30·180	30·125	30·142	30·2417
19	30·140	30·136	30·106	30·045	29·967	29·935	30·0548
20	29·905	29·871	29·856	29·813	29·740	29·707	29·8153
21	29·708	29·646	29·726	29·925	30·055	30·142	29·8670
22	30·200	30·233	30·258	30·229	30·188	30·154	30·2103
23	30·117	30·048	30·046	30·007	29·955	29·997	30·0283
24	30·052	30·040	30·103	30·095	30·034	29·977	30·0508
25	29·937	29·800	29·685	29·667	29·628	29·633	29·7250
26	29·690	29·726	29·938	30·022	30·055	30·058	29·9148
27	30·043	29·858	29·624	29·387	29·213	29·152	29·5462
28	29·401	29·657	29·804	29·821	29·810	29·778	29·7118
29	29·766	29·747	29·835	29·932	29·919	29·964	29·8605
Means	30·0394	30·0346	30·0618	30·0517	30·0274	30·0303	30·0409

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of March, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·957	29·895	29·893	29·915	29·972	30·035	29·9445
2	30·070	30·088	30·101	30·070	30·029	30·019	30·0628
3	29·990	30·010	29·866	29·824	29·733	29·731	29·8590
4	29·714	29·693	29·688	29·690	29·687	29·726	29·6997
5	29·752	29·770	29·760	29·746	29·684	29·631	29·7238
6	29·609	29·617	29·712	29·791	29·840	29·890	29·7432
7	29·868	29·639	29·635	29·698	29·705	29·742	29·7145
8	29·775	29·918	29·967	30·040	30·045	30·105	29·9750
9	30·194	30·275	30·345	30·382	30·399	30·406	30·3350
10	30·442	30·402	30·400	30·400	30·293	30·280	30·3695
11	30·266	30·280	30·307	30·321	30·295	30·282	30·2918
12	30·290	30·219	30·280	30·251	30·188	30·207	30·2492
13	30·282	30·312	30·377	30·356	30·323	30·353	30·3338
14	30·404	30·380	30·390	30·346	30·265	30·258	30·3405
15	30·258	30·230	30·200	30·112	30·009	29·951	30·1265
16	29·992	30·028	30·094	30·128	30·107	30·154	30·0838
17	30·211	30·242	30·273	30·256	30·200	30·208	30·2317
18	30·207	30·171	30·171	30·092	30·014	29·981	30·1060
19	29·905	29·835	29·820	29·794	29·782	29·801	29·8228
20	29·782	29·758	29·793	29·828	29·877	29·957	29·8325
21	30·025	30·051	30·061	30·085	30·044	30·056	30·0537
22	30·075	30·083	30·078	30·043	29·977	29·991	30·0412
23	30·009	29·990	29·895	29·867	29·819	29·794	29·8957
24	29·789	29·755	29·785	29·840	29·908	29·992	29·8448
25	30·055	30·068	30·081	30·080	29·994	29·959	30·0395
26	29·956	29·971	29·746	29·606	29·511	29·508	29·7163
27	29·546	29·602	29·682	29·730	29·803	29·857	29·7033
28	29·873	29·949	29·754	29·706	29·735	29·783	29·8000
29	29·848	29·869	29·929	29·953	29·990	30·091	29·9467
30	30·174	30·246	30·341	30·375	30·425	30·487	30·3413
31	30·606	30·616	30·641	30·566	30·461	30·406	30·5493
Means	30·0298	30·0336	30·0344	30·0287	30·0037	30·0204	30·0251

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of April, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	30·260	30·232	30·228	30·204	30·227	30·194	30·2242
2.	30·242	30·247	30·263	30·264	30·241	30·284	30·2568
3.	30·278	30·273	30·240	30·171	30·065	29·995	30·1703
4.	29·968	29·896	29·891	29·785	29·716	29·779	29·8393
5.	29·839	29·842	29·908	29·947	29·944	29·921	29·9002
6.	29·854	29·745	29·745	29·775	29·767	29·781	29·7778
7.	29·795	29·813	29·840	29·855	29·902	29·950	29·8592
8.	29·963	29·931	29·856	29·795	29·790	29·810	29·8575
9.	29·835	29·798	29·803	29·795	29·752	29·764	29·7912
10.	29·805	29·850	29·863	29·890	29·929	29·977	29·8857
11.	30·037	29·982	29·933	29·886	29·807	29·804	29·9082
12.	29·779	29·720	29·696	29·665	29·632	29·607	29·6832
13.	29·557	29·481	29·492	29·541	29·549	29·574	29·5323
14.	29·419	29·574	29·614	29·679	29·696	29·806	29·6313
15.	29·912	29·991	30·062	30·105	30·129	30·164	30·0605
16.	30·204	30·247	30·252	30·254	30·191	30·200	30·2247
17.	30·184	30·181	30·161	30·090	29·981	29·961	30·0930
18.	29·855	29·756	29·728	29·742	29·721	29·769	29·7618
19.	29·784	29·845	29·937	29·990	29·993	30·003	29·9253
20.	30·042	30·098	30·133	30·091	30·076	30·048	30·0813
21.	30·027	29·985	29·930	29·831	29·739	29·689	29·8668
22.	29·638	29·586	29·597	29·651	29·641	29·668	29·6302
23.	29·699	29·748	29·786	29·825	29·760	29·714	29·7553
24.	29·685	29·659	29·661	29·663	29·667	29·696	29·6718
25.	29·718	29·733	29·762	29·776	29·826	29·879	29·7823
26.	29·902	29·885	29·878	29·837	29·816	29·799	29·8528
27.	29·782	29·768	29·765	29·750	29·729	29·785	29·7632
28.	29·873	29·941	29·981	30·022	30·017	29·971	29·9692
29.	29·917	29·835	29·793	29·684	29·719	29·802	29·8083
30.	29·868	29·773	29·764	29·795	29·764	29·663	29·7045
Means.	29·8907	29·8805	29·8854	29·8789	29·8595	29·8672	29·8770

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of MAY, 1996.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·636	29·594	29·594	29·593	29·561	29·561	29·5898
2.	29·571	29·607	29·738	29·795	29·749	29·679	29·6898
3.	29·618	29·521	29·471	29·511	29·551	29·568	29·5400
4.	29·556	29·549	29·596	29·648	29·660	29·719	29·6213
5.	29·760	29·820	29·872	29·914	29·911	29·949	29·8710
6.	30·007	30·048	30·078	30·037	30·004	30·004	30·0297
7.	29·967	29·918	29·895	29·842	29·834	29·827	29·8805
8.	29·843	29·891	29·910	29·938	29·959	29·964	29·9175
9.	29·959	29·970	29·978	29·966	29·943	29·929	29·9575
10.	29·907	29·830	29·738	29·581	29·486	29·485	29·6712
11.	29·536	29·646	29·778	29·881	29·983	30·111	29·8225
12.	30·167	30·247	30·322	30·345	30·350	30·400	30·3052
13.	30·437	30·482	30·482	30·475	30·422	30·415	30·4522
14.	30·401	30·306	30·222	30·205	30·079	30·066	30·2132
15.	30·092	30·048	29·998	29·914	29·819	29·724	29·9325
16.	29·658	29·649	29·728	29·760	29·759	29·824	29·7297
17.	29·906	29·980	30·043	30·097	30·074	30·046	30·0243
18.	30·019	30·030	30·043	29·979	30·006	29·918	29·9992
19.	29·931	29·945	29·960	29·999	29·981	30·036	29·9753
20.	30·056	30·060	30·070	30·036	29·996	29·983	30·0335
21.	29·976	29·975	29·972	29·909	29·846	29·848	29·9210
22.	29·884	29·857	29·884	29·926	29·956	29·996	29·9172
23.	30·026	30·037	30·100	30·139	30·118	30·144	30·0940
24.	30·174	30·198	30·211	30·227	30·227	30·210	30·2078
25.	30·232	30·256	30·251	30·233	30·190	30·165	30·2212
26.	30·126	30·100	30·097	30·116	30·145	30·163	30·1245
27.	30·178	30·169	30·165	30·126	30·050	30·015	30·1172
28.	30·009	30·017	30·035	30·038	30·008	29·958	30·0108
29.	29·914	29·855	29·835	29·768	29·723	29·728	29·8038
30.	29·761	29·921	29·996	30·071	30·074	30·126	29·9915
31.	30·149	30·185	30·195	30·157	30·128	30·098	30·1520
Means.	29·9502	29·9584	29·9760	29·9750	29·9546	29·9535	29·9613

Abstract of Barometer at 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of June, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·058	30·072	30·067	30·086	30·015	30·011	30·0515
2	29·969	29·922	29·889	29·843	29·835	29·856	29·8857
3	29·866	29·872	29·894	29·906	29·881	29·863	29·8787
4	29·831	29·776	29·769	29·786	29·781	29·778	29·7868
5	29·789	29·764	29·784	29·814	29·853	29·939	29·8238
6	29·982	30·027	30·042	30·029	30·021	29·933	30·0057
7	29·836	29·759	29·704	29·741	29·790	29·833	29·7772
8	29·879	29·940	30·012	30·061	30·068	30·099	30·0098
9	30·046	30·037	30·054	30·033	30·083	30·202	30·0758
10	30·200	30·258	30·290	30·306	30·301	30·249	30·2673
11	30·189	30·097	30·014	29·959	29·903	29·886	30·0080
12	30·027	30·082	30·120	30·133	30·106	30·115	30·0968
13	30·096	30·087	30·072	30·061	30·026	30·078	30·0700
14	30·086	30·103	30·134	30·153	30·110	30·153	30·1232
15	30·113	30·131	30·170	30·174	30·181	30·192	30·1602
16	30·192	30·185	30·159	30·106	30·027	30·015	30·1140
17	30·038	30·033	30·058	29·065	30·033	30·008	30·0392
18	29·976	29·969	29·974	29·953	29·925	29·948	29·9575
19	30·026	30·104	30·164	30·176	30·176	30·182	30·1380
20	30·197	30·208	30·285	30·179	30·141	30·115	30·1875
21	30·128	30·149	30·156	30·123	30·062	30·105	30·1205
22	30·143	30·171	30·205	30·184	30·157	30·148	30·1680
23	30·138	30·148	30·182	30·194	30·176	30·157	30·1658
24	30·165	30·185	30·190	30·099	30·085	30·090	30·1357
25	30·081	30·084	30·066	30·015	29·929	29·895	30·0117
26	29·888	29·891	29·930	29·857	29·831	29·852	29·8748
27	29·930	29·988	30·007	29·972	29·917	29·880	29·9490
28	29·896	29·831	29·801	29·822	29·850	29·900	29·8500
29	29·925	29·981	29·995	30·025	30·023	30·058	30·0012
30	30·088	30·116	30·111	30·103	30·087	30·105	30·1017
Means	30·0259	30·0323	30·0429	30·0319	30·0125	30·0214	30·0278

Abstract of Barometer at 32° Farenheit, at Esquimalt, British Columbia, for the month of July, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	3 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·208	30·133	30·141	30·127	30·090	30·085	30·1307
2	30·080	30·103	30·108	30·118	30·047	30·025	30·0802
3	30·013	30·013	30·018	30·010	29·947	29·900	29·9835
4	30·012	30·033	30·063	30·080	30·025	29·975	30·0313
5	29·963	29·938	29·946	29·902	29·836	29·894	29·9130
6	29·940	29·970	29·980	29·972	29·938	29·965	29·9608
7	29·970	30·020	30·040	30·037	30·015	30·020	30·0170
8	30·030	30·048	30·058	30·023	29·972	29·958	30·0148
9	29·943	29·945	29·961	29·957	29·931	29·947	29·9473
10	29·977	30·025	30·038	30·025	29·969	29·947	29·9968
11	29·933	29·956	29·953	29·923	29·897	29·870	29·9220
12	29·910	29·971	30·003	30·065	30·070	30·108	30·0212
13	30·148	30·157	30·167	30·145	30·087	30·065	30·1282
14	30·035	30·056	30·078	30·092	29·981	29·979	30·0368
15	29·885	29·980	30·000	29·985	29·939	29·935	29·9540
16	29·935	29·993	30·043	30·017	29·975	29·955	29·9863
17	29·975	29·996	30·001	29·985	29·935	29·917	29·9682
18	29·928	29·971	29·988	30·002	29·961	29·972	29·9703
9	30·015	30·038	30·045	30·039	29·946	29·922	30·0008
20	29·907	29·898	29·883	29·862	29·774	29·732	29·8427
21	29·740	29·780	29·852	29·885	29·897	29·900	29·8423
22	29·935	29·889	29·997	29·998	30·012	29·946	29·9760
23	30·055	30·106	30·126	30·115	30·055	30·043	30·0833
24	30·030	30·006	29·973	29·911	29·860	29·853	29·9388
25	29·863	29·889	29·896	29·881	29·833	29·861	29·8705
26	29·911	29·949	29·976	29·956	29·903	29·916	29·9350
27	29·993	30·016	30·044	30·048	30·040	30·055	30·0327
28	29·891	29·919	29·946	29·955	29·968	29·973	29·9420
29	29·993	30·016	30·044	30·048	30·040	30·058	30·0332
30	30·063	30·088	30·101	30·090	30·058	30·028	30·0713
31	29·978	29·973	29·963	29·988	29·885	29·868	29·9425
Means	29·9761	29·9982	30·0139	30·0078	29·9641	29·9572	92·9862

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of August, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·883	29·876	29·883	29·875	29·890	29·940	29·8912
2	29·963	29·973	29·983	29·988	29·958	29·903	29·9613
3	29·935	29·931	29·930	29·938	29·920	29·953	29·9345
4	29·976	29·999	30·021	30·025	29·980	29·945	29·9910
5	29·923	29·908	29·906	29·910	29·855	29·868	29·8950
6	29·875	29·891	29·931	29·937	29·924	29·965	29·9205
7	29·988	29·998	30·041	30·033	30·017	30·036	30·0188
8	30·013	30·036	30·058	30·090	30·050	30·060	30·0512
9	30·078	30·086	30·103	30·095	30·047	30·078	30·0812
10	30·117	30·162	30·182	30·196	30·137	30·110	30·1507
11	30·103	30·116	30·129	30·083	30·060	30·020	30·0852
12	30·010	30·026	30·043	30·008	29·959	29·947	29·9988
13	29·965	29·978	30·013	29·960	29·877	29·863	29·9393
14	29·888	29·901	29·943	29·938	29·877	29·880	29·9045
15	29·926	29·931	29·976	29·970	29·917	29·898	29·9363
16	29·925	29·953	29·991	29·975	29·957	29·995	29·9660
17	30·038	30·091	30·118	30·013	30·055	30·035	30·0751
18	30·036	30·026	30·036	30·041	29·989	29·970	30·0163
19	29·991	30·027	30·046	30·055	30·100	29·995	30·0357
20	29·996	30·057	30·067	30·058	30·022	30·035	30·0392
21	30·066	30·086	30·107	30·088	30·015	30·030	30·0653
22	30·053	30·068	30·091	30·060	29·964	29·945	30·0302
23	29·947	29·953	29·997	29·947	29·912	29·912	29·9447
24	29·948	29·978	30·027	30·053	30·000	30·035	30·0068
25	30·063	30·091	30·101	30·071	30·013	30·000	30·0732
26	30·016	30·051	30·026	29·978	29·922	29·930	29·9872
27	29·985	29·996	30·033	30·008	30·078	30·113	30·0350
28	30·123	30·149	30·176	30·145	30·100	30·078	30·1285
29	30·078	30·083	30·091	30·057	29·994	30·007	30·0517
30	29·988	29·888	30·006	29·982	29·960	29·935	29·9767
31	29·901	29·898	29·901	29·898	29·905	29·933	29·9060
Means	29·9935	30·0067	30·0308	30·0186	29·9823	29·9811	30·0022

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of September, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·988	30·043	30·093	30·156	30·136	30·141	30·0928
2.	30·166	30·158	30·162	30·151	30·107	30·112	30·1427
3.	30·102	30·113	30·156	30·132	30·077	30·078	30·1097
4.	30·095	30·106	30·089	30·033	29·965	29·935	30·0372
5.	29·945	29·948	29·978	29·970	29·928	29·943	29·9520
6.	29·968	29·981	30·014	29·988	29·938	29·933	29·9703
7.	29·933	29·909	29·939	29·974	29·956	29·983	29·9490
8.	30·096	30·026	30·065	30·039	30·028	30·046	30·0350
9.	30·084	30·130	30·157	30·141	30·088	30·058	30·1097
10.	29·069	30·032	29·990	29·946	29·828	29·816	29·9468
11.	29·831	29·854	29·902	29·898	29·888	29·888	29·8768
12.	29·879	29·840	29·845	29·859	29·859	29·861	29·8572
13.	29·881	29·981	29·942	29·978	29·983	30·001	29·9610
14.	29·996	29·997	30·000	29·969	29·903	29·883	29·9580
15.	29·849	29·869	29·864	30·013	30·128	30·189	29·9753
16.	30·235	30·238	30·246	30·247	30·207	30·215	30·2313
17.	30·193	30·181	30·170	30·154	30·049	30·056	30·1338
18.	30·061	30·072	30·113	30·049	29·985	29·958	30·0397
19.	29·918	29·872	29·845	29·766	29·711	29·743	29·8092
20.	29·816	29·861	29·935	29·931	29·913	30·008	29·9107
21.	30·036	30·074	30·097	30·059	29·996	29·998	30·0433
22.	29·991	29·942	29·920	29·846	29·789	29·799	29·8812
23.	29·821	29·855	29·912	29·941	29·979	30·038	29·9243
24.	30·094	30·145	30·185	30·181	30·185	30·210	30·1667
25.	30·223	30·274	30·314	30·320	30·262	30·259	30·2753
26.	30·292	30·286	30·284	30·242	30·181	30·139	30·2380
27.	30·165	30·082	30·092	30·031	29·941	29·918	30·0382
28.	29·923	29·913	29·985	29·966	29·956	29·916	29·9432
29.	29·936	29·910	29·922	29·897	29·861	29·851	29·8962
30.	29·861	29·827	29·822	29·914	29·983	30·066	29·9122
Means.	30·0119	30·0153	30·0343	30·0264	29·9937	30·0014	30·0138

ABSTRACT of Barometer, 32° Farenheit, at Esquimalt, British Columbia, for the Month of October, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·114	30·121	30·131	30·118	30·031	29·983	30·0830
2	29·971	29·961	30·051	30·121	30·130	30·202	30·0727
3	30·227	30·210	30·226	30·205	30·160	30·118	30·1910
4	30·088	30·129	30·167	30·190	30·216	30·276	30·1777
5	30·327	30·331	30·349	30·325	30·235	30·187	30·2923
6	30·164	30·080	30·075	30·019	30·016	30·038	30·0653
7	30·099	30·077	30·122	30·066	30·013	29·981	30·0597
8	29·971	29·932	30·010	30·015	30·076	30·083	30·0165
9	30·144	30·089	30·055	29·990	29·913	29·821	30·0033
10	29·761	29·674	29·673	29·658	29·674	29·739	29·6965
11	29·821	29·917	30·060	20·129	30·185	30·182	30·0490
12	30·210	30·213	30·255	30·225	30·169	30·140	30·2020
13	30·071	29·994	29·970	29·979	29·971	30·031	30·0027
14	30·101	30·117	30·162	30·166	30·121	30·111	30·1197
15	30·146	30·122	30·125	30·084	30·033	30·063	30·0955
16	30·101	30·087	30·122	30·081	30·013	30·006	30·0683
17	30·019	29·990	29·997	29·929	29·883	29·896	29·9523
18	29·961	29·957	30·025	30·031	29·998	30·018	29·9983
19	30·036	30·044	30·060	30·024	29·984	29·968	30·0193
20	29·944	29·957	29·965	29·986	30·024	30·084	29·9933
21	30·119	30·150	30·209	30·197	30·190	30·173	30·1563
22	30·171	30·107	30·082	29·974	29·963	29·951	30·0580
23	29·981	30·007	30·060	30·087	30·039	30·001	30·0292
24	30·001	29·962	29·945	29·902	29·854	29·887	29·9252
25	29·880	29·885	29·889	29·897	29·859	29·834	29·8740
26	29·815	29·726	29·692	29·603	29·581	29·633	29·6750
27	29·682	29·742	29·811	29·815	29·839	29·869	29·7930
28	29·882	29·885	29·828	29·768	29·717	29·731	29·8018
29	29·790	29·923	30·008	30·027	29·974	29·869	29·9318
30	29·834	29·802	29·700	29·488	29·543	29·591	29·6597
31	29·628	29·664	29·720	29·797	29·851	29·941	29·7665
Means	30·0019	29·9953	30·0175	29·9966	29·9760	29·9809	29·9947

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of November, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1..	29·964	29·955	29·815	29·598	29·613	29·637	29·7637
2..	29·651	29·730	29·805	29·877	29·960	30·112	29·8558
3..	30·189	30·261	30·264	30·175	30·042	29·872	30·1338
4..	29·897	29·906	29·961	29·972	30·007	30·087	29·9717
5..	30·148	30·212	30·258	30·289	30·294	30·314	30·2525
6..	30·322	30·310	30·312	30·242	30·180	30·125	30·2485
7..	30·095	30·046	30·023	29·918	29·683	29·516	29·8802
8..	29·539	29·554	29·559	29·546	29·536	29·481	29·5358
9..	29·351	29·264	29·329	29·416	29·451	29·491	29·3837
10..	29·501	29·509	29·529	29·559	29·594	29·695	29·5645
11..	29·798	29·876	29·964	30·036	30·020	29·940	29·9390
12..	29·893	29·843	29·838	29·796	29·599	29·453	29·7370
13..	29·424	29·444	29·479	29·476	29·495	29·495	29·4688
14..	29·375	29·258	29·358	29·436	29·501	29·563	29·4155
15..	29·608	29·631	29·632	29·624	29·619	29·698	29·6353
16..	29·833	29·889	29·904	29·841	29·796	29·801	29·8440
17..	29·798	29·864	30·009	30·071	30·093	30·035	29·9783
18..	30·043	30·054	30·149	30·217	30·275	30·320	30·1763
19..	30·320	30·286	30·265	30·194	30·106	30·038	30·2015
20..	30·004	29·972	29·902	29·952	29·961	29·986	29·9778
21..	29·949	29·892	29·792	29·632	29·512	29·487	29·7107
22..	29·572	29·700	29·772	29·833	29·846	29·880	29·7672
23..	29·946	29·986	30·029	30·033	30·031	30·023	30·0080
24..	30·018	30·024	30·074	30·079	30·061	30·115	30·0618
25..	30·111	30·150	30·190	30·179	30·245	30·265	30·1900
26..	30·326	30·368	30·410	30·439	30·448	30·473	30·4107
27..	30·464	30·497	30·513	30·509	30·471	30·463	30·4862
28..	30·442	30·435	30·425	30·429	30·431	30·418	30·4300
29..	30·449	30·442	30·438	30·359	30·301	30·221	30·3680
30..	30·187	30·065	29·982	29·974	29·982	29·951	30·0235
Means.	29·9406	29·9474	29·9690	29·9567	29·9385	29·9318	29·9473

ABSTRACT of Barometer, 32° Fahrenheit, at Esquimalt, British Columbia, for the Month of December, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·942	29·944	29·887	29·984	29·984	29·726	29·9112
2.	29·739	29·856	29·966	30·098	30·135	30·075	29·9765
3.	29·928	29·873	29·878	29·876	29·722	29·689	29·8275
4.	29·722	29·738	29·840	29·902	29·922	29·875	29·8332
5.	29·843	29·813	29·843	29·870	29·932	30·042	29·8905
6.	30·103	30·178	30·203	30·066	29·958	29·920	30·0708
7.	29·980	29·911	29·843	29·915	30·022	30·167	29·9780
8.	30·157	30·105	30·113	30·152	30·027	29·930	30·0807
9.	29·805	30·008	30·116	30·130	29·882	29·910	29·9752
10.	29·680	29·715	29·735	29·808	29·892	29·875	29·7842
11.	29·908	29·853	29·843	29·813	29·788	29·635	29·8067
12.	29·508	29·202	29·204	29·165	29·186	29·233	29·2663
13.	29·443	29·684	29·784	29·820	29·790	29·752	29·7135
14.	29·741	29·726	29·759	29·798	29·868	29·921	29·8022
15.	29·914	29·864	29·907	29·901	29·933	29·938	29·9095
16.	30·026	30·044	30·059	30·076	30·091	30·090	30·0643
17.	30·111	30·106	30·149	30·171	30·197	30·209	30·1572
18.	30·176	30·151	30·079	30·016	29·953	29·957	30·0657
19.	29·995	30·018	30·036	30·058	30·059	30·061	30·0363
20.	30·087	30·048	30·061	30·042	30·055	30·052	30·0545
21.	30·042	30·005	29·998	29·970	29·985	30·025	30·0058
22.	30·057	30·055	30·095	30·115	30·112	30·112	30·0910
23.	30·088	30·086	30·146	30·130	30·127	30·110	30·1145
24.	30·115	30·141	30·198	30·193	30·180	30·179	30·1673
25.	30·155	30·088	30·103	30·018	29·930	29·894	30·0147
26.	29·815	29·758	29·711	29·743	29·606	29·567	29·7052
27.	29·566	29·569	29·546	29·534	29·608	29·680	29·5805
28.	29·730	29·783	29·831	29·866	29·913	29·958	29·8458
29.	29·966	29·896	29·814	29·703	29·511	29·518	29·7347
30.	29·601	29·587	29·582	29·544	29·546	29·556	29·5693
31.	29·573	29·644	29·816	29·888	30·055	30·155	29·8552
Means.	29·8876	29·8855	29·9079	29·9148	29·9013	29·8971	29·8990

Abstract of Barometer, 32° Fahrenheit, Winnipeg, Manitoba, for the Month of January, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	28·791	28·748	28·691	28·663	28·660	28·715	28·795	29·923	28·873
2.	29·020	29·189	29·308	29·362	29·438	29·503	29·523	29·577	29·365
3.	29·616	29·649	29·714	29·746	29·787	29·789	29·788	29·781	29·734
4.	29·786	29·777	29·787	29·789	29·762	29·745	29·729	29·765	29·756
5.									
6.	29·072	29·056	29·063	20·133	29·199	29·290	29·363	29·370	29·193
7.	29·368	29·339	29·234	29·102	28·984	28·906	28·813	28·787	29·067
8.	28·822	28·932	29·025	29·089	29·109	29·109	29·088	29·102	29·036
9.	29·090	29·085	29·079	29·042	28·993	28·955	28·890	28·876	29·001
10.	28·835	28·869	28·921	28·932	28·939	28·963	28·948	29·074	28·935
11.	29·029	29·158	29·234	29·266	29·268	29·316	29·319	29·350	29·242
12.									
13.	29·380	29·452	29·494	29·518	29·528	29·563	29·582	29·639	29·519
14.	29·743	29·732	29·746	29·778	29·770	29·758	29·772	29·751	29·750
15.	29·739	29·672	29·616	29·579	29·553	29·574	29·576	29·600	29·615
16.	29·622	29·641	39·651	29·612	29·558	29·522	29·533	29·425	29·571
17.	29·392	29·377	29·364	29·402	29·387	29·441	29·490	29·530	29·423
18.	29·533	29·540	29·538	29·506	29·421	29·323	29·222	29·168	29·406
19.									
20.	29·045	29·144	29·251	29·331	29·331	29·341	29·266	29·220	29·241
21.	29·174	29·037	28·909	28·847	28·839	28·894	28·989	29·111	28·975
22.	29·261	29·333	29·432	29·514	29·535	29·607	29·621	29·643	29·493
23.	29·652	29·660	29·674	29·633	29·557	29·542	29·466	29·461	29·581
24.	29·468	29·362	29·332	29·325	29·313	29·338	29·321	29·325	29·348
25.	29·307	29·458	29·573	29·598	29·586	29·617	29·576	29·605	29·540
26.									
27.	29·347	29·321	29·284	29·244	29·161	29·121	29·045	28·989	29·189
28.	28·946	28·931	28·967	29·036	29·040	29·067	29·106	29·125	29·027
29.	29·202	29·217	29·273	29·343	29·369	29·414	29·474	29·500	29·349
30.	29·486	29·474	29·452	29·415	29·352	29·315	29·250	29·189	29·367
31.	29·170	29·151	29·174	29·167	29·134	29·119	29·093	29·004	29·127
Means.	29·202	29·308	29·325	29·332	29·317	29·327	29·318	29·363	29·322

ABSTRACT of Barometer, 32° Fahrenheit, Winnipeg, Manitoba, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	28·945	28·976	28·981	28·974	28·920	28·919	28·879	28·864	28·932
2									
3	28·906	28·929	28·935	28·934	28·945	28·964	28·966	28·989	28·946
4	28·997	28·989	28·991	28·980	28·966	28·962	28·931	28·933	28·969
5	28·884	28·864	28·820	28·782	28·766	28·771	28·755	28·869	28·814
6	28·919	28·983	29·076	29·121	29·156	29·204	29·220	29·233	29·114
7	29·328	29·238	29·191	29·143	29·058	28·983	28·953	28·886	29·097
8	28·862	28·859	28·868	28·904	28·920	28·966	28·991	29·005	28·922
9									
10	28·537	28·714	28·826	28·941	28·990	29·070	29·102	29·158	28·917
11	29·227	29·298	29·362	29·389	29·352	29·348	29·349	29·293	29·327
12	29·267	29·251	29·222	29·175	29·098	29·103	29·117	29·189	29·178
13	29·257	29·334	29·425	29·482	29·481	29·484	29·446	29·469	29·422
14	29·386	29·301	29·224	29·147	29·131	29·218	29·340	29·417	29·271
15	29·510	29·583	29·636	29·678	29·669	29·664	29·663	29·739	29·643
16									
17	28·788	28·685	28·691	28·823	28·895	29·006	28·945	28·965	28·850
18	29·118	29·146	29·218	29·234	29·266	29·310	29·305	29·567	29·271
19	29·372	29·381	29·386	29·378	29·393	29·422	29·429	29·439	29·400
20	29·416	29·444	29·431	29·356	29·298	29·266	29·207	29·174	29·324
21	29·165	29·148	29·112	29·020	28·919	28·908	28·889	28·877	29·005
22	28·868	28·849	28·826	28·758	28·703	28·641	28·755	28·894	28·787
23									
24	29·517	29·436	29·490	29·452	29·384	29·269	29·120	28·971	29·322
25	28·796	28·793	28·823	28·873	28·890	28·893	28·843	28·813	28·840
26	28·617	28·497	28·405	28·320	28·293	28·280	28·323	28·390	28·391
27	28·463	28·602	28·731	28·855	28·934	29·039	29·064	29·089	28·847
28	29·115	29·113	29·153	29·146	29·160	29·230	29·280	29·359	29·194
29	29·428	29·453	29·472	29·496	29·490	29·476	29·506	29·533	29·482
Means	29·068	29·075	29·092	29·094	29·083	29·093	29·095	29·125	29·091

Abstract of Barometer, 32° Farenheit, Winnipeg, Manitoba, for the Month of March, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1									
2	29·795	29·855	30·218	29·963	29·925	29·924	29·926	29·911	29·940
3	29·909	29·897	29·873	29·807	29·760	29·719	29·675	29·699	29·792
4	29·631	29·592	29·539	29·464	29·404	29·376	29·321	29·273	29·450
5	29·230	29·134	29·086	28·990	28·946	28·921	28·903	28·892	29·013
6	28·885	28·879	28·890	28·893	28·932	28·994	29·064	29·081	28·952
7	29·123	29·190	29·262	29·314	29·322	29·331	29·363	29·390	29·287
8									
9	29·250	29·266	29·279	29·267	29·234	29·233	29·222	29·219	29·246
10	29·241	29·286	29·360	29·407	29·423	29·438	29·457	29·495	29·390
11	29·562	29·445	29·443	29·429	29·406	29·404	29·440	29·566	29·462
12	29·527	29·548	29·582	29·566	29·511	29·489	29·590	29·495	29·538
13	29·519	29·537	29·582	29·602	29·595	29·583	29·593	29·578	29·574
14	29·554	29·520	29·494	29·472	29·406	29·355	29·302	29·241	29·418
15									
16	29·150	29·167	29·181	29·181	29·173	29·183	29·205	29·226	29·183
17	29·236	29·243	29·255	29·215	29·137	29·052	29·025	29·069	29·154
18	29·137	29·250	29·360	29·391	29·412	29·418	29·434	29·432	29·354
19	29·424	29·417	29·420	29·385	29·347	29·280	29·207	29·115	29·324
20	28·900	28·750	28·666	28·555	28·473	28·425	28·389	28·416	28·572
21	28·447	28·742	28·949	29·164	29·346	29·452	29·502	29·573	29·147
22									
23	29·556	29·557	29·506	29·447	29·358	29·236	29·181	28·950	29·349
24	28·838	28·749	28·629	28·544	28·475	28·560	28·669	28·758	28·653
25	28·812	28·894	28·997	29·058	29·081	29·111	29·127	29·149	29·029
26	29·135	29·133	29·129	29·085	29·043	29·001	28·966	28·943	29·054
27	28·861	28·783	28·731	28·681	28·630	28·625	28·622	28·596	28·691
28	28·541	28·508	28·455	28·444	28·423	28·428	28·422	28·545	28·471
29									
30	28·892	28·972	29·049	29·132	29·183	29·261	29·334	29·388	29·151
31	29·479	29·524	29·575	29·600	29·582	29·579	29·543	29·538	29·552
Means	29·217	29·224	29·250	29·233	29·213	29·207	29·211	29·213	29·221

ABSTRACT of Barometer, 32° Farenheit, Winnipeg Manitoba, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.		in.	in.
1	29·514	29·475	29·439	29·415	29·339	29·399	29·396	29·409	29·423
2	29·375	29·448	29·490	29·505	29·493	29·481	29·490	29·490	29·471
3	29·493	29·502	29·516	29·496	29·431	29·400	29·351	29·337	29·441
4	29·324	29·260	29·228	29·262	29·283	29.326	29·378	29·419	29·310
5									
6	29·693	29·722	29·731	29·693	29·637	29·580	29·649	29·551	29·657
7	29·523	29·503	29·423	29·420	29·377	29·359	29·351	29·375	29·416
8	29·357	29·330	29·284	29·256	29·236	29·210	29·189	29·164	29·253
9	29·089	29·070	29·028	29·005	28·934	28·947	29·022	29·076	29·021
10	29·116	29·162	29·229	29·268	29·304	29·314	29·357	29·402	29·269
11	29·407	29·383	29·363	29·304	29·208	29·105	29·068	28·997	29·229
12									
13	28·806	28·782	28·739	28·658	28·603	28·587	28·610	28·676	28·683
14	28·691	28·685	28·723	28·765	28·803	28·845	28·926	28·950	28·799
15	29·048	29·037	29·025	28·991	28·947	29·004	29·019	29·071	29·018
16	29·165	29·233	29·313	29·325	29·360	29·386	29·434	29·466	29·335
17	29·474	29·499	29·476	29·428	29·326	29·299	29·169	29·109	29·347
18	28·900	28·705	28·600	28·535	28·565	28·565	28 578	28·569	28·627
19									
20	29·123	29·159	29·269	29·300	29·306	29·299	29·306	29·361	29·2.0
21	29 314	29·299	29·270	29·224	29·168	29·128	29·138	29·092	29·204
22	29·063	29·090	29·102	29·084	29·038	29·001	28·996	28·996	29·046
23	28·936	28·901	28·862	28·773	28·722	28·667	28·673	28·691	28·778
24	28·818	28·941	29·018	29·107	29·142	29·148	29·155	29·165	29·062
25	29·186	29·156	29·135	29·108	29·087	29·048	29·013	29·019	29·094
26									
27	28·879	28·966	29·034	29·009	29·014	29·025	29·009	29·030	28·996
28	29·007	28·982	29·002	29·018	28·997	28·978	28·980	28·984	28·993
29	28·958	28·953	28·951	28·932	27·921	28·925	28·919	28·890	28·929
30	28·867	28 756	28·703	28·656	28·633	28·628	28·644	28·659	28·693
Means	29·158	29·155	29·152	29·136	29·111	29·102	29·108	29·113	29·129

ABSTRACT of Barometer, 32° Fahrenheit, Winnipeg, Manitoba, for the Month of May, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	28·704	28·761	28·815	28·856	28·888	28·891	28·928	28·990	28·854
2	28·981	28·951	28·943	28·922	28·906	28·884	28·850	28·797	28·904
3									
4	29·026	29·059	29·074	29·062	29·031	28·935	29·025	28·964	29·022
5	28·916	28·947	28·955	28·933	28·914	28·892	28 888	28·881	28·916
6	28·854	28·895	28·853	28·781	28·755	28·743	28·851	28·856	28·823
7	28·876	28·918	28 874	28·801	28·777	28·767	28·856	28·902	28·846
8	28·975	29·036	29·063	29·039	29·034	28·998	28·988	28·969	29 013
9	28·870	28·911	28·924	28 917	28 932	28·924	28·986	29·018	28·935
10									
11	29·053	29·085	29·056	28·976	28·928	28·913	28·886	28·867	28·971
12	28·851	28·834	28·801	28·781	28·761	28·700	28·706	28·750	28·773
13	28·766	28·785	28 805	28·817	28 847	28·843	28·763	28·766	28·799
14	28·780	28·808	28·782	28·734	28·732	28·687	28·651	28·656	28·729
15	28·693	28·741	28·806	28 857	28·932	28·977	29 009	29·111	28·891
16	29·151	29·179	29·198	29·099	29·020	28·982	28·896	28·836	29·045
17									
18	29·171	29·190	29·210	29·167	29·156	29·138	29·175	29·220	29·178
19	29·255	29·276	29·283	29·264	29·226	29·168	29·152	29 152	29·222
20	29·113	29·098	29·048	28·976	28·924	28·866	28·846	28·798	28·959
21	28·753	28·758	28·808	28·927	29·044	29·131	29 225	29·256	28·988
22	29·282	29·361	29·379	29·352	29·317	29·276	29·278	29·275	29·315
23	29·261	29·252	29·247	29 219	29·196	29·159	29·156	29·156	29·206
24									
25	28·645	28·595	28 557	28 514	28·575	28·658	28·741	28·786	28·635
26	28·830	28·884	28·933	28·957	28·997	29·004	29·016	29·630	28·956
27	29·048	29·060	29·058	29·056	29·036	29·027	29·024	29·030	29·042
28	29·038	29·072	29·083	29·081	29·080	29·090	29·106	29·114	29·083
29	29·118	29·124	29·103	29·082	29 050	29·043	29·043	29·059	29·078
30	29·087	29·142	29·157	29·168	29·184	29·178	29·202	29·224	29·168
31									
Means	28·965	28·989	28·993	28 975	28·971	28·957	28·971	28·980	28·975

ABSTRACT of Barometer, 32° Farenheit, Winnipeg, Manitoba, for the Month of June, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·296	29·302	29·309	29·300	29·253	29·217	29·194	29·194	29·258
2	29·209	29·210	29·200	29·159	29·122	29·069	29·052	29·050	29·134
3	29·070	29·059	28·995	28·971	28·970	28·944	28·906	28·924	28·980
4	28·840	28·838	28·827	28·819	28·853	28·713	28·806	28·900	28·825
5	28·944	28·981	29·049	29·104	29·142	29·151	29·143	29·210	29·091
6	29·250	29·244	29·230	29·194	29·138	29·053	29·031	29·003	29·143
7									
8	28·974	29·051	29·126	29·154	29·180	29·182	29·194	29·245	29·138
9	29·250	29·288	29·290	29·276	29·258	29·234	29·232	29·232	29·257
10	29·215	29·232	29·194	29·128	29·071	29·026	28·991	28·972	29·104
11	28·967	28·984	28·987	28·966	28·931	28·920	28·911	28·928	28·949
12	28·938	28·992	29·019	29·028	29·031	29·037	29·046	29·058	29·019
13	29·060	29·093	29·104	29·092	29·082	29·073	29·076	29·078	29·082
14									
15	29·188	29·211	29·233	29·233	29·228	29·208	29·210	29·258	29·221
16	29·215	29·203	29·213	29·156	29·142	29·122	29·110	29·128	29·161
17	29·164	29·189	29·197	29·185	29·161	29·114	29·047	29·058	29·139
18	28·979	28·930	28·915	28·923	28·925	28·942	28·972	28·978	28·945
19	29·912	29·056	29·111	29·027	29·127	29·116	29·106	29·106	29·083
20	29·065	29·042	29·036	29·024	29·012	29·017	29·090	29·137	29·053
21									
22	29·221	29·259	29·276	29·272	29·207	29·158	29·113	29·057	29·195
23	28·940	28·915	28·897	28·886	28·862	28·857	28·875	28·893	28·891
24	28·890	28·905	28·936	28·954	28·991	29·022	29·065	29·097	28·982
25	29·110	29·151	29·185	29·150	29·189	29·194	29·197	29·249	29·178
26	29·314	29·375	29·389	29·380	29·315	29·208	29·066	29·098	29·268
27	29·070	29·048	29·078	29·091	29·085	29·077	29·079	29·079	29·076
28									
29	29·128	29·141	29·101	29·066	29·010	28·976	28·967	29·012	29·050
30	29·081	29·150	29·188	29·206	29·199	29·162	29·132	29·107	29·153
Means	29·092	29·109	29·119	29·106	29·096	29·069	29·062	29·079	29·091

ABSTRACT of Barometer, 32° Farenheit, Winnipeg, Manitoba, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·046	29·013	28·963	28·949	28·924	28·902	28·874	28·958	28·954
2	29·019	29·083	29·048	29·177	29·209	29·229	29·278	29·285	29·166
3	29·286	29·326	29·312	29·329	29·326	29·321	29·312	29·322	29·317
4	29·309	29·308	29·282	29·256	29·241	29·184	29·181	29·149	29·239
5									
6	29·374	29·407	29·430	29·424	29·401	29·370	29·366	29·375	29·393
7	29·379	29·380	29·362	29·391	29·303	29·260	29·246	29·239	29·320
8	29·216	29·225	29·205	29·163	29·147	29·109	29·089	29·094	29·156
9	29·097	29·108	29·122	29·161	29·159	29·148	29·163	29·182	29·142
10	29·159	29·170	29·148	29·137	29·095	29·046	29·028	28·986	29·096
11	28·963	29·010	28·958	28·968	28·958	28·960	28·997	29·042	28·982
12									
13	29·202	29·216	29·212	29·199	29·177	29·154	29·125	29·078	29·170
14	29·039	29·014	29·018	29·070	29·107	29·133	29·190	29·216	29·097
15	29·260	29·286	29·290	29·293	29·287	29·261	29·259	29·268	29·276
16	29·268	29·253	29·230	29·188	29·140	29·057	28·987	29·918	29·130
17	28·884	28·886	28·888	28·876	28·874	28·882	28·902	29·918	28·889
18	28·937	28·937	28·953	28·985	29·028	29·057	29·096	29·132	29·016
19									
20	29·082	29·113	29·131	29·157	29·152	29·151	29·150	29·145	29·135
21	29·162	29·154	29·146	29·136	29·131	29·151	29·179	29·210	29·159
22	29·278	29·330	29·376	29·389	29·392	29·378	29·373	29·358	29·359
23	29·316	29·302	29·279	29·248	29·215	29·162	29·136	29·128	29·223
24	29·080	29·054	29·025	29·016	28·985	28·970	28·958	28·940	29·004
25	28·916	28·891	28·839	28·797	28·787	28·798	28·886	28·953	28·858
26									
27	29·030	29·040	29·052	29·033	29·010	28·976	28·949	28·939	29·004
28	28·928	28·938	28·959	28·990	28·996	28·972	28·986	29·020	28·974
29	29·047	29·105	29·156	29·179	29·228	29·223	29·250	29·282	29·184
30	29·323	29·356	29·364	29·367	29·357	29·332	29·320	29·319	29·342
31	29·310	29·250	29·216	29·171	29·104	29·068	29·086	29·129	29·167
Means	29·145	29·154	29·147	29·150	29·138	29·121	29·124	29·133	29·139

ABSTRACT of Barometer, 32° Farenheit, Winnipeg, Manitoba, for the Month of August, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·139	29·141	29·147	29·136	29·119	29·067	29·048	29·082	29·110
2									
3	28·786	28·819	28·860	28·865	28·896	28·919	28·955	28·995	28·887
4	29·014	29·036	29·034	29·007	28·977	28·963	28·956	28·900	28·986
5	28·886	28·863	28·824	28·812	28·823	28·844	28·866	28·968	28·861
6	29·036	29·075	29·097	29·101	29·086	29·055	29·041	29·058	29·069
7	29·040	29·000	28·958	28·955	28·944	28·924	28·945	28·936	28·963
8	28·942	28·956	28·978	28·991	28·996	28·975	28·964	28·925	28·966
9									
10	28·900	28·896	28·886	28·885	28·923	28·922	28·994	29·014	28·927
11	29·038	29·090	29·205	29·270	29·279	29·289	29·324	29·337	29·229
12	29·329	29·320	29·293	29·281	29·249	29·226	29·240	29·241	29·272
13	29·245	29·203	29·179	29·129	29·082	29·062	29·072	29·081	29·132
14	29·092	29·096	29·106	29·105	29·094	29·086	29·097	29·118	29·099
15	29·121	29·152	29·186	29·248	29·275	29·315	29·362	29·371	29·254
16									
17	29·497	29·504	29·496	29·476	29·438	29·434	29·419	29·434	29·462
18	29·439	29·481	29·478	29·468	29·443	29·405	29·373	29·363	29·431
19	29·342	29·259	29·219	29·163	29·114	29·076	29·082	29·083	29·167
20	29·096	29·090	29·085	29·066	29·056	29·055	29·047	29·049	29·068
21	29·027	29·030	28·989	28·938	28·895	28·842	28·800	28·767	28·911
22	28·790	28·839	28·898	28·930	28·926	28·886	28·843	28·838	28·869
23									
24	29·086	29·081	28·998	28·932	28·832	28·708	28·642	28·599	28·860
25	28·482	28·508	28·606	28·776	28·871	28·913	28·947	28·987	28·761
26	29·034	29·104	29·160	29·204	29·239	29·246	29·265	29·294	29·193
27	29·289	29·345	29·352	29·334	29·303	29·255	29·235	29·204	29·290
28	29·167	29·135	29·115	29·082	29·092	29·113	29·169	29·174	29·131
29	29·149	29·129	29·100	29·051	29·060	29·066	29·083	29·088	29·091
30									
31	29·286	29·347	29·352	29·330	29·274	29·250	29·229	29·218	29·286
Means	29·087	29·096	29·100	29·097	29·089	29·073	29·077	29·081	29·097

ABSTRACT of Barometer, 32° Farenheit, Winnipeg, Manitoba, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·187	29·065	29·092	29·051	29·022	29·016	29·030	29·036	29·062
2	29·067	29·123	29·183	29·232	29·279	29·362	29·435	29·451	29·266
3	29·469	29·482	29·480	29·451	29·365	29·302	29·240	29·178	29·382
4	29·130	28·976	28·956	28·933	28·921	28·908	28·909	28·914	28·956
5	28·923	29·041	29·075	29·130	29·145	29·171	29·173	29·173	29·104
6									
7	28·605	28·604	28·608	28·598	28·617	28·661	28·725	28·740	28·645
8	28·555	28·873	28·903	28·955	28·981	28·916	29·036	29·056	28·909
9	29·082	29·105	29·120	29·126	29·134	29·135	29·147	29·154	29·125
10	29·156	29·165	29·169	29·148	29·111	29·118	29·117	29·117	29·138
11	29·136	29·168	29·198	29·208	29·212	29·237	29·301	29·317	29·222
12	29·342	29·361	29·365	29·358	29·355	29·291	29·296	29·228	29·324
13									
14	29·446	29·511	29·538	29·534	29·514	29·479	29·491	29·501	29·502
15	29·491	29·463	29·455	29·370	29·317	29·249	29·220	29·204	29·346
16	29·166	29·151	29·125	29·083	29·025	29·002	28·998	29·000	29·069
17	28·985	28·984	28·974	28·965	28·937	28·894	28·841	29·830	29·051
18	28·817	28·899	28·970	29·100	29·181	29·298	29·372	29·391	29·129
19	29·408	29·382	29·340	29·276	29·154	29·034	28·993	28·934	29·190
20									
21	29·289	29·318	29·424	29·428	29·409	29·412	29·444	29·425	29·394
22	29·434	29·462	29·437	29·353	29·269	29·167	29·112	29·066	29·288
23	29·000	28·965	28·940	28·899	28·861	28·845	28·796	28·750	28·882
24	28·727	28·646	28·588	28·467	28·427	28·442	28·507	28·565	28·546
25	28·635	28·729	28·823	28·935	29·013	29·112	29·199	29·277	28·965
26	29·326	29·395	29·423	29·560	29·442	29·432	29·420	29·405	29·425
27									
28	29·029	29·032	29·018	28·988	28·920	28·858	28·808	28·782	28·929
29	28·767	28·807	28·871	28·933	28·964	29·012	29·088	29·105	28·943
30	29·133	29·217	29·268	29·264	29·256	29·256	29·238	29·240	29·234
Means	29·089	29·112	29·129	29·129	29·119	29·104	29·113	29·148	29·117

ABSTRACT of Barometer, 32° Fahrenheit, Winnipeg, Manitoba, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in	in.	in.	in.	in.	in.	in.
1	29·194	29·168	29·123	29·060	29·047	29·085	29·158	29·230	29·133
2	29·259	29·308	29·334	29·304	29·259	29·220	29·183	29·150	29·252
3	29·094	29·054	29·005	28·932	28·857	28·900	28·947	28·988	28·972
4									
5	29·308	29·368	29·434	29·435	29·382	29·491	29·512	29·540	29·434
6	29·546	29·597	29·630	29·618	29·584	29·580	29·568	29·569	29·587
7	29·554	29·540	29·539	29·481	29·385	29·337	29·305	29·268	29·426
8	29·124	29·082	29·031	28·936	28·912	28·953	28·993	29·050	29·010
9	29·115	29·160	29·202	29·226	29·253	29·330	29·374	29·377	29·255
10	29·399	29·468	29·451	29·438	29·400	29·387	29·357	29·347	29·406
11									
12	29·279	29·309	29·338	29·343	29·317	29·298	29·290	29·296	29·309
13	29·309	29·322	29·353	29·329	29·283	29·234	29·178	29·127	29·267
14	29·020	28·961	28·934	28·959	29·027	29·145	29·286	29·328	29·082
15	29·366	29·393	29·440	29·392	29·274	29·152	29·065	29·049	29·266
16	29·147	29·255	29·318	29·365	29·358	29·383	29·363	29·373	29·320
17	29·378	29·360	29·341	29·302	29·248	29·220	29·211	29·202	29·283
18									
19	29·063	29·105	29·162	29·198	29·193	29·211	29·188	29·154	29·159
20	29·118	29·078	29·049	29·001	28·973	28·966	28·982	28·976	29·018
21	28·984	29·030	29·079	29·120	29·151	29·221	29·267	29·293	29·143
22	29·298	29·282	29·252	29·224	29·176	29·144	29·114	29·101	29·199
23	29·092	29·089	29·095	29·115	29·104	29·113	29·115	29·105	29·104
24	29·087	29·048	28·989	28·945	28·868	28·823	28·781	28·771	28·914
25									
26	28·984	29·056	29·096	29·109	29·097	29·120	29·109	29·130	29·088
27	29·138	29·088	29·047	28·952	28·907	28·900	28·888	28·878	28·972
28	28·969	29·069	29·133	29·185	29·241	29·329	29·350	29·372	29·206
29	29·388	29·401	29·392	29·324	29·250	29·199	29·120	29·064	29·267
30	29·033	28·879	28·885	28·853	28·869	28·904	28·901	28·897	28·903
31	28·906	28·922	28·930	28·921	28·928	28·972	28·980	28·988	28·943
Means	29·191	29·200	29·207	29·187	29·161	29·171	29·170	29·171	29·182

ABSTRACT of Barometer, 32° Fahrenheit, Winnipeg, Manitoba, for the Month of November, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.									
2.	29·165	29·143	29·130	29·097	28·962	28·916	28·827	28·796	29·005
3.	28·769	28·769	28·779	28·807	28·852	28·911	28·947	28·963	28·850
4.	28·984	28·990	29·000	28·999	28·990	28·992	28·996	29·006	28·995
5.	29·019	29·024	29·038	29·056	29·064	29·113	29·160	29·177	29·081
6	29·190	29·221	29·262	29·270	29·281	29·343	29·358	29·352	29·285
7.	29·366	29·377	29·368	29·375	29·382	29·400	29·399	29·402	29·384
8.									
9.	29·041	29·039	29·036	29·019	29·003	29·005	29·039	29·039	29·028
10.	29·044	29·017	29·010	29·978	28·946	28·951	28·940	28·932	28·977
11.	28·952	28·992	29·046	29·091	29·156	29·227	29·287	29·355	29·138
12.	29·350	29·376	29·410	29·420	29·412	29·448	29·452	26·462	29·416
13.	29·475	29·463	29·440	29·402	29·304	29·198	29·073	28·989	29·293
14.	28·880	28·841	28·854	28·906	28·942	29·041	29·047	29·091	28·950
15.									
16.	28·860	28·880	28·900	29·051	29·143	29·299	29·430	29·499	29·133
17.	29·548	29·563	29·537	29·494	29·379	29·288	29·210	29·192	29·401
18.	29·238	29·377	29·385	29·500	29·571	29·658	29·695	29·721	29·518
19.	28·724	29·732	29·755	29·766	29·733	29·727	29·705	29·685	29·728
20.	29·658	29·590	29·585	29·530	29·468	29·442	29·452	29·461	29·523
21.	29·480	29·522	29·561	29·585	29·579	29·562	29·546	29·530	29·546
22.									
23.	28·754	29·009	29·127	29·228	29·311	29·400	29·452	29·517	29·225
24.	29·546	29·554	29·574	29·600	29·599	29·592	29·608	29·601	29·584
25.	29·550	29·515	29·493	29·413	29·328	29·322	29·282	29·285	29·398
26.	29·233	29·190	29·192	29·042	29·016	29·011	28·983	28·957	29·078
27.	29·028	29·042	29·191	29·209	29·266	29·363	29·438	29·492	29·254
28.	29·535	29·560	29·597	29·604	29·601	29·612	29·618	29·632	29·595
29.									
30.	29·729	29·696	29·687	29·663	29·645	29·639	29·621	29·592	29·659
Means	29·245	29·259	29·278	29·284	29·277	29·298	29·303	29·309	29·281

ABSTRACT of Barometer, 32° Farenheit, at Winnipeg, Manitoba, for the Month of December, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·615	29·600	29·613	29·620	29·587	29·578	29·537	29·534	29·586
2	29·493	29·477	29·458	29·445	29·417	29·433	29·427	29·429	29·445
3	29·371	29·327	29·269	29·175	29·129	29·081	29·057	28·998	29·176
4	29·005	28·976	28·995	28·9.5	28·963	28·976	29·011	29·016	28·992
5	29·006	28·992	28·974	28·964	28·912	28·931	28·913	28·929	28·953
6									
7	29·161	29·101	29·058	28·990	28·921	28·882	28·862	28·864	28·980
8	28·886	28·958	28·980	28·980	28·961	28·924	28·716	28·673	28·885
9	28·734	28·759	28·807	28·837	28·792	28·728	28·645	28·679	28·748
10	28·793	28·922	28·987	29·001	28·971	28·875	28·780	28·741	28·884
11	28·724	28·751	28·811	28·875	28·897	28·882	28·866	28·852	28·832
12	28·793	28·787	28·813	28·848	28·884	28·955	29·004	29·020	28·888
13									
14	29·010	28·980	28·952	28·942	28·944	28·986	29·054	29·086	28·994
15	29·135	29·194	29·243	29·252	29·254	29·279	29·279	29·268	29·238
16	29·241	29·203	29·161	29·141	29·095	29·112	29·118	29·151	29·153
17	29·200	29·227	29·279	29·317	29·322	29·371	29·421	29·454	29·324
18	29·485	29·508	29·526	29·506	29·455	29·416	29·369	29·301	29·446
19	29·245	29·302	29·221	29·224	29·251	29·298	29·328	29·355	29·278
20									
21	29·174	29·126	29·059	29·008	28·876	28·826	28·846	28·868	28·973
22	28·951	29·016	29·057	29·131	29·187	29·296	29·386	29·430	29·182
23	29·497	29·650	29·720	29·772	29·787	29·819	29·817	29·789	29·731
24	29·767	29·699	29·636	29·584	29·451	29·300	29·216	29·135	29·473
25	29·097	29·060	29·151	29·241	29·268	29·340	29·403	29·429	29·249
26	29·464	29·436	29·423	29·414	29·356	29·334	29·283	29·229	29·367
27									
28	28·925	28·917	28·903	28·907	28·943	29·027	29·097	29·145	28·983
29	29·138	29·140	29·106	29·025	28·935	28·940	29·150	29·291	29·091
30	29·331	29·440	29·553	29·522	29·511	29·430	29·399	29·309	29·437
31	29·161	29·099	29·008	28·926	28·890	28·902	28·907	28·879	28·971
Means	29·163	29·172	29·176	29·172	29·147	29·145	29·144	29·143	29·158

Abstract of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of January, 1896

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	28·775	28·854	28·893	28·937	28·937	28·751	28·8578
2	28·750	28·762	28·730	28·733	28·583	28·549	28·6845
3	28·698	28·752	28·820	28·891	28·951	28·974	28·8477
4	29·087	29·139	29·204	29·208	29·223	29·179	29·1733
5	29·147	29·169	29·254	29·275	29·325	29·341	29·2518
6	29·342	29·311	29·324	29·210	29·196	29·151	29·2557
7	29·172	28·997	28·989	28·989	29·089	29·158	29·0657
8	29·164	29·167	29·124	28·992	28·870	28·790	29·0178
9	28·694	28·705	28·750	28·784	28·873	28·969	28·7958
10	29·022	29·035	29·092	29·077	29·123	29·106	29·0758
11	29·113	29·123	29·092	28·998	28·924	28·773	29·0038
12	28·862	28·622	28·666	28·728	28·829	28·904	28·7685
13	28·939	28·965	29·978	28·964	28·994	29·002	28·9737
14	29·055	29·103	29·213	29·250	29·327	29·394	29·2237
15	29·408	29·452	29·497	29·447	29·426	29·370	29·4333
16	29·250	29·189	29·150	29·076	29·145	29·159	29·1615
17	29·154	29·166	29·183	29·101	29·124	29·104	29·1387
18	29·084	29·038	29·015	28·910	28·853	28·838	28·9563
19	28·845	28·892	28·995	29·019	29·077	29·084	28·9853
20	29·057	29·075	29·065	28·969	28·989	29·018	29·0288
21	29·030	29·071	29·117	29·108	29·144	29·148	29·1030
22	29·148	29·153	29·151	29·120	29·124	29·099	29·1325
23	29·054	29·010	28·973	28·903	28·909	28·851	28·9500
24	28·739	28·629	28·583	28·529	28·556	28·569	28·6008
25	28·676	28·773	28·875	28·897	28·989	29·001	28·8685
26	29·054	29·095	29·151	29·146	29·186	29·210	29·1403
27	29·210	29·211	29·225	29·184	29·176	29·174	29·1967
28	29·156	29·185	29·195	29·189	29·121	29·108	29·1590
29	29·056	29·044	29·068	29·046	29·068	29·079	29·0602
30	29·108	29·158	29·219	29·222	29·273	29·282	29·2103
31	29·243	29·228	29·208	29·089	29·024	28·924	29·1193
Means	29·0352	29·0346	29·0580	29·0329	29·0460	29·0341	29·0400

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	28·808	28·708	28·654	28·645	28·678	28·714	28·7012
2	28·798	29·005	28·928	28·900	28·916	28·803	28·8917
3	28·757	28·652	28·602	28·530	28·551	28·546	28·6063
4	28·548	28·551	28·553	28·622	28·585	28·586	28·5742
5	28·630	28·646	28·695	28·649	28·657	28·649	28·6543
6	28·521	28·422	28·299	28·139	28·173	28·225	28·2965
7	28·390	28·440	28·543	28·583	28·713	28·781	28·5750
8	28·867	28·912	28·950	28·915	28·841	28·702	28·8645
9	28·609	28·540	28·492	28·488	28·593	28·613	28·5558
10	28·651	28·666	28·709	28·603	28·478	28·404	28·5852
11	28·510	28·617	28·709	28·776	28·934	29·018	28·7607
12	29·232	29·180	29·236	29·138	29·090	28·937	29·1355
13	28·740	28·672	28·594	28·541	28·698	28·827	28·6787
14	28·843	28·860	28·990	29·020	29·084	28·938	28·9558
15	28·816	28·753	28·744	28·761	28·922	28·982	28·8297
16	29·040	29·151	29·238	29·288	29·376	29·421	29·2523
17	29·435	29·468	29·486	29·403	29·332	29·241	29·3942
18	29·102	28·978	28·839	28·651	28·639	28·499	28·7847
19	28·377	28·247	28·211	28·250	28·474	28·479	28·3397
20	28·576	28·634	28·740	28·814	28·949	28·999	28·7853
21	29·135	29·219	29·224	29·244	29·250	29·232	29·2173
22	29·205	29·153	29·144	29·039	29·009	28·960	29·0850
23	28·901	28·829	28·760	28·713	28·774	28·802	28·7965
24	28·790	28·836	28·910	28·940	29·008	29·052	28·9227
25	29·081	29·151	29·170	29·075	28·901	28·744	29·0203
26	28·506	28·465	28·484	28·602	28·694	28·700	28·5752
27	28·664	28·651	28·603	28·468	28·490	28·493	28·5615
28	28·507	28·527	28·536	28·553	28·667	28·724	28·5857
29	28·776	28·830	28·823	28·762	28·757	28·684	28·7720
Means	28·7869	28·7849	28·7885	28·7625	28·8011	28·7847	28·7847

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of March, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	28·617	28·568	28·546	28·547	28·667	28·734	28·6132
2.	28·781	28·878	28·933	28·996	29·082	29·125	28·9658
3.	29·170	29·293	29·283	29·273	29·275	29·279	29·2622
4.	29·253	29·274	29·280	29·248	29·256	29·228	29·2565
5.	29·222	29·242	29·199	29·137	29·100	29·025	29·1542
6.	28·915	28·882	28·778	28·716	28·705	28·664	28·7767
7.	28·523	28·459	28·630	28·662	28·776	28·785	28·6392
8.	28·807	28·855	28·887	28·915	28·946	28·936	28·8910
9.	28·943	29·000	28·992	28·967	28·939	28·907	28·9580
10.	28·808	28·792	28·763	28·723	28·762	28·798	28·7743
11.	28·708	28·699	28·606	28·526	28·526	28·519	28·5973
12.	28·513	28·580	28·634	28·735	28·865	28·930	28·7095
13.	29·017	29·080	29·166	29·208	29·258	29·298	29·1712
14.	29·306	29·376	29·408	29·438	29·411	29·380	29·3865
15.	29·311	29·229	29·144	29·044	29·016	29·000	29·1240
16.	28·957	28·959	28·914	28·857	28·877	28·920	28·9140
17.	28·944	29·022	29·002	29·036	29·050	29·038	29·0153
18.	29·082	29·135	29·112	29·036	28·994	28·914	29·[illegible]75
19.	28·745	28·597	28·417	28·357	28·449	28·490	28·5092
20.	28·616	28·768	28·820	28·866	28·950	29·003	28·8372
21.	28·998	28·963	28·912	28·801	28·726	28·714	28·8·23
22.	28·717	29·067	29·198	29·293	29·330	29·350	29·1592
23.	29·364	29·416	29·420	29·377	29·417	29·427	29·4035
24.	29·447	29·494	29·478	29·385	28·274	29·172	29·3750
25.	29·040	28·967	28·824	28·613	28·551	28·535	28·7550
26.	28·501	28·556	28·578	28·669	28·862	28·906	28·6787
27.	28·931	29·048	29·077	29·057	29·066	29·070	29·0415
28.	29·059	29·054	28·973	28·821	28·715	28·618	28·8733
29.	28·529	28·526	28·571	28·510	28·591	28·608	28·5558
30.	28·646	28·785	28·818	28·843	28·937	29·040	28·8448
31.	29·054	29·092	29·190	29·071	29·057	29·044	29·0847
Means	28·9201	28·9560	28·9540	28·9267	28·9494	29·9502	28·9427

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of April, 1896.

Date.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·060	28·910	28·830	28·755	28·674	28·717	28·8158
2	28·714	28·674	28·654	28·664	28·777	28·648	28·6885
3	28·725	28·725	28·783	28·839	28·937	28·962	28·8285
4	28·997	29·047	29·057	29·116	29·156	29·225	29·0997
5	29·244	29·256	29·270	29·202	29·170	29·102	29·2073
6	29·050	29·063	29·067	29·119	29·119	29·114	29·0887
7	29·082	29·088	29·142	29·368	29·577	29·656	29·3188
8	29·456	29·492	29·510	29·499	29·426	29·401	29·4557
9	29·360	29·312	29·193	29·082	28·989	28·913	29·1415
10	28·950	29·005	29·194	29·179	29·186	29·179	29·1255
11	29·124	29·112	29·065	29·031	29·146	29·134	29·1020
12	29·148	29·134	29·087	29·026	28·999	28·968	29·0603
13	28·949	28·902	28·889	28·824	28·852	28·709	28·8542
14	28·690	28·730	28·764	28·810	28·862	28·908	28·7940
15	28·934	28·970	29·000	28·989	28·939	28·977	28·9682
16	28·987	29·010	29·010	29·000	28·999	29·009	29·0025
17	29·008	29·017	29·016	28·950	28·954	28·968	28·9855
18	28·954	28·968	28·975	28·932	28·886	28·901	28·9372
19	28·879	28·889	28·958	29·004	29·060	29·089	28·9798
20	29·099	29·130	29·067	28·969	28·857	28·846	28·9947
21	28·845	28·779	28·730	28·688	28·753	28·867	28·7720
22	28·994	29·035	29·095	29·097	29·116	29·126	29·0622
23	29·150	29·181	29·165	29·114	29·089	29·034	29·1222
24	28·954	28·978	28·902	28·892	28·893	28·907	28·9210
25	28·916	28·960	29·004	28·997	29·037	29·044	28·9930
26	29·032	29·064	29·077	29·059	29·029	29·034	29·0492
27	29·013	29·018	29·002	28·981	28·965	28·977	28·9923
28	29·014	29·046	29·075	29·078	29·100	29·130	29·0738
29	29·113	29·132	29·125	29·089	29·039	29·020	29·0863
30	28·970	28·967	28·953	28·898	28·897	28·905	28·9317
Means	29·0077	29·0218	29·0223	29·0067	29·0163	29·0156	29·0151

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of May 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	28·910	28·915	28·903	28·859	28·882	28·827	28·8827
2	28·840	28·846	28·842	28·819	28·798	28·819	28·8273
3	28·827	28·872	28·891	28·907	28·933	28·945	28·8958
4	28·915	28·917	28·902	28·820	28·836	28·860	28·8750
5	28·892	28·935	28·950	28·949	28·965	29·009	28·9500
6	29·047	29·121	29·174	29·158	29·178	29·218	29·1493
7	29·230	29·309	29·278	29·222	29·193	29·190	29·2370
8	29·183	29·197	29·181	29·134	29·118	29·114	29·1545
9	29·126	29·131	29·115	28·999	28·993	28·976	29·0567
10	28·902	28·980	28·930	28·878	28·857	28·858	28·9008
11	28·853	28·885	28·882	28·956	28·874	28·854	28·8840
12	28·917	28·905	28·965	28·966	28·957	28·985	28·9492
13	29·007	28·920	29·030	29·008	28·969	28·968	28·9837
14	28·915	28·908	28·865	28·785	28·758	28·799	28·8383
15	28·866	28·979	29·035	29·062	29·089	29·112	29·0238
16	29·142	29·167	29·134	29·088	29·018	28·970	29·0865
17	28·862	28·770	28·709	28·719	28·770	28·714	28·7573
18	28·752	28·792	28·778	28·792	28·766	28·764	28·7740
19	28·794	28·875	28·920	28·922	28·965	29·042	28·9147
20	29·061	29·121	29·110	29·071	29·050	29·054	29·0778
21	29·024	29·028	28·967	28·920	28·874	28·885	28·9497
22	28·892	28·975	28·980	29·008	29·057	29·117	29·0048
23	29·160	29·208	29·238	29·193	29·167	29·166	29·1887
24	29·147	29·134	29·109	29·081	29·020	29·009	29·0833
25	28·943	28·911	28·865	28·728	28·614	28·550	28·7685
26	28·568	28·635	28·649	28·666	28·724	28·777	28·6698
27	28·801	28·865	28·894	28·890	28·876	28·838	28·8607
28	28·710	28·584	28·475	28·554	28·605	28·649	28·5962
29	28·669	28·735	28·749	28·753	28·795	28·685	28·7310
30	28·772	28·790	28·771	28·737	28·728	28·633	28·7385
31	28·788	28·791	28·790	28·859	28·902	28·943	28·8455
Means.	28·9198	28·9420	28·9381	28·9195	28·9139	28·9139	28·9245

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	28·967	28·980	29·072	29·079	29·087	29·130	29·0525
2.	29·189	29·189	29·222	29·184	29·158	29·165	29·1845
3.	29·179	29·167	29·126	29·040	29·033	29·013	29·0930
4.	29·047	29·023	29·017	28·999	28·976	28·992	29·0090
5.	29·024	29·043	29·043	28·995	28·956	28·892	28·9922
6.	28·942	28·987	29·004	28·930	28·944	28·942	28·9582
7.	28·964	28·958	28·946	28·846	28·752	28·790	28·8760
8.	28·748	28·699	28·656	28·593	28·571	28·575	28·6403
9.	28·569	28·596	28·618	28·629	28·669	28·714	28·6325
10.	28·748	28·798	28·852	28·838	28·878	28·886	28·8333
11.	28·867	28·887	28·884	28·836	28·821	28·782	28·8462
12.	28·744	28·732	28·696	28·652	28·645	28·667	28·6893
13.	28·670	28·728	28·741	28·778	28·800	28·888	28·7675
14.	28·913	28·913	29·006	28·986	29·006	29·062	28·9910
15.	29·105	29·143	29·136	29·132	29·146	29·142	29·1340
16.	29·115	29·139	29·134	29·086	29·072	29·031	29·0962
17.	29·023	29·029	29·013	28·975	28·954	28·969	28·9938
18.	28·974	29·030	29·026	29·003	28·992	29·001	29·0043
19.	28·995	28·992	28·986	28·906	28·872	28·922	28·9455
20.	28·932	28·957	28·966	28·897	28·885	28·902	28·9232
21.	28·826	28·836	28·840	28·833	28·804	28·828	28·8278
22.	28·856	28·903	28·964	28·955	28·967	29·016	28·9435
23.	29·039	29·060	29·056	29·032	29·006	29·045	29·0397
24.	29·005	28·995	28·992	28·986	29·014	29·056	29·0080
25.	29·030	29·080	29·083	29·018	29·008	28·986	29·0342
26.	28·988	29·107	29·134	29·125	29·131	29·140	29·1042
27.	29·098	29·076	29·023	28·947	28·858	28·792	28·9657
28.	28·704	28·659	28·645	28·668	28·716	29·738	28·8550
29.	28·753	28·788	28·895	28·972	28·975	29·097	28·9133
30.	29·142	29·177	29·183	29·132	29·121	29·126	29·1468
Means	28·9385	28·9557	28·9653	28·9351	28·9272	28·9763	28·9497

ABSTRACT of Barometer, 32 Fahrenheit, at Woodstock, Ontario, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·130	29·163	29·151	29·128	29·118	29·118	29·1347
2	29·053	29·113	29·106	29·040	29·016	29·050	29·0630
3	29·056	29·075	29·066	29·023	28·986	28·993	29·0332
4	28·948	28·905	28·861	28·766	28·758	28·786	28·8373
5	28·814	28·878	28·955	28·901	28·890	28·898	28·8893
6	28·853	28·852	28·815	28·844	28·903	28·940	28·8678
7	28·965	28·991	29·014	28·995	29·014	29·069	28·9980
8	29·012	29·091	29·114	29·070	29·052	29·070	29·0682
9	28·968	28·974	28·940	28·939	28·944	28·948	28·9522
10	28·936	29·031	29·018	29·058	29·056	29·090	29·0315
11	29·089	29·125	29·142	29·077	29·061	29·051	29·0908
12	29·073	29·060	29·019	28·961	28·944	28·920	28·9962
13	28·920	28·923	28·906	28·863	28·889	28·918	28·9032
14	28·943	28·966	28·964	28·874	28·791	28·696	28·8723
15	28·674	28·696	28·710	28·728	28·775	28·776	28·7198
16	28·863	28·915	28·925	28·934	28·982	29·095	28·9523
17	29·069	29·137	29·137	29·161	29·172	29·191	29·1445
18	29·202	29·215	29·240	29·197	29·169	29·139	29·1937
19	29·125	29·133	29·126	29·144	29·082	28·998	29·1013
20	28·934	28·854	28·818	28·863	28·869	28·909	28·8745
21	28·933	29·004	29·005	28·975	28·978	28·969	28·9773
22	28·963	28·963	28·893	28·838	28·804	28·969	28·8950
23	28·968	28·967	29·042	29·027	29·017	29·017	29·0063
24	28·940	28·900	28·826	28·774	28·812	28·812	29·8440
25	28·931	28·989	29·022	29·022	29·008	28·946	28·9863
26	29·013	29·020	28·982	28·966	28·892	28·800	28·9455
27	28·792	28·794	28·822	28·807	28·887	28·869	28·8285
28	28·923	28·972	28·981	28·964	28·890	28·990	28·9533
29	28·995	29·001	28·974	28·893	28·865	28·847	28·9292
30	28·820	28·824	28·824	28·849	28·915	28·998	28·8717
31	29·049	29·114	29·123	29·119	29·109	29·117	29·1052
Means	28·9663	28·9885	28·9845	28·9613	28·9564	28·9622	28·9699

ABSTRACT of Barometer, 32° Farenheit, at Woodstock, Ontario, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·004	29·058	28·976	28·933	28·807	28·768	28·9393
2	28·776	28·840	28·886	28·882	28·887	28·924	28·8658
3	28·941	28·940	28·984	28·949	28·931	28·915	28·9433
4	28·941	28·956	29·007	28·938	28·944	28·956	28·9570
5	29·020	28·941	28·910	28·892	28·874	28·980	28·9362
6	28·967	28·983	28·948	28·929	28·977	28·983	28·9645
7	28·983	29·017	29·018	29·000	28·971	29·018	29·0012
8	29·007	29·021	28·987	28·894	28·852	28·905	28·9443
9	28·842	28·876	28·908	28·893	28·897	28·905	28·8868
10	28·934	28·968	28·966	28·917	28·893	28·910	28·9313
11	28·972	29·000	29·035	29·002	28·991	28·978	28·9963
12	29·069	29·087	29·103	29·086	29·090	29·105	29·0900
13	29·110	29·121	29·116	29·068	29·068	29·088	29·0952
14	29·095	29·111	29·101	29·060	29·026	29·000	29·0655
15	29·063	29·062	29·071	29·009	28·989	28·949	29·0238
16	28·892	28·918	28·964	28·970	28·960	29·061	28·9608
17	29·121	29·096	29·103	29·061	29·033	29·036	29·0750
18	29·009	29·019	29·005	29·009	29·048	29·039	29·0315
19	29·145	29·252	29·281	29·261	29·266	29·263	29·2447
20	29·244	29·264	29·219	29·106	29·052	29·039	29·1540
21	28·875	28·959	28·910	28·857	28·836	28·859	28·8827
22	28·839	28·856	28·811	28·763	28·753	28·697	28·7865
23	28·667	28·751	28·811	28·865	28·890	28·955	28·8232
24	28·974	29·015	29·040	29·014	29·028	29·050	29·0202
25	29·066	29·082	29·049	28·998	28·940	28·834	28·9948
26	28·907	28·892	28·871	28·879	28·937	29·019	28·9175
27	29·053	29·128	29·161	29·181	29·219	29·279	29·1702
28	29·312	29·344	29·391	29·352	29·265	29·291	29·3258
29	29·258	29·270	29·202	29·128	29·066	29·040	29·1607
30	28·927	28·883	28·798	28·682	28·656	28·746	28·7820
31	28·784	28·839	28·879	28·921	28·990	29·037	28·9083
Means	28·9964	28·9854	29·0165	28·9838	29·0044	28·9900	28·9961

Abstract of Barometer, 32 Fahrenheit, at Woodstock, Ontario, for the Month of September, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·083	29·172	29·230	29·200	29·207	29·228	29·1867
2	29·199	29·139	29·104	28·969	28·879	28·853	29·0238
3	28·827	28·785	28·894	28·961	29·063	29·124	28·9423
4	29·162	29·177	29·176	29·094	29·070	29·112	29·1318
5	28·949	28·869	28·791	28·684	28·627	28·581	28·7502
6	28·611	28·626	28·652	28·684	28·791	28·854	28·7030
7	28·895	28·993	29·044	29·022	29·041	29·093	29·0147
8	29·117	29·142	29·165	29·107	29·091	29·093	29·1192
9	29·079	29·085	29·052	28·973	28·944	28·953	29·0143
10	28·965	28·884	28·882	28·836	28·847	28·851	28·8775
11	28·835	28·889	28·898	28·901	28·963	29·046	28·9220
12	29·074	29·135	29·151	29·133	29·199	29·250	29·1570
13	29·274	29·289	29·282	29·220	29·198	29·203	29·2443
14	29·171	29·137	29·087	29·042	29·002	29·000	29·0732
15	29·006	29·052	29·025	28·999	29·019	29·015	29·0193
16	29·008	28·963	28·924	28·841	28·762	28·764	28·8770
17	28·684	28·648	28·658	28·688	28·770	28·818	28·7110
18	28·833	28·893	28·894	28·857	28·845	28·837	28·8598
19	28·765	28·681	28·671	28·736	28·888	29·039	28·7967
20	29·086	29·150	29·167	29·074	29·093	29·076	29·1077
21	28·998	28·934	28·907	28·826	28·829	28·945	28·9060
22	28·915	28·841	28·903	29·024	29·147	29·205	29·0058
23	29·224	29·291	29·274	29·202	29·160	29·162	29·2188
24	29·153	29·186	29·189	29·137	29·130	29·126	29·1535
25	29·083	29·051	28·970	28·972	28·994	29·018	29·0147
26	29·037	29·076	29·093	29·081	29·048	29·047	29·0637
27	29·000	28·960	29·063	29·100	29·155	29·173	29·0752
28	29·180	29·205	29·211	29·142	29·101	29·066	29·1508
29	29·028	28·943	28·885	28·710	28·554	28·449	28·7615
30	28·384	28·442	28·456	28·457	28·559	28·655	28·4922
Means	28·9875	28·9878	28·9899	28·9557	28·9659	28·9879	28·9791

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of October, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	28·731	28·925	29·005	29·048	29·094	29·095	28·9830
2	29·092	29·109	29·091	29·023	29·033	29·059	29·0678
3	29·049	29·091	29·116	29·113	29·123	29·144	29·1060
4	29·129	29·234	29·232	29·192	29·188	29·213	29·1980
5	29·185	29·181	29·169	29·111	29·104	29·119	29·1448
6	29·102	29·081	29·043	28·973	28·944	28·956	29·0465
7	28·975	28·986	29·050	29·052	29·109	29·135	29·0512
8	29·152	29·215	29·241	29·254	29·298	29·316	29·2460
9	29·331	29·423	29·421	29·362	29·366	29·361	29·3773
10	29·339	29·358	29·336	29·270	29·276	29·257	29·3060
11	29·239	29·243	29·263	29·188	29·116	29·168	29·2028
12	29·153	29·158	29·140	29·096	29·122	29·093	29·1270
13	29·046	29·012	28·946	28·930	28·915	28·940	28·9648
14	28·925	28·904	28·912	28·877	28·890	28·931	28·9065
15	28·861	28·831	28·783	28·687	28·706	28·686	28·7590
16	28·678	28·690	28·743	28·749	28·813	28·863	28·7560
17	28·858	28·820	28·833	28·802	28·851	28·855	28·8365
18	28·846	28·884	28·937	28·941	28·988	29·002	28·9330
19	28·990	29·020	29·042	28·967	28·892	28·828	28·9565
20	28·579	28·684	28·799	28·803	28·781	28·837	28·7472
21	28·699	28·747	28·826	28·894	28·948	28·956	28·8450
22	28·985	29·026	29·024	28·949	28·932	28·893	28·9682
23	28·849	28·797	28·763	28·604	28·588	28·575	28·6960
24	28·575	28·629	28·718	28·781	28·889	28·931	28·7538
25	28·971	29·011	29·067	29·010	28·999	28·972	29·0050
26	28·954	28·945	28·963	28·952	28·994	29·056	28·9773
27	29·075	29·125	29·138	29·109	29·142	29·152	29·1235
28	29·145	29·123	29·125	29·061	29·071	29·065	29·0983
29	29·070	29·067	29·093	29·016	28·991	28·916	29·0255
30	28·854	28·757	28·699	28·589	28·608	28·593	28·6833
31	28·634	28·692	28·701	28·700	28·736	28·785	28·7080
Means	28·9700	28·9925	29·0071	28·9711	28·9841	28·9920	28·9861

Abstract of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of November, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	28·814	28·808	28·832	28·800	28·883	28·960	28·8495
2.	29·021	29·100	29·339	29·294	29·119	29·118	29·1652
3.	29·102	29·098	29·140	29·091	29·086	29·290	29·1345
4.	28·992	28·991	28·851	28·779	28·751	28·708	28·8303
5.	28·629	28·508	28·392	28·362	28·436	28·505	28·4737
6.	28·586	28·647	28·801	28·868	28·938	28·886	28·7877
7.	28·897	28·840	28·760	28·769	28·815	28·797	28·8130
8.	28·799	28·790	28·798	28·782	28·790	28·792	28·7918
9.	28·825	28·870	28·966	28·964	29·016	29·048	28·9482
10.	29·088	29·098	29·146	29·048	28·954	28·755	29·0148
11.	28·639	28·589	28·722	28·790	28·908	28·982	28·7717
12.	28·995	29·004	29·050	29·038	29·064	29·032	29·0305
13.	28·965	28·958	28·954	28·975	29·062	29·097	29·0018
14.	29·135	29·195	29·206	29·084	28·980	28·890	29·0817
15.	28·834	28·822	28·900	28·909	28·911	28·909	28·8808
16.	28·926	28·934	28·963	28·940	28·954	28·941	28·9430
17.	29·951	29·061	29·092	29·092	29·094	29·076	29·0610
18.	29·045	28·968	28·878	28·757	28·771	28·916	28·8892
19.	29·031	29·203	29·322	29·340	29·404	29·408	29·2847
20.	29·428	29·456	29·474	29·417	29·386	29·310	29·4118
21.	29·245	29·092	28·945	28·909	28·990	29·080	29·0435
22.	29·228	29·307	29·458	29·452	29·507	29·485	29·4078
23.	29·414	29·322	29·270	29·162	29·132	29·096	29·2327
24.	29·115	29·219	29·335	29·394	29·424	29·440	29·3212
25.	29·374	29·354	29·320	29·192	29·172	29·130	29·2570
26.	29·133	29·045	29·028	28·904	28·845	28·738	28·9488
27.	28·710	28·725	28·795	28·794	28·854	28·932	28·8017
28.	29·039	29·125	29·197	29·226	29·282	29·317	29·1977
29.	29·347	29·378	29·410	29·371	29·382	29·391	29·3798
30.	29·381	29·382	29·369	29·313	29·306	29·311	29·3437
Means	29·0236	29·0266	29·0571	29·0272	29·0405	29·0447	29·0366

ABSTRACT of Barometer, 32° Fahrenheit, at Woodstock, Ontario, for the Month of December, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·324	29·323	29·371	29·338	29·391	29·413	29·3600
2.	29·401	29·403	29·392	29·326	29·346	29·256	29·3540
3.	29·250	29·242	29·268	29·232	29·246	29·226	29·2423
4.	29·150	29·025	28·934	28·778	28·815	28·835	28·9228
5.	28·901	28·929	28·900	28·806	28·770	28·788	28·8490
6.	28·751	28·802	28·926	28·955	29·006	29·014	28·9090
7.	29·023	29·068	29·131	29·142	29·176	29·170	29·1183
8.	29·176	29·133	29·093	28·906	28·740	28·716	28·9607
9.	28·725	28·722	28·690	28·523	28·550	28·628	28·6397
10.	28·722	28·749	28·710	28·591	28·692	28·765	28·7048
11.	28·878	29·001	29·054	28·983	28·956	28·867	28·9565
12.	28·826	28·813	28·804	28·693	28·627	28·547	28·7200
13.	28·502	28·503	28·502	28·656	28·810	28·907	28·6617
14.	28·957	29·046	29·102	29·067	29·111	29·064	29·0578
15.	29·039	29·003	29·058	28·986	29·008	29·053	29·0212
16.	29·043	29·078	29·129	29·128	29·166	29·195	29·1232
17.	29·194	29·208	29·194	29·131	29·024	28·897	29·1085
18.	28·703	28·732	28·722	28·738	28·897	29·028	28·8133
19.	29·090	29·124	29·178	29·124	29·104	29·063	29·1138
20.	29·013	28·977	28·949	28·901	28·892	28·889	28·9368
21.	28·873	28·869	28·877	28·851	28·874	28·884	28·8680
22.	28·869	28·828	28·771	28·617	28·659	28·782	28·7543
23.	28·902	29·018	29·144	29·228	29·339	29·367	29·1663
24.	29·400	29·409	29·453	29·449	29·465	29·433	29·4348
25.	29·439	29·444	29·422	29·334	29·220	29·086	29·3242
26.	29·053	29·096	29·203	29·244	29·374	29·457	29·2378
27.	29·548	29·576	29·702	29·652	29·684	29·643	29·6342
28.	29·773	29·761	29·718	29·640	29·627	29·570	29·6815
29.	29·508	29·494	29·558	29·491	29·545	29·550	29·5243
30.	29·263	29·231	29·225	29·139	29·167	29·202	29·2045
31.	29·267	29·291	29·371	29·328	29·384	29·374	29·3358
Means	29·0849	29·0935	29·1168	29·0632	29·0856	29·0861	29·0884

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of January, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·419	29·482	29·582	29·606	29·612	29·579	29·5467
2	29·460	29·470	29·312	29·298	29·211	29·191	29·3237
3	29·333	29·380	29·430	29·505	29·597	29·631	29·4793
4	29·758	29·805	29·875	29·889	29·853	29·826	29·8343
5	29·873	29·928	30·014	30·042	30·134	30·135	30·0210
6	30·114	30·098	30·030	30·019	29·969	29·896	30·0210
7	29·774	29·757	29·715	29·769	29·878	29·892	29·7975
8	29·926	29·904	29·780	29·725	29·528	29·494	29·7262
9	29·394	29·406	29·497	29·529	29·659	29·679	29·5273
10	29·764	29·797	29·810	29·809	29·840	29·821	29·8068
11	29·851	29·859	29·761	29·715	29·572	29·491	29·7082
12	29·244	29·247	29·323	28·406	29·570	29·592	29·3970
13	29·633	29·635	29·636	29·647	29·677	29·663	29·6485
14	29·752	29·806	29·895	29·943	30·061	30·065	29·9203
15	30·154	30·176	30·160	30·158	30·111	30·061	30·1367
16	29·899	29·883	29·737	29·753	29·852	29·866	29·8317
17	29·886	29·906	29·844	29·834	29·836	29·814	29·8533
18	29·760	29·746	29·625	29·597	29·559	29·551	29·6397
19	29·602	29·650	29·692	29·736	29·794	29·794	29·7113
20	29·776	29·795	29·670	29·654	29·684	29·710	29·7148
21	29·724	29·742	29·788	29·804	29·867	29·870	29·7992
22	29·919	29·930	29·885	29·891	29·888	29·866	29·8965
23	29·799	29·788	29·712	29·704	29·658	29·634	29·7158
24	29·450	29·411	29·287	29·265	29·288	29·310	29·3352
25	29·431	29·485	29·549	29·585	29·678	29·688	29·5693
26	29·746	29·774	29·776	29·803	29·882	29·912	29·8155
27	29·912	29·913	29·847	29·852	29·815	29·813	29·8587
28	29·847	29·889	29·863	29·850	29·820	29·803	29·8453
29	29·749	29·774	29·740	29·748	29·782	29·798	29·7652
30	29·836	29·880	29·929	29·969	30·026	30·026	29·9443
31	29·984	29·967	29·853	29·814	29·691	29·605	29·8190
Means	29·7345	29·7511	29·7296	29·7393	29·7546	29·7444	29·7422

ABSTRACT of Barometer, 32° Fahrenheit, Toronto, Ontario, for the Month of February, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·410	29·367	29·247	29·274	29·322	29·360	29·3300
2	29·524	29·576	29·579	29·610	29·578	29·562	29·5715
3	29·488	29·489	29·323	29·305	29·300	29·295	29·3567
4	29·265	29·289	29·251	29·256	29·312	29·314	29·2812
5	29·344	29·372	29·354	29·370	29·360	29·316	29·3527
6	29·200	29·133	28·800	28·734	28·777	28·803	28·9078
7	28·983	29·043	29·151	26·225	29·407	29·454	29·2105
8	29·564	29·623	29·617	29·617	29·567	29·454	29·5637
9	29·308	29·258	29·133	29·164	28·260	29·284	29·2345
10	29·352	29·364	29·308	29·276	29·035	29·027	29·2270
11	29·196	29·240	29·391	29·450	29·625	29·678	29·4300
12	29·838	29·886	29·868	29·866	29·771	29·698	29·8212
13	29·472	29·412	29·219	29·232	29·451	29·483	29·3782
14	29·495	29·511	29·656	29·696	29·674	29·617	29·6098
15	29·426	29·400	29·391	29·476	29·674	29·706	29·5122
16	29·852	29·924	30·009	30·024	30·184	30·204	30·0328
17	30·246	30·256	30·179	30·146	30·012	29·958	30·1328
18	29·769	29·717	29·447	29·390	29·294	29·226	29·4738
19	28·999	28·991	28·835	28·901	29·073	29·111	28·9800
20	29·272	29·334	29·427	29·482	29·649	29·691	29·4758
21	29·855	29·914	29·916	29·914	29·924	29·892	29·9025
22	29·876	29·865	29·723	29·700	29·642	29·596	29·7337
23	29·500	29·466	29·337	29·346	29·434	29·452	29·4225
24	29·434	29·486	29·603	29·631	29·720	29·752	29·6043
25	28·847	29·882	29·811	29·743	29·500	29·399	29·6970
26	29·084	29·082	29·218	29·295	29·396	29·407	29·2470
27	29·393	29·386	29·239	29·197	29·163	29·162	29·2567
28	26·186	29·197	29·194	29·228	29·399	29·446	29·2750
29	29·492	29·505	29·445	29·430	29·372	29·328	29·4287
Means	29·4714	29·4806	29·4373	29·4475	29·4764	29·4716	29·4642

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of March, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·214	29·260	29·190	29·248	29·378	29·408	29·2730
2	29·520	29·575	29·633	29·685	29·777	29·784	29·6623
3	29·840	29·928	29·931	29·932	29·926	29·934	29·9152
4	29·938	29·942	29·931	29·911	29·931	29·912	29·9275
5	29·923	29·938	29·818	29·831	29·808	29·737	29·8425
6	29·617	29·633	29·418	29·416	29·394	29·325	29·4672
7	29·112	29·110	29·294	29·329	29·400	29·417	29·2770
8	29·454	29·479	29·541	29·555	29·595	29·618	29·5403
9	29·642	29·656	29·626	29·618	29·622	29·608	29·6287
10	29·528	29·537	29·465	29·458	29·523	29·497	29·5013
11	29·448	29·451	29·275	29·251	29·193	29·183	29·3002
12	29·166	29·204	29·369	29·434	29·622	29·648	29·4072
13	29·739	29·801	29·896	29·925	30·025	30·027	29·9022
14	30·048	30·098	30·107	30·116	30·113	30·081	30·0938
15	29·988	29·955	29·784	29·740	29·728	29·712	29·8178
16	29·668	29·671	29·580	29·543	29·593	29·595	29·6083
17	29·657	29·696	29·716	29·743	29·760	29·760	29·7210
18	29·796	29·832	29·768	29·761	29·672	29·618	29·7412
19	29·372	29·284	29·048	29·023	29·074	29·113	29·1523
20	29·298	29·389	29·519	29·541	29·673	29·685	29·5175
21	29·700	29·677	29·540	29·495	29·429	29·377	29·5363
22	29·602	29·749	29·951	29·988	30·074	30·106	29·9117
23	30·123	30·135	30·107	30·120	30·182	30·171	30·1397
24	30·209	30·220	30·125	30·040	29·881	29·794	30·0448
25	29·631	29·595	29·334	29·264	29·213	29·182	29·3698
26	29·159	29·170	29·295	29·366	29·544	29·566	29·3500
27	29·706	29·749	29·717	29·714	29·754	29·761	29·7335
28	29·800	29·787	29·678	29·603	29·448	29·386	29·6170
29	29·214	29·212	29·144	29·139	29·268	29·302	29·2132
30	29·383	29·394	29·492	29·532	29·677	29·699	29·5295
31	29·745	29·777	29·780	29·775	29·773	29·792	29·7737
Means	29·6205	29·6401	29·6152	29·6160	29·6468	29·6386	29·6295

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of April, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	MEANS.
	in.	in.	in.	in.	in.	in.	in.
1.	29·699	29·679	29·475	29·417	29·306	29·334	29·4850
2.	29·348	29·321	29·298	29·327	29·374	29·355	29·3372
3.	29·346	29·390	29·489	29·519	29·608	29·620	29·4953
4.	29·719	29·745	29·753	29·757	29·872	29·882	29·7880
5.	29·836	29·946	29·887	29·845	29·784	29·754	29·8587
6.	29·695	29·723	29·729	29·740	29·764	29·744	29·7325
7.	29·726	29·775	29·923	29·966	30·101	30·122	29·9355
8.	30·184	30·225	30·170	30·150	30·141	30·126	30·1660
9.	30·073	30·043	29·840	29·773	29·684	29·667	29·8467
10.	29·719	29·822	29·854	29·877	24·838	29·898	29·8303
11.	29·820	29·796	29·807	29·798	27·849	28·857	29·8255
12.	29·856	29·860	29·759	29·710	29·636	29·622	29·7405
13.	29·569	29·583	29·501	29·465	29·400	29·360	29·4797
14.	29·350	29·372	29·422	29·454	29·564	29·585	29·4578
15.	29·653	29·681	29·635	29·628	29·643	29·647	29·6478
16.	29·659	29·659	29·622	29·620	29·634	29·622	29·6360
17.	29·650	29·656	29·589	29·562	29·625	29·598	29·6138
18.	29·625	29·628	29·624	29·603	29·584	29·577	29·6068
19.	29·556	29·562	29·644	29·663	29·736	29·752	29·6522
20.	29·761	29·779	29·637	29·585	29·503	29·477	29·6222
21.	29·439	29·422	29·344	29·326	29·452	29·490	29·4112
22.	29·690	29·739	29·757	29·749	29·808	29·825	29·7613
23.	29·869	29·885	29·823	29·765	29·732	29·725	29·7968
24.	29·688	29·686	29·614	29·606	29·597	29·585	29·6293
25.	29·619	29·639	29·645	29·639	29·737	29·747	29·6710
26.	29·780	29·789	29·780	29·764	29·752	29·750	29·7692
27.	29·814	29·752	29·701	29·675	29·695	29·699	29·7227
28.	29·736	29·748	29·767	29·779	29·843	29·848	29·7868
29.	29·862	29·877	29·848	29·809	29·767	29·754	29·8180
30.	29·701	29·701	29·636	29·594	29·601	29·601	29·6385
Means	29·7047	29·7158	29·6858	29·6719	29·6877	29·6874	29·6922

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of May, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·609	29·615	29·594	29·579	29·537	29·529	29·5772
2	29·552	29·562	29·515	29·483	29·513	29·488	29·5188
3	29·514	29·525	29·551	29·544	29·600	29·600	29·5557
4	29·577	29·578	29·475	29·439	29·509	29·521	29·5165
5	29·575	29·597	29·600	29·603	29·656	29·692	29·6205
6	29·792	29·838	29·879	29·865	29·910	29·927	29·8685
7	29·943	29·977	29·937	29·909	29·857	29·827	29·9083
8	29·823	29·820	29·720	29·705	29·711	29·706	29·7475
9	29·737	29·733	29·631	29·603	29·574	29·564	29·6403
10	29·570	29·555	29·468	29·450	29·483	29·458	29·4973
11	29·472	29·488	29·488	29·455	29·504	29·525	29·4887
12	29·616	29·645	29·669	29·652	29·694	29·701	29·6628
13	29·757	29·754	29·747	29·691	29·670	29·667	29·7143
14	29·504	29·598	29·509	29·459	29·475	29·455	29·5150
15	29·584	29·649	29·666	29·678	29·746	29·749	29·6787
16	26·791	29·805	29·680	29·685	29·604	29·601	29·6943
17	29·448	29·387	29·308	29·326	29·310	29·306	29·3475
18	29·392	29·418	29·401	29·389	29·396	29·410	29·4010
19	29·512	29·536	29·581	29·600	29·721	29·723	29·6122
20	39·802	29·813	29·783	29·757	29·725	29·717	29·7662
21	29·700	29·706	29·608	29·574	29·534	29·517	29·6065
22	29·558	29·572	29·614	29·626	29·755	29·789	29·6523
23	29·910	29·933	29·932	29·914	29·884	29·867	29·9067
24	29·826	29·820	29·765	29·741	29·706	29·694	29·7587
25	29·633	29·613	29·458	29·382	29·257	29·191	29·4223
26	29·192	29·233	29·259	29·265	29·418	29·455	29·3037
27	29·532	29·563	29·603	29·606	29·577	29·518	29·5665
28	29·304	29·244	29·085	29·155	29·238	29·272	29·2163
29	29·314	29·336	29·397	29·397	29·425	29·418	29·3812
30	29·422	29·423	29·391	29·361	29·384	29·368	29·3915
31	29·400	29·448	29·476	29·490	29·570	29·584	29·4947
Means	29·5952	29·6059	29·5739	29·5607	29·5788	29·5755	29·5817

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of June, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·628	29·668	29·723	29·733	29·773	29·797	29·7203
2	29·853	29·869	24·843	29·821	29·828	28·829	29·8405
3	29·853	29·859	29·735	29·709	29·659	29·650	29·7442
4	29·639	29·673	29·626	29·614	29·658	29·649	29·6423
5	29·717	29·718	29·665	29·646	29·629	29·619	29·6657
6	29·618	29·651	29·592	29·553	29·570	29·587	29·5952
7	29·565	29·563	29·448	29·395	29·402	29·394	29·4445
8	29·344	29·336	29·213	29·200	29·190	29·158	29·2402
9	29·197	29·215	29·273	29·299	29·347	29·392	29·2822
10	29·403	29·450	29·457	29·449	29·469	29·462	29·4483
11	29·488	29·499	29·412	29·395	29·373	29·364	29·4218
12	29·373	29·365	29·296	29·279	29·320	29·339	29·3287
13	29·372	29·415	29·465	29·469	29·562	29·577	29·4767
14	29·594	29·628	29·663	29·654	29·725	29·752	29·6693
15	29·793	29·821	28·793	29·785	29·799	29·802	29·7988
16	29·787	29·799	29·746	29·723	29·696	29·689	29·7400
17	29·671	29·678	29·622	29·592	29·593	29·605	29·6268
18	29·644	29·671	29·646	29·612	29·623	29·636	29·6387
19	29·619	28·624	29·553	29·526	29·546	29·583	29·5702
20	29·586	29·601	29·563	29·532	29·520	29·568	29·5508
21	29·458	29·448	29·397	29·371	29·433	29·450	29·4262
22	29·494	29·524	29·552	29·568	29·648	29·670	29·5743
23	29·711	28·731	28·718	29·683	29·709	29·734	29·7143
24	29·694	29·714	29·699	29·700	29·727	29·732	29·7110
25	29·730	29·764	29·739	29·694	29·606	29·596	29·6882
26	29·651	29·692	29·735	29·713	29·762	29·749	29·7170
27	29·709	29·707	29·578	29·519	29·498	29·496	29·5928
28	29·272	29·240	29·222	29·357	29·357	29·370	29·3030
29	29·368	29·395	29·554	29·584	29·731	29·758	29·5650
30	29·825	29·859	29·746	29·721	29·742	29·746	29·7732
Means	29·5885	29·6059	29·5758	29·5629	29·5800	29·5809	29·5823

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of July, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·782	29·800	29·752	29·728	29·740	29·740	29·7570
2	29·749	29·748	29·654	29·622	29·656	29·656	29·6808
3	29·722	29·739	29·690	29·646	29·639	29·618	29·6757
4	29·552	29·537	29·459	29·408	29·405	29·403	29·4607
5	29·496	29·499	29·496	29·496	29·540	29·536	29·5055
6	29·511	29·501	29·446	29·440	29·552	29·567	29·5028
7	29·584	29·615	29·604	29·610	29·648	29·671	29·6220
8	29·714	29·738	29·750	29·731	29·738	29·726	29·7328
9	29·667	29·655	29·604	29·588	29·635	29·662	29·6352
10	29·658	29·680	29·689	29·685	29·713	29·713	29·6897
11	29·723	29·747	29·701	29·675	29·666	29·669	29·6968
12	29·672	29·651	29·542	29·522	29·532	29·544	29·5772
13	29·531	29·554	29·478	29·459	29·549	29·558	29·5215
14	29·607	29·631	29·554	29·507	29·408	29·341	29·5080
15	29·241	29·260	29·309	29·327	29·406	29·452	29·3325
16	29·524	29·553	29·558	29·564	29·664	29·685	29·5913
17	29·756	29·789	29·809	29·808	29·850	29·851	29·8105
18	29·917	29·936	29·877	29·863	29·792	29·809	29·8657
19	29·808	29·816	29·756	29·736	29·704	29·688	29·7513
20	29·563	29·481	29·456	29·452	29·514	29·536	29·5003
21	29·590	29·613	29·607	29·593	29·630	29·625	29·6097
22	29·589	29·573	29·449	29·410	29·474	29·503	29·4997
23	29·668	29·638	29·661	29·644	29·639	29·643	29·6388
24	29·561	29·556	29·451	29·421	29·488	29·504	29·4958
25	29·573	29·613	29·613	29·605	29·623	29·636	29·6105
26	29·660	29·660	29·589	29·558	29·488	29·452	29·5678
27	29·442	29·438	29·429	29·443	29·504	29·539	29·4658
28	29·611	29·630	29·590	29·591	29·604	29·618	29·6073
29	29·637	29·643	29·561	29·534	29·502	29·489	29·5610
30	29·439	29·421	29·400	29·426	29·580	29·638	29·4840
31	29·732	29·756	29·749	29·743	29·752	29·768	29·7500
Means	29·6190	29·6279	29·5898	29·5753	29·6011	29·6077	29·6035

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of August, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·731	29·716	29·588	29·555	29·431	29·423	29·5740
2	29·468	29·494	29·488	29·498	29·569	29·584	29·5168
3	29·616	29·634	29·562	29·549	29·536	29·548	29·5742
4	29·569	29·582	29·521	29·528	29·580	29·569	29·5582
5	29·542	29·556	29·473	29·478	29·541	29·526	29·5193
6	29·579	29·595	29·566	29·530	29·586	29·592	29·5647
7	29·617	29·631	29·622	29·586	29·634	29·635	29·6208
8	29·644	29·646	29·542	29·510	29·482	29·482	29·5510
9	29·502	29·527	29·524	29·530	29·520	29·552	29·5258
10	29·551	29·518	29·532	29·532	29·579	29·574	29·5482
11	29·596	29·624	29·604	29·586	29·608	29·636	29·6090
12	29·680	29·696	29·712	29·690	29·740	29·730	29·7080
13	29·759	29·774	29·748	29·724	29·721	29·722	29·7413
14	29·752	29·760	29·734	29·714	29·699	29·703	29·7270
15	29·712	29·720	29·654	29·614	29·575	29·544	29·6365
16	29·510	29·515	29·538	29·544	29·548	29·668	29·5538
17	29·699	29·719	29·657	29·649	29·655	29·645	29·6707
18	29·637	29·625	29·600	29·612	29·705	29·742	29·6535
19	29·825	29·909	29·895	29·892	29·921	29·904	29·8910
20	29·918	29·918	29·778	29·742	29·689	29·668	29·7855
21	29·604	29·584	29·512	29·492	29·499	29·499	29·5317
22	29·505	29·518	29·442	29·424	29·356	29·309	29·4257
23	29·314	29·359	29·434	29·464	29·566	29·583	29·4533
24	29·626	29·644	29·646	29·645	29·703	29·706	29·6617
25	29·723	29·729	29·663	29·640	29·589	29·584	29·6547
26	29·541	29·538	29·480	29·516	29·608	29·658	29·5568
27	29·741	29·777	29·799	29·809	29·906	29·915	29·8245
28	29·972	30·001	29·988	29·961	29·951	29·937	29·9683
29	29·920	29·919	29·779	29·729	29·662	29·616	29·7708
30	29·512	29·491	29·292	29·274	29·362	29·378	29·3848
31	29·450	29·478	29·497	29·533	29·669	29·694	29·5535
Means	29·6393	29·6496	29·6087	29·5984	21·6190	29·6234	29·6231

Abstract of Barometer, 32° Fahrenheit, at Toronto, Ontaria, for the Month of September, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·798	29·833	29·857	29·851	29·864	29·854	29·8428
2	29·827	29·813	29·679	29·601	29·472	29·441	29·6388
3	29·386	29·418	29·562	29·604	29·736	29·773	29·5798
4	29·830	29·864	29·807	29·761	29·729	29·687	29·7797
5	29·561	29·533	29·426	29·375	29·243	29·196	29·3890
6	29·260	29·274	29·276	29·296	29·460	29·492	29·3430
7	29·590	29·640	29·671	29·668	29·734	29·735	29·6730
8	29·809	29·831	29·810	29·788	29·771	29·755	29·7940
9	29·740	29·736	29·662	29·622	29·599	29·578	29·6562
10	29·514	29·522	29·454	29·445	29·461	29·453	29·4748
11	29·512	29·518	29·520	29·527	29·654	29·679	29·5683
12	29·769	29·791	29·813	29·807	29·920	29·936	29·8393
13	29·956	29·943	29·905	29·891	29·858	29·824	29·8962
14	29·786	29·776	29·668	29·636	29·633	29·615	29·6857
15	29·659	29·670	29·664	29·669	29·678	29·664	29·6673
16	29·638	29·634	29·534	29·496	29·418	29·369	29·5148
17	29·288	29·282	29·263	29·291	29·434	29·444	29·3337
18	29·511	29·540	29·522	29·504	29·506	29·444	29·5045
19	29·325	29·301	29·265	29·316	29·598	29·653	29·4097
20	29·792	29·820	29·733	29·702	29·662	29·650	29·7265
21	29·584	29·575	29·489	29·470	29·483	29·468	29·5115
22	29·496	29·544	29·654	29·695	29·853	29·882	29·6873
23	29·945	29·963	29·860	29·825	29·784	29·766	29·8572
24	29·781	29·808	29·761	29·767	29·786	29·755	29·7763
25	29·741	29·715	29·605	29·606	29·679	29·685	29·6718
26	29·722	29·745	29·727	29·731	29·741	29·715	29·7302
27	29·656	29·654	29·720	29·742	29·834	29·834	29·7400
28	29·884	29·896	29·865	29·840	29·787	29·729	29·8335
29	29·659	29·630	29·492	29·416	29·198	29·096	29·4152
30	29·052	29·109	29·155	29·189	29·288	29·319	29·1853
Means	29·6357	29·6459	29·6140	29·6044	29·6288	29·6164	29·6242

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of October, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·511	29·582	29·667	29·689	29·748	29·744	29·6568
2.	29·766	29·776	29·708	29·701	29·736	29·716	29·7338
3.	29·765	29·783	29·791	29·790	29·832	29·829	29·7983
4.	29·890	29·899	29·878	29·874	29·874	29·874	29·8815
5.	29·846	29·851	29·816	29·796	29·792	29·777	29·8130
6.	29·769	29·763	29·686	29·652	29·585	19·553	29·6680
7.	29·560	29·608	29·661	29·685	29·763	29·782	29·6765
8.	29·857	29·896	29·919	29·944	30·022	30·040	29·9463
9.	30·115	30·142	30·108	30·098	30·110	30·070	30·1072
10.	30·085	30·108	30·026	29·995	29·964	29·947	30·0208
11.	29·966	29·983	29·937	29·912	29·896	29·874	29·9280
12.	29·858	29·884	29·837	29·816	29·775	29·736	29·8177
13.	29·690	29·695	29·585	29·547	29·528	29·514	29·5932
14.	29·516	29·539	29·511	29·510	29·517	29·497	29·5150
15.	29·470	29·469	29·348	29·302	29·301	29·299	29·3648
16.	29·325	29·345	29·395	29·413	29·496	29·480	29·4090
17.	29·479	29·518	29·497	29·495	29·524	29·514	29·5078
18.	29·546	29·573	29·597	29·606	29·663	29·653	29·6063
19.	29·669	29·699	29·647	29·645	29·527	29·445	29·6053
20.	29·251	29·364	29·469	29·470	29·469	29·403	29·4043
21.	29·373	29·420	29·514	29·551	29·626	29·625	29·5182
22.	29·663	29·698	29·629	29·619	29·579	29·533	29·6202
23.	29·458	29·461	29·322	29·278	29·232	29·196	29·3245
24.	29·244	29·284	29·383	29·443	29·593	29·619	29·4277
25.	29·696	29·732	29·704	29·656	29·668	29·658	29·6923
26.	29·609	29·613	29·596	29·603	29·689	29·719	29·6367
27.	29·782	29·811	29·787	29·790	29·822	29·832	29·8040
28.	29·841	29·842	29·759	29·763	29·746	29·726	29·7795
29.	29·728	28·749	29·690	29·664	29·616	29·576	26·6705
30.	29·467	29·461	29·287	29·247	29·283	29·347	29·3487
31.	29·398	29·396	29·367	29·386	29·453	29·465	29·4108
Means.	29·6520	29·6756	29·6491	29·6445	29·6590	29·6463	29·6544

Abstract of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of November, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·496	29·501	29·463	29·486	29·618	29·670	29·5390
2	29·772	29·820	29·824	29·840	29·836	29·849	29·8235
3	29·816	29·824	29·807	29·802	29·749	29·731	29·7882
4	29·621	29·602	29·496	29·478	29·412	29·370	29·4965
5	29·236	29·187	28·992	29·014	29·138	29·156	29·1205
6	29·238	29·296	29·438	29·500	29·614	29·617	29·4505
7	29·573	29·533	29·380	29·394	29·481	29·485	29·4743
8	29·468	29·470	29·432	29·442	29·474	29·488	29·4623
9	29·558	29·577	29·611	29·650	25·729	29·769	29·6490
10	29·839	29·862	29·784	29·768	29·578	29·500	29·7218
11	29·285	29·282	29·448	29·515	29·625	29·632	29·4645
12	29·672	29·714	29·696	29·696	29·715	29·678	29·6952
13	29·603	29·589	29·570	29·620	29·737	29·774	29·6488
14	29·864	29·910	29·784	29·724	29·549	29·529	29·7267
15	29·472	29·534	29·527	29·554	29·605	29·604	29·5493
16	29·610	29·590	29·551	29·549	29·565	29·574	29·5732
17	29·615	29·678	29·761	29·776	29·802	29·792	29·7373
18	29·682	29·647	29·387	29·354	29·506	29·580	29·5260
19	29·833	29·920	30·029	30·077	30·132	30·142	30·0222
20	30·157	30·171	30·125	30·110	30·060	30·004	30·1045
21	29·815	29·747	29·586	29·584	29·728	29·794	29·7090
22	29·990	30·047	30·164	30·198	30·218	30·228	30·1408
23	30·083	30·053	29·876	29·831	29·742	29·732	29·8862
24	29·819	29·905	30·057	30·100	30·146	30·132	30·0265
25	30·053	30·027	29·975	29·931	29·819	29·805	29·9350
26	29·726	29·718	29·587	29·560	29·426	29·394	29·5685
27	29·328	29·376	29·429	29·457	29·509	29·583	29·4470
28	29·776	29·826	29·870	29·901	29·979	29·992	29·8907
29	30·060	30·081	30·037	30·058	30·068	30·064	30·0613
30	30·032	30·037	29·973	29·991	29·964	29·969	29·9943
Means	29·7031	29·7175	29·6886	29·6987	29·7175	29·7212	29·7078

ABSTRACT of Barometer, 32° Fahrenheit, at Toronto, Ontario, for the Month of December, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·998	30·013	29·997	30·039	30·095	30·105	30·0412
2	30·102	30·118	30·030	30·000	29·973	29·970	30·0322
3	29·921	29·941	29·889	29·901	29·910	29·906	29·9113
4	29·754	29·714	29·490	29·463	29·485	29·502	29·5680
5	29·595	29·628	29·534	29·503	29·440	29·400	29·5167
6	29·418	29·474	29·614	29·662	29·700	29·704	29·5953
7	29·723	29·769	29·818	29·834	29·846	29·862	29·8087
8	29·819	29·811	29·664	29·585	29·409	29·370	29·6097
9	29·345	29·323	29·167	29·127	29·185	29·246	29·2322
10	29·378	29·380	29·282	29·261	29·374	29·454	29·3548
11	29·624	29·669	29·643	29·625	29·569	29·532	29·6103
12	29·474	29·480	29·378	29·348	29·241	29·182	29·3505
13	29·127	29·139	29·263	29·342	29·534	29·574	29·3298
14	29·721	29·789	29·810	29·824	29·838	29·834	29·8027
15	29·814	29·806	29·709	29·753	29·758	29·753	29·7655
16	29·767	29·811	29·811	29·835	29·893	29·887	29·8340
17	29·915	29·921	29·842	29·827	29·666	29·594	29·7942
18	29·425	29·403	29·329	29·351	29·580	29·664	29·4587
19	29·801	29·836	29·812	29·810	29·744	29·731	29·7890
20	29·656	29·631	29·552	29·556	29·560	29·566	29·5868
21	29·585	29·589	29·532	29·552	29·590	29·592	29·5733
22	29·555	29·552	29·415	29·392	29·461	29·501	29·4793
23	29·687	29·772	29·903	29·948	30·064	30·066	29·9067
24	30·125	30·154	30·137	30·118	30·103	30·115	30·1253
25	30·108	30·088	29·970	29·946	29·768	29·742	29·9370
26	29·729	29·767	29·889	29·964	30·175	30·221	29·9575
27	30·326	30·367	30·409	30·422	30·396	30·362	30·3803
28	30·306	30·296	30·135	30·098	29·976	29·952	30·1272
29	29·909	29·946	29·937	29·944	29·974	29·956	29·9443
30	29·904	29·898	29·751	29·780	29·838	29·874	29·8408
31	29·986	30·040	30·072	30·072	30·126	30·128	30·0767
Means	29·7612	29·7782	29·7350	29·7393	29·7507	29·7571	29·7529

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of January, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·248	29·317	29·401	29·461	29·591	29·694	29·4520
2	29·805	29·779	29·747	29·632	29·542	29·385	29·6483
3	29·308	29·225	29·270	29·295	29·391	29·502	29·3318
4	29·654	29·742	29·818	29·847	29·953	29·995	29·8348
5							
6	30·343	30·422	30·422	30·424	30·432	30·391	30·4057
7	30·376	30·300	30·189	30·095	30·063	30·039	30·1770
8	30·068	30·095	30·086	30·009	29·979	29·941	30·0297
9	29·881	29·853	29·837	29·822	29·861	29·882	29·8560
10	29·944	29·990	30·006	30·010	30·053	30·069	30·0120
11	30·077	30·085	30·081	30·018	30·006	29·951	30·0363
12							
13	29·668	29·700	29·753	29·745	29·766	29·888	29·7548
14	29·792	29·795	29·837	29·880	29·969	30·012	29·8808
15	30·083	30·147	30·229	30·228	30·285	30·274	30·2077
16	30·276	30·212	30·108	29·900	29·925	29·944	30·0608
17	30·022	30·123	30·192	30·125	30·090	30·075	30·1045
18	30·033	30·031	29·983	29·923	29·935	29·930	29·9725
19							
20	30·141	30·133	30·099	30·003	29·951	29·901	30·0380
21	29·885	29·869	29·893	29·894	29·958	30·000	29·9165
22	30·036	30·122	30·166	30·168	30·228	30·239	30·1598
23	30·238	30·291	30·260	30·211	30·199	30·158	30·2262
24	30·071	30·037	29·975	29·829	29·751	29·704	29·8945
25	29·698	29·725	29·782	29·794	29·845	29·853	29·7828
26							
27	29·852	29·858	29·870	29·801	29·831	29·831	29·8405
28	29·928	30·001	30·063	30·033	30·081	30·112	30·0363
29	30·132	30·145	30·136	30·055	30·041	30·091	30·0850
30	29·993	30·027	30·040	30·063	30·141	30·237	30·0835
31	30·273	30·293	30·315	30·238	30·148	30·031	30·2163
Means	29·9565	29·9747	29·9836	29·9446	29·9636	29·9644	29·9646

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of February, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·934	29·775	29·600	29·390	29·275	29·244	29·5363
2							
3	29·834	29·883	29·814	29·747	29·653	29·677	29·7680
4	29·683	29·689	29·680	29·648	29·670	29·683	29·6755
5	29·702	29·679	29·696	29·644	29·691	29·689	29·6835
6	29·707	29·625	29·533	29·275	29·000	28·727	29·3112
7	28·580	28·724	28·854	28·918	29·080	29·213	28·8948
8	29·450	29·573	29·684	29·736	29·776	29·761	29·6633
9							
10	29·245	29·319	29·401	29·427	29·420	29·376	29·3647
11	29·231	29·082	29·097	29·136	29·265	29·431	29·2070
12	29·630	29·780	29·881	29·923	30·009	30·010	29·8722
13	30·009	29·905	29·783	29·590	29·432	29·317	29·6727
14	29·401	29·507	29·560	29·560	29·730	29·853	29·6018
15	29·911	29·851	29·777	29·683	29·733	29·799	29·7923
16							
17	30·270	30·323	30·356	30·324	30·302	30·284	30·3098
18	30·256	30·169	30·073	29·910	29·811	29·657	29·9793
19	29·551	29·437	29·376	29·236	29·197	29·143	29·3230
20	29·117	29·108	29·149	29·236	29·337	29·496	29·2405
21	29·626	29·758	29·823	29·843	29·929	29·955	29·8220
22	29·963	29·902	29·805	29·731	29·758	29·723	29·8137
23							
24	29·343	29·336	29·422	29·554	29·686	29·731	29·5120
25	29·833	29·861	29·875	29·818	29·809	29·757	29·8255
26	29·712	29·620	29·599	29·535	29·626	29·570	29·6103
27	29·657	29·682	29·683	29·632	29·597	29·524	29·6292
28	29·487	29·470	29·473	29·468	29·480	29·526	29·4840
29	29·657	29·670	29·674	29·626	29·608	29·561	29·6327
Means	29·6317	29·6291	29·6267	29·5836	29·5950	29·5883	29·6091

Abstract of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of March, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1..							
2..	29·375	29·447	29·506	29·526	29·542	29·532	29·4880
3..	29·552	29·611	29·690	29·740	29·798	29·815	29·7010
4..	29·836	29·835	29·755	29·664	29·727	29·749	29·7610
5..	29·783	29·792	29·787	29·771	29·845	29·849	29·8045
6..	29·872	29·889	29·899	29·796	29·694	29·662	29·8020
7..	29·582	29·442	29·257	29·066	29·156	29·199	29·2837
8..							
9..	29·511	29·583	29·570	29·568	29·620	29·642	29·5823
10..	29·681	29·663	29·683	29·627	29·646	29·688	29·6647
11..	29·732	29·765	29·733	29·591	29·472	29·301	29·5990
12..	29·170	29·027	29·060	29·172	29·397	29·594	29·2367
13..	29·747	29·849	29·919	29·966	30·061	30·101	29·9405
14..	30·148	30·188	30·204	30·139	30·165	30·186	30·1717
15..							
16..	29·947	29·947	29·889	29·810	29·749	29·679	29·8768
17..	29·616	29·638	29·687	29·721	29·806	29·870	29·7230
18..	29·945	29·986	30·015	29·985	30·002	29·968	29·9835
19..	29·915	29·819	29·669	29·405	29·186	28·980	29·4957
20..	28·830	28·849	29·015	29·240	29·426	29·571	29·1552
21..	29·718	29·798	29·828	29·784	29·724	29·611	29·7438
22..							
23..	30·347	30·413	30·390	30·330	30·337	30·348	30·3608
24..	30·397	30·430	30·434	30·329	30·243	30·147	30·3300
25..	29·973	29·863	29·753	29·589	29·478	29·429	29·6808
26..	29·383	29·345	29·333	29·240	29·211	29·281	29·2988
27..	29·322	29·436	29·483	29·517	29·647	29·720	29·5208
28..	29·827	29·955	29·998	29·993	29·969	29·952	29·9490
29..							
30..	29·535	29·537	29·545	29·561	29·599	29·673	29·5750
31..	29·745	29·776	29·803	29·840	29·939	30·032	29·8558
Means	29·7111	29·7263	29·7271	29·6912	29·7092	29·7146	29·7133

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of April, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·057	30·055	30·033	30·014	29·814	29·658	29·9385
2	29·517	29·468	29·454	29·411	29·403	29·370	29·4372
3	29·297	29·249	29·206	29·219	29·275	29·343	29·2648
4	29·423	29·490	29·520	29·583	29·705	29·770	29·5818
5							
6	29·945	29·931	29·900	29·875	26·893	29·885	29·9048
7	29·925	29·967	30·043	30·078	30·158	30·206	30·0628
8	30·289	30·344	30·369	30·318	30·324	30·326	30·3283
9	30·309	30·317	30·279	30·177	30·100	30·051	30·2055
10	30·058	30·104	30·069	30·039	30·033	30·003	30·0510
11	30·022	29·997	29·977	29·934	29·975	30·013	29·9863
12							
13	29·713	29·710	29·706	29·697	29·727	29·725	29·7130
14	29·685	29·608	29·563	29·553	29·578	29·666	29·6088
15	29·756	29·793	29·834	29·806	29·797	29·793	29·7965
16	29·823	29·826	29·789	29·713	29·731	29·815	29·7828
17	29·847	29·870	29·832	29·754	29·715	29·706	29·7873
18	29·711	29·772	29·814	29·836	29·854	29·832	29·8085
19							
20	29·824	29·814	29·744	29·667	29·647	29·723	29·7365
21	29·783	29·770	29·719	29·603	29·584	29·553	29·6653
22	29·583	29·721	29·789	29·789	29·795	29·816	29·7188
23	29·886	29·887	29·856	29·832	29·910	29·961	29·8887
24	30·004	30·028	29·999	29·934	29·918	29·911	29·9657
25	29·911	29·918	29·893	29·853	29·876	29·874	29·8875
26							
27	30·052	30·083	30·068	29·991	29·970	29·960	30·0207
28	29·993	29·971	29·959	29·951	29·990	30·040	29·9840
29	30·099	30·148	30·124	30·058	30·042	30·079	30·0917
30	30·099	30·119	30·079	29·993	29·953	29·957	30·0333
Means	29·8697	29·8831	29·8715	28·8337	29·8372	29·8468	29·8570

Abstract of Barometer, 32 Fahrenheit, at Montreal, Quebec, for the Month of May, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·970	29·968	29·915	29·843	29·817	29·824	29·8895
2.	29·862	29·872	29·835	29·771	29·746	29·768	29·8090
3.							
4.	29·651	29·662	29·672	29·625	29·585	29·566	29·6268
5.	29·555	29·581	29·559	29·664	29·728	29·894	29·6702
6.	29·992	30·048	30·095	30·082	30·094	30·155	30·0777
7.	30·163	30·196	30·194	30·096	30·008	30·008	30·1108
8.	30·056	30·051	29·937	29·854	29·819	29·803	29·9200
9.	29·759	29·724	29·693	29·593	29·520	29·508	29·6328
10.							
11.	29·578	29·615	29·603	29·554	29·585	29·698	29·6055
12.	29·714	29·780	29·784	29·717	29·752	29·840	29·7645
13.	29·931	30·020	30·014	29·922	29·878	29·892	29·9428
14.	29·868	29·868	29·818	29·727	29·645	29·672	29·7663
15.	29·682	29·724	29·721	29·689	29·691	29·761	29·7113
16.	29·780	29·817	29·798	29·740	29·760	29·767	29·7770
17.							
18.	29·296	29·366	29·453	29·441	29·489	29·555	29·4333
19.	29·560	29·659	29·683	29·677	29·767	29·871	29·7028
20.	29·928	30·044	30·036	29·992	29·952	29·973	29·9875
21.	29·892	30·000	29·930	29·812	29·736	29·702	29·8453
22.	29·665	29·643	29·629	29·670	29·753	29·868	29·7063
23.	29·994	30·100	30·132	30·094	30·073	30·112	30·0842
24.							
25.	29·952	29·923	29·868	29·661	29·663	29·563	29·7717
26.	29·457	29·431	29·335	29·303	29·332	29·403	29·3768
27.	29·478	29·620	29·656	29·696	29·758	29·820	29·6713
28.	29·862	29·839	29·750	29·618	29·537	29·519	29·6875
29.	29·502	29·507	29·524	29·550	29·569	29·543	29·5325
30.	29·538	29·533	29·554	29·555	29·563	29·560	29·5505
31.							
Means	29·7571	29·7920	29·7768	29·7287	29·7238	29·7556	29·7557

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of June, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·594	29·661	29·648	29·693	29·743	29·805	29·6907
2	29·829	29·905	29·874	29·873	29·897	29·917	29·8825
3	29·923	29·948	29·918	29·852	29·850	29·835	29·8877
4	29·837	29·875	29·834	29·802	29·766	29·802	29·8193
5	29·849	29·888	29·854	29·806	29·789	29·789	29·8292
6	29·829	29·868	29·843	29·779	29·773	29·813	29·8175
7							
8	29·636	29·615	29·570	29·525	29·461	29·445	29·5420
9	29·400	29·388	29·428	29·437	29·442	29·467	29·4270
10	29·471	29·461	29·431	29·361	29·437	29·467	29·4380
11	29·390	29·378	29·362	29·281	29·329	29·349	29·3482
12	29·392	29·397	29·435	29·451	29·485	29·585	29·4575
13	29·614	29·647	29·718	29·700	29·730	29·790	29·6998
14							
15	29·985	30·010	30·001	29·960	29·948	29·955	29·9765
16	29·984	29·982	29·937	29·892	29·862	29·860	29·9195
17	29·867	29·857	29·801	29·722	29·704	29·710	29·7768
18	29·731	29·730	29·725	29·653	29·659	29·712	29·7016
19	29·756	29·750	29·725	29·672	29·618	29·625	29·6910
20	29·639	29·677	29·682	29·667	29·675	29·672	29·6686
21							
22	29·415	29·448	29·487	29·539	29·609	29·733	29·5385
23	29·800	29·859	29·846	29·850	29·836	29·894	29·8475
24	29·998	30·003	30·050	30·032	30·024	30·012	30·0248
25	30·047	30·066	30·026	29·964	29·921	29·866	29·9816
26	29·766	29·653	29·649	29·675	29·727	29·752	29·7037
27	29·760	29·840	29·793	29·730	29·647	29·594	29·7273
28							
29	29·379	29·418	29·366	29·519	29·646	29·723	29·5085
30	29·845	29·955	29·912	29·840	29·792	29·792	29·8560
Means	29·7206	29·7415	29·7275	29·7029	29·7065	29·7297	29·7215

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	In.	in.	in.	in.	in.
1	29·810	29·932	29·928	29·915	29·895	29·877	29·8928
2	29·898	29·860	29·834	29·716	29·697	29·863	29·8113
3	29·945	30·016	29·934	29·958	29·924	29·878	29·9425
4	29·917	29·834	29·770	29·708	29·640	29·555	29·7373
5							
6	29·739	29·777	29·752	29·692	29·667	29·650	29·7128
7	29·650	29·658	29·659	29·673	39·674	29·691	29·6675
8	29·689	29·765	29·819	29·834	29·867	29·922	29·8160
9	29·954	30·004	29·966	29·956	39·930	29·882	29·9486
10	29·888	29·924	29·902	29·851	29·793	29·784	29·8570
11	29·798	29·788	29·770	29·748	29·692	29·693	29·7482
12							
13	29·612	29·636	29·624	29·588	29·509	29·634	39·6005
14	29·679	29·742	29·744	29·709	29·649	29·620	29·6905
15	29·530	29·381	29·323	29·267	29·346	29·458	29·3842
16	29·492	29·513	29·539	29·590	29·647	29·700	29·5802
17	29·768	29·846	29·880	29·921	29·921	30·004	29·8900
18	30·079	30·118	30·119	30·089	30·044	30·048	30·0828
19							
20	29·873	29·844	29·863	29·767	29·689	29·607	29·7738
21	29·644	29·697	29·711	29·699	29·745	29·787	29·7138
22	29·801	29·794	29·721	29·598	29·493	29·396	29·6338
23	29·440	29·528	20·556	29·629	29·684	29·716	29·5922
24	29·731	29·712	29·685	29·632	29·582	29·592	29·6557
25	29·580	29·614	29·647	29·651	29·675	29·707	29·6456
26							
27	29·669	29·627	29·592	29·563	29·571	29·615	29·6062
28	29·679	29·765	29·770	29·754	29·738	29·738	29·7407
29	29·771	29·805	29·789	29·725	29·668	29·616	29·7290
30	29·610	29·594	29·516	29·445	29·482	29·601	29·5413
31	29·709	29·771	29·784	29·806	29·854	29·901	29·8042
Means	29·7391	29·7609	29·7480	29·7216	29·7065	29·7235	29·7333

ABSTRACT of Barometer, 32° Farenheit, at Montreal, Quebec, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·928	29·938	29·880	29·724	29·682	29·623	29·7958
2							
3	29·700	29·739	29·741	29·675	29·649	29·636	29·6900
4	29·572	29·638	29·655	29·642	29·650	29·739	29·6493
5	29·772	29·771	29·778	29·772	29·774	29·743	29·7683
6	29·755	29·783	29·782	29·744	29·741	29·751	29·7593
7	29·735	29·736	29·735	29·689	29·667	29·720	29·7137
8	29·773	29·792	29·776	29·702	29·688	29·647	29·7297
9							
10	29·692	29·687	29·612	29·632	19·616	29·672	29·6518
11	29·656	29·703	29·701	29·679	29·685	29·719	29·6905
12	29·736	29·783	29·779	29·772	29·783	29·863	29·7860
13	20·914	29·933	29·880	29·851	29·801	29·811	29·8650
14	29·866	29·906	29·868	29·840	29·836	29·867	29·8638
15	29·894	29·936	29·900	29·855	29·807	29·771	29·8605
16							
17	29·690	29·736	29·744	29·703	29·705	29·687	29·7108
18	29·712	29·753	29·736	29·691	29·768	29·781	29·7402
19	29·833	29·918	29·947	29·904	29·961	29·974	29·9228
20	29·980	30·007	29·982	29·892	29·866	29·868	29·9325
21	29·855	29·834	29·776	28·715	29·705	29·693	29·7630
22	29·738	29·738	29·727	29·725	29·710	29·680	29·7197
23							
24	29·680	29·709	29·693	29·694	29·751	29·850	29·7295
25	29·883	29·942	29·937	29·878	29·848	29·816	29·8840
26	29·828	29·834	29·792	29·712	29·662	29·647	29·7458
27	29·686	29·777	29·857	29·869	29·912	29·944	29·8408
28	29·993	30·039	30·062	30·039	30·058	30·095	30·0477
29	30·092	30·092	30·046	29·938	29·865	29·832	29·9775
30							
31	29·446	29·506	29·569	29·569	29·665	29·695	29·5733
Means	29·7850	29·8166	29·8060	29·7656	29·7630	29·7630	29·7852

ABSTRACT of Barometer, 32 Fahrenheit, at Montreal, Quebec, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·771	29·843	29·893	29·906	29·970	30·030	29·9022
2	30·058	30·094	30·040	29·915	29·836	29·743	29·9477
3	29·567	29·509	29·505	29·543	29·650	29·768	29·5903
4	29·841	29·920	29·950	29·930	29·945	29·997	29·9305
5	29·983	30·000	29·941	29·836	29·800	29·754	29·8857
6							
7	29·589	29·683	29·753	29·798	29·858	29·914	29·7658
8	29·963	30·023	29·040	29·994	29·971	29·976	29·9945
9	29·983	29·958	29·930	29·832	29·806	29·761	29·8783
10	29·655	29·716	29·670	29·623	29·609	29·613	29·6477
11	29·627	29·664	29·700	29·684	29·732	29·767	29·6957
12	29·851	29·903	29·991	30·009	30·084	30·108	29·9910
13							
14	29·968	29·951	29·866	29·775	29·720	29·709	29·8315
15	29·724	29·755	29·769	29·775	29·822	29·850	29·7792
16	29·843	29·826	29·793	29·703	29·654	29·620	29·7398
17	29·542	29·522	29·469	29·401	29·321	29·391	29·4410
18	29·544	29·621	29·674	29·666	29·671	29·633	29·6348
19	29·584	29·513	29·375	29·289	29·310	29·414	29·4142
20							
21	29·721	29·709	29·676	29·616	29·635	29·624	29·6635
22	29·619	29·679	29·698	29·708	29·798	29·871	29·7288
23	29·921	30·009	30·011	29·933	29·895	29·864	29·9388
24	29·804	29·839	29·885	29·894	29·976	30·002	29·9000
25	30·032	30·021	29·963	29·872	29·864	29·872	29·9373
26	29·904	29·928	29·923	29·882	29·908	29·882	29·9045
27							
28	29·990	30·088	30·081	30·036	30·028	30·015	30·0397
29	30·018	30·006	29·965	29·868	29·813	29·715	29·8975
30	29·578	29·388	29·351	29·331	29·411	29·457	29·4193
Means	29·7954	29·8142	29·8043	29·7615	29·7726	29·7827	29·7884

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of October, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·487	29·527	29·577	29·634	29·772	29·784	29·6302
2	29·843	29·881	29·909	29·909	29·934	29·881	29·8928
3	29·901	29·942	29·964	29·948	29·989	30·019	29·9605
4							
5	30·061	30·064	30·042	29·982	29·962	29·940	30·0085
6	29·929	29·937	29·933	29·883	29·837	29·776	29·8825
7	29·723	29·650	29·604	29·586	29·615	29·645	29·6372
8	29·690	29·778	29·862	29·916	30·004	30·083	29·8888
9	30·163	30·234	30·275	30·252	30·287	30·335	30·2577
10	30·370	30·413	30·416	30·352	30·324	30·270	30·3575
11							
12	30·172	30·182	30·178	30·073	30·068	30·001	30·1123
13	29·966	29·925	29·857	29·738	29·698	29·608	29·7987
14	29·618	29·612	29·622	29·594	29·640	29·590	29·6127
15	29·577	29·586	29·554	29·451	29·425	29·383	29·4960
16	29·364	29·350	29·332	29·356	29·470	29·528	29·4000
17	29·607	29·686	29·747	29·750	29·795	29·801	29·7310
18							
19	29·645	29·705	29·743	29·791	29·848	29·857	29·7648
20	29·802	29·688	29·566	29·605	29·696	29·739	29·6827
21	29·660	29·516	29·474	29·541	29·615	29·632	29·5730
22	29·655	29·715	29·747	29·716	29·731	29·724	29·7147
23	29·712	29·671	29·640	29·504	29·460	29·369	29·5593
24	29·341	29·346	29·319	29·338	29·404	29·528	29·3793
25							
26	29·857	29·799	29·758	29·700	29·742	29·782	29·7697
27	29·887	29·962	29·979	29·984	30·063	30·144	30·0032
28	30·166	30·193	30·187	30·114	30·058	29·997	30·1192
29	29·959	29·931	29·896	29·880	29·887	29·868	29·9035
30	29·870	29·842	29·746	29·531	29·582	29·628	29·6998
31	29·543	29·543	29·585	29·600	29·620	29·622	29·5855
Means	29·7988	29·8029	29·7960	29·7677	29·7973	29·7976	29·7934

Abstract of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of November, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1							
2	29·797	29·792	29·874	29·934	29·997	30·066	29·9100
3	30·125	30·178	30·186	30·141	30·142	30·109	30·1468
4	30·085	30·039	29·961	29·876	29·829	29·752	29·9237
5	29·723	29·608	29·515	29·357	29·215	29·233	29·4418
6	29·342	29·361	29·352	29·351	29·443	29·540	29·3982
7	29·642	29·699	29·710	29·660	29·636	29·570	29·6728
8							
9	29·65[illegible]	29·688	29·687	29·701	29·777	29·847	29·7258
10	29·985	30·041	30·093	30·076	30·115	30·040	30·0583
11	29·916	29·731	29·534	29·457	29·580	29·656	29·6457
12	29·735	29·744	29·748	29·726	29·755	29·795	29·7505
13	29·800	29·791	29·772	29·719	29·775	29·785	29·7737
14	29·845	29·921	29·965	29·931	29·920	29·799	29·8968
15							
16	29·951	29·931	29·917	29·825	29·773	29·673	29·8450
17	29·636	29·635	29·773	29·920	30·082	30·132	29·8630
18	30·122	30·007	29·840	29·587	29·415	29·369	29·7233
19	29·625	29·823	29·948	30·059	30·168	30·229	28·9753
20	30·312	30·393	30·426	30·382	30·371	30·330	30·3690
21	30·280	30·203	30·058	29·881	29·796	29·802	30·0033
22							
23	30·542	30·535	30·446	30·236	30·120	29·968	30·3078
24	29·891	29·868	29·953	30·099	30·250	30·462	30·0872
25	30·383	30·443	30·441	30·370	30·326	30·210	30·3622
26	30·037	30·007	29·965	29·895	29·851	29·765	29·9200
27	29·709	29·623	29·580	29·603	29·653	29·576	29·6247
28	29·593	29·793	29·900	29·930	29·993	30·005	29·8690
29							
30	30·154	30·124	30·087	30·014	30·026	29·994	30·0665
Means	29·9154	29·9191	29·9092	29·8692	29·8803	29·8683	29·8936

ABSTRACT of Barometer, 32° Fahrenheit, at Montreal, Quebec, for the Month of December, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·013	30·053	30·102	30·085	30·142	30·218	30·1022
2	30·327	30·389	30·399	30·316	30·291	30·246	30·3280
3	30·178	30·146	30·093	30·010	30·003	30·075	30·0842
4	30·111	30·107	30·074	29·885	29·750	29·676	29·9338
5	29·655	29·693	29·789	29·828	29·872	29·839	29·7793
6							
7	29·856	29·881	29·921	29·937	30·011	30·014	29·9367
8	30·045	30·062	30·015	29·949	29·856	29·682	29·9348
9	29·478	29·310	29·302	29·246	29·194	29·152	29·2803
10	29·252	29·356	29·427	29·480	29·556	29·610	29·4468
11	29·701	29·797	29·879	29·855	29·827	29·726	29·7975
12	29·719	29·716	29·729	29·674	29·632	29·583	29·6680
13							
14	29·644	29·831	29·949	29·975	30·077	30·116	29·9320
15	30·189	30·179	30·170	30·057	30·083	30·049	30·1212
16	29·988	29·954	29·971	29·948	29·985	30·003	29·9748
17	30·045	30·076	30·105	30·069	30·059	30·015	30·0615
18	29·980	29·877	29·748	29·593	29·518	29·395	29·6852
19	29·377	29·595	29·742	29·806	29·875	29·871	29·7110
20							
21	29·834	29·834	29·835	29·780	29·796	29·795	29·8123
22	29·817	29·829	29·833	29·829	29·837	29·777	29·8203
23	29·899	29·905	29·961	29·964	30·040	30·091	29·9767
24	30·149	30·171	30·174	30·142	30·172	30·153	30·1602
25	30·177	30·218	30·236	30·103	29·985	29·827	30·0910
26	29·734	29·669	29·753	29·947	30·232	30·366	29·9502
27							
28	30·611	30·568	30·491	30·351	30·289	30·201	30·4185
29	30·099	30·053	30·059	30·076	30·118	30·129	30·0890
30	30·112	30·059	29·953	29·792	29·758	29·755	29·9082
31	29·987	30·186	30·328	30·351	30·426	30·465	30·2905
Means	29·9251	29·9450	29·9644	29·9277	29·9401	29·9203	29·8371

Abstract of Barometer, 32 Fahrenheit, at St. John, New Brunswick, for the Month of January, 1896.

Day.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·510	29·514	29·484	29·448	29·506	29·626	29·515
2	29·766	29·864	29·953	29·961	29·946	29·832	29·887
3	29·653	29·534	29·369	29·263	29·291	29·316	29·404
4	29·325	29·378	29·477	29·551	29·690	29·816	29·539
5	29·884	29·939	29·982	29·993	30·098	30·173	30·011
6	30·194	30·259	30·196	30·172	30·241	30·269	30·222
7	30·274	30·209	30·120	30·032	30·001	29·967	30·101
8	29·978	29·975	29·897	29·883	29·839	29·975	29·924
9	30·014	30·069	30·070	30·065	30·137	30·137	30·082
10	30·145	39·151	30·130	30·056	30·054	30·057	30·099
11	30·017	30·027	29·980	29·941	29·936	29·927	29·971
12	29·924	29·924	29·945	29·924	29·930	29·898	29·924
13	29·857	29·760	29·765	29·842	29·916	29·948	29·848
14	29·910	29·900	29·862	29·807	29·814	29·835	29·854
15	29·860	29·918	29·947	30·038	30·154	30·260	30·029
16	30·307	30·399	30·368	30·300	30·171	30·075	30·270
17	30·120	30·200	30·248	30·311	30·331	30·330	30·257
18	30·253	30·202	30·116	30·007	30·007	29·912	30·083
19	30·039	30·092	30·146	30·200	30·286	30·351	30·186
20	30·364	30·367	30·326	30·220	30·216	30·173	36·278
21	30·109	30·100	30·069	30·010	30·052	30·077	30·069
22	30·067	30·104	30·132	30·124	30·221	36·275	30·154
23	30·302	30·340	30·355	30·327	30·362	30·426	30·352
24	30·427	30·404	30·359	30·259	30·236	30·186	30·312
25	30·237	30·114	30·069	30·020	30·075	30·089	30·101
26	30·060	30·033	29·980	29·871	29·845	29·806	29·932
27	29·775	29·709	29·662	29·549	29·549	29·567	29·635
28	29·670	29·736	29·802	29·813	29·894	29·994	29·818
29	30·022	30·034	30·126	30·093	30·110	30·146	30·089
30	30·097	30·073	29·989	29·868	29·932	30·034	29·999
31	30·095	30·187	30·243	30·238	30·298	30·332	30·232
Means.	30·008	30·017	30·005	29·974	30·004	30·026	30·006

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of February, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·301	30·216	30·102	29·929	29·776	29·604	29·988
2	29·397	29·263	29·147	39·164	29·385	29·578	29·322
3	29·720	29·799	29·860	29·810	29·879	29·895	28·827
4	29·868	29·959	29·947	29·898	29·952	29·994	29·936
5	29·977	30·035	29·991	30·004	30·078	30·078	30·027
6	30·078	30·100	30·073	29·873	29·628	29·321	29·846
7	28·922	28·903	28·823	28·774	28·926	29·066	28·902
8	29·208	29·325	59·484	29·574	29·736	29·814	29·523
9	29·887	29·901	29·708	29·541	29·267	28·946	29·533
10	28·579	28·989	29·081	29·144	29·296	29·380	29·078
11	29·410	29·408	29·290	29·069	29·114	29·240	29·255
12	29·315	29·422	29·540	29·612	29·708	29·900	29·583
13	29·978	30·061	30·033	29·928	29·793	29·511	29·884
14	24·325	29·109	29·256	29·389	29·563	29·695	29·389
15	29·774	29·971	29·961	29·884	29·844	29·819	29·876
16	29·759	29·870	29·895	29·837	29·833	29·929	29·854
17	29·997	30·072	30·130	30·123	30·215	30·296	30·139
18	30·308	30·338	30·245	30·119	30·037	29·942	30·165
19	29·842	29·762	29·613	29·591	29·616	29·613	29·673
20	29·375	29·298	29·277	29·258	29·307	29·349	29·311
21	29·407	29·453	29·561	29·635	29·678	29·806	29·587
22	29·860	29·940	29·917	29·687	29·799	29·862	29·844
23	29·890	29·891	29·804	29·693	29·547	29·497	29·720
24	29·423	29·422	29·387	29·320	29·388	29·486	29·404
25	29·578	29·674	29·701	29·661	29·705	29·752	29·678
26	29·734	29·727	29·717	29·671	29·698	29·744	29·715
27	29·790	29·785	29·767	29·734	29·805	29·881	29·794
28	29·913	29·953	29·988	29·968	30·001	30·068	29·982
29	30·082	30·100	30·087	30·043	30·039	30·057	30·068
Means	29·677	29·715	29·703	29·653	29·676	29·694	29·686

Abstract of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of March, 1896.

Day.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·035	30·011	29·911	29·836	29·774	29·713	29·880
2	29·620	29·560	29·471	29·386	29·320	29·311	29·445
3	29·266	29·314	29·309	29·236	29·230	29·210	29·261
4	29·144	29·162	29·132	29·108	29·145	29·152	29·140
5	29·154	29·193	29·213	29·248	29·410	29·561	29·296
6	29·646	29·729	29·830	29·846	29·897	29·989	29·823
7	29·983	29·977	29·912	29·726	29·514	29·340	29·742
8	29·250	29·350	29·056	29·129	29·215	29·279	29·213
9	29·287	29·330	29·448	29·238	29·360	29·454	29·353
10	29·502	29·563	29·573	29·547	29·636	29·752	29·596
11	29·822	29·887	29·911	29·823	29·708	29·479	29·772
12	29·296	29·022	28·839	28·968	29·227	29·534	29·481
13	29·774	29·870	29·951	30·089	30·058	30·143	29·981
14	30·209	30·232	30·216	30·135	30·196	30·250	30·206
15	30·251	30·280	30·216	30·164	30·170	30·222	30·217
16	30·200	30·199	30·138	30·032	30·001	29·906	30·079
17	29·657	29·410	29·220	29·404	29·734	29·935	29·560
18	30·033	30·112	30·162	30·142	30·179	30·238	30·144
19	30·267	30·254	30·184	29·999	29·762	29·620	30·014
20	29·331	19·184	29·129	29·162	29·238	29·408	29·242
21	29·527	29·654	29·744	29·765	29·872	29·951	29·752
22	29·945	29·829	29·726	29·755	29·859	30·154	29·878
23	30·299	30·370	30·404	30·341	30·365	30·413	30·365
24	30·417	30·472	30·447	30·348	30·385	30·411	30·413
25	30·332	30·324	30·207	30·070	30·031	29·964	30·155
26	29·884	29·831	29·772	29·624	29·487	29·338	29·656
27	29·141	29·056	29·026	29·200	29·401	29·537	29·227
28	29·614	29·720	29·794	29·802	29·948	30·085	29·827
29	30·120	30·210	30·172	30·172	30·148	30·106	30·155
30	30·042	30·005	29·884	29·808	29·787	29·810	29·889
31	29·801	29·755	29·679	29·709	29·803	29·892	29·773
Means	29·769	29·770	29·764	29·736	29·737	29·779	29·759

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of April, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.14 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·960	29·964	29·919	29·944	29·968	30·000	29·783
2.	29·993	29·922	29·841	29·790	29·594	29·436	29·763
3.	29·182	29·109	28·973	28·978	29·019	29·042	29·051
4.	29·048	29·115	29·197	29·256	29·418	29·536	29·262
5.	29·627	29·719	29·785	29·884	30·019	30·079	29·852
6.	30·104	30·110	30·120	30·074	30·128	30·154	30·115
7.	30·170	30·176	30·165	30·134	30·238	30·316	30·208
8.	30·319	30·356	30·346	30·302	30·346	30·356	30·337
9.	30·504	30·339	30·256	30·165	30·137	30·137	30·256
10.	30·110	30·124	30·108	30·031	30·105	30·110	30·098
11.	30·039	30·177	30·028	29·923	29·930	29·984	30·014
12.	30·039	30·116	30·107	30·082	30·095	30·106	30·091
13.	30·028	30·019	29·896	29·883	30·008	30·112	29·991
14.	30·134	30·152	30·105	29·926	29·853	29·896	30·011
15.	29·879	29·932	29·931	29·873	29·886	29·963	29·911
16.	29·987	30·022	30·049	30·009	30·019	30·077	30·027
17.	30·088	30·124	30·102	30·081	30·020	30·020	30·072
18.	29·816	29·870	29·840	29·888	29·880	30·026	29·887
19.	30·025	30·075	30·024	29·907	29·797	29·797	29·938
20.	29·756	29·824	29·762	29·576	29·609	29·762	29·881
21.	29·810	29·862	29·834	29·756	29·659	29·799	29·953
22.	29·820	29·845	29·807	29·758	29·825	29·859	29·819
23.	29·881	29·901	29·866	29·836	29·869	30·017	29·895
24.	30·064	30·114	30·135	30·111	30·172	30·263	30·143
25.	30·286	30·307	30·260	30·182	30·191	30·233	30·243
26.	30·248	30·270	30·229	30·195	30·227	30·318	30·248
27.	30·343	30·398	30·410	30·354	30·347	30·400	30·375
28.	30·385	30·368	30·286	30·164	30·112	30·070	30·231
29.	30·013	30·024	30·023	29·978	30·087	30·168	30·215
30.	30·186	30·192	30·115	30·038	30·090	30·125	30·124
Means	29·993	30·017	30·017	29·971	29·955	30·005	29·993

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of May, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·106	30·112	30·082	30·053	30·099	30·159	30·102
2	30·158	30·157	30·095	30·090	30·075	30·037	30·102
3	30·016	29·999	29·897	29·847	29·823	29·831	29·902
4	29·814	29·816	29·813	29·777	29·835	29·915	29·828
5	29·914	29·904	29·881	29·881	29·955	30·062	29·933
6	30·087	30·181	30·242	30·232	30·303	30·343	30·231
7	30·360	39·394	30·328	30·246	30·253	30·260	30·307
8	30·240	30·266	30·159	30·067	30·050	30·056	30·139
9	30·014	29·962	29·829	29·707	29·675	29·636	29·804
10	29·539	29·453	29·358	29·335	29·500	29·612	29·466
11	29·745	29·809	29·787	29·751	29·744	29·785	29·770
12	29·774	29·736	29·642	29·662	29·795	29·905	29·752
13	29·951	30·009	29·979	29·941	29·958	30·011	29·975
14	30·021	30·001	29·914	29·833	29·823	29·863	29·909
15	29·861	29·875	29·855	29·826	29·838	29·833	29·848
16	29·844	29·840	29·787	29·800	29·801	29·828	29·817
17	29·817	29·857	29·779	29·762	29·718	29·722	29·776
18	29·652	29·631	29·473	29·429	29·503	29·540	29·538
19	29·551	29·621	29·598	29·613	29·701	29·905	29·665
20	30·001	30·127	20·118	30·114	30·207	30·260	30·138
21	30·288	30·333	30·286	30·193	30·120	30·070	30·215
22	29·951	29·869	29·724	29·722	29·732	29·783	29·797
23	29·864	29·981	30·052	30·092	30·197	30·297	30·081
24	30·385	30·435	30·389	30·314	30·312	30·332	30·361
25	30·303	30·294	30·240	30·210	30·162	30·174	30·231
26	30·339	30·109	30·019	29·960	29·818	29·988	30·029
27	29·755	29·748	29·695	29·705	29·750	29·850	29·751
28	29·902	29·961	29·941	29·926	29·981	30·041	29·959
29	30·035	29·944	29·848	29·737	29·738	29·793	29·849
30	29·811	29·883	29·867	29·833	29·864	29·882	29·857
31	29·861	29·863	29·810	29·765	28·675	29·676	29·775
Means	29·966	29·973	29·919	29·883	29·903	29·950	29·932

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of June, 1898.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·667	29·685	29·631	29·645	29·667	29·733	29·270
2.	29·732	29·737	29·734	29·731	29·783	29·865	29·764
3.	29·893	29·929	29·853	29·821	29·842	29·895	29·872
4.	29·958	29·979	29·950	29·891	29·956	29·981	29·949
5.	30·008	30·043	30·032	30·004	30·056	30·136	30·046
6.	30·155	30·220	30·181	30·139	30·128	30·185	39·168
7.	30·164	30·147	30·037	29·986	29·971	29·993	30·049
8.	29·989	29·997	29·931	29·879	29·859	29·873	29·921
9.	29·808	29·790	29·611	29·541	29·573	29·545	28·645
10.	29·541	29·511	29·443	29·339	29·353	29·378	39·428
11.	29·368	29·299	29·250	29·170	29·181	29·158	29·238
12.	29·159	29·169	29·227	29·377	29·527	29·624	29·347
13.	29·685	29·747	29·793	29·853	29·937	30·056	29·845
14.	30·081	30·126	30·099	30·068	30·128	30·153	30·109
15.	30·137	30·108	30·038	30·027	30·023	30·049	30·064
16.	30·063	30·084	30·032	30·024	30·029	30·048	30·047
17.	30·023	30·020	29·952	29·899	29·878	29·920	29·949
18.	29·927	29·901	29·843	29·801	29·806	29·811	29·848
19.	29·795	29·841	29·766	29·767	29·763	29·805	29·789
20.	29·796	29·791	29·711	29·735	29·750	29·839	29·770
21.	29·860	29·877	29·759	29·706	29·714	29·572	29·748
22.	29·574	29·578	29·508	29·514	29·504	29·589	29·545
23.	29·662	29·731	29·751	29·794	29·895	29·985	29·803
24.	30·038	30·115	30·126	30·146	30·210	30·266	30·150
25.	30·290	30·332	30·284	30·219	30·092	30·115	30·222
26.	30·173	30·113	29·946	29·829	29·780	29·856	29·949
27.	29·860	29·864	29·819	29·761	29·774	29·786	29·811
28.	29·786	29·785	29·703	29·675	29·653	29·629	29·705
29.	29·552	29·551	29·555	29·568	29·571	29·712	29·585
30.	29·782	29·838	29·832	29·847	29·925	29·968	29·865
Means	29·850	29·863	29·813	29·792	29·811	29·850	29·830

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of July, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·960	29·946	29·908	29·938	30·000	30·065	29·969
2	30·182	30·081	29·991	29·912	29·873	29·913	29·992
3	29·931	30·094	30·083	30·106	30·110	30·155	30·080
4	30·149	30·146	30·130	30·076	30·060	29·995	30·093
5	29·903	29·793	29·642	29·634	29·765	29·839	29·763
6	29·892	30·006	29·998	30·056	30·067	30·070	30·015
7	29·994	29·955	29·839	29·847	29·812	29·790	29·873
8	29·754	29·793	29·825	29·818	29·954	30·013	29·859
9	30·042	30·102	30·027	30·023	30·067	30·128	30·065
10	30·137	30·119	30·050	29·983	29·930	29·963	30·030
11	29·956	29·931	29·830	29·792	29·793	29·803	29·851
12	29·805	29·801	29·704	29·644	29·663	29·789	29·734
13	29·704	29·731	29·699	29·675	29·836	29·709	29·726
14	29·711	29·746	29·719	29·829	29·753	29·805	29·761
15	29·808	29·796	29·707	29·623	29·501	29·463	29·650
16	29·385	29·531	29·514	29·546	29·659	29·764	29·566
17	29·798	29·891	29·909	29·954	30·040	30·142	29·956
18	30·210	30·286	30·301	30·304	30·307	30·363	30·295
19	30·352	30·371	30·274	30·204	30·204	30·201	30·268
20	30·192	30·177	30·108	30·057	29·927	29·998	30·076
21	29·834	29·826	29·811	29·821	29·843	29·896	29·839
22	29·914	29·966	29·939	29·859	29·858	29·805	29·890
23	29·624	29·546	29·466	29·457	29·587	29·712	29·565
24	29·791	29·839	29·811	29·790	29·802	29·828	29·810
25	29·806	29·772	29·715	29·673	29·736	29·775	29·746
26	29·798	29·880	29·842	29·824	29·865	29·898	29·851
27	29·903	29·905	29·855	29·818	29·819	29·778	29·846
28	29·732	29·748	29·751	29·782	29·850	29·912	29·796
29	29·954	30·000	29·967	29·933	29·869	29·951	29·946
30	29·926	29·909	29·789	29·717	29·670	29·605	29·769
31	29·600	29·604	29·582	29·596	29·738	29·833	29·659
Means	29·895	29·913	29·864	29·848	29·869	29·902	29·882

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of August, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·908	29·933	29·855	29·812	29·836	29·847	29·865
2	29·823	29·891	29·739	29·732	29·730	29·735	29·775
3	29·774	29·855	29·855	39·847	29·875	29·918	29·845
4	29·912	29·872	29·801	29·740	29·740	29·801	29·811
5	29·813	29·906	29·910	29·913	29·972	30·043	29·926
6	30·187	30·157	30·112	30·097	30·092	30·116	30·127
7	30·048	30·014	29·930	29·858	29·879	29·909	26·940
8	29·893	29·888	29·821	29·815	29·841	29·903	29·860
9	29·888	29·899	29·871	29·801	29·801	29·816	29·846
10	29·803	29·810	29·776	29·739	29·773	29·820	29·787
11	29·835	90·872	29·814	29·834	29·866	29·902	29·854
12	39·923	29·917	29·882	29·876	29·875	29·923	29·899
13	29·931	29·953	29·940	29·925	29·979	30·024	29·959
14	30·026	30·053	29·995	29·995	30·021	30·052	30·024
15	30·078	30·118	30·078	30·084	30·089	30·104	30·092
16	30·094	30·036	29·917	29·849	29·823	29·822	29·923
17	29·735	29·739	29·702	29·664	29·755	29·784	29·730
18	29·771	29·843	29·803	29·795	29·858	29·886	29·826
19	29·873	29·913	29·881	29·886	29·922	29·970	29·907
20	29·970	30·016	29·964	29·938	29·971	30·024	29·980
21	30·036	30·048	30·008	30·020	30·027	30·060	30·033
22	30·074	30·089	30·089	30·085	30·096	30·114	30·091
23	30·108	30·131	30·065	30·007	29·956	29·903	30·028
24	29·895	29·816	29·747	29·709	29·752	29·832	29·792
25	29·893	29·959	29·987	29·988	30·022	30·101	29·992
26	30·106	30·131	30·103	30·091	30·081	30·117	30·105
27	30·100	30·084	30·041	29·978	29·980	29·996	30·030
28	29·990	30·004	29·992	29·983	30·076	30·139	30·031
29	30·172	30·205	30·143	30·105	30·059	30·184	30·145
30	30·069	30·024	29·946	29·879	29·873	29·835	29·938
31	29·788	29·768	29·709	29·684	29·710	29·646	29·717
Means	29·953	29·966	29·917	29·894	29·914	29·946	29·932

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of September 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.43 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·751	29·845	29·872	29·877	29·970	30·061	29·896
2	30·124	30·173	30·133	30·112	30·119	30·117	30·130
3	30·076	30·032	29·884	29·787	29·709	29·649	29·856
4	29·648	29·791	29·829	29·874	29·977	30·088	29·868
5	30·135	30·203	30·174	30·144	30·152	30·200	30·168
6	30·181	30·137	30·048	29·925	29·870	29·836	29·999
7	29·843	29·856	26·835	29·839	29·918	30·025	29·886
8	30·059	30·092	30·081	30·072	30·116	30·132	30·092
9	30·099	30·126	30·084	30·018	29·993	30·005	30·054
10	29·962	29·964	29·887	29·871	29·862	29·877	29·904
11	29·855	29·835	29·801	29·887	29·949	30·043	29·895
12	30·073	30·113	30·083	30·087	30·109	30·198	30·111
13	30·260	30·280	30·274	30·262	30·260	30·271	30·268
14	30·201	30·171	30·051	29·945	29·895	29·791	30·009
15	29·808	29·816	29·739	29·740	29·790	29·870	29·794
16	29·907	29·945	29·895	29·849	29·856	29·875	29·888
17	29·851	29·852	29·768	29·671	29·612	29·622	29·729
18	29·540	29·516	29·568	29·704	29·772	29·869	29·661
19	29·862	29·841	29·729	29·562	29·380	29·346	29·620
20	29·390	29·518	29·649	29·707	29·796	29·874	29·656
21	29·871	29·871	29·820	29·773	29·794	29·831	29·827
22	29·789	29·790	29·750	29·665	29·643	29·657	29·716
23	29·694	29·835	29·849	29·867	29·902	29·952	29·850
24	29·961	29·975	29·974	29·971	30·079	30·164	30·021
25	30·214	30·312	30·339	30·312	30·314	30·356	30·308
26	30·323	30·317	30·251	30·252	30·190	30·189	30·254
27	30·171	30·166	30·111	30·070	30·023	30·016	30·093
28	29·984	30·016	30·034	30·058	30·099	30·178	30·061
29	30·197	30·214	30·169	30·139	30·117	30·135	30·162
30	30·124	30·072	30·079	29·763	29·741	29·747	29·921
Means	29·965	29·989	29·959	29·927	29·933	29·966	29·956

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of October, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·730	29·692	29·659	29·676	29·737	29·777	29·712
2	29·782	29·844	29·889	29·892	29·899	29·926	29·872
3	29·936	29·942	29·936	29·952	29·990	30·073	29·971
4	30·088	30·129	30·121	30·096	30·125	30·190	30·125
5	30·192	30·181	30·143	30·112	30·090	30·091	30·135
6	30·064	30·019	29·952	29·897	29·866	29·837	29·939
7	29·817	29·778	29·729	29·717	29·748	29·799	29·765
8	29·840	29·882	29·857	29·853	29·918	30·033	29·897
9	30·119	30·187	30·176	30·194	30·297	30·390	30·227
10	30·439	30·467	30·476	30·451	30·494	30·538	30·478
11	30·544	30·541	30·516	30·462	30·424	30·480	30·495
12	30·412	30·395	30·316	30·226	30·120	30·201	30·283
13	30·130	30·086	29·943	29·801	29·715	29·536	29·868
14	29·368	29·376	29·548	29·607	29·665	29·663	29·538
15	29·635	29·605	29·522	29·491	29·458	29·435	29·524
16	29·423	29·416	29·390	29·433	29·460	29·513	29·439
17	29·602	29·800	29·840	29·908	29·972	30·011	29·855
18	29·951	29·945	29·821	29·742	29·711	29·633	29·801
19	29·574	29·571	29·594	29·687	29·840	29·977	29·707
20	30·053	30·119	30·113	30·079	30·091	30·139	30·099
21	30·139	30·134	30·030	29·939	29·847	29·777	29·978
22	29·873	29·738	29·708	26·732	29·786	29·883	20·787
23	29·926	29·958	29·919	29·873	29·878	29·873	29·904
24	29·830	29·653	29·507	29·397	29·270	29·285	29·490
25	29·410	29·532	29·581	29·684	29·816	29·900	29·654
26	29·958	30·021	29·925	29·947	29·958	29·976	29·964
27	29·940	30·000	29·952	29·986	30·093	30·192	30·027
28	30·254	30·335	30·322	30·312	30·327	30·370	30·320
29	30·360	30·336	30·256	30·157	30·108	30·097	30·219
30	30·014	30·027	29·961	29·931	29·903	29·862	29·950
31	29·810	29·755	29·706	29·710	29·773	29·880	29·772
Means	29·943	29·950	29·919	29·901	29·915	29·946	29·929

Abstract of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of November, 1896.

Day.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·897	29·928	29·917	29·933	29·912	29·938	29·921
2	29·941	29·944	29·974	29·856	29·826	29·951	29·915
3	30·056	30·163	30·203	30·236	30·285	30·340	30·214
4	30·394	30·422	30·390	30·357	30·333	30·327	30·371
5	30·275	30·239	30·106	30·023	29·939	29·754	30·056
6	29·547	29·521	29·456	29·449	29·515	29·603	29·515
7	29·635	29·688	29·671	29·691	29·755	29·839	29·713
8	29·873	29·807	29·870	29·741	29·763	29·753	29·801
9	29·763	29·674	29·603	29·645	29·812	29·922	29·726
10	30·034	30·170	30·181	30·202	30·271	30·343	30·200
11	30·369	30·365	30·221	30·077	29·718	29·726	30·079
12	29·821	29·988	29·824	29·816	29·834	29·869	29·859
13	29·874	29·900	29·832	29·654	29·654	29·728	29·774
14	29·704	29·761	29·764	29·834	29·989	30·066	29·853
15	30·069	29·916	29·861	29·773	29·859	29·963	29·907
16	30·268	30·200	30·206	30·198	30·112	30·022	30·168
17	29·912	29·856	29·772	29·796	30·055	30·233	29·937
18	30·297	30·347	30·228	30·119	29·965	29·884	30·140
19	29·683	29·633	29·693	29·847	30·032	30·237	29·854
20	30·318	30·376	30·350	30·379	30·501	30·573	30·416
21	30·565	30·578	30·451	30·313	30·122	29·915	30·324
22	29·984	29·883	30·013	30·154	30·385	30·540	30·160
23	30·656	30·740	30·746	30·705	30·623	30·501	30·662
24	30·339	30·201	29·997	29·992	30·140	30·270	30·156
25	30·358	30·447	30·482	30·473	30·535	30·577	30·479
26	30·555	30·542	30·398	30·254	30·150	30·120	30·337
27	30·030	29·989	29·927	29·871	29·885	29·914	29·936
28	29·927	29·904	29·831	29·889	29·971	30·041	29·927
29	30·052	30·095	30·120	30·188	30·250	30·277	30·164
30	29·988	30·266	30·189	30·125	30·123	30·120	30·135
Means	30·071	30·085	30·042	30·020	30·044	30·078	30·056

ABSTRACT of Barometer, 32° Fahrenheit, at St. John, New Brunswick, for the Month of December, 1896.

DAY.	3.44 a.m.	7.36 a.m.	11.44 a.m.	3.44 p.m.	7.44 p.m.	11.44 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	30·121	30·122	30·061	30·057	30·143	30·231	30·123
2	30·363	30·329	30·309	30·318	30·358	30·371	30·331
3	30·315	30·304	30·196	30·115	30·175	30·205	30·218
4	30·225	30·277	30·273	30·278	30·172	30·112	30·223
5	30·016	29·891	29·837	29·910	29·996	30·130	29·963
6	30·163	30·198	30·086	29·993	29·894	29·891	30·038
7	29·929	29·945	29·890	29·906	29·963	29·977	29·785
8	30·138	30·219	30·178	30·150	30·110	30·045	30·140
9	29·872	29·640	29·159	28·928	28·921	29·152	29·279
10	29·284	29·382	29·422	29·497	29·549	29·671	29·467
11	29·737	29·829	29·865	29·920	29·968	29·996	29·886
12	29·982	29·986	29·925	29·892	29·915	29·909	29·935
13	29·877	29·817	29·722	29·645	29·544	29·538	29·691
14	29·518	29·572	29·624	29·741	29·888	29·994	29·723
15	30·070	30·122	30·087	30·088	30·125	30·153	30·107
16	29·987	29·979	29·842	29·732	29·708	29·713	29·827
17	29·788	29·782	29·810	29·847	29·938	30·068	29·872
18	30·014	30·149	30·104	30·050	29·977	29·906	30·033
19	29·739	29·477	29·324	29·301	29·416	29·518	29·463
20	29·675	29·680	29·669	29·675	29·798	29·798	26·716
21	29·831	29·867	29·803	29·788	29·830	29·839	29·826
22	29·840	29·861	29·815	29·828	29·904	29·982	29·872
23	30·001	30·006	29·938	29·862	29·877	29·894	29·930
24	29·907	29·906	29·899	29·924	29·990	30·061	29·948
25	30·104	30·179	30·215	30·226	30·271	30·197	30·199
26	30·005	29·880	29·746	29·936	29·894	30·107	29·928
27	30·296	30·376	30·481	30·575	30·703	30·723	30·526
28	30·717	30·653	30·564	30·484	30·421	30·401	30·540
29	30·291	30·277	30·085	30·070	30·111	30·168	30·167
30	30·312	30·269	30·180	30·056	29·859	29·807	30·081
31	29·769	29·816	30·001	30·197	30·347	30·531	30·110
Means	29·994	29·993	29·939	29·935	29·960	29·974	29·966

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of January, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·324	29·305	29·344	29·315	29·300	29·325	29·413	29·473	29·3499
2	29·565	29·652	29·767	29·827	29·844	29·846	29·879	29·705	29·7606
3	29·556	29·445	29·375	29·272	29·194	29·144	29·173	29·169	29·2910
4	29·173	29·221	29·292	29·369	29·440	29·518	29·624	29·670	29·4134
5			29·888			29·965		30·092	
6	30·116	30·118	30·176	30·176	30·143	30·197	30·216	30·226	30·1710
7	30·209	30·152	30·142	30·064	30·001	29·954	29·914	29·907	30·0429
8	29·874	29·860	29·872	29·863	29·811	29·858	29·871	29·873	29·8603
9	29·934	29·948	29·982	29·999	29·970	30·004	30·067	30·062	29·9958
10	30·090	30·095	30·119	30·119	30·044	30·076	30·095	30·076	30·0893
11	30·076	30·042	30·021	29·978	29·930	29·919	29·887	29·861	29·9643
12			29·853			29·815			
13	29·757	29·706	29·662	29·654	29·692	29·788	29·831	29·846	29·7420
14	29·849	29·836	29·825	29·783	29·729	29·738	29·747	29·718	29·7781
15	29·745	29·770	29·847	29·884	29·921	30·016	30·113	30·171	29·9334
16	30·241	30·259	30·302	30·292	30·215	30·147	30·058	29·984	30·1873
17	29·995	29·989	30·075	30·152	30·186	30·238	30·266	30·257	30·1448
18	30·225	30·158	30·122	30·087	29·983	29·956	29·947	29·959	30·0549
19			30·071			30·231			
20	30·334	30·320	30·302	30·289	30·214	30·193	30·167	30·122	30·2426
21	30·085	30·044	30·029	30·009	29·966	29·982	30·012	30·002	30·0161
22	30·009	30·039	30·056	30·089	30·053	30·115	30·163	30·187	30·0889
23	30·216	30·246	30·268	30·268	30·246	30·256	30·299	30·314	30·2641
24	30·318	30·301	30·353	30·302	30·210	30·192	30·173	30·129	30·2473
25	30·111	30·104	30·058	30·045	30·026	30·029	30·070	30·058	30·0626
26			29·969			29·817			
27	29·707	29·664	29·643	29·604	29·524	29·506	29·485	29·457	29·5738
28	29·551	29·617	29·637	29·708	29·704	29·767	29·820	29·860	29·7080
29	29·920	29·950	30·004	30·035	29·985	30·018	30·034	30·051	29·9996
30	30·024	30·000	29·955	29·893	29·784	29·809	29·877	29·919	29·9076
31	29·987	30·046	30·120	30·154	30·155	30·191	30·220	30·206	30·1349
Means	29·9256	29·9217	29·9388	29·9344	29·8989	29·9179	29·9416	29·9356	29·9268

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of February, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·185	30·150	30·099	30·028	29·869	29·752	29·628	29·506	29·9021
2			29·177			29·289			
3	29·632	29·726	29·775	29·764	29·742	29·765	29·817	29·807	29·7535
4	29·815	29·820	29·848	29·869	29·850	29·885	29·905	29·907	29·8624
5	29·910	29·928	29·962	29·943	29·936	29·940	29·979	29·950	29·9435
6	29·974	29·974	29·975	29·969	29·851	29·763	29·623	29·367	29·8120
7	29·127	28·953	28·835	28·779	28·713	28·738	28·836	28·930	28·8639
8	29·033	29·130	29·274	29·360	29·448	29·576	29·665	29·708	29·3993
9			29·727			29·465		29·046	
10	28·879	28·826	28·899	28·970	29·018	29·127	29·183	29·236	29·0173
11	29·267	29·291	29·275	29·190	29·041	29·007	29·051	29·104	29·1533
12	29·174	29·244	29·340	29·419	29·498	29·605	29·719	29·762	29·4701
13	29·825	29·901	29·941	29·939	29·869	29·815	29·685	29·549	29·8155
14	29·319	29·151	29·138	29·199	29·248	29·382	29·453	29·535	29·3031
15	29·627	29·713	29·835	29·853	29·807	29·802	29·757	29·757	29·7689
16			29·834			29·791			
17	29·888	29·901	29·970	30·002	30·007	30·059	30·123	30·175	30·0156
18	30·195	30·223	30·231	30·194	30·101	30·045	29·960	29·875	30·1030
19	29·794	29·742	29·682	29·589	29·543	29·623	29·581	29·550	29·6380
20	29·459	29·278	29·203	29·148	29·109	29·152	29·202	29·188	29·2174
21	29·227	29·269	29·335	29·360	29·402	29·501	29·587	29·653	29·4168
22	29·712	29·776	29·825	29·795	29·714	29·691	29·715	29·722	29·7438
23			29·751			29·510			
24	29·289	29·287	29·279	29·253	29·217	29·263	29·309	29·362	29·2824
25	29·469	29·557	29·592	29·621	29·708	29·731	29·661	29·663	29·6253
26	29·657	29·647	29·661	29·644	29·601	29·606	29·619	29·638	29·6341
27	29·643	29·655	29·675	29·660	29·636	29·661	29·711	29·731	29·6715
28	29·759	29·806	29·829	29·822	29·798	29·841	29·870	29·878	29·8254
29	29·905	29·925	29·951	29·958	29·953	29·955	29·953	29·940	29·9425
Means	29·5906	29·5949	28·6172	29·6131	29·5872	29·6114	29·6237	29·6197	29·6085

ABSTRACT of Barometer, 32° Fahrenheit, Fredericton, New Brunswick, for the Month of March, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1			29·895			29·789			
2	29·630	29·553	29·510	29·474	29·404	29·354	29·342	29·271	29·4422
3	29·256	24·226	29·250	29·250	29·230	29·232	29·242	29·220	29·2382
4	29·197	29·173	29·164	29·128	29·116	29·163	29·176	29·161	29·1598
5	29·134	29·167	29·183	29·198	29·262	29·358	29·453	29·529	29·2855
6	29·573	29·661	29·714	29·757	29·800	29·790	29·841	29·872	29·7510
7	29·863	29·866	29·821	29·821	29·632	29·511	29·433	29·267	29·6518
8			29·104			29·045			
9	29·127	29·166	29·167	29·160	29·149	29·205	29·271	29·301	29·1932
10	29·333	29·380	29·433	29·444	29·435	29·469	29·538	29·608	29·4550
11	29·654	29·722	29·781	29·801	29·767	29·698	29·654	29·517	29·6992
12	29·308	29·147	28·979	28·783	28·677	28·850	29·118	29·297	29·0199
13	29·478	29·629	29·760	29·809	29·822	29·868	29·971	30·017	29·7942
14	30·050	30·092	30·121	30·101	30·055	30·059	30·102	30·119	30·0874
15			30·166			30·066			
16	30·064	30·075	30·097	30·041	30·089	29·948	29·916	29·852	20·0102
17	29·707	29·559	29·396	29·292	29·306	29·503	29·679	29·793	29·5294
18	29·853	29·958	29·965	30·030	29·996	30·042	30·067	30·102	30·0016
19	30·115	30·121	30·136	30·086	29·939	29·806	29·599	29·487	29·9111
20	29·256	29·051	29·052	28·918	28·935	28·989	29·096	29·226	29·0654
21	29·340	29·446	29·538	29·593	29·616	29·706	29·778	29·798	29·6019
22			29·661			29·630		30·025	
23	30·135	30·232	30·313	30·310	30·268	30·245	30·296	30·317	30·2645
24	30·336	30·382	30·420	30·381	30·303	30·273	30·282	30·290	30·3334
25	30·234	30·178	30·150	30·039	29·898	29·839	29·807	29·746	29·9864
26	29·689	29·641	29·613	29·581	29·517	29·440	29·402	29·301	29·5230
27	29·075	28·937	28·848	28·805	28·995	29·139	29·246	29·325	29·0462
28	29·399	29·478	29·611	29·665	29·703	29·782	29·882	29·959	29·6849
29			30·101			30·041			
30	29·962	29·918	29·871	29·812	29·786	29·734	29·726	29·718	29·8159
31	29·691	29·644	29·640	29·616	29·633	29·678	29·749	29·782	29·6791
Means	29·6330	29·6308	29·6359	29·6113	29·5897	29·6031	29·6410	29·6490	29·6242

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of April, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	29·811	29·848	29·891	29·869	29·855	29·875	29·895	29·886	29·8663
2.	29·875	29·858	29·813	29·782	29·638	29·573	29·517	29·391	29·6809
3.	29·220	29·086	28·976	28·931	28·881	28·918	28·943	28·936	28·9864
4	28·944	28·977	29·038	29·103	29·186	29·307	29·405	29·480	29·1800
5.			29·705			29·899			
6	30·015	30·009	30·048	30·033	29·997	30·011	30·045	30·050	30·0260
7.	30·061	30·061	30·093	30·113	30·106	30·158	30·205	30·234	30·1289
8.	30·259	30·272	30·303	30·296	30·263	30·260	30·305	30·299	30·2821
9.	30·281	30·254	30·253	30·208	30·117	30·066	30·080	30·057	30·1645
10.	30·049	30·052	30·058	30·022	29·947	29·949	29·993	29·979	30·0061
11.	29·962	29·965	29·951	29·914	29·853	29·803	29·842	29·874	29·8955
12			30·057			30·007			
13.	29·885	29·881	29·842	29·837	29·819	29·871	29·967	30·002	29·8880
14.	30·021	30·061	30·038	29·978	29·885	29·786	29·770	29·770	29·9136
15.	29·743	29·769	29·797	29·778	29·755	29·792	29·794	29·846	29·7842
16.	29·855	29·917	29·952	29·938	29·934	29·928	29·993	29·987	29·9380
17.	29·995	29·999	30·051	30·022	29·991	29·931	29·925	29·861	29·9719
18.	29·769	29·745	29·722	29·713	29·711	29·730	29·817	29·897	29·7630
19.			29·958			29·704			
20.	29·654	29·682	29·690	29·645	29·491	29·465	29·569	29·617	29·6016
21.	29·667	29·715	29·749	29·703	29·671	29·667	29·677	29·673	29·6903
22.	29·698	29·731	29·753	29·749	29·716	29·711	29·751	29·776	29·7355
23	29·771	29·774	29·801	29·751	29·731	29·766	29·885	29·917	29·7995
24.	29·949	29·982	30·033	30·032	30·001	30·035	30·103	30·147	30·0352
25.	30·166	30·175	30·207	30·146	30·080	30·053	30·077	30·113	30·1271
26			30·120			30·062			
27.	30·180	30·245	30·280	30·252	30·225	30·206	30·246	30·254	30·2360
28.	30·245	30·209	30·195	30·129	30·019	29·966	29·995	29·942	30·0875
29.	29·945	29·970	29·993	29·969	29·934	29·950	30·061	30·065	29·9859
30.	30·089	30·114	30·112	30·059	29·962	29·961	30·033	30·057	30·0484
Means	29·8888	29·8981	29·9092	29·8835	29·8372	29·8361	29·8805	29·8888	29·8778

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of May, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·034	30·051	30·061	30·021	29·995	30·013	30·032	30·073	30·0350
2	30·070	30·080	30·066	29·986	29·932	29·906	29·893	29·911	29·9805
3			29·833			29·663			
4	29·685	29·713	29·721	29·753	29·753	29·765	29·813	29·828	29·7539
5	29·825	29·817	29·821	29·824	29·839	29·868	29·934	29·969	29·8621
6	30·012	30·069	30·142	30·191	30·184	30·203	30·266	30·285	30·1690
7	30·306	30·321	30·338	30·303	30·178	30·141	30·188	30·176	30·2439
8	30·157	30·129	30·139	30·051	29·969	29·914	29·933	29·894	30·0232
9	29·850	29·814	29·781	29·686	29·617	29·554	29·544	29·485	29·6664
10			29·303			29·363			
11	29·628	29·697	29·712	29·693	29·637	29·607	29·627	29·649	29·6563
12	29·629	29·589	29·586	29·569	29·583	29·653	29·759	29·796	29·6455
13	29·847	29·896	29·917	29·901	29·843	29·847	29·888	29·909	29·8810
14	29·898	29·894	29·867	29·792	29·736	29·711	29·738	29·759	29·7994
15	29·746	29·747	29·772	29·751	29·717	29·723	29·758	29·770	29·7480
16	29·706	29·707	29·699	29·661	29·637	29·632	29·675	29·681	29·6747
17			29·699			29·576			
18	29·475	29·423	29·390	29·320	29·298	29·346	29·385	29·395	29·3790
19	29·442	29·475	29·520	29·526	29·509	29·551	29·722	29·821	29·5707
20	29·889	29·970	30·034	30·002	29·983	30·013	30·047	30·090	30·0035
21	30·117	30·148	30·144	30·085	30·031	30·003	29·995	29·953	30·0595
22	29·826	29·740	29·713	29·651	29·586	29·595	29·636	29·654	29·6751
23	29·752	29·846	29·931	29·951	29·981	30·029	30·110	30·200	29·9750
24			30·295			30·157			
25	30·152	30·138	30·137	30·072	30·026	29·986	29·994	29·998	30·0629
26	29·980	29·952	29·894	29·833	29·766	29·631	29·691	29·667	29·8017
27	29·630	29·596	39·586	29·581	29·551	29·565	29·653	29·758	29·6150
28	29·753	29·783	29·850	29·851	39·823	29·842	29·888	29·944	29·8419
29	29·921	29·816	29·844	29·776	29·704	29·683	29·672	29·695	29·7764
30	29·713	29·722	29·757	29·742	29·712	29·700	29·759	29·771	29·7345
31			29·722			29·590			
Means	29·8478	29·8551	29·8624	29·8297	29·7919	29·7878	29·8308	29·8510	29·8321

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of June, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·489	29·506	29·520	29·537	29·546	29·564	29·596	29·609	29·5459
2	29·609	29·601	29·615	29·636	29·638	29·686	29·738	29·757	29·6600
3	29·787	29·817	29·838	29·787	29·734	29·729	29·790	29·799	29·7851
4	29·813	29·817	29·827	29·807	29·758	29·762	29·867	29·862	29·8141
5	29·888	29·934	29·967	29·961	29·943	29·956	30·032	30·050	29·9664
6	30·071	30·100	30·130	30·109	30·079	30·052	30·047	30·095	30·0854
7			30·033			29·859			
8	29·905	29·877	29·882	29·842	29·782	29·749	29·763	29·749	29·8186
9	29·711	29·669	29·608	29·511	29·489	29·444	29·464	29·449	29·5431
10	29·424	29·432	29·396	29·320	29·261	29·258	29·296	29·282	29·3336
11	29·257	29·236	29·187	29·136	29·076	29·071	29·044	29·046	29·1316
12	29·025	29·033	29·090	28·188	29·270	29·373	29·463	29·495	29·2421
13	29·537	29·597	29·642	29·702	29·733	29·802	29·862	29·939	29·7267
14			30·016			29·995			
15	30·033	30·035	30·022	29·994	29·954	29·951	29·967	29·977	29·9916
16	29·978	30·009	29·991	29·963	29·921	29·893	29·913	29·895	29·9454
17	29·889	29·886	29·875	29·839	29·755	29·730	29·743	29·755	29·8090
18	29·754	29·750	29·725	29·693	29·628	29·611	29·639	29·664	29·6830
19	29·646	29·722	29·735	29·699	29·675	29·656	29·674	29·679	29·6858
20	29·642	29·635	29·616	29·583	29·580	29·598	29·691	29·737	29·6352
21			29·753			29·555			
22	29·430	29·428	29·408	29·363	29·372	29·398	29·464	29·521	29·4230
23	29·577	29·604	29·655	29·682	29·701	29·757	29·829	29·893	29·7085
24	29·900	29·970	30·023	30·045	30·064	30·070	30·117	30·142	30·0414
25	30·158	30·216	30·208	30·145	30·102	30·063	30·069	30·066	30·1284
26	30·025	29·972	29·901	29·754	29·682	29·616	29·649	29·732	29·7914
27	29·721	29·734	29·717	29·689	29·648	29·642	29·683	29·686	29·6900
28			29·643			29·499			
29	29·415	29·383	29·386	29·402	29·404	29·379	29·490	29·571	29·4288
30	29·604	29·665	29·683	29·706	29·717	29·746	29·819	29·814	29·7193
Means	29·7034	29·7165	29·7172	29·6959	29·6735	29·6752	29·7196	29·7398	29·7051

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of July, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·781	29·769	29·798	29·826	29·844	29·874	29·918	29·945	29·8444
2	29·949	29·948	29·899	29·851	29·755	29·705	29·737	29·798	29·8302
3	29·857	29·961	30·018	30·021	30·034	30·034	30·045	30·059	30·0036
4	30·100	30·133	30·027	30·005	29·977	29·934	29·948	29·899	30·0029
5			29·743			29·648			
6	29·781	29·826	29·858	29·902	29·911	29·904	29·925	29·932	29·8799
7	29·878	29·862	29·859	29·806	29·775	29·742	29·717	29·658	29·7860
8	29·616	29·640	29·674	29·719	29·750	29·783	29·876	29·883	29·7426
9	29·894	29·915	29·957	29·941	29·921	29·927	29·960	29·991	29·9383
10	29·985	29·982	29·969	29·905	29·852	29·789	29·800	29·815	29·8871
11	29·787	29·795	29·762	29·707	29·660	29·646	29·655	29·678	29·7112
12			29·647			29·509			
13	29·572	29·600	29·623	29·638	29·593	29·586	29·598	29·614	29·6030
14	29·610	29·607	29·666	29·662	29·642	29·637	29·677	29·702	29·6504
15	29·699	29·709	29·688	29·603	29·526	29·433	29·374	29·340	29·5465
16	29·345	29·355	29·387	29·416	29·453	29·494	29·578	29·629	29·4571
17	29·681	29·754	29·801	29·809	29·826	29·891	29·961	30·027	29·8438
18	30·059	30·137	30·185	30·172	30·167	30·180	30·210	30·221	30·1664
19			30·236			30·099			
20	30·050	30·047	30·025	29·973	29·915	29·902	29·857	29·835	29·9505
21	29·762	29·669	29·700	29·702	29·678	29·673	29·702	29·763	29·7061
22	29·794	29·847	29·874	29·852	29·776	29·721	29·674	29·673	29·7764
23	29·537	29·440	29·367	29·339	29·326	29·412	29·534	29·567	29·4402
24	29·637	29·697	29·705	29·681	29·659	29·649	29·677	29·680	29·6731
25	29·651	29·639	29·651	29·621	29·592	29·592	29·635	29·655	29·6295
26			29·771			29·712			
27	29·750	29·752	29·751	29·715	29·684	29·667	29·682	29·636	29·7046
28	29·600	29·629	29·662	29·694	29·695	29·726	29·791	29·804	29·7001
29	29·826	29·856	29·880	29·855	29·833	29·787	29·789	29·805	29·8289
30	29·774	29·721	29·708	29·671	29·630	29·576	29·552	29·469	29·6376
31	29·424	29·438	29·528	29·512	29·528	29·631	29·700	29·730	29·5641
Means	29·7555	29·7677	29·7783	29·7629	29·7408	29·7369	29·7619	29·7707	29·7593

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of August, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·754	29·793	29·818	29·754	29·731	29·698	29·718	29·706	29·7465
2			29·627			29·583			
3	29·646	29·685	29·734	29·733	29·676	29·717	29·757	29·746	29·7118
4	29·726	29·710	29·656	29·633	29·590	29·604	29·661	29·682	29·6577
5	29·735	29·785	29·828	29·845	29·833	29·842	29·879	29·931	29·8348
6	29·962	30·016	30·041	30·011	30·013	30·002	29·985	29·985	30·0019
7	29·939	29·894	29·886	29·833	29·774	29·754	29·773	29·780	29·8291
8	29·772	29·749	29·749	29·724	29·707	29·720	29·740	29·766	29·7409
9			29·737			29·647			
10	29·653	29·675	29·689	29·662	29·651	29·654	29·671	29·701	29·6695
11	29·720	29·742	29·762	29·724	29·697	29·701	29·741	29·769	29·7320
12	29·762	29·769	29·774	29·755	29·706	29·705	29·761	29·780	29·7515
13	29·803	29·854	29·899	29·874	29·851	29·870	29·917	29·943	29·8764
14	29·942	29·973	29·979	29·955	29·912	29·917	29·946	29·967	29·9489
15	29·985	30·006	30·024	30·001	29·966	29·950	29·991	29·994	29·9896
16			29·898			29·700			
17	29·611	29·576	29·598	29·589	29·581	29·608	29·673	29·681	29·6146
18	29·682	29·709	29·733	29·737	29·678	29·714	29·759	29·755	29·7197
19	29·744	29·793	29·838	29·843	29·823	29·827	29·858	29·867	29·8241
20	29·897	29·894	29·925	29·893	29·851	29·842	29·886	29·895	29·8854
21	29·899	29·902	29·922	29·887	29·834	29·846	29·895	29·907	29·8865
22	29·922	29·939	29·957	29·937	29·942	29·956	29·980	29·999	29·9540
23			29·982			29·871			
24	29·695	29·694	29·675	29·658	29·618	29·626	29·699	29·713	29·6723
25	29·757	29·839	29·899	29·914	29·893	29·898	29·948	29·981	29·8911
26	29·998	30·025	30·048	30·002	29·965	29·949	29·968	29·970	29·9906
27	29·957	29·947	29·968	29·933	29·901	29·885	29·894	29·889	29·9205
28	29·878	29·909	29·941	29·936	29·921	29·951	30·015	30·044	29·9494
29	30·046	30·088	30·098	30·076	30·002	29·970	29·965	29·950	30·0244
30			29·865			29·722			
31	29·660	29·641	29·629	29·599	29·567	29·587	29·601	29·611	29·6119
Means	29·8133	29·8307	29·8485	29·8272	29·7955	29·7996	29·8339	29·8466	29·8244

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of September, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·632	29·691	29·759	29·775	29·782	29·823	29·869	29·907	29·7797
2	29·963	30·025	30·025	30·035	30·026	30·006	30·017	29·999	30·0120
3	29·939	29·902	29·804	29·707	29·651	29·581	29·551	29·511	29·7058
4	29·517	29·643	29·717	29·763	29·788	29·843	29·911	29·960	29·7677
5	30·005	30·045	30·090	30·088	30·061	30·046	30·058	30·084	30·0596
6			30·018			29·830			
7	29·681	29·701	29·737	29·739	29·718	29·702	29·838	29·881	29·7571
8	29·922	29·961	30·001	30·022	30·015	30·004	30·040	30·031	29·9995
9	30·041	30·049	30·049	30·013	29·954	29·942	29·931	29·903	29·9853
10	29·881	29·847	29·853	29·818	29·787	29·764	29·791	29·799	29·8175
11	29·714	29·681	29·717	29·717	29·730	29·775	29·843	29·863	29·7550
12	29·889	29·923	29·970	29·949	29·939	30·025	30·097	30·144	29·9920
13			30·244			30·219			
14	30·133	30·115	30·067	29·968	29·850	29·790	29·766	29·725	29·9267
15	29·668	29·660	29·680	29·664	29·637	29·684	29·749	29·795	29·6921
16	29·844	29·831	29·859	29·834	29·788	29·761	29·781	29·757	29·8069
17	29·744	29·726	29·716	29·665	29·579	29·541	29·528	29·497	29·6245
18	29·412	29·350	29·383	29·453	29·586	29·652	29·714	29·733	29·5354
19	29·741	29·713	29·673	29·604	29·491	29·386	29·296	29·229	29·5166
20			29·504			29·659			
21	29·723	29·721	29·733	29·708	29·695	29·658	29·703	29·693	29·7043
22	29·668	29·669	29·676	29·642	29·591	29·583	29·589	29·596	29·6267
23	29·628	29·703	29·766	29·783	29·782	29·831	29·861	29·846	29·7750
24	29·826	29·836	29·865	29·883	29·863	29·936	29·992	30·050	29·9064
25	30·129	30·169	30·221	30·250	30·176	30·173	30·203	30·201	30·1903
26	30·174	30·165	30·144	30·098	30·068	30·039	30·050	30·028	30·0957
27			29·993			59·883			
28	29·827	29·853	29·945	29·982	29·974	30·008	30·043	30·058	29·9613
29	30·069	30·090	30·113	30·089	30·007	29·992	30·001	29·992	30·0441
30	29·957	29·928	29·901	29·815	29·689	29·623	29·610	29·586	29·7636
Means	29·8357	29·8460	29·8640	29·8486	29·8164	29·8165	29·8397	29·8411	29·8385

Abstract of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of October, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·574	29·564	29·549	29·528	29·541	29·566	26·626	29·662	29·5762
2	29·709	29·794	29·859	29·888	29·908	29·914	29·918	29·895	29·8606
3	29·882	29·841	29·864	29·877	29·859	29·879	29·926	29·955	29·8854
4	...	...	30·062	...	...	30·050	...	...	...
5	30·078	30·095	30·110	30·093	30·057	30·062	30·062	30·034	30·0739
6	30·011	29·984	29·967	29·929	29·913	29·872	29·842	29·811	29·9161
7	29·762	29·745	29·733	29·687	29·660	29·660	29·663	29·669	29·6974
8	29·693	29·709	29·753	29·766	29·744	29·760	29·853	29·890	29·7710
9	29·954	30·001	30·061	30·090	30·090	30·163	30·227	30·265	30·1064
10	30·290	30·328	30·379	30·404	30·368	30·382	30·426	30·417	30·3743
11	...	...	30·450	...	...	30·366	...	...	...
12	30·359	30·335	30·338	30·308	29·246	29·203	29·268	30·170	30·2709
13	30·108	30·071	30·046	29·950	29·818	29·785	29·717	29·606	29·8876
14	29·477	29·357	29·384	29·431	29·481	29·535	29·580	29·575	29·4775
15	29·574	29·569	29·570	29·516	29·468	29·430	29·407	29·377	29·4889
16	29·350	29·316	29·304	29·299	29·284	29·312	29·326	29·329	29·3150
17	29·417	29·528	29·647	29·721	29·781	29·850	29·896	29·911	29·7189
18	...	...	29·861	...	...	29·643	...	...	...
19	29·466	29·423	29·456	29·520	29·556	29·657	29·766	29·814	29·5822
20	29·910	29·974	30·031	30·009	29·977	29·976	29·993	29·995	29·9831
21	29·978	29·983	29·993	29·946	29·837	29·799	29·725	29·637	29·8623
22	29·625	29·603	29·630	29·640	29·634	29·660	29·705	29·740	29·6546
23	29·778	29·695	29·831	29·830	29·786	29·778	29·770	29·734	29·7752
24	29·665	29·591	29·497	29·393	29·297	29·256	29·168	29·171	29·3798
25	...	...	29·395	...	...	29·636	...	...	...
26	29·779	29·821	29·874	29·863	29·841	29·844	29·844	29·829	29·8369
27	29·840	29·853	29·892	29·872	29·906	30·007	30·052	30·083	29·9381
28	30·131	30·191	30·260	30·264	30·232	30·235	30·247	30·267	30·2284
29	30·256	30·211	30·209	30·166	30·075	30·049	30·000	29·952	30·1147
30	29·894	29·904	29·914	29·893	29·860	29·839	29·833	29·765	29·8628
31	29·714	29·674	29·675	29·677	29·670	29·703	29·739	29·766	29·7022
Means.	29·8250	29·8207	29·8454	29·8356	29·8107	29·8213	29·8340	29·8266	29·8274

ABSTRACT of Barometer, 32° Fahrenheit, at Fredericton, New Brunswick, for the Month of November, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	..	..	29·835	..	.	29·850	...	. ...	.....
2	29·831	29·834	29·846	29·834	29·757	29·801	29·818	29·868	29·8236
3	29·952	30·035	30·118	30·139	30·125	30·173	30·229	30·244	20·1269
4	30·288	30·313	30·329	30·332	30·270	30·246	30·217	30·197	30·2740
5	30·178	30·115	30·073	29·998	29·907	29·889	29·799	29·617	29·9470
6	29·477	29·377	29·350	29·347	29·320	29·368	24·422	29·432	29·3866
7	29·478	29·522	29·547	29·555	29·576	29·642	29·670	29·699	29·5861
8	.		29·785	.		29·716	.....	.	.....
9	29·552	29·585	29·602	29·586	29·560	29·632	29·711	29·763	29·6239
10	29·875	29·938	30·026	30·070	30·078	30·138	30·189	30·200	30·0643
11	30·234	30·250	30·265	30·160	29·978	29·813	29·601	29·588	29·9861
12	29·657	29·707	29·722	29·714	29·697	29·715	29·727	29·734	29·7091
13	29·754	29·783	29·792	29·794	29·718	29·710	29·714	29·701	29·7457
14	29·645	29·672	29·692	29·739	29·741	29·823	29·920	29·933	29·7706
15	.	.	29·,63	.....	.	29·680	.....	...	.....
16	29·952	30·070	30·144	30·157	30·124	30·085	30·065	29·967	30·0705
17	29·841	29·727	29·680	29·641	29·667	29·856	30·025	30·129	29·8208
18	30·212	30·254	30·254	30·183	30·061	29·926	29·789	29·645	30·0,05
19	29·494	29·464	29·525	29·635	29·739	29·858	30·001	30·109	29·7281
20	30·172	30·195	30·266	30·262	30·307	30·355	30·416	30·451	30·3033
21	30·443	30·448	29·449	30·347	30·255	30·141	30·024	29·854	30·2451
22			29·816		..	30·175	.	..	. .. .
23	30·509	30·593	30·640	30·657	30·621	30·571	30·504	30·434	30·5665
24	30·281	30·102	29·980	29·903	29·858	29·941	30·085	30·173	30·0404
25	30·260	30·322	30·391	30·423	30·398	30·437	30·481	30·478	30·3988
26	30·457	30·436	30·431	30·381	29·231	30·146	30·085	30·020	30·2734
27	29·945	29·892	29·888	29·885	29·780	29·768	29·770	29·780	29·8385
28	29·771	29·737	29·696	29·719	29·747	29·832	29·904	29·935	29·7926
29	.		30·026	...	....	30·148	.	..	.....
30	30·171	30·156	30·154	30·126	30·080	30·070	30·045	30·033	30·1044
Means	29·9772	29·9812	29·9944	29·9835	29·9438	29·9576	29·9684	29·9594	29·9707

ABSTRACT of Barometer, 32 Fahrenheit, at Fredericton, New Brunswick, for the Month of December, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·008	29·996	30·004	29·997	29·963	30·002	30·073	30·127	30·0213
2	30·159	30·173	30·245	30·266	30·235	30·281	30·316	30·288	30·2454
3	30·264	30·225	30·217	30·147	30·075	30·083	30·082	30·082	30·1469
4	30·058	30·094	30·176	30·163	30·166	30·142	30·087	29·984	30·1125
5	29·882	29·779	29·729	29·718	29·719	29·842	29·965	30·025	29·8324
6			30·090			29·841			
7	29·784	29·786	29·805	29·792	29·803	29·828	29·911	29·941	29·8312
8	29·973	30·007	30·089	30·073	30·025	30·023	29·996	29·925	30·0139
9	29·790	29·638	29·444	29·186	28·967	28·870	28·932	29·048	29·2344
10	29·166	29·229	29·286	29·319	29·348	29·434	29·463	29·535	29·3475
11	29·598	29·673	29·701	29·797	29·843	29·903	29·915	29·907	29·7921
12	29·891	29·873	29·820	29·823	29·811	29·833	29·826	29·798	29·8344
13			29·669			29·458			
14	29·327	29·356	29·409	29·530	29·635	29·751	29·836	29·887	29·5914
15	29·937	29·985	30·014	30·023	30·025	30·078	30·084	30·110	30·0320
16	30·054	29·993	29·944	29·894	29·788	29·782	29·795	29·768	29·8773
17	29·744	29·752	29·795	29·805	29·788	29·862	29·952	29·971	29·8336
18	29·995	30·024	30·045	30·025	29·980	29·941	29·870	29·799	29·9599
19	29·668	29·505	29·337	29·202	29·169	29·245	29·306	29·348	29·3475
20			29·541			29·589			
21	29·681	29·694	29·733	29·746	29·699	29·711	29·750	29·727	29·7176
22	29·711	29·710	29·732	29·733	29·730	29·770	29·826	29·864	29·7595
23	29·904	29·910	29·907	29·882	29·845	29·815	29·841	29·842	29·8682
24	29·847	29·848	29·878	29·887	29·827	29·897	29·935	29·951	29·8838
25	30·000	30·029	30·085	30·146	30·128	30·127	30·129	30·067	30·0889
26	29·930	29·780	29·692	29·654	29·576	29·656	29·868	29·986	29·7677
27			30·328			30·570			
28	30·571	30·531	30·525	30·462	30·369	30·326	30·285	30·239	30·4135
29	30·181	30·105	30·070	30·001	29·957	29·962	30·020	30·030	30·0408
30	30·090	30·125	30·129	30·095	29·994	29·854	29·747	29·643	29·9596
31	29·565	29·635	29·790	29·972	30·055	30·200	30·329	30·414	29·9950
Means	29·8807	29·8687	29·8742	29·8655	29·8341	29·8599	29·8940	29·9002	29·8722

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of January, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·417	29·566	29·584	29·542	29·506	29·498	29·544	29·534	29·5239
2	29·609	29·696	29·794	29·843	29·904	29·933	30·019	29·974	29·8465
3	29·850	29·721	29·614	29·465	29·327	29·307	29·247	29·206	29·4671
4	29·233	29·289	29·304	29·330	29·426	29·507	29·597	29·668	29·4193
5	29·741	29·831	29·905	29·929	29·915	29·953	30·015	30·023	29·9140
6	30·038	30·058	30·108	30·007	29·975	29·992	30·016	30·019	30·0266
7	30·012	30·012	30·006	29·932	29·932	29·939	29·922	29·906	29·9576
8	29·868	29·840	29·852	29·785	29·801	29·809	29·854	29·871	29·8350
9	29·925	29·996	30·014	30·019	30·029	30·085	30·127	30·114	30·0386
10	30·090	30·075	30·082	30·043	29·975	29·915	29·897	29·856	29·9916
11	29·823	29·777	29·786	29·728	29·731	29·741	29·731	29·707	29·7530
12	29·758	29·805	29·837	29·875	29·899	29·957	29·980	29·987	29·8873
13	29·963	29·991	29·840	29·751	29·806	29·868	29·925	29·937	29·8851
14	29·935	29·928	29·884	29·805	29·736	29·717	28·723	29·738	29·8083
15	29·728	29·794	29·757	29·805	29·861	29·984	30·045	30·109	29·8854
16	30·190	30·282	30·318	30·344	30·320	30·319	30·254	30·194	30·2776
17	30·080	29·991	30·015	30·129	30·206	30·299	30·320	30·283	30·1691
18	30·222	30·192	30·144	30·047	29·953	29·880	29·880	29·847	30·0206
19	29·831	29·912	29·965	29·994	30·043	30·116	30·166	30·191	30·0273
20	30·223	30·277	30·237	30·205	30·177	30·150	30·124	30·092	30·1856
21	30·046	30·001	29·975	29·938	29·908	29·930	29·952	29·938	29·9610
22	29·941	29·955	29·959	29·957	29·947	30·017	30·052	29·079	29·9884
23	30·115	30·166	30·208	30·208	30·229	30·268	30·307	30·347	30·2310
24	30·348	30·358	30·386	30·339	30·316	30·291	30·269	30·215	30·3153
25	30·192	30·143	30·119	30·014	29·963	29·969	30·001	29·989	30·0488
26	29·980	29·970	29·958	29·904	29·835	29·809	29·778	29·724	29·8698
27	29·658	29·616	29·572	29·516	29·425	29·410	29·399	29·385	29·4976
28	29·454	29·487	29·590	29·637	29·660	29·773	29·825	29·864	29·6613
29	29·902	29·958	30·012	29·993	29·979	30·034	30·056	30·073	30·0009
30	30·054	30·056	30·032	29·974	29·885	29·836	29·859	29·887	29·9479
31	29·927	29·980	30·051	30·075	30·100	30·191	30·215	30·223	30·0953
Means	29·9082	29·9265	29·9335	29·9075	29·8955	29·9193	29·9387	29·9348	29·9205

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·221	30·214	30·207	30·144	30·059	29·944	29·834	29·700	30 0404
2	29·560	29·403	29·254	29·074	28·923	28·978	29·149	29·310	29·2064
3	29·488	29·643	29·742	29·756	29·732	29·811	29·842	29·822	29 7295
4	29·802	29·809	29·872	29·868	29·847	29·892	29·881	29·898	29·8586
5	29·940	29·973	30·003	30·008	30·013	30·043	30·066	30·078	30·0155
6	30·097	30·126	30·114	30 097	30·032	29·926	29·793	29·586	29·9714
7	29 264	29·073	28·975	28·953	28·869	28·889	28·917	28 990	28·9913
8	29·066	29·154	29·258	29·326	29·436	29·539	29·622	29·696	29·3871
9	29·752	29·819	29·823	29·762	29·691	29·567	29·340	29·159	29 6141
10	29·059	28 994	28·951	28·947	28·979	29·141	29·215	29·245	29·0664
11	29·310	29·398	29·356	29·274	29·173	29·029	28·930	29·065	29 1919
12	29·160	29·292	29·338	29·379	29·461	29 593	29·665	29·765	29 4566
13	29·848	29·935	29 947	29·956	29·935	29·923	29·849	29·669	29·8828
14	29·426	29·137	28·997	28·940	29·158	29·358	29·457	29·545	29·2523
15	29·628	29·768	29 836	29·854	29 866	29·899	29·972	29·833	29·8320
16	29·767	29·709	29·736	29·758	29·741	29·772	29·769	29·743	29 7494
17	29·780	29·834	29·889	29·943	29·988	30·108	30·183	30·180	29 9881
18	30·227	30·293	30·276	30·205	30·179	30·114	30·018	29·902	30·1518
19	29·745	29·625	29·604	29·529	29 540	29·557	29·636	29·636	29 6090
20	29·681	29·522	29·483	29·397	29·307	29 345	29·382	29·368	29 4356
21	29 392	29 423	29·412	29 402	29·403	29·497	29·565	29·642	29 4670
22	29·721	29·826	29·844	29·815	29·801	29·803	29·815	29·798	29 8029
23	29·817	29·844	29·873	29·848	29·793	29·726	29·651	29·568	29 7650
24	29·495	29·438	29 442	29·414	29·372	29 372	29 390	29·393	29 4145
25	29·423	29·470	29·559	29·550	39·595	29·638	29·654	29·674	29 5704
26	29·671	29·668	29·644	29·614	29 576	29·595	29·636	29·656	29 6325
27	29·652	29·656	29 682	29·705	29·745	29·778	29·819	29·865	29 7378
28	29·923	30·000	30·021	30·043	30·039	30·100	30·124	30·123	30 0466
29	30·146	30 169	30·168	30·153	30·161	30·162	30·162	30 101	30 1528
Means	29·6573	29·6626	29·6657	29·6453	29·6350	29·6586	29·6667	29·6555	29 6558

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of March, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·093	30·067	30·055	30·016	29·963	29·925	29·880	29·825	29·9780
2	29·768	29·672	29·591	29·525	29·438	29·399	29·331	29·286	29·5013
3	29·271	29·267	29·275	29·261	29·191	29·146	29·111	29·059	29·1976
4	29·047	29·043	29·015	29·009	28·979	28·968	28·933	28·986	28·9975
5	28·898	28·914	28·899	28·917	28·978	29·097	29·177	29·237	29·0146
6	29·347	29·464	29·526	29·612	29·654	29·745	29·773	29·847	29·6210
7	29·896	29·913	29·901	29·856	29·777	29·756	29·669	29·543	29·7889
8	29·366	29·221	29·212	29·188	29·171	29·170	29·164	29·180	29·2090
9	29·215	29·245	29·255	29·239	29·201	29·255	29·287	29·333	29·2538
10	29·411	29·481	29·508	29·507	29·521	29·588	29·651	29·668	29·5419
11	29·719	29·786	29·831	29·861	29·829	29·798	29·712	29·490	29·7533
12	29·267	29·100	28·961	28·969	29·085	29·211	29·286	29·442	29·1651
13	29·636	29·866	29·871	29·918	29·928	30·000	30·080	30·090	29·9161
14	30·119	30·158	30·151	30·161	30·105	30·122	30·166	30·189	30·1464
15	30·193	30·228	30·232	30·197	30·139	30·150	30·196	30·214	30·1936
16	30·210	30·220	30·190	30·170	30·076	30·056	30·027	29·944	30·1136
17	29·747	29·514	29·307	29·162	29·057	29·346	29·634	29·787	29·4443
18	29·901	30·053	30·095	30·128	30·127	30·155	30·238	30·264	30·1201
19	30·298	30·305	30·295	30·235	30·167	30·076	29·962	29·844	30·1478
20	29·750	29·648	29·394	29·346	29·393	29·349	29·400	29·444	29·4655
21	29·506	29·579	29·642	29·678	29·698	29·840	29·893	29·928	29·7205
22	29·954	30·016	29·967	29·929	29·841	29·858	29·915	29·975	29·9319
23	30·103	30·246	30·262	30·275	30·261	30·329	30·364	30·373	30·2766
24	30·392	30·407	30·389	20·334	30·296	30·312	30·375	30·365	30·3588
25	30·380	30·376	30·360	30·322	30·229	30·175	30·145	30·075	30·2578
26	30·019	29·965	29·921	29·904	29·801	29·688	29·598	29·465	29·7951
27	29·294	29·123	29·129	29·197	29·243	29·332	29·412	29·510	29·2800
28	29·573	25·637	29·684	29·724	29·706	29·789	29·904	29·988	29·7506
29	30·059	30·120	30·134	30·167	30·159	30·177	30·186	30·183	30·1481
30	30·128	30·091	30·033	30·005	29·887	29·820	29·768	29·740	29·9340
31	29·672	29·612	29·632	29·596	29·592	29·663	29·743	29·754	29·6580
Means	29·7494	29·7509	29·7328	29·7228	29·6933	29·7192	29·7413	29·7428	29·7316

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 a.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·793	29·862	29·862	29·867	29·865	29·929	29·963	29·945	29·8858
2	29·941	29·914	29·881	29·849	29·777	29·738	29·675	29·590	29·7956
3	29·387	29·255	29·164	29·155	29·099	29·109	29·122	29·133	29·1755
4	29·138	29·144	29·169	29·212	29·237	29·303	29·366	29·399	29·2460
5	29·436	29·497	29·571	29·636	29·711	29·783	29·879	29·906	29·6766
6	29·934	29·978	29·979	29·995	30·005	30·038	30·066	30·078	30·0091
7	30·087	30·103	30·103	30·105	30·100	30·125	30·182	30·201	30·1258
8	30·210	30·227	30·227	30·176	30·167	30·209	30·221	30·202	30·2049
9	30·128	30·151	30·089	30·047	30·010	29·991	30·004	29·949	30·0461
10	29·934	29·956	29·935	29·931	29·944	30·005	30·057	39·075	29·9796
11	30·039	30·057	30·001	29·972	29·915	29·928	29·929	29·909	29·9688
12	29·935	29·990	29·997	30·028	30·023	30·077	30·091	30·091	30·0290
13	30·055	30·016	29·999	29·983	29·927	29·925	29·975	30·015	29·9869
14	30·064	30·131	30·131	30·141	30·115	30·031	29·949	39·982	30·0680
15	29·849	29·883	29·837	29·856	29·829	29·838	29·876	29·867	29·8544
16	29·906	29·993	29·957	29·997	29·969	30·013	30·060	30·072	29·9959
17	30·098	30·115	30·125	30·159	30·115	30·114	39·072	39·067	30·1082
18	30·005	29·892	29·812	29·738	29·726	29·783	29·861	29·935	29·8440
19	29·989	30·045	30·076	30·070	30·036	29·961	29·873	29·811	29·9826
20	29·724	29·744	29·745	29·728	29·625	29·613	29·877	29·575	29·7039
21	29·653	29·736	29·760	29·740	29·719	29·755	29·792	29·759	29·7393
22	29·774	29·775	29·790	29·823	29·777	29·785	29·778	29·765	29·7834
23	29·788	29·837	29·821	29·829	29·817	29·828	29·919	29·947	29·8483
24	29·984	30·049	30·047	30·067	30·067	30·145	30·178	30·193	30·0913
25	30·215	30·232	30·241	30·237	30·186	30·243	30·236	30·269	30·2324
26	30·278	30·278	30·249	30·270	30·236	30·276	30·264	30·279	30·2663
27	30·235	30·387	30·375	30·381	30·373	30·382	30·410	30·405	30·3685
28	30·404	30·398	30·350	30·311	30·258	30·233	30·139	30·117	30·2763
29	30·052	29·993	29·957	29·965	29·949	29·989	30·049	30·067	30·0026
30	30·064	30·055	80·025	30·007	30·003	30·017	29·977	29·966	30·0143
Means	29·9364	29·9564	29·9425	29·9425	29·9193	29·9389	29·9613	29·9516	29·9436

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of May, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·917	29·889	29·891	29·942	29·956	29·987	30·010	30·010	29·9503
2	30·013	30·022	30·005	30·004	30·005	30·034	29·993	30·001	30·0096
3	29·998	29·982	29·927	29·881	29·835	29·807	29·820	29·807	29·8821
4	29·811	29·801	29·772	29·740	29·722	29·817	29·849	29·851	29·7954
5	29·866	29·885	29·891	29·910	29·909	29·931	29·987	30·020	29·9249
6	30·078	30·126	30·153	30·191	30·203	30·221	30·254	30·265	30·1864
7	30·297	30·289	30·245	30·226	30·177	30·156	30·201	30·185	30·2220
8	30·192	30·183	30·142	30·110	30·051	30·042	30·045	30·009	30·0968
9	29·984	29·982	29·897	29·846	29·772	29·679	29·658	29·619	29·8046
10	29·584	29·504	29·423	29·340	29·293	29·376	29·495	29·562	29·4471
11	29·637	29·718	29·751	29·758	29·752	29·777	29·785	29·803	29·7476
12	29·799	29·768	29·714	29·683	29·632	29·675	29·773	29·797	29·7301
13	29·859	29·936	29·945	29·976	29·966	29·957	29·974	29·981	29·9493
14	29·979	29·982	29·937	29·869	29·834	29·843	29·817	29·825	29·8858
15	29·833	29·849	29·827	29·822	29·814	29·869	29·895	29·903	29·8515
16	29·797	29·877	29·828	29·807	29·789	29·833	29·853	29·829	29·8266
17	29·850	29·877	29·856	29·839	29·795	29·766	29·786	29·769	29·8173
18	29·739	29·698	29·603	29·534	29·479	29·467	29·496	29·508	29·5655
19	29·524	29·544	29·571	29·560	29·564	29·599	29·672	29·653	29·5859
20	29·708	29·949	30·029	30·069	30·047	30·170	30·228	30·269	30·0586
21	30·293	30·328	30·352	30·332	30·297	30·245	30·201	30·172	30·2775
22	30·093	29·951	29·861	29·780	29·731	29·709	29·729	29·721	29·8219
23	29·758	29·803	29·881	30·014	30·014	30·097	30·201	30·235	30·0004
24	30·285	30·344	30·389	30·374	30·368	30·337	30·336	30·334	30·3459
25	30·317	30·276	30·268	30·262	30·215	30·209	30·197	30·195	30·2424
26	30·189	30·151	30·104	30·045	29·965	29·923	29·890	29·869	30·0170
27	29·853	29·821	29·802	29·771	29·714	29·709	29·749	29·786	29·7756
28	29·800	29·832	29·866	29·857	29·867	29·899	29·980	29·971	29·8840
29	29·987	30·003	29·991	29·953	29·946	29·857	29·839	29·803	29·9224
30	29·794	29·805	29·849	29·843	29·841	29·851	29·886	29·889	29·8448
31	29·881	29·854	29·845	29·822	29·827	29·800	29·796	29·785	29·8263
Means	29·9263	29·9364	29·9231	29·9084	29·8832	29·8917	29·9160	29·9170	29·9128

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of June, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·725	29·682	29·684	29·661	29·651	29·646	29·654	29·636	29·6674
2	29·646	29·670	29·666	29·646	29·633	29·670	29·736	29·767	29·6793
3	29·792	29·815	29·803	29·776	29·768	29·801	29·849	29·857	29·8076
4	29·897	29·902	29·925	29·922	29·899	29·913	29·947	29·899	29·9130
5	29·919	29·919	29·981	29·970	29·965	30·021	30·052	30·063	29·9863
6	30·099	30·108	30·132	30·104	30·144	30·109	30·131	30·145	30·1215
7	30·133	30·100	30·029	29·993	29·932	29·908	29·943	29·935	29·9966
8	29·945	29·917	29·905	29·898	28·861	29·869	29·871	29·870	29·8920
9	29·880	29·841	29·807	29·760	29·652	29·597	29·523	29·491	29·6939
10	29·491	29·482	29·463	29·416	29·361	29·234	29·238	29·263	29·3685
11	29·284	29·306	29·308	29·284	29·246	29·225	29·231	29·221	29·2631
12	29·157	29·123	29·118	29·131	29·163	29·256	29·426	29·529	29·2379
13	29·575	29·639	29·679	29·740	29·807	29·887	29·975	30·017	29·7899
14	30·064	30·097	30·124	30·142	30·125	30·126	30·156	30·102	30·1170
15	30·090	30·090	30·060	30·043	30·011	29·994	29·978	29·961	30·0284
16	29·974	29·976	29·983	29·947	29·988	29·996	30·014	30·036	29·9893
17	30·039	30·020	29·994	29·969	29·966	29·900	29·895	29·903	29·9608
18	29·908	29·887	29·860	29·858	29·830	29·862	29·817	29·784	29·8508
19	29·730	29·753	29·732	29·728	29·705	29·740	29·768	29·775	29·7414
20	29·762	29·763	29·740	29·714	29·686	29·676	29·740	29·787	29·7335
21	29·823	29·832	29·843	29·825	29·771	29·743	29·717	29·642	29·7745
22	29·583	29·565	29·547	29·516	29·471	29·507	29·507	29·518	29·5268
23	29·540	29·574	29·616	29·709	29·645	29·814	29·895	29·941	29·7166
24	29·968	29·990	30·037	30·057	30·085	30·144	30·214	30·233	30·0910
25	30·256	30·282	30·301	30·242	30·231	30·236	30·240	30·212	30·2500
26	30·185	30·143	30·114	30·038	29·945	29·899	29·858	29·823	30·0006
27	29·837	29·859	29·819	29·795	29·757	29·763	29·792	29·788	29·8013
28	29·791	29·786	29·771	29·767	29·742	29·704	29·723	29·690	29·7468
29	29·585	29·486	29·541	29·569	29·604	29·624	29·552	29·661	29·5778
30	29·706	29·756	29·786	29·788	29·837	29·893	29·945	29·976	29·8359
Means	29·8128	29·8121	29·8123	29·8003	29·7827	29·7919	29·8129	29·8175	29·8053

Abstract of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of July, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·971	29·967	29·950	29·933	29·935	29·948	30·032	30·045	29·9726
2	30·054	30·055	30·046	30·029	29·967	29·947	29·940	29·933	29·9964
3	29·913	29·897	29·972	30·043	30·051	30·103	30·125	30·134	30·0298
4	30·131	30·122	30·117	30·099	30·072	30·057	30·037	30·023	30·0823
5	29·919	29·879	29·831	29·717	29·630	29·582	29·617	29·666	29·7301
6	29·729	29·801	29·887	29·928	29·952	29·971	30·018	30·032	29·9148
7	30·022	30·021	30·003	29·965	29·910	29·881	29·895	29·873	29·9463
8	29·807	29·786	29·781	29·855	29·814	29·883	29·966	29·975	29·8584
9	29·993	30·007	30·029	30·018	29·997	30·007	30·065	30·078	30·0243
10	30·081	30·068	30·081	30·047	30·029	29·955	29·958	29·956	30·0219
11	29·926	29·919	29·968	29·831	29·781	29·765	29·783	29·759	29·8415
12	29·763	29·766	29·738	29·730	29·690	29·690	29·701	29·697	29·7219
13	29·677	29·662	29·671	29·668	29·660	29·666	29·692	29·716	29·6765
14	29·699	29·696	29·697	29·701	29·681	29·681	29·734	29·753	29·7053
15	29·759	29·760	29·765	29·747	29·722	29·686	29·659	29·581	29·7099
16	29·525	29·487	29·521	29·500	29·518	29·593	29·662	29·713	29·5649
17	29·761	29·809	29·853	29·881	29·911	29·964	30·054	30·085	29·9148
18	30·165	30·216	30·262	30·275	30·295	30·306	30·323	30·327	30·2711
19	30·318	30·316	30·322	30·300	30·216	30·203	30·205	30·201	30·2601
20	30·182	30·171	30·175	30·118	30·089	30·089	30·057	30·039	30·1143
21	30·011	29·960	29·857	29·849	29·874	29·841	29·869	29·877	29·8923
22	29·895	29·915	29·949	29·935	29·894	29·904	29·913	29·856	29·9076
23	29·749	29·613	29·566	29·519	29·486	29·501	29·566	29·605	29·5756
24	29·688	29·733	29·815	29·812	29·826	29·823	29·849	29·855	29·8001
25	29·837	29·800	29·757	29·686	29·629	29·614	29·667	29·680	29·7088
26	29·724	29·773	29·815	29·819	29·819	29·839	29·888	29·915	29·8240
27	29·919	29·923	29·918	29·883	29·875	29·861	29·870	29·873	29·8903
28	29·807	29·706	29·682	29·663	29·707	29·774	29·833	29·888	29·7575
29	29·900	29·931	29·946	29·935	29·908	29·917	29·958	29·925	29·9275
30	29·903	29·895	29·901	29·855	29·827	29·807	29·771	29·694	29·8316
31	29·571	29·535	29·513	29·482	29·653	29·653	29·653	29·698	29·5948
Means	29·8838	29·8771	29·8835	29·8652	29·8522	29·8550	29·8826	29·8855	29·8731

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of August, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	ih.	in.
1	29·746	29·787	29·814	29·779	29·799	29·807	29·856	29·843	29·8039
2	29·835	29·819	29·821	29·791	29·805	29·774	29·745	29·702	29·7865
3	29·690	29·738	29·785	29·811	29·809	29·847	29·893	29·901	29·8093
4	29·893	29·893	29·893	29·866	29·806	29·797	29·773	29·762	29·8354
5	29·771	29·796	29·821	29·842	29·875	29·916	29·993	30·013	29·8784
6	30·056	30·093	30·119	30·107	30·086	30·095	30·098	30·111	30·0956
7	30·073	30·040	30·011	29·974	29·913	29·877	29·891	29·881	29·9575
8	29·861	29·851	29·857	29·836	29·823	29·820	29·841	29·866	29·8444
9	29·881	29·889	29·887	29·885	29·857	29·835	29·866	29·846	29·8683
10	29·817	29·809	29·787	29·770	29·746	29·737	29·786	29·794	29·7808
11	29·795	29·794	29·806	29·811	29·814	29·861	29·899	29·906	29·8358
12	29·918	29·933	29·923	29·921	29·913	29·906	29·927	29·918	29·9199
13	29·908	29·895	26·913	38·893	29·899	29·925	29·962	29·973	29·9210
14	29·967	29·975	30·009	30·001	29·975	30·007	30·023	30·031	29·8985
15	30·053	30·068	30·093	30·096	30·106	30·101	30·127	30·131	30·0969
16	30·092	30·049	30·026	29·972	29·914	29·844	29·847	29·832	29·9470
17	29·795	29·771	29·738	29·696	29·679	29·684	29·732	29·727	29·7278
18	29·738	29·760	29·786	29·791	29·785	29·815	29·871	29·885	29·8039
19	29·881	29·869	29·886	29·877	29·841	29·849	29·873	29·862	29·8673
20	29·854	29·875	29·909	29·915	29·912	29·932	29·985	29·999	29·9226
21	30·006	30·029	30·022	30·020	30·001	30·009	30·041	30·040	30·0210
22	30·049	30·055	30·067	30·010	30·065	30·060	30·075	30·083	30·0580
23	30·087	30·105	30·110	30·106	30·094	30·069	30·053	30·011	30·0794
24	29·958	29·897	29·843	29·768	29·688	29·682	29·722	29·739	29·7871
25	29·777	29·839	29·881	29·924	29·926	29·956	30·025	30·057	29·9231
26	30·067	30·085	30·121	30·110	30·097	30·103	30·132	30·120	30·1044
27	30·099	30·075	30·105	30·085	30·041	30·019	30·003	29·921	30·0435
28	29·883	29·883	29·898	29·888	29·911	29·928	29·985	30·009	29·9231
29	30·051	30·091	30·120	30·103	30·069	30·071	30·076	30·066	30·0809
30	30·052	30·007	30·015	29·976	29·945	29·895	29·885	29·851	29·9532
31	29·767	29·726	29·697	29·678	29·626	29·702	29·745	29·754	29·7119
Means	29·9168	29·9192	29·9278	29·9130	29·8974	29·9007	29·9268	29·9237	29·9157

Abstract of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of September, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·569	29·724	29·807	29·809	29·817	29·877	29·946	29·970	29·8149
2	30·001	30·056	30·091	30·086	30·071	30·101	30·125	30·113	30·0805
3	30·085	30·078	30·060	29·983	29·929	29·884	29·827	29·781	29·9534
4	29·720	29·652	29·691	29·731	29·772	29·871	29·947	29·987	29·7964
5	30·043	30·110	30·140	30·161	30·152	30·155	30·175	30·188	30·1405
6	30·193	30·186	30·171	30·159	30·103	30·049	30·009	29·985	30·1069
7	29·925	29·911	29·876	29·889	29·868	29·897	29·919	29·933	29·9023
8	29·951	29·971	30·013	30·031	30·027	30·057	30·103	30·101	30·0318
9	30·097	30·099	30·116	30·092	30·069	30·037	30·022	30·023	30·0694
10	29·961	29·961	29·984	29·958	29·945	29·917	29·926	29·928	29·9475
11	29·891	29·893	29·892	29·887	29·877	29·927	29·984	30·001	29·9190
12	30·039	30·084	30·101	30·089	80·092	30·089	30·098	30·093	30·0856
13	30·130	30·172	30·221	30·232	30·208	30·223	30·216	30·200	30·2003
14	30·172	30·118	30·103	30·026	29·940	29·915	29·903	29·835	30·0015
15	29·795	29·767	29·748	29·709	29·694	29·728	29·769	29·778	29·7485
16	29·814	29·861	29·897	29·897	29·883	29·877	29·889	29·884	29·8753
17	29·865	29·845	29·858	29·823	29·752	29·716	29·660	29·623	29·7678
18	29·511	29·532	29·524	29·483	29·543	29·673	29·758	29·823	29·6059
19	29·835	29·839	29·842	29·786	29·696	29·544	29·400	29·339	29·6601
20	29·297	29·337	29·401	29·520	29·627	29·705	29·803	29·817	29·5634
21	29·855	29·859	29·883	29·840	29·783	29·795	29·837	29·832	29·8355
22	29·822	29·815	29·815	29·759	29·712	29·687	29·652	29·585	29·7309
23	29·534	29·551	29·622	29·690	29·761	29·803	29·797	29·792	29·6938
24	29·805	29·864	29·896	29·903	29·921	29·975	30·044	30·086	29·9368
25	30·138	30·198	30·279	30·293	30·289	30·320	30·352	30·366	30·2794
26	30·363	30·359	30·338	30·308	30·248	30·245	30·242	30·216	30·2899
27	30·207	30·188	30·201	30·142	30·107	30·089	30·097	30·077	30·1385
28	30·056	30·001	30·000	29·953	29·937	30·017	30·070	30·095	30·0161
29	30·120	30·149	30·180	30·154	30·112	30·140	30·148	30·117	30·1400
30	30·102	30·086	30·077	30·029	29·951	29·901	29·862	29·819	29·9784
Means	29·9299	29·9422	29·9609	29·9474	29·9295	29·9405	29·9527	29·9462	29·9437

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·774	29·751	29·735	29·704	29·704	29·746	29·767	29·775	29·7445
2	29·753	29·765	29·787	29·772	29·748	29·788	29·818	29·819	29·7813
3	29·816	29·825	29·861	29·879	29·895	29·945	29·984	29·990	29·8994
4	30·019	30·049	30·080	30·065	30·038	30·077	30·110	30·106	30·0680
5	30·098	30·089	30·101	30·099	30·065	30·043	30·048	30·027	30·0713
6	29·968	29·928	29·888	29·825	29·778	29·726	29·685	29·655	29·8066
7	29·626	29·609	29·631	29·624	29·652	29·694	29·724	29·750	29·6638
8	29·802	29·863	29·891	29·897	29·872	29·861	29·905	29·953	29·8805
9	29·992	30·047	30·115	30·132	30·137	30·205	30·246	30·281	30·1444
10	30·303	30·349	30·399	30·397	30·391	30·452	30·490	30·481	30·4078
11	30·468	30·497	30·504	30·451	30·460	30·442	30·425	30·404	30·4564
12	30·375	30·337	30·325	30·280	30·222	30·200	30·176	30·107	30·2528
13	30·148	30·007	29·975	29·911	29·776	29·660	29·528	29·333	29·7923
14	29·171	29·030	29·249	29·407	29·497	29·597	29·630	29·609	29·3988
15	29·586	29·538	29·516	29·455	29·430	29·427	29·408	29·384	29·4680
16	29·341	29·315	29·327	29·342	29·401	29·478	29·535	29·571	29·4137
17	29·533	29·720	29·791	29·839	29·884	29·911	29·999	29·992	29·8336
18	29·969	29·987	29·972	29·917	29·893	29·837	29·787	29·724	29·8858
19	29·628	29·576	29·583	29·533	29·588	29·724	29·812	29·869	29·6641
20	29·945	30·028	30·102	30·106	30·117	30·132	30·146	30·164	30·0925
21	30·176	30·191	30·192	30·145	30·099	30·040	29·989	29·943	30·0969
22	29·852	29·750	29·692	29·662	29·650	29·690	29·759	29·789	29·7305
23	29·829	29·879	29·926	29·909	29·883	29·913	29·923	29·928	29·8988
24	29·901	29·878	29·832	29·802	28·630	29·617	29·504	29·574	29·7247
25	29·160	29·356	29·478	29·550	29·622	29·720	29·785	29·835	29·5632
26	29·876	29·928	29·979	30·004	29·947	29·981	30·009	30·007	29·9664
27	29·995	29·985	29·981	29·985	29·931	29·963	30·015	30·058	29·9891
28	30·105	30·173	30·233	30·227	30·247	30·316	30·331	30·333	30·2456
29	30·347	30·350	30·336	30·314	30·243	30·222	30·172	30·125	30·2636
30	30·085	30·052	30·031	30·002	29·941	29·936	29·920	29·874	29·9801
31	29·828	29·793	29·750	29·678	29·655	29·678	29·705	29·745	29·7290
Means	29·8861	29·8918	29·9117	29·9004	29·8857	29·9039	29·9140	29·9088	29·9004

ABSTRACT of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of November, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·797	29·873	29·909	29·945	29·924	29·951	29·951	29·931	29·9101
2	29·903	29·896	29·923	29·914	29·861	29·867	29·847	29·818	29·8786
3	29·836	29·900	30·018	30·048	30·106	30·184	30·222	30·234	30·0685
4	30·176	30·313	30·338	30·331	30·321	30·354	30·343	30·334	30·3137
5	30·313	30·307	30·274	30·229	30·159	30·107	30·054	29·969	30·1765
6	29·891	29·778	29·646	29·585	29·522	29·506	29·528	29·557	29·6266
7	29·598	29·643	29·673	29·644	29·661	29·712	29·765	29·789	29·6856
8	29·851	29·890	29·908	29·920	29·949	29·938	29·914	29·853	29·9029
9	29·795	29·759	29·705	29·595	29·548	29·625	29·724	29·810	29·6951
10	29·920	30·067	30·139	30·149	30·171	30·217	30·256	30·281	30·1500
11	30·316	30·349	30·375	30·313	30·248	30·171	29·992	29·793	30·1946
12	29·736	29·795	29·849	29·811	29·801	29·817	29·839	29·804	29·8065
13	29·805	29·795	29·844	29·810	29·756	29·727	29·697	29·608	29·7553
14	29·547	29·517	29·542	29·582	29·683	29·820	29·912	29·968	29·6964
15	30·008	30·020	30·016	29·864	29·808	29·826	29·880	29·937	29·9199
16	29·986	30·085	30·161	30·196	30·194	30·200	30·137	30·097	30·1320
17	30·012	29·935	29·889	29·830	29·776	29·841	29·975	30·061	29·9149
18	30·153	30·246	30·308	30·240	30·214	30·141	30·052	29·894	30·1560
19	29·793	29·720	29·682	29·647	29·680	29·819	29·953	30·039	29·7916
20	30·143	30·230	30·290	30·274	30·318	30·379	30·427	30·469	30·3163
21	30·490	30·531	30·542	30·469	30·387	30·327	30·214	30·041	30·3751
22	29·790	29·737	29·749	29·827	29·952	30·105	30·270	30·361	29·9739
23	30·449	30·573	30·659	30·693	30·685	30·684	30·656	30·611	30·6263
24	30·510	30·407	30·285	30·160	29·999	29·976	30·065	30·141	30·1929
25	30·234	30·306	30·357	30·401	30·425	30·451	30·483	30·499	30·4070
26	30·498	30·495	30·510	30·457	30·369	30·296	30·240	30·154	30·3774
27	30·086	30·027	30·017	29·991	29·939	29·940	29·925	29·934	29·9824
28	29·943	29·957	29·939	29·879	29·940	29·915	29·938	29·953	29·9330
29	29·944	29·959	29·993	30·031	30·077	30·147	30·186	30·188	30·0656
30	30·205	30·226	30·217	30·191	30·138	30·118	30·098	30·073	30·1582
Means	30·0243	30·0445	30·0586	30·0342	30·0204	30·0387	30·0514	30·0400	30·0390

Abstract of Barometer, 32° Fahrenheit, at Halifax, Nova Scotia, for the Month of December, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·081	30·082	30·076	30·040	30·018	30·045	30·095	30·135	30·0715
2	30·188	30·252	30·268	30·225	30·223	30·289	30·318	30·290	30·2566
3	30·257	30·234	30·199	30·116	30·068	30·106	30·113	30·129	30·1528
4	30·149	30·180	30·221	30·241	30·262	30·301	30·289	30·207	30·2312
5	30·158	30·071	29·937	29·837	29·819	29·873	29·955	30·013	29·9579
6	30·092	30·161	30·196	30·162	30·128	30·058	29·994	29·928	30·0899
7	29·911	29·955	29·905	29·859	29·847	29·856	29·891	29·940	29·8955
8	29·999	30·065	30·142	30·145	30·149	30·166	30·155	30·093	30·1143
9	30·075	29·853	29·676	29·349	29·068	28·915	28·757	28·925	29·3273
10	29·109	29·259	29·326	29·366	29·439	29·506	29·571	29·612	29·3985
11	29·663	29·702	29·762	29·879	29·823	29·876	29·932	29·935	29·8215
12	29·947	29·968	29·968	29·950	29·942	29·965	29·965	29·957	29·9577
13	29·937	29·925	29·914	29·879	29·836	29·781	29·703	29·638	29·8266
14	29·556	29·520	29·522	29·560	29·633	29·713	29·800	29·849	29·6441
15	29·907	29·979	30·014	30·009	30·034	30·105	30·134	30·095	30·0346
16	30·036	29·948	29·881	29·731	29·603	29·554	29·504	29·478	29·7169
17	29·422	29·448	29·473	29·610	29·576	29·709	29·795	29·851	29·6105
18	29·916	30·025	30·051	30·052	39·060	30·056	30·027	29·966	30·0191
19	29·889	29·740	29·590	29·407	29·337	29·346	29·354	29·397	29·5075
20	29·466	29·511	29·559	29·597	29·612	29·657	29·685	29·709	29·5995
21	29·731	29·780	29·795	29·768	29·732	29·759	29·778	29·770	29·7641
22	29·772	29·794	29·810	28·785	29·781	29·823	29·858	29·869	29·8115
23	29·920	29·946	29·941	29·872	29·807	29·789	29·810	29·781	29·8583
24	29·755	29·737	29·737	29·698	29·731	29·802	29·843	29·897	29·7750
25	29·969	30·011	30·082	30·108	30·127	30·209	30·231	30·203	30·1175
26	30·143	30·063	29·957	29·832	29·708	29·744	29·870	29·827	29·8930
27	30·003	30·156	30·268	30·348	30·424	30·535	30·604	30·635	30·3716
28	30·661	30·631	30·607	30·538	30·487	30·454	30·423	30·389	30·5238
29	30·359	30·297	30·256	30·152	30·071	30·067	30·068	30·092	30·1702
30	30·135	30·180	20·230	30·192	30·154	30·054	29·967	29·859	30·0964
31	29·785	29·698	29·737	29·821	29·971	30·147	30·301	30·375	29·9794
Means	29·9352	29·9410	29·9387	29·9074	29·8861	29·9116	29·9287	29·9305	29·9284

ABSTRACT of Temperature, at Esquimalt, British Columbia, for the Month of January, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	-
1	33·0	33·0	31·8	36·0	31·5	26·0	31·88
2	23·0	21·0	22·0	32·8	30·5	30·8	26·68
3	31·0	28·8	28·2	31·0	32·0	33·0	30·67
4	34·2	36·0	37·5	39·5	43·0	40·0	38·37
5	41·5	42·0	41·8	45·0	46·5	47·0	43·97
6	45·8	43·2	43·2	47·0	46·0	49·0	45·70
7	48·0	48·2	48·0	55·0	48·0	47·8	49·17
8	47·0	46·0	46·0	48·0	47·7	50·0	47·45
9	47·0	45·8	46·0	47·0	43·0	41·8	45·10
10	36·0	37·0	33·0	41·7	38·0	31·0	36·12
11	29·0	32·0	33·5	38·0	36·2	30·0	33·12
12	29·0	26·2	28·0	36·5	33·3	28·8	30·30
13	29·3	33·0	33·2	37·0	35·0	31·3	23·13
14	29·8	29·3	30·0	29·8	27·0	25·0	28·48
15	24·2	22·8	21·5	25·0	24·1	24·8	23·73
16	24·8	25·2	25·0	26·8	25·0	27·0	25·63
17	30·0	33·2	35·0	47·0	41·2	44·0	38·40
18	43·2	43·2	44·8	45·0	41·5	40·5	43·03
19	38·3	39·2	37·9	40·5	40·9	42·5	39·88
20	42·0	42·1	45·0	46·0	42·0	41·2	43·15
21	38·0	34·0	34·7	43·3	40·8	40·5	38·55
22	41·4	39·9	38·9	43·0	41·0	37·2	40·23
23	40·0	38·5	38·0	40·0	35·5	35·2	37·87
24	32·0	30·5	31·0	36·0	36·0	33·0	33·08
25	35·0	35·0	38·0	47·5	46·5	45·7	41·28
26	46·0	48·0	50·0	50·3	49·1	45·3	48·12
27	45·0	44·4	46·6	49·0	48·0	41·5	45·75
28	38·0	39·0	41·8	45·0	45·0	41·0	41·63
29	38·4	36·0	33·0	46·0	43·0	41·5	39·65
30	37·2	40·0	40·8	44·5	43·0	41·6	41·18
31	41·0	41·0	42·0	45·0	44·5	47·0	43·42
Means	36·71	36·56	36·97	41·43	39·51	38·12	38·22

ABSTRACT of Temperature, at Esquimalt, British Columbia, for the Month of February, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1	46·0	42·0	41·0	43·2	42·0	42·0	42·70
2	40·2	39·0	38·0	41·3	40·0	36·0	39·08
3	30·0	29·0	32·0	37·7	33·6	35·0	32·88
4	36·2	36·0	36·0	39·7	41·0	43·0	38·65
5	41·0	42·0	40·5	46·0	44·0	42·0	42·58
6	35·6	31·9	35·0	44·0	41·0	40·4	37·98
7	44·0	43·0	41·0	46·0	43·6	38·0	42·60
8	38·0	39·0	40·0	44·0	42·3	38·9	40·37
9	36·8	33·8	33·1	39·9	39·0	34·5	36·18
10	31·0	28·5	30·1	39·0	37·5	38·4	34·08
11	38·0	38·0	40·5	43·5	43·0	42·6	40·93
12	44·0	44·0	42·0	47·5	47·7	48·5	45·62
13	46·3	48·8	46·0	47·0	45·0	45·0	46·35
14	44·5	44·0	44·0	49·5	46·0	40·8	44·80
15	40·0	39·6	41·8	48·0	46·2	46·5	43·68
16	45·0	50·0	48·5	51·4	46·1	41·6	47·10
17	33·8	32·5	34·3	46·5	45·5	40·5	38·85
18	40·0	38·8	40·9	51·0	53·0	58·0	43·62
19	34·9	32·5	35·2	49·0	47·0	37·9	39·42
20	35·0	40·0	41·0	48·0	48·0	44·0	42·67
21	44·0	43·1	45·0	49·0	46·3	43·5	45·15
22	40·6	35·5	39·0	49·0	49·0	43·0	42·65
23	44·0	45·0	45·0	47·0	47·0	44·0	45·33
24	44·8	45·0	46·4	51·0	48·0	48·0	47·20
25	47·4	46·5	47·0	48·3	48·0	44·6	46·97
26	43·3	42·7	43·0	46·5	45·5	39·8	43·47
27	39·0	38·0	41·5	46·5	49·0	44·8	43·13
28	41·3	40·2	36·3	41·5	36·5	34·5	38·38
29	32·2	30·5	28·5	51·2	32·0	26·8	30·20
Means	39·89	39·27	39·75	45·23	43·89	40·78	41·47

Abstract of Temperature, at Esquimalt, British Columbia, for the Month of March, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1	24·0	22·5	23·2	25·4	25·5	24·8	24·23
2	24·0	22·6	24·0	28·5	28·5	27·0	25·77
3	27·0	25·9	28·5	33·0	32·6	26·5	28·92
4	24·0	23·4	28·4	36·0	34·6	30·5	29·48
5	29·2	29·5	33·6	40·0	40·6	38·5	35·23
6	37·3	35·0	36·0	43·0	41·5	35·5	38·05
7	39·2	38·5	39·1	46·5	42·2	41·0	41·08
8	42·5	43·0	43·3	44·0	41·0	39·0	42·13
9	38·5	36·7	38·0	45·5	46·0	43·6	41·38
10	42·0	41·5	42·5	46·8	47·0	39·1	43·15
11	38·7	40·3	44·0	50·5	45·8	44·0	43·88
12	40·5	38·6	43·0	45·0	46·6	41·0	42·42
13	37·0	41·0	47·3	54·5	53·0	47·7	46·75
14	45·8	41·8	45·8	52·0	52·0	37·8	45·87
15	33·3	31·9	44·5	52·9	47·0	43·9	42·25
16	34·5	32·4	42·0	55·5	47·5	39·8	41·95
17	35·0	32·0	42·8	50·5	47·5	40·1	41·32
18	35·7	34·0	47·9	55·5	52·5	49·2	45·80
19	47·9	45·9	49·0	54·0	55·0	51·0	50·47
20	49·0	46·2	42·3	48·5	47·6	42·0	45·83
21	40·0	35·0	42·5	49·0	45·5	38·1	41·68
22	36·0	36·0	45·0	52·5	52·1	44·9	44·42
23	41·1	43·9	47·5	51·5	51·5	51·0	48·25
24	49·5	46·5	49·0	47·0	44·0	40·8	46·13
25	39·9	35·5	40·5	47·0	47·0	39·0	41·48
26	35·5	32·0	41·0	50·0	50·0	44·1	42·10
27	41·8	40·1	41·5	46·0	42·8	40·5	42·12
28	38·3	39·0	40·0	41·5	43·9	39·5	40·37
29	38·0	36·0	38·5	43·4	37·7	36·1	38·28
30	32·4	29·0	39·9	45·0	42·8	35·6	37·45
31	32·3	29·0	39·9	46·5	46·2	40·8	39·12
Means	37·19	35·64	40·34	46·03	44·42	39·75	40·56

Abstract of Temperature, at Esquimalt, British Columbia, for the Month of April, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1	38·3	38·9	45·5	49·0	48·5	42·9	43·85
2	42·0	39·0	42·5	46·0	45·4	39·0	42·32
3	34·6	29·2	43·5	47·8	48·5	43·8	41·23
4	42·0	40·0	46·0	55·5	56·1	46·1	47·62
5	46·5	39·4	48·0	50·9	51·5	47·9	47·37
6	44·8	44·5	44·0	48·7	48·5	45·5	46·00
7	43·5	41·3	45·3	46·0	45·4	42·5	44·00
8	41·5	37·3	44·9	47·5	45·0	41·0	42·87
9	41·0	36·3	43·0	48·0	46·9	45·0	43·50
10	42·8	40·0	49·3	51·8	48·7	43·4	46·00
11	43·0	43·0	48·7	48·0	46·0	44·5	45·53
12	44·2	43·5	46·5	49·9	53·6	48·2	47·65
13	46·0	44·5	42·2	46·5	43·2	38·0	43·40
14	37·4	37·4	44·0	51·0	45·6	40·0	42·57
15	40·5	40·5	44·0	49·5	49·0	39·5	43·83
16	34·5	31·5	48·1	51·2	50·5	40·6	42·73
17	34·0	31·0	45·6	52·5	53·5	44·5	43·52
18	43·8	40·5	44·0	48·0	48·6	40·5	44·23
19	38·0	40·0	49·2	50·9	49·3	45·3	45·45
20	38·9	36·5	55·5	55·5	52·6	45·9	47·48
21	41·9	37·8	53·8	62·6	53·5	47·0	49·43
22	44·5	41·8	44·2	48·0	44·8	40·4	43·95
23	37·8	36·2	45·3	49·0	49·0	45·5	43·80
24	42·1	42·6	58·0	58·8	53·0	52·6	51·18
25	47·2	43·8	55·3	54·0	51·5	47·0	49·80
26	47·0	45·0	47·3	50·3	50·4	48·0	48·00
27	46·2	43·8	46·1	51·0	51·2	42·0	46·72
28	40·5	39·0	46·5	50·0	46·9	41·0	43·98
29	39·5	39·5	50·1	55·0	43·7	40·5	44·72
30	42·0	40·6	44·6	51·5	48·5	44·6	45·30
Means	41·53	39·48	47·03	50·84	48·96	43·76	45·27

ABSTRACT of Temperature, at Esquimalt, British Columbia, for the Month of May, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1.	42·6	41·7	46·0	48·0	46·8	40·0	44·18
2.	39·6	39·0	47·9	52·0	49·0	45·5	45·50
3.	43·0	41·3	44·4	51·0	49·0	45·0	45·62
4.	44·0	44·4	49·5	56·0	51·5	47·0	48·73
5.	46·3	45·5	54·0	54·0	53·5	46·7	50·00
6.	45·2	42·5	52·5	56·2	55·8	48·0	50·03
7.	47·0	46·2	50·0	52·0	49·0	46·0	48·37
8.	39·8	40·0	51·5	53·1	50·2	46·6	46·87
9.	43·8	40·0	53·5	58·0	50·5	47·3	48·85
10.	47·0	46·2	47·5	50·3	49·9	47·0	47·98
11.	45·5	42·4	53·3	55·0	50·0	44·5	48·45
12.	42·9	43·3	52·1	51·0	52·0	45·5	47·80
13.	42·0	40·3	54·0	56·0	51·9	46·0	48·37
14.	45·1	45·0	50·1	50·5	50·3	42·5	47·25
15.	39·2	35·3	53·3	52·0	47·3	44·0	45·18
16.	43·7	43·0	43·5	47·2	50·5	46·5	45·73
17.	44·0	42·0	55·0	55·0	50·9	45·1	48·67
18.	42·8	41·0	56·0	59·5	60·1	53·0	52·07
19.	51·8	48·0	55·0	56·0	59·0	51·4	53·53
20.	47·5	42·0	56·0	60·0	53·5	48·5	51·25
21.	48·1	46·4	57·0	59·0	57·6	52·0	53·35
22.	47·0	48·5	57·0	62·0	56·0	50·4	53·48
23.	49·0	48·6	51·5	55·8	53·0	48·0	50·98
24.	47·0	47·3	55·5	56·8	51·6	48·0	51·03
25.	47·9	45·0	52·4	52·5	51·0	49·6	49·73
26.	47·7	47·5	51·7	54·0	53·0	48·0	50·32
27.	44·0	42·2	56·1	61·8	56·2	51·0	51·87
28.	49·0	45·0	60·3	59·8	55·2	49·0	53·05
29.	47·6	45·4	58·0	60·5	60·0	60·0	55·25
30.	60·0	51·0	56·5	54·0	53·4	50·3	54·20
31.	48·1	46·8	56·8	60·1	57·0	50·9	53·28
Means.	45·75	43·96	52·83	55·13	52·73	47·85	49·71

ABSTRACT of Temperature, at Esquimalt, British Columbia, for the Month of June, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1	48·0	46·0	57·5	62·5	57·8	49·3	53·52
2	45·0	45·2	54·5	60·0	58·0	52·0	52·45
3	48·5	50·0	52·5	55·5	54·0	50·5	51·83
4	50·2	50·8	53·0	57·0	56·0	52·5	53·25
5	51·0	48·4	52·0	56·5	56·0	48·8	52·12
6	46·6	47·5	53·3	59·5	53·5	51·8	52·03
7	48·6	49·5	51·5	61·8	59·9	52·7	54·00
8	50·0	50·0	55·2	57·0	56·0	50·9	53·18
9	50·4	48·5	53·5	59·0	56·5	49·0	52·82
10	49·3	49·0	59·0	62·0	53·0	48·6	53·48
11	46·1	46·8	60·5	54·0	56·5	55·7	53·27
12	47·2	48·2	56·4	59·0	56·0	47·4	52·37
13	42·2	40·0	52·0	56·5	55·0	53·3	49·83
14	51·0	50·4	58·8	60·0	56·9	53·0	55·02
15	47·2	48·0	59·1	64·0	53·0	52·6	53·98
16	50·0	45·5	59·9	61·5	59·0	54·5	55·07
17	57·2	54·4	58·8	61·0	55·3	52·3	56·50
18	46·5	49·3	58·5	61·5	61·0	57·0	55·63
19	52·8	51·3	60·0	55·3	53·0	52·0	54·07
20	46·8	44·6	46·8	61·0	60·5	54·4	52·35
21	52·0	50·8	64·4	66·5	68·0	51·5	58·87
22	47·2	50·0	59·0	67·0	65·0	58·0	58·03
23	54·5	51·6	62·0	61·0	57·5	51·0	56·27
24	47·9	47·0	59·5	63·0	72·0	53·2	57·10
25	51·0	49·1	73·8	68·0	64·0	59·5	60·90
26	56·5	55·0	79·5	79·0	67·0	63·5	66·75
27	67·0	55·2	64·5	68·5	64·0	57·2	62·73
28	53·3	51·2	66·0	62·9	63·0	59·9	59·38
29	58·5	56·0	64·0	60·0	56·0	59·0	58·92
30	56·8	50·1	64·0	60·0	66·0	60·0	59·48
Means	50·71	49·31	58·98	61·35	58·98	53·70	55·51

Abstract of Temperature, at Esquimalt, British Columbia, for the Month of July, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1	54·0	49·2	67·0	67·2	65·4	60·5	60·55
2	58·0	49·2	61·0	62·0	66·0	59·0	59·20
3	57·5	51·6	62·3	71·0	69·0	66·0	62·90
4	61·4	55·1	68·8	69·5	64·0	55·7	62·38
5	55·5	53·0	63·0	69·7	77·1	65·6	63·98
6	55·4	49·4	67·0	66·0	67·5	62·0	61·22
7	58·2	59·0	68·0	63·0	59·0	58·0	60·87
8	56·5	53·0	62·4	69·0	60·3	53·7	59·15
9	53·1	52·5	65·0	77·0	75·0	62·0	64·10
10	56·0	53·5	66·5	65·0	60·0	58·0	59·83
11	53·2	49·8	60·6	65·0	66·0	63·1	59·62
12	58·0	57·0	66·0	68·8	64·0	55·4	61·53
13	52·0	50·0	62·2	65·2	61·1	60·4	58·48
14	58·6	52·1	67·9	71·0	70·5	63·2	63·88
15	55·5	51·0	67·0	69·0	64·0	57·0	60·58
16	55·0	51·1	63·0	69·5	65·0	58·0	60·27
17	51·5	51·5	64·0	67·0	69·1	57·0	60·02
18	55·4	53·6	68·5	74·0	70·5	62·9	64·15
19	58·3	53·4	68·0	73·8	70·0	61·4	64·15
20	56·0	54·3	68·0	70·2	70·5	61·7	63·45
21	73·6	70·0	71·0	71·0	70·0	65·0	70·10
22	56·9	53·0	69·0	74·0	66·0	59·0	62·98
23	54·5	51·4	60·0	62·5	60·0	54·2	57·10
24	49·0	47·4	56·8	57·0	56·4	52·5	53·18
25	50·0	48·0	49·3	61·0	57·5	53·0	53·13
26	51·0	47·5	57·2	64·0	57·5	53·5	55·12
27	46·5	44·2	58·4	63·0	65·0	57·8	55·82
28	51·0	52·1	63·0	69·0	65·0	52·5	58·77
29	46·5	44·2	58·4	63·0	65·0	57·8	55·82
30	53·0	54·5	59·5	65·0	61·0	58·2	58·53
31	56·0	53·8	60·5	65·0	64·0	59·5	59·80
Means	55·07	52·11	63·52	67·33	65·21	58·82	60·34

ABSTRACT of Temperature at Esquimalt, British Columbia, for the Month of August, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	55·6	55·0	56 1	56 8	64·4	60 0	57·98
2	54·4	55 4	60 0	63 5	60·0	56 9	58·37
3	57·0	54 9	59 7	62·5	62 8	57 0	58·98
4	53·4	52 7	58 5	64 5	62 0	56 0	57·85
5	53 0	54 1	56 9	68 2	61·0	56 4	58·27
6	55 0	53 0	64 0	65·0	67·0	55 8	59 97
7	54 0	54 9	65 0	65·0	65·0	60·6	60 75
8	57 0	55 0	60·0	66·2	66·5	58 9	60 60
9	57·3	56·2	62 8	65 5	66·0	58 0	60·97
10	55 0	50 0	65 1	65·1	62·0	54 8	58·67
11	50 0	46 2	60 0	69·0	66·0	56 8	58·00
12	52 0	48 5	65 5	69 0	67·0	59·0	60·17
13	55 2	50 0	63 5	69·0	65·0	56 0	59 78
14	54 0	50 5	59 0	63·0	61·0	58 0	57·58
15	52 5	49 0	59 5	67·0	60·8	56 9	57 62
16	52·3	49 0	58 0	70 5	64·2	57 8	58 63
17	55 0	52 5	57 0	62 0	59·3	53 1	56·48
18	50 5	49·0	53 0	63 0	57·5	54 6	54 60
19	50 3	48 0	57 0	67 0	60 0	51 7	55 77
20	50 0	46 9	52 5	64·0	61·6	54 0	54 83
21	50 3	49 2	58 2	69 5	67·0	56 0	58 37
22	55 0	52·0	60 8	71 2	70·3	59 9	61 53
23	55 5	51 5	63 0	72 0	70·5	57 5	61·67
24	54 0	50 0	60 5	69 2	62·0	56·5	58 70
25	52 2	49 4	53 9	61·0	60·5	53·0	55·00
26	49 0	48 0	52·1	62·5	65·0	58·0	55·77
27	53·5	52·0	57 0	57·0	59·0	51·2	54·95
28	52 4	53 5	59·0	65·0	66 0	56·1	58 67
29	55·1	52 0	60·1	70·0	68·2	55 1	60·08
30	53·5	52 0	58 5	61·0	59·0	57·5	56 92
31	56·1	54 2	56 8	63·0	55·8	55 4	56·88
Means	53·55	51·44	59·15	65·39	63·30	56·40	58·20

ABSTRACT of Temperature at Esquimalt, British Columbia, for the Month of September, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	53·5	54·3	56·0	59·9	57·7	52·4	55·63
2	49·8	52·5	56·1	64·1	59·0	53·5	55·83
3	53·1	48·8	57·0	63·0	62·5	54·9	56·55
4	49·8	49·0	60·8	68·5	66·9	57·5	58·75
5	53·5	51·8	60·0	67·2	59·0	56·5	58·00
6	51·5	49·5	53·5	61·5	58·4	50·0	54·07
7	49·0	46·5	51·0	55·9	55·1	49·0	51·18
8	45·0	42·5	51·0	58·8	59·0	49·0	50·88
9	45·0	42·0	49·9	60·5	60·0	50·0	51·23
10	48·0	45·0	52·0	56·8	60·0	56·5	53·05
11	51·0	46·0	51·9	61·0	59·8	49·5	53·20
12	46·0	43·4	50·5	51·1	53·1	55·5	49·93
13	57·0	52·2	59·0	66·0	62·8	49·5	57·75
14	45·8	43·1	50·0	59·0	58·0	50·5	51·07
15	49·4	48·6	50·0	56·0	51·7	50·1	50·97
16	45·9	42·4	49·0	52·0	48·0	45·6	47·15
17	48·0	41·0	48·2	55·2	53·6	47·0	48·83
18	47·0	41·2	50·5	61·5	62·5	52·0	51·88
19	50·0	44·0	56·0	67·0	65·0	52·8	55·30
20	45·1	45·9	54·0	61·1	56·0	47·9	52·48
21	45·0	43·5	48·0	51·0	53·0	46·0	47·77
22	45·5	42·8	47·1	53·8	54·0	48·5	48·53
23	47·4	46·2	50·0	57·5	52·0	46·9	49·68
24	43·0	45·5	49·3	54·5	52·5	45·2	49·07
25	41·9	40·5	48·0	54·0	52·0	45·0	47·08
26	41·0	38·1	48·0	55·5	51·9	44·0	46·57
27	41·0	39·0	47·0	49·0	52·3	44·8	45·52
28	40·5	42·0	48·9	56·0	52·0	47·4	47·80
29	45·0	43·0	41·0	49·5	49·8	48·4	46·12
30	48·8	49·0	49·0	56·0	55·0	49·4	51·20
Means	47·50	45·31	51·42	58·10	56·44	49·84	51·44

ABSTRACT of Temperature at Esquimalt, British Columbia, for the Month of October, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	53·2	51·4	54·0	57·0	52·8	48·1	52·75
2	48·0	55·0	56·0	58·0	55·0	50·1	53·68
3	47·0	43·0	45·8	53·5	53·1	48·5	48·48
4	48·2	46·8	50·5	56·9	54·5	49·5	51·07
5	43·0	39·3	47·4	52·2	57·2	46·0	47·52
6	42·0	41·0	46·0	55·0	50·5	50·0	47·42
7	49·0	41·3	49·0	55·0	51·0	48·0	48·88
8	48·0	47·0	50·0	56·0	48·7	43·5	48·87
9	41·2	39·5	48·5	55·9	56·0	45·5	47·73
10	44·0	42·0	48·0	50·0	48·0	49·9	46·98
11	49·0	49·0	51·0	57·2	50·0	48·0	50·70
12	49·5	50·0	53·0	59·5	56·0	50·0	53·00
13	46·5	46·0	49·3	55·8	53·2	46·9	49·62
14	45·0	43·5	50·0	51·4	51·0	46·0	47·82
15	43·0	41·0	47·8	65·3	53·0	48·3	49·73
16	44·9	42·0	48·0	56·0	54·0	47·0	48·65
17	44·0	42·0	46·3	58·0	53·0	47·0	48·38
18	44·7	43·0	48·0	55·0	54·0	48·0	48·78
19	48·0	46·0	47·5	49·5	48·5	48·5	48·00
20	48·5	49·0	50·0	57·0	53·5	50·9	51·48
21	47·0	41·2	45·0	54·8	49·5	43·6	46·85
22	45·7	47·6	50·5	56·0	48·5	43·0	48·55
23	40·0	41·5	45·0	50·8	48·0	44·0	44·88
24	44·0	40·5	41·0	47·3	45·7	40·0	43·08
25	40·0	38·2	44·6	49·0	45·8	39·0	42·77
26	37·2	42·0	45·4	53·5	50·5	44·4	45·50
27	37·2	36·0	38·9	51·4	47·0	39·4	41·98
28	40·0	43·0	46·8	47·2	47·5	47·0	45·25
29	47·0	45·8	47·0	53·2	50·0	48·5	48·58
30	47·0	48·0	48·2	49·8	48·5	47·5	48·17
31	45·0	43·0	44·1	50·8	48·8	46·1	46·30
Means	45·12	44·02	47·83	54·13	51·06	46·52	48·11

ABSTRACT of Temperature at Esquimalt, British Columbia, for the Month of November, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	°	°	°	°	°	°	°
1	45·2	43·9	45·5	47·2	45·0	44·5	45·22
2	45·0	47·0	47·8	47·5	46·7	47·0	46·83
3	46·2	45·8	46·2	46·0	44·5	44·4	45·52
4	44·0	43·6	42·8	46·0	42·3	35·9	42·43
5	37·5	32·5	35·2	46·0	43·5	40·0	39·12
6	37·9	39·1	41·0	46·0	42·0	41·5	41·25
7	42·0	42·2	41·8	42·0	44·0	44·9	42·82
8	48·0	44·5	46·5	48·0	46·0	45·6	46·35
9	44·8	45·5	46·1	45·0	43·0	44·3	44·78
10	43·0	40·1	40·9	44·0	39·0	36·4	40·57
11	37·0	33·5	34·8	42·0	39·0	40·9	37·87
12	40·5	42·8	44·0	43·6	43·0	44·5	43·07
13	46·0	48·4	49·7	54·5	56·0	43·0	49·60
14	42·3	44·1	54·0	50·0	44·8	40·8	46·00
15	38·2	37·6	38·0	38·0	35·4	34·5	36·95
16	33·0	32·7	32·0	34·5	33·5	32·0	32·95
17	31·4	30·2	31·5	39·0	37·4	38·5	34·67
18	37·0	38·0	38·9	37·5	35·1	32·8	36·55
19	32·0	29·0	30·0	33·0	30·6	31·0	30·93
20	30·0	29·4	30·8	33·5	33·3	29·6	31·10
21	31·0	31·0	30·1	31·5	32·1	33·0	31·45
22	33·0	33·0	34·0	37·0	32·1	33·5	34·27
23	33·5	33·1	33·0	35·0	33·9	33·8	33·72
24	31·0	31·5	32·8	34·0	32·0	31·2	32·58
25	28·4	26·9	27·5	29·8	27·0	26·0	27·60
26	25·0	24·0	24·5	27·3	25·0	20·5	24·38
27	19·8	17·6	18·8	27·5	25·0	21·0	21·62
28	21·6	19·9	20·0	29·0	26·5	22·0	23·17
29	24·1	23·0	24·5	29·4	29·0	30·0	26·67
30	29·0	31·5	32·5	34·9	35·4	36·0	23·22
Means	36·01	35·36	36·51	39·29	37·50	35·97	36·77

ABSTRACT of Temperature at Esquimalt, British Columbia, for the Month of December, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	36·8	37·0	36·5	37·1	37·5	39·1	37·33
2	40·3	42·0	45·5	52·5	46·0	45·0	45·22
3	46·6	46·0	45·0	46·2	47·8	45·7	46·22
4	47·8	47·0	46·8	49·8	45·2	45·0	46·93
5	43·9	41·8	43·5	46·5	43·8	43·0	43·75
6	42·5	36·2	43·1	42·1	40·6	48·9	42·23
7	47·3	45·0	45·9	49·8	49·0	47·5	47·42
8	48·5	50·0	50·0	52·2	46·0	43·5	48·37
9	41·8	49·1	46·8	48·0	46·0	46·7	46·40
10	45·4	46·0	45·5	46·5	46·8	45·0	45·87
11	44·0	38·9	39·4	43·1	43·5	43·0	41·98
12	44·0	45·0	45·5	48·5	45·6	46·0	45·77
13	42·4	41·4	39·0	42·2	36·5	37·5	39·83
14	37·5	38·0	37·1	42·0	36·0	31·0	36·93
15	31·0	34·1	34·1	40·0	36·5	34·5	35·03
16	31·9	30·0	30·5	34·2	34·2	35·7	32·75
17	36·8	40·0	36·3	38·2	39·1	40·0	38·40
18	41·0	41·5	43·3	44·0	44·1	44·0	42·98
19	45·0	45·9	46·0	50·5	48·6	46·9	47·15
20	44·1	41·0	43·0	48·1	48·0	42·8	44·50
21	42·0	40·9	39·5	47·8	43·5	44·5	43·17
22	45·0	44·5	44·4	46·5	44·0	40·4	44·13
23	41·6	42·9	42·5	45·0	43·5	43·0	43·08
24	42·8	42·2	42·5	46·0	44·5	43·5	43·58
25	44·0	43·1	44·0	47·8	46·0	42·0	44·65
26	41·5	41·8	40·0	46·6	44·0	36·9	41·80
27	38·0	41·2	44·8	48·0	45·8	43·1	43·48
28	44·0	44·9	43·8	46·0	41·5	34·8	42·50
29	38·0	42·4	42·3	47·0	47·1	45·5	43·72
30	40·3	36·7	40·0	47·0	44·0	41·0	41·50
31	40·0	41·0	41·5	43·8	43·0	35·5	40·82
Means	41·83	41·86	42·20	45·58	43·47	42·00	42·82

Abstract of Temperature Winnipeg, Manitoba, for the Month of January, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
			°		°	°	°	°	
1	— 7·0	— 3·4	6·5	5·7	6·2	4·0	1·2	7·0	0·77
2	9·4	—19·6	—24·1	—23·6	—21·2	—26·6	—27·5	—29·5	—22·69
3	—32·0	34·0	—30·3	—22·6	—21·7	—25·6	—29·5	—35·8	—28·94
4	—37·3	—41·0	42·8	—31·5	—24·4	—30·0	—35·2	—35·8	—34·75
5									
6	2·0	1·6	0·5	3·5	4·0	3·0	— 7·8	— 8·5	— 1·11
7	11·5	—12·0	0·8	11·3	20·0	23·8	24·0	24·3	9·89
8	23·0	12·2	10·8	15·8	22·0	16·0	14·0	9·3	15·39
9	19·0	12·7	14·0	25·3	30·8	32·1	33·9	34·4	24·15
10	32·9	25·6	25·5	31·9	31·2	29·3	20·0	12·0	26·05
11	4·0	— 5·0	— 8·3	0·7	0·0	— 2·5	— 6·0	— 4·0	2·64
12									
13	8·9	—11·9	9·7	— 4·0	2·2	— 9·9	—18·4	—22·6	—10·95
14	—25·1	—26·0	26·9	15·8	—12·8	—13·8	15·5	—11·9	—18·47
15	—13·0	15·3	—14·8	—10·9	— 9·4	—17·7	—20·7	—21·2	—15·13
16	22·2	27·9	24·3	—17·7	—13·4	—13·8	—11·6	— 12·1	—17·88
17	12·8	—15·6	—22·2	—11·2	—10·4	— 9·7	—12·4	—18·7	14·12
18	— 26·0	—26·3	—31·8	20·2	—10·1	—16·0	—15·8	—18·0	—20·52
19									
20	— 8·0	— 9·1	—11·4	4·8	— 2·0	2·5	— 2·0	— 2·0	— 5·23
21	3·0	4·6	10·5	22·2	33·1	31·0	16·0	8·0	15·30
22	0·0	— 5·0	— 5·7	6·0	— 7·8	—11·5	—12·8	—15·8	— 8·08
23	18·7	—25·0	—31·2	—22·9	—15·8	—21·4	24·6	—19·7	—22·41
24	— 12·4	8·7	— 4·8	1·8	5·2	— 1·0	— 5·0	— 4·0	— 3·61
25	— 6·0	—17·2	—22·0	16·5	— 5·4	—12·1	— 9·0	—14·8	—12·88
26									
27	1·0	— 2·2	— 0·5	12·2	22·2	18·0	19·0	20·3	11·00
28	18·5	17·4	17·3	9·0	13·2	12·0	11·0	8·7	13·39
29	6·4	4·6	6·8	12·0	11·0	9·0	8·0	9·2	8·37
30	5·8	9·6	12·7	18·3	20·0	17·0	17·5	17·5	14·80
31	16·0	14·1	14·2	14·0	15·2	13·6	12·8	16·0	14·49
Means	— 5·17	7·63	— 7·07	— 0·89	2·87	— 0·20	— 2·83	— 4·51	3·18

Abstract of Temperature at Winnipeg, Manitoba, for the Month of February, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°								
1.	18·0	16·1	21·8	22·5	25·5	21·6	19·0	15·0	19·94
2.									
3.	15·0	17·2	21·3	26·0	26·5	25·3	25·0	21·0	22·16
4.	18·5	16·4	18·0	19·2	19·5	11·6	12·0	7·0	15·28
5.	6·0	4·2	— 1·0	11·8	13·5	1·0	4·0	— 4·0	4·44
6.	8·8	10·7	8·2	16·0	15·2	7·1	5·0	— 0·2	8·85
7.	12·4	-20·9	—17·7	— 4·0	— 0·8	6·2	— 5·0	— 5·0	— 9·00
8.	— 4·9	—10·1	— 9·9	— 3·7	3·0	7·0	8·0	10·0	— 0·08
9.									
10.	13·3	10·4	1·2	— 6·0	8·0	—13·1	—19·7	—21·7	— 5·75
11.	24·6	-27·9	—27·5	—15·8	—11·1	—14·1	19·5	—15·8	—19·54
12.	13·8	18·4	—12·9	1·5	9·3	7·9	2·8	1·0	— 3·77
13.	7·5	—15·2	21·2	—20·5	19·9	—24·6	—26·5	20·7	—19·51
14.	—16·8	—20·9	—17·0	12·8	11·7	—8·2	—16·0	—25·0	—16·05
15.	33·9	—38·8	—34·1	—14·5	— 9·2	10·9	12·8	—19·7	—21·74
16.									
17.	14·0	15·5	27·8	24·2	21·2	14·0	8·0	10·0	16·84
18.	11·5	—12·5	—13·6	9·5	7·8	—12·3	—13·8	—19·7	9·71
19.	22·7	—26·0	—26·0	—14·5	— 8·9	—11·1	—16·8	—16·8	—17·85
20.	—18·2	19·2	10·9	0·3	4·0	5·0	6·7	5·0	— 3·49
21.	4·0	0·6	5·2	20·0	27·5	29·0	23·0	19·0	16·04
22.	16·0	14·2	21·2	30·2	37·2	36·0	32·9	36·0	27·96
23.									
24.	13·0	1·0	0·0	19·5	26·0	25·5	24·4	33·1	17·81
25.	33·4	31·2	32·7	37·7	37·4	33·3	33·9	31·9	33·94
26.	30·2	28·4	36·7	41·1	43·9	39·7	33·9	34·9	36·10
27.	34·9	25·0	21·0	19·0	13·7	8·5	7·0	5·5	16·82
28.	— 5·0	— 8·2	8·2	— 0·8	4·8	0·0	— 3·0	— 6·0	— 3·30
29.	— 4·5	7·6	4·2	— 1·0	1·3	1·8	0·0	3·0	— 1·40
Means.	2·89	— 1·39	0·34	7·41	10·08	6·95	4·27	3·03	4·19

Abstract of Temperature at Winnipeg, Manitoba, for the Month of March, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1									
2	— 6·0	— 8·2	— 7·8	2·5	5·4	1·0	— 7·0	— 9·5	— 3·70
3	9·9	— 7·4	— 1·7	7·0	10·2	4·0	2·4	1·7	0·79
4	2·0	— 3·1	6·2	18·2	22·3	21·0	20·5	19·5	13·32
5	18·5	18·0	18·8	21·2	21·0	20·4	18·3	19·5	19·45
6	18·0	14·8	15·0	18·3	19·8	14·2	5·0	3·0	13·51
7	— 2·5	— 6·2	4·0	8·6	12·0	9·0	0·0	— 4·0	1·61
8									
9	— 6·0	— 7·2	— 4·9	15·1	20·0	13·2	13·5	11·3	6·88
10	0·5	— 1·5	0·8	5·2	7·3	3·0	1·0	— 6·2	1·26
11	—11·3	—25·0	—18·9	— 1·8	2·4	— 3·2	—14·8	—12·1	—10·59
12	19·7	23·3	—20·4	— 1·0	4·8	1·2	—10·2	—10·4	— 9·87
13	11·4	—22·7	—11·9	6·3	7·2	3·4	— 5·0	— 5·0	— 4·89
14	5·0	— 5·4	9·3	11·5	17·0	13·8	8·0	6·0	6·90
15									
16	- 12·0	- - 7·2	— 1·0	16·6	22·0	20·3	19·0	19·5	9·65
17	16·5	7·8	11·7	23·0	26·6	26·4	28·0	23·5	20·44
18	21·5	19·0	12·0	17·0	18·0	12·0	4·5	9·2	14·15
19	11·0	8·2	13·8	24·5	29·7	28·5	25·0	22·3	20·37
20	21·0	20·0	22·0	32·0	38·2	38·7	37·9	32·4	30·27
21	30·9	6·9	1·0	1·0	0·2	— 5·1	— 9·0	—13·0	1·36
22									
23	4·8	2·2	11·0	25·7	32·9	31·8	29·0	30·0	20·92
24	26·3	27·0	34·2	40·1	40·1	32·9	29·0	24·3	31·74
25	18·8	12·2	14·2	17·2	19·7	14·0	11·5	11·2	14·85
26	10·5	8·5	20·2	31·9	35·2	33·2	30·9	30·0	25·05
27	30·0	21·6	32·7	42·9	47·1	40·3	39·6	35·1	36·16
28	34·7	31·6	34·4	35·1	34·6	33·1	32·9	33·1	33·69
29									
30	24·5	18·4	19·3	21·0	24·0	23·0	18·0	13·0	20·15
31	8·3	4·3	13·0	20·2	24·0	22·2	18·5	13·8	15·54
Means	8·23	3·97	8·42	17·59	20·83	17·38	13·33	11·47	12·65

ABSTRACT of Temperature at Winnipeg Manitoba, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	
1	10·7	8·9	14·5	20·0	24·0	21·0	25·2	9·2	16·69
2	10·0	5·8	11·0	24·0	28·0	24·0	12·0	10·5	15·66
3	7·6	5·7	20·0	33·9	34·9	35·4	20·0	24·0	22·69
4	27·5	29·6	34·5	36·2	37·9	32·9	28·0	25·0	31·45
5									
6	14·5	12·3	20·3	29·8	34·8	31·9	24·9	24·0	24·06
7	22·0	18·8	28·0	35·7	37·6	36·9	35·8	32·9	30·96
8	31·5	29·2	31·3	34·6	35·4	34·9	34·3	33·4	33·07
9	33·4	31·6	34·1	35·2	34·8	36·9	34·8	31·9	34·09
10	28·2	26·2	30·2	32·9	34·8	35·3	29·6	24·9	30·26
11	21·9	19·4	28·5	33·9	36·7	36·9	34·4	34·1	30·73
12									
13	29·5	30·5	31·3	33·5	34·9	34·9	34·8	33·9	32·91
14	32·9	31·5	33·1	37·7	37·9	34·9	33·3	31·5	34·10
15	30·0	25·2	28·2	30·2	32·6	32·9	33·6	32·9	30·70
16	29·5	25·8	28·0	31·5	33·9	31·9	28·0	25·2	29·22
17	24·5	23·8	27·7	30·8	32·9	31·5	33·9	34·9	30·00
18	33·0	31·9	37·0	41·9	39·9	37·2	34·9	33·9	36·21
19									
20	31·5	27·8	31·0	35·3	36·1	34·9	32·2	20·0	32·35
21	30·3	31·2	37·9	45·9	49·7	50·9	48·5	44·7	42·39
22	39·9	35·1	49·4	61·9	62·8	61·0	55·8	50·4	52·04
23	46·1	45·3	43·9	44·9	44·8	43·7	42·9	41·9	44·19
24	39·4	36·1	39·9	42·4	46·9	47·9	45·0	41·9	42·44
25	39·9	34·1	47·4	58·8	61·8	61·0	53·0	48·9	50·61
26									
27	49·9	43·9	53·0	60·2	59·2	51·1	56·0	55·0	53·54
28	52·6	49·8	49·4	52·8	56·3	57·5	54·8	51·4	53·08
29	51·9	50·3	50·7	47·6	47·3	43·9	41·9	41·9	46·94
30	41·9	40·3	41·2	42·4	44·1	43·9	41·2	37·9	41·61
Means	31·16	28·85	33·90	39·00	40·77	39·43	36·49	34·08	35·46

Abstract of Temperature at Winnipeg, Manitoba, for the Month of May, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°							°	°
1	35·9	35·7	36·9	41·4	44·6	45·1	40·9	36·1	39·57
2	33·7	34·9	45·4	54·2	59·7	52·2	45·6	44·5	46·28
3									
4	40·3	40·9	51·9	61·5	64·6	62·8	56·0	53·7	53·96
5	53·0	50·7	60·5	71·3	75·0	72·7	68·8	65·6	64·70
6	64·8	62·6	67·1	73·8	83·0	83·2	75·0	66·6	72·01
7	58·9	59·0	65·8	78·0	80·0	79·5	61·3	59·0	67·69
8	57·5	53·9	59·0	71·8	71·0	66·8	61·8	57·0	62·35
9	56·0	53·0	54·0	58·0	61·0	52·0	52·5	48·0	54·31
10									
11	43·9	45·8	52·7	63·5	66·3	60·5	60·5	57·3	56·31
12	51·6	51·9	58·0	68·8	69·6	74·8	69·8	64·4	63·61
13	60·7	56·8	57·7	62·0	61·0	61·0	59·0	56·5	59·34
14	54·0	51·1	50·4	50·6	50·1	48·9	48·9	47·4	50·17
15	46·9	45·9	49·2	56·8	59·0	61·8	54·5	49·9	53·00
16	44·4	45·7	59·0	64·0	61·8	53·5	51·9	52·4	54·09
17									
18	39·9	39·1	46·9	53·8	56·0	53·0	46·9	43·4	47·38
19	33·7	38·9	49·4	55·0	58·8	60·0	54·5	52·1	50·30
20	50·9	49·9	58·8	61·8	58·3	53·5	55·0	51·7	54·99
21	43·4	50·9	55·8	51·9	52·7	54·5	46·9	41·9	49·75
22	38·4	44·2	54·5	61·8	66·3	64·8	57·0	53·0	55·00
23	51·9	54·0	59·0	66·1	68·0	67·8	59·6	56·0	60·30
24									
25	56·2	56·0	56·0	59·8	51·9	49·9	46·9	45·4	52·76
26	43·0	42·1	39·9	45·7	47·4	47·9	46·9	46·4	44·91
27	45·9	46·1	55·0	59·5	61·8	61·2	54·0	50·9	54·30
28	49·9	48·9	61·8	59·5	61·0	60·5	57·0	54·5	56·64
29	50·9	52·1	60·0	67·3	63·0	56·4	54·0	53·8	57·19
30	51·9	52·5	57·4	57·8	64·9	59·5	54·0	50·0	56·00
31									
Means	48·38	48·56	54·69	60·60	62·18	60·15	55·35	52·21	55·27

ABSTRACT of Temperature at Winnipeg, Manitoba, for the Month of June, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	55·0	58·0	67·8	74·0	74·2	74·0	64·8	59·5	65·91
2	54·0	58·0	68·3	75·0	74·2	73·8	65·3	62·8	66·43
3	60·0	58·7	66·3	72·3	70·8	68·8	67·3	63·3	65·94
4	65·3	62·8	67·3	67·8	68·8	63·8	62·8	54·5	64·14
5	50·9	52·2	60·0	61·0	62·8	63·8	55·0	47·9	56·70
6	45·7	51·2	60·0	62·8	65·8	64·8	61·8	61·0	59·14
7									
8	50·9	50·9	51·4	56·0	61·0	60·0	56·0	49·9	54·51
9	50·9	55·3	61·8	67·8	70·8	70·8	62·8	58·0	62·27
10	53·0	58·5	68·8	75·0	71·8	74·0	67·8	64·8	66·71
11	60·0	60·0	61·8	61·8	61·2	61·8	55·0	51·9	59·19
12	50·9	52·8	58·5	64·3	66·3	68·1	62·3	55·0	59·78
13	49·9	53·0	69·3	76·8	79·4	78·8	69·8	69·8	68·35
14									
15	60·0	64·0	74·0	80·5	84·0	84·0	75·0	63·8	73·16
16	61·5	62·6	68·8	79·0	78·5	80·0	71·8	65·8	71·00
17	61·0	62·8	70·8	69·8	71·8	68·8	64·8	63·8	66·70
18	63·8	60·2	63·8	71·8	70·3	69·8	66·8	65·8	66·54
19	61·0	66·3	75·0	70·8	77·0	73·0	65·8	63·8	69·09
20	60·0	61·8	73·0	78·0	81·7	78·0	66·8	61·8	70·14
21									
22	50·4	56·1	70·8	73·0	76·0	73·0	63·8	63·8	65·86
23	51·0	58·9	66·3	76·0	78·5	78·1	61·0	69·8	67·45
24	63·8	64·8	64·8	66·8	65·0	63·0	61·8	58·0	63·50
25	56·0	56·8	57·0	69·3	70·3	71·8	60·0	60·0	62·65
26	58·5	58·3	62·3	67·3	68·8	70·8	64·8	52·4	62·90
27	52·0	53·2	57·0	65·3	68·8	67·3	58·5	57·0	59·89
28									
29	54·0	60·0	71·8	81·9	82·2	81·7	73·8	68·8	71·77
30	63·8	65·1	71·3	74·8	77·7	79·9	71·8	67·3	71·46
Means	56·28	58·55	65·69	70·73	72·22	71·60	64·51	60·78	65·04

ABSTRACT of Temperature at Winnipeg, Manitoba, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
								°	°
1	69·8	68·7	82·2	88·0	90·4	83·5	71·8	68·8	77·90
2	62·8	61·0	61·0	63·8	68·3	61·5	59·5	59·0	62·11
3	56·5	59·0	63·3	67·3	69·8	68·8	61·5	54·5	62·59
4	53·8	59·2	67·8	70·8	65·8	71·8	63·3	61·0	64·19
5									
6	51·9	56·0	64·8	71·8	74·3	75·3	61·8	58·0	64·24
7	55·0	56·8	67·8	75·8	76·7	74·8	66·8	63·8	67·19
8	60·5	60·8	70·8	76·7	79·9	78·2	71·8	70·3	71·12
9	66·8	66·1	75·8	79·7	81·7	82·5	78·7	70·0	75·16
10	60·2	61·8	77·2	80·9	83·7	80·9	76·0	72·8	74·19
11	70·8	67·8	72·3	84·9	83·7	82·7	72·8	67·0	75·25
12									
13	54·2	57·8	71·8	75·8	77·2	75·2	66·8	63·8	67·83
14	60·8	65·7	70·8	73·6	73·8	70·3	60·5	56·2	66·46
15	49·9	53·8	61·0	68·8	68·6	69·8	61·0	56·0	61·11
16	48·9	58·0	68·8	73·6	77·9	76·7	67·0	68·3	67·40
17	63·8	64·0	64·0	74·3	76·7	76·7	65·3	60·0	68·10
18	57·5	60·7	67·8	74·0	73·8	71·8	61·8	55·5	65·36
19									
20	51·9	55·7	64·8	68·8	67·3	65·3	60·2	57·0	61·37
21	56·5	54·0	54·5	61·0	65·8	64·6	58·0	56·2	58·83
22	54·0	54·0	59·0	63·8	63·8	62·8	54·0	48·9	57·54
23	44·7	50·1	60·0	69·8	72·8	71·0	61·0	56·0	60·67
24	53·0	55·0	64·6	73·8	77·9	77·7	67·8	60·0	66·23
25	55·0	57·3	70·0	78·7	78·7	71·8	60·0	55·2	65·84
26									
27	49·4	52·1	70·8	78·7	79·7	77·7	68·0	66·8	67·90
28	61·0	60·0	67·6	73·8	72·8	67·3	61·8	59·5	65·47
29	51·9	52·8	59·5	59·0	63·8	66·8	56·0	50·9	57·59
30	54·0	57·8	65·8	69·0	72·0	71·3	58·0	55·0	62·86
31	54·0	59·9	65·8	78·7	79·7	79·7	65·3	58·5	67·70
Means	56·61	58·74	67·02	73·14	74·69	73·20	64·31	60·33	66·01

Abstract of Temperature at Winnipeg, Manitoba, for the Month of August, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	53·5	57·0	68·8	80·7	82·0	77·7	71·8	66·0	69·69
2									
3	61·8	63·3	72·2	79·0	78·7	74·2	61·8	59·0	68·75
4	59·0	61·2	66·0	68·8	71·0	67·8	63·8	61·0	64·82
5	61·8	62·0	68·8	72·7	69·8	73·7	65·8	60·0	66·83
6	54·2	53·5	69·8	77·7	79·2	75·7	66·8	65·8	67·84
7	61·8	61·0	73·8	79·5	83·7	83·7	70·0	64·0	72·19
8	63·8	63·8	69·8	77·7	78·7	77·9	65·8	61·8	69·91
9									
10	50·0	52·2	68·8	74·9	76·7	74·5	59·0	54·5	63·82
11	51·9	52·3	65·0	67·3	69·6	66·3	57·0	51·9	60·16
12	51·4	46·9	65·0	66·0	67·0	66·0	58·2	53·0	59·19
13	51·9	49·1	68·0	74·5	74·2	69·8	61·0	56·0	63·06
14	47·9	48·9	62·8	68·8	69·8	68·8	65·8	50·9	60·46
15	46·9	48·9	58·5	58·0	63·3	60·0	48·9	43·9	53·55
16									
17	40·9	40·9	58·0	68·8	69·3	68·6	54·0	40·9	55·18
18	42·9	40·1	59·0	69·8	71·6	69·8	59·0	57·5	58·71
19	56·0	58·5	63·8	70·6	75·3	69·5	64·8	62·8	65·16
20	49·9	52·1	69·8	80·7	80·7	76·7	64·8	63·8	67·31
21	56·0	54·8	66·0	76·7	78·7	61·0	61·0	58·0	64·02
22	53·0	52·0	56·0	61·8	64·8	62·8	53·0	54·0	57·18
23									
24	46·9	47·4	61·5	76·7	83·0	78·7	70·8	65·8	66·35
25	62·8	61·8	50·9	50·7	57·5	57·0	47·9	47·9	54·56
26	46·9	44·9	55·5	58·0	59·8	60·5	49·9	47·9	52·92
27	45·9	41·9	55·8	70·8	74·3	73·8	59·0	57·0	59·81
28	53·2	55·1	65·0	76·7	71·8	70·3	51·9	50·4	61·80
29	47·4	48·4	59·0	71·8	70·8	69·0	58·0	57·0	60·18
30									
31	34·9	36·9	55·0	62·8	64·3	61·0	51·9	49·1	51·99
Means	52·02	52·11	63·56	70·83	72·52	69·80	60·07	56·15	62·13

ABSTRACT of Temperature at Winnipeg, Manitoba, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°
1	46·9	49·9	54·0	59·0	60·2	60·0	57·0	55·0	55·25
2	48·4	50·9	57·0	61·8	61·8	53·0	50·1	47·9	53·86
3	34·7	35·9	52·5	58·2	61·8	59·8	48·7	47·9	49·94
4	47·8	47·9	50·9	58·0	57·0	51·9	42·9	45·9	50·29
5	42·9	50·9	54·0	61·6	61·8	59·2	49·9	42·9	52·83
6									
7	56·2	54·0	58·8	68·3	71·8	63·8	57·0	49·9	59·97
8	51·9	53·0	56·8	59·8	59·5	55·0	48·9	50·9	54·48
9	49·9	49·4	53·0	55·2	54·8	53·2	42·9	42·4	50·10
10	40·9	40·9	47·9	54·5	54·8	51·9	42·9	40·9	46·84
11	40·9	41·9	48·9	54·0	60·0	55·5	51·9	49·9	50·37
12	48·9	49·1	51·9	55·0	53·5	54·0	54·8	53·0	52·53
13									
14	46·9	44·9	49·4	55·0	58·0	58·0	44·9	40·9	49·75
15	33·7	34·9	44·9	62·8	61·8	58·0	53·0	51·9	50·12
16	43·9	39·8	50·9	61·8	62·8	57·0	50·4	49·9	52·06
17	47·4	44·7	51·7	55·0	55·1	51·1	48·1	47·0	50·01
18	46·7	41·1	41·6	39·7	39·7	37·9	37·7	30·5	39·36
19	30·5	28·2	40·4	56·5	62·8	56·0	58·0	48·7	47·64
20									
21	25·7	24·2	31·9	45·9	50·6	45·9	33·7	30·5	36·42
22	30·5	31·4	43·4	58·8	61·8	59·3	55·0	50·2	48·80
23	46·7	44·4	53·0	71·8	78·5	71·8			
24	58·7	53·7	60·2	60·2	56·2	53·0	58·6	53·0	56·70
25	47·9	44·9	46·2	48·9	49·9	44·7	39·4	34·4	44·54
26	34·7	33·5	38·9	44·9	44·9	41·9	34·3	28·5	37·70
27									
28	44·9	41·1	46·9	66·0	73·8	70·8	65·8	57·0	58·29
29	51·4	44·5	52·7	69·8	71·0	57·6	45·9	39·1	54·00
30	36·2	33·6	44·9	65·0	68·8	59·0	48·9	47·9	50·54
Means	43·54	42·57	49·31	57·40	58·97	54·70	48·83	45·44	50·10

Abstract of Temperature at Winnipeg, Manitoba, for the Month of October, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	44·9	46·3	54·0	59·8	63·3	56·8	46·9	41·9	51·74
2	40·9	36·3	46·9	69·5	72·4	63·8	49·9	48·4	53·51
3	45·9	44·9	50·9	67·8	70·6	61·8	57·5	54·0	56·68
4									
5	35·9	28·6	38·0	46·4	49·1	38·9	29·4	25·5	36·47
6	22·0	18·9	30·2	42·6	44·6	36·9	28·0	23·6	30·85
7	23·2	22·0	28·7	44·7	48·7	41·1	37·9	38·9	35·65
8	38·9	37·7	40·9	51·9	55·5	45·9	36·1	31·2	42·26
9	38·3	36·5	37·1	42·9	43·1	39·9	38·9	37·9	39·32
10	36·9	26·9	34·5	45·9	50·9	43·9	36·7	30·0	38·21
11									
12	49·9	47·5	51·0	52·7	55·0	50·1	49·9	43·9	50·00
13	43·1	32·3	37·1	55·5	61·5	53·0	48·9	50·4	47·72
14	44·2	42·6	53·8	65·3	63·0	53·0	42·3	33·5	49·71
15	30·0	29·0	35·4	50·9	53·0	49·9	48·9	43·9	42·63
16	38·6	36·9	40·2	39·9	42·9	35·9	32·9	29·5	37·10
17	28·0	25·6	28·3	34·6	36·1	32·9	28·0	21·0	29·31
18									
19	27·0	27·6	29·7	34·7	34·9	27·0	23·8	25·0	28·71
20	25·0	22·2	25·0	31·0	31·2	24·0	22·3	18·0	24·84
21	16·8	16·2	22·0	38·4	37·7	28·0	22·9	24·0	25·75
22	25·0	21·9	26·0	31·0	34·9	30·0	25·5	24·0	27·29
23	22·5	23·1	29·3	32·2	33·2	31·0	26·5	26·8	28·08
24	25·5	24·4	30·4	33·7	40·9	35·9	32·9	32·1	31·97
25									
26	29·0	31·0	34·1	51·4	49·9	40·9	32·9	32·9	37·76
27	32·3	35·8	42·4	45·1	39·9	35·9	35·9	36·1	37·92
28	35·9	33·1	33·1	35·9	37·1	30·0	30·0	23·0	32·14
29	22·4	20·7	26·0	29·7	39·0	31·0	30·0	29·0	28·47
30	27·5	27·3	28·0	27·8	26·7	27·0	26·0	27·0	27·16
31	28·0	25·7	27·7	30·8	30·8	29·2	25·0	25·0	27·77
Means	32·50	30·37	35·58	44·15	46·14	39·77	35·03	32·46	37·00

Abstract of Temperature at Winnipeg, Manitoba, for the Month of November, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1.									
2.	29·2	28·4	31·0	33·9	35·8	32·3	31·0	31·0	31·57
3.	30·0	30·2	30·2	31·1	31·8	30·0	28·8	26·0	29·76
4.	25·0	24·6	28·0	31·8	30·0	28·0	27·5	26·3	27·65
5.	25·8	24·7	26·5	30·0	30·2	28·0	26·5	26·0	27·21
6.	26·0	25·7	28·2	30·0	29·0	27·0	26·4	25·0	27·16
7.	25·0	24·9	22·0	25·0	23·0	22·0	18·5	18·0	22·30
8.									
9.	17·0	17·0	18·0	21·8	21·5	20·0	19·3	18·0	19·08
10.	17·6	17·3	18·3	23·2	24·5	9·2	15·5	18·0	17·95
11.	16·5	15·7	17·7	20·3	20·2	19·2	17·8	17·0	18·05
12.	16·7	15·3	16·0	20·0	17·3	9·5	12·0	12·0	14·85
13.	8·0	— 4·7	4·0	7·8	13·0	15·0	17·6	18·0	8·84
14.	17·7	17·6	17·0	18·3	20·1	17·0	13·3	12·5	16·69
15.									
16.	12·0	12·0	11·0	11·5	11·2	2·0	— 6·0	—11·9	5·22
17.	2·5	0·2	2·0	9·0	7·2	7·0	8·3	7·5	4·84
18.	5·3	3·4	— 1·3	2·2	— 0·5	— 9·9	—16·8	—20·1	— 5·56
19.	—22·0	—27·0	—23·6	—11·9	6·8	—14·8	18·7	—20·1	—18·11
20.	20·2	—21·1	—19·9	6·8	— 4·5	— 5·0	5·6	— 6·5	—11·20
21.	9·9	—18·0	—18·0	8·4	0·2	— 9·0	—19·5	—16·8	—12·48
22.									
23.	19·0	0·4	— 1·0	5·0	7·7	0·0	— 6·8	— 6·8	2·09
24.	7·6	1·4	0·2	8·2	10·2	6·0	3·2	0·5	2·41
25.	2·8	4·9	6·0	8·0	9·0	11·0	10·0	10·0	7·71
26.	8·0	6·3	7·0	5·2	5·3	3·4	1·0	0·0	4·52
27.	2·0	— 5·0	5·0	4·3	— 4·0	— 9·5	—17·7	—17·7	— 8·15
28.	—17·7	—22·0	20·7	14·3	—13·1	—16·3	—22·7	—21·2	—18·50
29.									
30.	27·5	—24·9	—25·4	—23·1	—14·1	—20·7	—22·7	—29·3	—23·46
Means	7·69	5·48	6·41	10·94	12·15	8·06	5·61	4·62	7·62

Abstract of Temperature at Winnipeg, Manitoba, for the Month of December, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	−26·5	−29·8	−30·2	−18·5	15·2	16·8	−18·7	−18·7	−21·80
2	−18·7	−18·6	−17·9	−12·7	−8·9	−16·0	−18·2	22·7	−16·71
3	−22·2	17·7	−11·9	−2·5	1·3	3·0	5·0	6·0	−4·87
4	6·2	5·4	6·0	4·2	3·0	2·0	2·2	4·8	4·22
5	4·0	3·2	4·0	6·5	8·0	3·0	6·5	7·0	5·28
6									
7	4·0	10·7	18·5	20·7	22·2	20·0	18·5	21.3	16·99
8	16·8	13·9	13·5	16·0	19·0	18·0	20·0	24·9	17·76
9	25·8	26·4	21·5	31·7	32·9	31·5	31·9	37·9	29·95
10	36·5	26·4	27·0	31·9	30·2	26·0	29·5	29·0	29·56
11	34·4	30·4	32·9	34·2	36·2	27·0	28·0	28·0	31·39
12	29·0	27·6	30·0	28·0	28·0	16·0	12·0	0·8	21·42
13									
14	24·8	29·0	30·2	32·0	29·0	23·5	22·8	27·5	27·35
15	27·0	26·3	26·2	29·5	28·0	27·4	25·3	25·0	26·84
16	26·0	23·7	25·1	26·8	27·0	25·2	20·0	22·8	24·58
17	20·0	18·8	15·7	10·1	12·2	6·0	7·5	13·0	12·91
18	10·5	8·4	10·0	14·7	13·7	13·0	10·0	8·0	11·04
19	9·5	8·7	9·0	12·0	6·0	3·5	−7·2	−11·5	2·88
20									
21	2·0	3·7	6·2	11·2	13·8	15·0	15·6	15·3	10·35
22	14·6	13·9	14·0	16·0	14·0	7·0	0·0	−5·0	9·31
23	−5·4	2·8	1·8	8·0	6·5	−0·6	−4·0	−1·2	0·29
24	−1·5	−6·0	3·0	4·6	14·6	18·0	22·0	21·8	9·49
25	20·0	15·7	18·4	19·8	20·0	7·0	1·0	−1·2	12·59
26	−3·1	−5·0	−2·0	8·0	15·0	13·0	16·0	17·2	7·39
27									
28	24·0	23·0	22·0	31·9	28·0	20·8	13·8	17·0	22·56
29	11·8	15·0	16·0	25·0	30·5	27·0	20·0	10·0	19·41
30	6·2	−8·0	−7·2	1·0	4·2	−1·0	−2·5	−2·0	−1·16
31	8·0	15·1	18·0	32·9	36·4	36·9	35·9	35·1	27·29
Means	10·51	9·53	11·10	15·67	16·85	12·90	11·59	11·49	12·45

ABSTRACT of Temperature at Woodstock, Ontario, for the month of January, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
						°	°
1..	17·2	17·2	18·7	20·7	16·7	27·7	19·72
2..	30·7	30·7	33·8	32·8	31·2	30·2	31·57
3..	19·2	17·7	16·7	14·7	10·8	9·8	14·82
4..	6·6	4·3	4·3	6·8	1·8	1·8	4·27
5..	1·2	1·3	3·8	4·3	5·2	−5·2	−0·37
6..	2·2	1·7	6·8	6·8	6·8	7·8	4·05
7..	12·7	14·2	13·7	14·7	7·8	3·7	11·13
8..	6·0	7·3	10·8	17·7	17·7	13·7	12·20
9..	18·7	19·7	28·2	30·7	29·7	19·7	24·45
10..	14·7	17·2	19·7	22·7	19·7	19·0	18·83
11..	18·2	17·7	24·7	29·7	28·4	25·7	24·07
12..	23·2	27·7	29·7	26·7	16·7	14·8	23·13
13..	14·7	13·7	15·7	16·2	15·7	10·7	14·45
14..	15·7	15·7	24·2	23·7	21·7	21·4	20·40
15..	21·2	16·7	20·0	21·7	12·7	9·8	17·02
16..	12·2	23·7	21·7	30·2	27·7	28·7	24·03
17..	27·0	25·7	27·2	29·7	27·2	27·7	27·42
18..	27·7	26·7	30·7	32·7	31·7	32·7	30·37
19..	31·7	28·7	32·3	31·8	26·2	25·2	29·32
20..	22·7	26·7	29·7	31·7	31·2	31·7	28·95
21..	29·7	29·0	31·7	30·7	23·7	21·4	27·70
22..	11·7	13·7	20·2	22·7	22·7	22·7	18·95
23..	24·7	28·7	31·8	33·3	33·3	33·0	30·80
24..	33·8	32·8	32·8	32·8	32·3	31·3	32·63
25..	29·7	30·7	33·8	32·8	30·7	28·7	31·07
26..	28·2	27·7	28·7	28·7	24·7	14·4	25·40
27..	13·0	13·7	23·7	28·7	23·7	19·2	20·33
28..	16·7	16·7	28·7	31·7	23·2	16·4	22·23
29..	20·7	25·7	29·7	36.3	31·8	33·3	29·58
30..	32·8	34·8	36·8	35·8	31·8	28·8	33·47
31..	28·7	26·7	27·2	27·2	27·2	28·7	27·62
Means.	19·56	20·36	23·79	25·38	21·98	20·47	21·92

Abstract of Temperature at Woodstock, Ontario, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1.	31·8	33·8	37·8	36·8	35·8	34·8	35·13
2.	31·7	30·7	31·5	30·7	26·2	22·7	28·92
3.	22·7	25·7	24·7	24·7	25·7	26·7	25·03
4.	25·7	28·2	31·4	35·0	32·8	32·5	30·93
5.	26·6	30·2	29·7	34·3	24·7	20·7	27·70
6.	27·7	31·2	32·8	34·3	33·8	31·8	31·93
7.	27·2	26·7	28·7	30·7	28·2	27·7	28·20
8.	25·7	22·7	24·5	29·7	25·7	22·7	25·17
9.	23·7	21·2	21·7	22·9	20·7	22·7	22·15
10.	19·2	24·7	26·2	27·7	30·7	27·1	25·93
11.	19·7	17·7	17·2	17·7	12·7	12·2	16·20
12.	6·5	7·8	16·2	18·7	17·7	18·7	14·27
13.	16·0	22·7	22·2	20·5	20·7	22·2	20·72
14.	21·5	21·7	23·5	21·7	19·2	25·7	22·22
15.	29·7	34·8	38·8	30·7	18·7	10·7	27·23
16.	7·8	3·8	3·6	5·8	4·3	11·2	2·35
17.	18·7	−20·7	− 7·2	1·2	− 4·7	8·3	− 9·73
18.	3·2	−10·2	8·7	20·7	16·7	11·7	7·40
19.	15·7	15·7	18·7	16·7	12·7	6·7	14·37
20.	3·7	5·7	6·7	6·2	4·7	7·7	5·78
21.	5·8	5·3	13·7	13·7	12·2	8·8	9·92
22.	4·8	8·8	29·7	28·7	26·7	28·7	19·73
23.	30·7	34·3	35·8	36·3	36·3	35·0	34·73
24.	32·2	34·8	29·7	28·7	17·7	11·8	25·82
25.	6·8	17·7	10·7	19·9	16·7	22·2	15·47
26.	28·7	32·8	33·8	31·8	29·7	25·8	30·43
27.	24·7	25·7	35·8	43·9	43·4	43·4	36·15
28.	39·8	37·8	43·9	38·8	34·3	31·8	37·73
29.	24·7	17·7	23·2	31·8	28·8	30·2	26·07
Means.	19·27	20·31	23·61	25·52	22·51	20·79	22·00

Abstract of Temperature at Woodstock, Ontario, for the Month of March, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°		°	°
1	27·7	29·7	31·2	30·0	19·7	21·4	26·62
2	19·7	20·7	18·7	20·7	17·7	14·7	18·70
3	11·7	13·7	12·7	13·2	12·7	12·2	12·70
4	9·8	7·8	13·7	14·2	11·7	14·7	11·98
5	9·3	4·8	16·7	27·7	22·7	23·2	17·40
6	20·7	23·7	29·7	31·2	33·8	33·6	28·78
7	29·7	29·7	28·7	29·7	25·7	26·2	28·28
8	22·7	23·7	23·7	29·7	22·7	22·7	24·20
9	21·7	22·2	22·7	24·7	18·7	18·9	21·48
10	18·7	16·7	19·7	18·7	16·7	13·2	17·28
11	11·7	11·7	12·7	10·7	13·2	11·2	11·87
12	7·8	13·7	9·8	7·8	7·8	0·8	7·95
13	0·3	—1·2	10·7	16·2	8·3	8·8	7·18
14	7·8	11·7	15·7	19·7	13·2	8·8	12·82
15	11·7	13·2	24·7	26·7	20·7	9·8	17·80
16	6·8	9·8	25·2	27·7	24·7	15·7	18·32
17	11·5	11·7	31·6	36·8	29·2	28·7	24·92
18	23·7	21·2	35·8	38·0	31·8	30·7	30·20
19	30·2	30·7	30·5	29·7	21·7	23·7	27·75
20	18·4	10·7	16·7	18·7	14·0	9·3	14·63
21	13·7	20·0	32·8	36·8	36·8	38·8	29·82
22	37·8	21·7	21·2	20·2	15·2	8·8	20·82
23	6·0	9·4	16·8	21·7	16·7	10·7	13·55
24	6·3	13·2	23·7	21·2	22·7	21·7	18·13
25	27·2	27·7	38·8	43·9	42·9	39·8	36·72
26	38·8	38·8	24·7	23·7	18·2	18·7	27·15
27	11·7	15·0	22·7	28·5	27·2	21·7	21·13
28	18·2	22·3	34·3	35·5	33·8	33·8	29·65
29	41·8	41·6	51·2	54·3	47·9	42·4	46·53
30	31·7	35·8	46·4	49·9	43·4	33·8	40·17
31	31·2	32·8	48·4	54·7	44·7	35·8	41·27
Means	18·90	19·49	25·55	27·81	23·75	21·11	22·77

ABSTRACT of Temperature at Woodstock, Ontario, for the Month of April, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	34·4	33·3	34·1	33·8	34·1	34·3	34·00
2	32·8	28·7	25·7	21·3	18·7	16·7	23·98
3	17·7	17·9	19·5	21·0	20·7	21·2	19·67
4	20·9	23·0	22·7	27·7	28·5	23·7	24·42
5	21·7	26·7	30·7	41·1	33·8	31·3	30·93
6	29·7	31·5	31·7	31·7	28·2	26·7	29·92
7	25·7	27·7	32·0	33·8	34·0	28·7	30·32
8	24·7	27·9	40·0	43·9	36·8	32·3	34·27
9	30·7	32·4	43·9	47·5	37·8	37·3	38·27
10	37·6	36·8	40·8	43·9	39·4	32·3	38·47
11	37·8	37·8	40·6	38·8	42·9	39·8	39·62
12	41·0	41·0	55·8	72·0	63·8	55·4	54·83
13	59·8	60·8	72·8	72·8	63·8	56·4	64·40
14	57·5	54·7	66·8	66·8	60·6	54·4	60·13
15	48·9	51·9	68·8	73·8	66·0	56·8	61·03
16	55·9	59·8	73·8	80·8	71·8	64·8	67·82
17	65·8	64·8	79·8	76·0	61·8	60·3	68·08
18	55·9	57·8	80·0	81·0	70·8	67·3	68·80
19	62·8	64·8	67·6	58·8	56·0	47·1	59·52
20	46·9	49·9	66·1	64·8	57·8	56·4	56·98
21	58·8	55·4	62·8	62·8	47·9	40·3	54·67
22	37·0	38·8	45·4	54·4	49·4	39·3	44·05
23	31·7	36·8	55·3	59·4	55·1	49·9	48·03
24	47·9	45·9	45·3	46·9	48·9	46·4	46·55
25	44·9	48·9	57·3	59·8	53·9	44·4	51·53
26	43·7	50·9	61·6	68·2	58·0	48·1	55·08
27	47·9	46·9	62·8	62·8	59·6	56·1	56·02
28	53·1	55·1	67·6	70·6	65·1	55·1	61·10
29	53·0	51·7	57·8	58·8	51·7	48·1	53·52
30	46·4	45·9	58·0	59·8	57·6	49·9	52·93
Means	42·42	43·45	52·24	54·50	49·15	44·03	47·63

ABSTRACT of Temperature at Woodstock, Ontario, for the Month of May, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1	59·5	56·3	65·1	73·0	65·0	51·6	61·75
2	49·1	53·6	68·9	66·9	61·2	56·0	59·28
3	52·9	55·9	59·8	61·2	63·8	51·5	57·52
4	56·3	58·3	71·8	74·6	63·6	54·4	63·17
5	48·9	51·9	67·6	69·0	64·3	54·0	59·28
6	50·9	54·9	65·8	70·4	60·6	50·9	58·92
7	45·9	51·9	67·8	74·8	61·3	53·9	59·27
8	51·3	58·3	76·8	84·8	76·1	65·8	68·85
9	60·0	65·8	82·4	85·8	79·3	65·8	73·18
10	61·8	65·8	81·8	84·8	78·8	70·8	73·97
11	62·8	66·2	78·8	81·8	69·8	62·8	70·37
12	61·8	62·6	66·8	64·8	57·8	51·6	60·90
13	48·9	54·9	66·0	68·4	59·4	51·9	58·25
14	48·9	54·1	70·8	76·3	64·8	59·6	62·42
15	54·9	55·4	64·8	69·0	63·8	54·4	60·38
16	47·9	47·9	71·8	76·8	67·8	62·8	62·50
17	58·8	58·8	71·6	71·8	60·8	64·8	64·43
18	61·8	61·8	63·8	68·6	64·8	63·0	63·97
19	53·9	55·5	59·8	65·8	58·8	46·9	56·78
20	40·8	46·9	62·8	65·8	56·9	50·5	53·95
21	44·9	51·3	68·2	71·8	68·8	63·8	61·47
22	59·0	61·8	70·6	72·8	65·3	52·9	63·73
23	48·9	51·9	59·8	63·8	54·9	48·9	54·70
24	44·9	50·9	66·8	74·2	70·2	57·8	60·80
25	59·9	61·8	66·8	70·8	68·8	68·8	66·15
26	68·8	68·8	70·8	72·8	67·0	56·0	67·37
27	48·3	52·9	68·8	71·8	64·0	58·9	60·78
28	54·7	55·7	71·8	61·2	55·8	43·7	57·15
29	45·9	40·8	54·1	58·8	55·5	48·0	50·52
30	38·8	51·3	63·2	62·3	53·7	48·9	53·03
31	44·9	45·9	56·3	58·6	55·4	46·1	51·20
Means	52·78	55·80	67·81	70·75	63·81	56·03	61·16

Abstract of Temperature, at Woodstock, Ontario, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	41·3	48·1	59·1	64·4	58·6	48·4	53·32
2	41·3	55·9	64·8	69·4	64·6	47 9	57·32
3	41·3	54·9	69·4	76·8	65·3	58·4	61·02
4	54 9	59·3	77 0	80·2	75·8	61·5	68·12
5	55 7	65·6	82·8	84·3	74·8	67·9	71·85
6	63·0	64·6	75·8	85·3	75 5	67·8	72·00
7	63 3	62·0	83·8	85·6	66·6	61·8	71·02
8	64·8	66·8	74 0	75 5	69·0	66·9	69·50
9	64·3	67·8	65·8	72 0	66·0	57 9	65·63
10	55·1	56·1	66·3	69·5	59·9	51·4	59·72
11	48·4	54·9	69·0	67·0	67·0	55 4	60·28
12	53 2	59·8	74·3	78 0	71·0	58·4	65·78
13	52·1	59·0	73·0	75 3	65·5	55 5	63·40
14	50·4	57 3	72·8	75 6	74·8	57 9	64·80
15	50 9	60·8	70·8	64 0	61·0	57 9	60 90
16	55·1	55·5	64·6	69 8	64 6	56 1	60·95
17	51·4	58 8	72·8	75 8	71·8	61 8	65·40
18	55·6	65 6	76·6	80 6	73·6	61 0	68·83
19	54·5	61·8	77·8	81 6	74·8	68 8	69 88
20	67 6	70·8	82·3	84·8	75·8	70 8	75·35
21	67 8	70 8	72·0	73 8	76·0	66 3	71·12
22	61·3	61 8	70·8	74 6	66·0	54·4	64·82
23	47 9	52·2	69·8	75·8	67·8	55·4	61·48
24	52·9	59·0	71·8	74·3	66·8	64·0	64·80
25	61·3	60·3	71·8	82·6	75·5	63·8	69·22
26	68·0	66·3	71·8	74·8	74·6	55 7	68·53
27	53·4	63·6	77·8	78·8	70·8	65·8	68·37
28	64·8	67·6	66·8	69·8	66·8	56·1	65·32
29	58·4	61·0	64·0	64·8	61·6	47 9	59·62
30	40·2	49·7	70·8	77·8	69·8	61 6	61·65
Means	55·34	60·59	72·01	75·42	69·06	59 58	65·33

Abstract of Temperature at Woodstock, Ontario, for the Month of July, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1	60·8	64·8	82·8	86·0	75·8	61·6	71·97
2	57·7	72·8	78·8	82·8	80·3	69·3	73·62
3	66·6	70·0	82·6	82·3	79·3	68·8	74·93
4	62·6	64·8	69·8	74·6	71·6	68·3	68·62
5	64·8	63·1	64·8	70·8	70·3	59·5	65·55
6	67·8	64·8	79·6	73·8	66·0	55·4	67·90
7	51·1	55·7	64·6	69·8	65·8	57·8	60·80
8	53·9	56·9	78·0	80·2	73·0	61·3	67·22
9	62·8	60·3	62·3	76·4	67·5	61·0	65·05
10	60·8	62·8	71·8	71·8	69·8	63·8	66·80
11	67·8	68·6	81·8	82·3	76·8	70·8	74·68
12	65·8	71·6	83·6	86·0	81·6	71·8	76·73
13	71·6	72·1	81·6	85·0	77·8	70·8	76·48
14	66·8	67·0	73·3	76·0	74·8	66·8	70·78
15	69·6	71·8	73·0	74·8	66·0	59·6	69·13
16	51·9	54·9	64·6	67·8	62·0	53·7	59·15
17	47·7	54·9	68·8	74·8	66·8	53·8	61·13
18	47·9	54·9	74·8	77·5	70·8	67·6	65·58
19	65·6	65·0	72·8	73·8	66·6	65·2	68·17
20	67·6	68·8	74·6	73·8	74·3	67·8	71·15
21	66·8	67·3	79·0	81·8	79·6	69·8	74·05
22	65·0	68·0	71·6	79·8	74·8	61·6	70·13
23	55·9	57·9	66·3	71·8	63·6	58·7	62·37
24	57·4	57·8	68·6	67·8	64·8	58·7	62·52
25	52·9	58·8	72·6	68·8	68·8	62·8	64·12
26	61·3	67·0	76·8	75·6	70·6	67·3	69·77
27	67·8	67·8	74·8	81·3	76·6	67·8	72·68
28	62·8	66·0	80·8	78·8	75·6	68·8	72·13
29	65·3	68·0	83·6	81·6	74·8	68·8	73·68
30	71·3	72·8	82·3	78·6	71·8	64·6	73·57
31	58·1	58·8	73·0	75·6	74·8	61·7	67·00
Means	61·80	64·38	74·63	76·83	72·02	64·04	68·95

ABSTRACT of Temperature at Woodstock, Ontario, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	57·4	60·1	73 6	69·0	63 8	60 4	64 05
2	57 1	60 0	70·6	70 8	71 8	60 8	65·18
3	56 9	62 8	77 8	79·8	71 8	67 6	69 45
4	66 8	69 0	80 6	81 6	76 8	70 8	74·27
5	74 6	68 0	84 6	81 8	80 3	74 8	77 35
6	73 6	70 6	83 0	86·6	78 8	71 2	77·30
7	70 8	71 6	80 8	84·8	79 8	66 8	75 77
8	58 9	62 8	82 8	84 8	79 8	73 8	73 82
9	74 8	77 0	84 8	90·6	81 0	73 8	80·33
10	69 8	70 3	78 6	84 3	71 6	68 6	73·87
11	67 8	67·8	80 6	85 8	78 6	72 8	75·57
12	67 8	67 0	76 0	82 0	73 8	66 6	71·90
13	59 0	60·0	73 8	70 8	70 8	64 7	66·52
14	58 6	64 6	76 7	79 6	71 8	63 8	69·18
15	59 8	62 6	82 0	83 8	74·8	72 4	72 57
16	69 6	70 0	75 8	75 6	64·8	56 9	68·78
17	52 9	59 3	62 6	68 6	63·0	53 6	60·00
18	52 1	52 9	57 9	60 8	56·1	48 9	54·78
19	46 4	49 9	60 6	63 0	58·7	47 9	54·42
20	41 1	46 4	64 3	68 7	61 8	58 3	56·77
21	56 9	59 0	67 3	69 0	67 6	60 0	63 30
22	55 9	56 9	71 0	74 6	70 3	71 7	66·73
23	68 3	69 8	72 8	73 6	68 8	61 4	69·12
24	54 4	55 4	69 3	72·6	66 3	52 9	61·82
25	44·4	45 4	70 3	73 3	64 8	59·3	59·58
26	57·9	64 3	77 3	62 8	56 9	48 9	61·35
27	44·1	48 9	64 8	64 8	58 6	48 7	54·98
28	42 4	42 4	62 3	65 3	61·3	51·5	54 20
29	43 4	42 9	66 6	71 6	62 8	58 8	57·68
30	60 6	61·3	72 3	72 8	65 8	60 6	65·57
31	53 9	58 0	61 8	59·8	51 9	42 3	54·62
Means	58 65	60 55	73 01	74 55	68 54	61 63	66·15

Abstract of Temperature at Woodstock, Ontario, for the Month of September, 1896.

Day.	3 a.m.	a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	38·3	47·1	59·6	63·3	58·6	44·9	51·97
2	41·4	47·7	64·6	68·0	64·6	66·3	58·77
3	65·8	64·6	61·0	63·6	53·9	48·4	59·55
4	44·4	42·6	59·8	62·3	54·9	45·4	51·57
5	47·4	49·9	55·7	64·3	60·8	57·4	55·92
6	54·4	51·7	55·1	58·6	56·8	54·9	55·25
7	59·3	48·7	61·8	64·8	57·8	49·9	57·05
8	44·9	44·9	68·8	70·8	59·6	51·4	56·73
9	48·4	48·9	72·3	76·6	67·8	60·3	62·38
10	58·8	60·8	78·6	84·3	73·8	69·0	70·88
11	65·8	67·3	81·6	85·3	73·8	69·8	73·93
12	63·3	66·0	75·8	79·8	72·0	62·8	69·95
13	60·3	59·3	64·6	69·3	63·4	62·3	63·20
14	59·3	61·8	69·6	72·6	68·6	64·3	66·03
15	62·3	56·7	66·6	67·8	57·1	48·9	59·90
16	48·9	48·9	61·3	67·8	60·8	54·9	57·10
17	54·7	55·9	64·6	64·0	55·1	50·9	57·53
18	50·9	46·1	65·0	67·4	59·7	55·9	57·50
19	53·9	53·9	52·7	53·4	42·9	42·7	49·92
20	39·8	40·3	52·4	56·4	48·9	45·4	47·20
21	43·4	49·1	57·9	62·8	53·9	51·7	53·13
22	49·9	48·7	48·8	46·7	38·8	33·8	44·45
23	28·7	26·7	46·4	51·4	46·9	44·4	40·75
24	42·4	42·9	59·0	63·6	50·1	45·4	50·57
25	42·9	48·9	65·0	63·6	60·0	61·3	56·95
26	60·8	60·0	62·0	66·0	59·4	53·4	60·27
27	54·9	50·7	53·1	55·7	48·9	46·4	51·62
28	44·4	39·8	55·1	57·1	50·4	50·4	49·53
29	50·4	50·7	57·4	58·6	60·8	55·9	55·63
30	57·4	51·4	51·9	50·9	49·1	51·1	51·97
Means	51·25	51·07	61·60	64·56	57·64	53·32	56·57

ABSTRACT of Temperature at Woodstock, Ontario, for the Month of October, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	52·9	47·4	50·9	49·7	45·7	41·4	48·00
2	36·8	34·6	51·7	57·0	47·9	39·3	44·55
3	34·8	32·8	52·7	52·1	49·7	45·4	44·58
4	38·4	41·9	48·9	54·2	49·9	41·4	45·78
5	34·8	33·8	53·1	57·1	49·9	41·9	45·10
6	40·3	42·0	53·9	50·9	45·7	42·9	45·95
7	39·8	39·8	42·3	42·3	37·8	39·3	40·22
8	37·3	37·6	41·8	40·6	37·6	30·2	37·52
9	26·7	25·5	40·6	44·4	35·8	35·3	34·72
10	32·6	33·3	50·1	53·7	42·9	39·4	42·00
11	32·8	32·6	47·9	54·1	44·9	44·9	42·87
12	43·4	41·0	47·7	46·9	43·9	42·4	44·22
13	42·7	43·2	49·5	51·7	45·9	42·4	45·90
14	38·8	40·6	55·2	57·0	49·9	40·3	46·97
15	38·3	38·6	56·4	64·3	52·1	42·9	47·93
16	44·4	41·9	44·9	43·7	39·0	36·3	41·70
17	39·3	34·6	38·0	35·3	33·3	33·3	35·63
18	33·3	32·0	37·4	38·8	34·0	30·9	34·40
19	28·2	21·7	33·3	42·4	37·8	37·8	33·53
20	40·8	39·2	41·6	43·8	36·0	38·6	40·00
21	37·3	35·8	37·0	36·0	34·7	33·8	35·77
22	29·2	32·8	40·0	44·4	36·3	35·8	36·42
23	32·3	28·9	41·6	44·5	38·4	36·8	37·08
24	30·7	30·9	38·0	37·7	35·0	34·3	34·43
25	31·8	27·2	40·8	44·1	35·0	31·2	35·02
26	39·3	39·0	50·3	57·0	44·9	36·8	44·55
27	34·3	32·6	55·9	63·0	54·6	43·9	47·38
28	40·3	37·6	49·9	59·8	54·7	55·4	49·62
29	54·7	54·9	62·3	67·1	58·3	56·9	59·03
30	60·6	58·5	63·6	68·9	56·8	50·7	59·85
31	44·9	49·6	51·9	51·9	45·4	39·0	47·12
Means	38·45	37·32	47·39	50·14	43·67	40·03	42·83

ABSTRACT of Temperature at Woodstock, Ontario, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	32·3	41·8	52·9	55·7	43·9	36·3	43·82
2	31·8	28·7	41·3	55·9	47·9	41·6	41·20
3	38·6	38·3	51·4	60·7	48·1	42·7	46·63
4	41·3	43·9	52·9	55·8	56·0	55·9	50·97
5	55·4	55·4	57·9	48·9	40·8	38·0	49·40
6	35·3	36·0	38·7	42·1	39·8	31·2	37·18
7	29·2	33·8	46·6	39·3	36·3	33·8	36·50
8	30·7	30·7	35·6	35·3	29·9	30·7	32·15
9	31·2	29·2	31·2	31·7	30·2	29·7	30·53
10	28·7	29·9	26·6	38·3	35·8	37·8	34·52
11	44·9	47·7	43·7	43·7	39·8	37·8	42·93
12	35·0	32·8	36·0	37·6	33·3	31·4	34·35
13	29·7	27·2	29·2	31·5	27·2	26·7	28·58
14	25·2	26·7	29·9	34·6	32·8	37·8	31·17
15	39·8	37·6	45·7	49·9	45·8	46·1	44·15
16	46·9	47·1	54·7	56·7	55·9	55·7	52·83
17	57·7	58·3	55·7	54·7	47·9	45·4	53·28
18	45·9	46·4	59·3	61·6	58·6	43·8	52·60
19	36·8	31·8	28·9	26·9	22·7	24·7	28·63
20	26·7	23·7	29·2	31·5	27·9	27·9	27·82
21	28·5	29·7	32·0	34·0	34·4	33·8	82·07
22	31·7	30·7	30·7	31·2	27·9	26·7	29·82
23	25·2	26·2	39·6	42·7	48·9	50·4	38·83
24	56·9	41·4	43·7	40·8	33·8	31·8	41·90
25	33·7	34·3	36·8	35·8	35·1	39·8	35·92
26	52·2	53·7	59·6	61·3	58·8	60·5	57·68
27	63·8	57·6	55·9	55·9	48·4	36·8	53·07
28	32·8	27·5	26·2	24·2	23·7	21·7	26·02
29	17·7	17·2	24·7	20·7	19·2	18·5	19.67
30	19·1	18·2	19·7	20·5	17·7	14·4	18·27
Means	36·52	36·22	40·88	41·98	38·28	36·31	38·41

ABSTRACT of Temperature at Woodstock, Ontario, for the Month of December, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1	14·7	14·7	14·2	16·5	14·9	11·5	14·42
2	12·5	9·7	19·7	20·7	14·7	10·2	14·58
3	10·7	11·2	22·2	24·7	17·0	20·0	17·63
4	23·7	25·2	30·2	31·2	31·8	31·2	28·88
5	29·5	27·9	33·8	39·3	40·3	39·8	35·10
6	40·8	39·3	39·3	38·8	35·8	33·8	37·97
7	32·8	31·8	34·8	35·3	33·0	32·6	33·38
8	32·3	32·6	36·8	36·0	33·3	33·3	34·05
9	32·8	33·3	33·3	34·3	38·8	36·3	34·80
10	34·8	31·5	36·3	38·3	36·8	35·8	35·58
11	35·8	31·8	37·4	39·3	34·3	37·3	35·98
12	37·8	37·2	42·4	48·9	42·1	42·9	41·88
13	38·8	37·8	37·3	37·3	34·8	31·8	36·30
14	31·4	27·7	28·2	29·7	24·7	26·7	28·07
15	25·7	25·7	23·5	21·7	23·2	21·0	23·47
16	22·2	21·2	25·7	29·9	19·5	14·7	22·20
17	10·0	9·2	27·2	33·7	30·7	28·7	23·25
18	27·7	33·8	33·8	32·8	26·7	24·7	29·92
19	21·7	22·5	26·2	27·2	23·5	20·2	23·55
20	17·2	17·5	25·2	25·5	24·7	22·7	22·13
21	22·9	23·2	24·2	24·2	20·9	12·3	21·28
22	11·9	16·7	21·2	21·7	22·9	18·2	18·77
23	11·7	8·2	9·9	12·5	4·9	10·2	9·57
24	8·9	3·8	13·7	18·5	11·2	16·2	12·05
25	15·7	10·7	19·9	24·2	23·5	21·3	19·22
26	26·1	26·7	28·5	31·2	27·5	16·5	26·08
27	4·0	3·0	13·5	21·2	13·7	7·2	10·43
28	8·7	2·8	23·2	34·8	30·2	33·8	22·25
29	35·8	34·3	35·0	36·0	34·6	34·6	35·05
30	34·3	34·8	36·3	38·3	37·0	37·6	36·38
31	32·8	29·7	34·3	36·0	31·2	29·5	32·25
Means	24·05	23·08	27·97	30·31	27·04	25·57	26·34

Abstract of Temperature at Toronto, Ontario, for the Month of January, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	21·0	22·2	23·3	24·0	23·0	27·3	23·47
2	32·4	33·8	36·8	36·4	34·0	33·7	34·52
3	24·0	23·2	24·0	21·9	17·0	15·5	20·93
4	7·8	8·0	10·0	10·0	6·0	6·5	8·05
5	1·0	− 3·0	1·2	− 1·2	− 8·0	− 9·0	− 3·57
6	− 5·2	− 4·0	9·0	9·0	13·9	14·0	6·12
7	8·0	7·8	9·5	9·2	3·8	1·2	6·58
8	1·0	2·6	13·4	15·0	21·2	23·8	12·83
9	21·2	20·9	20·1	19·6	17·9	17·9	19·66
10	15·0	13·8	18·0	17·0	17·2	18·0	16·50
11	20·4	21·4	26·6	27·0	28·6	28·6	25·43
12	31·0	33·0	29·9	24·0	18·1	17·0	25·50
13	17·0	17·0	21·2	20·2	18·2	19·2	18·80
14	20·4	20·0	23·6	22·0	16·4	16·4	19·80
15	10·0	10·0	22·0	20·9	13·0	13·0	14·82
16	22·7	23·3	29·3	31·0	29·4	29·0	27·45
17	24·8	23·0	26·0	27·3	25·0	26·0	25·35
18	27·3	27·0	31·8	31·8	30·9	28·3	29·52
19	26·8	26·0	27·0	27·0	26·0	25·1	26·32
20	25·1	26·0	32·1	33·0	33·4	33·0	30·43
21	31·8	32·0	32·0	27·1	15·7	11·0	24·93
22	12·0	13·5	23·0	22·8	24·5	26·0	20·30
23	28·1	27·6	33·2	33·2	33·0	32·0	31·18
24	31·1	30·5	31·0	31·5	29·8	29·2	30·52
25	29·0	29·0	34·2	34·0	32·3	31·8	31·72
26	30·7	31·0	32·0	28·9	17·9	16·0	26·08
27	15·0	15·0	26·1	27·8	26·1	25·0	22·50
28	24·0	24·6	28·0	28·0	24·4	25·9	25·82
29	27·8	28·0	30·4	31·4	29·5	29·5	29·43
30	29·3	29·3	32·4	30·8	30·1	28·0	29·98
31	28·0	27·0	25·3	25·8	26·0	27·0	26·52
Means	20·60	20·63	24·52	24·08	21·75	21·48	22·18

ABSTRACT of Temperature at Toronto, Ontario, for the Month of February, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
1	31·5	32·0	39·0	38·2	36·7	36·0	35·57
2	31·3	30·0	29·0	28·6	20·8	20·0	26·62
3	18·1	16·0	20·0	22·2	24·0	25·2	20·92
4	26·9	27·0	29·2	31·0	32·2	33·4	29·95
5	29·3	32·1	35·6	35·0	28·4	29·2	31·60
6	34·0	33·0	34·2	35·2	34·2	34·2	34·13
7	34·1	34·0	34·0	34·0	32·0	31·6	33·28
8	24·2	22·1	31·0	29·2	25·3	25·9	26·28
9	23·9	22·3	22·0	22·2	21·0	22·0	22·23
10	25·4	26·2	32·4	31·0	32·6	32·4	30·00
11	22·0	21·0	22·5	19·0	15·1	15·8	19·23
12	14·5	16·2	24·3	23·2	19·2	20·5	19·65
13	20·6	21·0	20·0	19·6	20·0	20·0	20·20
14	23·2	22·2	24·2	23·0	23·0	25·0	23·43
15	30·6	35·5	36·8	24·0	14·3	10·5	25·28
16	1·0	3·5	2·4	— 2·0	11·2	—13·2	— 5·55
17	15·0	—13·0	0·3	0·0	— 1·3	0·8	— 4·80
18	— 6·0	— 0·2	20·0	21·7	21·1	20·0	12·77
19	20·9	22·4	23·2	22·1	15·0	12·0	19·27
20	3·0	3·0	7·3	6·8	6·2	6·0	5·38
21	5·8	3·0	15·0	15·0	11·5	13·2	7·65
22	11·6	11·8	29·0	30·4	28·0	29·2	23·32
23	33·0	34·2	37·3	38·3	36·0	35·0	35·63
24	34·0	32·8	23·2	21·0	16·7	14·8	23·75
25	2·4	2·4	13·2	16·4	21·6	24·2	13·37
26	29·3	32·2	29·1	28·0	26·5	27·2	28·72
27	29·0	30·0	35·0	35·5	32·7	32·2	32·40
28	33·6	38·0	44·0	44·0	34·0	31·7	37·55
29	22·0	20·5	29·3	32·0	34·0	31·2	28·17
Means	20·02	20·83	25·42	24·78	22·40	22·28	22·62

Abstract of Temperature at Toronto, Ontario, for the Month of March, 1896.

Day.	6 a.m.	8 a.m	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	°			°			°
1	23·2	21·0	23·6	21·4	18·0	17·9	20·85
2	15·2	14·0	18·0	15·2	16·0	13 0	15·23
3	11·0	10 0	13·1	14·2	13·4	13·1	12 47
4	7 0	8 0	12 0	13·0	12·0	12·0	10·67
5	7·5	9 2	22·4	25·5	16·2	15·0	15·97
6	26·5	28 1	31·2	31·0	31·8	31·5	30·02
7	32·5	33·0	32 1	31 8	30·0	28·5	31·32
8	23·2	24 4	27·8	28·4	25·9	25·0	25·78
9	17·1	19·0	25·2	27·0	18·0	16·5	20·47
10	15·1	17 0	24·0	23·2	17·8	14 2	18·53
11	13·1	14 0	18·4	19·0	12·8	13·0	15·05
12	6·4	6·0	14·0	15·0	9·1	8 9	9·90
13	5·8	7·8	20 2	20 0	12·3	11 0	12·85
14	9·0	11·3	22·0	23·6	13·8	14·8	15·75
15	12·1	16·0	25·8	26 0	18·6	16·0	19 08
16	20·3	22·2	27 0	27 3	21·5	18·4	22 78
17	19 1	21·1	33·1	36·4	29·4	29·0	28 02
18	27·0	29·5	36·1	35·8	32·2	31·8	32·07
19	32·0	31·5	31·2	32·3	28·0	23·0	29·67
20	12·5	10·6	17·5	20·4	16·2	16 2	15·57
21	15·4	25 3	36·2	36·0	37·0	37 8	31·28
22	29·0	23·5	21·0	20 0	11·6	9 8	19·15
23	9 2	13 0	19·6	20·5	14·8	15·6	15·45
24	11·0	16·2	25·2	27·2	25·7	26·8	22·02
25	30·0	32 8	40·0	40·7	40·5	39·3	37·22
26	38·0	36·2	20·4	22·2	20·2	19·1	26·02
27	11·4	14·0	28·0	30 7	26·1	24 0	22·37
28	19·3	27·0	33·5	34·0	34·0	33·8	30·27
29	37·1	39·6	50·4	52·0	40·0	37·0	42·68
30	33·2	40·0	48·0	1	39·8	36·5	40·93
31	39 0	41 4	48·0	48·0	36·0	35·0	41 23
Means	19·62	21·38	27·25	27·93	23·18	22·05	23·57

ABSTRACT of Temperature at Toronto, Ontario, for the Month of April, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	31·0	31·4	34·5	35·0	34·8	36·0	33·78
2	33·8	33·6	30·0	26·2	23·0	22·8	28·23
3	21·0	21·2	22·0	24·0	22·0	22·7	22·15
4	19·8	21·0	29·6	30·0	27·2	26·0	25·60
5	25·0	28·9	39·4	42·0	35·9	33·6	34·13
6	30·5	34·0	34·5	33·0	29·0	29·0	31·67
7	27·0	31·4	35·6	35·6	33·6	33·0	32·70
8	30·6	35·3	44·0	43·1	33·6	31·1	36·28
9	30·8	36·0	41·0	39·5	37·0	37·0	36·88
10	37·0	38·0	45·2	40·0	38·1	39·1	39·57
11	37·8	38·0	45·4	45·2	42·5	42·0	41·82
12	41·0	43·5	47·5	50·0	41·9	40·2	44·02
13	40·0	46·0	64·8	65·0	51·0	52·1	53·15
14	48·0	51·6	66·3	63·5	56·0	55·0	56·73
15	47·0	52·8	66·0	70·0	53·0	50·2	56·50
16	47·2	56·0	74·2	74·6	68·0	62·0	63·67
17	59·2	62·4	77·0	68·6	60·2	58·5	64·32
18	58·0	63·2	64·0	63·0	55·0	55·8	59·83
19	48·2	55·5	67·2	61·6	52·0	50·6	55·85
20	45·2	53·3	60·3	59·2	55·3	52·3	54·27
21	48·0	53·2	55·8	58·5	46·0	42·3	50·63
22	40·2	42·0	53·6	54·4	45·6	41·5	46·22
23	37·3	47·0	56·0	56·2	47·0	47·4	48·48
24	43·3	43·5	45·2	46·0	46·3	45·0	44·88
25	43·8	49·5	60·0	60·2	47·0	44·2	50·78
26	43·9	52·0	59·0	57·0	47·3	46·0	50·87
27	47·2	49·6	62·0	60·0	54·0	54·2	54·50
28	50·4	52·2	59·6	59·0	53·0	53·0	54·68
29	52·5	55·0	55·3	52·2	44·8	44·5	50·72
30	46·0	47·0	57·0	57·5	47·5	46·0	50·17
Means	40·36	44·14	51·73	51·00	44·28	43·10	45·77

Abstract of Temperature at Toronto, Ontario, for the Month of May, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
						°	
1	48·4	50·2	61·0	63·8	55·0	52·2	55·10
2	48·0	54·2	61·8	60·0	53·9	52·0	54·98
3	49·5	55·4	66·5	67·5	55·7	51·1	57·62
4	51·2	54·8	60·6	69·0	56·2	53·3	57·52
5	49·2	57·0	67·0	67·6	56·0	55·0	58·63
6	51·7	56·8	58·3	59·0	49·2	48·0	53·83
7	47·0	54·0	61·0	61·2	51·0	49·4	53·93
8	49·0	57·5	76·1	81·0	68·5	62·4	65·75
9	67·2	73·5	87·2	88·0	69·0	69·0	75·65
10	69·1	75·6	88·0	88·4	74·0	72·0	77·85
11	65·5	72·0	77·2	78·6	68·5	65·4	71·20
12	59·0	59·7	62·0	62·0	51·8	53·7	58·03
13	53·5	56·4	63·0	66·0	53·2	52·6	57·45
14	55·0	57·8	66·0	68·0	58·1	56·2	60·18
15	59·5	61·3	71·0	72·3	58·2	56·4	63·12
16	59·0	64·8	74·0	72·0	64·0	62·0	65·97
17	55·9	56·4	74·0	72·6	59·2	64·2	63·72
18	63·3	67·0	71·5	67·0	59·3	59·5	64·60
19	52·2	54·4	62·0	60·6	49·0	48·1	54·38
20	45·8	53·0	62·4	59·5	48·5	47·8	52·83
21	49·0	55·7	63·0	59·5	56·2	53·2	56·10
22	55·6	68·2	76·4	77·0	57·8	55·8	65·13
23	51·3	54·4	58·0	59·5	50·0	51·3	54·08
24	51·0	55·3	63·2	60·4	49·9	50·0	54·97
25	52·8	52·0	60·4	64·6	62·0	60·6	58·73
26	66·4	67·8	74·8	75·5	58·4	57·2	66·68
27	52·0	56·0	56·3	63·0	56·0	55·5	56·47
28	50·3	50·6	66·0	66·0	57·0	51·8	56·95
29	49·2	51·0	56·2	58·5	52·4	51·1	53·07
30	48·0	53·0	65·7	65·0	51·5	50·5	55·62
31	50·4	54·2	59·0	58·5	51·0	47·7	53·47
Means	54·03	58·39	66·76	67·47	56·79	55·32	59·79

Abstract of Temperature at Toronto, Ontario, for the Month of June, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
					°	°	
1	49·8	55·0	62·1	64·0	50·8	47·8	54·92
2	50·9	57·0	63·2	64·2	50·0	46·8	55·35
3	52·0	58·0	70·0	67·0	57·4	55·5	59·98
4	56·0	59·0	72·0	73·9	55·5	57·5	62·32
5	58·5	64·0	78·0	71·5	65·0	64·0	66·83
6	60·4	68·0	75·0	77·0	66·0	63·4	68·30
7	67·0	73·9	83·0	81·0	65·1	67·8	72·97
8	63·5	65·3	71·3	65·3	66·0	66·0	66·23
9	65·2	65·2	63·4	62·8	60·0	60·4	62·83
10	57·0	59·8	64·0	66·1	56·2	54·7	59·63
11	56·2	61·0	72·2	72·0	62·5	59·0	63·82
12	59·0	65·0	71·8	71·8	57·2	57·0	63·63
13	58·0	63·0	70·2	69·8	57·0	54·0	62·00
14	60·1	65·0	67·6	69·0	57·3	55·3	62·38
15	58·0	62·0	70·2	68·0	60·0	59·0	62·87
16	59·5	61·2	69·0	67·0	59·8	59·0	62·58
17	60·5	64·0	72·0	73·2	60·0	60·0	64·95
18	59·5	71·6	77·4	79·0	62·0	58·6	68·02
19	59·8	71·2	81·0	79·2	71·0	71·2	72·23
20	69·0	75·0	81·6	80·0	70·0	68·3	73·98
21	69·0	73·2	80·2	83·4	71·8	68·0	74·27
22	62·2	66·0	73·2	71·3	59·0	57·0	64·78
23	54·0	62·0	72·0	72·0	59·2	55·0	62·37
24	57·8	63·6	70·0	67·3	60·4	58·6	62·95
25	58·0	61·0	68·4	70·0	63·1	61·5	63·67
26	68·0	72·3	76·0	78·0	60·0	59·0	68·88
27	60·0	69·4	78·6	76·4	68·0	66·0	69·73
28	65·3	69·0	73·3	69·0	59·8	57·8	65·70
29	62·0	64·0	68·0	67·2	53·8	51·0	61·00
30	49·6	58·4	73·0	73·9	65·5	59·2	63·27
Means	59·53	64·77	72·26	71·68	60·98	59·28	64·75

Abstract of Temperature at Toronto, Ontario, for the Month of July, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	°				°		°
1..	62·2	68·0	81·2	79·8	66·5	61·9	69·93
2..	61·0	72·0	85·3	85·0	74·0	74·0	75·22
3..	67·4	70·0	70·0	72·0	67·0	64·4	68·47
4..	62·0	63·0	64·2	69·7	64·0	64·2	64·52
5..	66·0	66·0	72·8	74·4	62·0	60·0	66·87
6..	60·0	66·0	71·6	74·0	62·0	59·0	65·43
7..	55·0	60·5	69·2	67·0	61·2	56·0	61·48
8..	62·0	69·0	74·8	75·2	66·3	64·2	68·58
9..	61·2	61·0	70·0	72·2	65·0	63·5	65·48
10..	63·7	68·4	71·0	72·6	68·3	65·6	68·27
11..	63·0	71·0	81·8	87·0	73·8	71·0	74·60
12..	69·6	74·0	84·0	89·6	77·9	74·8	78·32
13..	68·1	69·2	80·0	82·0	69·8	68·2	72·88
14..	65·0	70·6	75·0	76·0	67·7	66·0	70·05
15..	67·4	76·5	80·0	76·0	63·8	60·6	70·72
16..	54·1	60·7	68·8	69·9	58·2	57·0	61·45
17..	57·0	65·5	71·0	73·0	58·1	55·5	63·35
18..	57·4	65·0	76·0	72·4	67·8	66·0	67·43
19..	64·9	66·9	74·0	72·3	68·0	66·2	68·72
20..	65·8	67·5	71·7	75·0	68·8	67·0	69·30
21..	66·4	72·0	80·0	81·9	69·6	66·0	72·65
22..	65·0	71·7	78·3	83·2	67·0	62·2	71·23
23..	60·2	61·8	72·6	70·0	60·0	58·8	63·97
24..	58·2	60·2	65·2	65·0	57·4	57·1	60·52
25..	59·5	67·1	78·0	76·2	67·2	61·9	68·32
26..	62·8	68·3	76·0	76·5	67·2	67·4	69·70
27..	67·4	66·6	79·3	74·0	68·0	68·4	70·62
28..	64·3	69·0	79·2	80·0	69·0	67·5	71·50
29..	67·0	73·2	73·6	70·0	67·7	66·2	69·62
30..	68·0	74·8	86·0	82·0	69·6	66·2	74·43
31..	59·0	68·0	75·8	75·5	63·5	58·2	66·67
Means	62·92	67·85	75·37	75·80	66·34	64·03	68·72

Abstract of Temperature at Toronto, Ontario, for the Month of August, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	58·0	67·4	70·8	68·8	63·0	62·1	65·02
2	64·0	67·6	74·2	73·2	65·8	60·6	67·57
3	58·0	66·2	80·0	80·0	67·8	67·0	69·83
4	67·8	73·8	86·5	84·4	75·2	73·8	76·92
5	69·8	74·4	87·4	86·6	74·0	73·1	77·55
6	71·5	72·0	82·5	85·3	75·6	71·3	76·37
7	71·0	78·0	84·5	86·0	70·0	65·0	75·75
8	63·0	71·4	81·4	85·2	76·0	74·8	75·30
9	73·6	79·8	85·6	83·7	73·7	73·2	78·27
10	72·9	73·7	81·8	85·0	77·8	73·5	77·45
11	67·4	74·4	85·0	85·0	73·0	72·2	76·17
12	69·2	71·9	81·2	80·8	67·2	66·2	72·75
13	63·5	69·0	74·3	73·8	70·0	69·5	70·01
14	59·0	68·0	76·2	77·0	63·8	63·6	68·07
15	60·2	70·0	82·8	83·0	74·0	72·3	73·72
16	70·0	73·9	80·2	80·2	62·0	58·9	70·87
17	54·8	62·6	68·5	72·0	57·4	53·0	61·38
18	54·8	60·2	67·0	65·2	55·8	55·0	59·67
19	51·0	58·0	65·6	65·1	56·0	48·0	56·28
20	44·6	57·2	69·2	69·0	61·6	61·0	60·43
21	58·3	65·0	66·3	67·3	61·0	57·0	62·48
22	55·6	64·4	75·2	72·2	69·0	68·9	67·55
23	67·5	73·2	78·8	79·6	65·0	62·8	71·15
24	58·0	66·0	73·8	73·4	54·8	51·2	62·87
25	48·0	60·8	71·6	70·0	63·8	58·9	62·18
26	57·0	67·8	74·4	67·2	53·0	50·0	61·57
27	48·2	56·6	60·6	62·7	54·5	51·9	55·75
28	50·8	58·8	65·2	64·9	56·7	54·5	58·48
29	48·4	57·8	68·5	70·0	61·4	60·4	61·08
30	57·3	64·0	73·0	72·9	62·8	59·0	64·83
31	51·0	55·0	66·1	63·0	48·0	46·0	54·85
Means	60·14	67·09	75·43	64·64	62·41	62·41	67·49

Abstract of Temperature at Toronto, Ontario, for the Month of September, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	47·0	52·4	62·0	64·0	54·0	51·5	55·15
2	47·0	56·8	58·2	59·2	56·1	56·2	55·58
3	61·2	63·8	65·0	64·0	51·3	51·0	59·38
4	49·8	53·0	59·4	60·4	51·0	51·2	54·13
5	55·0	56·6	57·0	58·0	57·1	58·0	56·95
6	54·6	57·2	63·8	62·3	55·0	55·0	57·98
7	52·1	56·2	66·4	67·0	57·8	51·6	58·52
8	50·0	56·6	68·0	67·0	57·4	56·7	59·28
9	52·7	60·0	67·0	69·8	61·0	60·0	61·75
10	57·8	63·4	78·6	75·2	65·0	63·1	67·18
11	58·7	66·8	82·0	83·1	68·1	66·2	70·82
12	64·0	67·3	72·7	74·3	64·8	64·5	67·93
13	61·9	63·0	67·6	68·4	61·0	59·3	63·53
14	63·0	64·9	72·0	72·7	68·3	65·8	67·78
15	60·5	63·5	67·0	64·0	54·0	53·7	60·45
16	50·2	54·0	63·2	62·8	58·2	58·2	57·77
17	57·4	59·0	69·1	67·3	54·2	55·0	60·33
18	47·7	56·5	66·0	65·7	59·0	57·0	58·65
19	56·5	56·5	59·6	56·3	45·6	43·4	52·98
20	37·9	45·0	59·5	59·8	49·9	46·3	49·73
21	47·2	51·8	62·6	62·7	52·2	54·0	55·08
22	50·4	45·8	48·0	48·2	39·4	36·0	44·63
23	30·0	38·5	52·0	54·2	46·2	44·9	44·30
24	46·0	48·5	67·0	67·0	50·0	45·0	53·92
25	45·4	52·6	62·4	63·8	56·2	54·4	55·80
26	52·2	58·0	62·0	63·2	58·0	55·0	58·07
27	51·0	52·5	59·0	57·9	49·6	48·9	53·15
28	47·0	49·7	57·0	56·6	48·6	51·2	51·68
29	52·0	54·8	59·0	59·1	57·2	57·1	56·53
30	57·0	53·7	55·0	52·0	51·3	51·0	53·33
Means	52·11	55·95	63·60	63·53	55·25	54·04	57·41

Abstract of Temperature at Toronto, Ontario, for the Month of October, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
1	52·1	51·0	54·0	54·0	48·4	46·4	50·98
2	41·0	44·7	52·6	51·8	41·2	40·6	45·32
3	44·5	47·6	52·3	51·7	43·8	43·0	47·15
4	44·2	47·6	53·8	52·9	42·0	42·7	47·20
5	42·8	48·0	53·1	52·8	43·0	42·2	46·98
6	43·2	47·0	51·0	49·0	48·0	46·0	47·37
7	45·6	45·4	45·5	44·0	39·0	39·4	43·15
8	37·0	38·1	41·3	40·5	38·4	37·0	38·72
9	31·0	36·0	43·2	42·0	36·4	42·0	38·43
10	43·0	44·4	50·4	50·0	46·4	46·4	46·77
11	39·9	46·0	51·7	51·9	48·9	45·0	47·23
12	43·3	45·0	49·1	49·2	47·4	47·0	46·83
13	45·0	46·0	54·8	56·6	48·0	47·4	49·63
14	45·5	48·1	58·2	56·8	47·2	48·2	50·67
15	39·0	43·5	60·6	60·0	53·0	51·0	51·18
16	44·8	44·0	44·8	43·0	39·6	37·2	42·23
17	36·0	36·0	39·3	38·0	33·6	34·0	36·15
18	33·3	35·0	40·8	38·0	32·0	32·9	35·33
19	30·7	34·0	43·9	44·0	44·2	40·4	39·53
20	45·8	43·5	46·0	46·0	41·0	39·2	43·58
21	39·6	40·7	43·9	40·0	36·6	37·0	39·48
22	34·8	36·6	44·4	44·2	35·2	32·8	38·00
23	33·0	36·2	48·2	46·0	42·3	39·3	40·83
24	37·8	38·2	40·2	39·0	34·8	36·0	37·67
25	34·9	36·4	45·0	43·8	38·9	37·0	39·33
26	33·0	39·0	56·1	55·5	41·8	38·3	43·95
27	35·0	40·0	53·5	53·0	46·0	45·0	45·42
28	43·2	44·6	50·0	49·4	47·4	48·4	47·17
29	53·1	54·0	62·8	61·8	54·0	54·0	56·62
30	52·2	53·0	62·2	62·0	53·0	54·2	56·10
31	49·0	50·4	53·2	52·0	46·6	41·2	48·73
Means	41·07	43·23	49·84	49·00	43·16	42·30	44·77

Abstract of Temperature at Toronto, Ontario, for the Month of November, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1.	33·8	42·2	55·7	54·0	42·0	39·0	44·45
2.	35·5	38·2	47·5	45·7	43·8	44·0	42·45
3.	44·0	45·2	49·6	47·8	47·4	46·8	46·80
4.	46·2	48·2	52·9	52·0	53·8	53·8	51·15
5.	52·3	53·2	56·2	53·0	43·8	43·0	50·25
6.	40·0	40·2	46·4	44·4	39·6	40·0	41·77
7.	33·0	36·8	44·1	46·0	39·8	38·0	39·62
8.	32·9	35·0	41·5	39·1	33·8	30·9	35·53
9.	31·4	31·8	39·8	37·8	34·4	34·4	34·93
10.	32·9	34·5	39·9	39·9	42·5	39·8	38·25
11.	45·0	46·2	45·0	45·0	41·8	41·0	44·00
12.	38·4	38·8	42·0	40·2	35·0	34·2	38·10
13.	33·0	33·0	37·4	35·3	30·2	31·0	33·32
14.	27·7	27·0	35·0	35·7	39·5	39·8	34·12
15.	43·9	44·0	52·2	48·9	42·5	41·0	45·42
16.	46·2	48·2	56·8	57·5	51·8	56·0	52·75
17.	54·2	56·2	51·4	51·0	42·3	40·0	49·18
18.	39·6	41·4	54·6	56·4	50·2	44·7	47·82
19.	35·0	31·0	28·2	27·1	25·3	24·0	28·43
20.	25·0	25·7	33·0	31·8	30·0	32·0	29·58
21.	35·2	36·2	33·6	33·2	33·0	31·0	33·70
22.	26·9	28·0	30·0	28·6	20·9	21·2	25·93
23.	33·0	34·0	41·8	42·0	46·0	47·0	40·63
24.	48·2	45·2	43·4	40·0	34·4	35·0	41·03
25.	37·0	36·2	34·3	35·2	37·9	37·4	36·33
26.	40·7	40·0	53·0	51·2	52·2	54·0	48·52
27.	58·0	55·8	54·9	57·2	49·2	43·6	53·12
28.	34·4	32·9	30·7	29·8	26·0	26·0	29·97
29.	23·0	24·0	29·0	26·0	23·0	21·4	24·40
30.	22·9	22·5	25·2	22·8	19·4	18·0	21·80
Means	37·64	38·39	42·84	41·82	38·38	37·60	39·45

ABSTRACT of Temperature at Toronto, Ontario, for the Month of December, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	17·0	17·9	21·8	19·0	17·0	17·3	18·33
2	16·0	16·2	23·7	22·2	15·0	14·6	17·95
3	22·2	20·0	29·0	27·6	22·2	22·2	23·87
4	30·0	30·0	32·5	33·3	34·1	33·0	32·15
5	33·0	32·8	35·3	37·0	41·2	40·0	36·55
6	41·0	42·0	41·6	39·0	35·6	35·0	39·03
7	32·3	32·3	36·2	35·5	35·0	34·0	34·22
8	35·4	36·5	39·5	38·2	35·5	35·0	36·68
9	34·4	35·6	37·2	36·8	39·2	39·2	37·07
10	36·9	35·8	41·0	41·0	36·2	36·1	37·83
11	35·7	35·0	40·4	40·3	36·9	37·5	37·63
12	36·6	36·8	45·7	45·2	34·8	34·8	38·98
13	39·0	38·0	40·0	39·3	35·0	32·9	37·37
14	28·0	26·0	30·0	29·0	24·7	22·9	26·77
15	19·6	18·4	24·6	26·3	24·6	22·4	22·65
16	21·6	21·2	30·5	30·0	25·1	23·5	25·32
17	17·0	20·0	33·6	32·5	34·7	35·5	28·88
18	36·9	37·6	35·6	36·1	25·0	22·6	32·30
19	20·0	20·0	26·5	26·2	25·4	26·2	24·05
20	24·0	23·0	31·0	30·0	25·9	25·1	26·50
21	20·1	20·0	21·8	20·4	18·1	16·0	19·40
22	16·1	17·3	24·8	24·9	15·1	13·6	18·63
23	7·0	6·1	9·0	7·0	3·0	4·0	6·02
24	4·2	4·2	13·8	14·0	15·0	14·0	10·87
25	20·0	20·0	25·7	25·4	28·0	28·6	24·62
26	28·3	29·0	31·8	28·4	14·7	12·7	24·15
27	5·8	7·8	21·8	22·0	14·0	13·0	14·07
28	12·2	14·0	30·0	32·8	33·2	35·0	26·20
29	35·6	36·0	37·0	37·0	35·7	35·5	36·08
30	35·5	36·0	40·8	42·0	38·6	36·4	38·22
31	31·3	32·6	31·0	29·1	30·2	28·8	30·50
Means	25·56	25·75	31·07	30·56	27·38	26·69	27·84

Abstract of Temperature at Montreal, Quebec, for the Month of January, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°						°
1	26·4	25·9	26·3	28·4	25·5	24·3	26·13
2	24·0	21·5	28·8	29·9	29·0	31·8	27·50
3	32·4	32·5	26·2	24·7	19·0	6·3	23·52
4	− 1·4	− 5·4	− 4·1	− 3·7	− 7·0	−13·1	− 5·80
5	...	...	...	...	...	...	.....
6	21·0	−20·6	−16·0	12·1	−11·6	−11·4	−15·45
7	−12·7	12·1	7·3	− 3·3	− 1·0	− 1·0	− 6·23
8	− 2·9	− 2·0	2·6	6·0	4·5	6·3	2·42
9	5·0	6·0	8·4	9·7	10·4	10·1	8·27
10	8·8	9·5	12·7	15·0	12·0	8·4	11·07
11	6·5	5·3	10·4	14·5	11·5	10·0	9·70
12	...	...	...	...	...	...	.....
13	21·5	18·5	20·7	23·3	22·1	21·9	21·33
14	20·9	17·7	18·9	20·5	16·2	17·3	18·58
15	13·3	13·0	13·8	12·1	7·5	6·6	11·05
16	6·0	8·5	12·6	18·5	18·0	20·0	13·93
17	19·2	15·0	14·1	13·5	12·7	13·0	14·58
18	14·1	14·5	19·1	20·9	19·5	18·0	17·68
19	...	...	...	...	...	...	.....
20	8·9	9·5	12·5	17·0	18·5	17·2	13·93
21	18·2	18·2	20·1	23·5	22·0	20·7	20·45
22	20·0	19·0	22·9	21·0	15·0	17·5	19·23
23	17·0	14·2	14·9	16·5	14·3	13·3	15·03
24	12·0	13·3	19·5	22·9	25·7	24·9	19·72
25	24·3	25·3	28·1	29·9	28·3	28·6	27·42
26	...	...	...	...	...	...	.....
27	25·0	18·5	12·5	13·1	11·7	10·3	15·18
28	5·0	2·2	0·1	2·9	2·5	2·7	1·83
29	1·5	1·2	2·9	4·0	2·5	3·2	2·15
30	6·0	8·8	14·6	18·8	17·5	15·0	13·45
31	9·0	5·2	6·5	8·2	6·5	7·0	7·07
Means	11·37	10·24	12·66	14·66	13·07	12·18	12·36

Abstract of Temperature at Montreal, Quebec, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	8·2	11·2	16·8	29·5	32·0	29·0	21·12
2							
3	8·6	6·5	10·4	14·0	13·5	9·6	10·43
4	9·0	9·0	14·9	20·0	20·2	20·0	15·52
5	21·9	28·0	31·5	33·2	33·5	33·6	30·28
6	32·2	33·5	33·8	32·5	33·0	32·7	32·95
7	32·1	31·0	31·8	33·1	32·5	30·5	31·83
8	20·6	20·5	23·8	25·3	20·5	18·8	21·58
9							
10	13·5	14·0	15·9	21·8	21·7	21·2	18·02
11	26·0	29·2	27·2	24·0	20·5	19·5	24·40
12	16·3	9·7	14·5	14·8	9·5	8·9	12·28
13	12·0	10·5	9·8	10·0	11·5	14·2	11·33
14	15·2	9·3	14·9	18·8	13·0	7·3	13·08
15	4·8	−0·5	0·9	1·5	0·5	2·3	0·78
16							
17	21·0	−21·7	−16·1	−10·0	−12·0	−15·3	−16·02
18	−15·0	−22·1	−13·5	− 6·3	3·6	− 5·0	−10·92
19	6·0	− 0·3	6·3	21·1	15·3	13·0	8·23
20	13·5	13·5	17·4	14·7	17·5	12·2	14·80
21	6·2	0·5	2·2	0·7	− 1·0	− 1·7	1·15
22	− 2·3	2·5	19·0	23·0	22·7	22·2	14·52
23							
24	35·3	34·3	27·5	24·4	18·0	11·1	25·10
25	1·0	2·0	3·5	7·7	3·7	1·4	2·55
26	3·6	− 4·6	2·7	8·2	5·7	5·3	2·28
27	1·9	− 1·0	9·3	17·3	19·5	19·4	11·07
28	25·3	29·0	36·4	39·7	40·1	39·0	34·92
29	39·9	39·5	39·0	36·4	34·9	33·4	37·18
Means	11·82	11·18	15·12	18·10	16·91	15·30	14·74

Abstract of Temperature at Montreal, Quebec, for the Month of March, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1							
2	26·9	21·5	20·0	17·5	14·7	16·8	19·57
3	19·4	17·1	17·5	18·5	17·8	10·6	16·82
4	4·5	1·3	8·0	18·9	16·2	11·5	10·07
5	9·2	8·5	14·3	19·9	17·8	23·9	15·60
6	21·0	21·0	24·1	25·9	25·7	26·5	24·03
7	27·3	31·5	32·7	34·1	30·9	28·3	30·80
8							
9	15·5	12·1	15·1	19·0	16·0	12·0	14·95
10	9·6	6·0	10·1	13·3	12·5	12·0	10·58
11	5·5	1·5	9·2	13·7	12·5	13·1	9·25
12	10·9	9·3	11·8	16·0	11·5	7·8	11·22
13	5·3	3·0	10·7	12·3	8·8	6·8	7·82
14	5·3	4·9	13·8	19·1	14·9	12·0	11·67
15							
16	12·1	4·5	16·7	23·3	21·8	22·6	16·83
17	21·1	23·5	30·7	31·0	26·0	24·8	26·18
18	23·0	27·5	31·8	33·5	29·7	29·0	29·08
19	28·4	29·5	30·9	30·1	30·3	31·7	30·15
20	31·2	26·1	24·3	21·3	20·3	15·5	23·12
21	11·2	10·2	20·4	28·3	28·5	21·9	20·08
22							
23	2·0	1·4	3·5	5·9	3·3	2·6	2·65
24	1·2	1·0	10·5	15·0	13·0	10·4	8·12
25	11·1	17·5	27·8	34·8	32·5	34·2	26·32
26	34·0	34·5	35·5	38·5	34·3	22·9	33·28
27	17·5	10·2	16·5	16·5	20·7	20·5	16·98
28	15·0	16·8	23·4	26·0	22·5	20·5	20·70
29							
30	36·9	36·3	43·6	44·2	41·0	37·0	39·83
31	35·7	35·5	40·2	39·9	34·8	25·7	35·30
Means	16·86	15·75	20·89	23·71	21·46	19·25	19·65

ABSTRACT of Temperature at Montreal, Quebec, for the Month of April, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°			°	°	°	
1	20·3	19·8	24·0	25·3	27·1	28·2	24·12
2	32·0	35·0	33·0	34·1	31·4	27·3	32·13
3	21·0	22·2	26·0	25·8	28·2	24·5	24·62
4	22·0	19·5	23·5	28·5	27·7	27·1	24·72
5							
6	29·2	28·7	34·4	34·9	31·8	28·7	31·28
7	27·5	27·8	36·2	36·5	33·3	31·0	32·05
8	28·0	29·9	35·3	38·1	35·6	33·0	33·32
9	24·4	30·8	37·2	39·3	35·5	32·7	33·32
10	25·0	28·0	40·5	45·6	39·5	41·3	36·65
11	39·0	36·8	40·5	43·1	41·2	43·3	40·65
12							
13	39·5	39·7	51·2	44·7	36·7	34·0	40·97
14	35·0	35·6	44·5	45·7	55·0	51·8	44·60
15	49·6	47·5	60·0	64·3	55·8	53·3	55·08
16	42·0	46·7	60·5	70·1	66·5	44·4	55·03
17	40·3	37·3	42·7	52·1	50·8	51·0	45·70
18	48·3	46·7	45·3	48·3	47·5	45·5	46·93
19							
20	47·6	49·3	62·1	60·5	56·7	47·0	53·87
21	39·5	35·5	40·0	39·7	38·5	37·7	38·48
22	34·5	34·8	42·7	48·1	46·9	44·1	41·85
23	41·6	42·5	57·3	59·1	50·8	40·2	48·58
24	37·5	40·5	49·3	52·4	45·7	39·3	44·12
25	35·0	44·5	54·3	55·0	45·3	45·3	46·57
26							
27	46·7	49·8	62·7	68·1	61·5	55·8	57·43
28	51·0	50·5	49·8	50·7	53·5	48·3	50·63
29	41·7	44·0	50·6	56·4	53·1	43·3	48·18
30	37·0	41·0	52·3	56·3	51·6	46·3	47·42
Means	35·97	37·09	44·46	47·03	44·12	40·17	41·47

Abstract of Temperature at Montreal, Quebec, for the Month of May, 1896.

Day	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	37·9	43·0	60·0	64·9	55·5	46·7	51·33
2	39·3	44·5	62·5	67·3	61·5	55·0	55·02
3							
4	55·0	55·3	66·6	62·3	63·8	57·5	60·08
5	52·3	56·3	64·0	58·2	48·4	43·5	53·78
6	41·6	43·0	49·1	56·1	51·8	45·4	47·83
7	40·5	44·1	59·0	62·2	60·3	56·6	53·78
8	53·8	57·0	65·3	69·8	66·3	60·4	62·10
9	57·8	63·4	76·5	83·1	77·7	69·7	71·37
10							
11	58·0	59·5	66·2	70·3	63·3	56·3	62·27
12	52·3	53·5	60·0	65·8	60·7	51·8	57·35
13	46·5	49·5	55·5	61·2	57·4	52·6	53·78
14	47·9	54·4	65·3	69·3	63·3	62·3	60·42
15	53·6	54·5	68·8	70·3	63·4	59·6	61·70
16	53·1	56·5	63·1	66·7	60·6	55·6	59·27
17							
18	64·6	59·1	65·1	69·3	60·8	54·7	62·27
19	50·1	46·6	52·3	57·3	54·1	50·7	51·85
20	46·0	50·7	59·3	64·1	60·2	54·4	55·78
21	49·2	56·1	66·1	67·4	60·5	55·6	59·15
22	55·2	56·1	68·8	63·7	64·2	56·7	60·75
23	51·3	49·8	55·7	60·9	55·1	50·1	53·81
24							
25	51·4	56·1	64·5	68·4	65·5	62·5	61·40
26	54·0	52·4	62·3	75·6	68·3	63·3	62·65
27	57·4	53·5	62·5	67·3	60·6	53·5	59·13
28	48·0	53·8	58·7	56·8	56·5	54·6	54·73
29	55·1	55·1	58·4	55·6	52·4	51·1	54·62
30	50·2	52·6	52·7	56·5	55·1	51·3	53·07
Means	50·85	52·94	61·86	65·02	60·28	55·06	57·67

Abstract of Temperature at Montreal, Quebec, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	54·0	55·6	63·6	61·0	60·9	52·9	58·00
2	50·0	53·3	58·5	64·4	59·6	57·4	57·20
3	54·0	57·4	71·7	76·5	69·6	63·3	65·42
4	59·3	64·8	75·9	80·3	70·3	66·0	69·43
5	60·0	70·0	81·0	85·7	74·3	68·7	73·28
6	61·5	64·6	74·0	79·0	70·1	66·3	69·25
7	..	..	..		...	....	
8	58·1	58·4	59·3	61·0	59·2	58·5	59·08
9	57·5	56·5	58·5	63·5	62·7	61·0	59·95
10	57·6	58·4	62·3	64·8	60·3	56·4	59·97
11	51·3	56·0	62·7	65·7	59·2	57·6	58·75
12	54·8	52·7	59·5	60·3	57·3	51·5	56·02
13	50·0	55·3	63·9	66·7	62·7	57·7	59·38
14	..		.....		..	.	...
15	52·4	57·9	62·5	68·9	65·3	63·8	61·80
16	60·1	64·6	75·3	79·0	68·3	63·3	68·43
17	59·9	66·6	77·0	77·2	69·8	63·2*	68·95
18	62·2	66·9	76·8	83·0	76·3	69·8	72·50
19	67·0	71·1	77·8	80·5	75·3	70·8	73·75
20	67·4	72·9	80·5	84·3	77·3	73·1	75·92
21	...	..		....	.	. .	..
22	67·0	69·7	74·5	72·4	64·2	55·0	67·13
23	52·4	57·5	64·6	69·4	63·3	62·2	61·56
24	55·1	59·5	67·2	70·3	67·1	60·3	63·25
25	56·0	62·3	71·2	72·3	66·5	62·8	65·19
26	62·8	61·6	77·3	78·8	69·9	64·5	69·15
27	60·3	65·8	69·8	74·1	68·7	62·4	66·85
28	.....	.....	.....	... ..	.. ..	.....	.....
29	58·2	64·5	66·9	61·3	55·2	51·2	59·55
30	46·1	54·9	61·9	67·0	64·5	62·6	59·50
Means	57·50	61·49	69·01	71·82	66·07	61·63	64·59

ABSTRACT of Temperature at Montreal, Quebec, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	63·7	69·3	74·1	77·7	72·2	67·1	70·68
2	64·0	72·3	82·3	88·5	80·7	59·2	74·50
3	56·3	56·6	63·8	64·9	61·0	56·8	59·90
4	54·0	56·9	58·2	61·0	61·1	60·8	58·66
5							
6	56·8	55·8	62·3	70·1	67·2	63·5	62·62
7	64·9	66·7	73·1	65·7	61·9	58·4	65·11
8	57·3	65·1	73·7	77·5	72·0	69·8	69·23
9	67·8	66·7	77·3	75·5	74·3	70·7	72·05
10	70·0	72·7	78·9	80·0	73·5	70·4	74·25
11	67·3	67·3	75·9	79·3	76·9	73·2	73·32
12							
13	69·0	72·4	75·4	76·2	65·3	65·5	70·63
14	61·9	65·5	71·5	75·6	68·7	64·9	68·02
15	59·1	68·5	64·3	76·1	69·1	56·3	65·57
16	54·0	59·4	63·6	63·5	61·0	60·5	60·33
17	59·0	60·5	71·8	73·7	67·3	66·9	66·53
18	59·9	66·8	76·4	78·0	71·9	67·2	70·03
19							
20	67·6	65·8	65·9	66·7	69·3	69·5	67·47
21	69·1	71·2	78·3	80·8	74·9	71·5	74·30
22	66·2	68·4	78·5	82·9	75·4	71·8	73·86
23	64·1	66·5	68·4	70·6	64·5	59·8	65·65
24	58·5	63·8	70·2	70·3	65·6	63·1	65·25
25	62·1	61·6	73·5	78·0	71·4	66·8	68·90
26							
27	64·5	67·7	72·9	76·8	73·2	70·1	70·86
28	66·9	69·7	76·9	79·0	72·4	69·6	72·42
29	66·2	71·6	80·0	82·4	76·2	73·5	74·98
30	71·3	73·1	81·2	81·8	70·3	63·5	73·53
31	57·1	60·6	65·5	67·8	63·1	61·6	62·62
Means	62·91	66·02	72·37	74·83	69·65	65·63	68·57

Abstract of Temperarure at Montreal, Quebec, for the Month of August, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 a.m.	Means.
1	55·1	60 1	70 3	71·8	66·3	64·0	64 60
2							
3	61·0	69 3	77 0	79 6	74·6	68 6	71·68
4	70 4	71·3	78·3	81 5	77 5	70 5	74·92
5	66 3	63 5	60 8	62 3	59·2	59 6	61·95
6	58 7	59 7	65 5	65 1	65 1	63 8	62·98
7	63 1	66 9	78·7	82 6	76·9	76 3	74·08
8	67 5	74 2	82 5	83 2	77·0	73 7	76 35
9							
10	69 1	71·6	83 9	86·2	80·1	76·6	77 92
11	74 3	77 6	86 2	88 3	83 1	77·4	81 15
12	72 9	76·5	84·5	83·2	77 6	70·1	77·47
13	61 2	61 4	69 3	75·5	70 4	68 2	67 67
14	64 7	65 9	75 5	79 0	72·3	71 3	71·45
15	61 8	64 3	78 0	82 0	74·7	69·9	71·78
16							
17	59 2	61·4	67 3	67·6	61·3	58·6	62 57
18	54 0	56 9	56 3	63·0	53·7	55·5	56 57
19	52 4	52 7	61·3	63·0	57 4	56·9	57·28
20	57 3	56·5	69 2	70 5	64·5	60·7	63·12
21	54 9	59 9	69 1	70 7	61·6	60 2	62·73
22	57 3	59 6	71·0	73 4	68 6	64 7	65 77
23							
24	60 1	64·4	72 4	71 5	64·7	56·0	64·68
25	51 0	57 0	65·5	66·0	60·8	56 4	59·45
26	54·0	61·6	73 2	75·9	70·9	68·6	67·37
27	62 6	58 6	62 4	66·3	62·4	59 5	61·97
28	56 0	58 3	64 8	65 7	59·1	57·3	60·20
29	50 3	54 5	65·4	67·4	61·0	58·9	59 58
30							
31	60·5	59·0	57 1	60·8	57·6	53·5	58·08
Means	60·60	63·18	70·98	73·16	67·63	64·49	66·67

Abstract of Temperature at Montreal, Quebec, for the Month of September, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
					°	°	°
1	50·3	51·5	57·8	59·8	53·5	50·7	53·93
2	47·4	51·9	58·0	62·9	59·7	59·5	56·57
3	59·0	59·4	63·3	62·0	56·4	50·7	58·47
4	47·8	47·6	54·3	55·6	50·2	47·7	50·53
5	43·6	45·5	57·8	62·2	58·7	54·9	53·78
6							
7	57·8	59·0	61·5	63·7	57·2	56·7	59·32
8	52·2	52·4	66·0	68·5	59·8	57·8	59·45
9	54·1	54·0	67·0	70·6	65·6	63·1	62·40
10	58·2	57·7	71·2	75·3	68·3	66·7	66·23
11	63·6	66·8	79·5	82·6	78·3	74·3	74·18
12	69·0	64·0	70·0	69·6	64·0	61·4	66·33
13							
14	52·7	52·5	64·6	67·5	66·2	63·4	61·15
15	60·2	59·7	64·7	62·3	54·3	48·5	58·28
16	46·5	46·7	56·5	58·6	52·7	52·8	52·30
17	51·1	51·4	56·3	61·4	58·7	55·6	55·75
18	51·0	52·3	60·2	62·3	56·4	55·9	56·35
19	55·6	55·5	56·3	55·6	54·8	53·1	55·18
20							
21	49·0	52·1	59·5	61·6	56·8	54·4	55·47
22	50·0	40·6	44·5	47·7	44·9	39·0	44·45
23	34·5	37·3	45·5	47·2	45·6	45·6	42·62
24	44·6	46·5	55·1	58·0	53·5	49·3	51·17
25	50·0	52·0	62·5	64·5	61·1	59·8	58·32
26	55·2	56·7	67·5	67·0	62·6	61·2	61·70
27							
28	47·9	45·5	52·5	53·5	47·9	45·2	48·75
29	40·8	42·4	56·5	63·8	60·4	58·4	53·72
30	57·8	57·4	66·5	68·0	60·2	54·3	60·70
Means	51·92	52·25	60·58	62·74	57·99	55·38	56·81

ABSTRACT of Temperature at Montreal, Quebec, for the Month of October, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	51·7	51·9	56·0	57·2	50·4	49·9	52·85
2	44·1	44·7	45·5	45·5	43·0	41·8	44·10
3	41·4	42·0	44·6	48·9	46·0	45·7	44·77
4							
5	44·3	43·9	48·0	50·8	48·4	44·5	46·65
6	41·6	41·1	43·6	46·8	45·8	44·2	43·85
7	43·0	42·2	44·5	46·2	43·9	42·6	43·73
8	38·1	38·5	42·3	44·5	40·8	38·3	40·42
9	36·0	36·0	42·5	43·7	40·5	37·3	39·33
10	34·0	33·5	44·5	46·3	40·9	39·0	39·70
11							
12	36·7	37·5	49·6	53·1	47·7	42·0	44·43
13	38·1	38·6	48·5	52·6	47·1	44·4	44·88
14	43·1	42·2	50·1	54·8	48·0	49·8	48·00
15	41·9	42·5	53·6	57·2	50·7	50·3	49·37
16	42·1	40·3	42·0	40·5	35·8	35·7	39·40
17	34·0	31·4	36·9	38·0	36·2	34·4	35·15
18							
19	35·4	32·6	39·1	41·4	35·2	33·9	36·27
20	33·0	36·5	39·8	45·4	45·5	42·1	40·38
21	43·2	49·1	54·2	44·0	39·5	35·2	44·20
22	34·9	32·9	41·3	42·2	37·4	38·6	37·88
23	37·2	37·5	41·0	47·9	43·5	37·0	40·68
24	38·0	37·5	47·0	40·8	38·0	35·2	39·42
25							
26	34·0	34·5	46·5	50·1	46·9	45·8	42·97
27	45·0	42·5	49·2	51·4	42·7	35·8	44·43
28	31·1	31·0	41·4	47·5	40·1	38·8	38·32
29	38·9	47·1	49·9	51·4	50·6	45·0	47·15
30	46·4	45·5	46·7	47·8	44·8	43·6	45·80
31	43·4	42·4	56·3	54·3	47·5	46·3	48·70
Means	39·65	39·83	46·10	47·79	43·59	41·38	43·06

ABSTRACT of Temperature at Montreal, Quebec, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1							
2	48·9	43·6	46·5	47·9	44·4	42·4	45·62
3	40·4	37·5	44·3	45·6	40·5	36·3	40·77
4	33·1	32·5	49·4	51·8	50·2	50·8	44·63
5	50·4	50·6	52·5	54·2	54·8	49·9	52·07
6	46·2	43·7	42·7	42·5	41·5	40·5	42·85
7	38·9	37·3	42·9	43·0	40·4	40·2	40·45
8							
9	32·4	32·6	39·5	40·0	35·5	35·7	35·95
10	33·6	34·1	38·1	38·8	36·4	35·7	36·12
11	36·1	38·2	44·3	49·0	43·1	41·9	42·10
12	42·1	41·9	44·6	44·3	40·3	35·5	41·45
13	32·5	31·0	32·8	31·6	28·9	25·8	30·43
14	27·0	26·4	27·5	28·5	27·7	27·5	27·43
15							
16	26·7	26·9	28·1	28·5	28·1	30·4	28·12
17	44·1	55·6	56·4	46·5	34·5	30·9	44·69
18	29·0	28·5	30·1	34·3	50·8	57·3	38·33
19	42·6	33·3	29·5	25·5	21·3	18·0	28·37
20	12·5	12·5	17·5	19·6	19·5	18·2	16·63
21	20·0	22·5	26·5	26·5	25·9	22·9	24·05
22							
23	10·2	11·6	16·4	30·5	33·4	36·3	23·07
24	36·1	38·0	43·8	41·5	35·0	29·4	37·30
25	26·0	22·5	22·3	21·7	21·5	21·7	22·62
26	23·0	29·4	24·3	26·1	24·5	25·1	25·40
27	26·1	27·2	31·8	46·0	51·5	49·8	38·73
28	49·6	40·0	39·5	36·5	33·3	31·8	38·45
29							
30	24·0	25·1	24·9	26·7	23·7	21·3	24·28
Means	33·26	32·90	35·85	37·08	35·47	34·21	34·80

Abstract of Temperature at Montreal, Quebec, for the Month of December, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1	20·7	19·3	18·0	18·5	15·7	8·8	16·83
2	1·9	— 0·5	4·7	6·4	6·3	6·2	4·17
3	4·3	5·8	11·2	18·0	18·0	14·5	11·97
4	9·6	9·5	15·1	16·0	28·0	27·5	17·62
5	32·0	35·5	34·8	32·4	30·0	21·1	30·97
6	....	.....	.....	.....	.....	. .	.....
7	30·2	30·0	31·4	31·6	30·7	28·3	30·37
8	24·1	26·4	33·0	32·5	33·1	31·8	30·15
9	30·1	28·6	31·5	32·2	32·4	33·8	31·43
10	34·0	33·4	34·5	31·8	29·5	29·9	32·18
11	28·1	27·1	27·3	27·6	28·9	30·6	28·27
12	33·1	33·6	34·7	36·7	32·4	32·7	33·87
13	. .	.....	.....	.....	. . .	....	.....
14	25·2	17·3	17·2	19·3	14·6	11·4	17·50
15	7·5	5·1	7·8	9·3	10·0	9·3	8·33
16	8·9	9·8	13·8	16·5	16·4	14·7	13·35
17	11·3	8·7	16·2	20·3	17·1	16·7	15·05
18	15·6	13·9	17·2	30·1	30·4	31·1	23·05
19	26·6	14·3	12·3	12·7	9·5	4·5	13·32
20	. . .	.....	. . .	. . .	...	... .	.....
21	0·8	— 0·3	1·2	2·0	— 0·5	1·8	0·83
22	— 3·0	— 6·4	0·9	2·5	0·0	— 1·3	— 1·22
23	— 4·0	4·6	— 0·5	— 2·8	— 0·6	— 0·5	2·16
24	— 2·0	5·6	— 3·6	1·7	— 0·7	0·0	— 1·70
25	2·1	1·5	7·5	13·3	16·8	26·3	11·25
26	25·0	25·5	27·5	16·7	3·0	1·4	16·05
27	...	.....	...	...	.....	...	.. ...
28	1·3	4·6	15·4	22·5	18·5	17·1	13·23
29	21·5	24·5	30·0	34·5	34·6	34·5	29·93
30	34·2	35·1	35·4	38·4	37·8	37·2	36·35
31	33·5	17·5	14·5	16·6	14·0	13·3	18·23
Means	16·76	15·17	18·11	19·90	18·79	17·76	17·75

Abstract of Temperature at St. John, New Brunswick, for the Month of January, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1	31·0	31·5	34·5	33·5	30·0	28·5	31·50
2	26·3	24·5	29·0	29·7	28·3	39·3	29·52
3	39·5	41·0	40·5	38·5	33·5	26·0	36·50
4	23·5	14·5	11·5	9·0	4·0	0·7	10·53
5	— 1·0	— 4·0	0·5	1·0	3·5	— 9·5	2·75
6	— 12·0	— 12·0	4·3	— 3·0	2·0	— 5·0	— 6·38
7	— 7·0	— 6·0	5·2	7·5	5·0	5·4	1·68
8	2·6	1·5	11·8	13·7	8·0	5·0	7·10
9	2·7	0·0	9·2	15·0	13·5	13·5	8·98
10	10·5	11·3	18·8	24·0	23·0	21·5	18·18
11	16·3	17·0	20·0	21·3	20·0	20·5	19·18
12	17·7	15·5	23·0	27·3	29·5	33·7	24·45
13	32·0	32·5	35·0	33·0	30·5	28·5	31·92
14	23·7	24·5	27·7	27·3	23·5	19·3	24·33
15	18·7	19·2	21·5	17·5	12·5	9·5	16·48
16	6·3	4·0	13·0	20·0	22·5	33·0	16·47
17	24·5	20·5	20·3	18·7	12·0	11·0	17·83
18	10·7	14·5	22·5	22·5	19·5	20·7	18·40
19	20·0	18·5	22·0	22·5	18·3	13·5	19·13
20	11·0	11·3	18·0	18·5	16·7	11·5	14·50
21	12·7	17·0	24·5	25·7	24·0	24·0	21·32
22	22·6	21·5	23·7	25·7	24·2	18·8	22·75
23	15·0	12·2	20·5	25·2	20·5	13·5	17·82
24	11·5	9·2	24·6	27·0	26·5	26·8	20·93
25	25·5	27·7	31·3	30·0	27·5	27·5	28·25
26	26·5	27·0	30·7	30·7	30·3	29·5	29·12
27	28·5	27·8	30·3	30·7	25·0	21·2	27·25
28	6·3	2·0	4·0	3·5	1·5	4·0	1·72
29	5·0	— 5·8	5·5	12·7	8·7	6·5	3·77
30	— 0·5	0·7	17·5	26·0	20·5	14·4	13·10
31	6·7	3·5	7·7	11·0	6·5	3·5	6·48
Means	14·41	13·64	19·35	20·83	19·97	16·40	17·10

ABSTRACT of Temperature at St. John, New Brunswick, for the Month of February, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1	1·0	0·5	18·5	26·5	26·4	28·7	16·93
2	28·0	31·5	30·7	28·5	25·6	26·5	28·47
3	22·5	21·5	30·0	29·5	27·5	26·2	26·20
4	17·3	14·6	22·8	23·7	20·6	22·2	20·20
5	21·7	22·2	28·5	27·5	26·2	28·0	25·68
6	28·0	31·5	32·6	31·5	32·7	34·5	31·80
7	33·7	35·8	41·3	39·5	35·2	33·7	36·53
8	31·7	33·3	36·5	33·5	28·7	24·8	31·42
9	21·3	19·5	27·2	27·7	26·7	29·8	25·37
10	26·7	24·3	28·8	30·4	26·7	19·5	26·07
11	15·5	17·0	32·6	32·5	29·5	26·3	25·57
12	22·8	21·5	28·4	29·7	24·2	19·3	24·32
13	14·3	13·5	22·0	26·0	26·0	26·5	21·38
14	22·5	21·0	28·0	23·5	21·0	17·5	22·25
15	13·8	6·2	13·5	17·5	15·5	11·2	12·95
16	4·7	4·2	7·3	10·2	5·0	−2·3	4·85
17	−9·3	−14·0	−6·4	−3·0	−2·0	2·8	−6·25
18	−7·0	−8·0	7·5	14·5	8·3	4·7	3·33
19	−1·3	−0·5	14·0	19·7	17·5	16·7	11·02
20	34·0	32·3	29·0	25·0	20·5	17·6	26·40
21	12·7	11·7	22·0	20·5	16·0	9·5	15·40
22	6·0	2·5	14·3	16·0	18·4	20·3	12·92
23	16·7	17·6	33·8	32·4	34·0	33·5	28·00
24	34·3	35·0	43·5	38·7	36·5	28·5	36·08
25	24·3	15·0	21·0	22·0	16·0	13·5	18·63
26	12·0	12·5	20·0	19·5	16·6	11·5	15·35
27	6·6	2·7	23·7	25·7	24·3	22·0	17·50
28	20·2	18·0	35·5	36·5	35·5	36·7	30·40
29	35·7	38·3	42·0	44·3	42·0	38·5	40·13
Means	17·60	16·59	25·12	25·84	23·49	21·47	21·69

Abstract of Temperature at St. John, New Brunswick, for the Month of March, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1	37·0	37·0	40·3	39·7	39·3	38·5	38·63
2	36·5	37·3	43·2	44·6	44·6	43·5	41·62
3	39·3	38·8	44·5	42·5	38·5	38·5	40·35
4	33·8	34·2	37·0	36·3	33·3	28·3	33·82
5	24·7	23·5	29·7	32·3	30·0	26·3	27·75
6	25·0	25·2	29·5	30·5	28·0	26·3	27·42
7	22·3	23·6	32·0	31·7	29·6	32·0	28·53
8	29·5	29·0	36·7	36·0	30·5	21·5	30·53
9	17·7	14·4	24·5	25·0	19·5	12·8	18·98
10	11·5	11·0	25·2	27·7	24·3	16·7	19·40
11	8·7	9·0	21·7	23·3	23·3	23·5	18·25
12	17·6	20·5	28·0	31·0	25·8	18·3	23·53
13	14·5	15·7	24·2	25·5	22·0	17·3	19·87
14	9·5	8·6	22·7	22·6	17·0	13·2	15·60
15	9·3	11·5	22·0	25·4	23·5	18·8	18·42
16	11·5	12·8	32·0	32·4	30·0	29·0	24·62
17	28·0	27·6	28·0	27·7	25·3	21·7	26·38
18	18·8	21·7	35·0	36·3	32·8	28·0	28·77
19	26·3	31·0	37·0	35·7	37·0	40·2	34·53
20	41·3	43·6	41·5	40·0	36·3	31·8	39·08
21	24·7	24·5	30·2	36·3	34·0	29·8	29·92
22	26·8	36·5	40·0	39·5	36·3	25·0	34·02
23	11·3	9·6	17·5	21·5	20·5	20·2	16·77
24	11·7	12·3	23·5	23·0	22·3	18·3	18·55
25	19·7	24·0	33·7	34·4	34·5	36·2	30·42
26	36·3	39·5	41·5	43·7	43·3	44·7	41·50
27	36·7	39·5	32·5	29·7	26·0	23·5	31·25
28	21·5	22·7	32·3	29·5	28·2	26·2	26·73
29	23·7	23·5	36·0	35·5	32·2	30·5	30·23
30	29·8	31·5	35·0	36·5	34·7	34·0	33·58
31	33·0	33·7	37·5	40·0	37·3	37·0	36·42
Means	23·81	24·95	32·08	32·77	30·32	27·47	28·57

ABSTRACT of Temperature at St. John, New Brunswick, for the Month of April, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1	32·7	34·5	43·3	43·7	38·2	32·8	37·54
2	31·3	33·5	45·7	45·5	39·5	33·5	38·17
3	34·5	32·3	37·0	35·0	31·4	29·2	33·23
4	28·5	30·5	37·0	39·0	32·5	31·5	33·13
5	30·3	32·5	36·7	35·0	32·3	31·5	33·05
6	30·5	32·5	36·5	36·7	32·7	26·5	32·57
7	24·7	29·3	32·7	33·0	29·2	24·7	28·93
8	20·7	26·3	40·5	40·7	33·6	27·0	31·47
9	25·5	30·3	48·8	47·0	39·0	33·0	37·27
10	29·5	38·3	50·0	51·0	39·5	31·6	39·98
11	29·3	33·3	51·2	49·8	44·5	42·8	41·82
12	37·3	36·5	51·7	54·0	43·0	38·0	43·42
13	37·3	37·6	42·5	44·8	41·0	35·5	39·78
14	33·5	34·7	43·2	47·0	42·0	39·5	39·98
15	37·5	38·5	42·2	46·7	43·0	47·2	42·52
16	44·0	48·7	53·3	52·0	49·0	42·5	48·25
17	41·5	40·3	46·3	46·3	42·0	38·5	42·48
18	38·3	40·2	45·5	52·0	49·2	41·3	44·42
19	36·7	38·5	46·0	43·5	43·5	41·3	41·58
20	40·7	46·5	66·5	57·7	57·0	41·7	51·68
21	35·7	36·5	46·3	44·3	40·2	35·5	39·75
22	34·3	35·5	44·7	50·2	40·3	33·0	39·67
23	29·5	34·7	48·5	45·3	46·2	35·8	40·00
24	31·3	34·7	47·7	46·8	38·2	32·0	38·45
25	28·7	34·5	48·0	49·0	42·0	34·5	39·45
26	33·8	36·7	43·2	44·5	40·0	37·2	39·23
27	35·7	38·3	45·0	49·0	41·5	35·7	40·87
28	33·7	34·7	43·5	44·7	40·0	39·5	39·35
29	40·5	42·7	51·0	54·3	41·0	31·5	43·50
30	29·3	30·0	40·5	46·8	36·0	29·6	35·37
Means	33·23	35·77	45·17	45·84	40·24	35·13	39·23

ABSTRACT of Temperature at St. John, New Brunswick, for the Month of May, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1	28·5	33·7	47·7	48·5	38·3	31·0	37·95
2	28·7	40·3	55·0	54·0	43·0	36·5	42·92
3	35·3	39·7	51·5	50·5	44·0	42·5	43·92
4	43·3	44·7	56·0	59·0	46·0	40·0	48·17
5	40·0	40·5	46·0	47·0	43·0	40·0	42·75
6	39·7	41·3	47·0	48·5	40·0	33·0	41·28
7	30·5	36·5	50·5	55·0	46·0	38·5	42·83
8	34·5	37·7	49·0	53·5	46·0	42·2	43·82
9	41·3	44·7	52·5	49·0	45·0	44·0	46·08
10	43·7	46·3	77·0	79·8	61·0	55·0	60·47
11	47·6	48·5	56·3	54·7	50·0	45·3	50·40
12	44·0	47·7	55·0	61·5	54·0	40·7	50·48
13	40·7	43·5	51·5	52·0	46·0	39·5	45·53
14	35·7	44·5	58·5	56·0	49·2	44·0	47·98
15	40·3	46·5	57·7	58·5	53·2	48·0	50·70
16	46·3	47·5	55·5	56·0	51·3	48·5	50·85
17	47·3	48·5	59·5	59·8	52·3	49·0	52·73
18	47·7	49·0	56·0	62·5	64·0	57·0	56·03
19	54·7	58·5	67·0	59·0	56·0	42·0	56·20
20	38·0	43·3	51·0	52·0	45·7	43·5	45·58
21	42·0	44·3	52·0	55·0	51·8	48·3	48·93
22	44·7	45·5	55·0	54·0	48·5	46·2	48·98
23	46·0	47·7	59·0	57·0	49·0	41·5	50·03
24	37·5	39·7	53·2	55·0	46·5	41·5	45·57
25	39·0	44·5	....	....	44·3	43·3	.....
26	49·5	39·0	48·5	48·0	48·3	46·5	45·13
27	46·7	48·5	58·8	57·2	51·2	49·2	51·93
28	45·3	55·2	60·7	59·5	53·0	50·0	53·95
29	46·5	47·3	52·2	52·7	52·0	50·3	50·17
30	49·3	49·5	58·7	58·5	48·7	42·7	51·23
31	43·5	50·7	67·2	58·0	55·3	52·5	.....
Means	41·66	45·01	55·52	55·72	49·28	44·30	48·58

ABSTRACT of Temperature at St. John, New Brunswick, for the Month of June, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
1	49·6	50·7	60·0	61·2	58·0	51·5	55·17
2	49·7	50·5	65·0	64·0	59·0	54·7	57·15
3	52·5	58·3	66·6	74·8	60·0	53·5	60·85
4	51·5	57·7	62·3	60·7	59·5	55·5	57·87
5	52·3	59·3	69·5	72·0	63·0	54·3	61·90
6	47·3	50·5	63·0	62·0	57·3	49·0	54·85
7	46·3	50·5	57·0	57·0	55·8	48·5	52·52
8	43·5	47·7	59·0	62·0	56·5	52·5	53·53
9	48·5	49·5	54·5	55·5	54·0	53·8	52·63
10	51·5	54·7	57·0	57·5	55·5	50·0	54·37
11	45·5	49·7	56·0	54·0	53·2	49·2	51·27
12	45·5	47·3	53·5	56·5	52·7	48·8	50·72
13	45·5	48·7	60·0	57·7	51·8	48·2	51·98
14	44·0	47·7	65·0	65·3	53·5	50·7	54·37
15	51·3	52·5	57·3	54·5	53·0	52·0	53·43
16	56·3	54·5	65·0	61·8	55·0	50·5	57·18
17	49·5	57·2	60·0	61·0	56·5	52·6	56·13
18	50·3	52·3	59·0	60·2	56·5	51·8	55·02
19	51·0	59·7	71·3	67·0	64·0	55·0	61·33
20	54·0	57·5	60·6	63·0	57·5	60·0	58·77
21	57·7	60·5	73·7	68·8	60·0	57·0	62·95
22	54·8	55·5	57·5	61·3	60·0	59·5	58·10
23	56·5	59·3	63·5	66·5	58·7	56·5	60·17
24	52·7	56·5	66·0	66·0	56·7	53·2	58·52
25	50·2	55·8	61·5	70·3	60·0	52·0	58·30
26	50·0	52·3	56·5	55·5	54·0	55·0	53·88
27	53·3	53·5	58·0	70·5	58·5	53·7	57·92
28	52·0	54·3	60·3	59·8	58·3	56·0	56·78
29	54·5	55·7	53·8	60·5	55·2	54·3	55·67
30	51·3	54·3	61·3	61·8	58·7	52·5	56·65
Means	50·65	53·81	61·10	62·29	57·08	53·06	56·33

Abstract of Temperature at St. John, New Brunswick, for the Month of July, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	°	°	°	°	°	°	°
1	52·5	56·5	66·0	80·3	66·2	55·4	62·82
2	53·3	55·7	59·0	62·5	61·3	57·6	58·23
3	55·3	58·8	66·0	69·0	60·8	55·5	60·90
4	55·5	56·0	61·0	61·0	55·0	51·5	56·67
5	50·0	50·5	52·5	56·0	55·3	56·0	53·38
6	52·0	56·3	60·5	60·0	56·5	55·0	56·72
7	52·7	55·5	60·5	61·2	58·3	56·0	57·37
8	56·7	61·5	64·5	68·0	62·8	56·5	61·67
9	56·5	59·5	81·8	79·0	70·0	60·3	67·85
10	57·7	58·3	60·7	59·8	56·2	56·2	58·15
11	56·3	59·5	58·0	57·5	56·5	55·0	57·13
12	53·5	57·8	72·0	66·0	62·0	59·2	61·75
13	56·7	66·5	64·5	68·0	63·3	62·0	63·50
14	61·5	67·3	74·5	72·0	61·3	58·5	65·85
15	57·2	59·3	68·0	62·0	63·3	56·7	61·08
16	55·4	56·7	66·0	69·0	61·0	55·0	60·52
17	53·3	58·7	67·0	69·5	65·0	55·5	61·50
18	54·5	60·3	65·0	68·3	61·5	57·5	61·18
19	55·7	59·5	74·7	76·5	64·0	60·2	65·10
20	58·3	57·7	57·5	56·0	56·0	56·3	56·97
21	56·3	57·5	60·0	58·5	56·2	55·2	57·28
22	56·7	58·3	66·0	62·0	58·5	58·7	60·03
23	57·7	56·5	61·5	64·8	69·2	58·8	61·42
24	55·0	67·0	67·2	68·3	59·0	56·7	6·.20
25	55·5	56·5	59·0	59·0	57·0	55·3	57·05
26	55·7	59·3	66·3	73·5	60·0	57·5	62·05
27	56·3	60·5	59·3	59·0	56·8	59·7	58·60
28	57·5	59·3	75·5	82·2	65·0	60·0	66·58
29	59·0	66·2	67·2	69·3	66·3	60·5	64·75
30	57·5	56·3	59·8	62·0	61·5	61·6	59·78
31	57·3	58·7	67·0	70·0	60·4	55·0	61·40
Means	55·78	58·97	64·79	66·13	60·85	57·25	60·63

Abstract of Temperature at St. John, New Brunswick, for the Month of August, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	°						
1	52·3	60·5	67·0	72·2	61·0	59·0	62·00
2	54·5	58·7	61·0	58·2	57·0	53·5	57·15
3	52·5	56·3	60·7	59·5	57·2	55·0	56·87
4	52·7	53·5	56·0	56·0	56·0	56·8	55·17
5	57·5	60·7	71·5	67·0	63·0	59·0	63·12
6	55·3	60·?	66·5	65·0	60·0	57·2	60·72
7	54·7	55·5	58·5	58·0	58·0	56·0	56·78
8	56·5	58·0	64·2	60·5	56·0	56·0	58·53
9	55·5	57·3	59·0	60·0	59·5	60·0	58·55
10	57·5	58·3	64·5	65·0	62·5	59·0	61·13
11	54·3	63·3	67·0	69·0	64·3	63·7	63·60
12	63·0	62·5	67·0	59·3	57·0	57·0	60·97
13	56·5	60·3	68·7	74·0	70·0	63·0	65·42
14	59·5	62·3	71·0	73·5	69·0	63·3	66·43
15	59·7	60·3	73·0	...	69·0	64·0	.....
16	61·5	62·0	70·0	69·0	60·0	58·3	63·47
17	57·7	58·5	64·0	63·7	64·0	54·5	60·40
18	52·5	60·3	62·0	65·0	58·0	56·0	58·97
19	54·3	58·0	63·0	64·5	61·3	54·7	59·30
20	51·5	54·5	62·0	63·7	59·0	55·5	57·70
21	51·5	59·0	61·3	62·0	59·0	59·0	58·63
22	60·0	61·0	64·0	63·0	59·0	57·0	60·67
23	55·5	59·3	66·5	69·0	61·5	61·3	62·18
24	58·5	57·5	61·5	63·0	60·0	57·5	59·67
25	56·5	60·3	70·0	72·0	61·5	56·7	62·83
26	55·0	61·5	66·5	61·0	57·5	56·0	59·58
27	55·7	58·3	65·0	66·5	63·5	61·0	61·67
28	61·0	60·3	65·5	68·5	61·0	54·5	61·80
29	49·3	57·5	62·5	64·0	55·0	51·0	56·55
30	49·0	52·0	59·0	63·5	54·8	51·5	54·97
31	47·7	52·5	63·5	62·0	57·5	57·5	57·12
Means	55·38	58·67	64·30	64·59	60·10	57·35	60·06

ABSTRACT of Temperature at St. John, New Brunswick, for the Month of September, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
1	56·3	57·0	61·5	64·5	60·5	51·0	58·47
2	47·3	51·5	58·5	57·0	54·3	51·3	53·32
3	50·7	54·5	56·5	58·0	59·0	57·5	56·03
4	56·3	57·5	59·0	62·5	56·0	50·5	56·97
5	44·5	47·0	58·7	63·0	54·5	48·2	52·65
6	49·0	55·0	63·0	62·5	61·5	61·0	58·67
7	57·5	59·5	60·5	58·0	56·0	54·0	57·58
8	53·5	57·3	66·0	70·0	57·5	55·0	59·88
9	53·7	56·0	66·0	69·0	63·0	63·0	61·78
10	62·5	64·3	74·0	71·0	70·0	68·5	68·38
11	63·5	62·0	59·0	63·5	57·5	57·0	60·42
12	56·5	58·7	62·5	64·5	60·5	58·0	60·12
13	54·7	54·5	61·5	64·5	54·0	49·0	56·37
14	45·0	47·5	59·0	56·5	54·5	54·7	52·87
15	55·0	56·3	63·0	60·0	55·7	54·3	57·38
16	47·3	48·5	63·5	63·5	58·0	56·0	56·13
17	56·0	57·3	62·5	59·0	59·8	56·8	58·57
18	56·0	57·5	61·0	62·3	50·5	49·5	56·13
19	48·0	52·3	57·0	53·8	54·0	57·0	53·68
20	56·5	54·7	57·5	57·0	49·5	47·5	53·78
21	46·3	47·3	58·3	56·5	52·6	52·7	52·28
22	52·0	53·0	54·5	55·0	54·5	51·0	53·33
23	45·5	44·7	48·5	51·7	46·5	40·0	46·15
24	34·3	36·5	46·0	47·0	45·7	43·0	42·08
25	38·3	43·0	53·5	55·3	50·3	50·3	48·45
26	50·0	50·5	53·5	54·0	54·0	54·5	52·75
27	54·0	53·5	55·0	56·8	55·5	56·0	55·13
28	54·5	56·3	54·5	53·3	46·5	42·3	51·23
29	37·3	40·3	56·0	55·0	53·0	50·0	48·60
30	50·5	50·7	57·0	60·5	58·3	57·0	55·67
Means	51·08	52·82	58·90	59·51	55·44	53·22	55·16

ABSTRACT of Temperature at St. John, New Brunswick, for the Month of October, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
			°			°	
1	56·5	56·7	55·0	54·3	56·0	54·0	55·42
2	52·0	51·5	53·5	51·0	49·5	49·0	51·08
3	48·0	48·5	53·5	55·5	53·3	50·0	51·47
4	46·7	44·3	51·3	53·0	48·5	46·8	48·43
5	46·3	47·8	52·0	51·5	47·3	45·0	48·32
6	44·6	46·3	50·0	51·0	49·5	49·0	48·40
7	48·0	49·7	52·5	52·0	52·0	50·5	50·78
8	49·0	50·0	53·7	54·0	51·0	44·0	50·28
9	40·5	41·7	48·5	49·7	43·0	38·5	43·65
10	34·5	37·5	41·3	45·0	42·3	35·5	39·35
11	33·5	36·3	52·5	52·0	44·5	40·0	43·13
12	36·7	37·3	54·0	51·5	45·0	39·5	44·00
13	40·3	42·5	55·7	54·0	51·3	48·5	48·72
14	48·0	48·5	50·0	50·3	48·7	45·0	48·42
15	44·7	46·3	47·5	49·0	48·0	47·5	47·17
16	46·7	45·5	51·5	52·2	52·0	51·5	49·90
17	47·7	43·3	49·0	50·0	46·5	42·5	46·50
18	44·7	48·5	53·0	59·3	58·5	57·5	53·58
19	54·7	53·0	48·7	49·5	43·0	37·5	47·73
20	32·3	33·5	43·0	44·0	45·5	49·2	41·25
21	48·7	49·5	52·5	55·0	50·5	51·2	51·23
22	47·3	43·0	43·5	43·8	40·0	36·5	42·35
23	33·7	33·0	45·5	48·0	45·0	47·0	42·03
24	45·5	46·0	51·2	53·3	53·0	45·0	49·00
25	43·5	37·7	40·0	41·5	35·0	35·0	38·78
26	30·3	30·0	41·3	45·0	43·5	45·7	39·30
27	43·3	43·0	51·5	49·0	43·0	39·0	44·80
28	35·3	36·3	44·0	46·0	39·3	35·8	39·45
29	33·0	35·0	45·7	45·7	45·0	46·5	41·82
30	46·7	48·3	50·3	50·5	48·5	49·0	48·88
31	51·3	50·7	47·0	45·0	44·3	43·2	46·92
Means	43·68	43·91	49·31	50·05	47·18	45·00	46·52

Abstract of Temperature at St. John, New Brunswick, for the Month of November, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	°	°	°	°	°		
1	41·5	41·0	47·5	47·0	45·0	47·7	44·95
2	46·0	46·5	48·0	47·0	45·0	43·3	45·97
3	39·3	37·5	38·0	39·2	33·5	31·5	36·50
4	28·2	24·3	37·5	38·5	38·0	37·5	34·00
5	39·0	40·0	46·2	49·5	47·7	50·8	45·53
6	51·8	53·5	52·5	50·0	44·2	41·2	48·87
7	40·2	41·0	45·8	45·5	40·6	37·5	41·77
8	34·0	34·3	47·8	51·0	51·5	50·5	44·85
9	51·0	50·5	44·7	44·0	42·0	36·5	44·78
10	33·8	34·0	41·8	42·0	39·0	34·6	37·53
11	29·5	30·0	42·3	44·0	46·0	53·5	40·88
12	45·0	40·0	47·0	46·0	42·0	40·0	43·33
13	36·5	35·0	39·0	38·7	34·0	33·8	36·17
14	27·7	29·0	30·5	30·5	27·3	23·0	28·33
15	23·3	34·0	41·0	42·0	41·0	40·7	37·00
16	37·5	30·7	31·0	30·5	36·0	43·5	34·87
17	43·3	47·5	51·0	54·7	43·3	34·7	45·75
18	30·5	29·2	39·0	41·6	43·0	48·5	38·63
19	47·0	49·0	49·0	41·2	33·5	22·2	40·32
20	19·3	18·3	22·5	22·0	16·2	14·0	18·72
21	12·3	11·5	23·5	26·5	30·0	33·5	22·88
22	32·0	26·3	27·5	28·0	21·0	15·5	25·05
23	10·3	7·5	17·0	23·0	30·0	35·0	20·47
24	36·3	42·5	48·5	46·5	40·3	35·2	41·55
25	25·7	24·0	24·3	25·0	22·0	20·0	23·50
26	19·2	20·0	27·3	30·5	34·5	37·3	28·13
27	38·5	40·3	46·0	46·5	43·3	45·0	43·27
28	43·5	45·3	51·0	52·0	45·5	43·0	46·72
29	41·7	35·0	35·5	32·0	30·3	28·5	33·83
30	27·5	27·5	30·5	30·0	27·0	23·2	27·62
Means	34·38	34·17	39·11	39·50	37·09	36·11	36·72

Abstract of Temperature at St John, New Brunswick, for the Month of December, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
1	23·0	23·5	26·8	26·8	22·0	16·0	23·02
2	12·3	11·7	12·0	9·5	6·6	3·5	9·27
3	1·3	0·5	5·0	10·0	8·3	6·5	5·27
4	7·7	10·6	20·0	24·5	31·5	34·2	21·42
5	34·7	38·3	42·2	42·0	37·0	28·5	37·12
6	24·5	32·3	33·0	39·5	44·5	42·5	36·05
7	39·3	35·5	39·5	36·0	32·0	28·7	35·17
8	27·7	27·5	35·0	36·5	36·5	37·6	33·47
9	36·6	39·5	45·4	46·0	32·3	33·0	38·80
10	29·7	30·5	32·5	35·0	34·0	31·8	32·25
11	29·5	27·8	29·3	26·3	22·2	20·2	25·88
12	18·7	20·0	39·2	38·5	35·5	33·5	30·90
13	36·0	38·5	44·0	45·0	47·5	45·7	42·78
14	40·3	34·6	38·5	33·3	24·5	17·5	31·45
15	12·5	11·3	15·5	20·0	17·5	15·7	15·42
16	12·2	11·7	22·6	23·0	24·0	20·5	19·00
17	19·6	18·0	22·0	26·0	23·6	18·2	21·23
18	13·5	10·3	21·5	26·5	28·8	31·5	22·02
19	34·0	34·5	38·0	32·0	20·8	15·0	29·05
20	11·3	10·0	14·2	18·0	12·3	9·0	12·47
21	3·3	2·0	7·2	10·0	7·2	4·0	5·62
22	0·6	0·4	7·0	12·2	7·2	4·5	5·32
23	1·3	0·5	8·5	10·0	9·0	9·3	6·43
24	7·2	8·5	8·0	10·5	6·0	2·0	7·03
25	0·2	0·0	5·6	9·0	10·0	10·0	5·72
26	14·5	28·7	30·3	32·0	11·6	6·3	20·57
27	1·5	− 2·0	4·3	6·0	5·7	6·0	3·08
28	4·8	6·6	23·5	27·0	28·0	26·7	19·43
29	29·7	34·3	40·3	39·0	34·5	32·0	34·97
30	31·5	32·0	39·0	40·5	41·3	38·5	37·13
31	36·7	33·3	22·2	22·0	17·0	12·2	29·07
Means	19·11	19·71	24·91	26·21	23·19	20·70	22·30

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of January, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	29·0	27·2	27·2	32·0	33·0	31·0	28·3	26·0	29·21
2	23·5	22·0	20·5	23·0	27·0	24·0	23·0	27·2	23·77
3	29·0	28·0	31·0	36·2	37·0	34·2	26·0	23·0	30·55
4	19·0	12·1	7·1	4·4	3·1	1·6	0·9	— 1·9	5·56
5			8·7			6·9		—11·9	
6	-12·9	14·9	—14·7	6·7	0·1	— 4·9	— 6·9	8·9	- 8·73
7	9·4	- 9·9	8·9	0·1	5·9	2·1	2·1	1·4	— 2·08
8	0·9	1·9	7·4	8·6	9·4	5·6	4·1	1·6	4·24
9	2·9	3·9	2·9	3·1	10·4	11·1	9·1	10·1	4·26
10	8·1	7·1	9·3	15·9	20·8	18·0	18·0	17·0	14·27
11	15·4	13·1	15·1	20·2	21·8	22·0	21·3	19·2	18·51
12			12·1			22·0			
13	21·2	26·0	28·2	26·5	31·0	23·0	23·0	24·0	25·36
14	23·0	22·0	21·4	26·2	26·0	22·0	20·0	18·0	22·33
15	18·0	18·0	16·2	17·2	15·1	12·1	10·1	7·1	14·22
16	4·1	0·1	0·9	5·1	8·3	12·1	11·1	13·1	6·63
17	13·1	14·1	13·1	15·5	18·0	10·1	4·1	1·1	11·14
18	1·3	7·1	11·1	19·0	22·3	19·1	18·0	18·0	14·49
19			17·2			17·0			
20	9·1	8·1	9·1	16·0	18·0	14·6	14·1	13·3	12·79
21	13·1	15·1	15·9	22·0	24·5	22·7	22·0	22·0	19·64
22	20·0	18·0	20·0	22·2	27·3	22·2	17·0	15·1	20·23
23	9·1	3·1	4·4	18·0	25·0	20·0	13·3	8·3	12·65
24	2·1	1·9	1·7	9·1	22·2	23·0	20·0	17·0	11·23
25	17·0	19·0	21·0	27·0	28·3	25·5	24·5	25·0	23·41
26			26·3			28·0			
27	27·3	25·3	24·2	30·0	28·0	24·0	19·0	18·0	24·48
28	6·1	0·1	1·2	1·4	0·1	- 2·9	2·9	4·9	— 0·88
29	— 7·9	— 7·9	— 5·9	2·1	7·1	7·6	6·1	- 0·1	0·14
30	— 6·9	7·9	— 0·9	9·3	22·0	20·0	17·0	11·1	7·96
31	7·1	3·1	6·9	5·9	7·1	6·1	3·1	2·1	4·20
Means	10·17	8·91	9·79	15·06	18·47	15·77	13·47	11·96	12·85

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of February, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	7·9	11·9	7·9	4·2	14·6	18·0	22·0	22·2	6·66
2			20·0			27·0			
3	25·0	24·0	24·0	27·5	30·0	26·0	24·2	23·0	25·46
4	23·0	22·0	21·0	22·2	24·0	22·0	22·0	20·2	22·05
5	20·2	20·0	21·0	26·0	28·5	26·0	25·0	24·2	23·86
6	25·0	25·0	26·0	32·0	32·0	29·0	27·0	28·2	28·03
7	32·0	33·0	33·0	32·5	33·3	33·0	32·0	31·0	32·48
8	30·0	29·0	29·3	35·0	33·0	26·3	25·0	23·0	28·83
9			13·3			22·0		19·0	
10	24·0	23·0	22·0	26·0	28·7	26·0	22·0	18·0	23·71
11	16·0	15·1	16·0	24·0	31·2	27·2	24·0	25·0	22·31
12	22·0	21·0	21·3	24·0	28·0	25·0	22·0	18·0	22·66
13	15·1	11·1	12·1	17·0	23·0	22·0	19·0	18·2	17·19
14	18·0	17·0	17·0	20·0	22·3	20·0	18·0	14·1	18·30
15	10·1	6·1	2·5	5·9	8·1	8·6	7·1	3·1	6·44
16			1·3			1·1			
17	11·9	−15·9	15·6	9·9	− 6·1	− 2·9	− 2·9	− 4·9	8·76
18	7·9	−14·9	15·6	1·1	7·9	8·1	0·1	7·9	3·64
19	6·9	5·9	0·9	8·6	16·0	17·0	15·1	13·1	7·01
20	9·1	15·1	16·0	28·0	25·2	22·0	17·0	13·1	18·19
21	12·1	12·1	14·1	14·9	15·4	13·1	9·6	6·1	12·18
22	3·1	0·9	1·5	10·3	15·6	15·3	15·9	16·0	9·60
23			22·0			31·4			
24	31·0	31·0	35·0	42·4	43·1	35·8	31·0	23·0	34·04
25	15·6	11·1	12·1	16·0	18·2	14·1	11·6	11·1	13·73
26	10·1	9·1	10·1	16·0	19·0	13·1	9·6	1·9	10·64
27	11·9	10·9	4·9	17·0	26·0	25·0	17·0	12·1	8·68
28	5·1	0·1	5·1	26·0	38·4	36·0	36·0	37·0	22·96
29	37·0	38·1	39·1	42·1	44·1	42·6	41·1	40·1	40·53
Means	13·48	12·10	13·33	20·35	23·58	21·93	19·62	17·40	17·72

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of March, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
									°
1			38·1			38·3			
2	35·0	34·0	35·0	36·0	37·4	37·0	36·0	36·0	35·80
3	36·0	35·5	36·0	40·1	41·1	40·1	38·1	33·0	37·49
4	30·0	27·0	27·3	28·0	31·3	27·2	25·0	23·2	37·38
5	20·0	19·0	20·2	24·3	30·3	28·8	27·0	25·5	24·39
6	25·0	24·0	26·0	29·0	32·0	31·5	29·2	27·2	27·99
7	22·0	22·0	22·0	27·0	30·0	26·1	26·0	27·0	25·26
8			31·0			32·0			
9	15·1	12·1	14·1	19·2	22·0	18·2	13·1	11·4	15·65
10	9·1	8·2	12·1	18·0	22·5	23·8	18·0	12·1	15·48
11	5·1	3·1	8·9	16·0	21·0	21·2	19·5	17·0	13·98
12	15·1	14·1	14·6	20·0	25·5	21·0	16·0	13·1	17·42
13	9·1	7·1	12·9	15·4	20·0	21·0	14·1	10·3	13·74
14	6·6	3·6	8·6	16·0	18·0	17·0	11·1	4·1	10·62
15			10·1			23·2			
16	6·9	6·9	1·1	23·2	32·0	30·2	27·0	28·0	15·96
17	23·0	23·0	24·0	23·2	27·3	26·1	25·0	21·0	24·08
18	17·0	7·1	18·0	32·0	38·1	34·3	31·2	24·0	25·21
19	19·0	15·1	22·0	34·0	37·0	32·5	35·0	40·1	29·34
20	44·1	46·1	48·5	49·6	44·1	40·4	38·1	28·0	42·36
21	25·0	22·0	22·0	25·7	32·0	35·7	31·0	28·0	27·68
22			39·1			44·1		20·0	
23	12·3	6·1	9·1	15·1	19·0	21·0	16·3	14·1	14·12
24	8·1	4·6	12·1	18·0	23·0	23·3	17·0	12·3	11·80
25	8·1	3·1	18·0	34·0	39·1	36·0	32·0	33·0	25·41
26	37·4	38·6	41·4	49·5	54·3	50·0	45·1	42·3	44·82
27	43·1	42·1	41·3	38·1	25·0	22·0	22·0	23·0	32·08
28	20·0	19·2	20·0	24·5	27·2	28·2	26·0	25·0	23·76
29			26·3			34·2			
30	25·2	26·6	28·4	31·2	34·0	34·0	33·0	32·4	30·52
31	32·0	32·0	34·5	38·1	41·3	41·1	37·0	36·0	36·50
Means.	20·60	18·76	22·23	27·89	30·94	29·53	26·49	24·12	25·07

Abstract of Temperature at Fredericton, New Brunswick, for the Month of April, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	30·2	29·0	32·8	36·2	42·1	41·1	37·0	34·0	35·30
2	28·0	25·0	38·9	44·1	45·1	40·4	32·0	32·0	35·69
3	29·0	29·0	33·0	35·0	37·5	34·0	32·5	31·3	32·66
4	31·0	31·0	34·0	35·0	33·0	32·2	31·3	31·0	32·31
5			32·5			34·0			
6	28·0	27·0	31·0	34·3	36·0	34·0	32·0	30·0	31·54
7	29·0	28·0	28·0	30·1	33·8	31·8	28·0	24·0	29·09
8	21·0	21·1	30·0	36·1	41·1	40·2	34·0	30·2	31·71
9	26·0	22·0	37·3	45·1	49·2	42·3	38·3	33·0	36·65
10	27·0	25·0	41·1	48·1	53·2	47·3	44·1	35·0	40·10
11	31·0	33·0	36·5	45·3	53·6	52·2	48·0	43·3	42·86
12			43·3			50·4			
13	37·0	36·5	37·4	37·2	39·2	40·1	37·0	33·0	37·18
14	32·0	31·0	31·8	39·1	45·1	45·1	41·3	39·1	38·06
15	37·0	37·0	42·6	56·0	62·3	60·0	55·0	52·2	50·26
16	46·1	40·1	41·1	49·0	50·0	47·1	41·1	39·1	44·20
17	37·0	34·1	36·0	39·1	41·5	42·1	42·1	41·3	39·15
18	40·1	39·4	41·9	50·2	52·1	53·0	45·4	42·1	45·52
19			39·1			54·0			
20	50·0	49·3	58·0	63·1	66·3	59·0	48·0	41·1	54·35
21	35·0	32·0	37·3	42·1	45·3	45·5	41·3	34·5	39·13
22	33·0	32·0	36·2	43·6	46·4	47·0	40·1	35·0	39·16
23	30·0	26·0	39·6	49·1	51·5	50·0	42·1	33·0	40·16
24	28·0	31·0	39·9	46·1	49·0	45·1	39·1	33·2	38·93
25	28·0	29·0	39·2	47·1	49·9	49·3	41·3	32·0	39·48
26			47·1			52·3			
27	32·0	34·0	45·4	52·2	59·0	55·0	44·2	37·0	44·85
28	35·0	37·3	50·0	57·2	58·5	51·0	44·1	42·2	46·91
29	42·1	41·1	46·1	49·0	53·6	51·0	42·1	32·5	44·69
30	25·0	30·0	36·0	42·1	51·0	51·2	38·1	29·0	37·80
Means	32·60	31·92	38·50	44·29	47·90	45·65	39·98	35·39	39·53

Abstract of Temperature at Fredericton, New Brunswick, for the Month of May, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	28·8	32·0	38·3	46·1	50·2	49·0	37·0	31·8	39·15
2	30·0	32·0	42·9	53·0	60·0	59·0	50·0	43·1	46·25
3	.....	.....	53·0	.....	.....	73·4	.....	.....	.....
4	50·0	45·3	46·6	48·8	51·0	46·8	40·1	37·2	45·72
5	36·2	35·2	37·0	40·1	39·1	38·3	36·0	36·2	37·26
6	36·0	36·2	38·1	43·1	48·0	47·2	40·1	33·0	40·21
7	30·0	32·0	45·7	49·0	56·5	55·0	47·2	40·1	44·44
8	33·0	34·0	47·2	57·0	65·0	63·0	54·5	49·6	50·34
9	45·4	46·1	58·0	66·0	66·3	69·2	61·1	57·0	58·64
10	.....	.....	70·1	.....	.....	72·3	.....	.....	.....
11	49·0	47·0	50·0	53·3	61·0	59·0	55·0	51·0	53·16
12	50·0	48·5	59·0	61·0	62·0	57·0	49·0	44·4	53·86
13	41·3	46·1	47·1	52·1	56·0	56·3	50·0	43·6	49·06
14	32·0	35·5	54·4	64·0	63·3	63·3	55·2	48·0	51·96
15	36·0	38·3	61·0	66·0	69·1	65·0	55·2	49·0	54·95
16	45·1	48·0	57·0	71·3	74·5	73·1	63·0	60·2	61·53
17	.....	.....	67·0	.....	.....	71·5	.....	.....	.....
18	56·0	57·0	68·6	72·1	71·3	69·1	65·0	59·0	64·77
19	58·3	60·0	59·2	64·0	65·0	58·0	46·1	40·3	56·36
20	34·8	42·1	50·3	56·1	60·0	61·2	51·3	45·1	50·11
21	40·1	47·0	63·0	69·1	65·0	59·3	50·0	52·0	55·69
22	49·0	49·0	53·3	63·0	67·0	68·1	64·0	60·0	59·18
23	52·0	53·0	58·5	63·0	62·2	61·0	51·0	42·1	55·35
24	.....	.....	57·2	.....	.....	58·5	.....	.....	.....
25	37·3	40·1	56·7	64·0	64·3	64·0	50·0	43·1	52·44
26	40·1	42·3	50·2	54·0	49·8	47·0	44·1	46·1	46·70
27	47·0	48·0	52·0	61·8	69·1	69·1	57·0	51·0	56·87
28	47·0	46·1	55·3	63·0	67·0	66·0	56·8	49·0	56·28
29	46·1	43·1	45·4	48·0	49·0	49·2	49·0	47·5	47·16
30	47·0	47·2	55·8	66·3	68·1	66·2	55·2	49·0	56·85
31	.....	.....	59·3	.....	.....	57·0	.....	.....	.....
Means	42·11	43·50	51·95	58·28	60·76	59·21	51·27	46·46	51·69

Abstract of Temperature at Fredericton, New Brunswick, for the Month of June, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	51·0	51·0	56·2	57·0	59·5	60·0	54·0	50·0	54·84
2	46·1	55·3	58·2	60·0	60·2	59·0	56·0	53·2	56·00
3	49·5	53·2	62·8	65·6	72·1	73·1	66·0	60·5	62·85
4	53·0	52·0	68·1	77·1	80·6	76·6	64·0	61·0	66·55
5	53·0	53·0	64·0	71·1	71·1	66·2	60·0	55·0	61·68
6	46·3	48·0	52·0	60·0	66·0	63·2	61·0	49·0	55·69
7	...	...	55·0	...	...	65·0	...	...	...
8	42·1	45·1	56·5	63·0	67·9	67·4	58·0	53·0	56·62
9	51·0	51·3	50·0	52·0	54·0	55·0	54·0	53·2	52·56
10	50·0	48·0	61·0	65·0	66·3	53·5	52·0	46·1	55·24
11	42·1	46·1	53·0	57·0	59·0	52·5	50·0	47·1	50·85
12	43·1	43·1	51·0	53·0	57·1	52·2	48·2	45·1	49·10
13	43·1	44·1	54·0	54·5	59·0	59·2	54·0	43·6	51·44
14	...	...	61·3	...	...	64·4	...	...	...
15	52·0	51·0	54·2	58·0	61·0	59·5	57·3	54·0	55·88
16	50·0	50·0	65·2	68·1	73·3	72·3	63·0	54·0	61·99
17	50·0	55·0	65·0	75·1	82·3	81·1	71·1	63·0	67·82
18	56·0	58·0	72·1	79·1	81·4	76·1	68·1	63·0	69·23
19	61·0	63·0	70·2	74·2	77·6	77·1	69·1	63·6	69·47
20	61·0	62·0	73·1	83·1	84·1	83·1	73·1	70·1	73·70
21	...	...	71·4	...	...	77·7	...	...	...
22	65·0	64·0	69·9	78·1	65·5	69·1	65·0	60·2	67·10
23	54·0	54·0	62·0	63·8	67·1	64·3	59·0	55·2	59·93
24	54·0	56·3	62·0	66·0	68·1	69·1	60·5	51·0	60·87
25	45·1	53·0	66·1	75·1	76·1	74·3	62·0	55·0	63·34
26	51·0	51·0	59·3	66·0	63·0	65·0	63·0	63·0	60·16
27	51·0	51·0	70·1	75·1	77·3	76·1	67·0	58·0	65·70
28	...	...	66·0	...	...	74·1	...	...	...
29	58·0	58·0	70·3	74·9	78·3	77·1	58·0	54·0	66·08
30	48·0	52·0	57·0	59·5	68·3	68·6	60·0	55·0	58·55
Means	51·02	52·63	61·67	66·59	69·08	67·33	60·51	55·23	60·51

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of July, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	54·0	57·0	68·2	74·9	78·1	76·6	70·1	56·0	66·86
2	51·0	53·0	69·1	84·3	89·1	87·1	77·6	72·1	72·91
3	62·0	56·0	59·0	65·0	68·3	66·0	61·0	56·2	61·69
4	52·0	54·0	59·6	63·0	63·0	61·0	56·0	54·0	57·83
5			50·2			53·5			
6	52·0	52·5	56·2	60·0	62·2	62·5	59·0	58·0	57·80
7	55·2	55·0	56·4	58·8	62·0	62·0	62·0	60·4	58·99
8	59·1	61·0	65·8	69·3	73·1	73·3	66·3	62·5	66·30
9	61·0	65·0	76·1	81·1	85·1	81·4	74·1	71·3	74·39
10	69·1	70·1	74·6	86·1	87·1	86·1	77·1	75·1	78·16
11	70·1	66·0	79·6	81·1	83·1	79·1	72·1	70·1	75·15
12			82·1			86·6			
13	69·1	70·1	75·1	80·1	81·1	71·1	68·1	67·0	72·71
14	65·0	66·0	74·3	78·1	77·9	76·1	66·0	60·0	70·42
15	53·0	54·0	64·2	73·1	76·3	68·1	65·0	63·0	64·59
16	63·0	64·2	62·2	65·5	67·0	68·4	63·0	59·0	64·04
17	56·0	58·0	63·0	69·6	75·1	72·1	65·0	56·2	64·38
18	52·0	51·0	66·2	77·3	77·6	75·6	66·0	62·0	65·96
19			68·2			73·1			
20	60·0	58·0	72·3	76·2	77·1	71·9	65·5	63·0	68·00
21	57·2	58·0	63·9	78·6	81·1	80·1	74·2	72·1	70·65
22	67·0	62·0	73·1	81·1	82·4	80·1	71·1	66·0	72·85
23	64·0	63·2	65·0	70·4	75·1	72·3	62·0	57·0	66·12
24	53·0	57·0	68·4	73·1	74·1	69·1	63·0	58·0	64·46
25	54·1	56·0	60·2	66·0	71·0	61·5	61·0	59·0	61·10
26			72·3			80·3			
27	61·3	63·3	68·1	79·1	79·6	74·1	67·0	63·0	69·44
28	61·0	62·0	70·3	77·1	81·3	79·7	71·1	67·6	71·26
29	58·0	59·0	70·1	81·1	82·4	78·1	71·3	64·0	70·50
30	64·0	64·0	67·1	72·3	72·2	70·1	66·0	64·0	67·46
31	64·3	64·0	64·3	68·1	69·3	62·0	57·0	54·0	62·87
Means	59·54	59·98	67·13	73·72	75·99	72·80	66·58	62·61	67·54

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of August, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	50·0	54·0	63·0	67·9	71·4	71·3	62·2	59·0	62·35
2	....	....	65·5	....	....	63·0	....	....	....
3	55·0	58·0	68·6	73·3	77·1	77·3	68·1	64·0	67·68
4	59·5	59·2	72·1	76·1	78·1	74·3	69·1	64·0	69·05
5	61·0	61·0	69·1	74·1	72·1	73·1	66·0	63·0	67·42
6	58·0	55·3	66·0	73·1	68·3	61·0	59·2	58·0	62·36
7	56·0	56·0	59·0	60·8	67·3	63·1	61·0	59·0	60·28
8	59·0	60·0	65·2	78·1	81·1	81·1	72·1	65·2	70·22
9	....	....	68·1	....	....	79·1	....	....	....
10	62·3	63·5	73·5	81·3	83·1	83·1	75·3	69·1	73·90
11	64·2	68·9	77·3	83·8	88·1	86·1	77·1	74·1	77·45
12	69·1	70·1	75·1	84·1	90·3	87·6	78·1	77·1	78·94
13	73·1	70·1	73·3	80·1	82·1	77·1	69·1	65·0	73·74
14	60·0	60·5	64·0	68·4	75·3	72·6	70·1	66·1	67·13
15	62·0	59·2	68·1	77·1	81·1	78·3	70·1	66·0	70·24
16	....	....	71·1	....	....	70·4	....	....	....
17	61·0	62·0	68·1	73·1	79·1	72·1	63·0	57·0	66·92
18	51·5	49·0	63·3	67·1	71·1	64·0	57·1	55·1	59·78
19	55·0	54·0	54·2	61·0	62·5	62·5	56·0	54·0	57·40
20	48·0	48·0	55·0	62·0	68·1	69·3	60·0	55·0	58·17
21	52·0	50·3	61·0	76·1	76·3	70·3	64·0	57·2	63·40
22	53·0	54·0	61·0	67·0	70·1	65·3	59·2	55·0	60·58
23	....	....	64·2	....	....	68·1	....	....	....
24	62·0	62·0	63·8	69·9	74·6	75·1	65·0	59·0	66·42
25	58·0	55·0	64·0	68·4	72·1	73·1	64·0	59·0	64·20
26	53·0	48·0	56·0	72·1	76·1	73·3	64·0	60·0	62·81
27	53·0	53·0	62·0	69·1	70·9	68·3	63·0	63·0	62·79
28	59·2	55·2	59·0	64·0	67·6	64·5	56·0	53·0	59·81
29	50·0	47·0	53·0	63·0	65·5	65·0	55·8	51·0	56·29
30	....	....	55·0	....	....	64·0	....	....	....
31	47·0	46·1	55·2	67·6	71·3	65·0	60·0	58·0	58·78
Means	57·38	56·90	64·23	71·48	74·64	72·07	64·79	60·99	65·31

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of September, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	58·0	51·0	55·3	61·0	63·0	60·0	54·0	49·8	56·51
2	45·1	43·1	50·0	61·0	61·0	61·2	56·0	52·5	53·74
3	48·2	48·0	56·0	59·0	58·0	58·0	58·0	59·0	55·65
4	60·0	52·0	52·5	57·0	59·0	59·0	52·2	50·0	55·21
5	42·3	38·3	49·0	56·5	60·5	60·0	52·0	48·0	50·83
6			54·9			55·3			
7	62·0	61·0	65·1	69·6	74·1	72·1	64·0	60·0	65·99
8	52·0	50·0	60·0	67·0	69·4	69·9	60·0	53·2	60·19
9	49·3	47·0	55·0	66·0	72·3	70·1	63·0	56·0	59·84
10	55·0	55·0	59·0	70·1	77·1	73·1	70·1	69·1	66·06
11	68·1	65·0	66·0	69·1	73·1	74·4	68·3	67·6	68·95
12	64·0	62·3	70·1	78·3	83·6	69·1	59·0	57·3	67·96
13			53·3			58·3			
14	42·1	38·1	49·0	56·2	63·2	59·3	57·0	56·0	52·61
15	57·0	56·0	60·0	67·3	68·1	64·0	57·0	53·0	60·30
16	47·0	43·6	50·1	60·0	62·0	61·8	54·0	47·2	53·21
17	45·1	44·1	49·0	59·1	60·0	59·0	59·0	58·5	54·23
18	58·0	57·2	60·0	61·2	61·3	59·5	52·0	45·3	56·81
19	44·1	44·1	4. 1	60·0	59·0	53·3	52·0	52·0	51·45
20			53·2			54·5			
21	43·1	42·4	51·5	60·0	63·0	59·0	52·0	51·0	52·75
22	47·2	45·1	48·3	55·0	57·2	54·1	50·3	48·3	50·69
23	44·1	39·4	42·6	49·3	51·0	48·0	41·1	36·0	43·94
24	32·0	31·0	36·0	42·1	46·1	45·3	45·1	44·9	40·31
25	37·0	36·0	42·3	52·0	58·0	54·8	46·1	44·6	46·35
26	48·2	51·0	52·5	57·2	58·3	59·0	56·3	57·0	54·94
27			59·0			63·0			
28	57·0	57·5	51·2	50·0	53·2	50·0	43·1	38·1	50·01
29	34·0	33·0	43·6	57·5	62·0	58·0	49·0	46·3	47·93
30	45·1	44·1	49·5	52·0	55·3	62·0	61·0	61·0	53·75
Means	49·42	47·51	52·72	59·75	62·69	60·54	55·06	52·37	55·01

ABSTRACT of Temperature at Fredericton, New Brunswick, for the Month of October, 1896.

DAY.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
1	60·0	55·0	60·0	64·1	65·0	61·3	58·5	54·2	59·76
2	53·0	52·3	48·0	47·1	46·4	45·1	46·1	45·3	47·91
3	45·1	45·1	46·3	52·0	56·3	54·0	49·0	47·1	49·36
4			44·4			48·0			
5	44·1	43·1	45·1	48·3	51·0	48·0	46·1	44·1	46·22
6	43·1	43·1	44·3	48·0	49·0	50·0	48·2	48·0	46·71
7	48·0	46·1	47·2	49·5	50·0	50·0	49·5	50·0	48·79
8	48·3	47·0	51·5	53·0	55·0	52·8	46·4	42·1	49·51
9	40·1	38·4	40·9	47·0	50·0	45·1	39·3	40·1	42·61
10	32·0	31·0	38·4	42·1	46·1	43·1	39·3	35·0	38·38
11			37·0			47·0			
12	35·0	34·0	37·0	46·2	51·0	47·1	41·4	38·1	41·22
13	33·2	38·1	40·1	48·3	56·0	51·0	46·1	46·1	44·86
14	45·4	46·4	48·0	50·0	54·3	54·0	49·2	46·3	49·20
15	44·1	42·1	46·1	51·0	47·5	47·0	46·1	45·1	46·13
16	45·1	46·1	47·0	50·0	57·5	53·2	48·0	46·1	49·12
17	43·1	41·1	43·1	47·3	49·0	46·1	44·3	43·4	44·68
18			42·1			49·3		51·0	
19	56·0	56·0	45·2	47·0	48·2	44·3	39·1	36·0	46·47
20	33·0	29·0	35·0	42·9	45·6	43·1	41·4	42·3	39·04
21	46·1	46·1	47·2	53·2	55·0	52·3	51·3	48·5	49·96
22	42·1	41·3	39·1	41·9	43·1	41·1	38·1	35·5	40·28
23	32·0	30·2	35·0	45·1	47·1	45·6	39·3	40·1	39·30
24	41·1	42·1	43·1	48·0	51·2	53·0	53·0	43·1	46·83
25			37·0			35·0			
26	31·2	30·3	33·2	40·1	42·3	38·1	40·1	41·2	37·06
27	38·1	36·0	35·0	47·0	47·0	42·3	38·1	37·3	40·10
28	34·0	32·5	35·2	42·1	44·1	39·1	36·5	32·0	36·94
29	29·2	28·0	30·0	33·5	37·6	40·1	41·1	42·3	35·23
30	44·1	44·4	45·4	49·0	50·2	47·1	47·1	46·1	46·68
31	46·1	42·1	43·1	42·9	42·6	42·1	40·1	39·1	42·26
Means	41·93	41·90	42·57	47·28	49·56	47·26	44·54	42·76	44·62

Abstract of Temperature at Fredericton, New Brunswick, for the Month of November, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
							°	°	°
1			39·3			45·1			
2	45·1	45·1	45·3	49·0	49·0	47·1	44·1	43·1	45·97
3	40·1	37·0	38·1	41·1	43·6	41·1	35·0	33·0	38·63
4	28·0	26·0	29·3	32·0	38·3	36·0	33·5	33·0	32·01
5	35·0	36·0	40·1	48·0	50·8	48·0	46·1	48·2	44·02
6	51·0	55·0	56·0	55·0	54·0	48·0	46·1	44·1	51·15
7	42·1	40·1	42·1	45·1	45·1	42·3	39·2	37·0	41·63
8			32·0			47·0			
9	49·0	43·1	41·9	42·1	43·2	42·1	37·0	33·3	41·46
10	33·0	32·0	33·0	40·1	41·1	36·0	33·0	30·0	34·77
11	27·0	25·0	26·5	33·0	37·2	37·1	44·1	44·1	34·25
12	42·1	38·1	40·1	43·1	45·1	42·6	40·1	38·1	41·16
13	35·0	30·0	31·7	37·1	37·1	35·0	33·0	27·2	33·26
14	26·0	26·0	27·0	28·8	28·8	25·0	24·0	24·0	26·20
15			24·0			38·1			
16	30·0	29·0	26·0	25·2	25·0	25·0	26·0	26·0	26·53
17	27·0	27·2	37·0	43·1	50·0	46·1	37·0	31·0	37·17
18	27·0	26·0	26·0	28·0	29·2	31·0	32·0	46·1	30·66
19	48·0	49·0	49·0	44·1	34·0	33·0	25·3	19·0	37·68
20	15·4	14·2	15·1	21·0	17·0	15·1	12·1	9·1	14·88
21	5·1	5·1	6·9	19·5	24·0	20·5	20·5	25·0	15·83
22			21·0			22·0			
23	6·1	3·1	2·9	11·1	16·1	16·1	13·1	13·1	10·20
24	24·0	35·0	39·1	41·1	43·1	41·1	36·0	32·0	36·43
25	25·0	21·2	20·0	21·0	22·0	20·0	17·0	16·1	20·29
26	15·1	14·1	14·6	18·0	18·5	21·1	23·0	23·5	18·49
27	24·0	23·0	24·4	28·0	31·0	32·0	33·0	33·0	28·55
28	34·0	34·0	41·1	44·1	53·0	44·3	42·1	39·4	41·50
29			33·0			28·0			
30	24·0	22·0	21·0	24·0	26·0	22·0	18·2	14·1	21·41
Means	30·32	29·45	30·97	34·50	36·09	33·86	31·62	30·50	32·16

Abstract of Temperature at Fredericton, New Brunswick, for the Month of December, 1896.

Day.	2 a.m.	5 a.m.	8 a.m.	11 a.m.	2 p.m.	5 p.m.	8 p.m.	11 p.m.	Means.
					°				
1	16·5	15·1	16·1	21·0	24·0	21·0	15·1	9·1	17·24
2	5·1	3·1	4·1	6·1	5·1	3·1	1·1	−2·9	3·10
3	4·4	4·9	−4.7	1·6	7·3	7·1	3·6	2·1	0·96
4	3·1	2·1	2·1	12·1	17·0	15·1	16·0	19·0	10·81
5	25·0	32·0	35·0	39·1	40·1	35·2	26·0	21·0	31·67
6			15·1			23·0			
7	27·0	27·0	29·4	36·2	35·5	32·0	30·0	26·5	30·45
8	24·0	21·0	15·1	27·0	32·0	30·0	28·0	28·0	25·64
9	30·0	33·0	32·8	32·0	32·0	32·3	32·0	29·2	31·66
10	28·0	27·0	26·0	30·2	32·0	31·0	30·0	28·0	29·03
11	26·0	22·0	24·0	25·0	24·0	18·0	14·1	9·1	20·28
12	7·1	6·1	11·1	21·0	28·0	28·0	27·0	28·0	19·54
13			35·0			42·1			
14	41·1	36·0	36·5	36·0	30·0	24·0	16·0	12·1	28·96
15	9·1	7·1	6·2	12·1	16·0	14·3	11·1	8·1	10·50
16	7·1	8·1	12·1	15·1	17·0	18·0	16·0	16·3	13·71
17	17·0	17·0	16·0	23·5	29·0	24·0	17·2	13·1	19·60
18	7·1	6·1	6·1	15·1	22·0	19·5	19·5	20·0	14·43
19	25·0	26·0	30·0	35·0	31·0	23·2	14·1	12·1	24·55
20			4·3			10·1			
21	1·3	0·9	1·9	3·1	5·1	2·4	0·1	−5·9	0·41
22	7·8	7·9	2·9	3·1	6·1	2·3	−3·9	2·7	1·73
23	8·9	6·9	−7·9	3·3	7·1	7·6	1·1	5·3	0·09
24	4·1	3·1	1·9	5·1	6·1	2·1	0·1	−0·9	2·23
25	3·9	3·7	1·6	2·1	6·1	3·1	0·9	3·1	0·54
26	2·6	3·1	6·1	22·0	27·0	26·0	8·1	0·9	11·75
27			2·4			2·1	2·9		
28	1·3	0·6	4·9	13·1	21·0	19·0	18·0	19·0	12·11
29	13·1	12·1	9·1	22·0	34·0	31·0	29·0	28·0	22·29
30	32·0	32·0	33·0	34·2	38·6	37·0	37·0	36·1	34·99
31	36·0	32·0	23·0	18·9	20·0	15·3	12·1	10·1	20·93
Means	13·46	12·86	13·25	19·07	21·97	19·32	15·46	13·70	16·14

Abstract of Temperature at Halifax, Nova Scotia, for the Month of January, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	35·8	37·4	37·0	40·2	39·8	34·7	33·7	32·3	36·36
2	30·0	28·2	28·9	31·6	33·0	29·0	27·4	29·6	29·72
3	35·8	44·0	40·2	45·0	47·0	42·4	42·0	39·5	41·99
4	33·8	26·0	26·2	26·6	18·9	14·8	13·7	10·0	21·25
5	8·7	8·0	6·0	11·6	15·0	10·4	5·9	5·6	8·90
6	2·3	-1·8	-1·5	4·0	9·0	7·7	8·2	6·1	4·25
7	4·2	5·0	40·0	11·6	15·4	8·7	6·0	5·3	7·53
8	6·4	8·0	8·2	19·0	24·0	17·0	13·0	12·5	13·51
9	9·1	6·8	8·0	14·0	24·6	17·1	11·0	15·3	13·24
10	16·7	20·0	23·1	27·4	25·0	25·4	26·0	27·0	23·83
11	27·2	29·0	29·4	32·4	32·0	31·0	29·8	28·1	29·86
12	26·7	24·8	25·0	28·0	27·0	24·4	25·0	25·8	25·84
13	27·6	32·4	33·5	41·6	40·4	33·2	30·5	27·2	33·30
14	27·9	31·6	31·5	33·2	34·2	33·0	32·0	27·0	31·30
15	20·7	22·4	23·0	28·2	24·8	20·8	19·0	17·0	21·99
16	14·7	13·2	13·9	22·4	26·0	20·8	23·4	25·4	19·98
17	32·5	32·4	27·9	28·2	27·4	19·0	12·0	14·7	24·26
18	15·3	20·0	21·0	34·0	34·0	32·4	31·0	29·9	27·20
19	28·8	28·2	29·0	31·6	31·4	29·0	27·0	25·0	28·75
20	24·7	24·0	20·1	29·0	30·0	27·2	27·0	25·9	25·99
21	25·0	25·8	25·8	28·2	30·5	28·4	27·0	26·4	27·14
22	25·5	24·0	25·0	29·0	30·0	24·0	24·0	23·8	25·66
23	22·0	21·6	22·4	25·8	31·0	21·2	17·0	18·9	22·49
24	20·1	22·4	24·1	31·6	30·8	28·0	27·5	27·0	26·44
25	27·7	30·0	30·0	30·8	31·3	31·0	31·1	31·0	30·36
26	31·1	33·2	33·0	34·0	34·0	34·0	34·0	34·0	33·41
27	32·9	32·4	33·1	33·3	33·2	30·8	29·3	29·0	31·75
28	23·4	15·8	10·5	11·6	10·0	3·0	0·8	-1·0	9·26
29	-2·6	-5·0	4·0	9·0	17·0	10·3	7·8	5·2	4·71
30	2·2	5·8	7·2	19·0	26·0	24·0	22·0	18·9	15·64
31	14·5	10·0	5·9	11·6	14·0	8·0	7·8	6·4	9·78
Means	20·99	21·15	20·88	25·92	27·31	23·25	21·67	20·93	22·76

ABSTRACT of Temperature at Halifax, Nova Scotia, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	5·0	4·6	7·2	18·2	24·0	23·0	27·0	29·3	17·29
2	30·8	31·5	32·2	34·0	34·0	33·6	32·0	29·0	32·14
3	26·5	22·4	23·8	30·8	34·0	24·6	24·0	23·0	26·14
4	21·9	21·6	22·3	28·2	28·8	26·2	25·0	24·0	24·75
5	23·7	24·0	25·4	29·0	27·5	26·5	26·0	25·9	26·00
6	25·2	25·0	26·5	31·6	30·0	31·0	32·0	34·0	29·41
7	35·4	37·4	38·5	41·6	38·0	36·2	37·0	36·2	37·54
8	34·8	34·8	35·2	36·6	36·4	34·0	34·0	29·0	34·35
9	22·7	23·2	25·6	29·0	28·4	28·5	31·0	34·7	27·89
10	37·9	33·2	31·0	30·8	30·3	30·0	29·0	29·0	31·40
11	24·6	20·8	24·2	34·0	36·1	32·0	31·0	29·7	29·05
12	28·0	26·6	26·8	30·8	32·7	27·8	26·2	25·0	27·99
13	21·4	18·2	19·8	29·0	33·0	27·4	25·0	27·0	25·10
14	29·8	33·2	33·5	37·4	27·8	24·0	22·8	20·8	28·66
15	17·6	15·0	17·0	18·2	24·0	19·4	19·0	19·9	18·76
16	18·7	18·2	17·0	16·0	17·1	12·2	10·0	8·0	14·65
17	4·5	2·3	2·2	3·2	5·1	1·8	4·7	— 2·0	1·10
18	— 5·3	— 5·0	0·2	17·4	18·0	15·2	14·0	14·0	8·51
19	13·9	13·2	14·8	26·6	32·0	24·0	21·4	18·3	20·53
20	20·2	30·8	31·8	33·2	32·8	27·7	23·1	23·0	27·83
21	19·3	17·4	21·0	24·0	26·6	19·0	14·0	10·3	18·95
22	6·4	4·0	8·0	17·4	22·6	17·0	18·3	21·0	14·34
23	18·3	15·8	22·2	32·4	34·2	29·0	31·0	32·0	26·86
24	32·9	35·8	36·2	38·2	40·1	37·5	36·6	35·0	36·54
25	33·1	30·8	29·8	31·6	34·0	27·2	22·0	18·1	28·33
26	13·4	9·0	15·5	24·0	28·0	18·1	13·0	10·0	16·38
27	8·0	8·2	14·0	26·6	34·0	27·0	21·0	18·0	19·60
28	16·8	17·4	26·0	36·6	36·8	33·0	32·1	33·9	29·08
29	33·3	33·2	35·0	37·4	37·3	36·0	35·1	34·9	35·28
Means	21·34	20·78	22·84	28·41	29·78	25·70	24·41	23·83	24·64

Abstract of Temperature at Halifax, Nova Scotia, for the Month of March, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	33·9	34·0	35·0	36·0	36·6	34·0	33·0	33·4	34·49
2	34·1	35·8	36·3	37·4	39·0	38·2	39·6	39·4	37·48
3	38·2	37·4	39·2	43·2	46·4	44·5	42·8	42·5	41·78
4	40·6	39·2	40·0	44·0	46·2	42·4	37·8	36·0	40·78
5	35·4	33·2	34·0	37·4	38·3	35·3	35·0	34·0	35·33
6	31·8	30·8	30·4	31·0	31·0	28·9	28·3	29·0	30·15
7	27·9	28·2	29·8	33·2	32·0	30·0	30·6	31·0	30·34
8	32·4	34·0	35·7	36·5	37·2	34·2	34·1	31·0	34·39
9	26·6	23·2	23·0	24·0	25·0	24·2	24·0	22·0	24·00
10	18·9	16·6	20·0	24·0	31·0	28·2	29·1	23·2	23·88
11	19·7	17·4	21·2	32·4	33·0	29·0	26·6	26·1	25·68
12	32·5	41·0	48·2	46·6	38·2	34·8	33·2	29·0	37·94
13	24·7	21·6	26·9	31·6	31·8	28·6	26·0	23·4	26·83
14	18·8	16·6	19·0	24·0	29·6	22·7	19·0	17·5	20·90
15	14·4	14·0	21·0	25·9	30·0	28·0	22·4	19·4	21·89
16	18·1	20·8	25·8	29·0	29·7	29·6	28·4	28·0	26·18
17	31·5	35·0	40·2	43·2	38·0	30·0	27·2	27·2	34·04
18	25·6	23·2	31·0	40·8	42·7	36·7	34·0	31·3	33·16
19	30·4	32·4	33·3	36·6	36·0	35·8	56·6	38·8	34·99
20	41·2	43·7	46·2	47·4	43·7	39·0	37·0	34·3	41·56
21	31·1	29·0	29·0	31·6	33·4	31·6	29·0	29·1	30·48
22	29·4	33·2	38·7	42·4	43·0	39·0	38·0	36·5	37·52
23	30·7	23·2	23·3	29·0	36·9	27·4	23·2	20·0	26·71
24	18·0	18·2	20·0	27·4	31·0	27·2	21·6	18·3	22·71
25	13·2	15·8	24·8	31·8	33·0	31·2	33·0	35·0	27·23
26	37·7	40·8	44·0	49·0	43·8	42·0	40·3	41·2	42·35
27	45·4	43·2	47·8	39·0	35·0	32·0	31·0	28·0	37·68
28	25·5	26·6	28·1	33·2	37·0	32·0	30·3	28·0	30·09
29	24·2	26·6	31·8	37·4	41·3	33·0	31·7	31·9	32·24
30	28·8	31·6	32·0	32·4	32·8	32·3	32·5	32·5	31·86
31	33·3	33·2	34·2	36·6	38·2	34·0	31·7	31·0	34·03
Means	28·84	29·02	31·93	35·29	36·15	32·77	31·19	29·94	31·89

ABSTRACT of Temperature, at Halifax, Nova Scotia, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	30·0	30·8	32·8	37·4	40·8	37·4	35·2	33·2	34·70
2	30·1	30·0	39·0	47·4	44·0	37·6	35·0	33·9	37·12
3	33·7	33·2	33·2	36·6	35·8	33·0	31·1	29·5	33·26
4	29·0	30·8	34·1	36·6	38·1	35·3	33·0	32·7	33·70
5	31·1	32·0	34·4	39·2	40·0	34·2	32·3	31·4	34·33
6	30·6	31·3	35·0	39·0	40·0	34·2	31·8	30·8	34·09
7	28·8	29·0	31·4	36·0	34·0	33·3	30·2	28·1	31·35
8	25·9	27·4	32·2	42·0	45·0	39·0	30·8	28·4	33·84
9	26·7	31·6	38·4	46·6	49·3	40·0	33·8	32·6	37·37
10	31·0	33·2	38·4	49·0	50·7	43·0	36·0	32·0	39·16
11	27·3	32·4	43·3	56·0	54·0	50·8	44·1	42·8	43·84
12	40·4	43·2	48·2	55·9	61·3	53·2	45·4	41·4	48·63
13	36·7	37·0	42·9	42·0	41·0	39·0	38·2	40·0	39·60
14	40·9	35·8	35·4	36·6	37·0	35·0	35·3	36·9	36·61
15	37·7	40·8	45·1	63·2	68·4	60·3	56·0	49·8	52·66
16	44·4	47·4	55·5	60·0	58·0	53·2	42·0	38·4	49·86
17	35·4	36·6	37·6	38·2	38·2	36·3	35·8	36·4	36·81
18	37·0	38·2	38·8	48·2	54·0	54·0	47·0	42·0	44·90
19	32·2	40·8	45·4	48·2	43·1	40·8	41·2	42·3	41·75
20	42·8	49·0	58·7	66·6	68·0	63·2	55·0	52·8	57·01
21	41·6	37·4	41·0	49·0	55·8	44·0	36·7	33·7	42·40
22	34·4	37·4	40·0	39·0	43·7	39·0	36·7	32·5	37·75
23	27·0	31·6	42·1	49·0	54·0	54·0	49·8	34·3	42·72
24	30·0	34·0	44·0	48·2	52·4	42·8	33·1	32·0	39·56
25	30·3	32·4	40·0	39·0	39·0	37·4	32·8	31·6	35·31
26	27·4	34·0	39·8	41·6	42·4	37·4	38·0	31·6	36·53
27	31·2	34·0	40·0	40·8	42·4	38·2	34·6	34·0	36·90
28	31·8	33·2	39·0	40·8	48·2	39·0	37·1	37·4	38·31
29	38·5	41·6	45·1	51·6	50·8	46·6	34·5	31·6	42·54
30	29·6	32·4	32·3	35·8	33·2	32·4	31·0	30·8	32·19
Means	33·12	35·28	40·10	45·32	46·75	42·12	37·76	35·50	39·49

ABSTRACT of Temperature at Halifax, Nova Scotia, for the Month of May, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
1	29·7	32·4	34·9	41·6	39·0	35·8	33·7	33·2	35·04
2	31·1	36·6	44·0	58·3	64·0	58·2	46·2	44·0	47·80
3	33·7	43·2	52·0	58·2	65·4	60·5	52·0	49·8	51·85
4	44·4	46·6	51·0	51·6	52·8	46·0	42·4	42·3	47·14
5	41·4	41·6	41·3	41·6	40·8	38·0	37·0	37·0	39·84
6	36·2	37·4	39·0	40·8	41·7	41·0	37·2	35·0	38·54
7	33·0	36·6	47·7	54·0	50·0	46·6	42·0	37·2	43·39
8	34·3	41·0	52·2	61·6	70·0	53·2	46·0	42·0	50·04
9	43·0	46·6	60·5	61·6	58·2	54·0	53·3	52·0	53·65
10	48·0	51·6	55·2	71·6	86·0	70·4	56·5	52·2	61·44
11	44·9	49·0	54·7	47·0	55·2	51·0	43·0	42·8	48·45
12	42·4	42·4	44·9	43·2	49·4	49·0	43·5	40·8	44·45
13	36·0	39·0	44·9	53·2	57·4	51·6	41·1	39·0	45·27
14	34·0	40·8	48·8	47·4	61·4	58·2	47·0	43·0	47·57
15	39·8	45·8	57·0	57·4	60·8	56·6	46·0	42·4	50·72
16	42·1	42·4	46·4	60·8	57·4	51·6	44·8	43·0	48·56
17	41·0	44·3	52·6	69·0	70·0	62·4	51·8	46·0	54·64
18	44·0	45·8	45·0	59·0	63·3	60·8	55·1	57·4	53·80
19	56·5	57·4	66·5	73·2	76·6	68·2	56·4	53·6	63·55
20	48·4	42·4	51·0	56·6	64·0	51·6	43·8	42·4	50·02
21	38·6	44·0	52·0	56·7	55·8	51·6	44·0	44·0	48·34
22	43·6	45·8	52·0	52·4	60·8	62·4	53·8	53·0	52·97
23	51·4	57·4	58·8	55·8	62·4	54·0	44·6	40·0	53·05
24	37·0	35·6	49·0	48·0	48·0	48·0	41·0	40·0	43·32
25	38·4	41·0	44·5	48·0	46·0	41·1	39·2	38·8	42·12
26	37·0	39·0	39·9	44·9	45·0	44·1	40·8	42·0	41·59
27	42·4	42·8	42·8	45·0	46·2	48·2	45·6	46·1	44·89
28	45·2	47·8	59·0	68·2	71·3	70·0	56·1	49·0	58·33
29	46·2	45·0	45·5	49·0	47·3	45·0	44·6	44·4	45·88
30	44·2	48·0	51·0	62·4	54·9	51·2	48·5	46·0	50·77
31	45·4	46·0	54·1	50·8	50·0	48·2	45·5	45·8	48·23
Means	41·07	43·72	49·62	54·48	57·13	52·53	45·89	44·01	48·56

Abstract of Temperature at Halifax, Nova Scotia, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 a.m.	Midnight	Means.
1	44·5	48·0	47·8	48·8	50·3	51·0	49·0	48·5	48·49
2	48·0	49·7	60·0	65·0	69·8	63·4	58·0	54·1	58·50
3	52·6	55·2	61·0	62·0	72·1	69·9	58·0	53·8	60·58
4	51·4	50·0	62·1	66·0	71·0	68·0	58·5	56·5	60·44
5	54·5	56·0	68·1	74·9	78·0	56·1	51·3	50·0	61·11
6	49·8	57·0	58·2	63·9	60·1	52·4	49·1	48·4	54·86
7	48·0	50·5	56·0	55·0	56·2	64·0	51·5	49·0	53·77
8	48·0	49·0	60·0	63·4	69·8	62·0	55·3	52·2	57·46
9	51·2	55·0	53·0	50·7	49·9	48·4	50·2	50·0	51·05
10	51·6	53·2	61·0	57·7	53·0	55·0	54·1	53·0	54·83
11	50·1	47·4	53·8	57·3	58·7	52·4	50·4	47·9	52·25
12	53·3	54·0	49·7	51·1	57·0	52·0	49·0	47·3	51·68
13	43·7	47·0	54·5	59·0	59·2	58·3	51·8	46·7	52·52
14	40·4	42·4	55·0	54·9	53·8	51·4	49·0	47·1	49·25
15	46·3	47·4	48·1	50·0	49·1	47·0	47·0	47·0	47·74
16	46·7	48·0	50·1	55·9	59·0	60·0	56·3	54·5	53·81
17	50·1	51·9	62·0	69·0	68·4	67·2	56·2	59·1	60·49
18	55·3	57·2	67·1	67·3	61·1	61·3	57·7	55·7	60·34
19	54·7	57·7	67·8	76·0	81·9	80·3	65·3	63·7	68·43
20	60·0	56·8	62·0	70·0	81·2	75·3	67·0	63·9	67·02
21	61·7	60·0	67·0	66·0	60·0	55·0	53·4	53·0	59·51
22	54·6	59·0	64·9	71·7	73·0	70·4	66·2	60·2	64·96
23	57·0	60·0	66·1	70·0	70·0	64·1	57·3	53·3	62·23
24	50·0	52·0	65·2	71·0	75·2	73·0	60·0	53·2	62·45
25	47·9	54·0	62·8	73·2	72·4	60·0	58·4	55·6	60·54
26	50·7	51·0	65·2	69·0	66·0	60·0	59·0	58·6	59·94
27	57·6	58·0	64·1	67·8	75·0	69·0	60·0	56·2	63·46
28	52·7	53·0	59·8	62·0	63·0	70·0	59·1	58·2	59·72
29	57·1	62·0	63·2	70·1	71·7	62·0	56·8	54·8	62·21
30	52·2	54·0	59·9	69·0	68·2	66·2	59·8	56·2	60·69
Means	51·39	53·21	59·85	63·59	65·14	61·49	55·82	50·26	58·01

Abstract of Temperature at Halifax, Nova Scotia, for the Month of July, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
1	51·9	54·3	60·4	72·0	78·0	77·0	66·0	61·9	65·19
2	58·0	64·0	70·0	78·3	76·1	67·0	60·0	57·5	66·36
3	58·2	60·0	63·4	70·2	67·1	63·0	55·0	52·8	61·21
4	51·2	54·3	56·0	56·4	54·8	53·0	52·4	52·9	53·88
5	51·7	51·0	50·7	51·9	53·2	58·4	58·7	57·7	54·16
6	55·1	56·1	59·0	64·3	65·0	63·0	61·0	58·1	60·20
7	55·0	53·0	53·5	54·4	54·3	54·9	53·9	51·9	53·86
8	53·0	59·0	60·8	74·3	76·0	73·2	63·8	62·9	65·38
9	59·2	61·3	73·0	80·5	85·1	78·7	72·7	68·2	72·34
10	64·9	68·1	70·4	84·0	84·1	77·0	67·4	66·0	72·74
11	62·9	65·3	74·0	78·5	79·0	75·0	63·9	60·2	69·85
12	60·2	64·3	75·0	83·3	84·0	79·2	67·5	63·0	72·06
13	60·9	63·0	75·0	82·0	85·0	77·5	69·0	65·0	72·17
14	60·2	62·5	69·0	70·1	75·4	73·2	68·0	66·0	68·05
15	61·7	60·8	67·5	63·9	75·7	68·2	59·0	58·6	64·43
16	55·9	60·1	60·1	67·0	66·0	70·3	60·8	59·2	62·42
17	57·7	57·2	60·2	63·0	65·2	69·0	60·0	57·2	61·19
18	53·3	55·2	64·1	69·5	65·1	65·0	58·8	57·0	61·00
19	56·3	59·2	68·5	65·5	65·2	64·1	57·2	57·7	61·71
20	54·0	55·0	57·0	65·1	66·2	61·0	57·1	56·4	58·98
21	54·0	58·0	65·0	64·5	63·0	65·2	61·4	67·0	62·26
22	64·4	63·2	62·7	75·1	77·5	63·0	61·2	58·0	65·64
23	59·1	63·5	62·9	61·5	60·0	63·6	61·6	60·4	61·57
24	55·0	56·5	66·0	71·2	73·5	65·7	58·2	58·6	63·09
25	54·8	54·5	54·2	55·2	58·0	58·2	57·7	57·4	56·25
26	54·1	57·2	70·2	80·1	83·0	77·8	69·6	66·8	69·85
27	60·7	57·5	65·6	71·2	70·5	64·5	60·0	59·0	63·63
28	56·6	60·2	61·8	69·7	77·2	76·5	66·0	60·7	66·09
29	55·2	61·2	70·0	74·0	78·2	74·2	62·5	58·2	66·69
30	55·0	57·3	64·7	65·0	68·9	63·4	60·2	58·9	61·67
31	58·0	60·2	63·0	74·5	72·0	61·0	61·0	56·5	63·28
Means.	57·04	59·13	64·31	69·55	71·04	67·77	61·66	59·73	63·78

Abstract of Temperature at Halifax, Nova Scotia, for the Month of August, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	51·0	53·0	60·0	67·2	72·0	70·2	61·3	57·0	61·46
2	53·0	56·2	58·2	61·2	59·2	56·8	53·4	53·0	56·37
3	53·3	54·5	61·6	69·4	79·2	69·0	59·0	57·1	62·89
4	53·3	54·0	62·1	63·1	59·5	57·0	56·4	56·0	57·68
5	56·6	58·4	68·0	77·0	76·2	70·6	62·4	57·3	65·81
6	52·0	52·4	64·5	65·2	66·4	62·8	57·9	57·9	59·89
7	56·9	56·1	56·0	55·1	58·0	55·2	55·2	55·0	55·94
8	56·1	58·2	60·8	69·5	69·5	66·3	61·6	60·8	62·85
9	55·4	58·2	61·0	67·2	70·4	69·4	62·0	61·7	63·16
10	59·8	60·1	62·7	63·2	68·0	69·0	62·4	61·8	63·37
11	60·6	61·4	68·0	70·1	71·3	63·3	61·2	61·2	64·64
12	60·0	60·2	62·9	66·2	66·0	63·9	62·2	62·0	62·93
13	60·7	61·0	67·0	75·8	76·0	71·7	69·0	66·8	68·50
14	63·2	62·7	68·0	68·3	67·0	66·0	63·9	62·8	65·24
15	61·3	61·6	66·4	68·3	72·2	66·0	62·2	60·1	64·76
16	59·3	60·0	62·0	64·0	64·9	65·5	65·0	63·0	62·96
17	60·0	61·7	62·2	59·7	67·0	66·7	64·0	60·0	62·66
18	58·3	55·6	65·1	72·2	74·5	71·0	62·0	51·2	63·17
19	53·8	58·7	63·8	69·1	70·7	67·2	59·8	57·1	62·53
20	53·6	54·9	60·9	67·2	71·7	71·0	56·1	55·0	61·30
21	51·4	53·7	64·0	72·0	72·0	68·4	61·0	57·7	62·52
22	54·0	54·9	63·9	67·2	67·0	63·0	60·0	59·5	61·19
23	59·0	63·0	67·0	68·8	68·0	65·0	63·3	63·2	64·66
24	61·8	64·0	63·9	65·1	67·2	69·3	67·0	65·3	65·45
25	61·0	61·5	65·4	77·0	82·2	76·7	64·0	59·6	68·43
26	54·7	54·0	65·7	67·3	68·2	68·8	61·8	60·2	62·59
27	59·4	60·0	62·0	64·3	3·7	62·0	58·2	61·4	61·37
28	60·8	61·5	64·1	72·5	74·2	69·0	59·3	54·8	64·53
29	52·0	51·1	58·0	66·0	69·2	65·5	56·6	51·5	58·74
30	46·8	50·0	58·9	66·3	66·4	62·2	55·0	53·4	57·37
31	51·6	53·7	57·8	63·0	66·7	65·3	61·0	58·3	59·68
Means	56·33	57·62	62·96	67·37	69·18	66·25	60·78	58·76	62·41

Abstract of Temperature at Halifax, Nova Scotia, for the Month of September, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means
1	55·4	62·1	63·3	69·4	73·6	64·7	55·9	53·2	62·20
2	50·9	49·2	56·7	66·0	71·5	62·0	56·9	54·0	58·40
3	47·0	50·2	55·6	62·2	63·3	61·6	60·0	61·5	57·68
4	59·9	63·2	62·0	67·2	72·5	67·1	54·7	50·1	62·09
5	46·9	47·3	57·1	62·0	63·7	62·7	53·0	51·0	55·46
6	49·2	55·2	60·1	64·4	62·7	61·9	62·1	61·8	59·67
7	61·2	62·7	65·8	68·7	68·8	67·1	65·2	64·2	65·46
8	63·0	62·0	62·0	71·5	70·0	66·2	62·0	57·8	64·31
9	55·1	53·0	59·5	64·5	64·0	62·0	61·0	62·0	60·14
10	62·9	63·4	65·9	67·4	67·1	69·0	69·0	69·4	66·76
11	65·2	67·0	69·0	66·5	66·0	64·2	62·3	64·0	65·53
12	61·1	60·2	68·0	79·3	76·0	72·0	70·2	67·4	69·27
13	64·1	60·0	57·0	57·0	59·0	57·1	54·0	52·6	57·60
14	51·0	50·9	54·8	64·0	63·4	58·8	57·3	57·1	57·16
15	56·4	56·1	59·0	66·1	67·0	64·8	59·0	56·1	60·56
16	54·0	53·2	59·0	64·5	62·7	60·0	59·8	59·4	59·08
17	57·6	59·2	64·2	63·2	63·7	61·2	62·0	62·2	61·66
18	62·7	62·0	62·1	67·0	65·3	62·0	55·0	52·3	61·05
19	47·0	51·1	59·0	63·0	61·0	54·3	60·1	61·6	57·14
20	63·0	61·4	56·9	57·2	60·8	58·9	51·1	47·8	57·14
21	45·1	47·4	55·2	62·7	65·4	58·5	56·2	53·7	55·52
22	53·7	53·2	57·9	63·1	62·4	59·2	57·6	55·2	57·79
23	53·5	52·0	51·0	54·0	51·1	48·2	45·3	42·5	49·70
24	41·6	41·2	49·0	56·2	57·3	49·5	46·0	43·4	48·03
25	41·2	41·5	51·8	59·2	64·7	53·3	47·8	47·8	50·91
26	46·0	47·3	53·5	60·3	62·0	56·2	54·8	54·4	54·31
27	53·0	53·5	60·0	66·3	68·3	61·0	58·1	57·7	59·74
28	55·8	57·0	60·3	66·7	63·5	56·3	52·0	49·9	57·69
29	43·4	42·2	52·9	61·3	62·6	54·1	50·8	50·2	52·22
30	45·5	44·0	52·2	62·2	60·7	59·4	62·3	62·4	56·09
Means	53·75	54·29	58·69	64·10	64·67	60·45	57·38	56·09	58·68

ABSTRACT of Temperature at Halifax, Nova Scotia, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	62·3	63·8	65·0	63·2	63·2	60·0	57·7	57·0	61·53
2	57·1	58·5	60·2	62·0	63·2	60·4	59·0	58·0	59·80
3	57·4	59·0	60·8	61·3	65·5	60·1	59·6	59·4	60·39
4	54·7	53·2	55·0	59·0	59·4	56·0	51·3	49·7	54·79
5	48·7	49·0	54·0	55·0	55·0	51·0	48·3	47·0	51·00
6	45·9	45·5	46·8	50·0	51·4	51·2	52·2	52·4	49·43
7	51·4	51·0	53·8	58·0	58·2	57·1	56·0	53·6	54·89
8	49·9	49·3	50·5	55·5	55·0	55·7	51·9	46·5	51·79
9	42·2	41·3	46·4	52·7	55·6	47·2	42·7	39·7	45·98
10	37·3	36·5	42·9	48·5	55·4	47·0	40·7	37·9	43·28
11	35·0	37·0	45·0	53·3	55·2	48·0	43·2	41·0	44·71
12	38·8	39·0	42·4	49·0	51·5	48·1	47·3	49·4	45·69
13	48·8	48·2	51·1	52·5	51·2	50·6	52·6	55·5	51·31
14	58·6	56·4	55·0	56·5	56·2	53·2	49·5	48·3	54·21
15	48·0	49·2	51·1	55·4	58·0	54·4	54·0	54·1	53·03
16	53·8	55·0	56·0	58·0	55·2	53·0	50·2	50·2	53·93
17	50·4	50·0	52·9	59·4	60·3	54·2	53·0	53·0	54·15
18	55·4	57·2	58·0	59·8	60·2	59·0	59·3	59·1	58·50
19	60·7	60·1	59·7	60·3	58·3	49·0	47·1	45·1	55·04
20	40·1	38·2	42·7	49·2	51·3	44·2	41·6	40·0	43·41
21	36·8	36·7	45·2	52·3	51·0	50·2	52·0	52·8	47·13
22	51·8	52·5	56·0	59·2	58·2	46·0	39·2	36·9	49·98
23	35·0	35·2	42·5	51·7	54·0	43·4	36·1	34·3	41·53
24	38·4	46·5	49·5	50·2	51·1	52·0	52·9	55·9	49·56
25	52·0	43·2	42·3	47·0	45·3	39·0	38·0	35·9	42·84
26	33·0	33·5	37·0	45·0	49·0	41·1	40·1	41·0	39·96
27	38·0	43·0	47·3	55·7	58·1	50·0	45·1	44·0	47·78
28	41·0	40·2	44·7	49·4	52·0	42·2	37·6	34·2	42·66
29	30·2	30·0	36·5	46·4	43·0	41·2	41·3	42·3	38·86
30	45·0	47·0	48·0	49·3	50·5	51·0	51·0	51·2	49·13
31	50·8	51·2	52·5	55·3	55·3	55·2	53·9	49·2	52·93
Means	46·73	46·98	50·03	54·20	55·06	50·67	48·53	47·57	49·97

Abstract of Temperature at Halifax, Nova Scotia, for the Month of November, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	45·6	45·3	44·9	46·5	48·0	46·0	45·4	45·8	45·94
2	46·6	50·0	50·0	49·7	52·0	50·4	49·2	49·0	49·61
3	47·5	45·0	43·9	45·2	45·0	39·1	35·8	34·0	41·94
4	31·8	32·0	35·0	45·4	49·0	39·4	36·0	34·2	37·85
5	30·9	35·1	43·0	47·0	49·0	47·1	49·3	51·0	44·05
6	53·0	53·4	56·0	57·2	56·5	52·9	50·2	48·1	53·41
7	46·3	42·9	46·8	49·7	47·0	44·5	44·0	42·0	45·40
8	37·8	36·4	40·6	51·3	54·0	50·0	49·2	50·1	46·18
9	53·0	56·2	53·7	59·0	57·0	54·0	48·0	42·7	52·95
10	37·3	35·3	39·1	47·0	45·2	40·0	37·0	39·0	39·99
11	36·6	32·1	37·5	42·4	42·3	45·0	47·2	51·2	41·79
12	53·1	49·0	49·0	53·4	52·1	48·0	45·3	44·3	49·28
13	41·4	40·0	40·1	42·7	42·0	39·5	35·9	33·7	39·41
14	32·9	33·0	34·6	34·0	31·5	30·0	29·2	29·8	31·88
15	26·7	26·2	28·9	41·7	45·2	47·0	46·1	45·0	38·35
16	42·5	42·0	39·0	37·2	38·0	36·4	37·8	46·3	39·90
17	46·7	48·0	49·9	56·0	59·0	55·0	55·0	46·2	51·98
18	38·9	32·1	34·8	40·5	38·2	41·0	45·0	45·4	39·49
19	47·0	51·0	52·9	57·7	56·4	45·3	38·0	34·3	47·83
20	27·8	23·0	23·2	28·0	32·4	23·4	24·0	22·1	25·49
21	16·5	14·0	16·0	26·0	27·2	26·0	30·0	34·8	23·81
22	38·2	42·3	41·7	37·4	36·2	32·3	28·3	25·0	35·18
23	20·2	17·0	19·0	28·7	31·4	25·0	23·5	26·5	23·91
24	29·2	37·2	39·7	45·0	48·5	48·8	45·2	41·0	41·83
25	36·7	31·3	31·6	33·2	30·2	25·7	23·2	22·7	29·33
26	21·0	22·2	23·2	26·7	27·0	26·7	32·6	36·0	26·93
27	39·6	42·2	43·0	45·0	47·7	46·8	47·6	51·0	45·36
28	50·6	49·0	51·1	52·4	53·1	54·2	53·1	50·2	51·71
29	44·7	41·0	39·0	38·4	38·3	35·1	34·0	32·0	37·81
30	31·0	28·7	28·5	29·7	29·6	28·0	27·1	27·0	28·70
Means	38·37	37·76	39·19	43·14	43·63	40·75	39·74	39·35	40·24

Abstract of Temperature at Halifax, Nova Scotia, for the Month of December, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	25·5	24·2	24·2	33·4	29·3	24·1	23·0	27·0	25·55
2	17·0	13·0	13·5	22·3	20·0	14·0	10·4	9·0	13·90
3	7·2	6·8	8·7	17·0	18·2	15·0	12·9	10·9	12·09
4	8·0	11·2	17·2	26·7	29·8	22·4	20·5	25·0	20·10
5	29·8	36·7	41·0	45·4	49·0	39·4	35·5	33·9	38·84
6	30·0	27·0	27·0	30·2	33·4	37·6	40·0	41·6	33·35
7	43·3	40·0	40·0	46·2	45·0	40·4	35·5	34·1	40·56
8	31·2	29·0	29·7	38·2	40·3	32·0	39·2	31·7	33·91
9	35·8	40·0	40·8	43·7	48·4	47·9	45·4	37·0	42·38
10	24·9	34·2	34·9	37·0	41·3	33·0	33·9	33·5	35·34
11	33·0	31·2	33·0	38·7	37·0	30·1	26·0	25·2	31·78
12	23·1	21·0	25·0	35·2	40·8	33·6	35·0	36·0	31·21
13	36·4	37·3	38·0	41·2	42·1	42·0	44·8	46·8	41·08
14	47·7	45·0	45·0	46·0	45·2	36·6	31·9	27·9	40·66
15	23·3	20·0	19·0	27·0	29·4	26·2	17·1	20·9	22·86
16	22·8	25·0	26·9	25·4	25·0	26·7	28·8	29·8	26·30
17	29·8	30·4	30·1	31·0	30·2	27·0	26·1	25·0	28·70
18	24·2	24·0	25·0	32·2	31·7	26·1	24·2	28·2	26·95
19	31·8	34·0	39·1	42·3	39·0	33·1	31·0	25·0	34·41
20	22·2	20·3	21·0	25·0	26·0	21·1	21·2	19·0	21·98
21	17·1	16·0	15·1	22·6	23·4	17·0	12·3	11·5	16·88
22	10·0	9·4	11·0	23·4	22·6	21·9	21·7	18·2	17·28
23	14·6	12·0	14·0	19·4	20·0	15·0	14·0	15·0	15·50
24	16·7	20·0	20·2	23·6	22·2	17·0	15·3	15·0	18·75
25	8·8	6·9	9·0	20·3	19·3	13·0	9·5	8·0	11·90
26	13·3	24·7	31·0	33·4	38·0	33·1	30·5	22·8	28·35
27	16·3	7·0	3·7	10·4	11·9	7·7	4·8	4·7	8·31
28	7·0	11·3	15·1	27·2	30·2	29·9	29·0	29·0	22·34
29	30·3	31·4	33·9	38·2	39·8	38·4	37·2	34·3	35·44
30	31·8	29·0	30·6	42·4	39·0	34·0	35·1	38·0	34·99
31	38·7	37·6	38·0	40·2	34·2	23·9	21·2	19·2	31·63
Means	24·57	24·34	25·83	31·78	32·31	27·72	26·23	25·07	27·23

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of January, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·188	0·184	0·165	0·170	0·178	0·136	0·170
2	0·120	0·113	0·113	0·174	0·160	0·167	0·141
3	0·171	0·154	0·151	0·174	0·179	0·188	0·169
4	0·193	0·212	0·225	0·243	0·278	0·248	0·233
5	0·262	0·267	0·266	0·299	0·292	0·292	0·280
6	0·289	0·280	0·280	0·318	0·298	0·330	0·299
7	0·335	0·388	0·311	0·362	0·322	0·317	0·339
8	0·323	0·311	0·311	0·322	0·318	0·309	0·316
9	0·310	0·277	0·262	0·225	0·231	0·247	0·259
10	0·196	0·194	0·180	0·203	0·207	0·171	0·192
11	0·157	0·172	0·173	0·181	0·188	0·165	0·173
12	0·157	0·141	0·153	0·170	0·175	0·152	0·158
13	0·152	0·170	0·178	0·199	0·188	0·171	0·176
14	0·161	0·160	0·167	0·161	0·144	0·133	0·154
15	0·127	0·118	0·113	0·126	0·128	0·123	0·123
16	0·129	0·135	0·132	0·141	0·133	0·147	0·136
17	0·169	0·180	0·204	0·268	0·237	0·277	0·222
18	0·275	0·275	0·290	0·251	0·217	0·186	0·249
19	0·216	0·203	0·207	0·216	0·236	0·249	0·221
20	0·255	0·268	0·299	0·238	0·221	0·217	0·250
21	0·218	0·185	0·197	0·227	0·204	0·236	0·211
22	0·230	0·231	0·232	0·254	0·235	0·217	0·233
23	0·220	0·222	0·218	0·139	0·176	0·180	0·193
24	0·162	0·161	0·174	0·170	0·170	0·188	0·171
25	0·204	0·204	0·229	0·290	0·279	0·281	0·248
26	0·287	0·272	0·258	0·280	0·290	0·295	0·280
27	0·297	0·292	0·295	0·322	0·310	0·262	0·296
28	0·229	0·238	0·265	0·275	0·250	0·259	0·252
29	0·233	0·212	0·184	0·238	0·231	0·240	0·223
30	0·222	0·242	0·242	0·223	0·231	0·227	0·231
31	0·235	0·235	0·244	0·251	0·294	0·300	0·260
Means	0·217	0·216	0·217	0·229	0·226	0·223	0·221

ABSTRACT of Pressure of Vapour at Esquimalt, British Columbia, for the Month of February, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·243	0·244	0·246	0·265	0·244	0·221	0·244
2	0·227	0·216	0·203	0·220	0·192	0·159	0·203
3	0·167	0·154	0·166	0·175	0·191	0·204	0·176
4	0·209	0·212	0·212	0·244	0·253	0·272	0·234
5	0·235	0·192	0·214	0·215	0·218	0·233	0·218
6	0·180	0·180	0·204	0·252	0·235	0·252	0·217
7	0·272	0·242	0·219	0·238	0·246	0·220	0·239
8	0·218	0·233	0·242	0·241	0·258	0·218	0·235
9	0·149	0·172	0·155	0·181	0·152	0·146	0·159
10	0·155	0·138	0·164	0·194	0·182	0·181	0·169
11	0·218	0·229	0·238	0·259	0·254	0·252	0·242
12	0·264	0·255	0·267	0·295	0·303	0·290	0·279
13	0·289	0·276	0·286	0·297	0·275	0·251	0·279
14	0·257	0·272	0·264	0·277	0·286	0·234	0·265
15	0·248	0·243	0·265	0·284	0·286	0·304	0·272
16	0·299	0·235	0·298	0·265	0·225	0·194	0·269
17	0·199	0·185	0·194	0·220	0·210	0·196	0·201
18	0·198	0·187	0·191	0·220	0·224	0·218	0·206
19	0·203	0·185	0·206	0·290	0·249	0·220	0·226
20	0·199	0·222	0·235	0·236	0·236	0·264	0·232
21	0·264	0·277	0·287	0·297	0·267	0·236	0·271
22	0·217	0·192	0·216	0·247	0·247	0·254	0·229
23	0·241	0·228	0·263	0·278	0·297	0·288	0·266
24	0·297	0·299	0·316	0·348	0·335	0·335	0·322
25	0·328	0·317	0·323	0·339	0·335	0·280	0·320
26	0·257	0·269	0·254	0·244	0·233	0·223	0·247
27	0·238	0·229	0·262	0·292	0·297	0·297	0·269
28	0·231	0·157	0·195	0·195	0·174	0·169	0·187
29	0·182	0·171	0·111	0·153	0·173	0·143	0·156
Means	0·230	0·224	0·231	0·251	0·244	0·232	0·235

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of March, 1896.

Day	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·127	0·121	0·121	0·131	0·100	0·103	0·117
2	0·117	0·107	0·114	0·111	0·111	0·138	0·116
3	0·158	0·161	0·110	0·168	0·112	0·136	0·141
4	0·112	0·112	0·149	0·164	0·178	0·171	0·148
5	0·158	0·154	0·180	0·181	0·185	0·169	0·171
6	0·153	0·183	0·191	0·164	0·161	0·187	0·173
7	0·213	0·205	0·232	0·257	0·250	0·246	0·234
8	0·249	0·231	0·229	0·229	0·249	0·238	0·237
9	0·234	0·218	0·229	0·281	0·274	0·270	0·251
10	0·267	0·262	0·268	0·295	0·295	0·237	0·271
11	0·235	0·251	0·277	0·289	0·279	0·277	0·268
12	0·253	0·234	0·254	0·275	0·278	0·246	0·257
13	0·220	0·223	0·307	0·139	0·123	0·147	0·193
14	0·150	0·143	0·150	0·160	0·147	0·186	0·176
15	0·176	0·180	0·178	0·278	0·237	0·205	0·209
16	0·189	0·176	0·199	0·236	0·255	0·223	0·213
17	0·195	0·181	0·211	0·289	0·255	0·235	0·228
18	0·205	0·196	0·226	0·262	0·263	0·294	0·241
19	0·281	0·287	0·317	0·335	0·321	0·290	0·305
20	0·283	0·290	0·261	0·218	0·207	0·210	0·245
21	0·214	0·204	0·237	0·252	0·251	0·217	0·229
22	0·210	0·210	0·219	0·220	0·243	0·279	0·230
23	0·283	0·286	0·303	0·341	0·368	0·321	0·317
24	0·303	0·292	0·273	0·225	0·218	0·224	0·256
25	0·209	0·208	0·230	0·237	0·225	0·216	0·221
26	0·197	0·181	0·232	0·258	0·311	0·196	0·229
27	0·221	0·224	0·173	0·217	0·156	0·186	0·196
28	0·203	0·205	0·225	0·250	0·238	0·205	0·221
29	0·191	0·180	0·191	0·181	0·188	0·152	0·181
30	0·149	0·151	0·138	0·171	0·167	0·175	0·158
31	0·177	0·160	0·211	0·174	0·164	0·180	0·178
Means	0·204	0·201	0·214	0·225	0·220	0·212	0·213

ABSTRACT of Pressure of Vapour at Esquimalt, British Columbia, for the Month of April, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·182	0·179	0·196	0·247	0·205	0·190	0·200
2	0·216	0·225	0·232	0·226	0·136	0·173	0·201
3	0·155	0·158	0·186	0·164	0·176	0·154	0·165
4	0·155	0·162	0·169	0·174	0·200	0·273	0·189
5	0·251	0·233	0·310	0·331	0·305	0·295	0·288
6	0·278	0·257	0·277	0·289	0·290	0·305	0·283
7	0·284	0·260	0·297	0·286	0·225	0·226	0·263
8	0·228	0·218	0·241	0·231	0·251	0·247	0·236
9	0·235	0·215	0·242	0·262	0·248	0·246	0·241
10	0·257	0·240	0·267	0·229	0·227	0·226	0·241
11	0·231	0·260	0·309	0·262	0·262	0·270	0·266
12	0·279	0·284	0·309	0·336	0·315	0·296	0·303
13	0·267	0·280	0·208	0·181	0·179	0·212	0·221
14	0·205	0·207	0·236	0·257	0·227	0·227	0·226
15	0·145	0·122	0·173	0·264	0·271	0·216	0·199
16	0·195	0·173	0·334	0·275	0·215	0·219	0·235
17	0·185	0·174	0·243	0·301	0·187	0·223	0·219
18	0·230	0·253	0·277	0·269	0·243	0·253	0·254
19	0·229	0·248	0·266	0·276	0·260	0·273	0·259
20	0·237	0·217	0·288	0·314	0·326	0·296	0·280
21	0·264	0·227	0·305	0·319	0·237	0·264	0·269
22	0·257	0·204	0·290	0·207	0·203	0·222	0·230
23	0·212	0·209	0·254	0·279	0·235	0·242	0·239
24	0·268	0·273	0·268	0·272	0·303	0·300	0·281
25	0·294	0·280	0·345	0·308	0·286	0·257	0·295
26	0·261	0·287	0·307	0·321	0·306	0·260	0·290
27	0·262	0·280	0·312	0·335	0·307	0·233	0·288
28	0·212	0·201	0·262	0·209	0·239	0·237	0·227
29	0·238	0·231	0·284	0·308	0·233	0·218	0·252
30	0·237	0·226	0·254	0·263	0·290	0·280	0·258
Means	0·231	0·226	0·265	0·266	0·246	0·244	0·246

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of May, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·238	0·264	0·281	0·310	0·223	0·236	0·259
2.	0·237	0·216	0·226	0·269	0·235	0·244	0·238
3.	0·265	0·261	0·292	0·320	0·309	0·284	0·289
4.	0·277	0·272	0·290	0·335	0·289	0·297	0·293
5.	0·273	0·266	0·335	0·321	0·355	0·277	0·304
6.	0·289	0·272	0·327	0·360	0·253	0·260	0·293
7	0·273	0·279	0·270	0·257	0·247	0·262	0·265
8.	0·293	0·248	0·251	0·294	0·263	0·267	0·269
9.	0·268	0·245	0·317	0·365	0·331	0·269	0·299
10.	0·225	0·271	0·286	0·293	0·313	0·273	0·277
11.	0·244	0·248	0·248	0·295	0·283	0·255	0·262
12.	0·258	0·262	0·295	0·296	0·207	0·240	0·260
13.	0·224	0·221	0·282	0·255	0·238	0·250	0·245
14.	0·257	0·251	0·279	0·328	0·279	0·256	0·275
15	0·235	0·206	0·307	0·308	0·282	0·284	0·270
16.	0·245	0·261	0·294	0·316	0·298	0·268	0·280
17.	0·277	0·267	0·289	0·321	0·323	0·295	0·295
18.	0·275	0·257	0·356	0·344	0·295	0·267	0·299
19.	0·255	0·236	0·282	0·349	0·296	0·285	0·284
20.	0·290	0·267	0·363	0·381	0·312	0·303	0·319
21	0·329	0·308	0·350	0·351	0·328	0·334	0·333
22	0·288	0·316	0·350	0·399	0·357	0·356	0·344
23	0·340	0·389	0·303	0·264	0·256	0·260	0·302
24	0·273	0·271	0·364	0·279	0·327	0·335	0·308
25	0·332	0·299	0·348	0·357	0·335	0·330	0·334
26	0·312	0·329	0·359	0·362	0·348	0·330	0·340
27	0·288	0·269	0·380	0·420	0·338	0·346	0·340
28.	0·335	0·299	0·381	0·259	0·346	0·335	0·326
29.	0·328	0·303	0·351	0·360	0·367	0·299	0·335
30	0·229	0·278	0·301	0·348	0·343	0·293	0·299
31	0·283	0·303	0·353	0·357	0·316	0·294	0·318
Means	0·275	0·272	0·313	0·325	0·300	0·287	0·295

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of June, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·236	0·274	0·288	0·292	0·258	0·262	0·268
2	0·263	0·277	0·315	0·396	0·336	0·252	0·306
3	0·277	0·270	0·341	0·356	0·362	0·354	0·327
4	0·365	0·361	0·375	0·405	0·330	0·317	0·359
5	0·322	0·322	0·361	0·371	0·391	0·286	0·344
6	0·291	0·276	0·352	0·402	0·355	0·338	0·336
7	0·341	0·355	0·381	0·433	0·374	0·315	0·367
8	0·296	0·299	0·385	0·392	0·335	0·323	0·338
9	0·317	0·336	0·355	0·351	0·315	0·297	0·328
10	0·308	0·321	0·366	0·399	0·348	0·315	0·343
11	0·304	0·313	0·331	0·321	0·328	0·317	0·319
12	0·294	0·260	0·252	0·282	0·269	0·256	0·269
13	0·253	0·240	0·374	0·328	0·295	0·215	0·284
14	0·247	0·280	0·360	0·352	0·345	0·350	0·322
15	0·318	0·325	0·365	0·352	0·348	0·324	0·339
16	0·317	0·299	0·374	0·376	0·351	0·362	0·347
17	0·395	0·384	0·417	0·383	0·321	0·322	0·370
18	0·304	0·332	0·373	0·376	0·354	0·324	0·344
19	0·324	0·286	0·341	0·329	0·348	0·283	0·318
20	0·301	0·282	0·195	0·383	0·338	0·341	0·307
21	0·355	0·327	0·428	0·431	0·310	0·331	0·364
22	0·315	0·322	0·366	0·393	0·359	0·365	0·353
23	0·357	0·348	0·384	0·383	0·358	0·321	3·358
24	0·324	0·310	0·262	0·431	0·327	0·345	0·333
25	0·321	0·326	0·401	0·443	0·403	0·388	0·380
26	0·356	0·370	0·520	0·631	0·476	0·409	0·460
27	0·425	0·386	0·442	0·486	0·443	0·407	0·432
28	0·379	0·371	0·467	0·403	0·431	0·412	0·410
29	0·405	0·374	0·433	0·410	0·391	0·366	0·397
30	0·381	0·360	0·403	0·487	0·407	0·367	0·401
Means	0·323	0·320	0·367	0·392	0·353	0·329	0·347

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of July, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1..	0·346	0·345	0·425	0·423	0·400	0·454	0·399
2..	0·309	0·307	0·412	0·429	0·470	0·439	0·394
3..	0·429	0·382	0·456	0·537	0·581	0·438	0·470
4..	0·407	0·403	0·518	0·540	0·497	0·424	0·465
5..	0·429	0·403	0·494	0·506	0·462	0·413	0·451
6..	0·360	0·330	0·457	0·536	0·450	0·460	0·432
7..	0·438	0·439	0·529	0·458	0·469	0·452	0·464
8..	0·438	0·403	0·492	0·599	0·455	0·396	0·464
9..	0·393	0·395	0·468	0·639	0·657	0·491	0·507
10..	0·400	0·382	0·480	0·451	0·435	0·408	0·426
11..	0·386	0·358	0·434	0·483	0·529	0·490	0·447
12..	0·400	0·431	0·470	0·436	0·418	0·385	0·423
13..	0·374	0·361	0·426	0·466	0·414	0·436	0·413
14..	0·444	0·387	0·482	0·503	0·630	0·482	0·488
15..	0·395	0·364	0·482	0·479	0·433	0·404	0·426
16..	0·425	0·373	0·425	0·488	0·451	0·434	0·433
17..	0·381	0·381	0·449	0·464	0·491	0·400	0·428
18..	0·428	0·391	0·486	0·497	0·579	0·448	0·471
19..	0·427	0·398	0·476	0·517	0·498	0·453	0·462
20..	0·434	0·403	0·492	0·619	0·670	0·449	0·511
21..	0·418	0·433	0·403	0·371	0·385	0·359	0·395
22..	0·348	0·341	0·367	0·778	0·376	0·407	0·436
23..	0·350	0·340	0·402	0·408	0·426	0·384	0·385
24..	0·346	0·328	0·381	0·378	0·383	0·374	0·365
25..	0·355	0·335	0·313	0·412	0·386	0·375	0·363
26..	0·342	0·329	0·395	0·427	0·400	0·382	0·379
27..	0·317	0·290	0·385	0·431	0·483	0·411	0·386
28..	0·361	0·373	0·416	0·398	0·389	0·344	0·380
29..	0·317	0·290	0·385	0·431	0·483	0·411	0·386
30..	0·375	0·389	0·432	0·451	0·412	0·402	0·410
31..	0·405	0·380	0·422	0·459	0·497	0·417	0·430
Means	0·386	0·370	0·440	0·484	0·471	0·420	0·429

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of August, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·411	0·433	0·444	0·421	0·453	0·419	0·430
2	0·407	0·430	0·502	0·510	0·454	0·428	0·455
3	0·436	0·423	0·478	0·501	0·413	0·376	0·438
4	0·359	0·363	0·415	0·458	0·429	0·413	0·406
5	0·403	0·417	0·428	0·554	0·473	0·415	0·448
6	0·407	0·403	0·481	0·500	0·393	0·391	0·431
7	0·389	0·391	0·435	0·509	0·359	0·390	0·412
8	0·415	0·433	0·487	0·467	0·416	0·410	0·438
9	0·414	0·388	0·450	0·451	0·486	0·452	0·449
10	0·421	0·361	0·482	0·419	0·399	0·365	0·408
11	0·319	0·290	0·367	0·414	0·407	0·395	0·365
12	0·328	0·308	0·398	0·495	0·393	0·382	0·384
13	0·354	0·335	0·395	0·495	0·420	0·391	0·398
14	0·383	0·354	0·409	0·416	0·412	0·408	0·397
15	0·376	0·348	0·417	0·450	0·416	0·408	0·402
16	0·376	0·348	0·393	0·462	0·437	0·420	0·406
17	0·396	0·389	0·421	0·429	0·420	0·389	0·407
18	0·368	0·348	0·388	0·447	0·415	0·396	0·394
19	0·363	0·335	0·399	0·457	0·441	0·374	0·395
20	0·353	0·322	0·354	0·418	0·438	0·404	0·382
21	0·365	0·351	0·406	0·647	0·418	0·385	0·429
22	0·376	0·361	0·403	0·466	0·445	0·394	0·407
23	0·369	0·355	0·401	0·455	0·459	0·383	0·404
24	0·380	0·355	0·419	0·459	0·429	0·422	0·411
25	0·385	0·353	0·309	0·312	0·435	0·388	0·364
26	0·342	0·335	0·389	0·438	0·451	0·412	0·394
27	0·382	0·382	0·407	0·407	0·409	0·369	0·393
28	0·394	0·402	0·394	0·451	0·470	0·419	0·422
29	0·415	0·388	0·437	0·482	0·493	0·400	0·436
30	0·396	0·382	0·354	0·428	0·435	0·429	0·404
31	0·422	0·407	0·439	0·447	0·408	0·414	0·423
Means	0·384	0·371	0·416	0·460	0·430	0·401	0·410

ABSTRACT of Pressure of Vapour at Esquimalt, British Columbia, for the Month of September, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·382	0·401	0·413	0·427	0·418	0·383	0·404
2	0·353	0·395	0·412	0·432	0·423	0·388	0·400
3	0·393	0·338	0·407	0·416	0·422	0·392	0·395
4	0·351	0·340	0·409	0·453	0·423	0·400	0·396
5	0·382	0·361	0·398	0·439	0·403	0·401	0·397
6	0·370	0·355	0·384	0·405	0·390	0·348	0·375
7	0·335	0·317	0·374	0·364	0·340	0·297	0·338
8	0·275	0·249	0·296	0·383	0·372	0·314	0·315
9	0·275	0·246	0·285	0·331	0·338	0·311	0·298
10	0·299	0·275	0·334	0·358	0·396	0·371	0·339
11	0·348	0·311	0·362	0·397	0·384	0·336	0·356
12	0·274	0·282	0·342	0·347	0·347	0·307	0·317
13	0·282	0·316	0·294	0·349	0·259	0·285	0·297
14	0·284	0·253	0·289	0·323	0·387	0·354	0·315
15	0·333	0·243	0·356	0·363	0·384	0·354	0·355
16	0·307	0·271	0·348	0·355	0·335	0·306	0·320
17	0·335	0·257	0·338	0·360	0·359	0·318	0·328
18	0·285	0·259	0·354	0·347	0·328	0·326	0·317
19	0·288	0·264	0·366	0·333	0·344	0·318	0·319
20	0·289	0·283	0·326	0·488	0·420	0·334	0·357
21	0·360	0·284	0·335	0·348	0·348	0·305	0·320
22	0·299	0·275	0·324	0·338	0·348	0·328	0·319
23	0·305	0·313	0·355	0·358	0·348	0·314	0·332
24	0·328	0·305	0·352	0·350	0·341	0·296	0·329
25	0·278	0·253	0·335	0·335	0·363	0·287	0·309
26	0·261	0·230	0·335	0·356	0·344	0·288	0·302
27	0·253	0·238	0·318	0·322	0·324	0·280	0·289
28	0·253	0·267	0·341	0·423	0·355	0·328	0·328
29	0·292	0·278	0·257	0·341	0·338	0·330	0·306
30	0·332	0·342	0·348	0·420	0·404	0·351	0·366
Means	0·311	0·297	0·346	0·375	0·366	0·332	0·338

ABSTRACT of Pressure of Vapour at Esquimalt, British Columbia, for the Month of October, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·400	0·372	0·418	0·392	0·364	0·334	0·380
2	0·335	0·419	0·363	0·300	0·431	0·308	0·359
3	0·308	0·278	0·289	0·335	0·328	0·336	0·312
4	0·332	0·321	0·365	0·377	0·289	0·290	0·329
5	0·270	0·241	0·310	0·358	0·314	0·287	0·297
6	0·262	0·257	0·298	0·349	0·342	0·322	0·305
7	0·297	0·253	0·322	0·349	0·335	0·316	0·312
8	0·312	0·297	0·322	0·221	0·318	0·271	0·290
9	0·257	0·243	0·342	0·291	0·308	0·292	0·289
10	0·282	0·267	0·310	0·353	0·335	0·336	0·314
11	0·322	0·297	0·270	0·280	0·329	0·310	0·301
12	0·315	0·335	0·334	0·344	0·335	0·335	0·333
13	0·304	0·311	0·352	0·366	0·359	0·312	0·334
14	0·299	0·284	0·361	0·363	0·361	0·305	0·329
15	0·278	0·257	0·333	0·355	0·348	0·333	0·317
16	0·296	0·267	0·335	0·357	0·362	0·318	0·323
17	0·284	0·267	0·315	0·365	0·348	0·310	0·315
18	0·291	0·278	0·335	0·376	0·362	0·335	0·329
19	0·335	0·311	0·329	0·341	0·342	0·342	0·333
20	0·342	0·348	0·361	0·363	0·314	0·322	0·342
21	0·313	0·259	0·299	0·352	0·329	0·285	0·306
22	0·307	0·330	0·341	0·363	0·328	0·278	0·324
23	0·248	0·255	0·299	0·345	0·322	0·288	0·293
24	0·288	0·241	0·257	0·307	0·299	0·245	0·273
25	0·248	0·231	0·285	0·297	0·279	0·238	0·263
26	0·222	0·267	0·283	0·250	0·247	0·256	0·254
27	0·235	0·212	0·235	0·316	0·297	0·240	0·256
28	0·236	0·278	0·276	0·320	0·329	0·318	0·293
29	0·310	0·291	0·285	0·345	0·309	0·316	0·309
30	0·323	0·329	0·335	0·338	0·335	0·290	0·325
31	0·294	0·278	0·289	0·273	0·259	0·287	0·280
Means	0·295	0·286	0·318	0·334	0·328	0·302	0·310

ABSTRACT of Pressure of Vapour at Esquimalt, British Columbia, for the Month of November, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·292	0·289	0·292	0·308	0·294	0·294	0·294
2	0·299	0·313	0·313	0·290	0·296	0·285	0·299
3	0·290	0·286	0·293	0·274	0·294	0·292	0·288
4	0·288	0·255	0·234	0·250	0·230	0·203	0·243
5	0·213	0·185	0·206	0·262	0·259	0·248	0·229
6	0·228	0·239	0·240	0·215	0·221	0·225	0·228
7	0·221	0·241	0·258	0·267	0·288	0·298	0·262
8	0·310	0·264	0·297	0·307	0·311	0·306	0·299
9	0·297	0·292	0·304	0·287	0·272	0·289	0·290
10	0·254	0·233	0·236	0·218	0·211	0·207	0·226
11	0·210	0·192	0·202	0·233	0·216	0·252	0·218
12	0·244	0·268	0·288	0·285	0·278	0·294	0·276
13	0·311	0·340	0·344	0·417	0·402	0·278	0·349
14	0·270	0·289	0·356	0·258	0·163	0·215	0·258
15	0·226	0·212	0·199	0·199	0·170	0·132	0·190
16	0·154	0·154	0·172	0·168	0·155	0·174	0·163
17	0·170	0·156	0·148	0·173	0·170	0·191	0·168
18	0·204	0·207	0·174	0·188	0·182	0·163	0·186
19	0·153	0·139	0·130	0·142	0·140	0·165	0·145
20	0·158	0·110	0·146	0·136	0·114	0·163	0·138
21	0·166	0·163	0·168	0·178	0·180	0·176	0·172
22	0·188	0·188	0·196	0·199	0·190	0·192	0·192
23	0·192	0·187	0·182	0·193	0·187	0·175	0·186
24	0·175	0·167	0·166	0·161	0·144	0·175	0·165
25	0·113	0·113	0·123	0·091	0·098	0·132	0·112
26	0·115	0·071	0·106	0·117	0·097	0·102	0·101
27	0·094	0·092	0·097	0·123	0·109	0·107	0·104
28	0·111	0·102	0·093	0·133	0·117	0·115	0·112
29	0·123	0·120	0·123	0·138	0·144	0·156	0·134
30	0·158	0·178	0·178	0·199	0·207	0·212	0·189
Means	0·207	0·201	0·209	0·213	0·204	0·207	0·207

Abstract of Pressure of Vapour at Esquimalt, British Columbia, for the Month of December, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·217	0·220	0·217	0·219	0·225	0·239	0·223
2	0·254	0·267	0·305	0·289	0·298	0·299	0·285
3	0·318	0·308	0·299	0·313	0·325	0·307	0·312
4	0·325	0·323	0·288	0·268	0·285	0·297	0·298
5	0·281	0·265	0·274	0·304	0·257	0·247	0·271
6	0·249	0·269	0·277	0·243	0·254	0·311	0·257
7	0·293	0·299	0·309	0·351	0·342	0·319	0·319
8	0·342	0·348	0·345	0·339	0·308	0·284	0·328
9	0·263	0·282	0·288	0·330	0·293	0·319	0·296
10	0·303	0·305	0·305	0·294	0·256	0·251	0·286
11	0·264	0·235	0·242	0·277	0·259	0·265	0·257
12	0·252	0·299	0·299	0·328	0·304	0·281	0·294
13	0·235	0·218	0·205	0·235	0·217	0·225	0·222
14	0·213	0·209	0·215	0·199	0·199	0·174	0·201
15	0·174	0·192	0·195	0·192	0·190	0·189	0·189
16	0·177	0·167	0·166	0·156	0·177	0·190	0·172
17	0·191	0·223	0·215	0·137	0·237	0·248	0·208
18	0·257	0·262	0·281	0·288	0·289	0·288	0·277
19	0·299	0·309	0·311	0·368	0·341	0·322	0·325
20	0·289	0·257	0·278	0·336	0·335	0·275	0·295
21	0·268	0·257	0·243	0·287	0·276	0·291	0·270
22	0·294	0·294	0·292	0·317	0·277	0·252	0·288
23	0·254	0·244	0·256	0·251	0·259	0·265	0·255
24	0·269	0·267	0·272	0·291	0·281	0·271	0·275
25	0·277	0·277	0·255	0·299	0·275	0·278	0·277
26	0·262	0·260	0·248	0·291	0·267	0·220	0·258
27	0·229	0·257	0·292	0·322	0·301	0·279	0·280
28	0·288	0·276	0·264	0·267	0·250	0·201	0·258
29	0·222	0·257	0·261	0·236	0·260	0·275	0·252
30	0·244	0·218	0·248	0·268	0·259	0·253	0·248
31	0·248	0·245	0·235	0·241	0·265	0·209	0·240
Means	0·260	0·260	0·264	0·275	0·270	0·262	0·265

Abstract of Pressure of Vapour at Winnipeg, Manitoba, for the Month of April, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·060	0·062	0·069	0·076	0·073	0·084	0·115	0·062	0·075
2	0·067	0·054	0·058	0·079	0·075	0·095	0·063	0·062	0·069
3	0·052	0·054	0·074	0·158	0·121	0·133	0·100	0·129	0·103
4	0·123	0·159	0·190	0·172	0·182	0·171	0·132	0·132	0·158
5									
6	0·084	0·073	0·097	0·092	0·110	0·127	0·102	0·120	0·101
7	0·101	0·086	0·117	0·134	0·156	0·213	0·199	0·181	0·148
8	0·168	0·161	0·171	0·178	0·183	0·177	0·170	0·184	0·174
9	0·180	0·177	0·181	0·188	0·187	0·202	0·174	0·145	0·179
10	0·149	0·137	0·147	0·155	0·166	0·170	0·143	0·107	0·147
11	0·096	0·102	0·144	0·161	0·215	0·213	0·192	0·190	0·164
12									
13	0·160	0·161	0·171	0·177	0·186	0·198	0·166	0·193	0·176
14	0·181	0·165	0·165	0·182	0·173	0·158	0·165	0·131	0·165
15	0·130	0·136	0·144	0·147	0·155	0·171	0·189	0·187	0·157
16	0·154	0·135	0·136	0·163	0·158	0·145	0·126	0·124	0·143
17	0·123	0·125	0·136	0·134	0·139	0·141	0·122	0·196	0·140
18	0·188	0·180	0·199	0·247	0·228	0·215	0·203	0·188	0·206
19									
20	0·168	0·147	0·159	0·180	0·169	0·155	0·149	0·147	0·159
21	0·156	0·161	0·189	0·218	0·237	0·273	0·329	0·280	0·243
22	0·236	0·205	0·344	0·320	0·336	0·354	0·351	0·331	0·310
23	0·305	0·296	0·284	0·296	0·297	0·286	0·276	0·266	0·288
24	0·224	0·211	0·232	0·240	0·256	0·269	0·275	0·247	0·244
25	0·246	0·197	0·300	0·318	0·316	0·354	0·321	0·309	0·295
26									
27	0·351	0·288	0·357	0·485	0·442	0·320	0·227	0·304	0·347
28	0·327	0·272	0·280	0·325	0·339	0·386	0·385	0·370	0·336
29	0·364	0·365	0·370	0·328	0·324	0·286	0·266	0·258	0·320
30	0·260	0·251	0·259	0·269	0·287	0·282	0·255	0·228	0·261
Means	0·179	0·168	0·191	0·209	0·212	0·218	0·200	0·195	0·196

ABSTRACT of Pressure of Vapour at Winnipeg, Manitoba, for the Month of May, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·201	0·200	0·202	0·225	0·234	0·244	0·238	0·211	0·219
2	0·180	0·201	0·242	0·311	0·466	0·364	0·292	0·258	0·289
3									
4	0·245	0·257	0·387	0·319	0·328	0·265	0·322	0·365	0·311
5	0·348	0·355	0·445	0·527	0·531	0·516	0·500	0·380	0·450
6	0·360	0·500	0·549	0·619	0·802	0·758	0·784	0·653	0·628
7	0·497	0·500	0·608	0·838	0·942	0·957	0·534	0·500	0·672
8	0·460	0·417	0·416	0·756	0·758	0·509	0·496	0·466	0·535
9	0·449	0·403	0·335	0·452	0·499	0·373	0·382	0·335	0·403
10									
11	0·288	0·296	0·353	0·530	0·499	0·528	0·390	0·422	0·413
12	0·341	0·387	0·452	0·613	0·564	0·523	0·572	0·534	0·498
13	0·468	0·433	0·452	0·460	0·429	0·429	0·439	0·368	0·435
14	0·389	0·337	0·357	0·354	0·353	0·338	0·347	0·319	0·349
15	0·322	0·303	0·341	0·359	0·305	0·345	0·315	0·325	0·327
16	0·284	0·295	0·351	0·350	0·350	0·397	0·387	0·345	0·345
17									
18	0·217	0·215	0·252	0·260	0·249	0·269	0·252	0·227	0·243
19	0·180	0·237	0·267	0·290	0·305	0·338	0·315	0·355	0·286
20	0·370	0·353	0·403	0·426	0·443	0·411	0·433	0·366	0·401
21	0·274	0·358	0·416	0·364	0·331	0·342	0·276	0·247	0·326
22	0·233	0·290	0·302	0·449	0·601	0·456	0·407	0·403	0·393
23	0·387	0·412	0·424	0·486	0·509	0·513	0·468	0·449	0·456
24									
25	0·446	0·443	0·449	0·459	0·387	0·357	0·299	0·294	0·392
26	0·254	0·266	0·216	0·285	0·280	0·298	0·299	0·306	0·275
27	0·294	0·297	0·357	0·373	0·355	0·366	0·389	0·373	0·350
28	0·350	0·347	0·387	0·493	0·505	0·511	0·407	0·397	0·425
29	0·373	0·389	0·471	0·485	0·440	0·420	0·412	0·393	0·423
30	0·387	0·388	0·414	0·360	0·576	0·398	0·358	0·349	0·404
31									
Means	0·331	0·342	0·379	0·440	0·463	0·432	0·397	0·371	0·394

Abstract of Pressure of Vapour at Winnipeg, Manitoba, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·390	0·408	0·479	0·550	0·601	0·586	0·519	0·493	0·503
2	0·404	0·417	0·512	0·591	0·565	0·589	0·545	0·481	0·513
3	0·456	0·473	0·516	0·591	0·612	0·567	0·552	0·538	0·538
4	0·512	0·546	0·587	0·598	0·620	0·592	0·572	0·411	0·555
5	0·373	0·346	0·410	0·412	0·419	0·452	0·376	0·334	0·390
6	0·307	0·345	0·367	0·419	0·441	0·455	0·402	0·383	0·390
7									
8	0·271	0·349	0·356	0·391	0·412	0·426	0·420	0·360	0·373
9	0·373	0·394	0·402	0·512	0·557	0·540	0·513	0·452	0·467
10	0·403	0·461	0·567	0·609	0·533	0·604	0·546	0·613	0·542
11	0·518	0·494	0·433	0·438	0·446	0·463	0·404	0·368	0·445
12	0·323	0·397	0·430	0·493	0·466	0·542	0·487	0·433	0·446
13	0·360	0·403	0·560	0·642	0·692	0·734	0·679	0·554	0·578
14									
15	0·518	0·596	0·660	0·731	0·832	0·832	0·744	0·532	0·681
16	0·547	0·553	0·584	0·772	0·799	0·800	0·748	0·635	0·680
17	0·473	0·552	0·612	0·661	0·672	0·675	0·487	0·532	0·583
18	0·532	0·522	0·532	0·634	0·729	0·727	0·559	0·607	0·605
19	0·537	0·600	0·591	0·648	0·527	0·545	0·441	0·500	0·549
20	0·518	0·549	0·655	0·744	0·820	0·684	0·526	0·402	0·612
21									
22	0·356	0·451	0·472	0·458	0·542	0·581	0·468	0·468	0·475
23	0·430	0·488	0·498	0·751	0·758	0·784	0·505	0·661	0·609
24	0·582	0·613	0·603	0·594	0·532	0·517	0·495	0·482	0·552
25	0·420	0·447	0·459	0·525	0·445	0·510	0·426	0·456	0·461
26	0·475	0·413	0·505	0·438	0·433	0·540	0·552	0·383	0·467
27	0·388	0·406	0·436	0·579	0·466	0·536	0·461	0·436	0·468
28									
29	0·404	0·456	0·598	0·733	0·770	0·841	0·683	0·675	0·645
30	0·582	0·574	0·604	0·669	0·669	0·802	0·729	0·658	0·661
Means	0·440	0·471	0·516	0·584	0·591	0·612	0·532	0·494	0·530

Abstract of Pressure of Vapour at Winnipeg, Manitoba, for the Month of July, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·625	0·676	0·880	1·011	1·078	0·985	0·634	0·638	0·816
2	0·546	0·512	0·505	0·516	0·439	0·498	0·468	0·469	0·494
3	0·457	0·429	0·474	0·485	0·452	0·499	0·498	0·426	0·465
4	0·415	0·484	0·581	0·703	0·635	0·652	0·582	0·537	0·574
5									
6	0·387	0·391	0·586	0·634	0·600	0·479	0·527	0·336	0·492
7	0·404	0·444	0·546	0·656	0·682	0·708	0·594	0·532	0·571
8	0·449	0·451	0·523	0·551	0·608	0·622	0·598	0·662	0·558
9	0·576	0·638	0·734	0·805	0·864	0·889	0·715	0·650	0·734
10	0·522	0·552	0·754	0·853	0·881	0·875	0·812	0·774	0·753
11	0·730	0·581	0·672	0·892	0·881	0·851	0·735	0·662	0·751
12									
13	0·421	0·461	0·598	0·544	0·580	0·633	0·594	0·548	0·547
14	0·514	0·632	0·576	0·639	0·589	0·582	0·496	0·446	0·559
15	0·360	0·407	0·489	0·433	0·475	0·508	0·473	0·420	0·446
16	0·347	0·414	0·492	0·567	0·647	0·682	0·591	0·573	0·539
17	0·532	0·562	0·596	0·465	0·540	0·393	0·505	0·441	0·504
18	0·400	0·410	0·453	0·497	0·500	0·527	0·495	0·426	0·463
19									
20	0·387	0·424	0·493	0·449	0·460	0·454	0·500	0·450	0·452
21	0·457	0·418	0·411	0·498	0·489	0·464	0·452	0·446	0·454
22	0·389	0·383	0·337	0·391	0·411	0·404	0·389	0·347	0·381
23	0·296	0·334	0·390	0·452	0·496	0·469	0·505	0·434	0·422
24	0·375	0·398	0·489	0·608	0·589	0·536	0·581	0·502	0·510
25	0·404	0·412	0·586	0·695	0·735	0·634	0·518	0·430	0·551
26									
27	0·343	0·362	0·546	0·597	0·565	0·630	0·585	0·559	0·523
28	0·505	0·487	0·583	0·690	0·592	0·594	0·511	0·432	0·549
29	0·387	0·397	0·432	0·500	0·566	0·559	0·449	0·373	0·458
30	0·418	0·449	0·479	0·529	0·603	0·540	0·482	0·433	0·492
31	0·412	0·461	0·539	0·796	0·981	0·847	0·613	0·486	0·642
Means	0·447	0·466	0·546	0·609	0·627	0·612	0·552	0·497	0·544

ABSTRACT of Pressure of Vapour at Winnipeg, Manitoba, for the Month of August, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·410	0·466	0·687	0·855	0·677	0·874	0·641	0·639	0·656
2									
3	0·550	0·572	0·460	0·814	0·714	0·638	0·527	0·500	0·597
4	0·500	0·534	0·470	0·433	0·644	0·618	0·582	0·537	0·540
5	0·552	0·556	0·567	0·622	0·727	0·684	0·624	0·518	0·606
6	0·422	0·411	0·546	0·748	0·779	0·725	0·657	0·635	0·615
7	0·552	0·537	0·721	0·829	0·963	0·927	0·733	0·596	0·732
8	0·592	0·592	0·596	0·669	0·695	0·686	0·613	0·527	0·621
9									
10	0·335	0·372	0·416	0·667	0·724	0·634	0·449	0·414	0·501
11	0·387	0·384	0·451	0·658	0·550	0·498	0·466	0·386	0·472
12	0·369	0·321	0·487	0·536	0·626	0·569	0·485	0·403	0·475
13	0·387	0·347	0·543	0·634	0·676	0·625	0·537	0·449	0·525
14	0·334	0·347	0·513	0·533	0·571	0·550	0·473	0·373	0·462
15	0·322	0·347	0·386	0·309	0·472	0·441	0·347	0·288	0·364
16									
17	0·257	0·257	0·482	0·449	0·476	0·501	0·418	0·257	0·387
18	0·276	0·249	0·290	0·501	0·523	0·536	0·454	0·429	0·407
19	0·420	0·451	0·566	0·679	0·780	0·720	0·613	0·572	0·600
20	0·336	0·389	0·653	0·668	0·675	0·770	0·613	0·592	0·587
21	0·449	0·430	0·536	0·650	0·715	0·537	0·537	0·482	0·542
22	0·403	0·386	0·363	0·402	0·455	0·481	0·403	0·418	0·414
23									
24	0·322	0·310	0·530	0·568	0·677	0·695	0·540	0·573	0·527
25	0·513	0·527	0·373	0·300	0·315	0·350	0·324	0·334	0·379
26	0·322	0·293	0·294	0·393	0·399	0·389	0·360	0·311	0·345
27	0·287	0·264	0·285	0·439	0·500	0·506	0·439	0·407	0·391
28	0·372	0·397	0·516	0·722	0·690	0·699	0·385	0·366	0·518
29	0·328	0·338	0·409	0·590	0·576	0·577	0·387	0·466	0·459
30									
31	0·203	0·220	0·349	0·419	0·429	0·427	0·387	0·347	0·348
Means	0·392	0·396	0·480	0·580	0·617	0·602	0·500	0·455	0·503

ABSTRACT of Pressure of Vapour at Winnipeg Manitoba, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·322	0·324	0·389	0·500	0·515	0·511	0·466	0·433	0·432
2	0·248	0·370	0·380	0·463	0·448	0·375	0·336	0·311	0·366
3	0·202	0·211	0·315	0·362	0·433	0·429	0·344	0·334	0·329
4	0·333	0·334	0·373	0·393	0·413	0·387	0·276	0·309	0·352
5	0·276	0·373	0·389	0·467	0·495	0·466	0·360	0·276	0·388
6									
7	0·446	0·418	0·466	0·566	0·652	0·582	0·407	0·360	0·487
8	0·387	0·403	0·439	0·459	0·475	0·433	0·347	0·249	0·412
9	0·360	0·353	0·403	0·407	0·401	0·400	0·276	0·271	0·359
10	0·257	0·257	0·334	0·335	0·408	0·387	0·274	0·255	0·313
11	0·257	0·266	0·303	0·356	0·410	0·397	0·376	0·360	0·341
12	0·347	0·349	0·387	0·433	0·411	0·418	0·430	0·403	0·397
13									
14	0·320	0·298	0·317	0·362	0·393	0·452	0·298	0·257	0·337
15	0·193	0·203	0·298	0·450	0·433	0·437	0·403	0·387	0·350
16	0·288	0·245	0·355	0·407	0·324	0·413	0·361	0·350	0·343
17	0·328	0·296	0·359	0·335	0·375	0·352	0·311	0·297	0·332
18	0·319	0·258	0·249	0·207	0·164	0·156	0·182	0·161	0·212
19	0·161	0·148	0·193	0·223	0·267	0·274	0·173	0·251	0·211
20									
21	0·139	0·130	0·184	0·228	0·226	0·216	0·194	0·171	0·186
22	0·160	0·169	0·237	0·318	0·408	0·343	0·308	0·280	0·278
23	0·277	0·290	0·348	0·496	0·543	0·527			
24	0·437	0·387	0·393	0·469	0·452	0·403	0·425	0·337	0·413
25	0·285	0·298	0·283	0·265	0·252	0·232	0·218	0·191	0·253
26	0·191	0·192	0·207	0·211	0·206	0·223	0·182	0·157	0·196
27									
28	0·265	0·258	0·291	0·382	0·466	0·472	0·441	0·384	0·370
29	0·356	0·294	0·333	0·420	0·479	0·393	0·309	0·239	0·353
30	0·209	0·193	0·298	0·399	0·392	0·323	0·268	0·302	0·298
Means	0·283	0·281	0·327	0·377	0·396	0·379	0·319	0·297	0·332

Abstract of Pressure of Vapour at Winnipeg, Manitoba, for the Month of October, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·289	0·289	0·308	0·341	0·372	0·375	0·299	0·266	0·317
2	0·257	0·215	0·294	0·391	0·410	0·376	0·285	0·279	0·313
3	0·283	0·276	0·311	0·395	0·431	0·438	0·400	0·375	0·364
4									
5	0·198	0·157	0·193	0·210	0·205	0·186	0·156	0·129	0·179
6	0·118	0·103	0·156	0·191	0·172	0·154	0·153	0·127	0·147
7	0·122	0·118	0·131	0·186	0·187	0·171	0·187	0·174	0·159
8	0·222	0·226	0·231	0·250	0·288	0·193	0·211	0·172	0·224
9	0·225	0·217	0·221	0·212	0·207	0·204	0·174	0·177	0·205
10	0·179	0·145	0·173	0·225	0·229	0·219	0·171	0·149	0·186
11									
12	0·336	0·329	0·374	0·371	0·370	0·334	0·326	0·281	0·340
13	0·277	0·183	0·213	0·307	0·284	0·256	0·261	0·253	0·254
14	0·215	0·248	0·238	0·268	0·262	0·244	0·204	0·181	0·233
15	0·155	0·160	0·188	0·179	0·219	0·235	0·268	0·233	0·205
16	0·183	0·212	0·205	0·179	0·143	0·150	0·116	0·123	0·164
17	0·125	0·124	0·117	0·142	0·150	0·150	0·126	0·113	0·131
18									
19	0·144	0·151	0·144	0·187	0·195	0·147	0·128	0·135	0·154
20	0·132	0·119	0·132	0·171	0·172	0·129	0·120	0·098	0·134
21	0·093	0·091	0·111	0·204	0·222	0·126	0·108	0·112	0·134
22	0·117	0·115	0·126	0·155	0·179	0·149	0·128	0·117	0·136
23	0·111	0·120	0·142	0·159	0·171	0·174	0·144	0·146	0·146
24	0·138	0·131	0·158	0·179	0·243	0·211	0·187	0·180	0·178
25									
26	0·160	0·174	0·197	0·215	0·163	0·191	0·152	0·152	0·175
27	0·150	0·189	0·177	0·204	0·242	0·211	0·203	0·206	0·198
28	0·192	0·170	0·165	0·150	0·156	0·149	0·130	0·123	0·154
29	0·114	0·112	0·141	0·149	0·157	0·155	0·149	0·133	0·139
30	0·130	0·149	0·150	0·152	0·139	0·147	0·141	0·142	0·144
31	0·136	0·139	0·139	0·158	0·161	0·161	0·135	0·130	0·145
Means	0·178	0·173	0·190	0·220	0·227	0·209	0·187	0·174	0·195

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of January, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·083	0·075	0·089	0·099	0·077	0·106	0·088
2.	0·154	0·158	0·158	0·171	0·166	0·165	0·162
3.	0·093	0·086	0·081	0·073	0·058	0·063	0·076
4.	0·043	0·034	0·041	0·046	0·035	0·040	0·040
5.	0·031	0·028	0·033	0·041	0·021	0·021	0·029
6.	0·026	0·031	0·051	0·040	0·047	0·054	0·042
7.	0·066	0·064	0·069	0·074	0·049	0·049	0·062
8.	0·057	0·049	0·058	0·078	0·086	0·070	0·066
9.	0·090	0·095	0·134	0·150	0·152	0·095	0·119
10.	0·074	0·084	0·095	0·109	0·055	0·103	0·087
11.	0·081	0·086	0·126	0·152	0·139	0·127	0·119
12.	0·113	0·144	0·152	0·133	0·081	0·085	0·118
13.	0·073	0·069	0·077	0·072	0·063	0·060	0·069
14.	0·071	0·078	0·110	0·083	0·093	0·112	0·091
15.	0·094	0·066	0·084	0·088	0·075	0·055	0·077
16.	0·065	0·115	0·097	0·147	0·139	0·128	0·115
17.	0·112	0·109	0·136	0·144	0·145	0·151	0·133
18.	0·139	0·133	0·151	0·173	0·166	0·173	0·156
19.	0·166	0·137	0·177	0·164	0·139	0·133	0·153
20.	0·112	0·133	0·152	0·157	0·163	0·166	0·147
21.	0·152	0·142	0·157	0·159	0·115	0·091	0·136
22.	0·063	0·070	0·090	0·110	0·110	0·119	0·094
23.	0·121	0·145	0·164	0·175	0·184	0·172	0·160
24.	0·178	0·171	0·171	0·171	0·168	0·170	0·172
25.	0·152	0·141	0·178	0·171	0·159	0·145	0·158
26.	0·142	0·142	0·145	0·145	0·121	0·074	0·128
27.	0·063	0·070	0·108	0·137	0·115	0·101	0·099
28.	0·082	0·074	0·145	0·166	0·113	0·092	0·112
29.	0·100	0·121	0·144	0·187	0·152	0·181	0·147
30.	0·171	0·186	0·202	0·194	0·164	0·159	0·179
31.	0·137	0·133	0·136	0·136	0·145	0·157	0·141
Means	0·109	0·102	0·120	0·127	0·113	0·110	0·112

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·164	0·178	0·217	0·213	0·194	0·175	0·190
2	0·166	0·154	0·159	0·159	0·121	0·101	0·143
3	0·110	0·127	0·121	0·121	0·136	0·142	0·126
4	0·127	0·151	0·166	0·194	0·171	0·175	0·164
5	0·134	0·156	0·152	0·171	0·121	0·112	0·141
6	0·139	0·163	0·171	0·182	0·171	0·164	0·165
7	0·136	0·133	0·145	0·159	0·139	0·138	0·142
8	0·127	0·110	0·115	0·134	0·127	0·119	0·122
9	0·115	0·103	0·105	0·107	0·100	0·110	0·107
10	0·053	0·121	0·126	0·131	0·159	0·137	0·121
11	0·095	0·086	0·084	0·086	0·061	0·059	0·079
12	0·050	0·049	0·072	0·075	0·086	0·090	0·070
13	0·074	0·110	0·108	0·099	0·100	0·083	0·096
14	0·090	0·105	0·101	0·088	0·085	0·127	0·099
15	0·148	0·186	0·219	0·159	0·090	0·060	0·144
16	0·049	0·040	0·029	0·045	0·034	0·013	0·035
17	0·012	0·010	0·019	0·030	0·029	0·024	0·021
18	0·032	0·015	0·048	0·093	0·082	0·049	0·053
19	0·078	0·078	0·090	0·082	0·067	0·057	0·075
20	0·042	0·047	0·049	0·047	0·042	0·051	0·046
21	0·045	0·043	0·065	0·070	0·059	0·052	0·056
22	0·042	0·046	0·084	0·128	0·133	0·158	0·098
23	0·169	0·185	0·194	0·208	0·187	0·183	0·188
24	0·179	0·175	0·152	0·145	0·086	0·073	0·135
25	0·047	0·086	0·046	0·076	0·082	0·108	0·074
26	0·145	0·171	0·178	0·164	0·157	0·125	0·157
27	0·121	0·127	0·194	0·254	0·260	0·203	0·193
28	0·228	0·210	0·219	0·219	0·182	0·180	0·206
29	0·121	0·086	0·113	0·164	0·143	0·147	0·129
Means	0·105	0·112	0·122	0·131	0·117	0·111	0·116

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of March, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·139	0·152	0·148	0·158	0·095	0·091	0·131
2	0·095	0·100	0·090	0·100	0·086	0·252	0·087
3	0·063	0·070	0·063	0·069	0·067	0·044	0·063
4	0·055	0·049	0·070	0·072	0·070	0·074	0·065
5	0·047	0·042	0·082	0·139	0·110	0·120	0·090
6	0·100	0·115	0·152	0·153	0·178	0·181	0·146
7	0·152	0·152	0·137	0·152	0·127	0·130	0·142
8	0·100	0·115	0·115	0·152	0·110	0·110	0·117
9	0·105	0·099	0·110	0·121	0·090	0·096	0·104
10	0·050	0·082	0·095	0·090	0·082	0·076	0·079
11	0·063	0·063	0·067	0·060	0·069	0·062	0·064
12	0·049	0·070	0·055	0·049	0·049	0·040	0·052
13	0·032	0·028	0·060	0·080	0·051	0·060	0·052
14	0·049	0·063	0·082	0·063	0·061	0·060	0·063
15	0·063	0·069	0·121	0·133	0·100	0·055	0·090
16	0·047	0·055	0·129	0·139	0·130	0·078	0·096
17	0·065	0·072	0·177	0·186	0·154	0·154	0·135
18	0·127	0·103	0·162	0·176	0·176	0·154	0·150
19	0·165	0·170	0·146	0·162	0·111	0·111	0·144
20	0·079	0·046	0·094	0·090	0·067	0·061	0·073
21	0·070	0·100	0·168	0·218	0·181	0·208	0·158
22	0·194	0·098	0·111	0·090	0·084	0·064	0·107
23	0·057	0·046	0·093	0·088	0·090	0·060	0·072
24	0·057	0·076	0·099	0·078	0·102	0·093	0·084
25	0·127	0·130	0·197	0·217	0·256	0·228	0·192
26	0·230	0·219	0·121	0·124	0·088	0·090	0·145
27	0·057	0·086	0·119	0·126	0·145	0·105	0·106
28	0·099	0·114	0·192	0·183	0·168	0·178	0·156
29	0·247	0·250	0·366	0·304	0·257	0·216	0·273
30	0·166	0·189	0·246	0·296	0·249	0·172	0·220
31	0·153	0·171	0·238	0·271	0·233	0·152	0·203
Means	0·100	0·103	0·132	0·140	0·124	0·109	0·118

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of April, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·150	0·164	0·166	0·178	0·183	0·162	0·167
2	0·171	0·145	0·138	0·105	0·086	0·082	0·121
3	0·086	0·083	0·081	0·099	0·100	0·094	0·091
4	0·097	0·107	0·098	0·150	0·147	0·109	0·118
5	0·105	0·133	0·151	0·172	0·162	0·124	0·141
6	0·134	0·149	0·171	0·147	0·147	0·133	0·147
7	0·127	0·139	0·162	0·158	0·175	0·145	0·151
8	0·121	0·140	0·181	0·170	0·160	0·140	0·152
9	0·141	0·147	0·208	0·219	0·202	0·200	0·186
10	0·192	0·211	0·228	0·248	0·220	0·162	0·210
11	0·210	0·215	0·235	0·219	0·244	0·228	0·225
12	0·240	0·235	0·386	0·607	0·528	0·380	0·396
13	0·413	0·411	0·559	0·518	0·528	0·369	0·466
14	0·404	0·395	0·496	0·488	0·427	0·355	0·427
15	0·311	0·360	0·553	0·568	0·510	0·421	0·454
16	0·390	0·462	0·660	0·785	0·648	0·565	0·585
17	0·568	0·555	0·782	0·726	0·523	0·495	0·608
18	0·418	0·446	0·963	0·978	0·608	0·515	0·655
19	0·510	0·548	0·545	0·448	0·389	0·308	0·458
20	0·296	0·334	0·497	0·464	0·417	0·418	0·404
21	0·352	0·414	0·477	0·446	0·271	0·233	0·366
22	0·199	0·197	0·246	0·321	0·292	0·212	0·244
23	0·166	0·202	0·315	0·430	0·400	0·308	0·304
24	0·285	0·266	0·286	0·310	0·308	0·293	0·291
25	0·289	0·341	0·400	0·480	0·388	0·280	0·363
26	0·269	0·321	0·514	0·679	0·480	0·326	0·432
27	0·307	0·300	0·549	0·562	0·488	0·436	0·440
28	0·389	0·424	0·643	0·729	0·612	0·429	0·538
29	0·387	0·363	0·468	0·493	0·367	0·331	0·402
30	0·300	0·292	0·468	0·505	0·454	0·350	0·395
Means	0·267	0·283	0·387	0·413	0·349	0·287	0·331

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of May, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·489	0·437	0·588	0·807	0·614	0·366	0·550
2	0·344	0·393	0·698	0·660	0·531	0·446	0·512
3	0·378	0·425	0·498	0·531	0·582	0·365	0·463
4	0·442	0·476	0·763	0·827	0·571	0·400	0·580
5	0·333	0·360	0·657	0·705	0·589	0·407	0·509
6	0·321	0·369	0·610	0·732	0·513	0·352	0·483
7	0·296	0·360	0·670	0·858	0·533	0·408	0·521
8	0·368	0·470	0·908	1·180	0·900	0·607	0·739
9	0·515	0·603	1·102	1·219	0·982	0·621	0·840
10	0·536	0·610	1·081	1·149	0·665	0·608	0·775
11	0·510	0·563	0·872	0·689	0·592	0·526	0·625
12	0·523	0·545	0·572	0·496	0·365	0·319	0·470
13	0·280	0·329	0·607	0·461	0·312	0·284	0·379
14	0·277	0·330	0·572	0·711	0·515	0·488	0·482
15	0·403	0·368	0·451	0·452	0·342	0·354	0·395
16	0·324	0·298	0·541	0·592	0·482	0·446	0·447
17	0·438	0·469	0·603	0·523	0·533	0·451	0·503
18	0·429	0·459	0·481	0·594	0·565	0·539	0·511
19	0·388	0·395	0·424	0·624	0·380	0·274	0·414
20	0·238	0·270	0·446	0·463	0·377	0·289	0·347
21	0·277	0·358	0·599	0·664	0·612	0·545	0·509
22	0·490	0·523	0·539	0·723	0·558	0·374	0·535
23	0·323	0·333	0·424	0·541	0·415	0·323	0·393
24	0·276	0·297	0·639	0·832	0·735	0·468	0·541
25	0·513	0·536	0·639	0·680	0·635	0·671	0·612
26	0·616	0·663	0·727	0·802	0·659	0·446	0·652
27	0·329	0·374	0·671	0·759	0·593	0·479	0·534
28	0·423	0·435	0·714	0·531	0·431	0·269	0·467
29	0·294	0·256	0·414	0·489	0·430	0·433	0·369
30	0·236	0·352	0·570	0·559	0·397	0·337	0·409
31	0·289	0·296	0·362	0·377	0·368	0·285	0·330
Means	0·384	0·418	0·627	0·685	0·541	0·422	0·513

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·243	0·317	0·388	0·434	0·388	0·305	0·346
2	0·247	0·398	0·435	0·487	0·454	0·324	0·392
3	0·258	0·375	0·527	0·882	0·610	0·474	0·521
4	0·403	0·451	0·879	1·016	0·882	0·530	0·693
5	0·435	0·588	1·101	1·033	0·845	0·683	0·781
6	0·537	0·585	0·836	1·215	0·883	0·666	0·787
7	0·569	0·553	1·112	1·200	0·628	0·604	0·778
8	0·599	0·639	0·766	0·815	0·668	0·649	0·689
9	0·599	0·677	0·568	0·780	0·636	0·466	0·621
10	0·432	0·439	0·638	0·713	0·510	0·366	0·516
11	0·327	0·415	0·705	0·659	0·659	0·425	0·532
12	0·397	0·493	0·831	0·954	0·755	0·489	0·653
13	0·384	0·481	0·807	0·868	0·621	0·430	0·598
14	0·358	0·429	0·802	0·877	0·824	0·421	0·618
15	0·367	0·499	0·718	0·593	0·534	0·450	0·527
16	0·415	0·421	0·585	0·701	0·606	0·444	0·529
17	0·371	0·493	0·802	0·811	0·705	0·540	0·620
18	0·428	0·571	0·621	0·626	0·637	0·486	0·561
19	0·406	0·491	0·633	0·651	0·634	0·591	0·568
20	0·597	0·662	0·808	0·617	0·769	0·673	0·688
21	0·648	0·718	0·711	0·717	0·688	0·597	0·679
22	0·451	0·441	0·536	0·622	0·403	0·341	0·466
23	0·311	0·343	0·455	0·541	0·473	0·368	0·415
24	0·346	0·429	0·565	0·722	0·555	0·526	0·524
25	0·498	0·479	0·637	0·812	0·742	0·551	0·620
26	0·663	0·494	0·551	0·518	0·527	0·398	0·525
27	0·372	0·537	0·809	0·855	0·572	0·498	0·607
28	0·542	0·597	0·583	0·578	0·590	0·365	0·542
29	0·414	0·440	0·424	0·414	0·343	0·285	0·387
30	0·240	0·303	0·475	0·624	0·482	0·456	0·430
Means	0·429	0·492	0·677	0·738	0·621	0·480	0·574

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of July, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means
	in.	in.	in.	in.	in.	in.	in.
1	0·467	0·522	0·758	0·810	0·644	0·456	0·609
2	0·395	0·635	0·791	0·844	0·923	0·592	0·697
3	0·645	0·672	0·847	0·932	0·784	0·663	0·757
4	0·528	0·525	0·694	0·778	0·727	0·642	0·649
5	0·548	0·519	0·532	0·680	0·679	0·475	0·572
6	0·677	0·582	0·933	0·817	0·601	0·410	0·670
7	0·369	0·415	0·585	0·701	0·631	0·468	0·528
8	0·395	0·434	0·823	0·870	0·708	0·498	0·621
9	0·510	0·517	0·539	0·811	0·616	0·534	0·588
10	0·514	0·535	0·685	0·714	0·694	0·562	0·617
11	0·641	0·438	0·926	1·005	0·834	0·680	0·754
12	0·597	0·689	0·970	1·034	0·914	0·705	0·818
13	0·708	0·713	0·951	1·047	0·861	0·711	0·832
14	0·625	0·615	0·724	0·808	0·751	0·650	0·696
15	0·685	0·744	0·736	0·619	0·506	0·477	0·628
16	0·360	0·369	0·429	0·469	0·426	0·336	0·398
17	0·305	0·353	0·469	0·561	0·488	0·372	0·425
18	0·311	0·381	0·634	0·628	0·590	0·545	0·515
19	0·578	0·607	0·692	0·748	0·620	0·611	0·643
20	0·651	0·678	0·786	0·736	0·749	0·648	0·708
21	0·632	0·647	0·843	1·033	0·978	0·657	0·798
22	0·614	0·652	0·727	0·841	0·684	0·488	0·668
23	0·396	0·415	0·469	0·523	0·442	0·431	0·446
24	0·273	0·422	0·428	0·515	0·477	0·440	0·426
25	0·360	0·438	0·584	0·581	0·581	0·531	0·513
26	0·530	0·615	0·715	0·700	0·628	0·655	0·640
27	0·655	0·655	0·742	0·778	0·739	0·644	0·702
28	0·549	0·628	0·807	0·698	0·772	0·671	0·688
29	0·610	0·682	0·914	0·861	0·824	0·703	0·766
30	0·712	0·739	0·860	0·733	0·595	0·531	0·695
31	0·454	0·469	0·525	0·536	0·501	0·493	0·496
Means	0·526	0·558	0·713	0·755	0·676	0·557	0·631

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of August, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·451	0·489	0·589	0·613	0·545	0·491	0·530
2.	0·446	0·509	0·592	0·718	0·587	0·499	0·558
3.	0·434	0·477	0·702	0·791	0·585	0·579	0·595
4.	0·597	0·660	0·766	0·808	0·765	0·684	0·713
5.	0·819	0·663	0·965	0·985	0·800	0·758	0·832
6.	0·681	0·702	0·931	1·016	0·908	0·725	0·827
7.	0·718	0·727	0·894	0·907	0·684	0·555	0·749
8.	0·461	0·526	0·943	0·796	0·841	0·717	0·714
9.	0·735	0·828	0·963	0·893	0·869	0·717	0·834
10.	0·694	0·679	0·793	0·890	0·677	0·651	0·731
11.	0·648	0·666	0·831	0·848	0·793	0·769	0·759
12.	0·648	0·479	0·735	0·902	0·596	0·535	0·649
13.	0·466	0·477	0·622	0·644	0·644	0·543	0·566
14.	0·472	0·518	0·620	0·678	0·667	0·558	0·586
15.	0·493	0·518	0·812	0·831	0·704	0·713	0·678
16.	0·666	0·691	0·595	0·580	0·389	0·390	0·552
17.	0·352	0·425	0·418	0·471	0·419	0·389	0·412
18.	0·379	0·374	0·406	0·428	0·326	0·297	0·368
19.	0·281	0·324	0·385	0·413	0·367	0·311	0·347
20.	0·245	0·293	0·365	0·428	0·436	0·434	0·367
21.	0·452	0·442	0·555	0·588	0·576	0·494	0·518
22.	0·425	0·434	0·623	0·699	0·694	0·726	0·600
23.	0·678	0·675	0·617	0·607	0·563	0·491	0·605
24.	0·411	0·410	0·539	0·513	0·456	0·357	0·448
25.	0·283	0·282	0·458	0·611	0·483	0·402	0·420
26.	0·466	0·572	0·689	0·542	0·405	0·321	0·449
27.	0·287	0·298	0·450	0·435	0·368	0·287	0·354
28.	0·262	0·250	0·472	0·383	0·421	0·349	0·356
29.	0·273	0·255	0·497	0·543	0·462	0·435	0·411
30.	0·475	0·492	0·605	0·624	0·603	0·457	0·543
31.	0·366	0·449	0·393	0·352	0·279	0·240	0·347
Means.	0·486	0·503	0·640	0·662	0·578	0·512	0·563

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of September, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·215	0·291	0·346	0·372	0·355	0·287	0·311
2.	0·252	0·309	0·492	0·546	0·486	0·529	0·436
3.	0·535	0·551	0·496	0·435	0·339	0·305	0·443
4.	0·270	0·259	0·373	0·392	0·353	0·270	0·319
5.	0·280	0·328	0·310	0·522	0·504	0·456	0·400
6.	0·410	0·363	0·395	0·396	0·401	0·403	0·395
7.	0·248	0·324	0·398	0·445	0·422	0·334	0·362
8.	0·289	0·281	0·512	0·519	0·383	0·353	0·390
9.	0·327	0·333	0·605	0·633	0·576	0·479	0·492
10.	0·469	0·521	0·773	0·781	0·677	0·578	0·633
11.	0·568	0·611	0·774	0·791	0·736	0·657	0·690
12.	0·519	0·601	0·729	0·808	0·664	0·542	0·644
13.	0·495	0·462	0·524	0·588	0·530	0·484	0·514
14.	0·462	0·508	0·457	0·687	0·433	0·582	0·521
15.	0·519	0·414	0·465	0·443	0·374	0·301	0·419
16.	0·311	0·319	0·411	0·482	0·449	0·403	0·396
17.	0·407	0·418	0·511	0·468	0·378	0·359	0·424
18.	0·360	0·304	0·442	0·480	0·433	0·418	0·406
19.	0·402	0·395	0·377	0·308	0·232	0·223	0·323
20.	0·217	0·226	0·305	0·322	0·311	0·270	0·275
21.	0·249	0·290	0·349	0·385	0·374	0·357	0·334
22.	0·347	0·313	0·276	0·241	0·093	0·158	0·238
23.	0·144	0·142	0·245	0·260	0·239	0·224	0·209
24.	0·216	0·228	0·372	0·368	0·305	0·270	0·293
25.	0·255	0·315	0·448	0·429	0·447	0·466	0·393
26.	0·472	0·490	0·521	0·566	0·490	0·394	0·499
27.	0·417	0·354	0·366	0·370	0·285	0·269	0·343
28.	0·236	0·228	0·350	0·332	0·301	0·301	0·291
29.	0·327	0·336	0·434	0·472	0·511	0·418	0·416
30.	0·456	0·340	0·360	0·352	0·344	0·344	0·366
Means	0·356	0·362	0·447	0·473	0·414	0·381	0·405

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of October, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·374	0·296	0·315	0·311	0·290	0·230	0·303
2	0·202	0·184	0·273	0·306	0·266	0·224	0·242
3	0·186	0·171	0·323	0·325	0·311	0·270	0·264
4	0·213	0·264	0·311	0·346	0·308	0·241	0·281
5	0·186	0·188	0·338	0·352	0·313	0·245	0·270
6	0·233	0·263	0·255	0·355	0·220	0·244	0·262
7	0·217	0·228	0·224	0·204	0·200	0·195	0·211
8	0·207	0·187	0·213	0·195	0·154	0·146	0·184
9	0·141	0·132	0·207	0·207	0·189	0·190	0·178
10	0·170	0·164	0·237	0·314	0·244	0·228	0·226
11	0·181	0·173	0·281	0·304	0·236	0·257	0·239
12	0·249	0·240	0·288	0·296	0·242	0·250	0·261
13	0·253	0·233	0·287	0·284	0·283	0·239	0·263
14	0·230	0·235	0·373	0·436	0·339	0·244	0·309
15	0·215	0·185	0·378	0·522	0·379	0·255	0·322
16	0·275	0·245	0·252	0·245	0·205	0·187	0·235
17	0·224	0·178	0·203	0·195	0·180	0·175	0·193
18	0·175	0·172	0·198	0·193	0·159	0·156	0·175
19	0·133	0·105	0·180	0·262	0·214	0·221	0·186
20	0·249	0·233	0·249	0·244	0·180	0·211	0·228
21	0·212	0·183	0·183	0·180	0·166	0·168	0·182
22	0·149	0·175	0·181	0·213	0·193	0·183	0·182
23	0·168	0·142	0·200	0·246	0·206	0·191	0·192
24	0·159	0·160	0·184	0·185	0·175	0·167	0·171
25	0·174	0·142	0·193	0·240	0·204	0·163	0·186
26	0·234	0·216	0·279	0·389	0·276	0·213	0·268
27	0·187	0·173	0·356	0·437	0·379	0·247	0·297
28	0·244	0·212	0·313	0·390	0·380	0·410	0·325
29	0·407	0·410	0·501	0·555	0·457	0·434	0·461
30	0·469	0·471	0·499	0·562	0·406	0·324	0·455
31	0·252	0·299	0·319	0·512	0·270	0·221	0·312
Means	0·225	0·215	0·277	0·316	0·259	0·230	0·254

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of November, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·177	0·225	0·320	0·348	0·266	0·198	0·256
2	0·174	0·156	0·220	0·368	0·306	0·232	0·243
3	0·211	0·205	0·290	0·392	0·311	0·258	0·278
4	0·253	0·271	0·374	0·416	0·426	0·432	0·362
5	0·425	0·425	0·466	0·295	0·205	0·218	0·339
6	0·190	0·191	0·199	0·215	0·196	0·163	0·192
7	0·131	0·158	0·267	0·212	0·166	0·158	0·182
8	0·141	0·159	0·165	0·169	0·153	0·159	0·158
9	0·172	0·158	0·145	0·147	0·165	0·152	0·157
10	0·145	0·165	0·167	0·177	0·173	0·214	0·173
11	0·276	0·315	0·249	0·226	0·200	0·189	0·243
12	0·183	0·171	0·186	0·181	0·156	0·150	0·171
13	0·152	0·145	0·143	0·171	0·130	0·136	0·146
14	0·115	0·133	0·159	0·188	0·174	0·193	0·160
15	0·195	0·212	0·242	0·288	0·241	0·265	0·240
16	0·274	0·296	0·372	0·402	0·396	0·393	0·356
17	0·424	0·445	0·393	0·364	0·324	0·289	0·373
18	0·289	0·293	0·447	0·447	0·466	0·221	0·360
19	0·160	0·174	0·142	0·127	0·119	0·121	0·141
20	0·142	0·124	0·158	0·141	0·151	0·127	0·140
21	0·144	0·152	0·181	0·159	0·180	0·174	0·165
22	0·179	0·141	0·159	0·131	0·137	0·121	0·145
23	0·124	0·130	0·204	0·239	0·321	0·353	0·229
24	0·434	0·259	0·222	0·210	0·188	0·168	0·247
25	0·179	0·182	0·213	0·198	0·206	0·223	0·200
26	0·374	0·364	0·404	0·421	0·409	0·441	0·402
27	0·464	0·410	0·412	0·398	0·279	0·168	0·355
28	0·171	0·132	0·117	0·093	0·108	0·088	0·118
29	0·090	0·088	0·124	0·087	0·081	0·092	0·094
30	0·086	0·088	0·079	0·086	0·070	0·069	0·080
Means	0·216	0·212	0·240	0·243	0·223	0·205	0·223

Abstract of Pressure of Vapour at Woodstock, Ontario, for the Month of December, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·059	0·062	0·065	0·076	0·072	0·065	0·066
2	0·062	0·064	0·081	0·080	0·074	0·062	0·072
3	0·060	0·062	0·099	0·117	0·078	0·089	0·084
4	0·111	0·124	0·156	0·162	0·145	0·156	0·142
5	0·154	0·145	0·188	0·202	0·181	0·195	0·178
6	0·200	0·195	0·190	0·187	0·173	0·178	0·187
7	0·171	0·164	0·168	0·169	0·168	0·155	0·166
8	0·164	0·170	0·191	0·202	0·181	0·170	0·180
9	0·181	0·184	0·164	0·162	0·197	0·167	0·176
10	0·173	0·159	0·187	0·203	0·189	0·178	0·181
11	0·194	0·164	0·198	0·190	0·179	0·195	0·187
12	0·189	0·186	0·220	0·248	0·220	0·209	0·212
13	0·212	0·206	0·195	0·185	0·186	0·151	0·189
14	0·150	0·139	0·129	0·144	0·113	0·115	0·132
15	0·109	0·127	0·110	0·105	0·088	0·102	0·107
16	0·091	0·094	0·109	0·141	0·098	0·074	0·101
17	0·068	0·049	0·127	0·160	0·159	0·112	0·113
18	0·124	0·151	0·178	0·171	0·133	0·104	0·143
19	0·088	0·104	0·130	0·136	0·110	0·090	0·110
20	0·092	0·085	0·118	0·111	0·113	0·118	0·106
21	0·114	0·096	0·118	0·118	0·097	0·071	0·102
22	0·058	0·082	0·100	0·101	0·107	0·081	0·088
23	0·059	0·053	0·048	0·051	0·041	0·059	0·052
24	0·055	0·040	0·063	0·089	0·062	0·075	0·064
25	0·078	0·060	0·085	0·110	0·114	0·092	0·090
26	0·122	0·133	0·147	0·163	0·141	0·066	0·129
27	0·038	0·036	0·065	0·097	0·070	0·044	0·058
28	0·054	0·037	0·113	0·181	0·156	0·166	0·118
29	0·173	0·182	0·188	0·191	0·184	0·176	0·182
30	0·182	0·186	0·204	0·215	0·211	0·209	0·201
31	0·071	0·152	0·182	0·181	0·153	0·146	0·148
Means	0·118	0·119	0·140	0·150	0·135	0·125	0·131

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of January, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·096	0·091	0·101	0·094	0·098	0·116	0·099
2.	0·130	0·148	0·123	0·128	0·156	0·167	0·142
3.	0·101	0·096	0·080	0·078	0·063	0·062	0·080
4.	0·055	0·059	0·037	0·042	0·049	0·051	0·049
5.	0·032	0·025	0·031	0·031	0·017	0·016	0·025
6.	0·029	0·031	0·059	0·059	0·056	0·073	0·051
7.	0·059	0·061	0·062	0·063	0·047	0·043	0·056
8.	0·040	0·042	0·070	0·086	0·099	0·116	0·076
9.	0·106	0·106	0·095	0·091	0·083	0·083	0·094
10.	0·073	0·072	0·083	0·087	0·085	0·090	0·082
11.	0·102	0·104	0·125	0·127	0·131	0·131	0·120
12.	0·155	0·167	0·101	0·081	0·068	0·067	0·106
13.	0·078	0·075	0·083	0·085	0·091	0·089	0·084
14.	0·089	0·091	0·053	0·077	0·076	0·076	0·077
15.	0·059	0·059	0·086	0·083	0·063	0·066	0·069
16.	0·102	0·106	0·123	0·110	0·135	0·133	0·118
17.	0·111	0·101	0·117	0·131	0·109	0·117	0·114
18.	0·138	0·135	0·167	0·167	0·169	0·155	0·155
19.	0·128	0·132	0·127	0·122	0·123	0·119	0·125
20.	0·128	0·132	0·163	0·170	0·155	0·152	0·150
21.	0·144	0·142	0·120	0·113	0·072	0·059	0·108
22.	0·054	0·057	0·118	0·114	0·125	0·132	0·100
23.	0·142	0·134	0·164	0·164	0·184	0·179	0·161
24.	0·167	0·167	0·172	0·174	0·160	0·155	0·166
25.	0·147	0·147	0·155	0·180	0·164	0·148	0·157
26.	0·146	0·154	0·145	0·131	0·075	0·075	0·121
27.	0·073	0·073	0·103	0·098	0·113	0·116	0·096
28.	0·120	0·114	0·137	0·141	0·115	0·130	0·126
29.	0·140	0·137	0·142	0·146	0·152	0·152	0·145
30.	0·159	0·159	0·174	0·142	0·142	0·129	0·151
31.	0·129	0·135	0·137	0·140	0·139	0·141	0·137
Means.	0·104	0·105	0·111	0·111	0·107	0·108	0·108

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of February, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·155	0·172	0·207	0·201	0·169	0·145	0·175
2.	0·149	0·136	0·111	0·104	0·082	0·081	0·110
3.	0·092	0·087	0·107	0·118	0·127	0·135	0·111
4.	0·135	0·138	0·151	0·168	0·176	0·183	0·158
5.	0·151	0·155	0·167	0·150	0·139	0·152	0·152
6.	0·188	0·186	0·189	0·189	0·169	0·172	0·182
7.	0·164	0·156	0·149	0·133	0·142	0·147	0·149
8.	0·118	0·102	0·103	0·115	0·112	0·105	0·109
9.	0·110	0·120	0·113	0·111	0·096	0·093	0·107
10.	0·118	0·123	0·123	0·110	0·172	0·174	0·137
11.	0·090	0·082	0·085	0·071	0·066	0·071	0·078
12.	0·079	0·084	0·123	0·090	0·096	0·101	0·096
13.	0·106	0·108	0·107	0·105	0·093	0·093	0·102
14.	0·109	0·101	0·081	0·085	0·091	0·106	0·096
15.	0·152	0·138	0·151	0·101	0·063	0·059	0·111
16.	0·028	0·028	0·030	0·025	0·024	0·021	0·026
17.	0·019	0·019	0·031	0·035	0·035	0·039	0·030
18.	0·028	0·041	0·067	0·074	0·107	0·100	0·069
19.	0·103	0·105	0·116	0·119	0·068	0·061	0·095
20.	0·037	0·037	0·046	0·045	0·049	0·051	0·044
21.	0·031	0·037	0·068	0·068	0·065	0·070	0·056
22.	0·064	0·057	0·104	0·116	0·116	0·131	0·098
23.	0·168	0·185	0·195	0·202	0·178	0·181	0·185
24.	0·188	0·119	0·096	0·082	0·060	0·052	0·099
25.	0·035	0·035	0·052	0·058	0·098	0·105	0·064
26.	0·151	0·170	0·128	0·112	0·119	0·124	0·134
27.	0·140	0·136	0·159	0·169	0·164	0·154	0·154
28.	0·188	0·204	0·197	0·197	0·196	0·152	0·189
29.	0·090	0·076	0·108	0·120	0·126	0·129	0·108
Means.	0·110	0·108	0·116	0·113	0·110	0·110	0·111

ABSTRACT of Pressure of Vapour at Toronto, Ontario, for the Month of March, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·116	0·105	0·092	0·088	0·073	0·072	0·091
2	0·072	0·067	0·075	0·059	0·068	0·061	0·067
3	0·054	0·048	0·054	0·054	0·053	0·054	0·053
4	0·046	0·043	0·054	0·049	0·054	0·054	0·050
5	0·048	0·045	0·065	0·070	0·060	0·068	0·059
6	0·111	0·108	0·151	0·154	0·174	0·178	0·146
7	0·183	0·176	0·141	0·144	0·128	0·110	0·147
8	0·102	0·109	0·077	0·084	0·112	0·102	0·098
9	0·080	0·079	0·093	0·093	0·077	0·081	0·084
10	0·073	0·069	0·087	0·090	0·068	0·060	0·075
11	0·065	0·060	0·059	0·053	0·089	0·072	0·063
12	0·046	0·043	0·049	0·049	0·046	0·049	0·047
13	0·051	0·049	0·071	0·067	0·067	0·065	0·062
14	0·053	0·057	0·065	0·066	0·063	0·064	0·061
15	0·052	0·068	0·080	0·071	0·071	0·072	0·069
16	0·103	0·108	0·093	0·097	0·083	0·079	0·094
17	0·085	0·081	0·130	0·128	0·135	0·140	0·116
18	0·135	0·138	0·130	0·124	0·170	0·167	0·144
19	0·175	0·170	0·169	0·164	0·147	0·118	0·157
20	0·065	0·057	0·069	0·062	0·072	0·072	0·066
21	0·078	0·119	0·130	0·145	0·152	0·172	0·133
22	0·124	0·093	0·076	0·070	0·050	0·050	0·077
23	0·051	0·061	0·071	0·076	0·070	0·073	0·067
24	0·059	0·072	0·084	0·101	0·094	0·109	0·087
25	0·121	0·119	0·181	0·160	0·208	0·214	0·167
26	0·220	0·193	0·089	0·075	0·081	0·085	0·124
27	0·052	0·053	0·082	0·092	0·096	0·101	0·079
28	0·095	0·120	0·161	0·141	0·149	0·166	0·139
29	0·198	0·220	0·288	0·247	0·203	0·199	0·226
30	0·178	0·198	0·196	0·195	0·196	0·197	0·193
31	0·157	0·159	0·196	0·200	0·145	0·150	0·168
Means	0·098	0·100	0·108	0·105	0·104	0·105	0·103

ABSTRACT of Pressure of Vapour at Toronto, Ontario, for the Month of April, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·131	0·127	0·143	0·144	0·194	0·204	0·157
2	0·157	0·124	0·089	0·089	0·079	0·081	0·103
3	0·096	0·067	0·070	0·074	0·077	0·075	0·077
4	0·076	0·082	0·097	0·100	0·104	0·104	0·094
5	0·106	0·127	0·134	0·143	0·155	0·160	0·137
6	0·153	0·149	0·121	0·167	0·111	0·117	0·136
7	0·127	0·146	0·137	0·137	0·146	0·131	0·137
8	0·133	0·130	0·151	0·145	0·154	0·153	0·144
9	0·149	0·154	0·164	0·154	0·191	0·191	0·167
10	0·208	0·203	0·228	0·203	0·210	0·215	0·211
11	0·214	0·216	0·234	0·237	0·226	0·233	0·227
12	0·225	0·241	0·279	0·283	0·237	0·245	0·252
13	0·240	0·295	0·333	0·330	0·302	0·317	0·303
14	0·315	0·368	0·354	0·349	0·344	0·335	0·344
15	0·273	0·287	0·388	0·414	0·329	0·346	0·339
16	0·310	0·366	0·518	0·532	0·560	0·491	0·463
17	0·484	0·503	0·586	0·498	0·491	0·475	0·506
18	0·471	0·511	0·494	0·471	0·414	0·426	0·465
19	0·312	0·367	0·397	0·375	0·326	0·322	0·350
20	0·287	0·346	0·332	0·318	0·343	0·328	0·326
21	0·299	0·316	0·336	0·300	0·236	0·193	0·280
22	0·200	0·177	0·162	0·185	0·167	0·183	0·179
23	0·161	0·141	0·174	0·212	0·223	0·217	0·188
24	0·189	0·191	0·218	0·208	0·243	0·239	0·215
25	0·246	0·290	0·324	0·339	0·273	0·259	0·289
26	0·266	0·267	0·250	0·265	0·245	0·238	0·255
27	0·237	0·259	0·332	0·336	0·316	0·319	0·300
28	0·330	0·348	0·364	0·386	0·361	0·383	0·362
29	0·347	0·243	0·249	0·234	0·196	0·200	0·245
30	0·174	0·186	0·233	0·226	0·212	0·226	0·209
Means	0·231	0·241	0·263	0·262	0·249	0·247	0·249

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of May, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·325	0·332	0·406	0·406	0·347	0·340	0·359
2	0·310	0·346	0·396	0·396	0·411	0·386	0·374
3	0·349	0·408	0·369	0·408	0·361	0·347	0·374
4	0·309	0·327	0·370	0·452	0·308	0·282	0·341
5	0·254	0·277	0·244	0·269	0·280	0·277	0·267
6	0·303	0·344	0·324	0·304	0·283	0·299	0·309
7	0·273	0·306	0·300	0·320	0·312	0·302	0·302
8	0·297	0·358	0·493	0·510	0·440	0·449	0·424
9	0·422	0·529	0·435	0·393	0·466	0·466	0·452
10	0·464	0·500	0·483	0·463	0·487	0·472	0·478
11	0·471	0·479	0·486	0·484	0·460	0·459	0·473
12	0·349	0·306	0·310	0·298	0·301	0·288	0·309
13	0·217	0·169	0·187	0·189	0·161	0·199	0·187
14	0·217	0·222	0·364	0·326	0·262	0·347	0·290
15	0·402	0·296	0·250	0·244	0·291	0·305	0·298
16	0·294	0·368	0·342	0·358	0·379	0·369	0·352
17	0·370	0·444	0·348	0·350	0·381	0·340	0·372
18	0·341	0·351	0·400	0·441	0·465	0·391	0·398
19	0·316	0·300	0·347	0·327	0·197	0·153	0·273
20	0·220	0·244	0·327	0·292	0·273	0·277	0·272
21	0·297	0·348	0·416	0·385	0·386	0·370	0·367
22	0·425	0·408	0·288	0·291	0·331	0·358	0·350
23	0·266	0·256	0·220	0·223	0·178	0·197	0·223
24	0·220	0·234	0·294	0·302	0·285	0·286	0·270
25	0·321	0·363	0·451	0·499	0·556	0·523	0·452
26	0·541	0·347	0·339	0·325	0·369	0·362	0·381
27	0·289	0·306	0·409	0·478	0·377	0·373	0·372
28	0·355	0·351	0·492	0·328	0·287	0·229	0·340
29	0·244	0·250	0·252	0·236	0·231	0·219	0·239
30	0·221	0·234	0·205	0·224	0·314	0·308	0·251
31	0·228	0·249	0·294	0·296	0·293	0·271	0·272
Means	0·320	0·331	0·350	0·349	0·338	0·330	0·336

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of June, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·275	0·282	0·263	0·294	0·243	0·253	0·268
2	0·261	0·282	0·305	0·291	0·273	0·276	0·281
3	0·277	0·307	0·323	0·280	0·282	0·307	0·296
4	0·366	0·361	0·426	0·427	0·367	0·369	0·386
5	0·427	0·453	0·649	0·555	0·451	0·481	0·503
6	0·426	0·466	0·628	0·630	0·573	0·567	0·548
7	0·591	0·689	0·730	0·651	0·605	0·619	0·654
8	0·566	0·603	0·648	0·603	0·628	0·628	0·613
9	0·584	0·543	0·540	0·522	0·456	0·426	0·512
10	0·277	0·229	0·249	0·244	0·277	0·278	0·259
11	0·252	0·277	0·246	0·237	0·294	0·298	0·267
12	0·326	0·341	0·374	0·261	0·351	0·330	0·347
13	0·351	0·333	0·351	0·350	0·297	0·316	0·333
14	0·337	0·312	0·417	0·439	0·391	0·381	0·379
15	0·373	0·429	0·424	0·411	0·336	0·315	0·381
16	0·320	0·404	0·423	0·438	0·434	0·432	0·408
17	0·449	0·481	0·453	0·526	0·432	0·407	0·458
18	0·391	0·390	0·407	0·385	0·429	0·425	0·404
19	0·422	0·463	0·474	0·498	0·520	0·531	0·485
20	0·561	0·599	0·667	0·637	0·622	0·632	0·620
21	0·668	0·713	0·702	0·592	0·527	0·509	0·619
22	0·379	0·419	0·318	0·246	0·260	0·266	0·315
23	0·310	0·321	0·309	0·237	0·324	0·351	0·309
24	0·354	0·396	0·452	0·463	0·451	0·403	0·420
25	0·429	0·443	0·487	0·519	0·490	0·512	0·480
26	0·491	0·354	0·267	0·278	0·330	0·315	0·339
27	0·360	0·447	0·535	0·507	0·506	0·438	0·466
28	0·538	0·581	0·490	0·472	0·370	0·355	0·468
29	0·381	0·403	0·207	0·185	0·213	0·240	0·272
30	0·248	0·258	0·345	0·401	0·358	0·335	0·324
Means	0·400	0·419	0·437	0·424	0·403	0·400	0·414

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of July, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·432	0·479	0·515	0·512	0·512	0·493	0·491
2	0·505	0·479	0·581	0·540	0·494	0·494	0·516
3	0·513	0·519	0·519	0·493	0·479	0·460	0·497
4	0·467	0·471	0·516	0·552	0·539	0·543	0·515
5	0·562	0·519	0·482	0·489	0·475	0·471	0·500
6	0·468	0·506	0·586	0·641	0·416	0·445	0·510
7	0·347	0·340	0·359	0·387	0·415	0·400	0·375
8	0·381	0·414	0·428	0·397	0·324	0·340	0·381
9	0·509	0·505	0·594	0·636	0·546	0·471	0·544
10	0·469	0·500	0·492	0·631	0·542	0·531	0·528
11	0·520	0·595	0·521	0·438	0·563	0·548	0·531
12	0·528	0·604	0·507	0·417	0·573	0·589	0·536
13	0·601	0·680	0·709	0·662	0·596	0·571	0·636
14	0·480	0·458	0·452	0·372	0·470	0·506	0·456
15	0·597	0·700	0·372	0·412	0·346	0·327	0·459
16	0·304	0·281	0·309	0·300	0·349	0·341	0·314
17	0·320	0·299	0·401	0·295	0·345	0·340	0·333
18	0·336	0·451	0·425	0·434	0·377	0·480	0·417
19	0·554	0·581	0·633	0·660	0·648	0·631	0·618
20	0·617	0·663	0·702	0·729	0·682	0·634	0·671
21	0·641	0·684	0·754	0·663	0·511	0·463	0·619
22	0·506	0·552	0·704	0·711	0·333	0·366	0·529
23	0·382	0·384	0·264	0·368	0·347	0·377	0·354
24	0·360	0·358	0·412	0·439	0·454	0·458	0·413
25	0·353	0·411	0·412	0·478	0·476	0·486	0·436
26	0·481	0·584	0·528	0·531	0·623	0·621	0·561
27	0·657	0·620	0·698	0·703	0·677	0·643	0·666
28	0·589	0·621	0·692	0·721	0·663	0·655	0·657
29	0·648	0·652	0·723	0·695	0·653	0·644	0·669
30	0·677	0·758	0·565	4·519	0·539	0·489	0·591
31	0·409	0·399	0·370	0·219	0·267	0·309	0·312
Means	0·491	0·518	0·520	0·518	0·492	0·488	0·505

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of August, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·368	0·487	0·468	0·464	0·507	0·490	0·464
2	0·497	0·484	0·537	0·594	0·502	0·480	0·516
3	0·471	0·517	0·590	0·622	0·508	0·505	0·536
4	0·605	0·652	0·650	0·563	0·655	0·674	0·633
5	0·698	0·681	0·654	0·548	0·671	0·654	0·651
6	0·631	0·623	0·736	0·819	0·681	0·693	0·697
7	0·704	0·634	0·538	0·526	0·519	0·506	0·571
8	0·491	0·603	0·587	0·536	0·614	0·601	0·572
9	0·723	0·773	0·815	0·780	0·731	0·690	0·752
10	0·694	0·684	0·798	0·737	0·751	0·678	0·724
11	0·628	0·713	0·687	0·622	0·610	0·607	0·644
12	0·647	0·582	0·439	0·431	0·422	0·449	0·495
13	0·434	0·433	0·517	0·510	0·452	0·408	0·459
14	0·415	0·482	0·478	0·468	0·455	0·446	0·457
15	0·448	0·533	0·631	0·681	0·703	0·710	0·618
16	0·658	0·689	0·363	0·212	0·349	0·305	0·429
17	0·295	0·350	0·295	0·296	0·325	0·329	0·315
18	0·349	0·370	0·280	0·301	0·292	0·293	0·314
19	0·312	0·294	0·377	0·317	0·234	0·251	0·297
20	0·254	0·295	0·250	0·288	0·386	0·419	0·315
21	0·424	0·408	0·488	0·488	0·473	0·447	0·455
22	0·431	0·514	0·505	0·532	0·635	0·650	0·544
23	0·634	0·698	0·475	0·423	0·516	0·481	0·538
24	0·417	0·382	0·360	0·253	0·274	0·282	0·328
25	0·260	0·285	0·297	0·403	0·406	0·470	0·354
26	0·447	0·576	0·475	0·571	0·350	0·309	0·455
27	0·277	0·335	0·424	0·457	0·275	0·279	0·341
28	0·262	0·329	0·351	0·331	0·380	0·363	0·336
29	0·294	0·376	0·404	0·427	0·378	0·439	0·386
30	0·440	0·507	0·493	0·484	0·443	0·374	0·457
31	0·335	0·303	0·255	0·218	0·251	0·247	0·268
Means.	0·469	0·503	0·491	0·481	0·476	0·469	0·481

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of September, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·273	0·272	0·321	0·294	0·282	0·263	0·284
2	0·292	0·378	0·419	0·454	0·436	0·441	0·403
3	0·531	0·575	0·341	0·294	0·286	0·302	0·388
4	0·275	0·295	0·299	0·275	0·312	0·318	0·296
5	0·335	0·358	0·392	0·465	0·458	0·477	0·414
6	0·419	0·422	0·393	0·416	0·385	0·404	0·406
7	0·342	0·364	0·408	0·401	0·390	0·380	0·381
8	0·348	0·456	0·387	0·413	0·431	0·414	0·408
9	0·377	0·444	0·425	0·482	0·431	0·456	0·436
10	0·449	0·505	0·656	0·641	0·586	0·558	0·566
11	0·485	0·611	0·595	0·565	0·559	0·543	0·560
12	0·532	0·555	0·586	0·592	0·483	0·475	0·537
13	0·431	0·466	0·471	0·474	0·451	0·465	0·460
14	0·503	0·507	0·581	0·614	0·557	0·576	0·556
15	0·467	0·471	0·363	0·325	0·295	0·276	0·366
16	0·260	0·282	0·365	0·382	0·455	0·455	0·366
17	0·466	0·481	0·432	0·335	0·346	0·357	0·403
18	0·318	0·407	0·376	0·430	0·445	0·436	0·402
19	0·431	0·442	0·401	0·242	0·260	0·251	0·338
20	0·211	0·239	0·276	0·286	0·295	0·284	0·265
21	0·290	0·291	0·313	0·323	0·329	0·284	0·305
22	0·353	0·284	0·182	0·170	0·151	0·154	0·216
23	0·143	0·137	0·192	0·208	0·215	0·213	0·185
24	0·247	0·263	0·268	0·255	0·294	0·280	0·268
25	0·294	0·355	0·354	0·334	0·411	0·387	0·356
26	0·388	0·459	0·553	0·543	0·346	0·351	0·440
27	0·350	0·357	0·374	0·347	0·312	0·272	0·335
28	0·292	0·262	0·297	0·292	0·281	0·267	0·282
29	0·343	0·382	0·457	0·480	0·457	0·458	0·429
30	0·442	0·336	0·368	0·363	0·372	0·366	0·375
Means	0·363	0·388	0·395	0·390	0·377	0·372	0·381

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of October, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·373	0·332	0·306	0·306	0·226	0·212	0·293
2	0·173	0·171	0·249	0·270	0·248	0·242	0·226
3	0·255	0·285	0·295	0·303	0·277	0·275	0·282
4	0·288	0·304	0·318	0·306	0·267	0·272	0·292
5	0·259	0·310	0·322	0·331	0·270	0·267	0·293
6	0·272	0·313	0·290	0·328	0·320	0·286	0·302
7	0·264	0·234	0·205	0·151	0·216	0·220	0·215
8	0·173	0·176	0·169	0·171	0·164	0·144	0·166
9	0·139	0·126	0·173	0·177	0·186	0·188	0·165
10	0·210	0·210	0·238	0·234	0·261	0·261	0·236
11	0·241	0·267	0·240	0·243	0·207	0·207	0·234
12	0·197	0·193	0·207	0·206	0·229	0·234	0·211
13	0·239	0·236	0·210	0·196	0·191	0·208	0·213
14	0·196	0·208	0·200	0·173	0·229	0·233	0·206
15	0·216	0·208	0·317	0·338	0·319	0·302	0·283
16	0·214	0·197	0·178	0·179	0·157	0·163	0·181
17	0·131	0·131	0·195	0·195	0·185	0·188	0·171
18	0·182	0·175	0·152	0·152	0.152	0·154	0·161
19	0·135	0·148	0·152	0·125	0·160	0·235	0·159
20	0·238	0·195	0·167	0·156	0·197	0·220	0·196
21	0·233	0·205	0·121	0·144	0·154	0·149	0·168
22	0·146	0·154	0·146	0·126	0·164	0·155	0·148
23	0·152	0·167	0·161	0·162	0·193	0·203	0·173
24	0·155	0·154	0·099	0·098	0·121	0·133	0·127
25	0·146	0·157	0·153	0·165	0·197	0·184	0·167
26	0·167	0·207	0·234	0·262	0·245	0·232	0·224
27	0·199	0·214	0·278	0·295	0·277	0·275	0·256
28	0·244	0·254	0·294	0·302	0·308	0·335	0·290
29	0·393	0·416	0·468	0·457	0·404	0·404	0·424
30	0·372	0·388	0·464	0·454	0·394	0·351	0·404
31	0·266	0·299	0·252	0·247	0·254	0·235	0·259
Means	0·222	0·227	0·234	0·234	0·231	0·231	0·230

ABSTRACT of Pressure of Vapour at Toronto, Ontario, for the Month of November, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·189	0·267	0·288	0·254	0·219	0·194	0·235
2	0·179	0·193	0·207	0·212	0·227	0·252	0·212
3	0·252	0·268	0·278	0·282	0·287	0·276	0·274
4	0·274	0·296	0·363	0·386	0·407	0·407	0·356
5	0·392	0·406	0·446	0·373	0·218	0·193	0·338
6	0·203	0·200	0·184	0·183	0·208	0·203	0·197
7	0·174	0·211	0·260	0·267	0·163	0·136	0·202
8	0·134	0·162	0·132	0·138	0·157	0·150	0·146
9	0·133	0·129	0·129	0·122	0·138	0·138	0·131
10	0·147	0·143	0·127	0·148	0·182	0·217	0·161
11	0·290	0·298	0·175	0·175	0·199	0·181	0·220
12	0·190	0·193	0·143	0·139	0·138	0·130	0·156
13	0·174	0·174	0·135	0·144	0·141	0·147	0·153
14	0·126	0·117	0·137	0·130	0·158	0·172	0·140
15	0·174	0·171	0·214	0·231	0·236	0·235	0·210
16	0·274	0·286	0·332	0·347	0·321	0·366	0·321
17	0·378	0·386	0·265	0·270	0·247	0·214	0·293
18	0·220	0·241	0·373	0·382	0·292	0·197	0·284
19	0·129	0·110	0·100	0·098	0·088	0·097	0·104
20	0·102	0·094	0·116	0·107	0·121	0·124	0·111
21	0·141	0·133	0·185	0·190	0·163	0·154	0·161
22	0·137	0·137	0·128	0·099	0·090	0·094	0·114
23	0·152	0·149	0·199	0·233	0·295	0·318	0·224
24	0·296	0·246	0·166	0·118	0·158	0·150	0·189
25	0·208	0·193	0·184	0·197	0·221	0·219	0·204
26	0·251	0·248	0·339	0·333	0·356	0·360	0·314
27	0·387	0·358	0·369	0·364	0·283	0·193	0·326
28	0·136	0·117	0·107	0·105	0·090	0·097	0·109
29	0·107	0·107	0·117	0·089	0·080	0·091	0·098
30	0·086	0·072	0·086	0·088	0·088	0·075	0·082
Means	0·201	0·203	0·209	0·207	0·199	0·193	0·202

Abstract of Pressure of Vapour at Toronto, Ontario, for the Month of December, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·075	0·080	0·061	0·086	0·075	0·081	0·076
2	0·074	0·078	0·068	0·069	0·073	0·075	0·073
3	0·087	0·081	0·083	0·099	0·087	0·087	0·087
4	0·128	0·118	0·154	0·170	0·135	0·152	0·146
5	0·145	0·140	0·187	0·199	0·199	0·203	0·179
6	0·212	0·197	0·182	0·179	0·175	0·176	0·187
7	0·175	0·175	0·180	0·181	0·167	0·157	0·173
8	0·186	0·193	0·179	0·175	0·197	0·191	0·187
9	0·191	0·192	0·171	0·176	0·188	0·188	0·184
10	0·166	0·168	0·190	0·210	0·184	0·185	0·184
11	0·182	0·175	0·198	0·182	0·200	0·205	0·190
12	0·204	0·202	0·230	0·228	0·194	0·194	0·209
13	0·216	0·212	0·203	0·190	0·156	0·149	0·188
14	0·129	0·117	0·093	0·104	0·092	0·087	0·104
15	0·085	0·078	0·081	0·087	0·081	0·072	0·081
16	0·094	0·077	0·074	0·079	0·087	0·093	0·084
17	0·081	0·092	0·130	0·122	0·133	0·132	0·115
18	0·134	0·157	9·201	0·178	0·095	0·096	0·144
19	0·081	0·081	0·092	0·095	0·104	0·101	0·092
20	0·112	0·098	0·124	0·109	0·122	0·116	0·114
21	0·093	0·087	0·106	0·102	0·096	0·074	0·093
22	0·085	0·095	0·117	0·124	0·072	0·078	0·095
23	0·048	0·048	0·053	0·048	0·047	0·044	0·048
24	0·047	0·047	0·057	0·060	0·071	0·060	0·057
25	0·092	0·087	0·094	0·096	0·123	0·125	0·103
26	0·126	0·133	0·144	0·104	0·059	0·056	0·104
27	0·046	0·049	0·099	0·091	0·078	0·078	0·073
28	0·062	0·067	0·136	0·146	0·153	0·148	0·119
29	0·171	0·175	0·204	0·199	0·199	0·197	0·191
30	0·197	0·199	0·217	0·214	0·196	0·181	0·201
31	0·150	0·165	0·131	0·132	0·141	0·135	0·142
Means	0·125	0·125	0·137	0·137	0·129	0·126	0·130

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of January, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1..	0·102	0·124	0·120	0·096	0·086	0·093	0·104
2..	0·112	0·107	0·117	0·141	0·137	0·131	0·128
3..	0·143	0·174	0·095	0·095	0·079	0·046	0·105
4..	0·032	0·032	0·036	0·033	0·031	0·023	0·031
5..							
6..	0·015	0·015	0·020	0·022	0·025	0·025	0·020
7..	0·023	0·024	0·031	0·036	0·033	0·040	0·031
8..	0·037	0·035	0·034	0·036	0·038	0·044	0·037
9..	0·041	0·050	0·056	0·064	0·067	0·067	0·057
10..	0·057	0·066	0·069	0·075	0·072	0·063	0·067
11..	0·057	0·056	0·064	0·069	0·070	0·068	0·064
12..							
13..	0·087	0·082	0·090	0·110	0·102	0·116	0·098
14..	0·107	0·094	0·091	0·099	0·088	0·076	0·093
15..	0·063	0·066	0·066	0·067	0·054	0·053	0·062
16..	0·057	0·056	0·069	0·085	0·098	0·108	0·079
17..	0·090	0·074	0·065	0·066	0·070	0·072	0·073
18..	0·078	0·081	0·080	0·088	0·097	0·094	0·086
19..							
20..	0·055	0·063	0·069	0·088	0·084	0·090	0·075
21..	0·096	0·096	0·102	0·113	0·101	0·106	0·102
22..	0·105	0·087	0·094	0·093	0·083	0·089	0·092
23..	0·088	0·080	0·081	0·083	0·079	0·079	0·082
24..	0·072	0·075	0·088	0·116	0·136	0·131	0·103
25..	0·125	0·126	0·147	0·153	0·148	0·156	0·143
26..							
27..	0·119	0·088	0·066	0·065	0·068	0·062	0·078
28..	0·049	0·035	0·038	0·038	0·042	0·040	0·040
29..	0·040	0·036	0·037	0·048	0·043	0·046	0·042
30..	0·043	0·053	0·072	0·085	0·084	0·060	0·066
31..	0·056	0·046	0·050	0·043	0·040	0·050	0·047
Means..	0·072	0·071	0·072	0·078	0·077	0·075	0·074

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·060	0·069	0·088	0·157	0·171	0·156	0·117
2							
3	0·058	0·052	0·056	0·068	0·065	0·063	0·060
4	0·064	0·061	0·076	0·087	0·097	0·105	0·082
5	0·111	0·145	0·144	0·152	0·157	0·159	0·145
6	0·160	0·176	0·183	0·184	0·185	0·178	0·178
7	0·164	0·168	0·173	0·187	0·174	0·161	0·171
8	0·101	0·104	0·114	0·126	0·102	0·102	0·108
9							
10	0·076	0·075	0·079	0·084	0·105	0·108	0·088
11	0·123	0·149	0·138	0·107	0·097	0·085	0·117
12	0·082	0·060	0·068	0·070	0·063	0·052	0·066
13	0·066	0·067	0·065	0·065	0·070	0·077	0·068
14	0·084	0·056	0·073	0·081	0·061	0·044	0·067
15	0·044	0·038	0·041	0·039	0·038	0·043	0·040
16							
17	0·014	0·014	0·017	0·025	0·024	0·021	0·019
18	0·021	0·015	0·021	0·027	0·032	0·034	0·025
19	0·033	0·041	0·049	0·080	0·082	0·074	0·060
20	0·077	0·077	0·091	0·083	0·087	0·064	0·080
21	0·049	0·037	0·042	0·036	0·031	0·035	0·038
22	0·035	0·046	0·084	0·106	0·118	0·116	0·084
23							
24	0·174	0·155	0·145	0·128	0·087	0·059	0·125
25	0·043	0·034	0·040	0·052	0·042	0·040	0·042
26	0·032	0·033	0·044	0·060	0·053	0·051	0·046
27	0·044	0·039	0·057	0·075	0·088	0·092	0·066
28	0·114	0·142	0·159	0·196	0·206	0·238	0·176
29	0·240	0·243	0·243	0·215	0·203	0·185	0·222
Means	0·083	0·084	0·092	0·100	0·098	0·094	0·092

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of March, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	..	..	.	..			.
2	0·041	0·102	0·087	0·082	0·077	0·090	0·080
3	0·100	0·089	0·082	0·091	0·080	0·052	0·082
4	0·039	0·037	0·045	0·077	0·073	0·063	0·056
5	0·063	0·061	0·056	0·069	0·069	0·091	0·068
6	0·101	0·096	0·106	0·102	0·104	0·129	0·106
7	0·142	0·144	0·176	0·184	0·173	0·144	0·161
8	.	.	.....	. .	.	...	.
9	0·065	0·060	0·070	0·079	0·070	0·061	0·068
10	0·058	0·043	0·056	0·066	0·050	0·049	0·054
11	0·048	0·042	0·052	0·045	0·052	0·062	0·050
12	0·071	0·062	0·067	0·082	0·056	0·048	0·064
13	0·051	0·036	0·056	0·039	0·036	0·037	0·043
14	0·051	0·043	0·073	0·058	0·066	0·058	0·058
15	. .	.	.	...	...	..	
16	0·074	0·048	0·069	0·092	0·102	0·094	0·080
17	0·112	0·119	0·122	0·139	0·118	0·121	0·122
18	0·122	0·141	0·159	0·145	0·152	0·136	0·143
19	0·156	0·163	0·167	0·168	0·167	0·168	0·165
20	0·176	0·140	0·117	0·104	0·081	0·070	0·115
21	0·070	0·061	0·086	0·105	0·142	0·111	0·096
22	. .	.	.	....	....	. .	....
23	0·045	0·037	0·040	0·032	0·046	0·042	0·040
24	0·034	0·039	0·052	0·066	0·056	0·046	0·049
25	0·070	0·080	0·138	0·181	0·120	0·195	0·131
26	0·196	0·200	0·206	0·229	0·192	0·115	0·190
27	0·095	0·056	0·084	0·084	0·082	0·091	0·082
28	0·074	0·084	0·119	0·081	0·107	0·102	0·095
29	...	...	.....	.. ..	.. ...	.....	... . .
30	0·215	0·213	0·228	0·189	0·230	0·216	0·215
31	0·208	0·207	0·172	0·172	0·181	0·136	0·179
Means	0·095	0·092	0·103	0·106	0·103	0·097	0·099

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of April, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·108	0·091	0·087	0·105	0·119	0·139	0·108
2	0·168	0·193	0·184	0·174	0·161	0·142	0·170
3	0·112	0·116	0·106	0·127	0·128	0·115	0·117
4	0·101	0·090	0·113	0·142	0·134	0·141	0·120
5	....	....	....	....	....	....	....
6	0·169	0·152	0·188	0·143	0·137	0·137	0·153
7	0·145	0·138	0·157	0·182	0·155	0·157	0·156
8	0·150	0·148	0·134	0·147	0·152	0·168	0·150
9	0·122	0·154	0·119	0·117	0·135	0·182	0·138
10	0·124	0·126	0·143	0·159	0·182	0·169	0·151
11	0·226	0·212	0·218	0·227	0·221	0·175	0·213
12	....	....	....	....	....	....	....
13	0·198	0·198	0·291	0·230	0·188	0·169	0·212
14	0·183	0·183	0·237	0·286	0·327	0·311	0·255
15	0·304	0·276	0·338	0·369	0·349	0·350	0·331
16	0·221	0·275	0·352	0·467	0·502	0·252	0·345
17	0·249	0·216	0·244	0·299	0·324	0·359	0·282
18	0·337	0·299	0·286	0·280	0·245	0·244	0·282
19	....	....	....	....	....	....	....
20	0·256	0·245	0·327	0·352	0·429	0·200	0·302
21	0·166	0·111	0·137	0·116	0·114	0·156	0·133
22	0·159	0·149	0·159	0·135	0·180	0·152	0·156
23	0·173	0·170	0·205	0·151	0·192	0·160	0·175
24	0·150	0·143	0·164	0·175	0·177	0·164	0·162
25	0·162	0·177	0·146	0·235	0·259	0·224	0·201
26	....	....	....	....	....	....	....
27	0·231	0·258	0·454	0·298	0·262	0·258	0·294
28	0·253	0·202	0·278	0·352	0·380	0·288	0·292
29	0·185	0·178	0·190	0·186	0·162	0·132	0·172
30	0·165	0·136	0·127	0·134	0·186	0·158	0·151
Means	0·185	0·178	0·207	0·215	0·223	0·196	0·201

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of May, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·166	0·142	0·160	0·170	0·206	0·208	0·175
2	0·195	0·230	0·263	0·299	0·307	0·293	0·265
3							
4	0·382	0·372	0·418	0·459	0·420	0·406	0·410
5	0·289	0·337	0·334	0·305	0·272	0·220	0·293
6	0·216	0·210	0·239	0·270	0·260	0·239	0·239
7	0·208	0·233	0·290	0·281	0·317	0·298	0·271
8	0·362	0·398	0·416	0·463	0·456	0·439	0·422
9	0·412	0·457	0·525	0·585	0·531	0·474	0·497
10							
11	0·409	0·397	0·435	0·462	0·403	0·351	0·410
12	0·330	0·240	0·221	0·265	0·246	0·181	0·247
13	0·256	0·188	0·211	0·213	0·282	0·241	0·232
14	0·211	0·271	0·238	0·255	0·294	0·336	0·268
15	0·287	0·272	0·330	0·349	0·380	0·386	0·334
16	0·320	0·342	0·355	0·388	0·347	0·329	0·347
17							
18	0·503	0·396	0·410	0·448	0·365	0·345	0·443
19	0·302	0·269	0·246	0·255	0·222	0·193	0·248
20	0·169	0·195	0·240	0·275	0·322	0·295	0·248
21	0·268	0·274	0·306	0·410	0·437	0·414	0·351
22	0·397	0·428	0·533	0·427	0·449	0·308	0·424
23	0·354	0·191	0·199	0·217	0·257	0·249	0·244
24							
25	0·292	0·299	0·331	0·367	0·378	0·370	0·340
26	0·389	0·363	0·471	0·435	0·404	0·396	0·410
27	0·436	0·312	0·334	0·341	0·347	0·302	0·345
28	0·252	0·263	0·294	0·424	0·414	0·417	0·344
29	0·419	0·390	0·319	0·275	0·276	0·300	0·330
30	0·277	0·266	0·299	0·289	0·324	0·317	0·295
Means	0·312	0·298	0·324	0·343	0·339	0·319	0·323

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1..	0·308	0·326	0·378	0·376	0·295	0·279	0·327
2..	0·253	0·265	0·276	0·299	0·310	0·263	0·278
3..	0·258	0·314	0·476	0·412	0·387	0·288	0·356
4..	0·292	0·377	0·338	0·299	0·301	0·398	0·334
5..	0·365	0·404	0·487	0·430	0·438	0·427	0·425
6..	0·461	0·448	0·532	0·639	0·552	0·508	0·523
7..	...	...	...	...	...	...	...
8..	0·461	0·459	0·487	0·506	0·491	0·479	0·481
9..	0·465	0·441	0·460	0·503	0·454	0·422	0·458
10..	0·258	0·244	0·244	0·233	0·245	0·243	0·244
11..	0·261	0·314	0·294	0·296	0·302	0·311	0·296
12..	0·287	0·260	0·297	0·287	0·302	0·328	0·294
13..	0·253	0·279	0·304	0·322	0·342	0·315	0·302
14..	..	..	..	..	.....	.	..
15..	0·331	0·404	0·398	0·391	0·375	0·367	0·378
16..	0·371	0·448	0·521	0·458	0·505	0·406	0·451
17..	0·403	0·430	0·513	0·438	0·471	0·482	0·456
18..	0·488	0·524	0·631	0·605	0·563	0·532	0·557
19..	0·519	0·529	0·601	0·517	0·496	0·492	0·526
20..	0·513	0·578	0·682	0·579	0·563	0·465	0·563
21..	..	..	..	...	...	....	....
22..	0·623	0·615	0·752	0·404	0·282	0·261	0·456
23..	0·285	0·302	0·338	0·380	0·424	0·396	0·354
24..	0·348	0·330	0·351	0·350	0·332	0·352	0·344
25..	0·397	0·413	0·388	0·428	0·477	0·481	0·431
26..	0·481	0·520	0·635	0·528	0·433	0·410	0·501
27..	0·388	0·491	0·436	0·464	0·483	0·477	0·456
28..	.	..	..	..	.....	....	..
29..	0·396	0·474	0·475	0·298	0·280	0·281	0·367
30..	0·261	0·284	0·296	0·354	0·345	0·353	0·316
Means	0·374	0·403	0·438	0·415	0·402	0·385	0·403

ABSTRACT of Pressure of Vapour at Montreal, Quebec, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·374	0·515	0·478	0·472	0·539	0·539	0·486
2	0·500	0·538	0·595	0·583	0·491	0·397	0·517
3	0·331	0·344	0·421	0·337	0·317	0·404	0·359
4	0·401	0·432	0·479	0·530	0·529	0·530	0·484
5							
6	0·433	0·417	0·487	0·603	0·577	0·566	0·514
7	0·554	0·588	0·583	0·507	0·483	0·426	0·524
8	0·435	0·499	0·609	0·573	0·497	0·491	0·517
9	0·460	0·461	0·624	0·566	0·691	0·728	0·588
10	0·707	0·574	0·535	0·521	0·494	0·511	0·557
11	0·498	0·570	0·646	0·667	0·700	0·612	0·616
12							
13	0·602	0·616	0·680	0·611	0·597	0·610	0·619
14	0·383	0·429	0·406	0·436	0·503	0·406	0·427
15	0·434	0·519	0·572	0·671	0·410	0·318	0·487
16	0·308	0·365	0·405	0·432	0·428	0·410	0·391
17	0·253	0·434	0·501	0·473	0·438	0·371	0·412
18	0·287	0·485	0·442	0·433	0·484	0·523	0·442
19							
20	0·596	0·607	0·602	0·633	0·650	0·680	0·628
21	0·689	0·705	0·728	0·623	0·566	0·530	0·640
22	0·510	0·555	0·868	1·072	0·752	0·652	0·735
23	0·464	0·495	0·578	0·374	0·381	0·355	0·441
24	0·417	0·479	0·436	0·381	0·498	0·477	0·448
25	0·450	0·384	0·549	0·522	0·511	0·473	0·482
26							
27	0·462	0·568	0·630	0·677	0·660	0·515	0·585
28	0·572	0·583	0·569	0·593	0·572	0·580	0·578
29	0·523	0·625	0·677	0·563	0·578	0·604	0·595
30	0·570	0·681	0·730	0·771	0·643	0·456	0·642
31	0·318	0·388	0·263	0·249	0·193	0·270	0·280
Means	0·464	0·513	0·559	0·551	0·525	0·498	0·518

ABSTRACT of Pressure of Vapour at Montreal, Quebec, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.		in.	in.
1.	0·294	0·301	0·298	0·330	0·400	0·433	0·343
2.							
3.	0·449	0·606	0·579	0·504	0·518	0·514	0·528
4	0·511	0·593	0·681	0·661	0·679	0·554	0·613
5.	0·501	0·459	0·508	0·538	0·482	0·508	0·499
6.	0·483	0·503	0·593	0·582	0·592	0·575	0·555
7.	0·565	0·638	0·831	0·823	0·736	0·563	0·693
8.	0·559	0·598	0·592	0·610	0·678	0·668	0·618
9.							
10.	0·623	0·693	0·761	0·704	0·772	0·772	0·721
11.	0·679	0·753	0·830	0·833	0·780	0·744	0·770
12.	0·733	0·681	0·715	7·724	0·519	0·432	0·634
13.	0·439	0·381	0·476	0·502	0·532	0·500	0·472
14.	0·421	0·451	0·418	0·389	0·421	0·358	0·410
15.	0·303	0·448	0·471	0·460	0·547	0·545	0·462
16.							
17.	0·302	0·349	0·356	0·350	0·364	0·355	0·347
18.	0·298	0·349	0·351	0·338	0·374	0·356	0·344
19.	0·334	0·314	0·321	0·290	0·311	0·323	0·316
20.	0·326	0·331	0·450	0·356	0·393	0·349	0·368
21.	0·350	0·365	0·442	0·425	0·523	0·508	0·435
22.	0·465	0·495	0·557	0·558	0·542	0·543	0·527
23.							
24.	0·398	0·451	0·525	0·413	9·418	0·355	0·427
25.	0·338	0·330	0·341	0·346	0·378	0·389	0·354
26.	0·333	0·428	0·487	0·494	0·453	0·468	0·444
27.	0·551	0·459	0·373	0·336	0·335	0·359	0·402
28.	0·258	0·351	0·408	0·395	0·336	0·297	0·341
29.	0·307	0·342	0·345	0·400	0·428	0·401	0·371
30.							
31.	0·505	0·429	0·363	0·374	0·335	0·303	0·385
Means	0·436	0·465	0·503	0·490	0·494	0·468	0·476

ABSTRACT of Pressure of Vapour at Montreal, Quebec, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·317	0·305	0·312	0·277	0·294	0·271	0·296
2	0·283	0·327	0·299	0·305	0·364	0·351	0·322
3	0·428	0·455	0·563	0·513	0·371	0·317	0·441
4	0·263	0·241	0·266	0·264	0·258	0·257	0·258
5	0·270	0·258	0·285	0·315	0·365	0·397	0·315
6	....	.	.	..	..	..	. .
7	0·426	0·389	0·388	0·377	0·381	0·345	0·384
8	0·380	0·371	0·477	0·428	0·444	0·393	0·415
9	0·391	0·401	0·470	0·454	0·525	0·430	0·445
10	0·390	0·421	0·549	0·590	0·563	0·516	0·505
11	0·486	0·541	0·753	0·694	0·584	0·547	0·601
12	0·547	0·489	0·505	0·597	0·465	0·429	0·490
13	.	.	. .	..	. .	.	.....
14	0·325	0·348	0·451	0·466	0·523	0·560	0·446
15	0·484	0·420	0·415	0·328	0·270	0·250	0·361
16	0·244	0·269	0·315	0·293	0·323	0·316	0·293
17	0·367	0·361	0·381	0·456	0·467	0·428	0·407
18	0·353	0·371	0·399	0·336	0·358	0·341	0·360
19	0·396	0·418	0·436	0·426	0·401	0·376	0·409
20	.	.	.	.	.	.	. . .
21	0·313	0·325	0·349	0·333	0·353	0·349	0·337
22	0·311	0·235	0·264	0·209	0·186	0·146	0·225
23	0·146	0·138	0·167	0·163	0·175	0·227	0·169
24	0·278	0·286	0·334	0·309	0·328	0·293	0·305
25	0·322	0·369	0·398	0·396	0·399	0·402	0·381
26	0·401	0·387	0·466	0·525	0·545	0·524	0·475
27		...	. .		. .		. . .
28	0·245	0·238	0·196	0·217	0·245	0·230	0·229
29	0·237	0·235	0·323	0·437	0·441	0·447	0·353
30	0·464	0·450	0·533	0·476	0·372	0·377	0·445
Means	0·348	0·348	0·396	0·388	0·384	0·366	0·372

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of October, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·365	0·375	0·417	0·375	0·322	0·282	0·356
2	0·247	0·239	3·262	0·251	0·247	0·240	0·248
3	0·249	0·252	0·260	0·257	0·293	0·283	0·266
4							
5	0·260	0·235	0·252	0·254	0·272	0·257	0·255
6	0·236	0·236	0·262	0·263	0·247	0·248	0·249
7	0·245	0·257	0·284	0·298	0·265	0·252	0·267
8	0·218	0·218	0·215	0·216	0·205	0·188	0·210
9	0·131	0·164	0·164	0·170	0·164	0·150	0·157
10	0·157	0·158	0·154	0·163	0·184	0·153	0·162
11							
12	0·197	0·186	0·207	0·240	0·233	0·210	0·212
13	0·206	0·189	0·182	0·211	0·217	0·213	0·203
14	0·230	0·218	0·212	0·231	0·228	0·225	0·224
15	0·223	0·209	0·249	0·242	0·249	0·223	0·233
16	0·243	0·236	0·253	0·234	0·188	0·168	0·220
17	0·161	0·131	0·151	0·142	0·144	0·160	0·145
18							
19	0·186	0·168	0·162	0·136	0·129	0·124	0·151
20	0·114	0·158	0·215	0·240	0·233	0·212	0·193
21	0·233	0·309	0·335	0·246	0·171	0·164	0·243
22	0·168	0·161	0·161	0·164	0·168	0·178	0·167
23	0·178	0·166	0·183	0·172	0·206	0·188	0·182
24	0·188	0·178	0·193	0·230	0·190	0·189	0·195
25							
26	0·152	0·148	0·178	0·247	0·242	0·247	0·202
27	0·207	0·226	0·225	0·222	0·205	0·149	0·206
28	0·151	0·149	0·178	0·193	0·184	0·197	0·175
29	0·204	0·220	0·354	0·364	0·363	0·292	0·299
30	0·306	0·295	0·306	0·315	0·295	0·279	0·299
31	0·278	0·266	0·286	2·257	0·276	0·256	0·270
Means	0·212	0·209	0·233	0·235	0·227	0·212	0·221

ABSTRACT of Pressure of Vapour at Montreal, Quebec, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	.	.	.	.	.	.	.
2.	0·255	0·237	0·220	0·230	0·204	0·209	0·226
3.	0·209	0·208	0·214	0·221	0·209	0·198	0·210
4.	0·175	0·169	0·270	0·272	0·296	0·299	0·247
5.	0·330	0·345	0·376	0·407	0·428	0·308	0·366
6.	0·259	0·229	0·221	0·212	0·208	0·174	0·217
7	0·195	0·166	0·187	0·193	0·203	0·212	0·193
8.	.	.	.	.	.	.	.
9	0·172	0·164	0·182	0·151	0·172	0·157	0·166
10	0·148	0·154	0·158	0·159	0·167	0·157	0·157
11	0·169	0·199	0·255	0·314	0·185	0·185	0·218
12	0·200	0·198	0·191	0·196	0·184	0·153	0·187
13	0·140	0·130	0·166	0·129	0·137	0·120	0·137
14	0·114	0·097	0·103	0·109	0·124	0·120	0·111
15	.	.	.	.	.	.	.
16	0·134	0·142	0·142	0·143	0·146	0·157	0·144
17.	0·253	0·373	0·360	0·197	0·129	0·100	0·235
18.	0·100	0·111	0·151	0·165	0·332	0·444	0·217
19	0·209	0·127	0·102	0·087	0·084	0·067	0·113
20	0·054	0·051	0·054	0·073	0·077	0·077	0·064
21.	0·082	0·092	0·107	0·132	0·137	0·120	0·112
22.	.	.	.	.	.	.	.
23.	0·053	0·054	0·072	0·128	0·166	0·206	0·113
24.	0·211	0·225	0·260	0·196	0·162	0·134	0·198
25.	0·093	0·095	0·100	0·106	0·113	0·084	0·099
26.	0·105	0·150	0·126	0·137	0·129	0·130	0·130
27.	0·137	0·143	0·178	0·309	0·347	0·345	0·243
28.	0·340	0·205	0·161	0·155	0·160	0·122	0·191
29	.	.	.	.	.	.	.
30	0·097	0·095	0·131	0·110	0·119	0·005	0·108
Means	0·169	0·166	0·179	0·181	0·185	0·175	0·176

Abstract of Pressure of Vapour at Montreal, Quebec, for the Month of December, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·098	0·079	0·064	0·074	0·074	0·057	0·074
2	0·035	0·037	0·036	0·037	0·047	0·053	0·041
3	0·049	0·051	0·059	0·063	0·089	0·071	0·064
4	0·048	0·056	0·076	0·084	0·100	0·145	0·085
5	0·156	0·166	0·180	0·170	0·164	0·094	0·155
6							
7	0·122	0·125	0·143	0·121	0·122	0·100	0·122
8	0·119	0·116	0·135	0·153	0·165	0·176	0·144
9	0·163	0·152	0·153	0·144	0·171	0·175	0·160
10	0·177	0·161	0·155	0·131	0·126	0·124	0·146
11	0·133	0·114	0·120	0·134	0·150	0·142	0·132
12	0·167	0·159	0·181	0·177	0·170	0·166	0·170
13							
14	0·117	0·070	0·079	0·087	0·067	0·048	0·078
15	0·053	0·049	0·048	0·052	0·054	0·056	0·052
16	0·052	0·062	0·062	0·065	0·067	0·061	0·062
17	0·054	0·052	0·049	0·061	0·074	0·078	0·061
18	0·073	0·064	0·066	0·122	0·161	0·171	0·110
19	0·138	0·072	0·059	0·054	0·055	0·050	0·071
20							
21	0·041	0·039	0·035	0·038	0·035	0·037	0·038
22	0·037	0·031	0·042	0·041	0·041	0·034	0·038
23	0·033	0·031	0·031	0·039	0·039	0·034	0·035
24	0·037	0·030	0·035	0·039	0·037	0·142	0·037
25	0·042	0·038	0·047	0·056	0·078	0·116	0·063
26	0·114	0·125	0·115	0·086	0·034	0·031	0·084
27							
28	0·040	0·042	0·060	0·076	0·075	0·063	0·059
29	0·096	0·109	0·162	0·167	0·182	0·186	0·150
30	0·191	0·186	0·186	0·196	0·204	0·190	0·192
31	0·129	0·076	0·057	0·057	0·063	0·065	0·075
Means	0·093	0·085	0·090	0·093	0·098	0·099	0·093

ABSTRACT of Pressure of Vapour at St. John, New Brunswick, for the Month of January, 1896.

DAY.	4 a.m.	8 a.m.	Noon	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·110	0·095	0·115	0·126	0·130	0·123	0·116
2	0·097	0·073	0·089	0·098	0·113	0·159	0·105
3	0·225	0·246	0·196	0·207	0·157	0·106	0·189
4	0·101	0·066	0·043	0·050	0·038	0·035	0·056
5	0·037	0·029	0·032	0·032	0·030	0·023	0·031
6	0·017	0·018	0·030	0·032	0·030	0·021	0·025
7	0·022	0·025	0·033	0·033	0·041	0·042	0·033
8	0·040	0·038	0·047	0·041	0·048	0·041	0·043
9	0·039	0·037	0·044	0·056	0·043	0·057	0·046
10	0·055	0·053	0·085	0·104	0·085	0·107	0·081
11	0·082	0·081	0·092	0·092	0·092	0·096	0·089
12	0·086	0·073	0·115	0·088	0·136	0·159	0·111
13	0·172	0·175	0·173	0·163	0·143	0·139	0·161
14	0·115	0·106	0·121	0·108	0·101	0·094	0·107
15	0·086	0·085	0·077	0·062	0·055	0·053	0·070
16	0·049	0·043	0·059	0·076	0·090	0·151	0·078
17	0·115	0·086	0·072	0·059	0·061	0·061	0·076
18	0·064	0·076	0·095	0·107	0·092	0·100	0·089
19	0·092	0·092	0·101	0·088	0·079	0·067	0·086
20	0·061	0·058	0·077	0·085	0·082	0·060	0·071
21	0·070	0·083	0·115	0·113	0·112	0·112	0·101
22	0·111	0·104	0·108	0·114	0·114	0·088	0·106
23	0·074	0·061	0·086	0·098	0·086	0·067	0·079
24	0·065	0·058	0·112	0·103	0·123	0·125	0·098
25	0·129	0·139	0·133	0·106	0·129	0·138	0·129
26	0·129	0·129	0·154	0·154	0·149	0·148	0·144
27	0·143	0·138	0·145	0·151	0·117	0·094	0·131
28	0·049	0·041	0·031	0·032	0·033	0·030	0·036
29	0·028	0·027	0·040	0·042	0·048	0·042	0·038
30	0·037	0·039	0·064	0·100	0·086	0·062	0·065
31	0·049	0·035	0·043	0·043	0·037	0·037	0·041
Means	0·082	0·078	0·088	0·089	0·086	0·085	0·085

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of February, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·139	0·037	0·077	0·121	0·118	0·148	0·090
2	0·142	0·162	0·162	0·147	0·128	0·129	0·145
3	0·112	0·102	0·139	0·136	0·128	0·132	0·125
4	0·087	0·075	0·100	0·115	0·101	0·103	0·097
5	0·098	0·102	0·126	0·123	0·121	0·136	0·118
6	0·138	0·149	0·140	0·141	0·172	0·183	0·154
7	0·180	0·194	0·231	0·225	0·180	0·150	0·193
8	0·166	0·162	0·133	0·145	0·128	0·119	0·142
9	0·099	0·087	0·121	0·130	0·125	0·150	0·119
10	0·127	0·108	0·126	0·144	0·120	0·087	0·119
11	0·075	0·078	0·122	0·132	0·139	0·102	0·108
12	0·100	0·096	0·118	0·101	0·096	0·083	0·099
13	0·070	0·062	0·069	0·106	0·114	0·132	0·092
14	0·112	0·097	0·123	0·101	0·099	0·083	0·103
15	0·068	0·041	0·052	0·057	0·065	0·062	0·058
16	0·048	0·045	0·048	0·052	0·041	0·033	0·044
17	0·022	0·015	0·024	0·031	0·033	0·033	0·026
18	0·026	0·023	0·040	0·061	0·051	0·044	0·041
19	0·037	0·036	0·060	0·082	0·066	0·066	0·058
20	0·175	0·158	0·148	0·101	0·086	0·074	0·124
21	0·061	0·052	0·073	0·077	0·059	0·050	0·062
22	0·043	0·041	0·048	0·064	0·078	0·083	0·059
23	0·082	0·071	0·141	0·139	0·155	0·176	0·127
24	0·182	0·177	0·184	0·178	0·184	0·130	0·173
25	0·104	0·065	0·086	0·076	0·064	0·062	0·076
26	0·065	0·069	0·080	0·068	0·083	0·068	0·072
27	0·050	0·043	0·075	0·092	0·095	0·090	0·074
28	0·090	0·071	0·170	0·153	0·177	0·195	0·143
29	0·188	0·204	0·233	0·273	0·254	0·216	0·228
Means	0·096	0·090	0·112	0·116	0·112	0·108	0·106

ABSTRACT of Pressure of Vapour at St. John, New Brunswick, for the Month of March, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·210	0·206	0·233	0·230	0·148	0·142	0·195
2	0·185	0·195	0·205	0·257	0·285	0·264	0·232
3	0·226	0·219	0·258	0·238	0·212	0·212	0·227
4	0·178	0·179	0·199	0·175	0·164	0·132	0·171
5	0·121	0·110	0·134	0·151	0·145	0·123	0·131
6	0·123	0·110	0·109	0·124	0·126	0·119	0·119
7	0·103	0·083	0·149	0·160	0·153	0·162	0·135
8	0·145	0·128	0·154	0·149	0·143	0·101	0·137
9	0·086	0·069	0·082	0·092	0·081	0·063	0·079
10	0·042	0·057	0·082	0·087	0·095	0·066	0·072
11	0·054	0·051	0·084	0·082	0·094	0·112	0·079
12	0·087	0·102	0·138	0·110	0·107	0·079	0·104
13	0·070	0·059	0·073	0·079	0·087	0·082	0·075
14	0·059	0·050	0·061	0·083	0·074	0·061	0·065
15	0·057	0·049	0·085	0·083	0·095	0·073	0·074
16	0·085	0·065	0·130	0·125	0·123	0·142	0·112
17	0·143	0·140	0·141	0·133	0·113	0·093	0·127
18	0·088	0·093	0·142	0·125	0·138	0·126	0·119
19	0·128	0·155	0·164	0·168	0·199	0·223	0·173
20	0·231	0·275	0·229	0·171	0·156	0·113	0·196
21	0·109	0·105	0·093	0·118	0·117	0·105	0·108
22	0·099	0·148	0·210	0·188	0·161	0·091	0·149
23	0·058	0·052	0·046	0·074	0·064	0·073	0·061
24	0·053	0·042	0·105	0·085	0·077	0·075	0·073
25	0·090	0·090	0·124	0·134	0·154	0·188	0·130
26	0·193	0·210	0·212	0·222	0·250	0·279	0·228
27	0·203	0·227	0·144	0·133	0·106	0·100	0·152
28	0·090	0·093	0·086	0·100	0·115	0·120	0·101
29	0·099	0·090	0·164	0·176	0·160	0·146	0·139
30	0·150	0·163	0·172	0·201	0·191	0·179	0·176
31	0·179	0·179	0·193	0·168	0·174	0·168	0·177
Means	0·121	0·122	0·142	0·143	0·139	0·129	0·133

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of April, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·141	0·127	0·155	0·172	0·178	0·152	0·154
2	0·151	0·139	0·219	0·249	0·192	0·145	0·182
3	0·184	0·162	0·206	0·178	0·166	0·143	0·173
4	0·141	0·154	0·163	0·188	0·149	0·149	0·157
5	0·158	0·166	0·182	0·166	0·158	0·149	0·163
6	0·153	0·120	0·133	0·140	0·153	0·111	0·135
7	0·079	0·093	0·094	0·132	0·122	0·099	0·103
8	0·079	0·102	0·218	0·201	0·160	0·129	0·148
9	0·073	0·091	0·111	0·161	0·141	0·155	0·122
10	0·103	0·140	0·117	0·116	0·109	0·151	0·123
11	0·140	0·128	0·158	0·182	0·229	0·182	0·170
12	0·174	0·163	0·168	0·247	0·202	0·186	0·190
13	0·210	0·195	0·242	0·260	0·235	0·176	0·220
14	0·161	0·142	0·221	0·236	0·253	0·231	0·207
15	0·213	0·216	0·241	0·289	0·241	0·261	0·244
16	0·218	0·228	0·270	0·301	0·322	0·274	0·269
17	0·250	0·221	0·269	0·275	0·227	0·207	0·243
18	0·218	0·234	0·281	0·266	0·261	0·186	0·241
19	0·192	0·205	0·269	0·243	0·248	0·233	0·232
20	0·239	0·215	0·230	0·264	0·392	0·127	0·245
21	0·153	0·142	0·165	0·169	0·190	0·176	0·166
22	0·151	0·140	0·147	0·206	0·169	0·168	0·162
23	0·135	0·144	0·199	0·185	0·208	0·111	0·164
24	0·127	0·111	0·147	0·165	0·115	0·151	0·136
25	0·117	0·148	0·166	0·169	0·204	0·168	0·162
26	0·146	0·148	0·205	0·241	0·203	0·196	0·190
27	0·166	0·188	0·223	0·205	0·228	0·195	0·201
28	0·152	0·166	0·220	0·248	0·225	0·227	0·206
29	0·214	0·190	0·189	0·244	0·175	0·137	0·191
30	0·120	0·117	0·138	0·177	0·139	0·116	0·135
Means	0·159	0·158	0·191	0·209	0·200	0·170	0·181

ABSTRACT of Pressure of Vapour at St. John, New Brunswick, for the Month of May, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·110	0·114	0·139	0·143	0·146	0·130	0·130
2	0·114	0·156	0·180	0·231	0·213	0·189	0·181
3	0·185	0·207	0·281	0·256	0·241	0·249	0·236
4	0·239	0·216	0·329	0·343	0·227	0·203	0·259
5	0·225	0·218	0·238	0·280	0·242	0·225	0·238
6	0·219	0·231	0·266	0·236	0·194	0·168	0·219
7	0·148	0·163	0·191	0·251	0·208	0·169	0·188
8	0·148	0·127	0·169	0·225	0·203	0·224	0·183
9	0·231	0·217	0·258	0·223	0·244	0·264	0·239
10	0·222	0·195	0·468	0·473	0·428	0·349	0·356
11	0·248	0·194	0·259	0·312	0·301	0·271	0·264
12	0·264	0·288	0·282	0·249	0·299	0·194	0·263
13	0·194	0·208	0·210	0·172	0·231	0·216	0·205
14	0·174	0·218	0·262	0·269	0·307	0·264	0·249
15	0·228	0·278	0·226	0·236	0·249	0·236	0·241
16	0·258	0·260	0·296	0·383	0·325	0·303	0·304
17	0·293	0·295	0·324	0·327	0·339	0·309	0·315
18	0·314	0·335	0·397	0·342	0·379	0·364	0·355
19	0·358	0·395	0·348	0·448	0·420	0·177	0·358
20	0·150	0·150	0·120	0·136	0·212	0·236	0·167
21	0·221	0·221	0·195	0·180	0·318	0·316	0·242
22	0·286	0·292	0·389	0·370	0·321	0·324	0·330
23	0·245	0·252	0·255	0·275	0·187	0·195	0·235
24	0·153	0·149	0·174	0·202	0·174	0·205	0·176
25	0·216	0·222	..	..	0·249	0·243	.. ..
26	0·218	0·184	0·249	0·260	0·297	0·304	0·252
27	0·310	0·328	0·463	0·448	0·335	0·340	0·371
28	0·213	0·298	0·286	0·262	0·303	0·283	0·274
29	0·304	0·307	0·364	0·379	0·374	0·351	0·347
30	0·334	0·341	0·384	0·424	0·326	0·258	0·345
31	0·236	0·300	0·400	0·403	0·400	0·368	0·351
Means	0·228	0·238	0·280	0·291	0·281	0·289	0·262

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of June, 1896.

Day	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·340	0·346	0·465	0·409	0·393	0·328	0·380
2	0·313	0·315	0·353	0·388	0·380	0·317	0·344
3	0·295	0·286	0·296	0·386	0·324	0·341	0·321
4	0·314	0·299	0·374	0·349	0·462	0·412	0·368
5	0·371	0·339	0·315	0·374	0·341	0·304	0·341
6	0·293	0·310	0·336	0·408	0·374	0·322	0·341
7	0·265	0·245	0·387	0·370	0·380	0·290	0·323
8	0·230	0·264	0·337	0·439	0·371	0·341	0·330
9	0·321	0·315	0·402	0·417	0·404	0·393	0·375
10	0·367	0·414	0·447	0·444	0·369	0·270	0·385
11	0·223	0·274	0·321	0·321	0·332	0·319	0·298
12	0·268	0·286	0·355	0·301	0·286	0·312	0·301
13	0·251	0·268	0·302	0·313	0·299	0·294	0·288
14	0·241	0·268	0·375	0·416	0·355	0·313	0·328
15	0·352	0·315	0·361	0·396	0·375	0·367	0·361
16	0·416	0·257	0·258	0·423	0·349	0·328	0·338
17	0·315	0·375	0·361	0·428	0·399	0·367	0·374
18	0·331	0·349	0·423	0·469	0·434	0·371	0·396
19	0·361	0·414	0·372	0·418	0·357	0·385	0·385
20	0·368	0·358	0·394	0·416	0·429	0·465	0·405
21	0·369	0·346	0·484	0·439	0·426	0·450	0·419
22	0·417	0·426	0·434	0·469	0·465	0·432	0·441
23	0·377	0·306	0·250	0·252	0·308	0·371	0·311
24	0·352	0·321	0·251	0·259	0·348	0·345	0·313
25	0·306	0·320	0·341	0·305	0·288	0·334	0·316
26	0·317	0·330	0·356	0·426	0·394	0·411	0·372
27	0·399	0·396	0·400	0·378	0·386	0·379	0·390
28	0·343	0·345	0·398	0·387	0·348	0·395	0·369
29	0·411	0·433	0·384	0·413	0·396	0·358	0·399
30	0·230	0·184	0·186	0·246	0·281	0·341	0·245
Means	0·325	0·323	0·357	0·382	0·368	0·355	0·352

ABSTRACT of Pressure of Vapour at St. John, New Brunswick, for the Month of July, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·341	0·328	0·407	0·362	0·435	0·399	0·379
2	0·371	0·353	0·415	0·422	0·439	0·458	0·410
3	0·421	0·360	0·323	0·367	0·357	0·309	0·356
4	0·426	0·431	0·397	0·397	0·404	0·341	0·399
5	0·343	0·342	0·368	0·411	0·387	0·327	0·363
6	0·367	0·387	0·428	0·396	0·393	0·376	0·391
7	0·379	0·412	0·505	0·517	0·478	0·440	0·455
8	0·387	0·445	0·458	0·476	0·455	0·419	0·440
9	0·413	3·417	0·489	0·574	0·532	0·468	0·482
10	0·427	0·434	0·484	0·459	0·446	0·441	0·448
11	0·416	0·462	0·419	0·429	0·428	0·404	0·426
12	0·390	0·410	0·352	0·470	0·460	0·452	0·422
13	0·411	0·529	0·457	0·509	0·548	0·523	0·496
14	0·553	0·570	0·580	0·595	0·476	0·454	0·538
15	0·442	0·435	0·443	0·460	0·562	0·454	0·466
16	0·428	0·449	0·361	0·454	0·427	0·390	0·418
17	0·363	0·384	0·457	0·455	0·451	0·406	0·419
18	0·390	0·392	0·431	0·392	0·473	0·444	0·420
19	0·438	0·417	0·505	0·498	0·403	0·365	0·438
20	0·418	0·412	0·442	0·438	0·434	0·431	0·429
21	0·445	0·468	0·494	0·460	0·446	0·430	0·457
22	0·440	0·465	0·510	0·475	0·491	0·488	0·478
23	0·466	0·442	0·537	0·519	0·380	0·383	0·455
24	0·382	0·440	0·429	0·424	0·394	0·440	0·418
25	0·419	0·412	0·415	0·445	0·407	0·409	0·418
26	0·409	0·391	0·483	0·503	0·462	0·429	0·446
27	0·416	0·474	0·451	0·484	0·453	0·491	0·462
28	0·444	0·363	0·566	0·611	0·483	0·471	0·490
29	0·469	0·539	0·503	0·458	0·542	0·480	0·499
30	0·459	0·445	0·512	0·527	0·530	0·536	0·502
31	0·452	0·473	0·378	0·316	0·305	0·315	0·373
Means	0·417	0·428	0·452	0·461	0·448	0·425	0·438

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of August 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·338	0·340	0·274	0·310	0·412	0·366	0·340
2	0·404	0·464	0·512	0·444	0·421	0·380	0·437
3	0·370	0·387	0·456	0·432	0·442	0·425	0·419
4	0·387	0·396	0·443	0·436	0·449	0·453	0·427
5	0·444	0·396	0·637	0·511	0·494	0·380	0·477
6	0·381	0·363	0·339	0·330	0·381	0·390	0·364
7	0·409	0·397	0·411	0·422	0·443	0·440	0·420
8	0·442	0·446	0·501	0·480	0·449	0·434	0·459
9	0·413	0·462	0·469	0·502	0·484	0·487	0·470
10	0·459	0·470	0·554	0·532	0·484	0·475	0·496
11	0·408	0·474	0·522	0·564	0·525	0·533	0·504
12	0·542	0·516	0·562	0·481	0·449	0·450	0·500
13	0·442	0·488	0·603	0·586	0·532	0·463	0·519
14	0·455	0·488	0·519	0·593	0·495	0·443	0·499
15	0·460	0·483	0·510		0·462	0·465	
16	0·521	0·502	0·567	0·546	0·497	0·470	0·517
17	0·457	0·468	0·513	0·501	0·388	0·363	0·448
18	0·341	0·423	0·429	0·405	0·393	0·420	0·402
19	0·394	0·393	0·401	0·382	0·394	0·339	0·384
20	0·314	0·328	0·298	0·407	0·409	0·397	0·359
21	0·341	0·418	0·439	0·460	0·469	0·454	0·430
22	0·456	0·412	0·433	0·478	0·439	0·421	0·439
23	0·397	0·404	0·495	0·446	0·466	0·518	0·454
24	0·475	0·459	0·500	0·488	0·470	0·444	0·473
25	0·413	0·392	0·385	0·374	0·466	0·411	0·407
26	0·396	0·436	0·463	0·443	0·429	0·434	0·434
27	0·424	0·427	0·462	0·463	0·456	0·489	0·453
28	0·496	0·401	0·293	0·254	0·282	0·315	0·340
29	0·293	0·329	0·222	0·229	0·282	0·308	0·277
30	0·309	0·282	0·366	0·320	0·298	0·328	0·317
31	0·313	0·327	0·425	0·429	0·429	0·459	0·397
Means	0·408	0·416	0·450	0·441	0·434	0·423	0·429

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of September, 1896

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	0·416	0·370	0·290	0·265	0·303	0·296	0·323
2.	0·269	0·289	0·294	0·322	0·359	0·344	0·313
3.	0·352	0·369	0·400	0·422	0·423	0·468	0·406
4.	0·431	0·343	0·269	0·263	0·322	0·264	0·315
5.	0·270	0·285	0·246	0·235	0·315	0·307	0·276
6.	0·297	0·376	0·376	0·453	0·498	0·531	0·422
7.	0·459	0·493	0·511	0·468	0·449	0·404	0·464
8.	0·396	0·432	0·391	0·369	0·429	0·404	0·403
9.	0·366	0·391	0·407	0·429	0·447	0·471	0·417
10.	0·540	0·558	0·668	0·644	0·676	0·678	0·627
11.	0·569	0·540	0·454	0·526	0·459	0·453	0·500
12.	0·448	0·443	0·453	0·458	0·496	0·432	0·455
13.	0·400	0·382	0·356	0·322	0·335	0·302	0·350
14.	0·275	0·268	0·380	0·371	0·369	0·394	0·343
15.	0·411	0·431	0·447	0·441	0·367	0·339	0·406
16.	0·301	0·303	0·320	0·395	0·365	0·420	0·351
17.	0·420	0·432	0·438	0·469	0·492	0·447	0·450
18.	0·438	0·459	0·365	0·295	0·328	0·329	0·369
19.	0·315	0·371	0·420	0·400	0·389	0·449	0·391
20.	0·442	0·394	0·275	0·260	0·264	0·292	0·321
21.	0·282	0·276	0·251	0·328	0·334	0·365	0·306
22.	0·361	0·375	0·406	0·419	0·411	0·348	0·387
23.	0·281	0·216	0·205	0·187	0·208	0·192	0·215
24.	0·164	0·174	0·262	0·225	0·230	0·238	0·215
25.	0·182	0·219	0·200	0·234	0·279	0·293	0·235
26.	0·322	0·316	0·355	0·362	0·389	0·397	0·357
27.	0·404	0·382	0·411	0·410	0·412	0·420	0·406
28.	0·403	0·422	0·363	9·253	0·255	0·240	0·323
29.	0·217	0·233	0·261	0·349	0·348	0·335	0·291
30.	0·342	0·326	0·407	0·511	0·478	0·459	0·420
Means	0·359	0·362	0·363	0·369	0·381	0·377	0·368

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of October, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·448	0·449	0·419	0·423	0·425	0·410	0·429
2	0·374	0·341	0·341	0·321	0·290	0·310	0·329
3	0·310	0·277	0·328	0·342	0·344	0·309	0·318
4	0·277	0·239	0·258	0·269	0·282	0·252	0·263
5	0·299	0·269	0·282	0·310	0·269	0·244	0·279
6	0·256	0·271	0·278	0·342	0·321	0·322	0·298
7	0·320	0·346	0·360	0·374	0·374	0·354	0·355
8	0·332	0·335	0·352	0·321	0·309	0·247	0·316
9	0·218	0·226	0·201	0·177	0·197	0·179	0·200
10	0·168	0·182	0·179	0·177	0·173	0·192	0·179
11	0·172	0·145	0·225	0·232	0·205	0·210	0·198
12	0·182	0·189	0·214	0·226	0·205	0·214	0·205
13	0·221	0·214	0·273	0·256	0·279	0·290	0·255
14	0·317	0·316	0·296	0·293	0·264	0·262	0·291
15	0·279	0·295	0·303	0·327	0·323	0·316	0·307
16	0·309	0·292	0·310	0·346	0·365	0·360	0·330
17	0·314	0·234	0·210	0·221	0·255	0·232	0·244
18	0·280	0·328	0·396	0·496	0·475	0·466	0·407
19	0·418	0·388	0·268	0·240	0·231	0·171	0·286
20	0·168	0·169	0·208	0·178	0·221	0·261	0·201
21	0·301	0·295	0·489	0·301	0·302	0·345	0·339
22	0·311	0·254	0·191	0·180	0·203	0·184	0·220
23	0·179	0·173	0·171	0·200	0·233	0·225	0·197
24	0·292	0·286	0·345	0·385	0·348	0·266	0·320
25	0·264	0·190	0·139	0·135	0·109	0·118	0·159
26	0·151	0·149	0·149	0·198	0·213	0·253	0·186
27	0·262	0·254	0·220	0·211	0·197	0·180	0·221
28	0·186	0·166	0·195	0·180	0·190	0·185	0·184
29	0·159	0·148	0·223	0·290	0·282	0·304	0·234
30	0·310	0·331	0·357	0·354	0·328	0·330	0·335
31	0·364	0·352	0·310	0·288	0·278	0·258	0·308
Means	0·272	0·261	0·274	0·277	0·274	0·266	0·271

Abstract of Pressure of Vapour at St. John, New Brunswick, for the Month of November, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·255	0·248	0·296	0·297	0·283	0·323	0·284
2	0·304	0·307	0·309	0·303	0·279	0·258	0·293
3	0·228	0·199	0·177	0·204	0·163	0·155	0·188
4	0·116	0·085	0·166	0·182	0·183	0·191	0·154
5	0·229	0·231	0·289	0·335	0·318	0·362	0·294
6	0·377	0·403	0·395	0·361	0·267	0·226	0·338
7	0·223	0·199	0·195	0·187	0·195	0·192	0·198
8	0·175	0·171	0·258	0·309	0·341	0·354	0·268
9	0·361	0·349	0·259	0·229	0·199	0·163	0·260
10	0·178	0·161	0·126	0·134	0·192	0·158	0·158
11	0·147	0·135	0·185	0·223	0·293	0·376	0·227
12	0·251	0·208	0·202	0·203	0·199	0·192	0·209
13	0·184	0·162	0·167	0·135	0·150	0·146	0·157
14	0·129	0·130	0·133	0·123	0·128	0·105	0·125
15	0·111	0·161	0·223	0·206	0·223	0·198	0·187
16	0·199	0·153	0·155	0·160	0·191	0·271	0·188
17	2·262	0·303	0·321	0·353	0·204	0·112	0·259
18	0·149	0·124	0·147	0·204	0·262	0·328	0·202
19	0·297	0·330	0·252	0·134	0·125	0·090	0·205
20	0·083	0·084	0·088	0·092	0·071	0·067	0·081
21	0·059	0·059	0·079	0·112	0·145	0·172	0·104
22	0·162	0·125	0·115	0·105	0·096	0·080	0·114
23	0·055	0·048	0·073	0·081	0·130	0·152	0·090
24	0·193	0·260	0·316	0·304	0·211	0·159	0·240
25	0·126	0·112	0·094	0·091	0·092	0·092	0·101
26	0·088	0·092	0·131	0·160	0·189	0·216	0·146
27	0·229	0·244	0·286	0·317	0·274	0·292	0·274
28	0·284	0·302	0·374	0·353	0·221	0·231	0·294
29	0·248	0·177	0·122	0·113	0·136	0·135	0·155
30	0·135	0·136	0·098	0·102	0·112	0·104	0·115
Means	0·194	0·190	0·201	0·204	0·196	0·197	0·197

ABSTRACT of Pressure of Vapour at St. John, New Brunswick, for the Month of December, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	0·107	0·108	0·093	0·093	0·085	0·083	0·095
2	0·062	0·056	0·046	0·044	0·043	0·037	0·048
3	0·041	0·038	0·038	0·036	0·045	0·049	0·041
4	0·051	0·055	0·060	0·072	0·148	0·167	0·092
5	0·188	0·214	0·174	0·177	0·185	0·110	0·175
6	0·117	0·164	0·156	0·203	0·269	0·254	0·194
7	0·212	0·176	0·166	0·191	0·152	0·140	0·172
8	0·126	0·115	0·117	0·129	0·163	0·203	0·142
9	0·205	0·231	0·294	0·301	0·177	0·168	0·229
10	0·151	0·152	0·166	0·158	0·175	0·164	0·161
11	0·146	0·137	0·102	0·106	0·107	0·089	0·114
12	0·086	0·076	0·149	0·158	0·176	0·171	0·136
13	0·191	0·218	0·253	0·266	0·295	0·290	0·252
14	0·233	0·167	0·132	0·086	0·088	0·072	0·130
15	0·064	0·053	0·058	0·068	0·071	0·078	0·065
16	0·067	0·063	0·094	0·115	0·120	0·094	0·092
17	0·091	0·074	0·085	0·089	0·100	0·076	0·086
18	0·056	0·050	0·077	0·106	0·135	0·159	0·097
19	0·168	0·189	0·207	0·152	0·090	0·071	0·146
20	0·060	0·054	0·054	0·062	0·051	0·048	0·055
21	0·037	0·034	0·044	0·046	0·050	0·043	0·042
22	0·039	0·039	0·047	0·053	0·051	0·046	0·046
23	0·037	0·037	0·050	0·054	0·051	0·054	0·047
24	0·053	0·052	0·055	0·051	0·048	0·027	0·048
25	0·037	0·035	0·044	0·048	0·054	0·054	0·045
26	0·069	0·112	0·117	0·126	0·054	0·048	0·088
27	0·033	0·031	0·027	0·043	0·043	0·045	0·037
28	0·048	0·047	0·110	0·129	0·136	0·133	0·101
29	0·147	0·171	0·168	0·157	0·168	0·156	0·161
30	0·162	0·162	0·173	0·174	0·231	0·215	0·186
31	0·192	0·147	0·070	0·081	0·063	0·064	0·103
Means	0·106	0·105	0·111	0·112	0·117	0·110	0·111

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of January, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·149	0·156	0·145	0·136	0·139	0·124	0·117	0·110	0·135
2	0·127	0·140	0·090	0·101	0·122	0·117	0·110	0·128	0·117
3	0·189	0·270	0·222	0·275	0·273	0·194	0·221	0·187	0·229
4	0·158	0·106	0·087	0·099	0·073	0·058	0·060	0·054	0·087
5	0·057	0·057	0·048	0·064	0·056	0·060	0·049	0·053	0·056
6	0·045	0·037	0·041	0·051	0·049	0·054	0·060	0·057	0·049
7	0·051	0·052	0·050	0·051	0·053	0·051	0·055	0·052	0·052
8	0·057	0·059	0·057	0·065	0·071	0·078	0·071	0·069	0·066
9	0·061	0·057	0·051	0·070	0·055	0·066	0·048	0·072	0·060
10	0·082	0·092	0·104	0·121	0·130	0·131	0·135	0·129	0·116
11	0·134	0·145	0·145	0·140	0·151	0·153	0·144	0·135	0·143
12	0·126	0·120	0·117	0·117	0·118	0·116	0·117	0·128	0·121
13	0·137	0·169	0·187	0·187	0·152	0·151	0·151	0·142	0·159
14	0·148	0·148	0·163	0·174	0·172	0·168	0·181	0·112	0·158
15	0·087	0·093	0·107	0·126	0·102	0·085	0·086	0·085	0·096
16	0·077	0·068	0·068	0·093	0·078	0·095	0·108	0·125	0·089
17	0·174	0·176	0·117	0·113	0·091	0·086	0·060	0·074	0·111
18	0·079	0·098	0·100	0·151	0·155	0·149	0·153	0·142	0·128
19	0·141	0·140	0·142	0·130	0·129	0·131	0·115	0·117	0·132
20	0·123	0·115	0·091	0·131	0·119	0·115	0·115	0·121	0·116
21	0·117	0·108	0·126	0·140	0·140	0·132	0·124	0·119	0·126
22	0·124	0·118	0·118	0·145	0·134	0·112	0·111	0·107	0·121
23	0·104	0·103	0·107	0·094	0·101	0·094	0·083	0·091	0·097
24	0·099	0·107	0·111	0·116	0·124	0·130	0·129	0·133	0·119
25	0·139	0·149	0·149	0·140	0·157	0·147	0·168	0·155	0·150
26	0·156	0·178	0·168	0·180	0·180	0·180	0·183	0·190	0·177
27	0·183	0·179	0·170	0·158	0·159	0·144	0·154	0·142	0·161
28	0·114	0·081	0·062	0·061	0·054	0·042	0·041	0·040	0·062
29	0·039	0·033	0·035	0·054	0·059	0·065	0·058	0·053	0·050
30	0·046	0·048	0·057	0·078	0·072	0·095	0·093	0·079	0·071
31	0·070	0·057	0·045	0·036	0·070	0·053	0·053	0·054	0·055
Means	0·110	0·112	0·106	0·116	0·114	0·109	0·108	0·105	0·110

ABSTRACT of Pressure of Vapour at Halifax, Nova Scotia, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·053	0·053	0·057	0·073	0·089	0·098	0·127	0·139	0·086
2	0·158	0·168	0·179	0·185	0·185	0·180	0·172	0·145	0·172
3	0·133	0·107	0·110	0·124	0·121	0·094	0·101	0·107	0·112
4	0·103	0·092	0·111	0·126	0·111	0·121	0·117	0·117	0·112
5	0·118	0·115	0·113	0·117	0·106	0·115	0·106	0·112	0·113
6	0·111	0·104	0·121	0·116	0·130	0·155	0·162	0·119	0·128
7	0·203	0·224	0·222	0·227	0·206	0·197	0·199	0·184	0·208
8	0·147	0·133	0·156	0·129	0·130	0·143	0·175	0·112	0·141
9	0·093	0·111	0·119	0·131	0·132	0·139	0·159	0·193	0·135
10	0·221	0·165	0·130	0·111	0·123	0·116	0·106	0·106	0·135
11	0·098	0·083	0·096	0·136	0·128	0·162	0·155	0·152	0·126
12	0·129	0·099	0·100	0·111	0·118	0·103	0·104	0·104	0·109
13	0·095	0·087	0·078	0·103	0·096	0·108	0·130	0·142	0·105
14	0·159	0·177	0·151	0·207	0·106	0·095	0·105	0·095	0·137
15	0·084	0·083	0·055	0·062	0·073	0·067	0·095	0·093	0·075
16	0·096	0·096	0·091	0·074	0·077	0·069	0·065	0·061	0·079
17	0·052	0·046	0·045	0·039	0·041	0·037	0·032	0·038	0·041
18	0·035	0·033	0·042	0·059	0·083	0·084	0·067	0·071	0·059
19	0·076	0·079	0·080	0·086	0·110	0·099	0·109	0·095	0·092
20	0·093	0·161	0·165	0·174	0·174	0·123	0·098	0·096	0·136
21	0·090	0·091	0·083	0·089	0·084	0·078	0·067	0·065	0·081
22	0·056	0·038	0·062	0·070	0·072	0·067	0·083	0·096	0·068
23	0·087	0·062	0·086	0·107	0·136	0·124	0·143	0·162	0·113
24	0·173	0·199	0·199	0·214	0·202	0·192	0·164	0·154	0·187
25	0·153	0·124	0·122	0·116	0·137	0·110	0·101	0·082	0·118
26	0·072	0·061	0·065	0·089	0·089	0·074	0·063	0·059	0·071
27	0·058	0·054	0·065	0·099	0·096	0·095	0·087	0·073	0·079
28	0·092	0·093	0·106	0·120	0·139	0·149	0·161	0·173	0·129
29	0·170	0·174	0·191	0·111	0·180	0·191	0·182	0·182	0·173
Means	0·111	0·107	0·110	0·117	0·119	0·116	0·118	0·115	0·114

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of March, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·182	0·180	0·172	0·165	0·147	0·147	0·174	0·183	0·169
2	0·189	0·194	0·208	0·222	0·229	0·226	0·236	0·237	0·218
3	0·224	0·207	0·235	0·272	0·300	0·281	0·257	0·260	0·255
4	0·249	0·235	0·238	0·270	0·290	0·253	0·198	0·191	0·241
5	0·194	0·174	0·177	0·189	0·203	0·179	0·162	0·155	0·179
6	0·149	0·136	0·139	0·137	0·132	0·126	0·119	0·124	0·133
7	0·122	0·126	0·129	0·146	0·144	0·149	0·160	0·171	0·143
8	0·180	0·180	0·190	0·172	0·150	0·152	0·154	0·137	0·164
9	0·130	0·097	0·082	0·095	0·083	0·092	0·089	0·097	0·096
10	0·085	0·080	0·067	0·089	0·099	0·092	0·132	0·093	0·094
11	0·091	0·081	0·081	0·092	0·096	0·106	0·134	0·140	0·103
12	0·183	0·253	0·332	0·298	0·179	0·145	0·165	0·127	0·210
13	0·107	0·089	0·108	0·130	0·128	0·110	0·089	0·089	0·106
14	0·083	0·067	0·063	0·089	0·088	0·068	0·070	0·072	0·078
15	0·070	0·070	0·065	0·074	0·095	0·116	0·081	0·083	0·082
16	0·085	0·083	0·165	0·131	0·116	0·135	0·149	0·150	0·119
17	0·176	0·204	0·245	0·280	0·227	0·164	0·110	0·115	0·190
18	0·114	0·105	0·122	0·108	0·155	0·159	0·130	0·134	0·128
19	0·150	0·169	0·180	0·162	0·180	0·173	0·196	0·209	0·177
20	0·248	0·276	0·308	0·308	0·220	0·186	0·178	0·157	0·235
21	0·140	0·117	0·106	0·116	0·114	0·087	0·097	0·111	0·111
22	0·128	0·151	0·164	0·176	0·181	0·203	0·191	0·187	0·173
23	0·152	0·105	0·063	0·097	0·122	0·091	0·078	0·076	0·098
24	0·079	0·087	0·084	0·091	0·101	0·079	0·089	0·081	0·086
25	0·064	0·062	0·080	0·099	0·132	0·135	0·151	0·143	0·108
26	0·169	0·197	0·223	0·266	0·246	0·262	0·246	0·254	0·233
27	0·301	0·280	0·313	0·186	0·128	0·144	0·122	0·117	0·199
28	0·102	0·096	0·082	0·122	0·116	0·113	0·110	0·100	0·105
29	0·099	0·113	0·110	0·119	0·186	0·132	0·131	0·134	0·128
30	0·130	0·164	0·162	0·169	0·170	0·176	0·175	0·174	0·165
31	0·180	0·174	0·161	0·200	0·196	0·175	0·153	0·155	0·174
Means.	0·147	0·147	0·155	0·164	0·161	0·150	0·146	0·144	0·152

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of April, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·152	0·140	0·153	0·152	0·162	0·189	0·178	0·165	0·161
2	0·148	0·144	0·173	0·188	0·213	0·170	0·188	0·162	0·173
3	0·181	0·183	0·185	0·162	0·169	0·168	0·151	0·144	0·168
4	0·142	0·121	0·140	0·146	0·159	0·163	0·168	0·172	0·151
5	0·172	0·176	0·191	0·216	0·225	0·169	0·178	0·151	0·185
6	0·153	0·155	0·142	0·157	0·163	0·140	0·139	0·138	0·148
7	0·144	0·131	0·115	0·129	0·155	0·129	0·125	0·132	0·132
8	0·125	0·121	0·126	0·155	0·140	0·110	0·111	0·118	0·126
9	0·102	0·116	0·194	0·161	0·104	0·107	0·100	0·105	0·124
10	0·119	0·141	0·202	0·132	0·130	0·110	0·119	0·108	0·133
11	0·092	0·122	0·138	0·230	0·076	0·142	0·143	0·121	0·133
12	0·159	0·183	0·192	0·250	0·257	0·191	0·207	0·163	0·200
13	0·150	0·157	0·264	0·224	0·207	0·203	0·188	0·196	0·199
14	0·211	0·173	0·188	0·181	0·178	0·177	0·200	0·215	0·190
15	0·220	0·215	0·274	0·348	0·345	0·300	0·295	0·287	0·285
16	0·245	0·244	0·302	0·316	0·303	0·292	0·240	0·208	0·269
17	0·193	0·200	0·200	0·196	0·214	0·189	0·194	0·186	0·197
18	0·199	0·214	0·223	0·296	0·302	0·328	0·278	0·221	0·258
19	0·156	0·180	0·172	0·159	0·253	0·202	0·229	0·263	0·202
20	0·266	0·324	0·424	0·361	0·293	0·339	0·225	0·298	0·316
21	0·297	0·135	0·120	0·148	0·150	0·140	0·165	0·161	0·164
22	0·178	0·207	0·165	0·203	0·199	0·186	0·157	0·138	0·179
23	0·115	0·130	0·215	0·108	0·138	0·124	0·151	0·136	0·140
24	0·198	0·135	0·140	0·159	0·193	0·167	0·150	0·144	0·161
25	0·149	0·153	0·152	0·186	0·173	0·064	0·164	0·164	0·151
26	0·131	0·150	0·172	0·169	0·159	0·189	0·199	0·164	0·167
27	0·164	0·163	0·173	0·162	0·183	0·179	0·169	0·163	0·169
28	0·154	0·159	0·178	0·180	0·214	0·203	0·210	0·207	0·188
29	0·220	0·246	0·250	0·115	0·197	0·180	0·133	0·116	0·182
30	0·127	0·154	0·132	0·130	0·159	0·130	0·137	0·111	0·135
Means	0·169	0·169	0·190	0·190	0·194	0·179	0·176	0·168	0·179

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of May, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·132	0·154	0·131	0·152	0·168	0·140	0·178	0·159	0·152
2	0·154	0·162	0·162	0·201	0·183	0·165	0·149	0·138	0·164
3	0·124	0·183	0·179	0·226	0·184	0·236	0·257	0·256	0·206
4	0·231	0·254	0·293	0·294	0·324	0·203	0·213	0·188	0·250
5	0·196	0·204	0·198	0·187	0·197	0·207	0·212	0·210	0·201
6	0·201	0·189	0·207	0·215	0·203	0·168	0·171	0·146	0·187
7	0·153	0·146	0·140	0·157	0·168	0·180	0·155	0·171	0·159
8	0·141	0·188	0·311	0·313	0·237	0·211	0·197	0·199	0·225
9	0·217	0·235	0·256	0·317	0·273	0·332	0·317	0·321	0·284
10	0·301	0·361	0·360	0·441	0·556	0·437	0·301	0·298	0·382
11	0·229	0·223	0·222	0·206	0·243	0·220	0·217	0·220	0·222
12	0·239	0·235	0·232	0·261	0·162	0·307	0·247	0·215	0·237
13	0·170	0·186	0·186	0·094	0·217	0·188	0·191	0·203	0·179
14	0·175	0·180	0·245	0·224	0·353	0·206	0·249	0·247	0·235
15	0·223	0·227	0·232	0·284	0·260	0·295	0·262	0·253	0·255
16	0·259	0·253	0·300	0·328	0·113	0·294	0·278	0·268	0·262
17	0·253	0·284	0·326	0·343	0·347	0·307	0·316	0·293	0·309
18	0·274	0·265	0·299	0·451	0·391	0·328	0·322	0·350	0·335
19	0·340	0·350	0·400	0·501	0·456	0·377	0·420	0·426	0·409
20	0·305	0·176	0·196	0·186	0·396	0·170	0·221	0·235	0·236
21	0·199	0·250	0·232	0·190	0·177	0·252	0·259	0·264	0·228
22	0·265	0·265	0·386	0·356	0·428	0·429	0·386	0·375	0·361
23	0·343	0·426	0·421	0·305	0·359	0·261	0·201	0·203	0·315
24	0·183	0·154	0·197	0·217	0·189	0·148	0·201	0·203	0·186
25	0·194	0·229	0·216	0·227	0·253	0·215	0·209	0·203	0·218
26	0·194	0·194	0·098	0·235	0·268	0·263	0·249	0·250	0·219
27	0·262	0·275	0·275	0·275	0·300	0·332	0·300	0·306	0·291
28	0·296	0·317	0·374	0·353	0·333	0·378	0·365	0·297	0·339
29	0·283	0·275	0·292	0·297	0·282	0·280	0·282	0·283	0·284
30	0·285	0·325	0·368	0·455	0·350	0·345	0·328	0·305	0·345
31	0·289	0·286	0·388	0·351	0·315	0·302	0·292	0·298	0·315
Means	0·229	0·240	0·262	0·279	0·280	0·264	0·256	0·251	0·258

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	0·286	0·330	0·327	0·338	0·357	0·358	0·342	0·334	0·334
2.	0·318	0·313	0·487	0·341	0·388	0·351	0·365	0·361	0·365
3.	0·351	0·341	0·339	0·384	0·188	0·383	0·340	0·338	0·333
4.	0·326	0·325	0·320	0·352	0·440	0·380	0·302	0·328	0·347
5.	0·355	0·321	0·352	0·413	0·409	0·229	0·346	0·343	0·346
6.	0·348	0·316	0·337	0·315	0·386	0·303	0·290	0·289	0·323
7.	0·322	0·300	0·282	0·277	0·305	0·343	0·314	0·291	0·304
8.	0·310	0·288	0·367	0·407	0·445	0·399	0·370	0·358	0·368
9.	0·353	0·277	0·364	0·357	0·357	0·330	0·358	0·361	0·345
10.	0·374	0·372	0·428	0·396	0·395	0·425	0·405	0·376	0·396
11.	0·318	0·188	0·285	0·297	0·300	0·334	0·340	0·308	0·296
12.	0·377	0·396	0·182	0·341	0·289	0·332	0·297	0·276	0·311
13.	0·245	0·273	0·268	0·296	0·320	0·324	0·313	0·289	0·291
14.	0·235	0·250	0·319	0·345	0·331	0·316	0·322	0·317	0·304
15.	0·307	0·315	0·323	0·329	0·341	0·315	0·310	0·310	0·319
16.	0·314	0·333	0·357	0·409	0·427	0·451	0·416	0·406	0·389
17.	0·349	0·362	0·457	0·414	0·397	0·422	0·417	0·408	0·403
18.	0·383	0·404	0·491	0·485	0·472	0·476	0·403	0·395	0·439
19.	0·389	0·396	0·505	0·470	0·426	0·483	0·465	0·338	0·434
20.	0·360	0·410	0·479	0·568	0·697	0·550	0·505	0·505	0·509
21.	0·489	0·487	0·496	0·492	0·450	0·411	0·409	0·403	0·455
22.	0·425	0·493	0·554	0·453	0·476	0·592	0·581	0·484	0·507
23.	0·436	0·453	0·440	0·568	0·430	0·398	0·383	0·344	0·432
24.	0·294	0·334	0·382	0·469	0·390	0·442	0·378	0·348	0·380
25.	0·302	0·370	0·341	0·406	0·366	0·480	0·352	0·371	0·366
26.	0·318	0·335	0·424	0·440	0·480	0·494	0·493	0·490	0·434
27.	0·470	0·474	0·531	0·591	0·666	0·575	0·487	0·435	0·529
28.	0·390	0·400	0·459	0·488	0·485	0·452	0·388	0·479	0·443
29.	0·458	0·549	0·543	0·585	0·618	0·460	0·424	0·408	0·506
30.	0·358	0·362	0·282	0·351	0·287	0·299	0·293	0·332	0·320
Means	0·352	0·359	0·391	0·412	0·410	0·403	0·380	0·365	0·384

ABSTRACT of Pressure of Vapour at Halifax, Nova Scotia, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·319	0·350	0·391	0·489	0·539	0·527	0·470	0·443	0·441
2	0·403	0·497	0·516	0·566	0·551	0·489	0·426	0·406	0·482
3	0·425	0·456	0·473	0·496	0·434	0·416	0·390	0·356	0·431
4	0·345	0·385	0·342	0·361	0·304	0·364	0·367	0·355	0·353
5	0·365	0·358	0·357	0·381	0·400	0·482	0·478	0·460	0·410
6	0·418	0·419	0·439	0·468	0·477	0·454	0·470	0·451	0·449
7	0·416	0·356	0·402	0·413	0·417	0·423	0·406	0·376	0·401
8	0·389	0·475	0·524	0·564	0·592	0·456	0·468	0·476	0·493
9	0·436	0·408	0·564	0·599	0·543	0·555	0·545	0·513	0·520
10	0·485	0·491	0·581	0·806	0·745	0·686	0·592	0·604	0·624
11	0·544	0·448	0·604	0·618	0·670	0·666	0·530	0·484	0·571
12	0·491	0·528	0·666	0·714	0·746	0·664	0·549	0·507	0·608
13	0·494	0·523	0·628	0·626	0·711	0·644	0·529	0·483	0·580
14	0·299	0·523	0·635	0·639	0·668	0·639	0·612	0·594	0·576
15	0·518	0·492	0·553	0·505	0·619	0·574	0·496	0·492	0·531
16	0·441	0·495	0·517	0·594	0·597	0·582	0·470	0·436	0·516
17	0·445	0·464	0·488	0·481	0·513	0·495	0·438	0·433	0·470
18	0·380	0·401	0·499	0·495	0·493	0·493	0·447	0·436	0·455
19	0·431	0·466	0·519	0·509	0·530	0·512	0·463	0·475	0·488
20	0·412	0·411	0·442	0·528	0·517	0·458	0·440	0·433	0·455
21	0·407	0·468	0·610	0·562	0·553	0·498	0·532	0·637	0·533
22	0·594	0·573	0·557	0·743	0·749	0·546	0·536	0·480	0·597
23	0·499	0·576	0·554	0·530	0·499	0·568	0·529	0·513	0·534
24	0·419	0·368	0·502	0·433	0·376	0·442	0·368	0·474	0·423
25	0·408	0·397	0·415	0·430	0·459	0·455	0·457	0·445	0·433
26	0·400	0·446	0·583	0·578	0·669	0·554	0·490	0·473	0·524
27	0·468	0·433	0·525	0·534	0·543	0·507	0·456	0·475	0·493
28	0·444	0·515	0·495	0·601	0·715	0·615	0·546	0·468	0·550
29	0·390	0·413	0·489	0·470	0·495	0·459	0·476	0·466	0·457
30	0·427	0·462	0·553	0·516	0·600	0·524	0·484	0·465	0·504
31	0·471	0·515	0·566	0·591	0·595	0·412	0·412	0·356	0·490
Means	0·432	0·455	0·516	0·543	0·559	0·521	0·480	0·467	0·497

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of August, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·296	0·301	0·310	0·330	0·403	0·351	0·370	0·322	0·335
2	0·348	0·388	0·438	0·380	0·401	0·433	0·403	0·391	0·398
3	0·399	0·411	0·468	0·521	0·625	0·529	0·451	0·449	0·482
4	0·399	0·404	0·522	0·525	0·438	0·447	0·444	0·440	0·452
5	0·452	0·482	0·595	0·722	0·623	0·542	0·420	0·403	0·530
6	0·331	0·359	0·413	0·386	0·376	0·359	0·401	0·419	0·381
7	0·426	0·419	0·405	0·403	0·400	0·425	0·430	0·431	0·417
8	0·448	0·475	0·501	0·614	0·592	0·565	0·529	0·495	0·528
9	0·428	0·479	0·527	0·588	0·588	0·630	0·527	0·531	0·537
10	0·505	0·517	0·557	0·543	0·434	0·607	0·551	0·533	0·531
11	0·520	0·537	0·548	0·632	0·644	0·538	0·538	0·546	0·575
12	0·515	0·519	0·648	0·404	0·591	0·564	0·553	0·549	0·580
13	0·528	0·527	0·626	0·734	0·735	0·684	0·635	0·594	0·633
14	0·533	0·524	0·560	0·573	0·549	0·552	0·564	0·546	0·550
15	0·514	0·514	0·537	0·584	0·592	0·543	0·520	0·517	0·540
16	0·468	0·506	0·549	0·596	0·615	0·628	0·617	0·576	0·569
17	0·518	0·546	0·553	0·491	0·608	0·601	0·576	0·506	0·550
18	0·493	0·368	0·422	0·419	0·452	0·476	0·439	0·442	0·439
19	0·393	0·451	0·484	0·478	0·693	0·500	0·459	0·440	0·487
20	0·383	0·392	0·381	0·360	0·313	0·379	0·381	0·365	0·369
21	0·353	0·399	0·475	0·531	0·459	0·444	0·473	0·426	0·445
22	0·389	0·406	0·483	0·471	0·432	0·481	0·494	0·493	0·456
23	0·468	0·550	0·556	0·573	0·577	0·571	0·572	0·573	0·555
24	0·549	0·570	0·587	0·616	0·648	0·684	0·640	0·614	0·613
25	0·521	0·502	0·557	0·654	0·647	0·612	0·556	0·467	0·565
26	0·409	0·404	0·513	0·559	0·574	0·550	0·523	0·491	0·503
27	0·485	0·490	0·463	0·464	0·539	0·523	0·479	0·532	0·497
28	0·514	0·530	0·595	0·425	0·565	0·529	0·414	0·379	0·494
29	0·343	0·308	0·340	0·355	0·364	0·365	0·381	0·341	0·350
30	0·278	0·343	0·379	0·444	0·408	0·426	0·376	0·375	0·379
31	0·340	0·399	0·458	0·523	0·563	0·548	0·486	0·465	0·473
Means.	0·437	0·452	0·498	0·513	0·531	0·519	0·490	0·473	0·489

ABSTRACT of Pressure of Vapour at Halifax, Nova Scotia, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·425	0·522	0·506	0·481	0·441	0·373	0·345	0·351	0·431
2	0·331	0·302	0·339	0·355	0·388	0·379	0·351	0·348	0·349
3	0·288	0·332	0·363	0·412	0·412	0·404	0·487	0·508	0·401
4	0·500	0·563	0·534	0·519	0·454	0·424	0·331	0·321	0·456
5	0·291	0·293	0·323	0·312	0·347	0·365	0·323	0·324	0·322
6	0·319	0·358	0·366	0·460	0·482	0·506	0·555	0·552	0·450
7	0·534	0·563	0·635	0·547	0·675	0·643	0·614	0·597	0·601
8	0·566	0·531	0·523	0·565	0·568	0·585	0·523	0·429	0·536
9	0·424	0·394	0·448	0·522	0·529	0·529	0·512	0·540	0·487
10	0·564	0·577	0·627	0·664	0·661	0·705	0·705	0·718	0·654
11	0·618	0·659	0·671	0·597	0·604	0·559	0·552	0·583	0·605
12	0·532	0·515	0·599	0·735	0·803	0·780	0·730	0·668	0·670
13	0·595	0·311	0·450	0·433	0·469	0·377	0·362	0·353	0·419
14	0·354	0·351	0·379	0·433	0·442	0·417	0·432	0·420	0·403
15	0·424	0·419	0·442	0·525	0·536	0·535	0·478	0·436	0·474
16	0·404	0·386	0·394	0·426	0·420	0·422	0·429	0·439	0·415
17	0·446	0·454	0·513	0·507	0·514	0·534	0·549	0·557	0·509
18	0·567	0·534	0·522	0·530	0·450	0·423	0·370	0·332	0·466
19	0·303	0·352	0·412	0·422	0·428	0·414	0·520	0·548	0·425
20	0·576	0·513	0·434	0·433	0·389	0·387	0·326	0·287	0·418
21	0·274	0·305	0·341	0·390	0·446	0·445	0·429	0·399	0·379
22	0·403	0·400	0·433	0·452	0·446	0·452	0·467	0·430	0·435
23	0·402	0·361	0·335	0·316	0·300	0·281	0·271	0·249	0·314
24	0·236	0·209	0·225	0·255	0·264	0·264	0·262	0·249	0·246
25	0·246	0·250	0·309	0·335	0·348	0·319	0·287	0·287	0·298
26	0·291	0·293	0·341	0·392	0·408	0·417	0·408	0·407	0·370
27	0·391	0·429	0·462	0·532	0·535	0·444	0·467	5·462	0·465
28	0·431	0·447	0·483	0·533	0·475	0·429	0·361	0·336	0·437
29	0·275	0·267	0·308	0·327	0·370	0·332	0·330	0·340	0·319
30	0·290	0·270	0·361	0·440	0·452	0·488	0·537	0·551	0·424
Means	0·410	0·405	0·436	0·462	0·468	0·454	0·444	0·434	0·439

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of October, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·552	0·575	0·604	0·573	0·554	0·468	0·457	0·456	0·530
2	0·460	0·479	0·515	0·534	0·573	0·519	0·484	0·473	0·505
3	0·470	0·487	0·533	0·533	0·576	0·576	0·488	0·495	0·520
4	0·420	0·384	0·402	0·418	0·422	0·391	0·344	0·326	0·388
5	0·328	0·335	0·362	0·291	0·349	0·321	0·306	0·297	0·324
6	0·292	0·292	0·284	0·343	0·369	0·371	0·385	0·391	0·341
7	0·374	0·366	0·404	0·462	0·459	0·460	0·443	0·410	0·422
8	0·354	0·344	0·374	0·397	0·382	0·435	0·360	0·292	0·365
9	0·251	0·243	0·254	0·258	0·269	0·246	0·226	0·218	0·246
10	0·216	0·205	0·207	0·234	0·295	0·251	0·227	0·213	0·231
11	0·191	0·198	0·235	0·257	0·272	0·284	0·226	0·217	0·235
12	0·214	0·221	0·225	0·259	0·274	0·268	0·271	0·317	0·256
13	0·307	0·281	0·320	0·362	0·371	0·353	0·377	0·426	0·350
14	0·486	0·447	0·419	0·405	0·397	0·359	0·518	0·323	0·419
15	0·320	0·319	0·355	0·428	0·465	0·422	0·418	0·420	0·393
16	0·415	0·431	0·449	0·405	0·388	0·345	0·332	0·353	0·390
17	0·356	0·329	0·336	0·310	0·378	0·386	0·388	0·381	0·358
18	0·428	0·457	0·468	0·490	0·491	0·490	0·496	0·489	0·476
19	0·538	0·517	0·513	0·514	0·381	0·271	0·272	0·252	0·406
20	0·228	0·216	0·212	0·244	0·216	0·238	0·227	0·208	0·224
21	0·211	0·214	0·272	0·280	0·272	0·289	0·316	0·337	0·274
22	0·371	0·389	0·443	0·445	0·390	0·231	0·200	0·185	0·332
23	0·188	0·197	0·192	0·312	0·186	0·200	0·196	0·187	0·207
24	0·211	0·260	0·260	0·280	0·297	0·367	0·378	0·436	0·311
25	0·380	0·217	0·195	0·193	0·163	0·157	0·165	0·182	0·207
26	0·151	0·145	0·128	0·165	0·185	0·200	0·197	0·207	0·172
27	0·303	0·259	0·276	0·291	0·300	0·268	0·274	0·250	0·278
28	0·235	0·227	0·234	0·242	0·262	0·201	0·187	0·172	0·220
29	0·152	0·154	0·205	0·212	0·210	0·222	0·243	0·258	0·207
30	0·292	0·313	0·335	0·344	0·365	0·368	0·374	0·377	0·346
31	0·371	0·371	0·395	0·432	0·432	0·434	0·414	0·345	0·399
Means	0·324	0·318	0·335	0·352	0·353	0·335	0·329	0·319	0·333

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of November, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·296	0·295	0·279	0·292	0·304	0·291	0·294	0·291	0·293
2	0·303	0·353	0·359	0·347	0·372	0·358	0·345	0·328	0·346
3	0·316	0·282	0·242	0·265	0·258	0·197	0·173	0·155	0·236
4	0·165	0·172	0·162	0·216	0·216	0·193	0·165	0·170	0·182
5	0·160	0·188	0·218	0·234	0·259	0·272	0·324	0·348	0·250
6	0·381	0·398	0·446	0·463	0·444	0·382	0·332	0·271	0·390
7	0·289	0·241	0·252	0·245	0·242	0·218	0·218	0·219	0·240
8	0·204	0·201	0·237	0·292	0·346	0·341	0·340	0·336	0·287
9	0·386	0·435	0·414	0·490	0·459	0·396	0·310	0·260	0·394
10	0·206	0·181	0·197	0·188	0·167	0·167	0·172	0·175	0·182
11	0·185	0·168	0·167	0·172	0·182	0·214	0·294	0·361	0·218
12	0·393	0·328	0·305	0·269	0·266	0·277	0·224	0·237	0·287
13	0·234	0·212	0·204	0·212	0·214	0·209	0·186	0·183	0·207
14	0·183	0·123	0·178	0·143	0·149	0·118	0·112	0·127	0·149
15	0·122	0·123	0·126	0·181	0·212	0·237	0·241	0·235	0·185
16	0·247	0·248	0·216	0·175	0·197	0·201	0·210	0·295	0·224
17	0·310	0·322	0·326	0·344	0·361	0·357	0·328	0·264	0·327
18	0·202	0·150	0·145	0·169	0·183	0·227	0·284	0·301	0·208
19	0·315	0·354	0·357	0·363	0·358	0·224	0·165	0·151	0·286
20	0·122	0·102	0·088	0·117	0·128	0·076	0·082	0·084	0·100
21	0·068	0·056	0·061	0·068	0·110	0·109	0·149	0·182	0·100
22	0·219	0·230	0·248	0·173	0·167	0·174	0·130	0·090	0·179
23	0·098	0·085	0·087	0·092	0·127	0·100	0·101	0·112	0·100
24	0·125	0·164	0·214	0·280	0·308	0·325	0·261	0·223	0·237
25	0·184	0·134	0·144	0·130	0·111	0·101	0·097	0·089	0·124
26	0·093	0·099	0·105	0·098	0·129	0·133	0·168	0·196	0·128
27	0·235	0·264	0·278	0·290	0·292	0·308	0·348	0·368	0·298
28	0·369	0·342	0·573	0·383	0·402	0·415	0·402	0·361	0·406
29	0·288	0·244	0·221	0·202	0·202	0·184	0·165	0·144	0·206
30	0·155	0·142	0·147	0·128	0·127	0·139	0·116	0·118	0·134
Means	0·228	0·223	0·233	0·234	0·243	0·231	0·225	0·222	0·230

Abstract of Pressure of Vapour at Halifax, Nova Scotia, for the Month of December, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0·118	0·112	0·112	0·166	0·141	0·110	0·102	0·096	0·120
2	0·080	0·169	0·065	0·110	0·082	0·070	0·055	0·051	0·073
3	0·057	0·054	0·059	0·072	0·081	0·067	0·065	0·058	0·064
4	0·057	0·064	0·091	0·081	0·133	0·097	0·095	0·100	0·090
5	0·148	0·207	0·241	0·294	0·276	0·193	0·176	0·157	0·212
6	0·147	0·129	0·112	0·125	0·150	0·187	0·225	0·241	0·164
7	0·266	0·239	0·225	0·255	0·211	0·198	0·176	0·145	0·214
8	0·124	0·096	0·116	0·114	0·119	0·131	0·125	0·132	0·120
9	0·173	0·216	0·238	0·273	0·309	0·316	0·279	0·173	0·247
10	0·166	0·177	0·163	0·162	0·164	0·151	0·159	0·165	0·163
11	0·168	0·161	0·168	0·194	0·157	0·146	0·127	0·118	0·155
12	0·111	0·102	0·117	0·133	0·150	0·148	0·160	0·170	0·136
13	0·188	0·200	0·303	0·209	0·234	0·244	0·268	0·276	0·240
14	0·296	0·270	0·263	0·174	0·170	0·138	0·125	0·119	0·194
15	0·102	0·092	0·079	0·100	0·105	0·107	0·084	0·098	0·096
16	0·105	0·120	0·113	0·131	0·129	0·133	0·144	0·148	0·128
17	0·154	0·163	0·143	0·137	0·128	0·114	0·107	0·100	0·131
18	0·116	0·113	0·100	0·134	0·129	0·108	0·113	0·134	0·118
19	0·163	0·175	0·215	0·256	0·207	0·166	0·130	0·104	0·177
20	0·101	0·089	0·080	0·096	0·106	0·093	0·085	0·073	0·090
21	0·089	0·074	0·071	0·078	0·082	0·075	0·072	0·089	0·079
22	0·065	0·061	0·068	0·097	0·094	0·085	0·091	0·081	0·080
23	0·072	0·069	0·076	0·086	0·098	0·071	0·070	0·075	0·077
24	0·081	0·082	0·091	0·087	0·089	0·082	0·079	0·071	0·083
25	0·059	0·055	0·062	0·082	0·077	0·067	0·063	0·061	0·066
26	0·068	0·094	0·119	0·164	0·138	0·167	0·134	0·105	0·124
27	0·078	0·051	0·043	0·058	0·047	0·049	0·045	0·046	0·052
28	0·051	0·059	0·081	0·103	0·121	0·132	0·124	0·124	0·099
29	0·149	0·164	0·152	0·183	0·184	0·202	0·175	0·171	0·172
30	0·165	0·144	0·152	0·187	0·194	0·175	0·195	0·207	0·177
31	0·213	0·198	0·195	0·169	0·113	0·110	0·088	0·070	0·145
Means	0·127	0·126	0·133	0·145	0·142	0·133	0·127	0·121	0·132

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of January, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	100	98	91	80	100	95	94
2	97	100	94	94	94	96	96
3	98	97	98	100	99	100	99
4	98	100	100	100	100	100	100
5	100	100	100	100	92	91	97
6	94	100	100	99	96	95	97
7	100	100	100	84	96	96	96
8	100	100	100	96	96	86	96
9	96	89	84	70	83	93	86
10	92	88	96	77	90	98	90
11	98	95	91	73	88	99	91
12	98	99	100	79	92	95	94
13	100	90	98	90	90	97	94
14	97	99	100	97	98	99	98
15	97	96	97	93	99	92	96
16	96	99	97	96	99	100	98
17	100	96	100	83	92	96	94
18	98	98	98	84	82	73	89
19	88	84	90	86	92	91	88
20	96	100	100	77	83	82	90
21	95	95	98	81	80	91	90
22	87	94	98	92	91	98	93
23	84	95	96	56	86	88	84
24	89	94	100	80	80	100	91
25	100	100	100	89	88	91	95
26	88	81	72	77	83	98	83
27	99	100	93	93	92	100	96
28	100	100	100	92	90	100	97
29	100	100	98	77	83	91	92
30	100	98	95	76	83	87	90
31	91	91	91	84	100	93	92
Means	96	96	96	86	91	94	93

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of February, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%			%	%
1	86	91	96	97	91	83	91
2	91	91	89	84	78	75	85
3	100	94	91	78	99	100	94
4	98	100	100	100	98	98	99
5	91	71	85	69	76	87	80
6	86	100	100	88	91	100	94
7	94	88	85	77	87	96	88
8	95	98	98	84	96	92	94
9	68	82	81	73	64	70	73
10	89	95	98	82	81	77	87
11	95	100	95	92	92	92	94
12	92	89	100	90	92	85	91
13	92	80	92	92	92	84	89
14	88	94	92	78	92	99	91
15	100	100	100	85	91	96	95
16	100	93	87	70	72	73	82
17	95	100	98	69	68	78	85
18	80	80	75	59	55	95	74
19	100	100	100	85	77	96	93
20	98	70	91	70	70	92	85
21	92	99	96	85	85	83	90
22	86	100	91	71	71	92	85
23	84	78	88	86	93	100	88
24	100	100	100	93	100	100	99
25	100	100	100	100	100	95	99
26	92	98	92	77	76	91	88
27	100	100	100	92	85	100	96
28	89	63	91	74	80	85	80
29	100	100	71	87	95	98	92
Means	92	92	92	82	84	90	89

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of March, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%		%	%	%
1	99	100	97	95	75	77	91
2	91	89	88	71	71	94	84
3	94	97	69	89	55	94	83
4	87	89	95	76	89	100	89
5	98	94	94	73	73	72	84
6	68	90	90	59	66	90	77
7	89	88	97	81	94	96	91
8	91	83	90	89	97	100	92
9	100	100	100	92	88	95	96
10	100	100	98	92	92	99	97
11	100	100	96	79	91	96	94
12	100	100	92	93	88	96	95
13	100	87	94	32	31	45	65
14	48	54	48	41	38	82	52
15	93	100	60	69	74	72	78
16	95	96	74	54	77	91	81
17	95	100	77	79	77	95	87
18	98	100	66	60	66	84	79
19	85	93	91	80	74	78	83
20	79	93	91	64	78	79	81
21	87	100	87	73	84	94	88
22	99	99	73	56	62	94	81
23	98	99	92	89	93	86	93
24	85	92	79	70	76	88	82
25	83	100	91	73	70	91	85
26	95	100	90	72	86	68	83
27	83	90	65	70	56	73	73
28	88	86	91	96	83	85	88
29	83	85	81	64	83	72	78
30	80	94	55	57	60	84	72
31	97	100	86	54	52	70	76
Means	90	93	84	72	74	85	83

Abstract of Relative Humidity at Esquimalt, British Columbia, for the Month of April, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	78	75	64	71	60	68	69
2	81	95	85	73	45	73	75
3	79	98	66	48	51	53	66
4	58	65	54	39	45	88	58
5	79	96	92	88	80	89	87
6	99	88	96	85	80	100	91
7	100	100	99	92	74	83	91
8	87	98	81	70	84	96	86
9	91	100	87	76	77	83	86
10	93	97	76	59	66	80	78
11	83	93	90	78	84	92	87
12	96	100	98	93	77	88	92
13	86	95	77	57	64	92	78
14	92	92	82	69	74	92	84
15	57	48	60	75	78	89	68
16	98	98	99	73	58	87	85
17	95	100	80	76	46	76	79
18	81	100	96	85	70	100	89
19	100	100	76	74	74	91	86
20	100	100	65	71	82	96	86
21	99	100	73	56	58	82	78
22	88	77	100	62	68	89	81
23	93	98	84	80	67	80	84
24	100	100	56	55	75	76	77
25	91	98	79	74	75	80	83
26	81	96	94	88	84	78	87
27	84	98	100	89	81	87	90
28	84	84	84	58	74	92	79
29	98	96	79	71	82	87	86
30	87	89	86	69	85	94	85
Means	88	92	82	72	70	85	82

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of May, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	90	100	90	93	69	95	89
2	98	91	67	69	67	80	79
3	96	100	100	85	89	95	94
4	96	92	82	75	76	92	86
5	88	87	80	77	86	87	84
6	96	100	83	80	57	78	82
7	85	89	75	66	71	84	78
8	99	100	65	73	70	84	82
9	94	99	81	76	90	83	87
10	69	87	87	80	87	85	82
11	80	91	61	68	78	87	78
12	93	93	75	74	54	79	79
13	84	88	67	57	62	81	73
14	86	84	77	89	77	94	85
15	98	100	75	97	86	98	89
16	86	94	100	97	81	84	90
17	96	100	67	71	87	98	87
18	100	100	78	68	57	66	78
19	65	70	65	89	59	75	71
20	89	100	81	74	76	89	85
21	98	99	75	70	69	86	83
22	89	93	75	72	80	97	84
23	97	84	79	59	64	78	77
24	85	83	83	62	85	100	83
25	99	100	88	90	89	93	93
26	94	100	94	87	86	99	93
27	100	100	85	76	75	92	88
28	96	100	74	50	79	96	83
29	99	100	73	68	71	58	78
30	44	74	66	83	84	80	72
31	84	95	77	67	68	79	78
Means	89	93	78	75	75	86	83

Abstract of Relative Humidity at Esquimalt, British Columbia, for the Month of June, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
		%				%	%
1	70	88	61	51	55	75	67
2	88	92	74	76	70	65	77
3	82	75	86	81	87	96	85
4	100	97	93	84	75	80	88
5	88	97	93	81	87	83	88
6	91	83	86	79	86	87	85
7	99	100	100	78	73	79	88
8	82	83	88	84	75	86	83
9	89	99	86	70	69	85	83
10	87	93	73	72	86	92	84
11	98	98	63	77	72	72	80
12	91	77	56	56	60	78	70
13	94	97	97	72	68	58	81
14	69	77	74	70	75	87	75
15	98	97	73	59	86	82	82
16	88	98	73	69	70	80	80
17	84	91	84	71	74	82	81
18	96	94	76	69	66	70	79
19	81	76	65	76	86	73	76
20	94	96	61	71	65	80	78
21	92	88	71	66	45	87	75
22	89	89	73	60	58	76	74
23	84	94	69	71	75	86	79
24	97	96	52	75	42	85	74
25	86	93	48	65	68	76	73
26	78	86	52	64	72	70	70
27	64	89	73	69	74	87	76
28	93	99	73	70	75	80	82
29	82	83	73	79	87	73	80
30	82	99	68	94	64	71	80
Means	87	91	74	72	71	79	79

Abstract of Relative Humidity at Esquimalt, British Columbia, for the Month of July, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	83	99	64	63	64	86	76
2	64	87	77	77	74	88	78
3	91	100	81	71	82	69	82
4	75	93	74	75	83	95	83
5	98	100	86	70	50	50	76
6	82	93	69	84	67	83	80
7	90	88	77	86	94	94	88
8	96	100	87	85	87	96	92
9	97	100	76	69	76	88	84
10	89	93	74	73	84	85	83
11	95	100	82	78	83	85	87
12	83	92	74	62	70	88	78
13	97	100	76	75	77	83	85
14	89	99	71	66	90	83	83
15	90	97	73	68	73	87	81
16	98	99	74	67	73	90	83
17	100	100	75	70	69	86	83
18	97	97	69	59	78	78	80
19	88	98	69	62	68	83	78
20	97	95	72	84	90	82	87
21	50	59	53	49	52	58	54
22	75	85	52	93	59	92	76
23	82	90	78	72	82	91	82
24	99	100	82	81	84	94	90
25	99	100	89	77	81	93	90
26	91	100	84	72	84	93	87
27	100	100	79	75	78	86	86
28	97	96	72	56	63	87	79
29	100	100	79	75	78	86	86
30	93	91	85	73	77	82	84
31	91	91	80	74	83	82	83
Means	90	95	75	72	76	85	82

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of August, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 a.m.	Means.
	%			%	%		
1	93	100	99	91	75	81	90
2	97	98	97	87	85	92	93
3	94	98	92	88	72	81	88
4	88	91	85	76	77	92	85
5	100	99	89	80	88	91	91
6	97	100	81	81	60	88	85
7	93	94	70	83	58	74	79
8	87	100	94	72	76	94	83
9	88	86	79	72	76	94	79
10	97	100	78	68	72	85	83
11	89	92	71	59	64	86	77
12	85	90	63	70	60	76	74
13	81	93	67	70	68	87	78
14	93	96	82	72	77	85	84
15	95	100	82	68	78	88	85
16	96	100	82	62	73	87	83
17	92	99	90	77	83	97	90
18	100	100	97	78	87	93	93
19	99	100	84	69	85	97	89
20	98	97	90	70	80	97	89
21	100	100	83	90	63	86	87
22	87	93	76	61	60	78	76
23	84	93	70	58	61	81	75
24	93	99	80	64	77	92	84
25	99	100	91	77	82	97	91
26	98	100	100	77	73	85	89
27	93	98	87	87	82	98	91
28	100	98	79	73	74	93	86
29	96	100	84	66	72	92	85
30	97	99	85	80	87	91	90
31	94	97	95	78	92	94	92
Means	94	87	84	74	74	88	85

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of September, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	93	95	92	83	87	97	91
2	99	100	92	72	85	95	90
3	97	98	87	72	75	91	87
4	98	98	76	65	64	85	81
5	93	94	77	65	81	88	83
6	97	100	94	74	80	96	90
7	96	100	100	81	77	85	90
8	92	91	79	77	75	91	84
9	92	92	79	63	65	86	89
10	89	92	86	78	76	81	84
11	93	100	94	74	75	95	49
12	88	100	93	92	86	70	88
13	61	81	59	55	45	81	64
14	92	91	80	65	80	97	84
15	94	100	99	81	100	98	95
16	99	100	100	92	100	100	99
17	100	100	100	82	88	99	95
18	100	100	97	64	59	84	84
19	89	92	82	50	56	79	75
20	80	91	78	91	93	100	89
21	100	100	100	93	86	98	96
22	100	100	100	81	84	96	93
23	100	100	99	75	90	98	94
24	100	100	100	82	86	99	95
25	100	100	100	80	94	96	95
26	98	100	100	80	89	100	94
27	98	100	98	93	83	96	95
28	100	100	99	94	92	100	97
29	98	100	100	96	94	97	97
30	97	99	100	93	93	99	97
Means	94	97	91	78	81	92	89

Abstract of Relative Humidity at Esquimalt, British Columbia, for the Month of October, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	99	99	100	84	91	99	95
2	100	97	81	64	99	85	88
3	96	100	94	82	81	98	92
4	99	100	99	81	67	82	88
5	98	100	95	92	67	89	90
6	98	100	96	80	93	89	93
7	85	97	93	80	89	99	91
8	93	92	89	50	93	96	86
9	100	100	100	65	69	94	88
10	98	100	93	98	100	97	98
11	93	85	72	60	91	93	82
12	88	93	83	68	75	93	83
13	96	100	100	82	89	97	94
14	100	100	100	96	96	98	98
15	100	100	100	57	86	99	90
16	99	100	100	80	87	98	94
17	98	100	100	76	86	97	93
18	98	100	100	87	87	100	95
19	100	100	100	96	100	100	99
20	100	100	100	81	77	87	91
21	97	100	100	82	93	100	95
22	100	100	89	81	96	100	94
23	100	100	100	93	96	100	98
24	100	100	100	94	98	91	97
25	100	100	97	85	91	100	96
26	100	100	93	61	67	88	85
27	99	100	99	83	92	99	95
28	96	100	86	98	100	99	97
29	96	94	89	86	86	93	91
30	100	96	100	100	100	89	98
31	98	100	100	73	75	92	90
Means	98	98	95	80	88	95	92

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of November, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	97	97	96	95	99	100	97
2	100	97	94	89	93	89	94
3	93	93	94	92	100	100	95
4	100	90	85	81	85	96	89
5	95	100	100	84	92	100	95
6	100	100	94	69	83	86	89
7	83	89	98	100	100	100	95
8	92	92	94	92	100	100	95
9	100	96	98	96	98	99	98
10	92	94	92	76	89	96	90
11	95	100	100	87	91	98	95
12	97	98	100	100	100	100	99
13	100	100	96	98	90	100	97
14	100	100	85	72	55	82	82
15	98	94	87	87	85	67	86
16	82	82	95	85	80	96	87
17	96	92	83	73	76	81	84
18	92	91	73	84	89	86	86
19	84	86	78	74	81	94	83
20	95	67	86	70	59	99	79
21	94	96	100	100	99	94	97
22	100	100	100	90	93	100	97
23	100	99	97	95	96	91	96
24	89	93	88	82	79	100	88
25	72	77	82	53	66	94	74
26	84	54	81	78	71	93	77
27	88	94	95	82	81	94	89
28	96	96	89	83	82	97	91
29	95	97	93	84	90	93	92
30	99	100	97	98	100	100	99
Means	93	92	92	85	87	94	90

ABSTRACT of Relative Humidity at Esquimalt, British Columbia, for the Month of December, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
	%	%	%	%	%	%	%
1	99	100	100	99	100	100	100
2	100	100	100	73	96	100	95
3	100	99	100	100	98	100	99
4	98	100	90	75	94	99	93
5	97	100	97	96	90	89	95
6	91	98	99	85	100	90	94
7	90	100	100	98	99	97	97
8	100	96	96	97	99	100	96
9	99	81	90	99	94	100	94
10	100	98	100	93	80	84	93
11	92	99	100	99	92	96	96
12	88	100	99	96	99	91	95
13	87	83	86	87	100	100	91
14	95	91	97	74	94	100	92
15	100	98	99	78	88	95	93
16	98	100	98	80	90	91	93
17	87	90	100	59	99	100	89
18	100	100	100	100	100	100	100
19	100	100	100	100	99	100	100
20	100	100	100	99	100	100	100
21	98	100	100	87	98	99	97
22	98	100	100	100	97	100	99
23	97	88	94	84	92	96	92
24	98	99	100	94	96	96	97
25	96	99	89	90	88	100	94
26	96	95	100	92	93	100	96
27	100	99	99	96	98	100	99
28	100	93	93	86	96	99	94
29	97	95	97	70	80	91	88
30	98	100	100	83	90	98	95
31	100	95	90	84	96	100	94
Means	97	97	97	88	95	97	95

Abstract of Relative Humidity at Winnipeg, Manitoba, for the Month of January, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%			%		%			%
1	100	100	100	100	95	100	95	77	96
2	71	81	23	71	40	75			
3			100	73	86	66	60		
4				88					
5									
6	82	97	84	86	86	84	100	93	89
7	69	87	95	84	81	87	73	84	83
8	91	97	98	86	76	95	81	95	90
9	100	99	95	93	92	84	91	91	93
10	91	100	91	80	95	91	96	92	92
11	100	100	100	66	90	95	100	80	91
12									
13	93	80	88	88	77	96	61	100	85
14	100	91	100	85	91	90	100	64	90
15	69	81	100	96	82	55	100	100	85
16	87	60	77	83	91	91	96	91	85
17	74	85	100	73	92	88	100	100	89
18	100	75	100	100	81	80	90	33	82
19									
20	76	82	84	82	66	84	100	82	82
21	100	90	75	59	68	89	82	88	81
22	83	93	90	73	90	72	91	90	85
23	53	100	100	79	80	87	69	88	82
24	66	93	91	81	85	90	73	80	82
25	100	89	100	68	79	81	100	90	88
26									
27	100	95	90	80	72	80	84	92	87
28	91	97	94	83	81	81	93	62	85
29	91	90	88	76	80	94	77	83	85
30	80	95	87	80	82	91	91	91	87
31	100	99	92	90	79	88	90	82	90
Means	87	91	93	82	83	86	89	85	87

Abstract of Relative Humidity at Winnipeg, Manitoba, for the Month of February, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
					%	%	%	%	
1	84	95	91	76	72	76	99	96	86
2									
3	100	96	92	80	81	91	86	88	89
4	91	98	97	89	87	83	100	100	93
5	96	100	95	90	96	100	100	94	96
6	95	97	100	88	82	88	100	83	92
7	54	80	61	69	80	88	100	94	78
8	100	92	96	100	80	89	100	94	94
9									
10	95	92	90	88	93	52	88	86	86
11	61	77	100	65	69	90	82	90	79
12	90	72	87	71	78	92	99	83	84
13	80	81	100	68	81	69	66	87	79
14	89	80	89	91	96	100	100	75	90
15	100			71	64	69	27	81	
16									
17	90	91	88	98	97	77	77	80	87
18	100	87	82	88	93	83	90	88	89
19	85	66	91	81	93	80	89	89	84
20	14	82	84	69	82	85	100	100	81
21	86	95	90	70	78	89	87	92	86
22	100	96	80	94	82	83	91	90	90
23									
24	100	100	100	73	67	80	69	69	82
25	84	87	84	80	77	86	91	86	84
26	92	93	84	73	69	76	93	88	84
27	86	100	97	97	92	82	78	78	89
28	100	96	86	83	70	70	66	100	84
29	80	100	75	73	84	77	100	96	86
Means	87	90	89	81	83	83	90	89	87

Abstract of Relative Humidity at Winnipeg, Manitoba, for the Month of March, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1									
2	100	93	93	69	69	71	100	100	87
3	70	90	77	78	85	73	100	100	84
4	100	92	74	77	72	70	92	91	83
5	100	97	90	85	93	94	80	91	91
6	91	95	88	84	85	86	78	84	86
7	89	85	100	86	81	78	95	100	89
8									
9	100	100	97	78	70	77	48	75	81
10	84	90	80	74	71	72	100	78	81
11	73	25	88	66	62	71	90	54	66
12	62	78	75	78	57	80	100	92	78
13	100	93	80	69	73	74	100	100	86
14	100	94	77	85	83	95	95	87	89
15									
16	100	100	95	82	72	81	84	85	87
17	82	95	90	75	80	95	90	92	87
18	92	92	93	83	72	81	87	95	87
19	90	100	85	74	70	76	74	92	83
20	92	85	78	76	78	80	77	94	83
21	88	100	100	100	95	91	75	65	89
22									
23	100	95	96	78	71	81	77	81	85
24	96	100	86	81	81	91	88	91	89
25	87	97	92	74	69	81	89	76	83
26	84	98	82	62	68	87	80	89	81
27	87	97	70	60	62	75	94	99	81
28	98	100	96	99	94	99	91	99	97
29									
30	90	97	91	83	61	79	68	100	84
31	93	96	86	79	63	69	71	84	80
Means	90	92	87	78	75	81	86	88	85

ABSTRACT of Relative Humidity at Winnipeg, Manitoba, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	85	95	82	70	56	74	84	94	80
2	98	95	81	61	49	73	84	88	79
3	85	96	68	81	59	64	92	100	80
4	82	97	95	80	80	91	86	98	89
5									
6	100	96	88	55	54	70	76	93	79
7	85	84	76	64	69	97	95	96	83
8	94	100	97	88	88	87	86	96	92
9	94	99	92	91	92	92	86	80	91
10	96	96	87	83	82	82	87	80	87
11	81	97	91	82	98	97	96	96	92
12									
13	97	94	97	92	91	97	82	99	94
14	97	92	87	80	76	77	87	73	84
15	78	100	93	87	83	91	98	100	91
16	84	96	88	91	81	80	82	91	88
17	93	97	90	77	74	79	62	96	83
18	100	100	90	92	92	97	100	96	96
19									
20	94	96	91	87	79	76	81	88	87
21	92	92	82	70	66	100	96	94	86
22	96	100	97	57	58	66	78	90	80
23	98	98	98	99	100	100	100	100	99
24	92	99	94	88	79	80	92	93	90
25	100	100	91	64	57	65	79	89	81
26									
27	97	100	88	93	87	85	50	70	84
28	82	75	79	81	75	81	89	97	82
29	94	100	100	99	99	99	100	97	98
30	97	100	100	99	99	97	98	100	99
Means	92	96	89	81	78	85	86	92	87

Abstract of Relative Humidity at Winnipeg, Manitoba, for the Month of May, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	95	95	92	86	79	81	92	99	90
2	92	99	79	74	90	93	95	87	89
3									
4	97	100	100	58	53	46	71	88	77
5	86	96	84	68	61	64	71	60	74
6	57	88	82	74	71	66	90	100	78
7	100	100	95	87	92	95	98	100	96
8	96	100	83	97	100	77	89	100	93
9	100	100	80	93	92	96	96	100	95
10									
11	100	96	88	90	77	100	73	89	89
12	89	100	93	87	78	60	78	88	84
13	88	93	94	82	80	80	87	80	86
14	93	90	97	96	97	97	100	97	96
15	100	98	97	77	61	62	74	90	82
16	97	96	70	58	63	96	100	87	83
17									
18	88	90	78	62	55	66	78	80	75
19	93	100	76	67	61	65	73	91	78
20	99	98	81	77	91	100	100	95	92
21	97	96	93	94	83	80	85	93	90
22	100	100	70	81	93	74	87	100	88
23	100	98	85	75	74	75	91	100	87
24									
25	99	98	100	89	100	99	93	97	97
26	92	99	88	92	85	89	93	96	92
27	95	95	82	73	64	67	93	100	84
28	97	100	70	96	94	96	87	93	92
29	100	100	90	72	76	92	98	94	90
30	100	96	75	55	84	58	73	93	79
31									
Means	94	97	85	79	79	80	87	92	87

Abstract of Relative Humidity at Winnipeg, Manitoba, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	90	84	70	65	71	69	84	96	79
2	96	86	74	68	66	70	87	84	79
3	88	95	79	74	81	80	82	92	84
4	82	95	87	88	88	100	100	96	92
5	100	88	79	76	73	76	86	100	85
6	100	91	70	73	69	74	72	71	77
7									
8	72	93	93	87	76	82	93	100	87
9	100	90	73	75	74	71	89	93	83
10	100	94	80	70	68	72	80	100	83
11	100	95	78	79	82	83	93	95	88
12	86	99	87	81	72	79	86	100	86
13	100	100	78	69	69	74	93	76	82
14									
15	100	100	78	70	71	71	85	90	83
16	100	97	83	78	82	78	96	100	89
17	88	96	81	90	86	96	79	90	88
18	90	100	90	81	98	100	85	95	92
19	100	92	68	86	56	67	69	84	78
20	100	99	80	77	75	71	80	72	82
21									
22	97	100	62	56	60	71	79	79	76
23	94	98	77	83	78	81	94	90	87
24	98	100	98	90	86	90	90	100	94
25	94	97	98	73	60	65	82	88	82
26	97	85	90	65	61	71	90	97	82
27	100	100	93	92	66	80	94	93	90
28									
29	96	88	76	67	70	77	82	96	81
30	98	92	78	77	70	78	93	98	86
Means	95	94	81	77	73	79	86	91	84

ABSTRACT of Relative Humidity at Winnipeg, Manitoba, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	86	96	80	76	75	85	81	90	84
2	95	95	94	87	63	91	91	94	89
3	100	85	81	72	62	70	91	100	83
4	100	96	85	93	100	83	100	100	95
5									
6	100	87	95	81	70	54	95	70	81
7	93	96	80	73	74	82	90	89	85
8	85	84	69	60	59	64	64	89	72
9	87	99	82	79	79	80	73	88	83
10	100	100	80	80	76	83	90	96	88
11	97	85	84	74	76	76	91	100	85
12									
13	100	96	76	61	62	72	90	92	81
14	96	100	76	77	70	78	94	90	85
15	100	98	91	61	68	70	88	93	84
16	100	86	70	68	67	74	89	82	79
17	90	94	100	54	58	42	80	85	75
18	84	77	66	59	60	67	90	96	75
19									
20	100	95	80	63	68	72	95	96	84
21	100	100	96	92	77	76	94	98	92
22	93	91	67	66	69	70	93	100	81
23	100	92	75	62	61	61	94	96	80
24	93	92	80	73	61	56	85	97	80
25	93	87	80	71	75	81	100	98	86
26									
27	97	93	72	60	55	66	85	85	77
28	94	94	86	82	73	88	92	84	87
29	100	99	84	100	95	85	100	100	95
30	100	93	75	74	77	70	100	100	86
31	98	89	85	81	96	83	98	98	91
Means	96	93	81	73	71	73	90	93	84

ABSTRACT of Relative Humidity at Winnipeg, Manitoba, for the Month of August, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	100	100	98	81	62	92	90	100	90
2									
3	100	99	58	82	72	76	95	100	85
4	100	98	73	61	85	91	98	100	88
5	100	100	80	77	100	82	98	100	92
6	100	100	75	78	78	82	100	100	89
7	100	100	86	82	83	80	100	100	91
8	100	100	82	70	70	71	96	95	85
9									
10	93	96	59	77	79	74	100	97	84
11	100	97	73	100	76	77	100	100	99
12	97	100	78	83	94	89	100	100	93
13	100	99	79	74	80	86	100	100	90
14	100	100	89	75	78	78	74	100	87
15	100	100	78	64	81	85	100	100	89
16									
17	100	100	100	63	66	71	100	100	87
18	100	100	58	69	67	73	90	90	81
19	93	92	95	90	89	100	100	100	95
20	93	100	89	63	64	83	100	100	87
21	100	100	83	70	73	100	100	100	91
22	100	99	80	72	74	84	100	100	89
23									
24	100	94	97	62	60	71	71	90	81
25	89	95	100	81	66	75	97	100	88
26	100	98	66	81	77	73	100	93	86
27	92	99	64	58	59	60	87	87	76
28	91	91	83	78	89	94	100	100	91
29	100	100	81	75	76	81	80	100	87
30									
31	100	100	80	73	71	79	100	99	88
Means	98	98	80	75	76	81	94	98	88

Abstract of Relative Humidity at Winnipeg, Manitoba, for the Month of September, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	100	90	93	100	98	99	100	100	98
2	73	99	82	84	81	93	92	93	87
3	100	100	79	74	78	83	100	100	89
4	100	100	100	82	88	100	100	100	96
5	100	100	93	87	89	92	100	100	95
6									
7	98	100	94	82	85	93	87	100	92
8	100	100	95	89	93	100	100	94	96
9	100	100	100	91	93	98	100	100	98
10	100	100	100	79	95	100	99	99	97
11	100	100	87	85	79	90	97	100	92
12	100	100	100	100	100	100	100	100	100
13									
14	99	100	89	83	81	93	100	100	93
15	100	100	100	78	76	90	100	100	93
16	100	100	95	73	56	88	98	97	88
17	100	100	93	77	86	94	92	92	92
18	100	100	94	84	67	68	80	94	86
19	94	96	76	49	46	61	36	73	66
20									
21	100	100	90	73	61	70	100	100	87
22	94	95	84	64	73	68	71	77	78
23	86	99	86	63	55	67			
24	88	93	75	90	100	100	86	83	89
25	85	100	90	76	70	78	90	96	86
26	94	100	87	70	69	84	92	100	87
27									
28	89	100	90	59	56	62	69	82	76
29	93	100	83	57	63	82	100	100	85
30	97	100	100	64	55	64	77	90	81
Means	96	99	91	78	78	86	91	95	89

ABSTRACT of Relative Humidity at Winnipeg, Manitoba, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	97	91	73	66	63	81	93	100	83
2	100	100	91	54	51	63	79	82	78
3	91	92	83	58	57	79	84	89	79
4									
5	94	100	84	66	58	78	96	93	84
6	100	100	93	70	58	70	100	100	86
7	98	100	83	63	54	66	80	73	77
8	93	100	90	64	65	62	99	98	84
9	97	100	100	76	74	83	73	77	85
10	81	99	86	72	61	76	78	89	80
11									
12	93	100	100	93	85	92	90	97	94
13	99	100	96	69	52	63	75	69	78
14	74	90	57	43	45	60	75	94	67
15	92	100	90	48	54	65	77	81	76
16	78	96	82	72	51	71	62	75	73
17	81	89	75	70	70	80	82	100	81
18									
19	98	100	87	92	96	100	100	100	97
20	98	100	98	98	98	100	100	100	99
21	100	100	96	87	98	82	88	87	92
22	86	97	89	89	88	89	92	90	90
23	91	96	88	87	90	100	100	100	94
24	100	100	93	92	94	100	100	99	97
25									
26	100	100	100	56	45	74	81	81	80
27	82	90	65	68	98	100	96	97	87
28	91	90	87	71	70	89	77	100	84
29	95	100	100	90	66	89	89	93	90
30	87	100	98	100	96	100	100	96	97
31	88	100	92	91	93	100	100	96	95
Means	92	97	88	74	71	82	88	91	85

ABSTRACT of Relative Humidity at Winnipeg, Manitoba, for the Month of November, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1									
2	98	100	98	94	92	100	100	95	97
3	100	100	98	100	93	100	90	100	98
4	100	100	88	89	98	96	88	96	94
5	97	99	98	92	96	88	100	100	96
6	98	100	98	83	88	100	96	93	94
7	100	100	97	98	93	93	91	91	95
8									
9	83	85	80	68	76	85	80	84	80
10	87	99	94	84	78	100	90	88	90
11	91	98	88	81	85	84	100	83	89
12	85	85	82	77	82	100	100	86	87
13	89	100	100	87	95	100	90	91	94
14	97	100	88	83	80	87	95	89	90
15									
16	90	90	90	80	80	100	100	96	91
17	84	90	68	83	85	100	85	87	85
18	93	100	95	68	83	96	100	100	92
19	100	100	50	84	87	90	82	100	87
20	100	80	100	93	80	73	88	97	89
21	96	83	83	70	74	100	88	100	87
22									
23	84	100	83	85	83	100	93	93	90
24	86	100	95	95	100	100	96	100	96
25	77	100	93	95	95	100	95	95	94
26	100	100	96	100	100	100	100	100	99
27	100	100	100	94	80	100	66	83	90
28	83	100	100	86	87	85	85	86	89
29									
30	100	91	100	100	95	87	85	100	95
Means	93	96	91	87	88	95	91	93	92

ABSTRACT of Relative Humidity at Winnipeg, Manitoba, for the Month of December, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	66	60	100	88	100	89	88	88	85
2	88	88	100	96	93	90	88	86	91
3	93	83	92	100	95	100	94	88	93
4	95	100	93	96	90	100	95	79	94
5	90	100	96	93	84	94	62	100	90
6									
7	100	100	95	92	88	97	91	95	95
8	91	96	96	86	92	84	88	88	90
9	90	93	92	81	83	83	80	83	86
10	80	100	98	70	76	87	77	88	84
11	88	99	99	80	67	94	82	76	86
12	80	93	89	80	82	82	89	71	83
13									
14	96	100	96	89	100	92	86	94	94
15	91	96	96	83	89	87	91	90	90
16	87	99	96	90	81	99	89	86	91
17	88	96	91	98	85	96	95	100	94
18	100	100	100	83	86	91	90	100	95
19	94	100	95	81	92	100	100	100	95
20									
21	100	100	94	91	88	96	89	95	94
22	89	92	86	87	85	96	74	100	88
23	100	94	100	95	86	100	100	100	97
24	100	100	100	100	85	100	97	85	96
25	97	93	94	85	85	78	95	100	91
26	100	100	100	88	82	86	82	89	91
27									
28	86	87	85	72	88	88	96	96	87
29	96	100	100	86	75	98	100	83	92
30	93	92	93	71	73	88	84	95	86
31	77	95	88	86	96	97	99	99	92
Means	91	95	95	87	86	92	89	91	91

ABSTRACT of Relative Humidity at Woodstock, Ontario, for the Month of January, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	88	80	89	89	84	70	83
2	90	92	81	91	94	97	91
3	89	88	88	87	83	93	88
4	74	66	79	81	77	85	77
5	77	59	66	79	66	66	68
6	70	77	92	69	81	88	79
7	86	78	87	87	82	95	86
8	100	81	83	80	88	87	86
9	100	89	86	87	92	89	91
10	87	88	89	90	89	100	90
11	81	88	94	92	89	91	89
12	90	95	92	91	88	100	93
13	87	87	88	79	69	85	83
14	79	88	84	81	80	97	85
15	82	71	77	86	96	83	83
16	93	90	83	86	91	80	87
17	76	78	91	86	97	100	88
18	91	91	87	92	92	92	91
19	92	86	96	91	97	97	93
20	83	91	92	87	92	92	89
21	92	88	87	92	90	80	88
22	86	87	82	90	90	97	89
23	91	92	91	91	96	91	92
24	91	91	91	91	91	96	92
25	92	81	91	91	92	91	90
26	91	91	91	91	91	88	91
27	81	87	84	86	90	97	87
28	88	80	92	92	90	100	90
29	89	91	86	87	81	94	88
30	91	91	91	92	91	100	93
31	86	91	91	91	97	100	93
Means	87	85	87	87	88	91	87

Abstract of Relative Humidity at Woodstock, Ontario, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	91	91	95	97	92	86	92
2	92	89	89	92	85	83	88
3	90	91	91	91	97	97	93
4	91	97	93	94	91	94	93
5	92	92	92	86	91	100	93
6	91	92	91	91	91	91	91
7	91	91	92	92	91	91	91
8	91	90	87	81	91	97	89
9	90	89	90	89	88	90	89
10	89	91	88	91	92	92	91
11	89	88	88	88	77	76	84
12	88	82	79	73	88	89	83
13	83	90	90	89	89	69	85
14	78	90	80	76	81	91	83
15	89	91	92	92	91	85	90
16	82	79	58	80	66	56	70
17	73	70	63	65	85	79	73
18	86	58	73	82	88	86	79
19	88	88	89	88	86	95	89
20	81	83	83	78	82	84	82
21	80	80	81	87	76	82	81
22	80	71	75	80	91	100	83
23	97	92	92	97	87	89	92
24	97	86	92	92	88	100	93
25	81	88	65	71	88	90	80
26	92	91	91	91	95	90	92
27	91	91	92	88	92	72	88
28	92	92	76	92	91	100	90
29	91	88	90	91	90	86	89
Means	88	87	85	86	88	88	87

ABSTRACT of Relative Humidity at Woodstock, Ontario, for the Month of March, 1896

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	91	92	84	94	89	84	89
2	89	89	89	89	88	61	84
3	93	87	86	86	86	57	82
4	83	82	87	87	87	87	86
5	72	80	88	91	90	97	86
6	89	90	92	87	91	93	90
7	92	92	86	92	91	91	91
8	90	90	90	92	90	90	90
9	90	83	90	91	89	93	89
10	89	88	89	89	88	96	90
11	86	86	86	85	86	85	86
12	82	87	83	82	82	91	85
13	73	71	85	88	82	93	82
14	82	84	93	59	77	93	81
15	86	86	91	91	89	83	88
16	81	83	94	91	97	88	89
17	90	98	98	84	95	98	94
18	100	89	77	76	97	89	88
19	97	98	92	97	95	86	94
20	78	65	84	84	82	93	81
21	87	92	89	100	82	87	89
22	84	84	97	82	96	100	91
23	100	70	100	76	96	85	88
24	97	96	77	68	83	76	83
25	85	85	83	77	92	92	86
26	97	92	91	97	88	89	92
27	76	100	97	80	97	90	96
28	100	95	96	87	86	91	92
29	93	94	97	72	76	79	85
30	92	89	77	82	87	88	86
31	87	91	69	62	78	72	76
Means	88	87	88	84	88	87	87

Abstract of Relative Humidity at Woodstock, Ontario, for the Month of April, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	75	86	84	91	92	88	86
2	91	92	98	91	85	88	91
3	88	88	77	88	89	82	85
4	86	86	81	98	94	85	88
5	90	91	87	65	83	70	81
6	81	84	95	82	95	91	88
7	91	91	89	81	89	92	89
8	91	91	73	58	73	76	77
9	81	79	72	66	88	89	79
10	84	96	89	86	90	88	89
11	92	94	92	92	88	92	92
12	92	91	86	77	89	86	87
13	80	77	69	64	89	81	77
14	85	92	75	74	80	83	81
15	89	92	78	67	79	91	83
16	87	89	79	74	83	92	84
17	89	89	76	81	94	94	87
18	93	93	94	92	78	78	88
19	88	89	80	88	86	96	88
20	92	92	77	75	86	91	85
21	70	94	83	78	81	92	83
22	90	83	81	75	82	88	83
23	92	99	71	84	92	85	87
24	85	92	94	96	92	92	92
25	96	95	84	93	93	95	93
26	94	85	93	98	99	97	94
27	92	93	95	98	95	96	95
28	96	97	95	97	98	98	97
29	96	94	97	99	95	98	96
30	95	94	96	98	94	97	96
Means	88	90	85	83	88	89	87

ABSTRACT of Relative Humidity at Woodstock, Ontario, for the Month of May, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	96	96	94	99	99	95	96
2	98	95	98	100	98	99	98
3	94	94	97	98	98	95	96
4	97	97	98	96	97	96	97
5	96	92	97	99	97	97	96
6	85	85	96	98	97	94	93
7	96	90	98	99	98	97	96
8	97	96	98	98	100	95	97
9	99	94	99	98	98	97	98
10	97	96	99	96	67	80	89
11	89	87	88	63	81	92	83
12	94	95	87	80	76	83	86
13	80	78	95	66	65	73	76
14	80	78	75	78	84	95	82
15	93	83	73	63	57	83	75
16	97	90	69	64	70	78	78
17	88	94	78	67	100	73	83
18	77	82	81	84	92	93	85
19	93	89	82	98	76	84	87
20	92	83	78	72	81	78	81
21	92	94	86	85	87	92	89
22	98	94	72	90	89	93	89
23	93	86	82	91	96	93	90
24	92	79	97	98	100	97	94
25	99	97	97	90	90	95	95
26	87	94	96	99	99	99	96
27	97	93	95	97	99	96	96
28	98	98	91	98	96	94	96
29	95	99	98	98	97	99	98
30	100	92	98	99	95	97	97
31	96	96	78	76	83	91	87
Means	93	91	89	88	89	91	90

Abstract of Relative Humidity at Woodstock, Ontario, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	92	96	77	71	78	89	84
2	94	89	70	67	74	96	82
3	99	86	73	96	96	96	91
4	93	89	94	98	99	97	95
5	98	93	98	90	98	100	96
6	99	96	93	100	100	98	98
7	97	99	96	97	96	97	97
8	97	97	90	92	94	98	95
9	99	99	89	99	99	96	97
10	99	97	98	98	98	96	98
11	96	96	99	99	99	96	98
12	97	99	98	99	99	100	99
13	98	96	99	99	98	97	98
14	97	91	99	99	95	87	95
15	98	93	95	99	99	93	96
16	95	96	96	96	99	98	97
17	97	99	99	90	90	97	95
18	96	90	67	59	79	90	80
19	95	88	66	60	73	84	78
20	88	87	73	51	85	89	79
21	95	95	90	86	76	92	89
22	83	79	71	72	63	80	75
23	93	87	62	60	71	83	76
24	86	86	72	85	84	88	83
25	91	91	81	72	84	93	85
26	96	76	70	60	61	89	75
27	91	91	84	86	75	78	84
28	88	88	88	79	89	80	85
29	84	81	71	67	62	85	75
30	96	84	63	65	66	87	77
Means	94	91	84	83	86	91	88

Abstract of Relative Humidity at Woodstock, Ontario, for the Month of July, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%		%	%	%	%	%
1	87	85	67	65	72	83	76
2	82	78	80	74	89	82	82
3	98	91	76	84	78	93	87
4	93	85	95	90	93	92	91
5	89	89	86	90	91	93	90
6	99	94	92	98	93	93	95
7	98	93	96	96	99	97	96
8	94	93	85	84	87	90	89
9	89	98	96	89	91	99	94
10	96	93	90	91	95	94	93
11	94	62	85	94	90	90	86
12	93	89	84	83	84	90	87
13	91	90	88	87	90	94	90
14	95	93	88	90	86	98	92
15	95	95	91	71	79	93	87
16	92	85	70	68	76	81	79
17	92	81	66	65	74	90	78
18	93	88	73	66	78	80	80
19	91	98	85	89	95	98	93
20	95	96	91	88	88	95	92
21	96	96	85	95	96	90	93
22	99	95	93	82	79	88	89
23	88	86	72	67	75	87	79
24	57	88	86	75	77	92	79
25	89	88	74	82	82	92	84
26	97	93	77	79	83	97	88
27	96	96	85	72	80	94	87
28	95	98	76	70	87	96	87
29	97	99	79	79	95	100	91
30	92	91	77	74	76	87	83
31	93	94	64	60	58	89	76
Means	92	90	82	81	84	91	87

Abstract of Relative Humidity at Woodstock, Ontario, for the Month of August, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	95	94	72	86	92	93	89
2	95	98	89	95	75	93	91
3	93	83	70	77	77	85	81
4	90	93	73	74	83	96	85
5	95	96	81	90	77	88	88
6	82	93	82	80	92	94	87
7	95	93	85	75	67	84	83
8	92	91	84	66	82	86	83
9	85	89	80	61	82	85	80
10	95	91	81	78	87	93	88
11	95	97	79	68	81	95	86
12	95	72	81	86	71	81	81
13	93	92	74	85	85	88	86
14	95	85	67	67	85	94	82
15	95	91	74	71	81	89	83
16	92	94	66	65	63	84	77
17	87	84	73	67	72	94	80
18	97	93	84	80	72	79	84
19	89	89	72	71	74	93	81
20	94	92	60	60	78	88	79
21	97	88	83	83	85	95	89
22	94	93	82	81	93	93	89
23	97	92	76	73	79	90	84
24	96	93	75	64	70	89	81
25	96	92	61	74	78	79	80
26	96	94	73	94	87	92	89
27	99	86	73	71	74	83	81
28	96	92	75	61	77	91	82
29	96	92	76	70	80	87	84
30	89	90	76	77	94	86	85
31	88	93	71	68	71	88	80
Means	93	91	76	75	79	89	84

ABSTRACT of Relative Humidity at Woodstock, Ontario, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	92	90	67	64	71	96	80
2	96	93	80	79	79	81	85
3	84	90	92	74	81	89	85
4	92	94	72	69	81	88	83
5	85	91	69	86	94	96	87
6	96	94	90	80	86	93	90
7	53	94	76	72	88	92	79
8	96	94	72	68	75	92	83
9	96	96	76	69	84	91	85
10	93	97	79	66	81	81	83
11	89	91	71	64	88	90	82
12	89	93	81	79	84	94	87
13	94	90	86	82	90	86	88
14	91	91	63	85	61	96	81
15	89	89	71	65	80	86	80
16	89	91	75	70	84	93	84
17	94	93	83	78	86	96	88
18	96	97	71	71	84	93	85
19	96	94	94	75	84	81	87
20	88	90	77	70	89	89	84
21	88	83	72	67	89	92	82
22	100	91	80	75	40	81	78
23	92	97	77	67	74	76	81
24	79	82	74	62	84	88	78
25	92	90	72	73	85	85	83
26	88	94	93	88	96	96	92
27	96	95	90	83	82	85	89
28	80	93	80	71	82	82	81
29	89	90	91	95	95	93	92
30	96	89	92	94	98	91	93
Means	90	92	79	75	82	89	84

Abstract of Relative Humidity at Woodstock, Ontario, for the Month of October, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%		%	%	%	%
1	92	90	84	86	95	87	89
2	94	91	71	65	79	92	82
3	91	91	80	83	86	89	87
4	91	99	89	82	85	92	90
5	91	96	83	75	87	92	87
6	92	98	86	95	94	88	92
7	88	92	83	75	87	80	84
8	92	82	80	77	68	86	81
9	97	96	81	73	89	91	88
10	91	86	77	76	88	94	85
11	96	93	84	72	79	86	85
12	88	92	87	92	84	92	89
13	92	83	81	73	91	88	85
14	97	92	85	93	94	97	93
15	92	95	82	86	97	92	91
16	95	92	84	86	86	87	88
17	92	88	88	94	94	91	91
18	91	94	88	81	81	90	87
19	86	90	94	96	94	97	93
20	97	97	94	85	85	89	91
21	95	87	82	85	82	86	86
22	92	93	73	72	90	87	85
23	91	89	78	83	88	87	86
24	92	92	79	81	86	84	86
25	96	96	75	82	100	92	90
26	97	90	76	83	92	97	89
27	94	93	79	76	88	86	86
28	97	94	85	75	88	93	89
29	94	94	89	83	93	93	91
30	88	95	84	79	87	87	87
31	84	83	82	80	88	92	85
Means	92	92	83	81	88	90	88

ABSTRACT of Relative Humidity at Woodstock, Ontario, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	96	84	79	78	92	92	87
2	96	98	84	82	91	87	90
3	89	92	82	73	92	94	87
4	97	94	93	93	94	96	94
5	96	96	96	85	80	95	91
6	91	90	83	80	80	92	86
7	80	81	83	88	77	81	82
8	81	92	79	81	92	92	86
9	97	97	82	82	97	92	91
10	92	98	76	76	82	94	86
11	92	94	87	79	86	82	87
12	89	91	88	80	81	85	86
13	92	97	88	96	88	94	93
14	84	91	95	93	93	84	90
15	79	94	78	79	78	85	82
16	86	92	87	87	88	88	88
17	88	91	88	84	97	95	90
18	92	92	88	81	94	77	87
19	72	96	89	86	97	91	89
20	97	97	97	79	98	83	92
21	91	92	100	81	90	89	90
22	100	81	82	75	89	84	85
23	91	91	83	87	92	96	90
24	93	88	77	82	96	93	88
25	92	91	97	94	100	90	94
26	95	87	79	77	82	83	84
27	78	86	92	89	82	76	84
28	91	88	82	71	84	76	82
29	93	93	93	78	78	92	88
30	83	88	74	78	72	83	80
Means	90	91	86	82	88	88	87

ABSTRACT of Relative Humidity at Woodstock, Ontario, for the Month of December, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	69	72	78	83	85	94	80
2	90	95	86	72	87	91	87
3	85	85	83	88	83	82	84
4	88	91	92	95	81	89	89
5	94	95	96	83	72	79	87
6	78	80	79	78	82	91	81
7	91	91	86	81	89	83	87
8	89	91	87	95	94	89	91
9	96	96	86	81	83	82	87
10	85	89	87	87	86	85	86
11	92	91	88	79	90	87	88
12	82	83	81	71	82	75	79
13	89	90	87	82	91	86	88
14	85	91	83	86	84	79	85
15	78	91	86	90	70	92	84
16	76	82	78	84	92	87	83
17	100	74	85	82	92	71	84
18	82	77	91	91	91	78	85
19	83	86	91	91	86	82	87
20	96	88	87	81	84	90	88
21	93	77	90	90	85	94	88
22	79	88	88	86	87	81	85
23	81	84	70	67	77	85	77
24	84	79	77	88	85	83	83
25	88	85	79	84	90	81	84
26	86	91	94	92	94	71	88
27	74	73	81	85	87	72	79
28	84	78	90	89	92	85	86
29	82	91	91	90	91	88	89
30	91	91	95	92	95	92	93
31	91	92	91	85	87	88	89
Means	86	86	86	84	86	84	86

ABSTRACT of Relative Humidity at Toronto, Ontario, for the Month of January, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	84	76	81	73	80	79	79
2	71	75	56	59	79	86	71
3	78	77	62	66	67	71	70
4	91	96	55	63	85	88	80
5	71	69	78	78	58	56	68
6	89	89	91	91	68	89	86
7	96	100	94	96	92	94	95
8	91	89	89	100	87	91	91
9	93	94	88	86	86	86	89
10	86	89	84	94	90	92	89
11	93	90	86	86	83	83	87
12	87	88	61	63	68	72	73
13	83	80	73	78	89	86	82
14	81	83	41	65	83	83	73
15	87	87	73	74	81	85	81
16	84	84	75	62	83	83	78
17	83	82	84	88	81	84	84
18	93	92	93	93	98	100	95
19	88	94	87	83	88	88	88
20	95	94	90	90	81	81	89
21	80	78	67	76	81	84	78
22	73	73	96	93	95	94	87
23	93	89	87	87	98	99	92
24	96	98	99	98	97	97	98
25	92	92	78	92	89	82	87
26	85	88	81	82	77	85	83
27	86	86	73	64	80	86	79
28	93	86	89	92	88	92	90
29	92	89	84	82	93	93	89
30	98	98	95	82	85	85	90
31	85	91	100	100	99	96	95
Means	87	87	80	82	84	86	84

Abstract of Relative Humidity at Toronto, Ontario, for the Month of February, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1.	87	95	87	87	77	68	84
2.	84	81	70	65	74	75	75
3.	94	97	99	99	99	99	98
4.	93	94	94	97	97	96	95
5.	93	86	80	74	89	94	86
6.	96	98	96	92	89	88	93
7.	83	79	76	68	79	82	78
8.	91	86	59	72	82	75	77
9.	85	100	96	93	86	79	90
10.	86	86	67	63	93	95	82
11.	76	73	70	69	77	79	74
12.	95	93	95	72	92	91	90
13.	96	96	98	99	86	86	93
14.	88	85	62	69	74	78	76
15.	88	66	69	77	77	86	77
16.	68	76	77	64	91	85	77
17.	91	85	76	79	87	88	84
18.	89	97	63	64	94	92	83
19.	91	87	93	100	78	80	88
20.	77	77	74	76	87	91	80
21.	96	97	79	79	90	89	88
22.	88	76	64	67	75	80	75
23.	89	93	88	86	84	89	88
24.	96	63	77	73	66	62	73
25.	72	72	66	63	84	80	73
26.	93	93	80	73	83	85	84
27.	87	81	78	81	87	84	83
28.	98	88	69	69	100	85	85
29.	76	68	66	66	64	73	69
Means.	88	85	78	77	84	84	83

Abstract of Relative Humidity at Toronto, Ontario, for the Month of March, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	93	93	73	75	74	74	80
2	82	82	77	68	77	78	77
3	76	70	67	67	66	67	69
4	77	69	73	62	73	73	71
5	80	70	49	50	66	78	66
6	78	69	86	88	97	100	86
7	99	94	77	80	77	70	83
8	83	83	50	53	80	76	71
9	85	77	68	63	79	88	77
10	86	74	68	72	71	75	74
11	83	75	60	50	89	92	75
12	81	76	59	57	72	76	70
13	90	82	66	64	90	92	81
14	83	78	55	52	78	75	70
15	69	76	57	50	72	80	67
16	94	90	63	65	72	80	77
17	82	71	68	59	83	87	75
18	92	85	61	59	93	93	81
19	97	96	97	89	96	96	95
20	87	84	60	56	80	80	75
21	90	87	59	68	70	75	75
22	78	74	67	66	69	68	70
23	78	77	67	68	82	82	76
24	84	80	61	68	68	74	72
25	73	63	73	63	82	89	74
26	96	90	81	62	77	81	81
27	73	67	53	53	69	78	66
28	91	82	84	72	75	85	81
29	89	90	79	63	82	90	82
30	93	80	58	57	80	91	77
31	66	60	58	60	68	74	64
Means	84	79	67	64	78	81	76

Abstract of Relative Humidity at Toronto, Ontario, for the Month of April, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	75	71	71	70	96	96	80
2	80	64	53	62	64	66	65
3	86	59	60	58	66	62	65
4	72	73	59	59	70	74	68
5	78	80	55	52	73	83	70
6	89	75	60	88	69	74	76
7	87	82	66	66	76	68	74
8	77	63	52	52	79	87	68
9	86	72	64	63	86	86	76
10	94	88	76	82	91	90	87
11	94	94	77	79	83	87	86
12	87	85	85	79	86	98	87
13	97	95	54	54	81	82	77
14	04	96	55	60	76	77	76
15	85	72	61	57	82	95	75
16	95	81	61	62	82	88	78
17	96	89	63	74	94	97	85
18	98	88	83	82	95	95	90
19	92	83	59	68	84	87	79
20	95	85	63	63	78	84	78
21	90	78	74	61	76	71	75
22	80	66	39	43	53	70	58
23	72	43	38	46	70	66	56
24	67	67	72	67	78	80	72
25	86	82	62	65	85	89	78
26	93	69	50	57	75	77	70
27	73	73	60	65	76	76	71
28	90	86	71	78	86	95	84
29	87	56	57	60	66	68	66
30	56	58	50	48	64	73	58
Means	85	76	62	64	78	81	74

Abstract of Relative Humidity at Toronto, Ontario, for the Month of May, 1896.

Day.	6 a.m.	8 a.m	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	95	91	76	68	80	86	83
2	92	82	72	76	99	99	87
3	99	93	57	65	81	92	81
4	81	76	70	64	68	69	71
5	73	59	37	40	61	63	55
6	79	74	67	61	81	90	75
7	85	73	56	59	83	85	74
8	85	75	55	48	63	80	68
9	63	64	34	31	66	66	54
10	65	56	36	34	58	60	52
11	75	61	52	49	65	73	63
12	70	60	56	54	78	70	65
13	53	36	32	29	39	51	40
14	50	46	57	47	54	76	55
15	79	55	33	31	60	67	54
16	58	60	40	46	63	66	56
17	83	98	41	44	75	57	66
18	59	53	52	67	92	78	67
19	81	70	63	61	56	45	63
20	71	61	58	57	80	83	68
21	85	78	72	76	85	92	81
22	96	59	31	31	69	80	61
23	70	60	47	43	49	52	54
24	59	53	51	57	79	79	63
25	80	94	86	82	100	99	90
26	83	51	39	36	75	77	60
27	74	68	90	83	84	85	81
28	97	95	77	51	61	59	73
29	70	67	56	47	59	58	59
30	66	58	32	36	83	83	60
31	62	59	58	60	78	82	66
Means	75	67	54	53	72	74	66

Abstract of Relative Humidity at Toronto, Ontario, for the Month of June, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	77	64	47	49	65	76	63
2	70	61	52	48	76	86	66
3	71	63	44	42	59	69	58
4	81	72	54	51	83	78	70
5	87	76	68	72	73	81	76
6	81	68	72	68	90	97	79
7	89	83	65	65	98	91	82
8	96	97	89	97	98	98	96
9	94	87	92	91	88	81	89
10	59	45	42	38	61	64	52
11	56	51	31	30	52	60	47
12	65	55	48	47	75	71	60
13	72	58	47	48	64	76	61
14	65	51	62	62	83	87	68
15	78	77	7	60	64	63	66
16	63	75	59	66	84	86	72
17	85	71	58	64	83	79	73
18	77	50	43	39	77	87	62
19	82	61	45	50	68	69	63
20	79	69	62	62	85	91	75
21	94	87	68	52	68	74	74
22	67	66	39	32	52	57	52
23	75	58	39	30	64	82	58
24	74	67	62	69	86	82	73
25	89	83	70	71	85	93	82
26	72	45	36	29	64	63	50
27	69	62	54	56	73	68	64
28	86	82	60	67	72	74	73
29	69	68	30	27	51	64	52
30	70	52	42	46	51	66	55
Means	76	67	54	54	73	77	67

ABSTRACT of Relative Humidity at Toronto, Ontario, for the Month of July, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means
1	77	70	48	50	79	89	69
2	94	61	48	45	59	59	61
3	76	71	71	63	72	76	71
4	84	82	86	76	90	90	85
5	88	81	60	57	85	91	77
6	90	79	75	76	75	89	81
7	80	64	50	58	77	89	79
8	69	59	50	46	50	57	55
9	94	94	81	80	89	81	87
10	80	72	65	79	78	84	76
11	90	78	48	34	68	72	65
12	73	72	44	30	60	68	58
13	87	95	69	61	82	83	80
14	75	61	52	42	69	79	63
15	89	77	36	46	59	61	61
16	73	53	44	41	71	73	59
17	69	49	53	36	71	77	59
18	71	73	47	54	55	75	63
19	90	85	75	83	95	98	88
20	97	99	91	84	97	96	94
21	99	87	74	61	70	72	77
22	82	71	73	63	50	66	67
23	73	69	32	49	67	76	61
24	74	68	66	71	96	98	79
25	69	62	43	53	71	87	64
26	84	84	59	58	94	93	79
27	98	95	70	84	99	93	90
28	98	88	69	71	94	97	86
29	98	80	87	95	96	100	93
30	99	88	45	46	74	76	71
31	82	58	29	25	45	63	50
Means	84	75	59	59	75	81	72

Abstract of Relative Humidity at Toronto, Ontario, for the Month of August, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	76	73	62	66	88	88	75
2	83	72	63	72	79	90	76
3	98	80	58	61	75	76	75
4	89	78	52	48	75	81	71
5	96	80	50	43	80	81	72
6	82	79	66	67	77	90	77
7	93	66	45	42	71	82	66
8	85	79	55	44	68	70	67
9	88	76	66	67	88	85	78
10	86	82	73	61	79	82	77
11	94	84	57	51	75	77	73
12	90	74	41	40	63	69	63
13	74	61	61	61	62	57	63
14	83	68	53	50	77	76	68
15	86	72	56	61	84	89	75
16	90	82	35	20	62	61	58
17	68	61	42	38	68	82	60
18	81	71	42	48	65	67	62
19	83	62	60	51	64	74	66
20	86	62	35	40	70	78	62
21	87	65	75	73	88	96	81
22	98	86	58	67	90	92	82
23	94	85	48	42	84	84	73
24	86	60	43	31	63	74	60
25	78	53	39	53	69	95	64
26	96	85	56	86	87	86	83
27	82	73	79	80	64	72	75
28	71	66	56	54	81	86	69
29	87	78	58	58	69	87	73
30	94	85	61	60	77	75	75
31	89	71	40	38	75	80	66
Means	86	73	54	54	75	80	70

ABSTRACT of Relative Humidity at Toronto, Ontario, for the Month of September, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	85	69	58	49	67	69	66
2	91	82	86	90	97	97	91
3	98	97	56	49	76	80	76
4	77	73	59	52	83	85	72
5	77	78	84	96	98	99	89
6	98	90	66	74	89	93	85
7	87	80	63	60	81	99	78
8	96	99	57	62	91	90	82
9	95	86	64	66	80	88	80
10	94	86	67	73	95	96	85
11	98	93	55	50	82	84	77
12	89	83	73	70	79	78	79
13	78	81	69	68	86	92	79
14	87	82	74	76	81	91	82
15	89	81	55	54	71	67	69
16	72	67	63	66	94	94	76
17	99	96	61	50	82	82	78
18	96	89	59	68	89	94	83
19	95	97	79	53	85	89	83
20	92	80	54	55	79	91	75
21	89	75	55	57	84	68	71
22	96	92	54	50	62	72	71
23	86	59	49	49	68	71	64
24	80	77	41	38	81	94	69
25	97	90	63	56	91	91	81
26	99	95	99	93	72	81	90
27	93	90	75	72	86	79	82
28	91	74	63	63	82	71	74
29	89	89	91	96	98	98	94
30	95	81	85	94	99	98	92
Means	90	84	66	65	84	86	79

Abstract of Relative Humidity at Toronto, Ontario, for the Month of October, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	96	89	68	68	66	67	76
2	67	57	63	70	96	96	75
3	87	86	77	79	97	99	87
4	99	92	77	77	100	99	91
5	94	92	80	83	98	99	91
6	98	97	78	94	96	92	93
7	86	78	67	52	91	91	78
8	79	76	64	67	70	65	70
9	79	58	62	66	86	70	70
10	76	71	65	65	83	83	74
11	98	85	62	60	59	70	72
12	70	64	59	59	70	73	66
13	80	75	48	43	56	63	61
14	63	61	41	37	70	69	57
15	91	74	60	65	79	80	75
16	72	69	59	64	64	73	67
17	62	62	81	85	96	96	80
18	96	86	58	66	84	82	79
19	78	75	52	42	53	94	66
20	77	68	53	50	76	91	69
21	95	81	43	58	71	68	69
22	72	70	50	44	80	83	67
23	81	79	47	52	72	84	69
24	68	66	40	41	60	61	56
25	72	72	50	57	82	84	69
26	89	87	52	60	92	100	80
27	98	87	68	73	89	92	84
28	87	86	81	85	94	99	89
29	97	99	82	83	97	97	93
30	95	97	83	82	98	83	90
31	76	81	61	63	80	90	75
Means	83	78	62	64	81	84	75

Abstract of Relative Humidity at Toronto, Ontario, for the Month of November, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1..	98	99	65	62	82	82	81
2..	89	83	63	69	80	88	79
3..	88	89	78	85	88	87	86
4..	87	88	90	99	98	98	93
5..	100	100	99	93	76	69	89
6..	82	80	57	62	85	82	75
7..	92	96	90	86	66	59	81
8..	70	80	50	57	80	86	71
9..	76	72	52	53	69	69	65
10..	78	71	51	60	66	88	69
11..	97	95	58	58	75	70	76
12..	81	81	52	56	67	66	67
13..	92	92	60	70	83	84	80
14..	83	79	67	61	65	70	71
15..	58	74	55	67	86	91	72
16..	89	85	72	73	83	81	80
17..	90	85	70	72	91	87	83
18..	90	92	88	84	80	66	83
19..	64	63	65	66	64	75	66
20..	76	68	61	60	73	68	68
21..	69	62	96	100	87	88	84
22..	94	89	77	62	79	83	81
23..	81	75	75	87	95	98	86
24..	88	81	58	48	79	74	71
52..	94	90	92	96	97	98	94
26..	98	100	84	88	91	86	91
27..	80	80	85	77	81	68	79
28..	68	62	62	63	64	68	64
29..	86	83	74	63	65	80	75
30..	70	58	62	71	83	77	70
Means	84	82	70	72	79	79	78

Abstract of Relative Humidity at Toronto, Ontario, for the Month of December, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means
							%
1	80	82	51	82	80	85	77
2	83	86	53	57	86	89	76
3	73	74	52	65	73	73	68
4	77	70	84	89	77	81	80
5	77	74	91	90	76	82	82
6	82	73	69	76	83	87	78
7	96	96	84	87	81	80	87
8	90	89	74	76	95	94	86
9	96	92	77	80	78	78	84
10	76	80	74	81	86	87	81
11	87	86	79	73	91	91	85
12	94	92	75	75	96	96	88
13	91	92	82	79	77	79	83
14	85	84	56	65	69	71	72
15	80	78	60	61	60	60	67
16	81	67	43	47	65	73	63
17	87	85	67	65	66	63	72
18	60	70	96	83	70	80	77
19	74	74	64	67	76	72	71
20	87	80	71	64	87	86	79
21	85	81	90	93	97	83	88
22	95	100	88	92	84	96	92
23	81	83	83	81	95	84	84
24	90	90	71	75	82	75	82
25	85	79	68	70	80	79	77
26	81	83	80	66	70	72	75
27	80	82	84	76	96	100	86
28	84	82	82	77	81	73	80
29	83	82	92	90	95	95	89
30	95	94	85	80	83	84	87
31	85	89	75	82	83	85	83
Means	84	83	74	76	81	82	80

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of January, 1896.

DAY	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	71	89	84	61	63	72	73
2	87	93	74	84	98	72	85
3	78	95	67	72	77	81	78
4	81	96	100	90	100	100	95
5							
6	100	100	100	90	100	100	98
7	100	100	100	97	81	97	96
8	97	90	70	64	72	76	78
9	75	88	89	96	96	98	90
10	89	100	91	88	96	100	94
11	98	100	92	82	96	100	95
12							
13	76	81	83	88	86	99	86
14	96	97	89	90	97	80	92
15	79	86	81	90	89	91	86
16	100	89	91	84	100	100	94
17	86	86	78	83	90	92	86
18	95	96	77	78	92	95	89
19							
20	85	94	90	94	87	95	91
21	97	97	94	89	86	96	93
22	97	84	77	83	97	92	88
23	93	96	95	90	91	100	94
24	96	95	83	95	98	98	94
25	96	93	95	92	96	99	95
26							
27	88	87	87	83	92	90	88
28	90	90	88	78	86	81	86
29	86	88	76	92	89	92	87
30	76	83	86	83	87	70	81
31	87	85	86	69	69	84	80
Means	89	92	86	85	89	91	89

Abstract of Relative Humidity at Montreal, Quebec, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	96	96	95	96	95	97	96
2							
3	91	88	81	84	81	94	87
4	98	94	88	81	90	97	91
5	95	94	84	80	86	85	87
6	88	92	95	100	98	96	95
7	91	97	97	99	95	95	96
8	91	94	89	93	93	98	93
9							
10	95	91	88	72	90	94	88
11	88	92	93	83	88	80	87
12	88	90	78	80	94	81	85
13	88	96	96	96	96	93	94
14	97	89	86	80	78	73	84
15	82	91	100	97	85	89	91
16							
17	93	93	83	91	100	100	93
18	100	100	95	85	86	100	94
19	100	97	86	71	95	94	91
20	94	94	95	98	90	84	93
21	86	85	89	83	75	87	84
22	90	95	81	85	96	94	90
23							
24	85	78	97	97	89	84	88
25	94	87	79	87	82	86	86
26	86	96	91	96	93	93	93
27	95	94	87	79	83	88	88
28	84	89	74	80	83	100	85
29	97	100	100	100	100	97	99
Means	92	92	89	88	90	91	90

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of March, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1..							
2.....	96	89	80	85	91	97	90
3...	96	94	85	91	82	73	87
4..	74	80	73	75	81	86	78
5..	96	94	68	64	71	71	77
6....	90	86	82	73	75	90	83
7..	95	81	95	94	100	93	93
8...							
9..	74	79	81	77	81	80	79
10..	87	76	81	83	66	65	76
11..	86	92	79	56	66	79	76
12..	100	94	90	92	76	78	88
13..	93	73	80	52	57	63	70
14...	93	80	76	75	77	77	76
15..							
16..	98	90	75	73	87	78	84
17..	99	95	71	80	84	91	87
18.....	99	94	89	76	92	85	89
19..	100	100	97	100	99	94	98
20..	100	90	90	91	73	79	89
21..	98	88	78	68	91	95	86
22..							
23..	95	87	79	57	92	87	83
24..	84	86	73	77	72	67	77
25.....	98	84	90	90	65	98	88
26.....	100	100	99	98	97	93	98
27....	98	81	92	92	74	82	87
28..	86	90	95	57	89	93	85
29...							
30..	98	99	80	66	89	98	88
31.....	99	98	69	70	90	98	87
Means.	94	88	83	77	81	84	85

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of April, 1896.

Day	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	99	85	67	77	81	89	83
2	93	95	98	89	92	95	94
3	99	97	75	91	83	87	89
4	86	85	89	91	88	95	89
5							
6	99	97	95	71	76	86	87
7	97	90	73	84	82	90	86
8	98	89	65	65	74	89	80
9	94	89	54	48	65	98	75
10	92	83	56	52	75	65	71
11	95	97	86	82	85	62	85
12							
13	82	81	77	78	86	86	82
14	90	88	81	93	75	81	85
15	85	84	65	61	79	86	77
16	83	86	67	64	77	86	77
17	99	96	89	77	87	96	91
18	99	94	94	83	74	80	87
19							
20	77	70	59	67	93	62	71
21	68	53	55	47	49	69	57
22	79	74	58	40	56	52	60
23	66	62	44	30	52	64	53
24	67	56	47	45	58	68	57
25	80	60	35	54	86	74	65
26							
27	73	72	80	43	48	58	62
28	67	55	78	95	93	85	79
29	70	61	51	41	40	47	52
30	75	53	32	30	49	50	48
Means	85	79	68	65	73	77	75

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of May, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%						
1.	73	51	31	28	46	65	49
2.	81	78	47	45	56	67	62
3.							
4.	88	85	64	82	71	86	79
5.	74	74	56	72	80	77	72
6.	82	76	68	59	67	79	72
7.	82	80	58	50	61	65	66
8.	88	85	67	65	71	83	77
9.	84	77	61	51	60	65	66
10.							
11.	84	78	68	63	69	77	73
12.	84	59	43	42	46	47	54
13.	81	53	48	39	60	61	57
14.	63	64	38	36	51	60	52
15.	70	64	47	48	65	76	62
16.	80	75	62	59	65	75	69
17.							
18.	80	79	66	62	69	80	73
19.	83	85	63	54	53	52	65
20.	54	54	48	46	63	71	56
21.	77	61	47	61	83	93	70
22.	91	95	75	73	75	67	79
23.	93	53	45	40	59	69	60
24.							
25.	76	66	54	53	59	65	62
26.	94	92	84	47	59	68	74
27.	93	75	59	51	65	73	69
28.	74	62	59	92	90	97	79
29.	95	91	65	62	70	79	77
30.	76	68	75	63	74	84	73
31.							
Means	81	73	58	56	65	72	67

Abstract of Relative Humidity at Montreal, Quebec, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	74	73	65	70	55	70	68
2	70	65	56	50	61	56	60
3	62	67	61	45	53	50	56
4	58	61	38	29	41	62	48
5	70	55	46	35	52	61	53
6	84	74	63	65	75	79	73
7							
8	95	93	96	95	98	97	96
9	99	97	94	86	80	78	89
10	54	51	44	38	47	51	48
11	69	70	52	47	59	66	61
12	67	66	58	55	65	85	66
13	70	61	52	49	60	65	60
14							
15	84	84	70	55	60	62	69
16	71	74	59	46	73	70	66
17	78	66	56	47	65	83	66
18	87	80	69	54	62	73	71
19	78	69	63	49	56	65	63
20	77	72	65	49	60	56	63
21							
22	93	85	65	51	47	60	67
23	72	63	54	49	72	71	64
24	80	65	53	47	50	67	60
25	88	73	51	54	73	84	71
26	84	94	67	53	59	65	70
27	74	75	60	55	68	84	69
28							
29	82	78	72	55	65	74	71
30	83	66	53	54	57	62	63
Means.	77	72	61	53	62	69	66

Abstract of Relative Humidity at Montreal, Quebec, for the Month of July, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	64	71	56	50	68	81	65
2	84	68	54	43	46	79	62
3	73	75	71	55	59	87	70
4	99	93	99	99	98	99	98
5							
6	94	94	87	82	86	96	90
7	90	90	72	80	87	87	84
8	93	80	73	60	63	68	73
9	67	66	67	64	82	97	74
10	96	71	54	51	60	68	68
11	74	85	72	67	75	74	75
12							
13	85	78	77	68	95	97	83
14	69	88	52	49	72	66	63
15	87	74	94	74	58	70	76
16	73	71	68	69	80	77	73
17	51	82	68	57	65	56	63
18	56	74	49	45	61	78	61
19							
20	88	96	94	97	91	94	93
21	97	92	75	60	66	69	77
22	79	79	89	96	85	84	85
23	78	76	83	80	63	68	70
24	84	81	59	51	79	81	73
25	81	70	66	55	66	72	68
26							
27	76	83	78	73	81	70	77
28	87	80	62	60	71	80	73
29	81	81	64	50	64	73	69
30	76	84	68	61	87	78	76
31	68	73	41	36	33	49	50
Means	80	80	70	64	72	78	74

Abstract of Relative Humidity at Montreal, Quebec, for the Month of August, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
			°		°	°	
1..	67	58	40	42	61	73	57
2..							
3..	84	85	63	50	61	73	69
4..	68	77	70	60	72	74	70
5..	78	78	95	96	96	99	90
6..	99	98	94	94	95	97	96
7..	98	97	84	74	79	62	82
8..	78	70	53	54	73	80	68
9..							
10..	88	89	65	56	75	84	76
11..	80	79	66	62	69	82	73
12..	91	75	60	64	55	58	67
13..	81	70	67	57	72	72	70
14..	69	71	47	39	53	47	54
15..	55	74	48	42	63	74	59
16..							
17..	60	64	53	52	67	71	61
18..	72	75	77	59	91	81	76
19..	85	79	59	50	66	70	68
20..	69	73	63	47	65	66	64
21..	80	71	62	57	95	98	77
22..	99	97	73	68	77	89	84
23..							
24..	77	74	66	54	68	79	70
25..	90	71	54	54	71	85	71
26..	79	78	60	55	60	67	67
27..	97	93	66	52	59	71	73
28..	57	72	66	62	67	63	65
29..	85	80	55	60	79	81	73
30..							
31..	97	86	77	70	70	73	79
Means	80	79	64	59	72	75	72

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%				%		%
1	86	80	65	53	72	73	72
2	86	84	61	53	71	67	70
3	86	90	96	92	81	85	88
4	79	73	63	59	71	78	71
5	95	84	59	56	74	92	77
6							
7	89	78	71	64	81	75	76
8	97	95	75	62	86	82	83
9	93	96	71	61	83	75	80
10	81	88	72	67	81	79	78
11	83	82	80	62	60	65	72
12	77	82	68	70	78	78	76
13							
14	81	88	74	69	81	97	82
15	92	82	67	58	64	73	73
16	77	84	69	59	81	79	75
17	92	95	84	84	95	96	91
18	94	95	76	60	79	77	80
19	90	93	97	97	93	93	94
20							
21	89	83	68	62	76	82	77
22	86	93	90	62	63	61	76
23	73	62	54	50	57	74	62
24	94	90	76	64	80	83	81
25	89	96	70	65	74	78	79
26	92	84	69	79	96	97	86
27							
28	73	78	48	53	73	76	67
29	97	86	70	74	84	92	84
30	97	96	82	65	71	89	84
Means	87	86	72	65	78	81	78

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of October, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	95	97	93	79	88	79	88
2	86	80	86	82	89	90	86
3	96	94	90	74	90	92	89
4							
5	89	81	75	69	80	88	80
6	89	91	92	82	80	86	87
7	88	96	97	95	92	92	93
8	95	94	80	74	81	81	84
9	62	77	59	59	64	68	65
10	80	82	51	52	71	77	69
11							
12	90	83	58	60	70	78	73
13	90	80	53	53	66	73	69
14	82	81	59	53	68	62	68
15	84	76	60	52	67	60	67
16	90	95	95	93	89	80	90
17	82	75	59	62	68	80	71
18							
19	90	90	67	51	63	64	71
20	61	72	87	78	76	79	76
21	83	88	79	85	69	80	81
22	83	85	66	60	75	76	74
23	80	73	71	51	73	85	72
24	82	79	59	91	83	92	81
25							
26	77	74	56	68	75	80	72
27	69	85	64	57	74	72	70
28	87	86	66	58	74	84	76
29	86	98	98	95	98	98	96
30	97	97	96	95	99	98	97
31	98	98	63	61	84	75	97
Means	85	85	73	70	78	80	79

ABSTRACT of Relative Humidity at Montreal, Quebec, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1							
2	74	83	70	69	69	77	74
3	83	92	74	72	83	92	83
4	92	91	77	69	81	80	82
5	90	93	96	96	99	85	93
6	83	80	81	78	79	69	78
7	83	73	68	69	80	85	76
8							
9	94	89	75	61	83	75	80
10	77	78	69	67	77	75	74
11	79	87	88	90	66	69	80
12	74	74	65	67	73	75	71
13	75	76	89	72	85	86	81
14	77	68	68	69	74	81	73
15							
16	93	97	92	92	95	92	94
17	88	83	79	62	63	58	72
18	63	72	90	83	89	95	82
19	77	66	63	62	74	68	68
20	71	66	57	69	73	78	69
21	78	77	74	92	97	97	86
22							
23	77	72	78	75	87	96	81
24	99	98	91	75	80	82	88
25	67	79	83	90	97	72	81
26	85	92	95	96	98	96	94
27	98	97	99	99	91	95	97
28	92	83	67	71	84	67	77
29							
30	75	70	97	75	94	83	82
Means	82	83	79	77	83	81	81

Abstract of Relative Humidity at Montreal, Quebec, for the Month of December, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
					%		%
1.	89	75	66	75	82	89	79
2.	75	88	67	65	81	91	78
3.	92	90	82	61	90	84	83
4.	70	85	87	93	66	96	83
5.	84	80	89	93	98	83	88
6.							
7.	73	74	81	67	71	65	72
8.	92	82	72	83	87	98	86
9.	97	96	86	78	83	90	90
10.	91	84	77	73	75	75	79
11.	86	77	81	89	94	83	85
12.	88	82	89	81	92	90	87
13.							
14.	86	72	84	84	77	67	78
15.	89	90	77	78	76	86	83
16.	80	92	76	69	72	72	77
17.	72	82	55	56	78	85	71
18.	83	79	67	73	94	98	82
19.	95	86	76	69	82	92	83
20.							
21.	91	91	76	81	85	80	84
22.	96	96	97	86	97	80	92
23.	93	88	76	81	91	82	85
24.	94	89	73	86	88	97	91
25.	89	83	79	72	85	81	82
26.	85	91	76	93	78	78	84
27.							
28.	89	80	68	64	75	67	74
29.	83	82	97	83	90	92	88
30.	97	91	90	82	89	85	89
31.	67	78	67	59	76	82	72
Means	86	85	78	76	83	84	82

ABSTRACT of Relative Humidity at St. John, New Brunswick, for the Month of January, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
1	63	54	58	66	78	79	66
2	68	56	56	60	74	66	63
3	93	96	78	89	81	75	85
4	80	73	59	78	74	79	74
5	88	83	70	71	83	87	80
6	76	81	79	87	80	63	78
7	72	86	63	54	75	76	71
8	84	80	65	51	78	75	72
9	81	88	68	65	54	72	71
10	79	74	84	81	65	93	79
11	90	87	85	82	85	88	86
12	89	83	94	73	83	82	84
13	100	100	85	86	84	89	91
14	91	81	72	88	80	91	84
15	84	82	69	64	72	79	75
16	86	82	76	70	77	80	79
17	87	78	66	58	80	86	76
18	92	74	80	89	88	90	86
19	85	92	86	72	83	85	84
20	86	80	80	84	98	84	85
21	95	88	87	81	87	87	88
22	92	89	84	82	88	88	87
23	86	80	78	72	78	85	80
24	90	89	85	70	85	85	84
25	94	92	75	64	86	92	84
26	90	88	89	89	88	91	89
27	92	91	86	89	87	83	88
28	85	89	70	66	84	86	80
29	86	81	73	55	74	72	74
30	91	88	68	71	78	75	79
31	85	68	70	60	65	73	70
Means	86	82	75	73	80	82	80

Abstract of Relative Humidity at St. John, New Brunswick, for the Month of February, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
		° c	° c				
1	88	85	77	84	83	94	85
2	94	92	95	94	92	90	93
3	93	89	83	83	88	92	88
4	92	89	83	91	91	87	89
5	93	86	80	82	85	88	86
6	91	84	76	79	92	92	86
7	93	92	89	93	88	78	89
8	93	84	61	76	81	90	81
9	87	82	82	85	94	91	87
10	88	83	80	86	82	88	85
11	86	83	64	72	85	72	77
12	83	83	77	61	75	80	76
13	85	78	58	75	82	91	78
14	93	90	80	80	88	87	86
15	85	72	62	60	74	86	73
16	90	90	81	75	75	87	83
17	83	74	73	83	87	87	81
18	88	80	71	73	82	83	80
19	91	88	74	77	71	72	79
20	90	86	93	77	78	77	84
21	77	71	62	70	66	74	70
22	76	87	76	71	78	77	77
23	88	74	73	76	79	92	80
24	92	88	66	75	85	83	81
25	79	79	67	66	71	78	73
26	88	95	82	65	90	94	86
27	86	89	59	67	74	76	75
28	82	88	83	71	85	90	83
29	90	88	87	93	95	92	91
Means	88	84	76	77	83	85	82

Abstract of Relative Humidity at St. John, New Brunswick, for the Month of March, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
1	95	93	93	94	61	60	83
2	85	62	74	87	97	93	83
3	93	93	88	87	91	91	90
4	92	89	90	81	86	88	88
5	91	87	82	86	87	88	87
6	91	73	67	73	83	84	79
7	86	67	82	90	93	90	85
8	89	80	70	71	84	88	80
9	89	82	62	68	77	81	76
10	56	80	57	57	74	72	66
11	85	78	75	67	76	91	79
12	90	93	91	67	78	80	83
13	85	57	56	57	75	90	70
14	90	50	50	69	83	78	70
15	87	70	72	62	73	72	73
16	90	85	72	68	74	89	80
17	94	93	92	89	84	80	89
18	88	80	70	59	74	83	76
19	90	89	74	80	90	89	85
20	89	97	87	71	82	63	82
21	82	81	55	54	60	64	66
22	63	69	85	77	76	69	73
23	80	79	53	63	56	68	66
24	76	56	83	69	66	77	71
25	85	70	64	68	77	88	75
26	90	86	81	78	89	94	86
27	93	94	78	73	75	73	81
28	79	79	47	62	75	85	71
29	78	71	78	85	87	86	81
30	91	92	85	95	95	92	92
31	95	93	86	70	78	77	83
Means	86	80	74	73	79	81	79

ABSTRACT of Relative Humidity at St. John, New Brunswick, for the Month of April, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
1	75	63	55	55	76	82	68
2	86	73	71	82	79	76	78
3	92	88	89	92	94	89	91
4	91	91	75	79	82	85	84
5	93	89	83	82	86	85	86
6	89	65	61	62	83	78	73
7	60	58	47	70	75	75	64
8	71	72	87	81	83	88	80
9	53	54	32	48	59	83	55
10	63	60	32	34	45	85	53
11	89	68	42	51	67	67	64
12	78	76	44	60	73	81	69
13	94	90	92	88	91	90	91
14	84	71	79	73	95	95	83
15	95	93	90	91	88	80	89
16	76	66	67	79	93	93	79
17	96	88	86	86	85	89	88
18	94	94	92	71	73	72	83
19	88	88	87	86	89	93	89
20	94	68	35	55	84	48	64
21	73	66	53	58	77	85	69
22	76	68	66	58	65	89	70
23	83	79	56	61	66	56	67
24	70	56	44	51	50	80	58
25	75	57	49	48	74	85	65
26	75	74	74	75	82	89	78
27	86	81	75	57	87	93	80
28	78	83	78	84	91	94	85
29	85	69	52	56	68	74	67
30	74	70	57	54	66	71	65
Means.	81	74	65	67	77	82	74

ABSTRACT of Relative Humidity at St. John, New Brunswick, for the Month of May, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	71	61	41	43	63	75	59
2	72	62	41	55	77	87	66
3	90	85	75	70	84	91	82
4	85	72	75	70	73	82	76
5	91	87	77	86	86	91	86
6	94	89	83	69	78	89	84
7	87	76	51	56	67	72	68
8	75	56	51	54	65	83	64
9	89	73	66	64	82	92	78
10	78	62	49	47	80	80	66
11	75	56	57	74	84	90	73
12	92	87	65	46	72	76	73
13	76	75	34	44	74	89	65
14	83	74	53	60	88	92	75
15	92	86	46	48	60	70	67
16	82	86	68	71	86	89	80
17	90	80	64	63	86	89	79
18	95	96	89	86	66	78	85
19	86	80	53	90	93	66	78
20	66	40	34	35	69	83	55
21	83	76	50	42	83	92	71
22	97	96	93	89	94	96	94
23	83	76	47	62	54	74	66
24	72	59	42	44	54	78	58
25	91	76	.....	.....	85	87	.....
26	87	78	71	78	88	96	83
27	97	96	94	95	89	97	95
28	70	68	54	52	75	79	66
29	96	94	92	95	90	96	94
30	96	96	78	86	95	94	91
31	83	81	59	84	92	93	82
Means	84	77	62	65	78	85	75

Abstract of Relative Humidity at St. John, New Brunswick, for the Month of June, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	96	93	90	76	82	86	87
2	88	86	57	65	76	74	74
3	74	58	46	44	63	83	61
4	83	62	69	66	91	93	77
5	91	67	44	48	59	72	63
6	90	84	58	74	80	93	80
7	84	69	83	80	85	85	81
8	82	80	67	79	81	86	79
9	94	89	95	95	97	95	94
10	96	97	97	94	84	75	91
11	77	77	72	77	83	70	76
12	88	88	87	66	72	90	82
13	83	78	58	66	77	87	75
14	84	81	61	67	87	84	77
15	93	80	77	93	93	94	88
16	92	63	42	77	81	89	74
17	89	80	67	80	87	93	83
18	91	91	85	90	95	96	91
19	96	81	49	64	60	89	73
20	87	75	74	72	91	96	82
21	77	66	62	62	82	97	78
22	97	97	92	86	90	85	91
23	82	59	43	39	62	81	61
24	91	70	39	41	78	85	67
25	84	72	63	40	60	86	68
26	88	84	78	97	99	98	91
27	98	97	83	51	79	92	83
28	88	81	76	76	71	93	81
29	97	97	93	79	91	85	90
30	62	43	36	45	57	86	55
Means	87	78	68	69	80	87	78

Abstract of Relative Humidity at St. John, New Brunswick, for the Month of July, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	
1	86	72	64	46	68	91	71
2	91	80	83	75	81	96	84
3	97	73	49	52	67	70	68
4	97	97	74	74	97	90	88
5	95	93	93	92	88	73	89
6	94	85	81	77	86	87	85
7	95	93	96	96	98	98	96
8	84	82	75	70	80	92	81
9	90	82	45	58	73	89	73
10	89	90	91	89	99	97	92
11	92	91	86	91	93	93	91
12	95	83	70	74	83	90	83
13	89	81	78	74	94	94	85
14	95	85	68	76	88	92	84
15	94	86	65	83	97	99	87
16	97	76	57	64	80	90	77
17	89	78	69	63	73	92	77
18	93	75	73	57	87	94	80
19	99	82	60	58	67	85	75
20	86	87	94	96	97	95	92
21	98	99	95	94	99	99	97
22	96	95	79	86	100	99	93
23	98	97	98	85	53	77	85
24	88	58	64	60	79	95	74
25	95	94	83	89	87	93	90
26	92	77	74	61	89	91	81
27	92	90	89	97	98	96	94
28	94	72	64	44	78	91	74
29	94	83	75	64	84	91	82
30	97	98	99	92	97	98	97
31	97	96	57	44	58	74	71
Means	93	85	76	74	84	91	84

ABSTRACT of Relative Humidity at St. John, New Brunswick, for the Month of August 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	86	65	42	39	77	73	64
2	95	58	96	91	91	93	87
3	93	86	92	85	94	98	91
4	97	97	99	95	100	98	98
5	94	75	56	77	86	76	77
6	87	66	52	54	74	83	69
7	95	90	82	88	92	98	91
8	97	92	83	91	100	97	93
9	97	98	94	97	95	94	96
10	97	97	92	86	88	95	92
11	93	82	79	80	88	90	85
12	94	94	87	95	99	97	94
13	97	94	86	70	73	80	83
14	89	87	68	72	70	76	77
15	90	92	63	.....	65	78	.....
16	95	90	77	77	97	96	89
17	96	95	86	85	65	92	87
18	86	81	77	66	82	93	81
19	91	82	70	62	73	79	76
20	83	77	54	67	82	90	76
21	90	84	81	83	94	91	87
22	88	77	73	83	88	91	83
23	90	82	76	63	86	95	82
24	97	97	91	83	93	94	93
25	90	76	53	46	85	89	73
26	91	80	76	82	94	97	87
27	95	88	73	71	78	91	83
28	92	77	47	36	53	74	63
29	83	70	39	38	65	79	62
30	89	73	73	55	69	85	74
31	88	83	73	77	91	97	85
Means	92	83	74	73	84	89	82

Abstract of Relative Humidity at St. John, New Brunswick, for the Month of September, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	92	81	53	43	58	79	68
2	83	76	60	69	85	91	77
3	95	87	87	88	85	99	90
4	95	73	54	46	72	72	69
5	92	88	50	41	74	91	7
6	85	87	67	80	91	99	85
7	97	97	97	97	100	97	97
8	97	92	61	50	91	93	81
9	89	87	64	61	78	85	77
10	95	93	81	85	92	97	90
11	97	97	91	89	97	97	95
12	98	90	80	76	94	95	89
13	93	90	65	58	80	87	79
14	92	85	76	81	87	90	85
15	95	95	78	85	83	80	86
16	92	89	55	67	76	94	79
17	94	92	77	94	94	97	91
18	97	97	66	51	89	93	82
19	94	94	87	97	93	97	94
20	97	93	58	67	75	89	80
21	90	85	53	72	84	92	79
22	93	93	95	97	97	93	95
23	92	76	60	47	66	78	70
24	87	81	84	70	75	86	86
25	74	80	49	54	77	80	69
26	89	86	86	87	93	93	89
27	97	93	95	87	93	94	93
28	95	94	90	61	81	87	85
29	98	93	57	81	86	93	85
30	93	88	87	97	98	99	94
Means	93	88	72	73	85	90	83

ABSTRACT of Relative Humidity at St. John, New Brunswick, for the Month of October, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	98	97	97	100	92	98	97
2	96	90	83	86	82	89	88
3	93	82	80	78	85	86	84
4	86	75	61	67	83	79	75
5	96	81	73	79	83	82	82
6	88	94	79	93	91	93	90
7	96	95	88	96	97	96	95
8	96	93	86	77	82	81	86
9	87	85	56	51	72	77	71
10	90	81	70	59	84	92	79
11	89	71	60	60	68	85	72
12	84	86	51	59	68	88	73
13	88	79	62	61	72	85	75
14	95	92	82	79	80	84	85
15	94	92	92	94	96	96	94
16	97	96	83	86	94	94	92
17	95	83	61	61	81	85	78
18	94	96	99	98	97	98	97
19	96	97	78	68	83	76	83
20	91	89	75	60	73	75	77
21	88	84	73	68	82	91	81
22	95	92	67	60	82	85	80
23	93	90	56	60	76	70	74
24	96	92	93	95	86	89	92
25	92	84	56	52	54	58	66
26	86	89	56	68	75	84	76
27	93	92	58	61	71	75	75
28	90	80	68	58	80	87	77
29	84	73	73	94	94	96	86
30	97	98	98	96	96	98	97
31	97	95	96	96	95	92	95
Means	92	88	75	75	82	86	83

ABSTRACT of Relative Humidity at St. John, New Brunswick, for the Month of November, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight	Means.
	%	%	%	%	%	%	%
1	96	94	82	85	91	96	91
2	96	94	86	90	88	86	90
3	91	82	66	79	87	85	82
4	66	77	62	66	70	78	70
5	94	89	86	89	93	95	91
6	97	97	100	100	84	79	93
7	89	82	63	61	78	86	76
8	90	87	78	82	90	96	87
9	96	95	88	80	74	76	85
10	92	82	47	50	75	79	71
11	91	81	69	76	95	92	84
12	84	82	62	65	74	78	74
13	85	79	73	57	76	75	74
14	86	82	79	73	79	78	80
15	89	86	87	77	87	78	84
16	88	89	89	95	90	96	91
17	93	96	86	80	73	56	81
18	89	78	64	78	96	96	83
19	92	95	54	53	71	76	74
20	80	84	72	79	80	82	79
21	75	81	62	79	87	94	80
22	90	88	76	77	86	91	85
23	83	77	79	66	78	75	76
24	90	96	93	96	84	78	89
25	91	87	63	69	79	85	79
26	85	85	88	95	95	97	91
27	98	97	92	100	97	98	97
28	100	100	100	91	73	83	91
29	94	92	62	60	80	86	79
30	91	81	57	62	76	84	75
Means	89	87	75	77	83	84	83

Abstract of Relative Humidity at St. John, New Brunswick, for the Month of December, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
						%	
1	86	84	63	63	72	93	77
2	81	77	61	68	74	74	72
3	91	88	70	58	71	84	77
4	84	79	56	55	84	78	73
5	93	92	66	66	84	71	79
6	90	90	80	83	92	93	88
7	88	85	71	90	85	88	85
8	83	76	58	61	76	90	74
9	94	95	96	96	97	89	94
10	92	89	89	70	90	92	87
11	89	92	64	75	90	82	82
12	84	70	64	68	85	89	77
13	90	94	88	88	94	95	92
14	93	85	56	47	68	76	71
15	86	74	65	64	76	88	75
16	90	86	78	94	93	85	88
17	88	76	72	63	79	78	76
18	73	73	72	75	85	90	78
19	89	95	91	85	81	82	87
20	84	79	64	64	70	74	73
21	74	72	73	69	84	84	76
22	88	88	86	72	84	87	84
23	85	85	78	79	78	83	81
24	89	89	59	73	78	80	78
25	88	88	81	74	79	79	81
26	82	71	69	69	74	83	75
27	84	87	54	47	75	81	71
28	90	81	87	88	88	91	88
29	89	87	66	63	85	87	79
30	92	90	73	69	89	93	84
31	88	77	58	58	67	81	72
Means	87	84	71	71	82	85	80

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of January, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
				%	%	%	%	%	
1	71	70	66	54	56	62	60	61	63
2	76	91	56	57	65	73	73	78	71
3	90	94	89	92	85	72	83	77	85
4	81	75	61	69	71	68	74	79	72
5	89	91	83	88	65	88	86	93	85
6	95	94	97	80	78	89	96	95	91
7	98	95	95	69	62	81	96	93	86
8	98	96	91	64	55	83	91	90	83
9	94	95	83	86	42	69	69	83	78
10	88	85	84	81	96	95	95	88	89
11	91	91	89	75	84	87	87	87	86
12	94	90	87	77	81	88	87	90	87
13	91	91	98	72	60	78	88	95	84
14	96	83	91	92	87	89	100	76	89
15	79	78	86	82	76	74	83	90	81
16	91	85	84	78	56	84	86	91	82
17	94	96	77	72	60	83	80	88	81
18	91	91	89	75	77	81	87	85	85
19	89	91	89	73	73	82	78	87	83
20	92	90	86	82	72	78	78	86	83
21	87	78	90	91	81	84	85	83	85
22	90	92	88	91	80	87	85	83	87
23	88	89	89	69	58	83	89	89	82
24	91	89	86	65	73	85	86	91	83
25	92	89	89	80	90	82	96	89	88
26	90	94	89	92	92	92	94	97	92
27	98	98	90	82	83	83	89	89	89
28	91	92	90	84	79	87	91	97	87
29	97	96	96	83	66	94	94	95	90
30	97	81	95	76	52	74	80	77	79
31	84	84	78	49	86	87	88	83	81
Means.	90	89	86	77	72	82	86	87	84

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of February, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	98	98	95	95	69	80	76	85	87
2	91	95	98	95	95	94	97	91	94
3	93	89	86	73	61	71	78	86	80
4	87	78	93	82	71	85	87	91	84
5	93	90	82	73	70	80	75	80	80
6	84	78	84	65	78	89	90	96	83
7	98	100	95	86	90	92	90	86	92
8	73	64	76	60	61	72	89	71	71
9	77	89	86	82	84	89	91	96	87
10	97	87	74	64	74	70	66	66	85
11	75	74	74	69	60	90	89	92	78
12	84	69	69	64	63	67	73	78	71
13	83	88	73	64	50	72	97	96	78
14	96	94	76	92	70	74	86	84	84
15	87	97	60	63	56	64	82	87	74
16	94	97	97	83	82	92	96	98	92
17	98	97	95	79	76	94	95	97	71
18	100	96	94	62	84	97	82	88	88
19	93	100	93	60	61	77	94	95	84
20	86	91	91	92	94	82	80	79	87
21	87	87	73	69	59	76	82	94	78
22	95	74	100	74	60	73	83	86	81
23	88	69	72	58	64	77	82	89	75
24	93	95	92	92	79	86	75	76	86
25	81	73	74	65	70	74	86	83	76
26	91	94	74	69	58	77	81	88	79
27	93	87	82	69	49	64	77	75	74
28	98	97	75	53	64	79	88	88	80
29	89	92	94	47	81	90	89	90	84
Means	90	88	84	72	70	80	85	87	82

ABSTRACT of Relative Humidity at Halifax, Nova Scotia, for the Month of March, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	94	92	85	78	69	73	92	96	85
2	96	92	97	99	96	98	96	98	97
3	97	92	98	98	95	96	93	96	96
4	98	98	96	94	91	94	96	90	95
5	94	92	91	85	88	87	80	79	87
6	84	79	81	79	75	78	77	77	79
7	80	82	78	76	79	89	94	98	84
8	98	92	91	80	68	77	78	79	83
9	80	79	67	74	74	70	69	82	74
10	83	87	62	69	57	60	82	75	72
11	85	87	72	50	51	66	93	99	75
12	99	99	98	94	78	72	87	79	88
13	81	77	74	73	71	70	63	71	72
14	82	74	63	69	54	56	68	71	67
15	84	86	57	52	56	76	68	79	70
16	86	74	75	82	70	82	96	98	83
17	99	100	98	100	99	98	76	78	93
18	83	84	71	42	57	73	66	75	69
19	88	92	95	75	85	82	90	89	87
20	96	97	99	94	77	78	81	80	88
21	80	73	66	65	60	49	61	70	66
22	79	78	70	66	66	85	83	87	77
23	88	84	51	61	53	60	62	70	66
24	81	88	78	60	58	54	78	82	72
25	82	69	60	55	70	76	80	72	71
26	75	77	78	77	87	99	98	99	86
27	99	100	94	78	63	79	71	77	82
28	75	66	53	64	53	63	65	65	63
29	76	78	61	54	72	70	72	74	70
30	82	91	89	91	90	95	95	94	91
31	95	92	82	92	85	89	85	89	89
Means	87	86	78	75	72	77	80	83	80

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of April, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	91	80	82	68	64	85	87	87	81
2	88	86	73	57	75	75	86	83	78
3	94	97	98	75	84	89	90	88	89
4	89	70	70	67	70	79	89	92	78
5	95	95	96	90	91	85	97	85	92
6	89	88	70	66	67	70	77	79	76
7	91	82	64	61	79	67	74	86	76
8	89	81	69	58	48	46	64	76	66
9	76	65	84	50	29	44	51	57	57
10	68	74	87	39	35	40	56	59	57
11	61	65	49	51	19	39	51	44	47
12	64	66	56	63	48	47	67	62	59
13	70	71	96	84	81	85	82	80	81
14	82	82	91	84	80	87	97	98	88
15	97	84	91	62	50	58	66	80	73
16	84	75	69	62	64	73	90	92	76
17	93	92	89	85	93	89	92	86	90
18	90	93	94	88	73	79	86	83	86
19	86	71	57	48	91	79	89	98	77
20	97	94	86	79	61	84	51	74	78
21	75	62	47	43	48	49	75	83	60
22	90	92	68	85	70	78	75	74	79
23	79	73	81	31	33	36	58	68	57
24	81	69	49	48	49	60	79	79	64
25	88	84	61	78	73	28	87	91	74
26	88	75	70	65	59	85	87	91	78
27	94	83	70	64	68	78	85	83	78
28	86	83	75	71	64	83	95	92	81
29	94	93	83	30	77	57	67	65	71
30	80	84	72	60	83	65	79	64	73
Means	85	80	75	64	64	67	77	79	74

ABSTRACT of Relative Humidity at Halifax, Nova Scotia, for the Month of May, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
				%	%				
1	80	84	63	58	71	67	80	83	73
2	88	75	56	43	31	35	48	49	53
3	64	66	47	47	30	45	66	72	55
4	79	80	99	77	81	66	79	70	76
5	75	77	76	72	77	90	96	95	82
6	94	85	87	84	77	65	77	72	80
7	80	68	43	38	48	56	58	77	58
8	70	73	80	82	36	52	63	74	66
9	78	75	50	49	56	79	78	83	69
10	90	94	82	57	45	59	66	76	71
11	77	64	57	65	56	59	78	80	67
12	88	86	78	94	46	88	88	84	81
13	80	78	64	23	46	49	74	85	62
14	89	71	71	69	93	43	77	89	75
15	91	74	57	60	49	64	84	94	72
16	97	94	95	62	23	77	94	97	80
17	99	98	83	49	48	55	83	95	78
18	95	86	100	90	67	62	75	75	81
19	75	75	61	87	70	56	93	92	76
20	90	66	52	41	95	46	77	86	69
21	85	87	60	42	40	66	91	92	70
22	94	89	99	94	81	77	93	93	90
23	90	90	83	69	64	61	68	82	76
24	83	74	57	65	56	45	78	82	67
25	84	90	74	68	82	84	87	86	82
26	89	82	40	80	90	91	97	95	83
27	97	100	100	92	96	99	99	99	98
28	99	95	75	52	44	52	81	85	73
29	91	92	96	85	87	94	96	97	92
30	99	97	99	81	81	92	96	97	93
31	95	92	93	94	87	90	91	96	93
Means	87	82	73	67	63	67	81	85	76

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%		%				
1	98	99	99	98	98	95	99	98	98
2	95	88	94	56	54	61	76	86	76
3	89	89	63	69	42	52	71	81	69
4	86	90	60	56	82	56	61	72	70
5	84	72	52	65	43	51	92	95	69
6	97	68	70	54	75	77	84	85	76
7	96	81	63	64	68	57	82	84	74
8	92	83	71	70	61	72	85	92	78
9	94	64	91	96	99	97	98	100	92
10	98	92	79	83	99	98	97	95	93
11	88	57	68	64	61	85	93	92	76
12	92	95	51	91	62	85	85	85	81
13	86	85	63	59	64	67	81	91	75
14	95	93	73	80	80	84	93	98	87
15	98	96	96	92	98	98	96	96	96
16	99	99	99	91	85	86	91	96	93
17	96	94	83	59	57	64	92	82	78
18	88	86	74	73	87	88	85	89	84
19	91	84	74	52	39	47	74	57	65
20	70	88	86	78	66	63	76	85	77
21	89	94	75	77	87	95	100	100	90
22	99	99	90	59	59	81	90	93	84
23	94	87	69	78	59	67	82	84	77
24	81	86	60	62	45	54	73	86	68
25	91	89	70	50	46	93	72	71	73
26	86	89	68	63	76	95	99	99	84
27	99	98	89	87	77	82	94	96	90
28	98	99	89	88	84	63	77	99	87
29	98	99	94	80	86	83	92	95	91
30	92	87	55	70	42	48	57	74	66
Means	92	88	75	72	69	75	85	88	80

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of July, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	83	83	74	62	57	57	73	80	71
2	84	83	70	59	62	74	82	86	75
3	88	88	81	68	66	72	90	89	80
4	92	91	76	79	62	91	93	89	84
5	95	95	96	99	99	99	97	96	97
6	96	92	88	78	75	79	87	93	86
7	96	89	97	98	99	98	97	97	96
8	98	95	98	67	67	57	79	83	82
9	87	75	70	58	45	57	67	75	67
10	79	72	78	70	64	74	88	94	77
11	95	89	72	63	68	77	89	93	81
12	94	88	77	63	64	67	81	88	78
13	92	91	72	58	59	69	75	78	74
14	58	93	90	87	77	78	89	93	83
15	94	92	83	86	70	84	99	100	86
16	99	95	99	90	94	79	88	87	91
17	93	99	93	84	83	70	85	94	88
18	95	92	84	69	80	81	90	94	86
19	95	93	74	81	86	86	99	99	89
20	99	95	95	86	81	85	95	95	91
21	98	97	99	93	96	96	98	97	97
22	98	99	98	86	86	95	99	99	95
23	99	98	96	97	96	76	96	98	97
24	97	80	97	58	47	70	76	96	78
25	95	93	99	99	95	94	96	95	96
26	96	93	80	57	60	58	68	73	73
27	88	93	83	71	73	84	88	95	84
28	97	99	89	83	77	68	66	88	83
29	89	77	65	56	52	55	84	96	72
30	98	98	91	84	86	90	93	93	92
31	98	99	98	70	76	77	77	78	84
Means	92	91	86	76	74	78	87	91	84

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of August, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	79	75	60	50	52	48	68	69	63
2	86	86	90	71	80	94	99	99	88
3	98	97	86	72	63	75	91	96	85
4	98	97	93	91	86	96	98	98	95
5	99	99	85	79	70	73	75	85	83
6	88	91	71	63	59	63	84	87	76
7	92	92	90	92	83	98	99	99	93
8	99	98	95	86	82	89	97	93	92
9	98	99	98	89	80	88	95	96	93
10	98	99	98	94	65	86	98	96	92
11	98	99	95	86	81	92	99	99	94
12	99	99	96	63	61	95	99	99	89
13	99	98	95	82	83	89	90	90	91
14	92	92	82	83	84	87	95	95	89
15	95	93	83	85	76	85	93	99	89
16	93	98	99	100	100	100	100	100	99
17	100	99	99	76	92	92	96	98	94
18	95	83	68	54	53	63	79	95	74
19	95	91	81	68	92	75	89	95	86
20	93	91	71	55	41	50	84	84	71
21	93	97	79	68	59	65	88	90	80
22	93	94	32	71	66	84	95	97	79
23	90	95	84	82	84	94	98	99	91
24	99	95	99	99	97	94	97	98	97
25	97	92	89	71	59	67	90	92	82
26	96	97	81	84	84	78	95	94	89
27	96	95	84	78	92	94	99	98	92
28	98	97	99	54	68	75	82	88	83
29	89	82	71	54	52	59	83	89	72
30	88	95	76	69	64	77	87	92	81
31	88	97	96	91	86	89	91	95	92
Means.	94	94	85	76	74	81	91	94	86

Abstract of Relative Humidity at Halifax, Nova Scotia, for the Month of September, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
						%			
1	97	93	87	68	54	62	78	87	78
2	88	87	74	57	51	69	76	84	73
3	88	92	82	75	71	74	94	93	84
4	97	97	96	79	58	64	78	88	82
5	92	90	70	56	59	65	81	87	75
6	92	82	70	76	85	91	100	100	87
7	99	99	100	78	96	97	99	99	96
8	98	93	94	73	78	91	94	90	89
9	98	98	88	86	89	89	95	97	92
10	98	99	100	99	99	99	99	100	99
11	99	99	95	92	94	94	98	98	96
12	99	99	88	74	90	99	99	99	93
13	99	99	97	93	94	80	87	89	92
14	94	94	88	73	76	84	92	90	86
15	93	92	89	82	81	87	96	97	90
16	97	96	79	70	74	81	83	87	83
17	94	99	86	88	87	99	99	99	93
18	99	96	93	80	73	77	86	85	86
19	94	94	83	74	80	98	100	100	90
20	100	94	94	93	74	78	87	87	88
21	92	93	79	69	72	91	95	97	86
22	98	99	90	79	80	90	98	99	92
23	98	93	89	76	80	84	90	92	88
24	90	81	66	57	58	75	84	88	75
25	95	96	80	67	58	79	87	87	81
26	94	90	83	75	74	92	95	96	87
27	98	98	89	82	78	86	96	97	96
28	97	96	92	82	82	91	93	94	91
29	98	99	79	61	66	79	88	94	83
30	95	94	92	79	88	96	96	98	92
Means	96	94	86	76	76	85	91	93	87

ABSTRACT of Relative Humidity at Halifax, Nova Scotia, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means
1	98	97	98	99	95	90	96	98	96
2	99	98	99	96	99	99	97	98	98
3	99	98	100	98	92	98	96	98	97
4	98	95	92	84	83	87	91	92	90
5	95	96	87	82	80	86	90	92	89
6	95	96	90	95	97	99	99	99	96
7	99	98	98	96	95	99	99	99	98
8	99	98	96	90	88	98	93	92	94
9	94	93	81	66	61	76	82	90	80
10	97	95	75	69	68	79	90	94	83
11	94	89	79	63	63	85	81	86	80
12	91	93	83	75	72	80	84	90	84
13	89	84	85	92	99	95	97	97	92
14	99	98	97	88	88	89	90	95	93
15	95	92	94	98	96	99	100	100	97
16	100	99	100	84	89	85	92	97	93
17	97	92	84	62	72	92	97	95	86
18	98	98	97	95	94	100	98	99	97
19	100	99	100	98	78	78	84	81	90
20	92	94	78	70	57	83	86	84	81
21	96	98	91	72	74	80	82	84	85
22	96	99	99	89	81	75	83	85	88
23	92	96	71	82	45	71	91	95	80
24	91	83	74	78	79	94	94	98	86
25	98	78	72	60	54	66	72	94	74
26	80	76	59	55	63	77	80	81	71
27	89	94	85	66	63	74	91	87	81
28	91	91	79	69	68	75	83	87	80
29	90	92	95	68	77	86	93	96	87
30	98	97	100	98	99	99	100	100	99
31	100	99	100	99	99	99	99	99	99
Means	95	94	88	82	80	87	91	93	89

ABSTRACT of Relative Humidity at Halifax, Nova Scotia, for the Month of November, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	97	98	94	92	91	94	97	95	95
2	95	98	99	97	95	98	99	94	97
3	96	95	85	88	87	83	82	79	87
4	91	94	80	72	62	81	79	86	81
5	93	92	78	73	75	84	92	93	85
6	95	98	99	99	95	96	92	80	94
7	92	87	79	69	75	75	76	82	79
8	89	93	94	77	83	94	97	93	90
9	96	96	100	98	99	95	92	95	96
10	93	88	83	58	55	68	83	74	75
11	86	91	75	63	68	72	91	95	80
12	98	94	88	67	69	83	74	82	82
13	90	86	82	78	81	86	88	95	86
14	98	97	89	72	84	71	70	77	82
15	84	87	78	68	71	74	78	79	77
16	91	95	91	79	86	93	92	94	90
17	97	96	91	78	73	83	76	85	85
18	85	83	72	67	80	89	95	99	84
19	98	94	90	77	79	74	72	74	82
20	80	83	71	77	69	61	64	71	72
21	75	70	69	48	74	78	89	91	74
22	95	85	94	77	79	94	84	68	84
23	90	90	84	58	72	75	80	78	77
24	78	73	87	94	91	94	87	87	86
25	85	75	80	68	65	73	79	73	75
26	81	83	84	67	88	91	91	93	85
27	96	99	100	97	89	96	98	99	97
28	100	99	99	97	99	99	99	99	99
29	98	95	93	87	88	90	84	79	89
30	89	90	94	85	85	91	79	61	87
Means	91	90	87	78	80	84	85	86	85

Abstract of Relative Humidity, at Halifax, Nova Scotia, for the Month of December, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
			%	%					
1	86	87	86	87	87	84	83	86	86
2	86	89	82	92	77	86	80	79	84
3	95	91	92	77	81	78	83	82	85
4	91	90	95	56	80	81	86	75	82
5	89	95	94	97	80	81	85	80	88
6	88	88	76	74	77	83	91	91	83
7	95	96	91	82	72	79	85	73	84
8	71	60	70	50	48	73	78	74	65
9	82	88	93	96	92	95	92	79	90
10	83	87	81	74	63	80	82	86	79
11	89	91	89	83	71	87	90	88	86
12	89	90	87	63	58	75	79	80	78
13	88	89	89	81	86	91	91	86	88
14	90	91	88	56	56	64	69	78	74
15	81	85	77	68	65	76	89	87	78
16	86	89	77	95	95	91	91	89	89
17	93	96	85	79	78	78	76	75	83
18	90	84	74	73	73	77	87	86	80
19	90	89	90	95	87	87	75	78	86
20	85	81	71	71	75	81	75	72	76
21	94	83	81	65	66	80	94	94	82
22	96	92	96	77	78	72	79	81	84
23	86	92	93	82	91	82	86	88	88
24	87	77	84	69	76	87	91	82	82
25	92	91	96	75	75	85	94	96	88
26	85	71	68	85	61	88	78	86	78
27	85	86	85	84	63	80	80	88	81
28	86	83	93	69	72	79	77	77	80
29	88	93	76	80	75	87	79	86	83
30	91	90	88	70	82	89	96	90	87
31	91	88	85	68	57	86	77	69	78
Means	88	87	85	77	74	82	84	83	82

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of January, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	10	10	10	10	2	1	7·17
2	1	7	6	5	10	10	6·50
3	10	10	10	10	10	10	10·00
4	10	10	10	10	10	10	10·00
5	10	10	10	10	10	3	8·83
6	10	10	10	10	10	10	10·00
7	10	10	10	10	10	10	10·00
8	10	10	10	10	7	10	9·50
9	10	6	3	10	10	10	8·17
10	0	0	3	3	4	0	1·67
11	0	0	2	4	0	0	1·00
12	0	1	3	2	0	0	1·00
13	9	10	9	4	6	10	8·00
14	3	4	8	10	10	6	6·83
15	10	10	6	8	10	9	8·83
16	8	10	10	10	10	10	9·67
17	10	10	10	9	10	10	9·83
18	10	10	10	9	10	10	9·83
19	9	3	10	10	10	8	8·33
20	3	10	10	3	3	8	6·17
21	10	3	6	4	3	10	6·00
22	10	9	10	10	10	10	9·83
23	10	10	10	5	10	3	8·00
24	2	9	10	10	10	10	8·50
25	10	10	10	9	10	10	9·83
26	10	10	10	10	10	10	10·00
27	10	10	9	10	10	4	8·83
28	10	10	10	10	10	7	9·50
29	7	1	5	8	7	10	6·33
30	9	10	10	10	10	10	9·83
31	10	10	10	10	10	10	10·00
Means	7·77	7·84	8·39	8·16	8·13	7·71	8·00

Abstract of Amount of Sky Clouded Esquimalt, British Columbia, for the Month of February, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	2	10	10	10	10	5	7·83
2	7	8	5	8	5	0	5·50
3	0	9	10	10	10	10	8·17
4	10	10	10	10	10	10	10·00
5	2	1	1	6	4	4	3·00
6	5	3	10	10	10	10	8·00
7	10	2	10	8	10	3	7·17
8	7	9	10	10	10	10	9·33
9	9	3	1	3	10	2	4·67
10	0	6	10	10	10	10	7·67
11	10	9	10	10	10	10	9·83
12	10	10	10	10	10	6	9·33
13	10	4	9	10	10	4	7·83
14	10	10	10	10	10	2	8·67
15	10	5	10	10	10	10	9·17
16	5	10	10	2	0	0	4·50
17	0	0	3	7	10	0	3·33
18	0	2	5	6	7	0	3·33
19	0	0	0	0	0	0	0·00
20	0	10	10	10	10	10	8·33
21	3	10	10	10	7	6	7·67
22	3	2	8	9	10	9	6·83
23	9	9	10	10	10	10	9·67
24	10	10	10	10	10	10	10·00
25	10	10	10	10	10	10	10·00
26	7	10	5	4	8	10	7·33
27	10	10	10	8	8	10	9·33
28	10	4	9	6	10	7	7·67
29	10	10	10	10	9	2	8·50
Means	6·17	6·76	8·14	8·17	8·55	6·21	7·33

Abstract of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of March, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	2	9	10	10	10	2	7·17
2	0	0	6	6	9	1	3·67
3	0	0	0	0	0	0	0·00
4	0	10	10	10	10	2	7·00
5	10	9	10	5	10	0	7·33
6	10	10	10	4	9	2	7·50
7	10	10	10	10	10	10	10·00
8	10	10	10	10	10	10	10·00
9	9	10	10	10	10	10	9·83
10	10	10	10	10	9	2	8·50
11	10	10	10	9	10	10	9·83
12	8	8	0	4	9	0	4·83
13	0	0	0	0	0	0	0·00
14	0	0	0	0	1	0	0·17
15	0	0	0	0	1	1	0·33
16	0	0	0	9	8	0	2·83
17	0	0	0	0	0	0	0·00
18	0	0	7	8	10	10	5·83
19	10	10	10	7	8	8	8·83
20	10	10	10	3	4	1	6·33
21	0	9	10	6	8	3	6·00
22	3	0	2	10	10	10	5·83
23	10	8	10	10	10	10	9·67
24	7	10	9	9	10	1	7·67
25	9	8	10	10	8	8	8·83
26	5	0	0	0	10	10	4·17
27	10	10	10	8	10	5	8·83
28	3	10	10	10	4	5	7·00
29	10	4	4	5	4	3	5·00
30	0	1	0	5	4	0	1·67
31	0	0	10	4	10	8	5·33
Means	5·05	5·68	6·39	6·20	7·29	4·26	5·81

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of April, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1.	8	10	10	10	10	5	8·83
2.	5	10	4	6	1	0	4·33
3.	0	0	2	0	2	1	0·83
4.	0	4	8	10	10	9	6·83
5.	0	10	10	10	9	7	7·67
6.	0	10	10	10	10	10	8·33
7	9	10	10	10	10	10	9·83
8	5	5	10	10	10	6	7·67
9	10	9	10	10	9	3	8·50
10	10	10	3	3	9	3	6·33
11.	10	10	10	10	10	10	10·00
12	10	10	10	10	9	3	8·67
13	1	10	10	10	9	2	7·00
14	1	10	7	9	2	6	5·83
15	8	10	10	7	8	0	7·17
16	0	0	9	7	2	0	3·00
17.	0	0	0	0	3	9	2·00
18.	10	10	10	8	4	2	7·33
19	0	10	5	7	0	0	3·67
20	0	0	0	0	0	0	0·00
21.	0	1	8	9	10	10	6·33
22.	7	10	10	10	10	10	9·50
23.	7	10	9	9	6	10	8·50
24.	10	10	10	5	9	10	9·00
25	9	10	9	10	10	10	9·67
26	10	10	10	10	10	10	10·00
27.	10	10	10	10	10	10	10·00
28.	4	8	9	10	10	2	7·17
29	9	7	7	10	10	3	7·67
30.	10	10	9	10	10	10	9·83
Means	5·43	7·80	7·97	8·00	7·40	5·70	7·05

Abstract of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of May, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	5	10	10	10	4	3	7·00
2	1	9	7	4	9	8	6·33
3	10	10	10	10	10	10	10·00
4	10	10	10	10	7	6	8·83
5	9	10	10	10	10	7	9·33
6	8	8	5	0	10	8	6·50
7	8	10	9	9	9	10	9·17
8	6	10	8	6	9	4	7·17
9	2	6	4	4	0	1	2·83
10	8	10	10	10	10	10	9·67
11	10	3	4	9	10	8	7·33
12	6	8	9	7	9	2	6·83
13	0	1	2	6	9	6	4·00
14	1	10	10	9	9	0	6·50
15	0	1	3	9	10	10	5·50
16	10	10	10	10	10	10	10·00
17	7	6	3	5	1	0	3·67
18	1	9	3	0	6	3	3·67
19	8	6	10	10	10	10	9·00
20	1	2	1	0	2	0	1·00
21	0	1	10	5	7	4	4·50
22	5	10	10	10	10	10	9·17
23	10	10	10	10	2	2	7·33
24	2	6	7	10	10	10	7·50
25	10	2	10	10	10	10	8·67
26	10	10	10	10	7	0	7·83
27	0	0	0	10	10	11	5·00
28	0	0	0	0	2	0	0·33
29	4	9	9	8	9	8	7·83
30	1	4	10	10	9	4	6·33
31	1	4	10	7	9	7	6·33
Means	4·97	6·62	7·23	7·35	7·71	5·84	6·62

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of June, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
				%	%	%	
1..	7	5	4	4	1	0	3·50
2..	4	10	10	6	8	9	7·83
3..	10	10	10	10	10	10	10·00
4..	10	10	10	10	10	10	10·00
5..	10	10	10	8	4	0	7·00
6..	1	10	10	6	10	10	7·83
7..	10	10	10	5	9	6	8·33
8..	8	10	10	10	6	9	7·50
9..	10	10	10	7	5	10	8·67
10..	10	5	4	3	4	0	4·33
11..	1	10	10	10	10	9	8·33
12..	0	0	1	3	1	0	0·83
13..	0	0	10	4	10	10	5·67
14..	10	8	5	10	9	4	7·67
15..	1	10	10	5	4	3	5·50
16..	0	0	0	5	9	10	4·00
17..	10	10	7	6	4	0	6·17
18..	0	10	10	5	10	3	6·33
19..	9	10	4	2	10	0	5·83
20..	0	0	1	0	5	9	2·50
21..	2	0	0	0	0	0	0·33
22..	0	10	9	9	5	10	7·17
23..	9	8	9	4	0	0	5·00
24..	0	0	0	0	4	0	0·67
25..	0	0	0	0	0	1	0·17
26..	1	4	4	6	5	3	3·83
27..	10	3	4	0	5	3	4·17
28..	0	7	4	10	10	10	6·83
29..	10	7	7	8	3	3	6·33
30..	6	9	0	0	7	3	4·17
Means	4·70	6·53	6·10	5·27	5·93	4·83	5·55

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Colombia, for the Month of July, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	0	0	0	0	0	3	0·50
2	4	3	2	9	9	9	6·00
3	7	8	5	9	9	6	7·33
4	6	9	8	8	3	0	5·67
5	1	0	0	0	0	2	0·50
6	0	1	0	0	5	7	2·17
7	10	10	9	7	3	1	6·67
8	0	0	0	0	0	0	0·00
9	0	0	0	0	2	0	0·33
10	0	7	1	2	5	9	4·00
11	2	0	0	9	9	6	4·33
12	4	1	2	4	3	3	2·83
13	1	2	0	0	0	0	0·50
14	0	0	0	0	0	0	0·00
15	0	0	0	0	0	0	0·00
16	0	0	0	0	0	6	1·00
17	0	0	0	0	0	0	0·00
18	5	5	10	10	10	10	8·33
19	10	10	10	10	10	10	10·00
20	10	10	10	10	10	10	10·00
21	10	10	10	10	10	10	10·00
22	10	10	10	10	10	10	10·00
23	10	10	10	10	10	10	10·00
24	10	10	10	10	10	10	10·00
25	10	10	10	10	10	10	10·00
26	10	10	10	10	10	5	9·17
27	10	8	4	0	0	3	4·17
28	0	6	4	0	3	0	2·17
29	6	7	3	8	10	10	7·33
30	3	8	9	3	3	9	6·83
31	10	8	9	10	7	10	9·00
Means	4·81	5·26	4·71	5·13	5·39	5·45	5·12

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of August, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 a.m.	Means.
				%	%	%	
1.	10	10	10	10	9	10	9·83
2.	10	9	10	10	10	10	9·83
3.	10	10	10	10	7	0	7·83
4.	0	8	6	7	10	10	6·83
5.	10	10	10	2	2	9	7·17
6.	0	10	10	9	6	0	5·83
7.	0	9	9	10	4	10	7·00
8.	4	10	10	7	10	10	8·50
9.	10	4	5	7	2	1	4·83
10.	1	0	0	0	0	0	0·17
11.	0	0	0	0	0	0	0·00
12.	0	0	0	0	0	0	0·00
13.	0	0	0	3	0	0	0·50
14.	0	0	0	0	0	0	0·00
15.	0	0	8	6	5	4	3·83
16.	5	10	3	0	0	0	3·00
17.	8	10	10	10	0	0	6·33
18.	0	10	10	8	4	0	5·33
19.	0	10	10	10	6	0	6·00
20.	0	10	10	0	5	0	4·17
21.	0	10	0	0	0	0	1·67
22.	0	10	5	7	6	2	5·00
23.	0	10	10	10	10	10	8·33
24.	10	10	10	10	10	10	10·00
25.	10	10	10	10	10	10	10·00
26.	10	10	10	10	10	10	10·00
27.	10	10	10	10	10	7	9·50
28.	7	10	10	7	0	0	5·67
29.	0	2	0	0	0	3	0·83
30.	7	10	10	10	10	10	9·50
31.	10	10	10	10	10	10	10·00
Means.	4·26	7·48	6·97	6·23	5·03	4·39	5·73

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of September, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	10	10	10	10	10	6	9·33
2	10	10	10	5	6	10	8·50
3	4	10	6	6	0	0	4·33
4	0	0	0	0	0	0	0·00
5	0	10	10	10	10	10	8·33
6	8	10	10	10	10	10	9·67
7	10	10	10	10	10	10	10·00
8	10	10	10	10	10	10	10·00
9	10	10	10	10	10	10	10·00
10	10	10	10	10	10	10	10·00
11	10	8	10	0	10	8	7·67
12	3	10	10	10	10	11	8·83
13	7	10	10	8	9	5	8·17
14	10	10	10	10	10	10	10·00
15	10	10	10	10	10	10	10·00
16	10	10	10	10	10	8	9·67
17	9	10	10	10	10	10	9·83
18	9	10	10	0	0	0	4·83
19	0	8	3	0	7	0	3·00
20	0	10	10	0	0	3	3·83
21	10	10	10	10	10	10	10·00
22	6	10	10	10	10	10	9·30
23	10	10	10	10	10	10	10·00
24	10	10	10	10	10	0	8·33
25	6	10	10	0	10	0	6·00
26	0	5	8	0	6	8	4·50
27	0	6	6	6	6	5	4·83
28	5	10	10	10	7	10	8·67
29	5	10	10	10	10	10	9·17
30	10	10	10	10	9	0	8·17
Means	6·73	9·23	9·10	7·17	8·00	6·77	7·83

Abstract of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of October, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
			%	%	%	%	
1	10	10	10	8	9	0	7·83
2	6	10	9	10	8	2	7·50
3	0	6	10	10	10	10	7·67
4	5	10	8	8	1	3	5·83
5	0	0	6	2	9	2	3·17
6	0	0	10	8	7	0	4·17
7	0	0	10	8	10	9	6·17
8	10	7	4	5	4	0	5·00
9	0	0	10	7	9	3	4·83
10	4	3	10	10	10	10	7·83
11	5	4	8	3	8	10	6·33
12	10	10	10	10	7	1	8·00
13	7	6	10	5	7	4	6·50
14	0	0	0	10	0	0	1·67
15	0	0	0	0	0	0	0·00
16	0	0	0	2	0	0	0·33
17	0	0	0	0	4	4	1·33
18	7	4	5	6	2	10	5·67
19	10	10	10	10	10	10	10·00
20	10	10	10	5	2	4	6·83
21	0	0	4	7	7	1	3·17
22	10	10	9	0	0	0	4·83
23	6	10	10	10	10	10	9·33
24	10	10	10	10	9	3	8·67
25	9	10	10	10	6	0	7·50
26	3	10	10	9	9	7	8·00
27	4	0	0	7	3	2	2·67
28	9	10	10	10	10	4	8·83
29	10	10	0	7	10	11	7·83
30	10	10	10	10	10	7	9·50
31	4	10	10	4	2	5	5·83
Means	5·13	5·81	7·19	6·81	6·23	4·23	5·90

ABSTRACT of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of November, 1896.

DAY.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
		%	%			%	%
1	7	7	10	10	10	10	9·00
2	10	10	9	10	10	4	8·83
3	6	3	9	10	10	10	8·00
4	10	3	5	6	3	0	4·50
5	0	0	0	8	10	3	3·50
6	4	8	4	9	10	10	7·50
7	10	10	10	10	10	10	10·00
8	1	6	10	10	10	10	7·83
9	10	10	10	10	10	10	10·00
10	5	9	10	6	10	10	8·33
11	7	3	10	9	10	10	8·17
12	10	10	10	10	10	10	10·00
13	10	10	10	10	10	10	10·00
14	10	10	10	10	10	10	10·00
15	10	10	10	10	10	10	10·00
16	10	10	10	10	10	9	9·83
17	9	5	10	8	10	10	8·67
18	5	5	9	10	8	10	7·83
19	8	1	1	2	0	0	2·00
20	0	0	4	10	10	10	5·67
21	10	10	10	10	10	10	10·00
22	10	10	10	10	9	10	9·83
23	10	10	10	10	10	9	9·83
24	10	1	10	10	9	10	8·33
25	4	5	0	0	1	0	1·67
26	0	0	0	0	0	0	0·00
27	0	1	1	0	2	2	1·00
28	1	1	5	6	5	0	3·00
29	7	0	9	10	10	10	7·67
30	10	10	10	10	10	10	10·00
Means	6·80	5·93	7·53	8·13	8·23	7·57	7·36

Abstract of Amount of Sky Clouded at Esquimalt, British Columbia, for the Month of December, 1896.

Day.	1 a.m.	5 a.m.	9 a.m.	1 p.m.	5 p.m.	9 p.m.	Means.
1	10	10	10	10	10	10	10·00
2	10	10	10	10	10	10	10·00
3	10	10	10	10	10	10	10·00
4	10	8	6	7	10	10	8·50
5	10	9	10	10	10	5	9·00
6	0	2	9	10	10	10	6·83
7	10	10	10	10	10	8	9·67
8	10	10	10	10	10	8	9·67
9	10	8	10	10	10	10	9·67
10	10	10	10	6	8	4	8·00
11	7	10	10	10	10	10	9·50
12	10	10	10	10	10	5	9·17
13	8	5	1	10	5	10	6·50
14	10	10	10	6	1	3	6·67
15	3	10	9	10	5	8	7·50
16	2	0	9	10	10	10	6·83
17	10	10	10	10	10	10	10·00
18	10	10	10	10	10	10	10·00
19	10	10	10	10	10	10	10·00
20	10	10	10	10	10	10	10·00
21	3	8	10	9	8	10	8·00
22	10	10	10	10	2	10	8·67
23	8	10	10	10	10	10	9·67
24	10	10	10	10	10	10	10·00
25	10	10	10	10	10	9	9·83
26	10	10	10	10	10	2	8·67
27	7	8	10	10	10	10	9·17
28	10	10	10	10	2	0	7·00
29	10	10	10	10	10	10	10·00
30	2	2	10	10	10	6	6·67
31	8	10	10	10	10	0	8·00
Means	8·32	8·71	9·48	9·61	8·74	8·00	8·81

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of January, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%		%	%		%	
1	8	10	10	10	10	10	10	0	8·50
2	0	10	6	0	0	0	0	0	2·00
3	0	0	0	0	0	0	0	0	0·00
4	0	0	0	0	1	1	0	0	0·25
5									
6	10	10	10	10	8	6	0	0	6·75
7	2	0	5	5	9	2	0	0	2·87
8	0	0	5	0	9	1	0	5	2·50
9	7	9	10	10	10	10	10	10	9·50
10	10	10	10	10	10	10	10	10	10·00
11	6	0	1	10	2	10	0	0	3·63
12									
13	10	10	10	8	8	0	6	0	6·50
14	0	0	0	5	7	6	4	0	2·75
15	0	10	10	10	0	0	0	0	3·75
16	0	0	10	10	10	3	0	7	5·00
17	0	1	9	10	10	10	10	0	6·25
18	0	0	0	0	2	0	2	0	0·50
19									
20	0	0	5	7	3	10	4	0	3·62
21	0	10	10	10	3	10	0	0	5·38
22	4	2	9	7	10	10	10	5	7·12
23	0	0	0	0	0	0	0	0	0·00
24	10	10	10	10	7	7	9	0	7·88
25	0	0	1	8	2	0	0	0	1·37
26									
27	9	2	7	2	5	0	0	4	3·63
28	0	10	9	5	9	6	7	8	6·75
29	0	10	10	10	10	10	5	4	7·37
30	0	10	10	10	10	10	10	10	8·75
31	10	10	10	7	0	6	8	5	7·00
Means	3·19	4·96	6·56	6·44	5·74	5·11	3·89	2·52	4·80

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
									%
1	8	8	5	10	7	1	0	0	4·87
2									
3	10	7	10	10	10	10	10	10	9·63
4	10	10	10	10	10	4	10	0	8·00
5	8	2	0	5	0	0	0	0	1·88
6	10	10	5	10	10	8	0	5	7·25
7	0	6	7	0	0	0	0	5	2·25
8	0	0	0	3	7	10	0	5	3·13
9									
10	5	10	2	0	0	0	0	0	2·13
11	0	0	0	0	2	1	0	0	0·37
12	0	0	7	10	10	4	8	8	5·88
13	0	0	7	0	0	0	0	10	2·13
14	10	10	10	10	10	10	0	0	7·50
15	0	0	10	10	10	9	0	0	4·88
16									
17	10	10	10	7	0	2	7	0	5·75
18	0	0	2	0	0	0	0	0	0·25
19	0	0	0	0	0	0	0	0	0·00
20	0	6	10	10	9	8	0	0	5·37
21	0	0	0	2	0	0	0	0	0·25
22	0	1	7	5	0	1	0	10	3·00
23									
24	0	0	0	0	5	8	5	0	2·25
25	9	2	7	8	0	8	0	2	4·50
26	10	10	10	10	10	1	0	10	7·63
27	10	10	10	9	8	0	10	10	8·37
28	0	0	1	5	2	1	0	0	1·13
29	10	10	10	10	10	10	10	10	10·00
Means	4·40	4·48	5·60	5·76	4·80	3·84	2·40	3·40	4·33

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of March, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1									
2	0	0	0	0	0	0	0	0	0·00
3	0	10	10	10	5	0	0	0	4 37
4	0	10	10	8	10	10	10	10	8·50
5	10	10	10	10	10	10	8	10	9·75
6	10	10	10	7	5	0	0	0	5 25
7	0	0	7	9	0	4	0	0	2·50
8									
9	10	2	0	0	0	3	3	0	2·25
10	0	3	8	7	9	6	0	0	4·13
11	0	0	0	0	0	0	0	0	0·00
12	0	0	0	3	3	0	0	0	0·75
13	0	0	0	0	0	0	0	0	0·00
14	0	4	7	2	8	7	2	0	3 75
15									
16	0	0	3	7	10	9	9	5	5·38
17	4	3	8	10	10	10	10	0	6·87
18	10	10	10	4	0	0	0	0	4 25
19	10	5	8	7	3	0	4	6	5 37
20	0	0	0	0	8	5	0	4	2·13
21	0	10	10	0	0	0	0	0	2·50
22									
23	3	0	0	0	3	5	10	4	3·12
24	5	10	10	10	9	10	10	10	9·25
25	10	10	10	3	3	6	0	0	5·25
26	0	0	9	0	1	8	3	10	3·88
27	9	0	0	3	7	10	10	10	6 12
28	10	10	10	10	10	10	10	10	10·00
29									
30	10	10	10	10	7	5	0	0	6 50
31	0	0	3	5	3	9	0	3	2·87
Means	3 88	4 50	5 88	4 81	4 77	4 88	3 42	3 15	4 41

ABSTRACT of Amount of Sky Clouded at Winnipeg Manitoba, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	0	10	8	8	7	0	0	0	4·13
2	8	0	0	0	0	0	0	0	1·00
3	0	0	5	3	3	0	0	0	1·37
4	0	10	10	10	10	10	0	0	6·25
5									
6	0	0	3	3	2	5	0	0	1·62
7	1	3	3	7	10	10	10	10	6·75
8	10	10	10	10	10	10	10	10	10·00
9	10	10	10	10	10	8	0	0	7·25
10	0	7	10	10	3	4	9	0	5·38
11	5	6	10	10	10	10	10	8	8·63
12									
13	10	10	10	10	10	10	10	10	10·00
14	10	10	10	10	10	10	10	10	10·00
15	10	10	10	10	10	10	7	10	9·62
16	10	10	10	10	9	2	0	0	6·38
17	3	9	10	7	10	10	9	10	8·50
18	10	10	10	10	10	10	8	9	9·62
19									
20	10	10	10	10	10	10	8	7	9·38
21	6	9	1	9	7	0	4	0	4·50
22	0	0	0	2	4	7	8	0	2·62
23	7	10	10	10	10	10	10	10	9·63
24	8	10	10	10	10	1	0	0	6·12
25	0	0	0	2	0	0	0	4	0·75
26									
27	0	0	7	10	10	10	10	10	7·13
28	10	10	10	10	10	10	10	10	10·00
29	10	10	10	10	10	10	10	10	10·00
30	10	10	10	10	10	10	10	10	10·00
Means	5·69	7·08	7·58	8·12	7·88	6·81	5·88	5·31	6·79

Abstract of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of May, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
	%	%	%	%	%				%
1	10	10	10	10	10	4	1	0	6·88
2	0	0	0	0	0	0	3	4	0·88
3									
4	0	0	3	8	9	9	10	8	5·87
5	1	0	3	0	7	9	10	10	5·00
6	10	10	8	7	8	7	0	0	6·25
7	0	10	6	9	7	5	0	0	4·63
8	0	9	10	7	10	9	9	10	8·00
9	10	10	10	10	10	10	6	0	8·25
10									
11	6	5	8	10	10	10	4	8	7·62
12	7	10	7	5	7	7	6	3	6·50
13	5	8	10	10	10	10	10	7	8·75
14	0	9	10	10	10	10	10	10	8·63
15	10	10	10	10	8	3	0	0	6·37
16	4	0	9	10	10	10	10	10	7·88
17									
18	9	5	10	7	2	1	4	0	4·75
19	0	0	0	0	7	2	5	9	2·87
20	10	10	10	10	10	10	10	0	8·75
21	4	3	10	10	10	3	2	0	5·25
22	0	8	4	0	2	4	0	4	2·75
23	6	10	5	8	3	3	2	4	5·12
24									
25	3	10	10	10	10	10	10	10	9·13
26	10	10	10	10	10	10	10	8	9·75
27	10	2	6	5	4	8	9	4	6·00
28	6	7	0	3	8	6	5	0	4·37
29	4	10	8	9	9	10	8	8	8·25
30	4	0	0	0	0	0	0	0	0·50
31									
Means	4·96	6·38	6·81	6·85	7·35	6·54	5·58	4·50	6·12

Abstract of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%		%	%	%	%	%	
1.	0	0	0	0	2	0	0	0	0·25
2.	0	0	0	0	2	2	0	1	0·63
3.	1	7	7	9	10	10	8	10	7·75
4.	8	10	10	10	10	10	10	10	9·75
5.	10	7	2	9	9	4	0	0	5·13
6.	0	5	5	8	10	10	10	10	7·25
7.									
8.	10	10	10	10	5	9	0	3	7·12
9.	8	1	4	3	3	0	0	6	2·38
10.	0	0	0	4	9	8	8	10	4·87
11.	8	10	9	10	10	5	1	0	6·62
12.	10	10	10	8	1	0	0	0	4·87
13.	0	0	0	0	7	2	0	0	1·13
14.									
15.	6	0	0	0	0	1	10	8	3·12
16.	10	10	8	8	6	2	0	0	5·50
17.	0	0	0	1	0	8	10	10	3·63
18.	10	10	10	8	5	0	2	8	6·62
19.	1	3	2	3	5	5	9	10	4·75
20.	10	10	0	0	2	2	0	0	3·00
21.									
22.	3	5	5	7	4	10	10	10	6·75
23.	10	10	10	5	5	7	8	4	7·38
24.	10	10	10	10	8	9	8	2	8·37
25.	10	10	9	3	2	1	2	6	5·38
26.	10	2	6	4	6	6	8	8	6·25
27.	10	10	8	6	3	8	4	6	6·87
28.									
29.	1	10	1	1	4	0	2	0	2·38
30.	0	0	2	0	4	0	0	0	0·75
Means	5·62	5·77	4·92	4·88	5·08	4·58	4·23	4·46	4·94

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%			
1	3	7	3	5	4	10	5	5	5·25
2	10	10	10	10	10	10	10	10	10·00
3	8	8	10	10	6	8	1	0	6·37
4	1	7	2	4	10	6	8	0	4·75
5									
6	0	0	0	1	1	1	1	0	0·50
7	2	5	0	4	4	5	7	0	3·38
8	5	3	0	3	3	2	9	5	3·75
9	5	5	10	10	7	2	2	0	5·12
10	0	0	6	8	6	4	0	0	3·00
11	1	8	7	5	1	3	1	0	3·25
12									
13	0	8	1	2	10	3	3	10	4·63
14	4	7	5	7	6	6	3	0	4·75
15	4	10	9	10	10	0	0	0	5·37
16	0	4	0	1	2	0	3	3	1·63
17	10	10	10	7	5	5	5	0	6·50
18	1	0	0	6	6	1	6	0	2·50
19									
20	1	1	2	7	10	10	10	10	6·37
21	10	10	10	9	10	8	3	10	8·75
22	10	10	0	4	4	3	0	1	4·00
23	0	5	7	7	4	5	2	0	3·75
24	5	10	5	1	1	1	0	0	2·88
25	0	0	0	1	5	7	5	0	2·25
26									
27	0	0	0	1	1	0	3	3	1·00
28	0	0	0	0	0	5	10	10	3·12
29	9	9	10	10	3	3	1	2	5·88
30	2	7	3	6	7	1	0	0	3·25
31	6	10	9	8	6	4	2	0	5·62
Means	3·59	5·70	4·41	5·44	5·26	4·19	3·70	2·56	4·36

Abstract of Amount of Sky Clouded at Winnipeg, Manitoba for the Month of August, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	0	0	0	2	0	8	10	10	3·75
2									
3	1	0	0	0	2	3	0	0	0·75
4	4	10	10	10	10	10	9	10	9·12
5	10	10	4	6	8	3	8	2	6·38
6	1	0	1	6	6	3	6	8	3·87
7	8	7	6	0	2	2	0	0	3·13
8	9	10	8	0	4	0	0	2	4·12
9									
10	2	2	4	2	3	5	6	2	3·25
11	7	8	6	7	8	2	2	0	5·00
12	0	0	4	10	4	5	0	0	2·88
13	0	0	0	10	9	10	5	0	4·25
14	0	0	0	5	4	3	6	0	2·25
15	0	0	4	9	3	5	0	0	2·62
16									
17	0	0	1	3	7	7	2	0	2·50
18	0	0	0	1	2	2	7	0	1·50
19	0	7	10	10	10	9	2	2	6·25
20	10	0	0	0	1	7	4	0	2·75
21	0	3	2	6	9	10	10	8	6·00
22	10	10	8	6	3	9	6	4	7·00
23									
24	0	2	3	0	0	0	6	9	2·50
25	10	10	10	10	6	3	9	10	8·50
26	2	5	6	7	9	0	0	0	3·63
27	0	3	0	0	5	5	0	0	1·62
28	0	0	0	0	0	2	9	0	1·38
29	0	10	10	0	0	0	8	0	3·50
30									
31	0	0	2	3	3	6	2	2	2·25
Means	2·08	3·73	3·81	4·35	4·54	4·58	4·50	2·65	3·87

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	4	10	10	10	10	10	9	10	9·12
2	10	10	4	6	8	3	8	2	6·38
3	0	0	6	2	2	3	2	2	2·12
4	6	10	10	10	10	8	2	6	7·75
5	8	10	10	8	8	2	2	2	6·25
6	.....	.....	...	.....	.....	.....	.....	.....	.....
7	10	6	9	0	1	1	0	0	3·38
8	6	10	9	10	6	10	10	9	8·75
9	10	10	10	10	10	10	0	0	7·50
10	0	4	4	8	10	10	2	2	5·00
11	9	6	6	9	10	10	6	6	7·75
12	10	10	10	10	10	10	10	10	10·00
13	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	0	10	8	4	2	9	0	0	4·12
15	0	1	1	4	6	8	9	10	4·88
16	2	0	0	7	7	9	10	10	5·62
17	10	10	8	10	7	7	7	9	8·50
18	10	10	10	10	9	9	9	0	8·38
19	0	0	0	0	1	8	9	6	3·00
20	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	0	9	3	7	2	2	0	4	3·37
22	0	0	2	7	2	3	0	0	1·75
23	0	2	7	2	3	9	4	6	4·13
24	10	8	10	10	10	10	10	10	9·75
25	10	10	9	7	7	4	1	7	6·87
26	9	10	10	6	9	8	5	5	7·75
27	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	0	9	3	10	3	0	0	0	3·13
29	0	3	3	0	0	10	0	0	2·00
30	3	3	6	7	5	0	0	0	3·00
Means	4·88	6·58	6·46	6·69	6·08	6·65	4·42	4·46	5·78

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	0	9	10	10	10	10	0	0	6·13
2	0	0	0	0	5	1	0	0	0·75
3	0	3	5	3	10	10	0	10	5·12
4	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	5	2	5	5	5	2	0	0	3·00
6	0	0	10	10	7	7	0	0	4·25
7	0	0	0	5	7	10	0	0	2·75
8	10	10	10	3	3	2	0	0	4·75
9	10	10	10	10	10	10	10	10	10·00
10	10	1	0	0	0	1	0	0	1·50
11	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	6	10	10	10	10	1	0	0	5·88
13	10	3	3	9	3	4	3	0	4·37
14	0	7	7	7	7	4	4	2	4·75
15	0	7	10	9	9	10	10	0	6·88
16	10	9	10	7	2	10	10	10	8·50
17	5	9	10	10	10	8	0	0	6·50
18	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	6	10	8	7	7	3	8	10	7·37
20	10	10	10	10	10	1	1	0	6·50
21	8	5	10	10	10	1	0	10	6·75
22	10	10	10	10	1	2	10	3	7·00
23	0	9	9	10	10	9	9	10	8·25
24	8	9	9	9	10	10	0	2	7·12
25	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	8	6	3	0	0	1	0	0	2·25
27	8	10	10	10	10	10	10	10	9·75
28	10	10	10	3	3	0	5	0	5·12
29	0	9	10	9	2	2	0	0	4·00
30	9	10	10	10	10	10	10	10	9·88
31	10	10	10	10	10	10	2	3	8·12
Means	5·67	6·96	7·74	7·26	6·70	5·52	3·41	3·33	5·82

Abstract of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of November, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
	%	%	%	%	%	%	%	%	%
1									
2	10	10	10	10	10	10	10	10	10·00
3	10	10	10	10	10	10	10	10	10·00
4	10	9	10	10	10	10	10	10	9·88
5	10	9	10	10	10	10	10	10	9·88
6	10	10	10	10	10	10	10	5	9·37
7	10	10	10	10	10	10	10	10	10·00
8									
9	10	10	10	10	10	10	10	10	10·00
10	10	10	10	10	10	2	10	10	9·00
11	10	10	10	10	10	10	10	10	10·00
12	10	10	10	9	10	6	10	10	9·37
13	2	4	8	10	10	10	10	10	8·00
14	10	10	10	7	10	5	10	10	9·00
15									
16	10	10	10	10	2	3	0	3	6·00
17	10	10	10	10	10	10	10	10	10·00
18	10	0	0	2	0	0	0	0	1·50
19	0	0	0	0	0	0	0	0	0·00
20	0	0	1	0	3	1	3	5	1·63
21	0	0	0	0	1	0	0	0	0·13
22									
23	10	2	3	0	0	0	0	0	1·88
24	9	1	9	10	10	0	7	3	6·12
25	6	5	10	10	10	10	10	10	8·87
26	10	10	10	10	10	10	10	10	10·00
27	10	10	10	10	9	1	0	0	6·25
28	0	3	8	7	0	0	0	0	2·25
29									
30	0	0	10	0	0	0	0	0	1·25
Means	7·48	6·52	7·96	7·40	7·00	5·52	6·40	6·24	6·81

ABSTRACT of Amount of Sky Clouded at Winnipeg, Manitoba, for the Month of December, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	0	0	0	0	0	1	0	0	0·12
2	0	0	0	0	0	0	0	0	0·00
3	0	0	10	10	10	10	10	10	7·50
4	10	10	10	10	10	2	10	10	9·00
5	10	10	10	5	10	0	0	0	5·63
6									
7	0	10	10	7	10	5	8	5	6·88
8	4	5	10	3	10	0	4	2	4·75
9	0	0	7	10	2	2	0	0	2·62
10	0	0	1	7	10	7	2	1	3·50
11	9	5	8	7	7	4	10	2	6·50
12	10	4	10	9	2	0	0	0	4·38
13									
14	10	10	10	10	10	0	10	10	8·75
15	10	10	10	10	10	10	10	10	10·00
16	10	10	10	10	10	10	9	9	9·75
17	10	10	7	0	1	8	2	10	6·00
18	10	10	10	10	10	10	8	8	9·50
19	10	6	10	0	0	0	0	0	3·25
20									
21	10	10	10	10	10	10	10	10	10·00
22	10	9	10	10	10	0	0	0	6·12
23	0	10	10	10	0	0	0	0	3·75
24	0	0	0	0	3	10	10	10	4·13
25	10	3	0	1	0	0	0	0	1·75
26	0	0	0	0	1	0	0	0	0·12
27									
28	1	1	0	5	0	0	0	0	0·88
29	0	0	8	10	7	0	0	0	3·12
30	0	0	6	6	3	0	0	0	1·88
31	10	10	10	10	10	10	10	10	10·00
Means	5·33	5·30	6·93	6·30	5·78	3·66	4·18	3·96	5·18

Abstract of Amount of Sky Clouded at Woodstock, Ontario, for the Month of January, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	9	10	10	8	2	0	6·50
2	5	8	9	8	10	10	8·33
3	10	10	10	10	0	9	8·17
4	5	0	9	6	0	0	3·33
5	0	0	8	9	0	3	3·33
6	10	10	9	9	10	10	9·67
7	10	10	10	9	0	0	6·50
8	9	10	10	10	10	10	9·83
9	10	10	10	10	10	10	10·00
10	10	10	10	10	10	10	10·00
11	10	10	10	10	10	0	8·33
12	0	10	2	8	9	10	6·50
13	10	10	10	10	10	0	8·33
14	10	9	10	10	10	10	9·83
15	10	10	9	6	0	0	5·83
16	0	8	0	2	10	10	5·00
17	10	10	10	10	10	10	10·00
18	10	10	10	10	10	10	10·00
19	10	10	10	9	10	10	10·00
20	10	10	9	10	8	2	10·00
21	10	10	10	10	10	10	9·83
22	10	10	10	10	10	10	8·17
23	10	10	10	10	10	10	10·00
24	10	10	10	10	9	3	10·00
25	7	10	0	1	9	0	10·00
26	0	0	9	0	0	0	8·67
27	7	10	0	1	9	0	4·50
28	0	0	9	0	0	0	1·50
29	0	10	10	10	0	7	6·17
30	9	10	10	10	10	10	9·83
31	10	10	10	10	10	10	10·00
Means	7·87	8·87	8·84	8·55	7·32	6·52	8·00

Abstract of Amount of Sky Clouded at Woodstock, Ontario, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	10	10	10	10	10	10	10·00
2	10	10	2	2	0	10	5·67
3	10	10	10	10	10	10	10·00
4	10	10	10	10	10	10	10·00
5	10	10	1	7	0	0	4·67
6	10	10	10	10	10	10	10·00
7	10	10	9	10	10	10	9·83
8	10	10	1	3	10	10	7·33
9	10	10	10	10	0	10	8·33
10	10	10	1	3	10	0	5·67
11	10	10	6	10	10	10	9·33
12	10	9	10	10	10	10	9·83
13	10	10	10	10	10	10	10·00
14	10	10	10	6	10	10	9·33
15	10	10	10	10	10	0	8·33
16	0	9	0	0	0	0	1·50
17	0	0	0	10	0	0	1·67
18	0	10	10	10	0	0	5·00
19	10	10	10	10	0	0	6·67
20	10	10	9	10	0	0	6·50
21	10	10	8	6	9	0	7·17
22	0	10	2	4	10	0	4·33
23	10	10	10	10	10	10	10·00
24	0	9	10	10	8	8	7·50
25	0	0	8	10	10	10	6·33
26	10	10	9	8	0	10	7·83
27	10	2	0	4	0	0	2·67
28	0	3	8	10	10	10	6·83
29	0	0	0	4	10	10	4·00
Means	7·24	8·34	6·69	7·83	6·45	6·14	7·11

ABSTRACT of Amount of Clouded Sky at Woodstock, Ontario, for the Month of March, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	10	10	10	10	10	8·33
2	10	10	10	10	10	0	8·33
3	0	8	0	0	0	0	1·33
4	0	7	0	0	0	0	1·17
5	0	0	0	0	2	0	0·33
6	0	10	10	10	10	10	8·33
7	10	10	10	10	0	10	8·33
8	10	10	10	6	10	0	7·67
9	10	10	0	7	0	10	6·17
10	0	10	10	10	8	0	6·33
11	10	10	10	10	10	10	10·00
12	10	10	0	10	9	0	6·50
13	0	0	1	7	0	0	1·33
14	0	10	2	0	0	0	2·00
15	10	9	8	7	3	10	7·83
16	0	9	10	8	10	0	6·17
17	0	0	0	5	10	10	4·17
18	0	10	10	10	10	10	8·33
19	10	10	10	10	10	10	10·00
20	10	10	2	0	0	0	3·67
21	0	4	2	4	10	10	5·00
22	10	6	5	3	1	0	4·17
23	0	5	2	3	1	0	1·83
24	0	0	0	5	2	0	1·17
25	4	1	9	10	10	10	7·33
26	10	10	10	3	1	2	6·00
27	2	0	0	1	9	0	2·00
28	0	0	3	9	10	10	5·33
29	10	10	3	0	3	1	4·50
30	0	0	2	0	0	0	0·33
31	0	0	0	0	0	0	0·00
Means	4·06	6·42	4·81	5·42	5·13	3·97	4·97

ABSTRACT of Amount of Sky Clouded at Woodstock, Ontario, for the Month of April, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	7	10	10	10	10	7·83
2	10	8	10	5	10	0	7·17
3	7	5	4	10	10	10	7·67
4	10	10	5	10	0	0	5·83
5	0	0	0	0	3	3	1·00
6	0	10	10	5	7	10	7·00
7	10	10	10	10	3	0	7·17
8	0	0	0	3	1	0	0·67
9	0	0	7	10	10	10	6·17
10	10	10	10	10	10	10	10·00
11	10	10	10	10	10	10	10·00
12	10	6	0	0	0	0	2·67
13	0	0	0	3	2	0	0·83
14	10	5	4	6	3	0	4·67
15	0	0	0	0	0	0	0·00
16	0	0	0	7	3	0	1·67
17	1	5	0	4	7	3	3·33
18	7	7	5	10	7	3	6·50
19	0	0	10	10	2	1	3·83
20	0	0	3	10	4	10	4·50
21	10	5	7	3	8	0	5·50
22	5	3	3	3	0	0	2·33
23	0	0	7	0	9	10	4·33
24	10	10	10	10	10	4	9·00
25	10	10	5	3	0	0	4·67
26	5	3	7	3	5	3	4·33
27	10	8	10	10	10	9	9·50
28	10	10	7	7	6	0	6·67
29	1	10	3	4	7	3	4·67
30	3	7	7	10	9	10	7·67
Means	4·97	5·30	5·47	6·20	5·53	3·97	5·24

ABSTRACT of Amount of Sky Clouded at Woodstock, Ontario, for the Month of May, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	10	10	0	3	0	0	3·83
2	0	1	7	10	7	9	5·67
3	1	7	7	5	0	0	3·33
4	5	4	1	5	4	0	3·17
5	0	0	1	2	4	0	1·17
6	0	0	0	2	1	0	0·50
7	0	0	0	0	2	0	0·33
8	1	2	0	0	0	0	0·50
9	0	0	0	0	0	0	0·00
10	0	0	1	1	0	0	0·33
11	3	4	2	1	9	10	4·83
12	10	10	9	10	2	0	6·83
13	0	0	0	0	0	0	0·00
14	0	0	8	4	9	8	4·83
15	0	0	1	0	0	0	0·17
16	0	0	0	5	4	10	3·17
17	10	6	4	2	0	0	3·67
18	0	5	10	9	7	8	6·50
19	10	10	3	3	0	0	4·33
20	5	0	2	5	0	2	2·33
21	0	5	3	9	6	1	4·00
22	0	3	2	4	3	0	2·00
23	4	9	0	3	4	1	3·50
24	0	0	4	1	4	10	3·17
25	10	10	10	10	10	9	9·83
26	3	0	0	3	0	3	1·50
27	0	0	3	1	9	8	3·50
28	10	10	6	7	6	10	8·17
29	10	9	7	7	6	3	7·00
30	0	0	2	9	10	3	4·00
31	0	3	6	5	5	0	3·17
Means	2·97	3·48	3·19	4·06	3·61	3·07	3·40

ABSTRACT of Amount of Sky Clouded at Woodstock, Ontario, for the Month of June, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	0	3	5	0	0	1·33
2	0	0	0	0	2	0	0·33
3	0	5	2	6	9	10	5·33
4	7	0	5	0	1	0	2·17
5	3	3	5	6	8	10	5·83
6	10	8	8	4	9	10	8·17
7	7	3	0	4	10	10	5·67
8	9	10	9	7	7	10	8·67
9	10	8	7	7	10	10	8·67
10	10	5	0	0	0	0	2·50
11	0	0	0	0	0	0	0·00
12	0	0	0	3	4	0	1·17
13	5	4	3	2	3	0	2·83
14	0	2	3	5	6	0	2·67
15	0	3	7	10	10	10	6·67
16	10	9	9	5	5	0	6·33
17	0	0	5	4	7	5	3·50
18	0	0	3	2	0	0	0·83
19	0	0	2	5	3	10	3·33
20	10	4	5	3	4	2	4·67
21	7	9	8	9	0	0	5·50
22	10	2	8	0	0	2	3·67
23	0	0	0	5	3	0	1·33
24	0	8	8	6	9	10	6·83
25	10	10	6	5	9	0	6·67
26	0	4	3	0	2	8	2·83
27	5	1	6	4	5	8	4·83
28	5	8	8	7	0	0	4·67
29	1	1	0	0	0	0	0·33
30	0	0	0	1	0	0	0·17
Means	3·97	3·57	4·10	3·83	4·20	3·83	3·92

ABSTRACT of Amount of Sky Clouded at Woodstock, Ontario, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	0	0	1	0	0	0·17
2	0	2	3	3	1	0	1·50
3	0	4	2	2	2	0	1·67
4	5	9	10	10	10	3	7·83
5	10	9	10	8	1	10	8·00
6	0	0	7	1	0	0	1·33
7	0	2	6	7	1	0	2·67
8	0	4	4	8	8	0	4·00
9	10	10	9	6	10	10	9·17
10	10	9	8	9	9	10	9·17
11	0	0	0	5	2	0	1·17
12	0	0	0	5	9	0	2·33
13	9	9	3	6	5	10	7·00
14	10	5	8	9	8	3	7·17
15	10	9	8	5	4	0	6·00
16	0	0	4	6	0	0	1·67
17	0	0	4	4	0	2	1·67
18	0	4	7	9	10	10	6·67
19	10	10	9	10	9	10	9·67
20	10	10	9	9	3	0	6·83
21	0	0	3	8	5	3	3·17
22	0	4	10	9	0	2	4·17
23	0	1	1	1	10	10	3·83
24	9	10	10	8	8	0	7·50
25	8	0	3	1	1	0	2·17
26	3	0	9	9	9	10	6·67
27	10	10	4	5	3	2	5·67
28	0	3	6	7	1	0	2·83
29	0	1	7	9	0	0	2·83
30	5	0	2	1	0	0	1·33
31	0	0	3	4	4	0	1·83
Means	3·84	4·03	5·45	5·97	4·29	3·06	4·44

ABSTRACT of Amount of Clouded Sky at Woodstock, Ontario, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	10	8	9	10	10	10	9·50
2	0	6	9	7	0	0	3·67
3	0	0	6	4	4	0	2·33
4	0	1	9	9	5	7	5·17
5	10	1	1	0	2	0	2·33
6	10	9	8	9	9	0	7·50
7	4	7	6	8	1	0	4·33
8	0	0	2	1	9	10	3·67
9	10	0	8	6	4	10	6·33
10	10	9	6	0	10	0	5·83
11	0	10	2	2	0	3	2·83
12	10	4	5	6	7	0	5·33
13	0	8	5	4	4	0	3·50
14	0	0	1	4	3	0	1·33
15	0	0	5	6	9	2	3·67
16	0	9	3	2	5	0	3·17
17	0	0	9	4	1	8	3·67
18	1	9	9	3	1	0	3·83
19	0	0	7	6	4	3	3·33
20	2	4	1	3	10	10	5·00
21	9	2	9	9	9	2	6·67
22	2	7	9	9	8	10	7·50
23	10	8	5	4	5	0	5·33
24	0	2	2	2	0	0	1·00
25	0	0	0	0	0	2	0·33
26	0	5	5	10	5	0	4·17
27	0	5	3	2	0	0	1·67
28	0	0	2	3	0	0	0·83
29	5	4	4	8	6	2	4·83
30	3	7	8	9	8	7	7·00
31	4	0	5	4	2	0	2·50
Means	3·23	4·03	5·26	4·97	4·55	2·77	4·13

ABSTRACT of Amount of Sky Clouded at Woodstock, Ontario, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1	5	3	3	2	2	0	2·50
2	0	3	8	5	4	0	3·33
3	10	10	8	4	1	0	5·50
4	0	2	4	2	2	0	1·67
5	10	7	10	9	10	0	7·67
6	6	10	9	7	8	10	8·33
7	0	2	4	3	1	0	1·67
8	0	1	3	1	1	0	1·00
9	0	4	4	2	4	0	2·33
10	0	1	3	2	4	0	1·67
11	0	0	0	4	5	0	1·50
12	10	5	5	4	10	0	5·67
13	0	10	8	4	8	0	5·00
14	10	10	10	9	10	10	9·83
15	10	3	4	3	1	0	3·50
16	0	7	1	3	7	10	4·67
17	10	9	10	5	1	4	6·50
18	2	2	5	8	9	10	6·00
19	10	10	9	7	3	0	6·50
20	8	1	5	0	1	2	2·83
21	8	7	2	3	6	8	5·67
22	10	9	9	8	3	0	6·50
23	0	1	8	1	3	0	2·17
24	0	0	1	2	1	8	2·00
25	6	3	6	10	10	8	7·17
26	8	9	10	4	3	0	5·67
27	10	10	8	8	2	10	8·00
28	1	2	4	5	2	10	4·00
29	9	8	9	10	10	10	9·33
30	10	10	10	10	4	0	7·33
Means	5·10	5·30	6·00	4·83	4·53	3·33	4·85

Abstract of Amount of Sky Clouded at Woodstock, Ontario, for the Month of October, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	0	0	0	0	0	0·00
2	0	1	0	0	0	0	0·17
3	0	0	7	10	10	0	4·50
4	0	10	10	9	10	0	6·50
5	0	1	5	3	1	0	1·67
6	0	4	10	10	10	10	7·33
7	0	5	4	6	10	10	5·83
8	10	8	9	9	10	0	7·67
9	0	0	0	0	0	0	0·00
10	0	0	2	4	0	0	1·00
11	0	0	0	2	0	0	0·33
12	0	10	10	8	10	10	8·00
13	10	10	9	9	0	0	6·33
14	0	7	6	4	0	0	2·83
15	0	0	0	0	10	10	3·33
16	10	9	8	9	8	10	9·00
17	0	10	10	10	10	10	8·33
18	10	9	8	6	5	4	7·00
19	0	2	1	5	10	10	4·67
20	10	8	7	7	9	10	8·50
21	10	9	9	5	10	5	8·00
22	0	2	3	3	4	5	2·83
23	0	1	1	8	9	0	3·17
24	2	9	8	9	10	10	8·00
25	2	3	4	3	0	0	2·00
26	0	0	0	2	0	0	0·33
27	5	3	0	3	0	0	1·83
28	0	8	9	9	0	0	4·33
29	8	8	5	3	0	0	4·00
30	10	9	8	2	0	0	4·83
31	10	8	6	4	0	0	4·67
Means	3·13	4·97	5·13	5·23	4·71	3·35	4·42

ABSTRACT of Amount of Sky Clouded at Woodstock, Ontario, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	
1	0	2	1	9	0	0	2·00
2	0	0	1	0	5	0	1·00
3	0	2	5	5	0	0	2·00
4	0	9	10	10	10	10	8·17
5	10	10	10	9	10	10	9·83
6	10	10	9	9	2	0	6·67
7	0	6	9	8	10	10	7·17
8	0	10	4	9	0	10	5·50
9	10	10	4	6	10	10	8·33
10	10	10	10	10	10	10	10·00
11	10	10	5	4	8	10	7·83
12	10	10	4	4	10	10	8·00
13	10	10	10	6	8	9	8·83
14	10	10	5	4	0	0	4·83
15	0	10	2	1	0	2	2·50
16	0	0	0	0	0	0	1·33
17	10	10	10	10	10	10	10·00
18	10	10	8	8	10	10	9·33
19	10	10	10	8	2	9	8·17
20	10	9	9	10	8	10	9·33
21	10	10	10	10	10	10	10·00
22	9	10	10	6	10	9	9·00
23	0	0	6	10	10	10	6·00
24	10	10	10	6	0	6	7·00
25	8	10	10	10	10	10	9·67
26	8	2	4	10	0	10	5·67
27	9	10	10	8	10	10	9·50
28	10	10	10	10	10	10	10·00
29	10	10	10	10	10	10	10·00
30	10	10	10	5	0	10	7·50
Means	6·80	8·00	7·20	7·17	6·37	7·50	7·17

Abstract of Amount of Sky Clouded at Woodstock, Ontario, for the Month of December, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	10	10	5	6	10	0	6·83
2	0	0	4	5	0	0	1·50
3	0	0	2	6	0	0	1·33
4	10	10	10	10	10	10	10·00
5	10	10	10	10	10	10	10·00
6	9	10	10	10	10	10	9·83
7	10	10	10	10	10	10	10·00
8	10	10	10	10	10	10	10·00
9	10	10	10	10	8	0	8·00
10	10	5	6	10	10	10	8·50
11	10	0	10	5	0	5	5·00
12	0	6	5	0	0	0	1·83
13	0	2	10	10	5	0	4·50
14	0	7	9	5	0	3	4·00
15	8	10	10	10	10	10	9·67
16	7	6	0	0	0	0	2·17
17	0	0	8	10	10	10	6·33
18	10	10	10	10	10	8	9·67
19	5	8	10	10	10	10	8·83
20	8	10	3	9	10	8	8·00
21	10	10	10	10	5	7	8·67
22	9	10	10	10	10	10	9·83
23	8	3	5	0	0	10	4·33
24	3	5	8	10	10	10	7·67
25	10	10	8	10	0	10	8·00
26	10	10	10	10	10	0	8·33
27	0	0	0	0	0	0	0·00
28	0	10	10	10	10	0	6·67
29	10	10	10	10	10	10	10·00
30	10	10	10	10	10	10	10·00
31	0	0	10	6	10	10	6·00
Means	6·35	6·84	7·84	7·81	6·71	6·16	6·95

ABSTRACT of Percentage of Sky Clouded at Toronto Ontario, for the Month of January, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	80	100	80	90	70	20	73
2	100	100	100	100	100	100	100
3	100	100	80	80	70	40	78
4	40	70	60	80	0	0	42
5	0	10	10	10	0	0	05
6	100	100	100	90	70	100	93
7	100	100	100	60	0	0	60
8	100	90	100	100	60	100	92
9	100	100	100	100	100	100	100
10	100	100	100	70	100	100	95
11	100	100	100	100	100	0	83
12	100	100	40	30	100	100	78
13	100	100	100	100	70	100	95
14	100	100	10	30	0	0	40
15	0	60	90	70	70	30	53
16	100	100	70	90	100	100	93
17	100	100	100	100	100	100	100
18	100	100	100	100	100	100	100
19	100	100	100	100	100	100	60
20	100	100	100	100	100	100	100
21	100	100	100	100	0	0	67
22	100	100	100	100	100	100	100
23	100	100	100	100	100	100	100
24	100	100	100	100	100	100	100
25	100	100	100	100	100	100	100
26	100	100	100	100	30	50	80
27	50	60	0	60	100	40	52
28	90	100	100	90	100	100	97
29	100	100	100	100	100	100	100
30	100	100	100	100	100	100	100
31	80	90	100	100	100	100	95
Means	88	93	85	85	75	70	83

Abstract of Percentage of Sky Clouded at Toronto, Ontario, for the Month of February, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	100	100	90	100	100	90	97
2	80	70	20	20	50	80	53
3	100	100	100	100	100	100	100
4	100	100	100	100	100	100	100
5	80	100	100	20	20	30	58
6	100	100	100	100	100	100	100
7	100	90	100	30	100	100	87
8	0	60	20	30	90	100	50
9	100	100	100	100	0	0	67
10	100	100	100	80	100	80	93
11	0	0	90	40	0	90	37
12	60	70	100	100	100	100	88
13	100	100	100	100	90	90	97
14	70	0	30	100	100	100	67
15	100	100	100	100	40	0	73
16	0	20	0	10	0	0	5
17	0	0	40	20	100	100	43
18	0	100	100	100	0	0	50
19	100	100	100	100	30	0	72
20	40	80	100	100	70	30	70
21	0	0	100	90	0	0	32
22	90	30	0	10	20	60	35
23	100	100	100	100	60	20	80
24	70	20	0	0	100	100	48
25	0	0	10	30	100	100	40
26	100	100	100	90	100	100	98
27	100	70	40	70	60	0	57
28	100	100	100	100	100	100	100
29	100	80	30	100	100	100	85
Means	69	69	71	70	67	64	68

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of March, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	%	%	%	%	%	%	%
1	100	100	100	100	100	100	100
2	100	100	100	30	100	10	73
3	0	0	0	0	0	20	3
4	0	70	0	0	0	0	12
5	0	0	0	0	0	10	2
6	100	100	100	100	100	100	100
7	100	100	90	100	100	0	82
8	100	100	40	20	100	100	77
9	0	0	20	40	0	0	10
10	70	100	100	100	90	0	77
11	80	100	100	100	100	100	97
12	100	100	10	20	0	40	45
13	40	60	50	30	0	0	30
14	0	0	40	30	0	0	12
15	100	100	100	50	30	40	70
16	100	100	80	40	0	0	53
17	30	0	70	40	50	100	48
18	100	100	70	90	100	100	93
19	100	100	100	100	100	100	100
20	100	90	10	10	0	0	35
21	30	90	100	100	100	100	87
22	0	0	0	0	10	0	2
23	30	50	60	40	80	100	60
24	0	0	0	0	80	30	18
25	40	40	100	100	100	100	80
26	100	100	100	80	30	60	78
27	0	0	0	0	0	50	8
28	0	0	20	70	100	100	48
29	100	70	0	10	70	90	57
30	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0
Means	52	57	50	45	50	47	50

Abstract of Percentage of Sky Clouded at Toronto, Ontario, for the Month of April, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	70	100	100	100	100	100	95
2	70	50	100	100	80	30	72
3	60	80	90	80	100	90	83
4	80	70	100	100	0	0	58
5	0	0	0	0	100	100	33
6	80	10	90	100	40	90	68
7	70	100	70	100	60	0	67
8	0	0	10	10	0	0	3
9	20	30	40	90	100	100	63
10	100	100	100	100	100	100	100
11	100	100	100	100	100	100	100
12	100	100	30	20	0	0	42
13	60	100	90	80	100	100	88
14	100	60	70	70	0	0	50
15	40	30	30	0	0	0	17
16	0	0	30	60	0	0	15
17	100	50	70	90	100	60	78
18	80	80	100	90	100	30	80
19	0	50	100	100	0	0	42
20	0	10	100	100	100	40	58
21	90	20	20	90	40	70	55
22	100	50	0	0	0	0	25
23	0	10	80	90	80	70	55
24	100	100	100	100	100	100	100
25	100	90	60	50	20	80	67
26	10	20	80	80	100	100	65
27	90	80	100	100	100	100	95
28	100	100	80	100	100	100	97
29	90	70	60	60	30	70	63
30	30	40	70	90	100	100	72
Means	61	57	69	75	62	58	64

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of May, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	%	%	%	%	%	%	%
1	100	100	100	70	0	0	62
2	30	60	70	100	100	70	72
3	100	100	30	20	0	0	42
4	80	100	100	70	0	0	58
5	0	0	10	0	0	0	2
6	10	20	0	10	0	0	7
7	0	0	60	30	0	0	15
8	60	80	30	20	0	0	32
9	40	0	0	0	0	0	7
10	0	0	60	40	80	20	33
11	70	40	50	20	100	0	47
12	90	90	70	30	0	0	47
13	0	0	0	0	0	0	0
14	0	0	60	40	100	100	50
15	0	0	10	0	0	0	2
16	0	0	10	80	10	100	33
17	100	100	30	30	50	20	55
18	70	100	90	60	30	100	75
19	100	100	40	10	20	30	50
20	100	100	100	100	10	0	68
21	40	20	70	80	30	20	43
22	40	50	40	30	10	0	28
23	100	100	30	30	100	100	77
24	40	60	20	70	0	0	32
25	100	100	100	100	100	100	100
26	30	0	40	40	0	20	22
27	20	20	90	10	100	50	48
28	100	100	20	70	100	100	82
29	100	100	100	100	20	100	87
30	60	80	80	100	50	40	68
31	40	70	90	70	0	0	45
Means	52	55	52	46	33	31	48

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of June, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	20	40	20	0	0	13
2	10	0	20	0	0	0	5
3	40	60	70	80	100	70	70
4	100	100	20	20	0	0	40
5	30	40	60	40	100	100	62
6	100	80	40	50	0	0	45
7	0	0	30	40	100	100	45
8	80	100	100	100	100	100	97
9	100	100	100	100	100	100	100
10	70	30	0	0	0	0	17
11	0	0	0	0	0	0	0
12	0	0	10	70	0	0	13
13	30	60	30	20	10	0	25
14	0	0	20	30	0	0	8
15	40	50	50	30	80	80	55
16	70	100	70	90	0	0	55
17	100	90	30	10	0	0	38
18	0	0	30	60	0	0	15
19	40	60	80	80	90	90	73
20	40	20	40	60	20	20	33
21	80	100	60	40	0	0	47
22	20	70	50	0	60	0	33
23	100	40	60	60	40	30	55
24	60	40	90	70	20	80	60
25	100	100	30	0	100	70	67
26	40	10	10	0	20	20	17
27	30	20	70	50	100	70	57
28	100	100	30	20	0	0	42
29	80	100	0	0	0	0	30
30	60	0	40	70	50	30	42
Means	51	50	43	40	36	32	42

ABSTRACT of Percentage of Sky Clouded, at Toronto, Ontario, for the Month of July, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	70	30	20	70	0	0	32
2	0	0	30	20	20	30	17
3	40	60	60	30	0	30	37
4	100	100	100	50	100	100	92
5	100	100	90	100	60	20	78
6	80	40	100	80	0	0	50
7	60	80	80	100	0	0	53
8	70	80	100	80	30	0	60
9	100	100	80	70	50	90	82
10	40	80	100	70	100	30	70
11	40	0	40	40	0	20	23
12	0	0		60	0	80	32
13	100	100	100	90	40	100	88
14	70	70	10	100	100	0	58
15	100	100	20	60	100	0	63
16	0	0	50	40	0	0	15
17	0	0	1	0	0	0	2
18	90	80	50	80	100	100	83
19	100	100	100	100	100	100	100
20	100	100	100	70	30	30	72
21	60	50	60	50	60	80	60
22	100	100	100	60	100	10	78
23	30	100	80	100	80	100	82
24	100	100	100	100	60	100	93
25	0	0	30	10	0	0	7
26	0	20	100	100	100	100	70
27	100	100	70	90	20	0	63
28	100	0	30	30	0	0	27
29	80	80	100	100	0	0	60
30	50	0	60	40	0	40	32
31	0	0	20	50	0	0	12
Means	61	57	66	66	40	37	55

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of August, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	100	80	100	100	100	100	97
2	0	0	80	90	0	0	28
3	70	0	40	40	0	0	25
4	10	0	80	60	0	40	32
5	100	40	50	50	40	60	57
6	100	80	80	70	90	30	75
7	60	90	20	10	0	0	30
8	0	0	40	40	100	100	47
9	80	80	70	80	30	80	70
10	100	90	0	10	100	0	50
11	50	50	0	40	0	100	40
12	100	30	80	80	0	0	48
13	70	80	80	100	9	100	87
14	0	0	0	0	0	0	0
15	30	50	30	70	100	70	58
16	70	90	40	0	0	0	33
17	0	0	80	60	10	0	25
18	100	100	60	70	70	90	82
19	0	0	30	30	0	0	10
20	20	0	20	70	90	100	50
21	100	100	100	100	0	20	70
22	60	60	70	70	100	100	77
23	100	60	80	90	60	40	72
24	0	0	30	60	0	0	15
25	0	0	0	6	0	20	3
26	100	80	100	100	10	0	65
27	0	0	100	80	0	0	30
28	70	20	30	10	0	0	22
29	70	30	60	40	90	100	65
30	90	100	80	100	100	100	95
31	0	0	40	20	0	0	10
Means	53	42	54	56	38	40	47

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of September, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	10	0	40	30	0	0	13
2	70	100	100	100	30	100	83
3	100	100	50	30	20	100	67
4	60	30	20	0	20	20	25
5	100	100	100	100	100	100	100
6	80	10	70	70	30	0	43
7	0	0	30	10	0	0	7
8	40	80	10	10	10	0	23
9	60	30	70	30	20	30	40
10	0	0	30	30	50	0	18
11	0	0	20	10	0	0	5
12	100	100	30	30	100	100	77
13	100	100	90	30	80	90	82
14	100	100	100	90	100	100	98
15	80	20	70	0	0	60	38
16	50	80	30	60	100	100	70
17	100	100	20	10	80	40	58
18	10	20	100	100	100	100	72
19	100	100	100	30	100	60	82
20	0	0	30	0	0	0	5
21	100	90	90	80	90	90	90
22	100	100	90	90	20	0	67
23	0	0	30	0	0	0	5
24	20	0	20	20	0	0	10
25	40	0	100	100	50	90	63
26	100	100	100	100	70	100	95
27	100	100	100	100	100	100	100
28	100	40	10	10	30	0	32
29	80	100	100	100	100	100	97
30	100	100	100	100	100	90	98
Means	63	57	62	49	50	52	55

Abstract of Percentage of Sky Clouded at Toronto, Ontario, for the Month of October, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	100	70	100	80	0	0	58
2	0	0	0	0	0	0	0
3	100	100	100	100	0	0	67
4	100	100	100	40	40	40	70
5	100	100	100	80	30	30	73
6	100	100	100	100	100	100	100
7	100	100	100	100	100	100	100
8	100	100	100	100	100	100	100
9	10	0	30	0	0	0	7
10	0	0	20	10	0	0	5
11	30	30	30	30	20	40	30
12	100	100	100	100	100	100	100
13	100	100	50	50	60	20	63
14	100	90	70	60	0	0	53
15	0	0	0	10	100	80	32
16	100	80	100	100	100	80	93
17	100	100	100	100	100	100	100
18	100	90	60	30	90	80	75
19	50	0	70	50	100	100	62
20	100	100	100	80	100	100	97
21	100	100	30	90	100	100	87
22	10	90	90	50	50	70	60
23	0	0	50	100	100	70	53
24	100	80	80	90	40	100	82
25	100	100	30	70	20	20	57
26	60	90	100	100	100	100	37
27	100	100	70	30	60	40	20
28	60	90	100	100	100	100	92
29	100	100	70	30	60	40	67
30	100	100	20	20	0	0	40
31	100	100	100	80	20	0	67
Means	70	71	67	63	54	52	63

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of November, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	100	100	100	100	100	100	67
2	0	40	70	100	60	40	52
3	20	0	60	20	60	100	43
4	100	100	100	100	100	100	100
5	100	100	100	100	100	100	100
6	100	100	50	40	20	0	52
7	40	70	100	100	100	100	85
8	100	100	70	40	0	30	57
9	100	60	70	80	100	100	85
10	100	100	100	100	100	100	100
11	100	100	100	80	90	100	95
12	100	100	60	30	30	10	55
13	100	100	80	70	40	100	82
14	30	70	30	40	100	100	62
15	100	100	30	20	70	50	62
16	100	0	70	70	0	10	42
17	100	100	100	100	100	100	100
18	100	100	100	100	100	100	100
19	100	60	100	80	70	60	78
20	70	30	70	70	70	100	68
21	100	100	100	100	100	0	83
22	20	10	10	20	50	40	25
23	40	80	100	100	100	100	87
24	100	100	90	60	100	100	92
25	100	100	100	100	100	100	100
26	90	100	100	100	70	100	93
27	100	100	60	60	100	100	87
28	100	100	90	90	100	100	97
29	100	90	90	90	70	80	87
30	100	90	90	70	0	0	60
Means	84	80	80	74	70	71	76

ABSTRACT of Percentage of Sky Clouded at Toronto, Ontario, for the Month of December, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1.	30	100	20	40	90	100	63
2.	0	10	80	40	0	20	25
3	100	40	50	60	50	40	57
4.	100	100	100	100	100	90	98
5.	100	100	100	100	100	100	100
6.	100	100	100	100	100	100	100
7.	100	100	100	100	100	100	100
8.	100	100	100	100	100	100	100
9.	100	100	100	100	100	100	100
10.	100	100	100	100	70	100	95
11.	100	30	100	100	30	10	62
12.	0	80	20	10	0	0	18
13.	50	30	100	100	0	0	47
14.	100	40	10	40	30	20	40
15.	100	100	100	100	100	100	100
16.	60	90	0	0	0	0	25
17.	0	10	100	100	100	100	68
18.	100	100	100	90	30	60	80
19.	0	10	70	100	100	100	63
20.	20	40	100	90	100	100	75
21.	100	100	100	100	100	70	95
22.	100	100	100	100	100	100	100
23.	90	70	0	0	0	100	43
24.	100	100	10	10	30	50	50
25.	100	100	70	70	100	100	90
26.	100	100	100	100	0	0	67
27.	30	60	80	60	40	0	45
28.	0	50	70	90	40	0	42
29.	100	100	100	100	100	100	100
30.	100	100	100	100	90	100	82
31.	0	90	100	100	100	100	82
Means.	70	76	77	77	65	63	71

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of January, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means
	%	%	%	%	%	%	%
1	0	100	100	100	100	100	83
2	100	100	40	60	100	100	83
3	100	100	20	20	50	100	65
4	100	100	90	20	0	0	52
5							
6	0	0	0	0	0	0	0
7	0	20	100	100	50	0	45
8	0	0	0	0	0	70	12
9	100	100	100	100	0	20	70
10	100	100	20	0	0	0	37
11	0	0	0	0	0	0	0
12							
13	100	80	100	80	100	100	93
14	100	100	50	80	100	80	85
15	0	100	70	10	0	20	33
16	0	100	100	100	100	100	83
17	0	0	0	80	80	100	43
18	100	100	80	90	0	80	75
19							
20	0	80	60	100	100	100	73
21	100	100	100	100	100	100	100
22	100	70	80	10	0	100	60
23	100	100	100	20	0	100	70
24	0	100	100	100	100	100	83
25	100	100	100	100	100	100	100
26							
27	100	100	20	100	100	0	70
28	0	0	0	0	50	10	10
29	0	80	100	100	100	100	80
30	100	100	100	0	0	0	50
31	0	0	90	80	100	100	62
Means	52	71	64	57	53	62	60

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of February, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	100	100	100	100	100	100	100
2							
3	0	70	100	100	20	0	48
4	100	40	100	100	100	100	90
5	100	100	100	100	100	100	100
6	100	100	100	100	100	100	100
7	100	100	100	100	100	70	95
8	100	10	0	0	0	0	18
9							
10	100	80	0	0	70	100	58
11	100	80	100	90	100	100	95
12	100	10	10	0	0	0	20
13	100	100	100	100	100	100	100
14	100	0	60	10	100	0	45
15	0	100	100	100	100	100	83
16							
17	0	0	0	0	0	0	0
18	0	50	0	0	30	0	13
19	100	100	0	70	100	100	78
20	100	100	100	100	0	10	68
21	0	30	80	0	10	0	20
22	0	100	100	90	0	0	48
23							
24	100	80	40	80	100	60	77
25	0	0	0	0	0	0	0
26	0	30	80	30	0	0	23
27	0	10	80	60	100	30	47
28	100	30	60	50	90	100	72
29	100	100	100	100	100	100	100
Means	64	61	64	59	61	51	60

Abstract of Percentage of Sky Clouded at Montreal, Quebec, for the Month of March, 1896.

Day.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1							
2	100	100	90	100	100	100	98
3	100	100	100	100	50	0	75
4	0	40	50	100	100	100	65
5	100	100	100	90	90	90	95
6	100	90	70	100	100	100	93
7	100	100	100	100	100	100	100
8							
9	100	100	90	90	90	0	78
10	0	0	0	0	20	0	3
11	0	0	50	100	100	100	58
12	100	100	100	100	100	0	83
13	100	10	50	0	100	0	43
14	0	0	0	0	0	0	0
15							
16	0	0	80	100	100	100	63
17	100	100	10	60	0	0	45
18	0	70	70	40	60	60	50
19	100	100	100	100	100	100	100
20	100	100	100	100	100	0	83
21	0	0	60	0	90	40	32
22							
23	0	0	30	0	0	0	5
24	0	0	20	0	40	0	10
25	0	90	50	80	80	90	65
26	100	100	100	100	100	100	100
27	100	30	10	0	0	0	23
28	0	30	0	0	0	0	5
29							
30	100	100	40	0	0	50	48
31	0	0	60	20	0	0	13
Means	54	56	59	57	62	43	55

ABSTRACT of Percentage of Sky Clonded at Montreal, Quebec, for the Month of April, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	0	0	0	100	100	33
2	100	100	100	100	0	30	72
3	0	20	90	100	100	100	68
4	100	100	100	100	90	80	95
5	...	...	...	...	...	...	...
6	100	60	20	10	0	0	32
7	100	90	50	80	100	0	70
8	0	0	20	20	0	0	7
9	0	0	0	0	0	0	0
10	0	0	0	0	0	100	17
11	100	100	60	80	50	0	65
12	....	....	....	....	....	.....	....
13	100	70	80	80	0	100	72
14	0	70	100	80	40	0	48
15	100	80	60	80	0	0	53
16	0	0	0	30	40	0	12
17	100	100	100	80	40	20	73
18	0	100	100	90	70	100	77
19	...	....	....	.....	....	....	.....
20	0	0	60	100	0	70	38
21	0	90	100	100	100	100	82
22	100	100	70	0	0	0	45
23	0	0	10	0	0	0	2
24	0	80	40	80	80	0	47
25	0	10	80	100	100	100	65
26	.....	...	.....	...	.....	...	.....
27	0	0	0	40	0	80	20
28	100	100	100	100	100	100	100
29	100	0	40	0	0	0	23
30	0	0	0	0	0	0	0
Means	42	49	53	56	39	42	47

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of May, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
					%		
1	0	0	0	0	100	0	17
2	0	0	0	40	80	0	20
3							
4	0	80	60	80	0	0	37
5	100	20	50	100	100	90	77
6	100	100	100	30	20	0	58
7	0	60	0	40	100	100	50
8	100	100	80	80	80	100	90
9	0	30	20	40	50	40	30
10							
11	0	80	40	70	40	30	43
12	0	0	0	0	0	0	0
13	0	20	20	0	0	0	7
14	0	0	0	40	20	0	10
15	0	0	70	100	100	0	45
16	0	100	90	90	0	0	47
17							
18	0	80	80	80	60	0	50
19	100	100	40	30	20	0	48
20	50	60	0	0	0	0	18
21	0	0	0	0	60	10	12
22	100	100	30	30	40	70	62
23	50	0	20	0	0	30	17
24							
25	0	0	0	0	80	100	30
26	100	100	100	10	30	0	57
27	100	90	10	50	20	0	45
28	0	80	100	100	100	100	80
29	100	100	30	100	100	100	88
30	100	100	100	90	100	100	98
31							
Means	38	54	40	46	50	33	44

Abstract of Percentage of Sky Clouded at Montreal, Quebec, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	70	90	40	50	30	0	47
2	0	20	40	50	0	0	18
3	0	0	0	0	0	0	0
4	0	0	10	0	0	0	2
5	0	0	0	0	0	0	0
6	0	0	70	60	80	100	52
7							
8	100	100	100	100	100	100	100
9	100	100	100	100	100	0	83
10	0	0	0	0	70	100	28
11	0	70	70	80	100	80	67
12	50	100	80	90	30	0	58
13	0	0	0	10	0	0	2
14							
15	0	100	90	100	60	40	65
16	0	0	20	40	10	0	12
17	50	0	0	40	30	100	37
18	40	0	0	0	0	0	6
19	0	0	10	70	80	70	38
20	100	0	50	30	50	10	40
21							
22	0	80	80	0	0	0	28
23	0	0	0	10	0	100	18
24	0	20	50	20	40	0	22
25	0	0	0	70	100	100	45
26	100	100	70	30	0	0	50
27	0	0	40	30	0	20	15
28							
29	0	30	100	40	0	100	45
30	0	0	20	70	30	100	37
Means	23	31	40	42	35	39	35

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	30	20	20	0	0	0	12
2	0	0	0	0	0	0	0
3	100	100	70	50	80	100	83
4	100	100	100	100	100	100	100
5	.....	.....	.....	.....	.....	.....	.....
6	100	100	100	40	50	100	82
7	100	100	40	100	40	0	63
8	60	40	20	20	50	0	32
9	0	90	20	100	100	100	68
10	100	40	10	20	0	100	45
11	90	70	60	10	20	0	42
12	.....	.....	.....	.....	.....	.....	.....
13	40	20	50	60	40	100	52
14	60	80	30	30	100	50	58
15	100	60	100	10	0	0	45
16	30	50	80	40	100	100	67
17	100	100	30	40	0	0	45
18	0	0	30	40	50	100	37
19	.....	.....	.....	.....	.....	.....	.....
20	100	100	100	100	50	100	92
21	100	100	50	0	0	20	45
22	0	0	60	90	100	100	58
23	50	0	40	40	0	0	22
24	0	50	40	80	40	40	42
25	100	80	0	10	0	0	32
26	.....	.....	.....	.....	.....	.....	.....
27	40	100	100	100	40	100	80
28	50	40	40	50	0	70	42
29	0	0	30	0	20	100	25
30	100	0	50	80	100	40	62
31	0	0	0	0	0	0	0
Means	57	53	47	45	40	52	49

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	0	70	10	30	40	40	32
2							
3	0	20	20	30	20	0	15
4	0	100	80	30	40	20	45
5	100	100	100	100	100	100	100
6	100	100	100	100	100	100	100
7	100	100	40	50	10	20	53
8	0	0	0	20	40	100	27
9							
10	30	100	40	20	30	0	37
11	0	30	20	30	70	0	25
12	0	0	20	80	10	0	18
13	0	80	20	10	40	0	25
14	40	0	0	0	0	0	7
15	0	20	20	0	20	0	10
16							
17	0	0	50	40	40	0	22
18	0	100	70	90	100	80	73
19	100	90	80	20	90	70	70
20	100	80	20	20	0	0	37
21	0	80	80	100	100	100	77
22	100	100	60	50	20	10	57
23							
24	50	0	20	20	100	0	17
25	0	0	0	0	0	0	0
26	0	50	40	50	40	100	47
27	100	90	50	30	10	90	67
28	100	0	60	80	40	40	53
29	0	0	0	10	30	20	10
30							
31	100	90	100	70	90	30	97
Means	39	54	42	42	45	35	43

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	0	30	90	50	10	0	30
2	0	50	100	100	100	100	75
3	100	100	100	100	40	0	73
4	0	0	50	80	40	0	28
5	0	80	20	100	100	100	67
6							
7	100	30	80	70	0	0	47
8	0	0	10	10	0	0	3
9	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0
12	0	20	20	50	100	100	48
13							
14	100	100	50	100	100	100	92
15	0	90	40	50	100	60	57
16	0	0	50	0	20	100	28
17	0	100	100	100	100	90	82
18	0	100	40	0	80	100	53
19	100	100	100	100	100	100	100
20							
21	0	20	40	100	100	100	60
22	0	100	100	100	100	90	82
23	0	0	20	0	100	100	37
24	100	100	60	100	90	30	80
25	100	100	70	100	100	100	95
26	0	100	100	100	100	30	72
27							
28	0	30	0	0	0	0	5
29	80	0	0	100	100	100	63
30	100	100	80	30	30	100	73
Means	30	52	51	59	62	58	52

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of October, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	100	100	90	100	100	20	85
2	100	100	100	100	100	100	100
3	100	100	100	90	90	100	97
4							
5	100	100	100	70	0	30	67
6	100	100	100	100	100	100	100
7	100	100	100	100	80	100	97
8	100	100	100	80	100	100	97
9	0	0	10	20	0	0	5
10	0	0	0	0	0	0	0
11							
12	0	80	0	20	0	0	17
13	0	90	50	80	40	20	47
14	60	60	60	80	30	20	52
15	0	60	40	70	0	0	28
16	50	80	100	100	20	100	75
17	80	50	50	60	100	100	73
18							
19	100	30	80	90	0	0	50
20	100	100	100	30	90	100	87
21	100	100	90	100	10	0	67
22	100	50	50	70	40	100	68
23	100	100	100	90	90	40	87
24	0	10	30	100	90	100	55
25							
26	100	100	90	50	0	0	57
27	100	100	10	80	0	0	48
28	0	40	10	30	20	10	33
29	100	100	100	100	100	100	100
30	100	100	100	100	100	100	100
31	100	100	0	40	30	20	48
Means	70	85	61	72	49	50	64

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%	%	%	%	%	%
1	.....	.....	.....	.....	.....	.....	.....
2	0	100	90	90	30	0	52
3	0	80	50	50	0	0	30
4	0	10	60	90	100	100	60
5	100	100	100	100	100	100	100
6	100	100	100	100	100	100	100
7	100	50	80	80	90	100	83
8	.....	.....	.....	.....	.....	.....	.....
9	100	0	40	50	30	100	53
10	0	80	90	80	100	100	75
11	100	100	100	100	0	30	72
12	100	80	80	80	90	100	88
13	100	90	90	80	100	20	80
14	100	100	100	90	100	100	98
15	.....	.....	.....	.....	.....	.....	.....
16	100	100	100	100	100	100	100
17	100	100	90	70	20	90	78
18	100	100	100	100	100	100	100
19	50	70	10	10	0	0	23
20	0	20	10	100	60	20	35
21	0	100	100	100	100	100	83
22	.....	.....	.....	.....	.....	.....	.....
23	0	10	80	100	100	100	65
24	0	100	100	90	0	20	52
25	0	100	100	100	100	100	83
26	100	100	100	100	100	100	100
27	100	100	100	100	100	100	100
28	100	100	100	100	100	100	100
29	.....	.....	.....	.....	.....	.....	.....
30	100	100	100	100	100	0	83
Means	62	80	83	86	73	71	76

ABSTRACT of Percentage of Sky Clouded at Montreal, Quebec, for the Month of December, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	%	%		%	%		%
1	30	90	80	90	10	0	50
2	0	0	0	0	0	0	0
3	0	10	80	90	100	0	47
4	0	60	100	100	100	100	77
5	100	90	100	100	100	100	98
6							
7	100	100	50	90	30	0	62
8	0	100	100	100	100	100	83
9	100	100	100	70	100	100	95
10	100	100	80	100	100	100	97
11	100	100	100	100	100	100	100
12	100	100	100	0	0	0	50
13							
14	0	0	0	0	0	0	0
15	0	0	100	10	20	0	22
16	100	100	100	100	30	0	72
17	0	0	0	20	40	20	13
18	100	100	100	100	100	100	100
19	100	100	100	40	0	0	57
20							
21	0	20	20	40	30	20	22
22	0	0	30	60	0	60	25
23	0	40	30	50	0	0	20
24	0	10	80	20	0	100	50
25	100	30	100	100	100	100	88
26	100	100	60	0	0	0	43
27							
28	0	10	20	30	0	0	10
29	0	100	100	100	100	100	83
30	100	100	100	100	100	70	95
31	30	0	0	0	0	0	5
Means	47	57	68	60	47	43	54

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of January, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	0	0	0	0	7	1·17
2	4	0	0	0	7	10	3·50
3	10	10	10	10	10	0	8·33
4	0	0	0	0	0	0	0·00
5	0	0	0	0	0	0	0·00
6	0	0	0	0	0	0	0·00
7	0	0	0	0	0	10	1·67
8	10	0	0	0	0	0	1·67
9	0	10	0	7	8	10	5·83
10	10	4	5	10	10	10	8·17
11	10	10	10	10	10	10	10·00
12	7	0	3	0	10	10	5·00
13	10	10	10	6	10	10	9·33
4	10	10	10	10	10	0	8·33
15	0	0	0	0	0	0	0·00
16	0	6	10	10	10	10	7·67
17	10	4	0	0	0	10	4·00
18	10	10	10	0	6	10	7·67
19	10	10	10	10	0	10	8·33
20	10	0	10	10	10	10	8·33
21	10	10	10	10	10	10	10·00
22	10	10	10	0	10	0	6·67
23	0	0	0	0	0	0	0·00
24	0	0	10	10	10	10	6·67
25	10	10	10	10	10	10	10·00
26	10	10	10	10	10	10	10·00
27	10	10	10	10	10	10	10·00
28	0	0	0	0	0	0	0·00
29	0	0	0	0	0	0	0·00
30	10	10	2	0	0	0	3·67
31	0	0	0	0	0	0	0·00
Means	5·52	4·65	4·81	4·29	5·19	5·71	5·03

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of February, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	10	10	10	10	10	8·33
2	10	10	10	10	10	10	10·00
3	10	8	10	4	10	10	8·67
4	10	8	0	8	10	10	7·67
5	10	10	10	10	10	10	10·00
6	10	10	10	10	10	10	10·00
7	10	10	10	10	10	10	10·00
8	10	10	8	8	10	0	7·67
9	0	10	10	10	10	10	8·33
10	10	10	10	8	7	0	7·50
11	0	0	0	10	10	0	3·33
12	0	6	0	0	0	0	1·00
13	0	0	0	10	10	10	5·00
14	10	10	10	4	4	3	6·83
15	6	0	0	6	10	10	5·33
16	10	10	10	10	0	0	6·67
17	0	0	0	0	0	0	0·00
18	0	0	0	0	0	10	1·67
19	0	0	0	10	10	10	5·00
20	10	10	10	8	0	0	6·33
21	0	0	0	0	0	0	0·00
22	0	0	10	10	10	10	6·67
23	0	0	0	10	10	10	5·00
24	10	10	3	5	10	10	8·00
25	10	0	2	0	5	10	4·50
26	10	10	9	4	0	0	5·50
27	0	0	0	0	0	0	0·00
28	10	10	10	10	10	10	10·00
29	10	10	10	10	10	10	10·00
Means	5·72	5·93	5·59	6·72	6·76	6·31	6·17

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of March, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	10	10	10	10	10	10	10·00
2	10	10	10	10	10	10	10·00
3	10	10	10	10	10	10	10·00
4	10	10	10	10	10	10	10·00
5	10	10	10	10	10	10	10·00
6	10	10	10	10	10	6	9·33
7	10	8	9	10	10	10	9·50
8	10	0	3	10	5	0	4·67
9	0	0	8	8	6	0	3·67
10	0	0	0	0	0	0	0·00
11	0	0	0	10	10	10	5·00
12	10	10	10	10	10	0	8·33
13	0	0	0	0	6	0	1·00
14	0	0	0	0	0	0	0·00
15	0	0	0	4	6	0	1·67
16	0	6	10	10	10	10	7·67
17	10	10	10	10	0	0	6·67
18	0	0	0	7	0	0	1·17
19	10	10	10	10	10	10	10·00
20	10	10	0	10	10	10	8·33
21	10	10	0	0	0	0	3·33
22	0	10	10	10	4	0	5·67
23	0	0	0	8	6	10	4·00
24	0	0	0	0	0	0	0·00
25	3	4	8	8	9	10	7·00
26	10	10	10	5	6	10	8·50
27	10	10	10	10	10	0	8·33
28	0	0	0	0	0	0	0·00
29	0	0	4	10	10	10	5·67
30	10	10	10	10	10	10	10·00
31	10	10	10	10	10	6	9·33
Means	5·58	5·74	5·87	7·42	6·71	5·23	6·09

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of April, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	0	0	0	0	0	0·00
2	0	0	8	8	10	10	6·00
3	10	10	10	10	10	10	10·00
4	10	10	10	10	10	10	10·00
5	10	10	10	10	10	10	10·00
6	10	10	9	10	10	0	8·17
7	0	10	10	10	0	0	5·00
8	0	0	0	0	0	0	0·00
9	0	0	0	0	0	0	0·00
10	0	0	0	6	0	0	1·00
11	0	10	10	8	10	3	6·83
12	0	0	0	10	10	0	3·33
13	10	10	10	10	10	10	10·00
14	10	10	10	10	10	10	10·00
15	10	10	10	10	0	0	6·67
16	10	10	10	10	10	10	10·00
17	10	10	10	10	10	10	10·00
18	10	10	10	6	0	0	6·00
19	0	9	10	8	10	10	7·83
20	10	0	4	0	10	0	4·00
21	0	0	0	0	8	10	3·00
22	10	10	10	4	0	0	5·67
23	0	0	4	8	0	0	2·00
24	0	0	0	0	0	0	0·00
25	0	0	0	0	0	0	0·00
26	10	0	5	0	0	9	4·00
27	10	0	0	0	0	0	1·67
28	0	10	10	10	10	10	8·33
29	10	4	4	4	0	0	3·67
30	0	0	0	0	0	0	0·00
Means	5·00	5·10	5·80	5·73	4·93	4·07	5·10

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of May, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	0	5	5	0	0	1·67
2	0	0	0	0	0	0	0·00
3	0	0	0	0	3	3	1·00
4	5	6	9	3	9	10	7·00
5	10	10	10	10	10	10	10·00
6	10	10	10	3	0	0	5·50
7	0	0	0	0	0	0	0·00
8	0	0	0	0	0	0	0·00
9	0	4	10	10	10	10	7·33
10	10	10	4	5	6	0	5·83
11	6	6	8	10	8	10	8·00
12	10	6	5	0	0	0	3·50
13	4	0	0	0	6	0	1·67
14	0	0	0	0	0	0	0·00
15	0	0	0	0	10	0	1·67
16	0	0	0	10	10	6	4·33
17	0	0	0	0	6	10	2·67
18	10	10	8	9	10	3	8·33
19	4	0	0	10	10	0	4·00
20	0	0	0	0	0	0	0·00
21	0	0	0	0	9	10	3·17
22	10	10	10	10	10	5	9·17
23	0	0	3	4	0	0	1·17
24	0	0	0	8	10	9	4·50
25	6	9	0	0	0	10	4·17
26	10	10	10	10	10	10	10·00
27	10	10	10	10	10	8	9·67
28	0	0	0	6	10	10	4·33
29	10	10	10	10	10	10	10·00
30	10	10	10	10	10	0	8·33
31	10	10	10	10	10	10	10·00
Means	4·35	4·23	4·23	4·94	6·03	4·66	4·74

ABSTRACT of amount of Sky Cloud, St. John, New Brunswick, for the Month of June, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	10	10	8	6	8	0	7·00
2	0	8	10	10	4	2	5·67
3	0	0	0	5	0	0	0·83
4	0	6	8	9	8	0	5·17
5	0	0	0	6	2	0	1·33
6	0	10	6	8	0	5	4·83
7	8	4	0	0	0	0	2·00
8	0	0	8	8	8	6	5·00
9	10	10	10	10	10	10	10·00
10	10	10	10	10	10	0	8·33
11	5	8	9	8	9	10	8·17
12	10	10	10	9	9	0	8·00
13	0	5	8	9	0	3	4·17
14	4	5	3	8	10	10	6·67
15	10	10	10	10	10	10	10·00
16	10	8	0	0	0	0	3·00
17	0	0	0	0	0	0	0·00
18	0	10	5	9	8	10	7·00
19	10	0	0	0	5	4	3·17
20	6	6	2	4	9	0	4·50
21	10	10	8	8	10	10	9·33
22	10	10	10	10	8	6	9·00
23	6	0	2	4	6	9	4·50
24	0	0	4	0	0	0	0·67
25	0	0	0	0	4	2	1·00
26	6	10	10	10	10	9	9·33
27	10	10	0	0	0	0	3·33
28	0	0	4	4	9	10	4·50
29	10	10	10	0	0	9	6·50
30	0	0	4	0	0	0	0·67
Means	4·83	5·67	5·30	5·50	5·23	4·20	5·12

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of July, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
1	0	0	3	0	2	0	0·83
2	0	0	0	0	0	3	0·50
3	10	6	7	4	10	10	7·83
4	10	10	10	10	10	10	10·00
5	10	10	10	10	10	10	10·00
6	10	10	10	10	10	0	8·33
7	10	10	10	10	10	10	10·00
8	10	10	8	2	9	0	6·50
9	6	0	0	8	8	10	5·33
10	10	10	10	10	10	6	9·33
11	10	10	10	10	10	10	10·00
12	10	4	0	0	0	0	2·33
13	6	8	7	4	10	10	7·50
14	10	10	5	4	0	7	6·00
15	6	10	8	10	10	10	9·00
16	10	10	4	3	0	0	4·50
17	10	10	5	0	0	0	4·17
18	0	0	0	0	0	0	0·00
19	0	0	0	4	9	10	3·83
20	10	10	10	10	10	10	10·00
21	10	10	10	10	10	10	10·00
22	10	10	8	10	10	10	9·67
23	10	10	10	8	3	0	6·83
24	0	0	0	8	9	8	4·17
25	10	10	10	10	10	0	8·33
26	0	0	0	0	2	0	0·33
27	0	0	10	10	10	10	6·67
28	10	5	3	0	0	0	3·00
29	0	6	0	0	0	0	1·00
30	10	10	10	10	10	10	10·00
31	10	10	6	3	0	0	4·83
Means	7·03	6·74	5·94	5·74	6·19	5·29	6·16

Abstract of Amount of Sky Clouded at St. John, New Brunswick, for the Month of August, 1896.

Day.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	0	0	0	2	4	1·00
2	10	10	10	9	9	0	8·00
3	0	10	10	5	4	10	6·50
4	10	10	10	10	10	10	10·00
5	6	6	9	10	9	0	6·67
6	0	0	0	10	10	10	5·00
7	10	10	10	10	10	10	10·00
8	10	10	0	10	10	10	8·33
9	10	10	10	10	10	10	10·00
10	10	10	10	5	0	0	5·83
11	0	0	0	0	3	0	0·50
12	10	10	10	10	10	10	10·00
13	10	10	10	8	7	0	7·50
14	0	9	10	9	8	0	6·00
15	0	0	0	0	4	6	1·67
16	10	10	10	10	10	10	10·00
17	10	10	9	2	0	0	5·17
18	0	0	5	9	3	5	3·67
19	10	10	8	9	8	0	7·50
20	0	0	0	5	0	0	0·83
21	0	0	0	0	10	5	2·50
22	5	5	8	6	8	10	7·00
23	10	0	0	10	10	10	6·67
24	10	10	10	10	8	10	9·67
25	0	0	0	0	0	0	0·00
26	0	0	0	10	10	10	5·00
27	10	10	9	10	10	10	9·83
28	10	10	0	0	0	0	3·33
29	0	0	0	0	0	0	0·00
30	0	6	8	0	0	0	2·33
31	0	0	0	0	6	10	2·67
Means	5·19	5·68	5·35	6·03	6·03	5·16	5·58

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of September, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	10	6	0	8	0	0	4·00
2	0	0	2	10	10	0	3·67
3	10	10	10	10	10	10	10·00
4	10	6	0	0	0	0	2·67
5	0	0	0	0	0	0	0·00
6	10	10	10	10	10	10	10·00
7	10	10	10	10	10	10	10·00
8	10	0	0	0	10	7	4·50
9	10	8	10	10	10	10	9·67
10	10	10	10	10	10	10	10·00
11	10	10	10	10	10	10	10·00
12	10	6	0	0	10	10	6·00
13	10	10	10	9	8	0	7·83
14	10	10	9	4	6	10	8·17
15	10	10	4	5	5	4	6·33
16	8	8	6	6	10	10	8·00
17	10	10	10	10	10	10	10·00
18	10	10	9	0	0	6	5·83
19	0	10	10	10	10	10	8·33
20	10	10	0	0	0	0	3·33
21	0	0	6	8	7	7	4·67
22	10	10	10	10	10	10	10·00
23	10	10	10	7	6	0	7·17
24	10	10	10	10	0	0	6·67
25	0	0	0	0	3	8	1·83
26	10	10	10	10	10	10	10·00
27	10	10	10	10	8	8	9·33
28	10	10	10	0	0	0	5·00
29	0	0	0	0	0	0	0·00
30	10	10	10	10	10	10	10·00
Means	7·93	7·47	6·53	6·23	6·43	6·00	6·75

ABSTRACT of Amount of Sky Clouded at St John, New Brunswick, for the Month of October, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1.	10	10	10	10	10	10	10·00
2.	10	10	10	10	10	10	10·00
3.	10	10	10	10	10	10	10·00
4.	10	10	0	8	10	10	8·00
5.	10	10	10	10	10	10	10·00
6.	10	10	10	10	10	10	10·00
7.	10	10	10	10	10	10	10·00
8.	10	10	10	4	10	0	7·33
9.	0	2	4	8	0	0	2·33
10.	0	0	8	0	0	0	1·33
11.	0	0	0	0	4	8	2·00
12.	4	0	2	6	3	4	3·17
13.	3	4	6	8	10	10	6·83
14.	10	10	10	10	6	0	7·67
15.	10	10	10	10	10	10	10·00
16.	10	10	10	0	10	10	8·33
17.	0	0	8	7	6	8	4·83
18.	10	10	10	10	10	10	10·00
19.	10	10	8	8	9	0	7·50
20.	0	0	4	9	10	10	5·50
21.	10	8	8	10	10	10	9·33
22.	10	0	10	6	0	0	4·33
23.	0	0	3	0	8	10	3·50
24.	10	10	10	10	10	10	10·00
25.	7	6	4	0	0	10	4·50
26.	8	6	0	8	3	10	5·83
27.	10	3	7	0	6	0	4·33
28.	0	0	2	4	7	3	2·67
29.	10	10	10	10	10	10	10·00
30.	10	10	10	10	10	10	10·00
31.	10	10	10	10	10	10	10·00
Means	7·16	6·42	7·23	6·97	7·48	7·19	7·07

ABSTRACT of Amount of Sky Clouded at St John, New Brunswick, for the Month of November, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%		%	%	%
1	10	10	10	10	10	10	10 00
2	10	10	10	10	10	10	10 00
3	6	4	10	0	0	0	3 33
4	0	0	0	0	5	4	1 50
5	10	10	10	10	10	10	10 00
6	10	10	10	10	10	0	8 33
7	0	6	8	6	6	0	4 33
8	3	9	10	10	10	10	8 67
9	10	10	10	10	10	0	8 33
10	0	0	0	9	8	0	2 83
11	8	10	10	10	10	8	9 33
12	8	8	10	8	10	0	7 33
13	10	0	3	3	10	10	4 33
14	10	9	9	4	10	7	8 17
15	10	10	10	10	10	10	10 00
16	10	10	10	10	10	10	10 00
17	10	7	8	10	10	6	8 50
18	8	8	8	10	10	10	9 00
19	10	10	9	4	5	0	6 33
20	0	0	3	0	0	0	0 50
21	0	0	10	10	10	10	6 67
22	10	8	7	0	0	0	4 17
23	0	0	0	3	6	10	3 17
24	10	10	10	10	0	0	6 67
25	10	10	10	6	3	10	8 17
26	10	10	10	10	10	10	10 00
27	10	10	10	10	10	10	10 00
28	10	10	10	10	10	10	10 00
29	10	10	10	9	0	10	8 17
30	10	10	10	10	10	10	10 00
Means	7·10	7·30	8 17	7 40	7 43	6·17	7 26

ABSTRACT of Amount of Sky Clouded at St. John, New Brunswick, for the Month of December, 1896.

DAY.	4 a.m.	8 a.m.	Noon.	4 p.m.	8 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%
1	0	0	7	9	2	0	3·00
2	0	0	0	0	0	0	0·00
3	0	8	9	0	4	0	3·50
4	0	0	0	5	10	10	4·17
5	10	10	0	0	10	0	5·00
6	10	10	10	10	10	3	8·83
7	10	10	10	10	3	4	7·83
8	0	0	0	0	6	10	2·67
9	10	10	10	10	10	8	9·67
10	8	6	0	8	9	0	5·17
11	0	5	6	8	3	0	3·67
12	8	9	10	6	8	10	8·50
13	10	10	10	10	10	10	10·00
14	7	6	3	0	0	0	2·67
15	0	0	0	4	6	10	3·33
16	10	10	10	10	10	10	10·00
17	10	10	0	0	0	0	3·33
18	0	0	8	10	10	8	6·00
19	10	10	10	8	6	0	7·33
20	0	0	2	0	0	0	0·33
21	0	0	0	0	10	0	1·67
22	0	4	4	10	4	3	4·17
23	4	3	0	0	0	10	2·83
24	10	10	10	4	0	0	5·67
25	0	0	0	0	0	2	0·33
26	6	10	10	6	10	4	7·67
27	0	0	0	0	0	0	0·00
28	0	4	8	0	0	0	2·00
29	0	6	10	10	0	0	4·33
30	6	10	10	10	10	10	9·33
31	10	0	0	0	0	0	1·67
Means	4·48	5·19	5·06	4·77	4·87	3·61	4·67

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of January, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
					%			%	
1	0	2	2	3	1	0	4	0	1·5
2	0	1	5	2	2	0	0	10	2·5
3	10	10	10	10	10	10	10	10	10·0
4	5	1	3	3	6	5	9	5	4·6
5	4	5	2	2	2	1	0	0	2·0
6	5	10	10	5	0	0	0	0	3·8
7	6	10	3	3	0	0	0	0	2·7
8	0	2	6	0	0	0	0	0	1·0
9	0	0	2	3	1	0	0	0	0·8
10	0	10	10	10	10	10	10	10	8·7
11	10	10	10	10	10	10	10	10	10·0
12	10	10	9	10	10	10	10	10	9·9
13	10	10	10	4	1	0	0	0	4·4
14	10	10	8	10	10	10	10	10	9·7
15	10	10	10	8	9	10	10	10	9·6
16	5	0	0	8	6	4	10	10	5·4
17	10	10	9	2	0	0	0	0	3·9
18	0	10	9	10	10	10	10	10	8·6
19	10	10	10	9	10	10	10	10	9·9
20	10	10	9	10	10	10	10	10	10·0
21	10	10	10	10	10	10	10	10	8·6
22	10	10	10	10	10	7	7	5	5·7
23	7	10	10	9	0	0	0	10	8·4
24	10	10	9	3	5	10	10	10	10·0
25	10	10	10	10	10	10	10	10	10·0
26	10	10	10	10	10	10	10	10	10·0
27	10	10	10	10	10	10	10	10	10·0
28	9	8	4	8	8	2	2	2	5·4
29	5	5	4	1	0	0	0	0	1·9
30	0	4	5	6	0	2	0	0	2·1
31	2	5	3	2	0	0	0	0	1·5
Means	6·4	7·5	7·2	6·5	5·5	5·2	5·6	5·9	6·2

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
	%	%	%	%	%	%	%	%	%
1	0	4	3	1	2	6	10	10	4·5
2	10	10	10	10	10	10	10	10	10·0
3	4	0	3	7	0	0	10	10	4·3
4	8	8	10	10	10	10	0	10	8·2
5	10	10	10	10	10	10	10	10	10·0
6	10	10	10	4	10	10	10	10	9·3
7	10	10	10	10	10	10	10	5	9·4
8	3	2	7	10	10	8	10	0	6·2
9	4	7	9	10	10	10	10	10	8·8
10	10	10	10	8	10	10	0	9	8·4
11	4	1	3	6	8	10	10	10	6·5
12	10	10	8	6	1	0	0	0	4·4
13	0	0	2	1	3	10	10	10	4·5
14	10	10	10	7	4	5	8	0	6·8
15	0	0	3	1	4	6	10	10	4·2
16	10	10	10	10	10	10	10	10	10·0
17	7	3	4	2	2	1	0	0	2·4
18	0	0	4	3	10	10	10	10	5·9
19	10	10	10	2	0	10	10	10	7·8
20	10	10	10	10	10	10	0	0	7·5
21	0	0	1	3	1	0	0	0	0·6
22	0	6	4	3	6	6	10	10	5·6
23	0	0	0	0	0	6	10	10	3·2
24	10	10	10	8	10	10	1	8	8·4
25	8	6	8	7	9	8	9	10	8·1
26	3	1	3	1	1	0	0	0	1·1
27	0	0	1	0	0	0	0	1	0·3
28	0	0	0	2	3	2	10	10	3·4
29	10	10	10	6	10	10	10	10	9·5
Means	5·6	5·4	6·3	5·4	6·0	6·8	6·8	7·0	6·20

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of March, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	10	10	10	10	10	10	10	10	10·0
2	10	10	10	10	10	10	10	10	10·0
3	10	10	10	10	10	10	10	10	10·0
4	10	10	10	10	10	10	5	10	9·4
5	10	10	10	10	10	10	10	10	10·0
6	10	10	10	10	10	10	10	10	10·0
7	10	10	10	9	9	10	10	10	9·8
8	10	10	7	10	10	10	9	10	9·5
9	10	10	10	10	8	10	10	10	9·7
10	8	5	6	6	10	0	0	0	3·1
11	0	0	2	10	10	10	10	10	6·5
12	10	10	10	10	10	10	3	8	8·9
13	10	10	4	8	6	2	0	0	5·0
14	0	0	2	0	0	0	0	0	0·3
15	0	0	0	6	2	1	0	0	1·1
16	0	4	6	10	10	10	10	10	7·5
17	10	10	10	10	10	10	7	10	9·6
18	0	0	0	0	0	1	0	0	0·1
19	5	10	10	10	10	10	10	10	9·4
20	10	10	10	10	10	4	10	6	8·7
21	10	8	10	10	3	0	0	0	5·1
22	0	0	2	3	3	0	0	0	1·0
23	0	4	4	4	1	10	10	9	5·3
24	10	10	10	10	10	5	0	0	6·9
25	0	0	0	3	4	8	10	10	4·4
26	10	10	9	10	10	10	10	10	9·9
27	10	10	2	10	10	10	10	10	9·0
28	8	3	6	3	1	7	5	3	4·5
29	2	2	3	2	6	7	10	10	5·3
30	10	10	10	10	10	10	10	10	10·0
31	10	10	10	10	10	10	0	3	7·9
Means	6·9	7·0	6·9	7·9	7·2	7·3	6·4	6·7	7·0

Abstract of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of April, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	7	9	10	10	9	10	10	0	8·1
2	3	7	1	4	7	8	9	10	6·1
3	10	10	10	8	10	10	10	10	9·7
4	10	10	9	7	10	10	10	9	9·4
5	10	8	8	10	10	9	5	8	8·5
6	10	10	9	9	10	9	0	10	8·4
7	10	8	8	10	10	9	8	5	8·5
8	8	10	8	3	4	1	0	0	4·3
9	0	0	3	2	4	6	0	0	1·9
10	4	7	5	5	4	5	0	0	3·7
11	2	5	6	6	10	2	0	5	4·5
12	0	0	8	0	3	6	0	5	1·8
13	7	10	10	10	10	10	10	10	9·6
14	10	10	10	10	10	10	10	10	10·0
15	10	8	8	2	0	3	0	0	3·9
16	0	10	4	9	9	10	10	10	7·7
17	10	10	10	10	10	10	9	10	9·9
18	10	10	10	10	10	7	4	4	8·1
19	4	4	1	6	10	10	10	10	6·9
20	10	3	0	6	8	4	1	9	5·1
21	3	0	1	0	0	0	0	0	0·5
22	4	10	10	8	7	7	10	3	7·4
23	0	0	1	3	1	5	8	9	3·4
24	4	0	0	1	4	1	0	8	2·2
25	4	6	2	1	0	1	0	0	1·8
26	0	0	2	5	2	0	0	0	1·1
27	0	0	1	0	0	1	6	8	2·0
28	4	3	2	8	10	10	10	10	7·1
29	10	10	10	9	5	1	0	0	5·6
30	4	10	10	8	10	9	9	7	8·4
Means	5·6	6·3	5·6	6·0	6·6	6·1	5·0	5·7	5·9

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of May, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	6	10	10	9	10	10	10	0	8·1
2	0	0	0	0	0	0	0	0	0·0
3	0	0	0	2	2	2	4	4	1·7
4	7	9	10	10	10	10	10	10	9·5
5	10	10	10	10	10	10	10	10	10·0
6	10	10	10	10	10	10	3	0	7·9
7	0	2	3	7	4	4	0	0	2·5
8	0	0	1	0	0	0	0	0	0·1
9	0	2	2	8	9	10	10	10	6·4
10	10	10	8	3	2	2	0	0	4·4
11	0	0	1	7	4	2	10	10	4·3
12	10	10	10	10	9	10	3	0	7·7
13	2	4	9	8	2	1	2	0	3·5
14	0	3	9	3	3	0	0	0	2·3
15	0	0	2	2	4	1	2	0	1·4
16	0	10	10	6	2	5	0	0	4·1
17	0	0	0	0	3	3	0	3	1·1
18	10	10	10	8	4	4	3	4	6·6
19	2	1	1	3	2	10	10	10	4·9
20	0	0	1	1	0	0	2	0	0·5
21	0	2	0	2	1	6	7	5	2·9
22	10	10	10	10	8	7	10	0	8·1
23	0	0	10	6	4	3	0	0	2·3
24	0	0	2	4	3	4	3	8	3·0
25	9	10	4	4	2	3	10	7	6·1
26	9	10	10	10	10	9	10	10	9·7
27	10	10	10	10	10	10	10	10	10·0
28	10	3	1	1	2	3	1	1	2·7
29	10	10	10	10	10	10	10	10	10·0
30	10	0	10	8	2	8	9	10	8·4
31	10	10	4	3	9	8	10	10	8·0
Means	4·7	5·4	5·7	5·6	4·9	5·3	5·1	4·3	5·1

ABSTRACT Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of June, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	10	10	10	10	10	10	10	10	10·0
2	0	0	2	5	6	7	3	0	2·9
3	0	1	1	3	3	0	1	0	1·1
4	0	0	1	3	4	7	9	3	3·4
5	0	1	1	1	1	2	3	8	2·1
6	4	8	7	8	6	6	9	6	6·7
7	4	5	2	4	8	2	0	0	3·1
8	1	5	3	6	4	7	3	0	3·6
9	6	10	10	10	10	10	10	10	9·5
10	10	10	9	10	10	10	10	10	9·9
11	5	0	1	6	7	10	3	10	4·0
12	10	10	10	8	9	8	10	0	8·9
13	5	1	1	7	8	8	0	6	3·7
14	0	1	4	5	7	10	10	0	5·9
15	10	10	10	10	10	10	10	10	10·0
16	10	10	10	10	10	10	9	10	9·9
17	5	0	0	1	0	0	0	10	0·7
18	0	2	4	6	10	10	9	0	5·1
19	0	8	2	0	1	2	4	0	2·4
20	4	7	4	3	2	1	9	2	3·7
21	0	2	2	4	3	10	10	0	5·1
22	10	10	10	3	1	4	4	10	5·9
23	4	5	1	2	3	1	0	5	2·0
24	5	1	1	3	1	1	0	0	1·5
25	0	0	0	3	0	0	4	0	1·5
26	2	2	1	3	9	10	10	5	5·9
27	10	10	1	1	2	2	1	10	3·4
28	0	10	7	7	9	3	1	0	5·9
29	10	10	10	1	0	0	0	10	3·9
30	0	1	1	0	1	0	0	0	0·4
Means	4·2	5·0	4·2	4·8	5·2	5·4	5·1	4·5	4·7

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	☽	☽	☽	☽	☽	☽	☽	☽	☽
1	0	2	7	0	2	0	0	0	1·4
2	0	0	0	0	1	1	2	1	0·6
3	5	10	9	7	4	1	7	1	5·5
4	3	3	5	8	10	10	10	10	7·4
5	10	10	10	10	10	10	10	10	10·0
6	10	3	9	10	10	10	10	10	9·0
7	10	8	10	10	10	10	10	10	9·8
8	10	10	10	9	4	1	6	0	6·3
9	0	9	3	2	2	3	7	2	3·5
10	4	7	3	2	2	2	1	0	2·6
11	2	2	2	7	4	0	2	0	2·4
12	0	0	0	2	4	1	0	0	0·9
13	0	0	0	0	2	5	10	10	3·4
14	10	10	10	6	9	7	8	0	7·5
15	2	9	3	5	3	8	10	10	6·3
16	10	10	10	9	7	1	1	7	6·9
17	10	9	9	10	9	4	8	1	7·5
18	1	4	6	2	6	2	2	0	2·9
19	0	1	2	0	1	2	10	10	3·3
20	10	10	10	9	9	6	9	6	3·6
21	10	10	10	10	10	10	10	10	10·0
22	10	10	10	7	10	10	10	10	9·6
23	10	10	10	10	10	10	3	1	8·0
24	0	0	0	2	4	9	9	10	4·2
25	10	10	10	10	10	10	10	10	10·0
26	4	0	0	2	2	0	0	6	1·8
27	3	2	5	9	8	8	10	10	6·9
28	10	10	10	10	7	1	0	0	6·0
29	0	7	4	4	2	0	0	0	2·1
30	0	5	1	9	10	10	10	10	6·9
31	10	10	10	9	6	1	0	0	5·8
Means	5·3	6·2	6·1	6·1	6·1	4·9	6·0	5·0	5·7

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of August, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	0	0	0	1	1	0	0	2	0·5
2	2	8	10	10	10	10	10	10	8·7
3	10	7	3	2	1	0	0	0	2·9
4	0	10	1	6	10	10	10	10	7·1
5	10	10	4	2	5	10	8	5	6·7
6	0	0	1	0	2	7	4	10	3·0
7	10	10	10	10	10	10	10	10	10·0
8	10	10	10	10	7	8	10	10	9·4
9	10	10	10	7	4	7	10	10	8·5
10	10	10	10	10	9	4	0	0	6·6
11	10	10	0	2	4	10	10	10	7·0
12	10	10	10	3	5	10	10	10	8·5
13	10	10	10	10	10	10	10	10	10·0
14	10	10	6	7	9	10	10	10	9·0
15	8	9	3	2	2	7	9	10	6·3
16	10	10	10	10	10	10	10	10	10·0
17	10	10	10	10	10	9	10	3	9·0
18	0	0	0	2	3	1	1	1	1·0
19	4	7	8	4	2	5	10	10	6·3
20	0	0	0	1	0	0	0	0	0·1
21	0	0	0	2	2	1	3	0	1·0
22	0	2	3	2	8	7	7	5	4·3
23	3	2	2	5	6	8	10	10	5·7
24	10	10	10	10	10	7	8	7	9·0
25	10	10	2	2	2	0	0	0	3·3
26	0	0	0	1	2	3	0	0	0·7
27	4	8	10	7	10	10	10	10	8·6
28	10	10	6	2	6	1	0	0	4·4
29	0	2	0	0	0	0	0	0	0·3
30	0	0	0	1	0	2	0	0	0·4
31	10	10	10	10	8	8	0	0	7·0
Means	5·8	6·6	5·1	4·9	5·4	6·0	5·8	5·6	5·6

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
	%	%	%	%	%	%	%	%	%
1	4	9	10	5	1	1	0	0	3·7
2	0	0	0	1	3	6	6	0	2·0
3	3	7	9	8	8	5	5	7	6·5
4	10	10	10	8	1	0	0	0	4·9
5	0	1	0	0	0	0	0	0	0·7
6	0	0	3	9	10	10	10	10	6·5
7	10	10	10	10	10	10	10	10	10·0
8	10	10	9	10	10	10	6	4	8·6
9	4	6	9	9	9	10	10	10	8·4
10	10	10	10	9	10	10	7	10	9·5
11	10	10	8	10	10	8	0	0	7·0
12	0	2	0	0	9	10	10	10	5·1
13	10	10	10	10	10	9	9	10	9·7
14	10	8	7	7	5	3	10	10	7·5
15	10	9	10	10	8	1	0	5	6·6
16	0	3	3	4	7	6	10	10	5·4
17	10	8	8	10	10	10	10	10	9·5
18	10	5	10	7	5	2	0	2	5·1
19	0	7	10	10	10	10	10	10	8·4
20	10	10	10	10	10	1	0	0	6·4
21	0	0	1	1	4	7	9	10	4·4
22	8	9	10	9	8	10	10	10	9·3
23	10	10	10	10	10	7	10	10	9·6
24	4	1	0	2	6	7	6	9	4·4
25	3	2	0	1	1	1	0	3	1·4
26	4	7	6	4	1	0	0	9	3·9
27	8	9	8	3	1	0	1	3	4·1
28	7	10	7	8	10	7	0	8	7·1
29	3	0	0	0	0	0	0	0	0·4
30	3	5	9	10	10	8	10	10	8·1
Means	5·7	6·3	6·6	6·6	6·6	5·6	5·3	6·3	6·1

ABSTRACT of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	10	10	10	10	10	8	6	10	9·3
2	10	10	10	10	10	10	10	10	10·0
3	10	10	10	10	9	10	10	10	9·9
4	10	10	10	10	10	8	10	5	9·1
5	6	5	8	10	10	10	10	10	8·6
6	10	10	10	10	10	10	10	10	10·0
7	10	10	10	10	10	10	10	10	10·0
8	10	10	10	10	10	10	4	3	8·4
9	2	0	3	7	7	1	0	0	2·5
10	0	0	1	7	5	7	0	0	2·5
11	0	2	1	0	2	6	10	7	3·5
12	10	10	10	10	9	10	10	9	9·8
13	10	10	10	10	10	10	10	10	10·0
14	10	10	10	9	10	10	10	10	9·9
15	10	10	10	10	10	10	10	10	10·0
16	10	10	10	10	10	10	0	2	7·8
17	3	0	0	6	5	4	5	6	3·6
18	10	10	7	10	10	10	10	10	9·6
19	10	10	10	10	3	10	10	8	8·9
20	6	7	6	3	1	7	1	4	4·7
21	5	4	4	7	7	8	9	10	6·4
22	10	10	10	10	10	1	0	0	8·4
23	0	0	0	2	4	1	0	0	0·9
24	3	8	10	10	10	10	10	10	8·9
25	10	8	8	6	1	0	0	0	4·1
26	0	0	1	0	0	0	10	10	2·6
27	8	8	8	2	6	8	10	9	7·4
28	2	1	3	7	5	3	0	0	2·6
29	3	6	6	3	9	10	10	10	7·1
30	10	10	10	10	10	10	10	10	10·0
31	10	10	10	10	10	10	10	10	10·0
Means	70	71	73	77	75	75	69	69	72

Abstract of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of November, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	10	10	10	10	10	10	10	10	10·0
2	10	10	10	10	10	10	10	10	10·0
3	10	10	4	9	7	2	0	0	5·3
4	0	1	3	4	0	0	0	0	1·0
5	0	4	7	8	10	10	10	10	7·4
6	10	10	10	10	10	10	0	8	8·5
7	1	0	4	9	7	10	10	1	5·3
8	0	2	2	4	3	0	0	1	1·5
9	10	10	10	10	10	10	10	10	10·0
10	2	0	1	2	2	0	10	3	2·5
11	1	3	4	6	10	10	10	10	6·7
12	10	3	4	2	9	10	10	10	7·2
13	10	10	10	9	10	10	10	10	9·9
14	10	10	10	10	10	9	9	8	9·5
15	10	4	9	10	10	10	10	8	8·9
16	10	10	10	10	10	10	10	10	10·0
17	10	8	5	2	4	8	9	10	7·0
18	3	1	2	9	10	10	10	10	6·9
19	10	10	10	10	8	5	1	1	6·9
20	1	1	3	2	2	5	8	10	4·0
21	3	1	6	6	7	9	10	10	6·5
22	10	10	10	10	9	10	1	0	7·5
23	0	1	0	1	0	0	1	1	0·5
24	5	9	10	10	10	10	2	2	7·3
25	2	3	6	7	8	1	0	3	3·7
26	10	10	10	10	10	10	10	10	10·0
27	10	10	10	10	10	10	10	10	10·0
28	10	10	10	10	10	10	10	10	10·0
29	10	10	10	10	10	10	10	3	9·1
30	10	10	10	10	10	10	10	10	10·0
Means	6·6	6·4	7·0	7·7	7·9	7·6	7·0	6·6	7·1

Abstract of Amount of Sky Clouded at Halifax, Nova Scotia, for the Month of December, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	%	%	%	%	%	%	%	%	%
1	4	2	1	3	5	0	0	0	1·9
2	2	1	6	5	3	0	0	0	2·1
3	0	9	9	8	8	2	0	0	4·5
4	2	6	4	2	1	0	2	10	3·4
5	10	10	10	10	2	0	0	0	5·2
6	0	2	2	6	8	10	10	10	6·0
7	10	4	8	5	9	8	0	5	6·1
8	2	0	0	0	0	0	0	0	0·2
9	5	10	10	10	10	10	10	5	8·7
10	10	9	9	8	1	0	10	5	6·5
11	2	1	1	6	9	0	0	0	2·4
12	0	1	0	1	0	0	7	10	2·4
13	10	10	10	10	10	8	8	10	9·5
14	10	10	9	3	3	0	0	0	4·4
15	0	6	8	2	1	0	3	7	3·4
16	10	10	10	10	10	10	10	10	10·0
17	10	10	10	10	10	10	6	0	8·2
18	0	7	1	3	7	2	6	10	4·5
19	10	10	10	10	10	4	10	10	9·2
20	8	4	1	1	2	1	1	1	2·4
21	1	1	2	1	1	0	1	6	1·6
22	2	1	2	2	9	6	8	1	3·9
23	10	10	10	9	9	1	10	4	7·9
24	10	10	10	9	9	4	2	10	8·0
25	4	0	2	2	2	0	0	0	1·3
26	4	10	10	10	8	10	0	10	7·7
27	7	5	1	2	1	0	0	0	2·4
28	0	0	0	4	8	0	0	0	1·5
29	0	2	4	7	9	10	7	0	4·9
30	0	1	0	0	0	0	3	10	2·4
31	2	1	4	4	0	0	0	0	1·4
Means	4·7	5·3	5·4	5·3	5·3	3·1	3·8	4·3	4·6

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of January, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·323	29·391	29·481	29·512	29·514	29·463	29·4473
2	29·330	29·322	29·189	29·170	29·055	29·024	29·1817
3	29·232	29·284	29·350	29·427	29·534	29·569	26·3093
4	29·703	29·746	29·838	29·847	29·804	29·775	29·7855
5	29·841	29·903	29·983	30·011	30·117	30·119	29·9957
6	30·085	30·067	29·971	29·960	29·913	29·823	29·9698
7	29·715	29·696	29·653	29·706	29·831	29·849	29·7417
8	29·886	29·862	29·710	29·639	29·429	29·378	29·6507
9	29·288	29·300	29·402	29·438	29·576	29·596	29·4333
10	29·691	29·725	29·727	29·722	29·755	29·731	29·7252
11	29·749	29·755	29·636	29·588	29·441	29·360	29·5882
12	29·089	29·080	29·222	29·325	29·502	29·525	29·2905
13	29·555	29·560	29·553	29·562	29·586	29·574	29·5650
14	29·663	29·715	29·842	29·866	29·985	29·989	29·8433
15	30·095	30·117	30·074	30·075	30·048	29·995	30·0673
16	29·797	29·777	29·614	29·643	29·717	29·733	29·7135
17	29·775	29·805	29·727	29·704	29·727	29·697	29·7390
18	29·622	29·611	29·458	29·430	29·390	29·396	29·4845
19	29·474	29·518	29·565	29·614	29·671	29·675	29·5862
20	29·618	29·663	29·507	29·484	29·529	29·558	29·5648
21	29·580	29·600	29·668	29·691	29·795	29·811	29·6908
22	29·865	29·873	29·767	29·777	29·763	29·734	29·7965
23	29·657	29·654	29·548	29·540	29·474	29·455	29·5547
24	29·283	29·244	29·115	29·091	29·128	29·155	29·1693
25	29·284	29·338	29·394	29·405	29·514	29·540	29·4125
26	29·600	29·620	29·631	29·672	29·807	29·837	29·6945
27	29·839	29·840	29·744	29·754	29·702	29·697	29·7627
28	29·727	29·775	29·726	29·709	29·705	29·673	29·7192
29	29·609	29·637	29·598	29·602	29·630	29·646	29·6203
30	29·677	29·721	29·755	29·827	29·884	29·897	29·7935
31	29·855	29·832	29·716	29·674	29·552	29·464	29·6822
Means	29·6302	29·6462	29·6182	29·6279	29·6477	29·6365	29·6345

Abstract of Pressure of Dry Air at Toronto, Ontario, for the Month of February, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·255	29·195	29·040	29·073	29·153	29·215	29·1552
2	29·375	29·440	29·468	29·506	29·496	29·481	29·4610
3	29·396	29·402	29·216	29·187	29·173	29·160	29·2557
4	29·130	29·151	29·100	29·088	29·136	29·131	29·1227
5	29·193	29·217	29·187	29·220	29·221	29·164	29·2003
6	29·012	28·947	28·611	28·545	28·608	28·631	28·7257
7	28·819	28·887	29·002	29·092	29·265	29·307	29·0620
8	29·446	29·521	29·514	29·502	29·395	29·349	29·4545
9	29·198	29·138	29·020	29·053	29·164	29·191	29·1273
10	29·234	29·241	29·185	29·166	28·863	28·853	29·0903
11	29·106	29·158	29·306	29·379	29·559	29·607	29·3525
12	29·759	29·802	29·745	29·776	29·675	29·597	29·7257
13	29·366	29·304	29·112	29·127	29·358	29·390	29·2762
14	29·386	29·410	29·585	29·611	29·583	29·511	29·5143
15	29·274	29·262	29·240	29·375	29·611	29·647	29·4015
16	29·824	29·896	29·979	29·999	30·160	30·183	30·0068
17	30·227	30·237	30·148	30·111	29·977	29·919	30·1032
18	29·741	29·676	29·380	29·316	29·187	29·126	29·4043
19	28·896	28·856	28·719	28·782	29·005	29·050	28·8847
20	29·235	29·297	29·381	29·437	29·600	29·640	29·4317
21	29·824	29·877	29·848	29·846	29·859	29·822	29·8460
22	29·812	29·808	29·619	29·584	29·526	29·465	29·6357
23	29·332	29·281	29·142	29·144	29·256	29·271	29·2377
24	29·246	29·367	29·507	29·549	29·660	29·700	29·5048
25	29·812	29·847	29·759	29·685	29·402	29·294	29·6332
26	28·933	28·912	29·090	29·183	29·277	29·283	29·1130
27	29·253	29·250	29·080	29·028	28·999	29·008	29·1030
28	28·998	28·993	28·997	29·031	29·203	29·294	29·0860
29	29·402	29·429	29·337	29·310	29·246	29·199	29·3205
Means	29·3615	29·3724	29·3212	29·3347	29·3661	29·3617	29·3529

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of March, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·098	29·095	29·098	29·160	29·305	29·336	29·1820
2	29·448	29·508	29·558	29·626	29·709	29·723	29·5953
3	29·786	29·880	29·877	29·878	29·873	29·880	29·8623
4	29·892	29·899	29·877	29·862	29·877	29·858	29·8775
5	29·875	29·893	29·754	29·761	29·748	29·669	29·7833
6	29·506	29·525	29·267	29·262	29·220	29·147	29·3212
7	28·929	28·934	29·153	29·185	29·272	29·307	29·1300
8	29·352	29·370	29·464	29·471	29·483	29·516	29·4427
9	29·562	29·577	29·533	29·525	29·545	29·527	29·5448
10	29·455	29·468	29·378	29·368	29·455	29·437	29·4268
11	29·383	29·391	29·216	29·198	29·124	29·111	29·2372
12	29·120	29·161	29·320	29·385	29·576	29·599	29·3602
13	29·688	29·752	29·825	29·858	29·958	29·962	29·8405
14	29·995	30·041	30·042	30·050	30·050	30·017	30·0325
15	29·936	29·887	29·669	29·657	29·657	29·640	29·7488
16	29·565	29·563	29·446	29·510	29·510	29·516	29·5145
17	29·566	29·615	29·615	29·625	29·625	29·620	29·6045
18	29·661	29·694	29·637	29·502	29·502	29·451	29·5972
19	29·197	29·114	28·879	28·859	28·927	28·995	28·9952
20	29·233	29·332	29·450	29·479	29·601	29·613	29·4513
21	29·622	29·558	29·410	29·350	29·277	29·205	29·4037
22	29·478	29·656	29·875	29·918	30·024	30·056	29·8845
23	30·072	30·074	30·036	30·044	30·112	30·098	30·0727
24	30·150	30·148	30·041	29·939	29·787	29·685	29·9583
25	29·510	29·476	29·153	29·104	29·005	28·968	29·2027
26	28·939	28·977	29·206	29·291	29·463	29·481	29·2262
27	29·654	29·696	29·635	29·622	29·658	29·660	29·6542
28	29·705	29·667	29·517	29·462	29·299	29·220	29·4783
29	29·016	28·992	28·856	28·892	29·065	29·103	28·9873
30	29·205	29·196	29·296	29·337	29·481	29·502	29·3362
31	29·588	29·618	29·584	29·575	29·628	29·642	29·6058
Means	29·5221	29·5405	29·5069	29·5106	29·5425	29·5337	29·5261

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of April, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·568	29·552	29·332	29·273	29·112	29·130	29·3278
2	29·191	29·197	29·209	29·238	29·295	29·274	29·2340
3	29·250	29·323	29·419	29·445	29·531	29·545	29·4188
4	29·643	29·663	29·656	29·657	29·768	29·778	29·6942
5	29·830	29·819	29·753	29·702	29·629	29·594	29·7212
6	29·542	29·574	29·608	29·573	29·653	29·627	29·5962
7	29·599	29·629	29·786	29·829	29·955	29·991	29·7982
8	30·051	30·095	30·019	30·005	29·987	29·973	30·0217
9	29·924	29·889	29·676	29·619	29·493	29·476	29·6795
10	29·511	29·593	29·626	29·674	29·628	29·683	29·6192
11	29·606	29·606	29·573	29·561	29·623	29·624	29·5988
12	29·631	29·619	29·480	29·427	29·399	29·377	29·4888
13	29·329	29·288	29·168	29·135	29·098	29·043	29·1768
14	29·035	29·004	29·068	29·105	29·220	29·250	29·1137
15	29·380	29·394	29·247	29·214	29·314	29·301	29·3083
16	29·349	29·293	29·104	29·088	29·074	29·131	29·1732
17	29·166	29·153	29·003	29·067	29·134	29·123	29·1077
18	29·154	29·117	29·130	29·132	29·170	29·151	29·1423
19	29·244	29·195	29·247	29·288	29·410	29·430	29·3023
20	29·474	29·424	29·305	29·267	29·160	29·149	29·2965
21	29·140	29·106	29·008	29·026	29·216	29·297	29·1322
22	29·490	29·562	29·595	29·564	29·641	29·642	29·5823
23	29·708	29·744	29·649	29·553	29·509	29·508	29·6118
24	29·499	29·495	29·396	29·398	29·354	29·346	29·4147
25	29·373	29·349	29·321	29·300	29·464	29·488	29·3825
26	29·514	29·522	29·530	29·499	29·507	29·512	29·5140
27	29·577	29·493	29·369	29·339	29·379	29·380	29·4228
28	29·406	29·400	29·403	29·393	29·482	29·465	29·4248
29	29·515	29·634	29·599	29·566	29·571	29·554	29·5732
30	29·527	29·515	29·403	29·365	29·389	29·375	29·4290
Means	29·4742	29·4749	29·4227	29·4101	29·4388	29·4406	29·4436

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of May, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·284	29·283	29·188	29·173	29·190	29·189	29·2178
2	29·242	29·216	29·119	29·087	29·102	29·102	29·1447
3	29·165	29·117	29·182	29·136	29·239	29·153	29·1653
4	29·268	29·251	29·105	29·987	29·201	29·239	29·1752
5	29·321	29·320	29·356	29·334	29·376	29·415	29·3537
6	29·489	29·494	29·555	29·561	29·627	29·628	29·5590
7	29·670	29·671	29·637	29·589	29·545	29·525	29·6062
8	29·526	29·462	29·227	29·195	29·271	29·257	29·3230
9	29·315	29·204	29·196	29·210	29·108	29·098	29·1885
10	29·106	29·155	28·985	28·987	28·966	28·986	29·0308
11	29·001	29·009	29·092	28·971	29·044	29·066	29·0155
12	29·267	29·339	29·359	29·354	29·393	29·413	29·3542
13	29·540	29·585	29·560	29·502	29·509	29·468	29·5273
14	29·377	29·376	29·145	29·133	29·213	29·108	29·2253
15	29·182	29·353	29·416	29·434	29·455	29·444	29·3807
16	29·497	29·437	29·338	29·327	29·225	29·232	29·3427
17	29·078	28·943	28·960	28·976	28·929	28·966	28·9753
18	29·051	29·067	29·001	28·948	28·931	29·019	29·0028
19	29·196	29·236	29·234	29·273	29·524	29·570	29·3388
20	29·582	29·569	29·456	29·465	29·452	29·440	29·4940
21	29·403	29·358	29·192	29·189	29·148	29·147	29·2395
22	29·133	29·164	29·326	29·335	29·424	29·431	29·3022
23	29·644	29·677	29·712	29·691	29·706	29·670	29·6833
24	29·606	29·586	29·471	29·439	29·421	29·408	29·4885
25	28·312	28·250	29·007	28·883	28·701	28·668	28·9702
26	26·654	26·886	28·920	28·940	29·049	29·093	28·9232
27	29·243	29·257	29·194	29·128	29·200	29·145	29·1945
28	28·949	28·893	28·593	28·827	28·951	29·043	28·8760
29	29·070	29·086	29·145	29·161	29·194	29·199	29·1425
30	29·201	29·189	29·186	29·137	29·070	29·060	29·1405
31	29·172	29·199	29·182	29·194	29·277	29·313	29·2228
Means	29·2755	29·2784	29·2242	29·2118	29·2400	29·2418	29·2453

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of June, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1..	29·353	29·386	29·460	29·439	29·530	29·544	29·4520
2..	29·592	29·587	29·538	29·530	29·555	29·553	29·5592
3..	29·576	29·552	29·412	29·429	29·377	29·343	29·4482
4..	29·273	29·312	29·200	29·187	29·286	29·280	29·2563
5..	29·290	29·265	29·016	29·091	29·178	29·138	29·1630
6..	29·192	29·185	28·964	28·923	28·997	29·020	29·0468
7..	28·974	28·874	28·718	28·704	28·797	28·975	28·8403
8..	28·778	28·733	28·565	28·597	28·562	28·530	28·6275
9..	28·613	28·672	28·733	28·777	28·891	28·936	28·7703
10..	29·126	29·221	29·208	29·205	29·192	29·184	29·1893
11..	29·236	29·222	29·166	29·158	29·079	29·066	29·1545
12..	29·047	29·024	28·922	28·918	28·969	29·000	28·9815
13..	29·021	29·082	29·114	29·119	29·265	29·261	29·1437
14..	29·257	25·316	29·246	29·215	29·334	29·371	29·2898
15..	29·420	29·392	29·369	29·374	29·463	29·487	29·4175
16..	29·467	29·395	29·323	29·285	29·262	29·257	29·3315
17..	29·222	29·197	29·169	29·066	29·161	29·198	29·1688
18..	29·253	29·281	29·239	29·227	29·194	29·211	29·2342
19..	29·197	29·161	29·079	29·028	29·026	29·022	29·0855
20..	29·025	29·002	28·896	28·895	28·898	28·871	29·9312
21..	28·790	28·735	28·695	28·779	28·906	28·941	28·8077
22..	29·115	29·105	29·234	29·312	29·388	29·404	29·2597
23..	29·401	29·410	29·409	29·446	29·385	29·383	29·4057
24..	29·340	29·318	29·247	29·237	29·276	29·329	29·2912
25..	29·301	29·321	29·252	29·175	29·116	29·084	29·2082
26..	29·160	29·338	29·468	29·435	29·432	29·434	29·3778
27..	29·349	29·260	29·043	29·012	28·902	28·958	29·0873
28..	28·734	28·659	28·732	28·794	28·987	29·015	28·8202
29..	28·987	28·992	29·347	29·399	29·518	29·518	29·2935
30..	29·577	29·601	29·401	29·320	29·384	29·411	29·4490
Means	29·1889	29·1866	29·1388	29·1259	29·1770	29·1911	29·1697

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of July, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·350	29·321	29·237	29·216	29·228	29·247	29·2665
2	29·244	29·269	29·073	29·082	29·162	29·162	29·1653
3	29·209	29·220	29·171	29·153	29·160	29·158	29·1785
4	29·085	29·066	28·943	28·856	28·866	28·860	28·9460
5	28·904	28·980	29·014	29·007	29·065	29·065	29·0058
6	29·043	28·995	28·860	28·799	29·136	29·122	28·9925
7	29·237	29·275	29·245	29·223	29·233	29·271	29·2473
8	29·333	29·324	29·322	29·334	29·414	29·386	29·3522
9	29·158	29·150	29·010	28·952	29·089	29·191	29·0917
10	29·189	29·180	29·197	29·054	29·171	29·182	29·1622
11	29·203	29·152	29·180	29·237	29·103	29·121	29·1660
12	29·144	29·047	29·035	29·105	28·959	28·955	29·0408
13	28·930	28·874	28·769	28·797	28·953	28·987	28·8850
14	29·127	29·173	29·102	29·135	29·938	29·835	29·0517
15	28·644	28·560	28·937	28·915	29·060	29·125	28·8735
16	29·220	29·272	29·249	29·264	29·315	29·344	29·2773
17	29·436	29·490	29·408	29·513	29·505	29·511	29·4772
18	29·581	29·485	29·452	29·429	29·415	29·329	29·4485
19	29·254	29·235	29·123	29·076	29·056	29·057	29·1335
20	28·946	28·818	28·754	28·723	28·832	28·902	28·8292
21	28·949	28·929	28·853	28·930	29·119	29·162	28·9903
22	29·083	29·021	28·745	28·699	29·141	29·137	28·9710
23	29·226	29·254	29·397	29·276	29·292	29·266	29·2852
24	29·201	29·192	29·039	28·982	29·034	29·046	29·0823
25	29·220	29·202	29·201	29·127	29·147	29·150	29·1745
26	29·179	29·076	29·061	29·027	28·865	28·831	29·0065
27	28·785	28·818	28·731	28·740	28·827	28·896	28·7995
28	29·022	29·009	28·898	28·870	28·941	28·963	28·9505
29	28·989	28·991	28·838	28·839	28·849	28·845	28·8918
30	28·762	28·663	28·835	28·907	29·041	29·149	28·8928
31	29·323	29·357	29·479	29·524	29·485	29·459	29·4378
Means	29·1283	29·1096	29·0696	29·0578	29·1097	29·1198	29·0991

Abstract of Pressure of Dry Air at Toronto, Ontario, for the Month of August, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1.	29·363	29·229	29·120	29·091	28·924	28·933	29·1100
2.	28·971	29·010	28·951	28·904	29·067	29·104	29·0012
3.	29·145	29·117	28·972	28·927	29·028	29·043	29·0387
4.	28·964	28·930	28·871	28·965	28·925	28·895	28·9250
5.	28·844	28·875	28·819	28·930	28·870	28·872	28·8683
6.	28·948	28·912	28·830	28·711	28·905	28·899	28·8675
7.	28·913	28·997	29·084	29·060	29·115	29·129	29·0497
8.	29·153	29·043	28·955	28·974	28·868	28·881	28·9790
9.	28·779	28·754	28·709	28·750	28·789	28·862	28·7738
10.	28·860	28·834	28·734	28·795	28·828	28·896	28·8245
11.	28·968	28·911	28·917	28·964	28·998	29·029	28·9645
12.	29·033	29·114	29·273	29·259	29·318	29·281	29·2130
13.	29·325	29·341	29·231	29·214	29·269	29·314	29·2823
14.	29·337	29·278	29·256	29·246	29·244	29·257	29·2697
15.	29·264	29·187	29·023	28·933	28·872	28·834	29·0188
16.	29·852	28·826	29·175	29·332	29·199	29·363	29·1245
17.	29·404	29·369	29·362	29·353	29·330	29·316	29·3557
18.	29·288	29·255	29·320	29·311	29·413	29·449	29·3393
19.	29·513	29·615	29·518	29·575	29·687	29·653	29·5935
20.	29·661	29·623	29·528	29·454	29·303	29·249	29·4702
21.	29·180	29·176	29·024	29·004	29·026	29·052	29·0770
22.	29·074	29·004	28·937	28·892	28·721	28·659	28·8812
23.	28·680	28·661	28·959	29·041	29·050	29·102	28·9155
24.	29·209	29·262	29·286	29·392	29·429	29·424	29·3337
25.	29·463	29·444	29·366	29·237	29·183	29·114	29·3012
26.	29·094	28·962	29·005	28·945	29·258	29·349	29·1022
27.	29·464	29·442	29·375	29·352	29·631	29·636	29·4833
28.	29·710	29·692	29·637	29·630	29·571	29·574	29·6323
29.	29·626	29·543	29·375	29·302	29·284	29·177	29·3845
30.	29·072	28·984	28·799	28·790	28·919	29·004	28·9280
31.	29·115	29·175	29·242	29·315	29·418	29·447	29·2853
Means	29·1702	29·1466	29·1178	29·1177	29·1433	29·1547	29·1417

Abstract of Pressure of Dry Air at Toronto, Ontario, for the Month of September, 1896

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·525	29·561	29·536	29·557	29·582	29·591	29·5587
2	29·535	29·435	29·260	29·147	29·036	29·000	29·2375
3	28·855	28·843	29·221	29·310	29·450	29·471	29·1917
4	29·555	29·569	29·508	29·486	29·417	29·369	29·4840
5	29·226	29·175	29·034	28·910	28·785	28·719	28·9748
6	28·841	28·852	28·883	28·880	29·075	29·088	28·9365
7	29·248	29·276	29·263	29·267	29·344	29·355	29·2922
8	29·461	29·375	29·423	29·375	29·340	29·341	29·3858
9	29·363	29·292	29·237	29·140	29·168	29·122	29·2202
10	29·065	29·017	28·796	28·864	28·875	28·895	28·9087
11	29·027	28·907	28·925	28·962	29·095	29·136	29·0087
12	29·237	29·236	29·227	29·215	29·437	29·461	29·3022
13	29·525	29·477	29·434	29·417	29·407	29·359	29·4365
14	29·283	29·269	29·087	29·022	29·076	29·039	29·1293
15	29·192	29·199	29·301	29·314	29·383	29·388	29·3012
16	29·378	29·352	29·169	29·114	28·963	28·914	29·1483
17	28·822	28·801	28·831	28·956	29·088	29·087	28·9308
18	29·193	29·133	29·146	29·074	29·061	29·008	29·1025
19	28·894	28·859	28·864	29·074	29·338	29·402	29·0718
20	29·781	29·581	29·457	29·416	29·367	29·366	29·4947
21	29·294	29·284	29·176	29·147	29·154	29·184	29·2065
22	29·143	29·260	29·472	29·525	29·702	29·728	29·4717
23	29·802	29·826	29·668	29·617	29·569	29·553	29·6725
24	29·534	29·545	29·493	29·512	29·492	29·475	29·5085
25	29·447	29·360	29·251	29·272	29·268	29·298	29·3160
26	29·334	29·286	29·174	29·188	29·395	29·364	29·2902
27	29·306	29·297	29·346	29·395	29·522	29·562	29·4047
28	29·592	29·634	29·568	29·548	29·506	29·462	29·5517
29	29·316	29·248	29·035	28·936	28·741	28·638	28·9857
30	28·610	28·773	28·787	28·826	28·916	28·953	28·8108
Means	29·2795	29·2574	29·2191	29·2145	29·2184	29·2776	29·2444

Abstract of Pressure of Dry Air at Toronto, Ontario, for the Month of October, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·138	29·250	29·361	29·383	29·522	29·532	29·3643
2	29·593	29·605	29·459	29·431	29·488	29·474	29·5083
3	29·510	29·498	29·496	29·487	29·555	29·554	29·5167
4	29·602	29·595	29·560	29·568	29·607	29·602	29·5890
5	29·587	29·541	29·494	29·465	29·522	29·510	29·5198
6	29·407	29·450	29·396	29·324	29·265	29·267	29·3665
7	29·296	29·374	29·456	29·534	29·547	29·562	29·4615
8	29·684	29·720	29·750	29·773	29·858	29·896	29·7802
9	29·976	30·016	29·935	29·921	29·924	29·882	29·9423
10	29·875	29·898	29·788	29·761	29·703	29·686	29·7852
11	29·725	29·716	29·697	29·669	29·689	29·667	29·6938
12	29·661	29·691	29·630	29·610	29·546	29·502	29·6067
13	29·451	29·459	29·375	29·351	29·337	29·306	29·3798
14	29·320	29·331	29·311	29·337	29·288	29·264	29·3085
15	29·254	29·261	29·031	28·964	28·982	28·997	29·0815
16	29·111	29·148	29·217	29·234	29·339	29·317	29·2277
17	29·368	29·387	29·302	29·300	29·339	29·326	29·3370
18	29·364	29·398	29·445	29·454	29·511	29·499	29·4452
19	29·534	29·551	29·495	29·520	29·367	29·210	29·4462
20	29·013	29·169	29·302	29·314	29·272	29·183	29·2088
21	29·140	29·215	29·393	29·407	29·472	29·476	29·3505
22	29·517	29·544	29·483	29·493	29·415	29·378	29·4717
23	29·306	29·294	29·161	29·116	29·039	28·993	29·1515
24	29·089	29·130	29·284	29·345	29·472	29·486	29·3010
25	29·550	29·575	29·551	29·531	29·471	29·474	29·5253
26	29·442	29·406	29·362	29·341	29·444	29·478	29·4122
27	29·583	29·597	29·509	29·495	29·545	29·557	29·5477
28	29·597	29·588	29·465	29·461	29·438	29·391	29·4900
29	29·335	29·333	29·222	29·207	29·212	29·172	29·2468
30	29·095	29·073	28·823	28·793	28·889	28·996	28·9448
31	29·132	29·097	29·115	29·139	29·199	29·230	29·1520
Means	29·4305	29·4487	29·4151	29·4106	29·4276	29·4151	29·4246

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of November, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·307	29·234	29·175	29·232	29·399	29·476	29·3038
2	29·593	29·627	29·617	29·628	29·609	29·597	29·6118
3	29·564	29·556	29·529	29·520	29·462	29·455	29·5143
4	29·347	29·306	29·133	29·092	29·005	28·963	29·1410
5	28·844	28·781	28·546	28·641	28·920	28·963	28·7825
6	29·035	29·096	29·254	29·317	29·406	29·414	29·2537
7	29·399	29·322	29·120	29·127	29·318	29·349	29·2725
8	29·334	29·308	29·300	29·304	29·317	29·338	29·3168
9	29·425	29·448	29·482	29·528	29·591	29·631	29·5175
10	29·692	29·719	29·657	29·620	29·396	29·283	29·5612
11	28·995	28·984	29·273	29·340	29·426	29·451	29·2448
12	29·482	29·521	29·553	29·557	29·577	29·548	29·5397
13	29·429	29·415	29·435	29·476	29·596	29·627	29·4963
14	29·738	29·793	29·647	29·594	29·391	29·357	29·5867
15	29·298	29·363	29·313	29·323	29·369	29·369	29·3392
16	29·336	29·304	29·219	29·202	29·244	29·208	29·2522
17	29·237	29·292	29·496	29·506	29·555	29·578	29·4440
18	29·462	29·406	29·014	28·972	29·214	29·383	29·2418
19	29·704	29·810	29·929	29·979	30·044	30·045	29·9185
20	30·055	30·077	30·009	30·003	29·939	29·880	29·9938
21	29·674	29·614	29·401	29·394	29·565	29·640	29·5480
22	29·853	29·910	30·036	30·099	30·128	30·134	30·0267
23	29·931	29·904	29·677	29·598	29·447	29·414	29·6618
24	29·523	29·659	29·891	29·982	29·988	29·982	29·8375
25	29·845	29·834	29·791	29·734	29·598	29·586	29·7313
26	29·475	29·470	29·248	29·227	29·070	29·034	29·2540
27	29·941	29·018	29·060	29·093	29·226	29·390	29·1213
28	29·640	29·709	29·763	29·796	29·889	29·895	29·7820
29	29·953	29·974	29·920	29·969	29·988	29·973	29·9628
30	29·946	29·965	29·887	29·903	29·876	29·894	29·9118
Means	29·5017	29·5140	29·4792	29·4919	29·5184	29·5286	29·5056

ABSTRACT of Pressure of Dry Air at Toronto, Ontario, for the Month of December, 1896.

Day	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	in.	in.	in.	in.	in.	in.	in.
1	29·923	29·933	29·936	29·953	30·020	30·024	29·9648
2	30·028	30·040	29·962	29·931	29·900	29·895	29·9593
3	29·834	29·860	29·806	29·802	29·823	29·819	29·8240
4	29·626	29·596	29·336	29·293	29·330	29·350	29·4218
5	29·450	29·488	29·347	29·304	29·241	29·197	29·3378
6	29·266	29·277	29·432	29·483	29·525	29·528	29·4085
7	29·548	29·594	29·638	29·653	29·679	29·705	29·6362
8	29·633	29·618	29·485	29·410	29·212	29·179	29·4228
9	29·154	29·131	28·996	28·951	28·997	29·058	29·0478
10	29·212	29·212	29·092	29·051	29·190	29·269	29·1710
11	29·442	29·494	29·445	29·443	29·369	29·327	29·4200
12	29·270	29·278	29·148	29·120	29·047	28·988	29·1418
13	28·911	28·927	29·060	29·152	29·378	29·425	29·1422
14	29·592	29·672	29·717	29·720	29·746	29·747	29·6990
15	29·729	29·728	29·628	29·666	29·677	29·681	29·6848
16	29·673	29·734	29·737	29·756	29·806	29·794	29·7500
17	29·834	29·829	29·712	29·705	29·533	29·462	29·6792
18	29·201	29·246	29·128	29·173	29·485	29·568	29·3152
19	29·720	29·755	29·729	29·715	29·640	29·630	29·6967
20	29·541	29·533	29·428	29·447	29·438	29·450	29·4733
21	29·492	29·502	29·426	29·459	29·494	29·518	29·4803
22	29·470	29·457	29·208	29·268	29·389	29·423	29·3842
23	29·639	29·724	29·850	29·900	30·017	30·022	29·8587
24	30·078	30·107	30·080	30·058	30·032	30·055	30·0683
25	30·016	30·001	29·876	29·850	29·645	29·617	29·8342
26	29·603	29·634	29·745	29·860	30·116	30·165	29·8538
27	30·280	30·318	30·310	30·331	30·318	30·284	30·3069
28	30·244	30·229	29·999	29·952	29·823	29·804	30·0085
29	29·738	29·771	29·733	29·745	29·775	29·759	29·7535
30	29·707	29·699	29·534	29·566	29·642	29·693	29·6402
31	29·836	29·875	29·911	29·976	29·985	29·993	29·9343
Means	29·6362	29·6536	29·5982	29·6027	29·6217	29·6267	29·6232

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of January, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
1	19·9	20·5	21·9	21·9	21·5	25·5	21·87
2	29·5	31·3	31·9	31·9	31·9	32·4	31·48
3	22·3	21·5	21·1	19·5	15·0	13·8	18·87
4	7·4	7·8	7·8	8·2	5·4	6·0	7·10
5	0·0	—3·9	—1·9	1·9	—9·0	10·0	—4·45
6	5·5	—4·3	8·6	8·6	12·2	13·4	5·50
7	7·8	7·8	9·2	9·0	3·5	1·0	6·38
8	0·7	2·2	12·8	15·0	20·3	23·1	12·35
9	20·7	20·5	19·3	18·7	17·0	17·0	18·87
10	14·2	13·2	17·0	16·6	16·6	17·5	15·85
11	19·9	20·7	25·5	25·9	27·1	27·1	24·37
12	29·8	31·9	26·3	21·2	16·1	15·3	23·43
13	16·0	15·8	19·3	18·7	17·5	18·3	17·60
14	19·1	18·9	19·1	19·5	15·4	15·4	17·90
15	9·4	9·4	20·1	19·1	12·0	12·2	13·70
16	21·5	22·1	27·1	27·5	27·9	27·5	25·60
17	23·5	21·7	24·7	26·3	23·5	24·7	24·07
18	26·7	26·3	31·1	31·1	30·7	28·3	29·03
19	25·8	25·5	25·9	25·6	25·0	24·2	25·33
20	24·7	25·5	31·1	32·1	31·5	31·1	29·33
21	29·9	29·9	28·7	25·1	14·6	10·2	23·07
22	10·6	12·0	22·7	22·3	24·1	25·5	19·53
23	27·5	26·7	31·9	31·9	32·8	31·9	30·45
24	30·7	30·3	30·9	31·3	29·5	28·9	30·27
25	28·3	28·3	32·1	33·2	31·3	30·1	30·55
26	29·3	29·9	30·1	27·3	16·5	15·1	24·70
27	14·2	14·2	23·9	24·7	24·5	23·9	20·90
28	23·5	23·5	27·1	27·3	23·5	25·3	25·03
29	27·1	27·1	28·9	29·7	28·7	28·9	28·43
30	29·1	29·1	31·9	29·1	28·7	26·7	29·10
31	26·7	26·3	25·3	25·8	25·9	26·7	26·12
Means	19·69	19·73	22·95	22·65	20·69	20·55	21·04

Abstract of Wet Bulb Thermometer at Toronto, Ontario, for the Month of February, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
	°	°	°	°	°	°	°
1	30·3	31·5	37·6	36·8	34·4	32·8	33·90
2	29·8	28·3	26·3	25·6	19·0	18·3	24·55
3	17·7	15·8	19·9	22·1	23·9	25·1	20·75
4	26·2	26·5	28·7	30·7	31·9	33·0	29·52
5	28·7	30·7	33·7	32·4	27·5	28·7	30·27
6	33·6	32·8	33·8	34·4	33·2	33·0	33·47
7	32·5	31·9	31·5	30·7	29·9	29·9	31·07
8	23·5	21·1	27·1	26·7	23·9	23·9	24·34
9	22·8	22·3	21·7	21·7	20·0	20·5	21·50
10	24·3	25·1	29·1	27·5	31·9	31·9	28·30
11	20·3	19·1	20·3	17·0	13·8	14·6	17·52
12	14·2	15·8	23·9	21·1	18·7	19·9	18·93
13	20·3	20·7	19·9	19·5	19·1	19·1	19·77
14	22·3	21·1	21·3	20·7	21·1	23·3	21·63
15	29·5	32·1	33·6	22·3	13·0	9·8	23·38
16	— 2·0	4·2	— 3·1	— 3·1	—11·4	—13·4	— 6·20
17	—15·2	—13·3	— 1·1	— 0·7	1·7	0·4	— 5·27
18	6·3	6·3	17·5	19·1	20·7	19·5	11·70
19	20·3	21·5	22·7	22·1	13·8	11·0	18·57
20	2·2	2·2	6·2	5·8	5·6	5·6	4·60
21	5·9	— 3·1	13·8	13·8	11·0	12·6	7·03
22	11·0	10·6	25·9	27·5	25·9	27·5	21·40
23	32·0	33·6	36·0	36·9	34·4	33·9	34·47
24	33·6	29·1	21·5	19·1	14·6	12·6	21·75
25	1·4	1·4	11·4	14·2	20·5	22·7	11·93
26	28·7	31·5	27·3	25·7	25·1	25·9	27·37
27	27·9	28·3	32·8	33·6	31·5	30·7	30·80
28	33·4	36·8	40·1	40·1	34·0	30·3	35·78
29	20·3	18·3	26·3	28·7	30·3	28·7	25·43
Means	19·22	19·56	23·64	23·17	21·23	21·10	21·32

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of March, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	22·7	20·5	21·5	19·7	16·4	16·3	19·52
2	14·2	13·0	16·6	13·4	14·6	11·8	13·93
3	9·8	8·6	11·4	12·4	11·6	11·4	10·87
4	6·0	6·6	10·6	11·0	10·6	10·6	9·23
5	6·6	7·8	18·7	21·5	14·2	13·8	13·77
6	24·7	25·5	29·9	29·9	31·5	31·5	28·83
7	32·4	32·4	29·9	29·9	27·9	25·9	29·73
8	21·9	23·1	23·5	24·3	24·3	23·1	23·37
9	16·2	17·5	22·7	23·9	16·7	15·8	18·80
10	14·2	15·4	21·5	21·1	16·0	12·8	16·83
11	12·2	12·6	15·8	15·8	12·2	12·6	13·53
12	5·6	5·0	11·8	12·6	7·8	7·8	8·43
13	5·4	7·0	17·9	17·5	11·8	10·6	11·70
14	8·2	10·2	18·7	19·9	12·6	13·4	13·83
15	10·5	14·6	22·3	21·9	16·8	14·8	16·82
16	19·9	21·5	23·9	24·3	19·5	17·1	21·03
17	17·9	19·1	29·9	31·9	27·9	27·9	25·77
18	26·3	28·1	32·1	31·3	31·5	31·1	30·07
19	31·7	31·1	30·9	31·3	27·7	22·7	29·23
20	11·8	9·8	15·0	17·4	15·0	15·0	14·00
21	14·8	24·3	31·9	32·8	33·8	35·2	28·80
22	27·0	21·5	18·7	17·7	10·0	8·3	17·20
23	8·2	11·8	17·4	18·3	13·8	14·6	14·02
24	10·2	15·0	22·1	24·5	23·1	24·7	19·93
25	27·5	29·1	37·0	36·4	38·5	38·1	34·43
26	37·6	35·2	19·1	19·5	18·7	17·9	24·67
27	10·0	12·2	23·9	26·3	23·5	22·3	19·70
28	18·7	25·5	31·9	31·1	31·5	32·4	28·52
29	36·0	38·5	47·4	46·6	38·0	36·0	40·42
30	32·6	37·8	42·3	42·3	37·6	35·6	38·03
31	35·2	36·8	42·3	42·5	32·8	32·4	37·00
Means	18·58	19·91	24·47	24·81	21·55	20·76	21·68

Abstract of Wet Bulb Thermometer at Toronto, Ontario, for the Month of April, 1896

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	°			′	″		°
1..	28·7	28·7	31·5	31·9	34·4	35·6	31·80
2..	31·9	29·9	25·7	23·1	20·3	20·3	25·20
3..	20·0	18·3	19·1	20·7	19·5	19·9	19·58
4..	17·9	19·1	25·9	26·3	24·7	23·9	22·97
5..	23·3	27·1	34·4	36·4	33·2	31·9	31·05
6..	29·5	31·5	30·3	31·9	26·3	26·7	29·37
7..	25·9	29·7	31·9	31·9	31·1	29·9	30·07
8..	28·5	31·3	38·0	37·2	31·5	29·9	32·73
9..	29·5	33·2	36·8	35·4	35·6	35·6	34·35
10..	36·4	36·8	42·1	38·0	37·2	38·0	38·08
11..	37·2	37·4	42·5	42·5	40·5	40·5	40·10
12..	39·6	41·7	45·5	47·0	41·2	40·0	42·50
13..	39·7	45·4	56·0	56·0	48·2	49·4	49·12
14..	47·2	51·1	57·4	56·0	52·3	51·5	52·58
15..	45·0	48·6	58·4	60·9	50·3	49·5	52·12
16..	46·6	53·1	65·7	66·2	64·5	60·0	59·35
17..	58·6	60·5	68·6	62·9	59·2	58·0	61·30
18..	57·6	61·1	60·9	59·8	54·3	55·1	58·13
19..	47·2	52·9	59·2	56·0	49·7	48·8	52·30
20..	44·6	51·1	53·9	52·9	51·9	49·9	50·72
21..	46·6	49·9	51·9	51·9	42·9	38·9	47·02
22..	38·0	38·0	44·0	45·4	39·7	38·0	40·52
23..	34·4	39·3	45·8	47·4	42·9	42·9	42·12
24..	39·3	39·5	41·7	41·7	43·4	42·5	41·35
25..	42·1	47·0	53·5	54·1	45·0	42·9	47·43
26..	43·0	47·4	50·3	50·0	44·0	43·0	46·28
27..	43·6	45·8	54·7	53·9	50·3	50·5	49·80
28..	49·0	50·3	54·7	55·2	51·9	52·3	52·23
29..	50·7	48·0	48·4	46·2	40·5	40·5	45·72
30..	40·2	41·3	48·6	48·6	42·7	42·5	43·98
Means	38·73	41·17	45·91	45·58	41·64	40·95	42·33

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of May, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	47·8	49·0	56·8	58·0	51·9	50·3	52·30
2	47·0	51·5	56·8	56·0	53·7	51·9	52·82
3	49·3	54·3	58·0	58·8	52·8	50·0	53·87
4	48·6	51·1	55·4	61·7	51·1	48·6	52·75
5	45·4	50·3	53·9	55·1	49·9	49·3	50·65
6	48·6	52·7	52·7	52·3	46·6	46·6	49·92
7	45·0	49·9	53·1	53·9	48·6	47·4	49·65
8	47·0	53·5	65·7	68·0	61·1	58·8	59·02
9	60·0	65·7	68·2	67·0	62·1	62·1	64·18
10	62·1	65·7	69·8	69·4	64·7	63·5	65·87
11	60·8	63·7	65·9	66·4	61·7	60·4	63·15
12	53·9	52·7	53·9	53·5	48·6	49·1	51·95
13	46·2	45·8	49·9	51·5	43·7	45·0	47·02
14	47·0	48·6	57·6	57·2	50·3	52·5	52·20
15	56·0	53·1	56·0	56·4	51·5	51·1	54·02
16	51·9	57·2	60·3	60·0	57·2	56·0	57·10
17	53·2	56·0	60·5	60·0	55·1	56·0	56·80
18	55·6	57·6	61·1	60·5	58·0	55·6	58·07
19	49·4	49·9	55·2	53·9	42·9	40·5	48·63
20	42·1	47·0	54·7	52·1	45·8	45·6	47·88
21	47·0	52·3	58·0	55·4	53·9	51·9	53·08
22	55·0	60·0	59·6	60·0	52·7	52·7	56·67
23	47·0	48·2	48·6	49·5	42·7	44·2	46·70
24	45·0	47·8	53·9	52·9	47·0	47·1	48·95
25	49·9	51·1	58·0	61·3	62·1	60·4	57·13
26	63·3	57·8	60·6	60·4	54·3	53·5	58·32
27	48·2	50·9	54·8	60·0	53·5	53·1	53·42
28	49·9	49·9	61·7	56·4	50·7	45·8	52·40
29	45·0	46·2	49·0	49·5	46·2	45·0	46·82
30	43·4	46·6	51·9	52·3	49·0	48·2	48·57
31	45·0	47·8	51·9	51·8	47·9	45·3	48·28
Means	50·18	52·71	57·21	57·46	52·17	51·21	53·49

Abstract of Wet Bulb Thermometer at Toronto, Ontario, for the Month of June, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	9 p.m.	Means.
1	46·6	49·5	52·3	54·3	15·8	44·6	48·85
2	46·6	50·5	54·3	54·3	46·6	45·0	49·55
3	47·8	51·9	58·0	55·2	50·7	50·7	52·38
4	53·1	54·3	62·1	62·9	52·9	53·9	56·53
5	56·1	59·6	70·6	65·7	60·0	60·5	62·13
6	57·2	61·7	69·0	69·8	64·1	62·9	64·12
7	65·0	70·2	74·3	72·7	64·7	66·1	68·83
8	62·9	64·7	68·2	64·7	65·7	65·7	65·32
9	64·1	62·9	62·1	61·3	58·0	57·2	60·93
10	50·3	49·9	52·7	53·5	49·9	49·2	50·92
11	49·0	52·3	56·4	56·0	53·6	52·1	53·23
12	53·1	56·4	60·4	60·0	53·1	52·3	55·88
13	53·5	55·2	59·0	58·8	51·1	50·3	54·65
14	54·0	55·4	60·0	61·3	54·6	53·3	56·43
15	54·3	58·0	61·3	60·0	53·9	52·7	56·70
16	53·1	56·8	60·8	60·4	57·2	56·8	57·52
17	58·0	60·5	62·9	65·5	57·2	56·4	60·08
18	55·6	60·8	63·7	63·7	58·0	56·4	59·70
19	56·8	62·9	67·0	67·0	64·5	64·9	63·85
20	64·9	68·2	72·3	71·0	67·0	66·6	68·33
21	67·9	70·6	72·7	71·0	65·0	63·0	68·37
22	56·4	59·4	59·2	56·0	50·7	49·9	55·27
23	50·1	54·3	58·4	56·0	53·1	52·1	54·00
24	53·5	57·6	62·1	61·3	58·0	55·6	58·02
25	56·2	58·0	62·5	64·1	60·4	60·4	60·27
26	62·5	60·0	58·8	60·0	53·7	52·7	57·95
27	54·8	61·7	67·8	66·2	62·9	60·0	62·23
28	62·8	65·5	64·5	62·3	55·0	53·6	60·62
29	56·4	58·0	53·1	51·9	46·2	45·8	51·90
30	45·4	50·3	60·0	62·1	57·2	53·5	54·75
Means	55·61	58·57	62·22	61·63	56·36	55·47	58·31

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of July, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	58·2	62·1	68·2	67·6	62·5	60·0	63·10
2	60·0	63·7	71·4	70·2	64·9	64·9	65·85
3	62·9	64·1	64·1	64·1	61·7	60·0	62·82
4	59·2	59·8	61·7	64·9	62·3	62·5	61·73
5	63·8	62·5	64·1	64·9	59·5	58·5	62·22
6	58·4	62·1	66·6	69·0	57·6	57·2	61·82
7	54·9	54·3	58·8	58·8	57·2	54·3	55·88
8	56·4	60·5	63·3	62·5	56·4	56·0	59·18
9	60·2	60·0	66·2	68·2	62·9	60·0	62·92
10	60·0	62·9	63·7	68·2	64·1	62·7	63·60
11	61·3	66·6	68·6	68·2	66·8	65·3	66·13
12	64·2	68·0	69·0	68·6	68·6	67·9	67·72
13	65·7	68·3	72·8	72·3	66·2	64·9	68·37
14	61·3	62·5	64·1	62·1	61·7	62·1	62·30
15	65·3	71·4	63·7	63·3	56·0	53·9	62·27
16	49·9	52·3	57·0	57·2	53·5	52·7	53·77
17	51·9	55·2	60·9	58·4	53·3	51·9	55·27
18	52·7	60·0	63·7	62·5	58·8	61·3	59·83
19	63·1	64·7	68·8	68·9	67·0	65·9	66·40
20	65·3	67·2	69·8	71·6	68·2	66·2	68·05
21	66·2	69·4	73·9	72·3	63·7	60·8	67·72
22	61·7	65·7	72·1	73·9	57·0	56·0	64·40
23	55·6	56·4	57·2	59·6	54·3	54·8	56·32
24	53·9	54·8	58·8	59·6	56·8	56·8	56·78
25	54·3	59·6	64·1	65·3	61·7	59·8	60·80
26	60·0	65·3	66·6	66·9	66·0	66·0	65·13
27	67·0	65·7	72·3	70·6	67·8	67·0	68·40
28	63·9	66·6	72·1	73·1	67·8	67·0	68·42
29	66·6	69·0	71·0	69·0	67·0	66·2	68·13
30	67·8	72·3	71·2	68·6	64·5	61·7	67·68
31	59·0	68·0	75·8	75·5	63·5	58·2	66·67
Means	60·25	63·26	66·50	66·64	61·91	60·73	63·21

Abstract of Wet Bulb Thermometer at Toronto, Ontario, for the Month of August, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
1.	54·1	62·1	62·9	61·9	60·9	60·0	60·32
2.	61·0	62·1	66·2	67·4	61·9	59·0	62·93
3.	57·6	62·5	69·8	70·6	62·9	62·5	64·32
4.	65·7	69·2	73·5	70·6	69·8	69·8	69·77
5.	69·0	70·2	73·9	71·0	69·8	69·0	70·48
6.	67·8	67·8	74·3	77·1	70·6	69·4	71·17
7.	69·6	70·2	70·0	70·2	64·1	61·7	67·63
8.	60·4	67·0	70·2	70·2	69·0	68·2	67·50
9.	71·0	74·3	77·1	75·7	71·2	70·0	73·22
10.	70·0	70·0	75·5	75·1	73·1	69·8	72·25
11.	66·2	71·0	73·9	72·3	67·8	67·4	69·77
12.	67·4	66·6	66·1	65·7	60·0	60·4	64·37
13.	58·8	61·1	65·7	65·3	62·1	60·5	62·25
14.	56·2	62·5	65·3	65·3	59·6	59·2	61·35
15.	57·8	64·5	71·8	73·1	70·6	70·2	68·00
16.	68·0	70·2	63·5	58·8	55·3	52·3	61·35
17.	49·9	55·6	56·4	58·0	52·3	50·3	53·75
18.	51·9	55·2	55·2	55·1	50·3	49·9	52·93
19.	48·6	51·5	57·8	55·6	45·0	44·6	50·52
20.	42·9	51·1	55·2	56·4	56·4	57·2	53·20
21.	56·2	58·6	61·7	62·1	59·0	56·4	59·00
22.	55·2	61·7	65·7	65·3	67·0	67·4	63·72
23.	66·4	70·2	66·2	65·0	62·0	60·0	64·97
24.	55·8	58·2	60·8	57·2	49·1	47·4	54·75
25.	45·0	52·5	57·8	60·9	58·0	58·0	55·37
26.	56·4	64·9	64·5	64·5	51·1	48·0	58·23
27.	45·8	52·3	57·2	59·2	49·0	47·8	51·88
28.	46·6	53·1	56·8	56·0	53·9	52·3	53·12
29.	46·6	54·3	60·0	61·3	56·0	57·2	55·90
30.	56·3	61·3	64·5	64·2	58·8	54·8	59·98
31.	49·5	50·3	53·9	51·1	44·6	43·4	48·80
Means.	57·86	62·00	64·95	64·59	60·04	58·84	61·38

Abstract of Wet Bulb Thermometer at Toronto, Ontario, for the Month of September, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1.	45·0	47·8	54·3	54·3	49·0	47·0	49·57
2.	45·8	53·9	56·0	57·6	55·6	55·8	54·12
3.	60·9	63·3	56·4	54·3	47·8	48·2	55·15
4.	46·6	49·0	52·3	51·9	48·6	49·0	49·57
5.	51·5	53·1	54·5	57·4	56·8	57·8	55·18
6.	54·3	55·6	57·6	57·7	53·3	54·0	55·42
7.	50·3	53·1	59·2	59·2	54·8	51·5	54·68
8.	49·5	56·5	59·2	59·6	56·0	55·1	55·98
9.	51·9	57·6	60·0	62·9	57·6	58·0	58·00
10.	56·8	61·0	71·0	69·4	64·1	62·5	64·13
11.	58·4	65·5	70·6	70·2	64·5	63·3	65·42
12.	62·1	64·1	67·0	67·8	60·9	60·5	63·73
13.	58·0	59·6	61·7	62·1	58·7	58·0	59·68
14.	60·8	61·7	66·6	67·8	64·5	64·1	64·25
15.	58·6	60·0	58·0	55·4	49·5	48·6	55·02
16.	46·2	49·0	56·4	56·8	57·2	57·2	53·80
17.	57·2	58·4	61·1	57·2	51·5	52·3	56·28
18.	47·2	54·8	58·0	59·6	57·2	56·0	55·47
19.	55·6	56·0	56·0	48·6	43·7	42·1	50·33
20.	37·1	42·5	51·5	52·0	47·2	45·1	45·90
21.	45·8	48·2	54·3	54·7	49·9	49·1	50·33
22.	49·9	44·8	41·7	41·3	35·2	33·2	41·02
23.	28·7	34·0	44·4	46·0	42·1	41·3	39·45
24.	43·4	45·4	54·8	54·3	47·4	44·2	48·25
25.	45·0	51·1	55·6	55·6	54·8	53·1	52·53
26.	52·1	57·2	61·9	62·1	53·3	52·1	56·45
27.	50·1	51·1	54·8	53·3	47·9	46·0	50·53
28.	45·8	46·0	51·1	50·7	46·2	47·0	47·80
29.	50·3	53·1	57·6	58·4	56·8	56·8	55·50
30.	56·2	50·9	52·7	51·1	51·1	50·7	52·12
Means	50·70	53·48	57·21	56·98	52·77	51·99	50·52

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of October, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
1	51·5	49·4	49·9	49·9	43·8	42·1	41·77
2	37·2	39·3	47·0	47·4	40·7	40·1	41·95
3	42·9	45·8	48·6	48·6	43·4	42·9	45·37
4	44·1	46·6	50·3	49·4	42·0	42·6	45·83
5	42·1	47·0	50·1	50·3	42·7	42·1	45·72
6	42·9	46·6	47·8	48·2	47·4	45·0	46·32
7	43·8	42·5	41·3	38·0	38·0	38·4	40·33
8	34·8	35·6	37·2	36·8	35·2	33·4	35·50
9	29·2	31·5	38·5	38·0	35·0	38·5	35·10
10	40·1	40·9	45·4	45·0	44·2	44·2	43·30
11	39·7	44·2	46·2	46·0	43·3	41·1	43·42
12	39·7	40·5	43·4	43·4	43·4	43·4	42·30
13	42·5	42·9	46·6	47·0	42·1	42·5	42·93
14	40·9	42·9	48·0	46·2	43·3	44·0	44·22
15	38·0	40·3	53·5	54·0	49·9	48·2	47·32
16	41·3	40·1	39·7	38·7	35·6	34·4	38·30
17	32·1	32·1	37·2	36·4	33·2	33·6	34·10
18	32·9	33·6	36·2	34·4	30·5	31·1	31·45
19	28·7	31·5	38·0	36·8	38·5	39·7	35·53
20	42·9	39·7	39·9	39·4	38·3	38·3	39·75
21	39·3	38·5	36·0	35·2	33·6	33·6	36·03
22	31·9	33·6	38·0	37·0	33·2	31·1	34·13
23	31·1	34·0	40·9	39·7	38·9	37·6	37·03
24	34·4	34·6	33·2	32·4	30·5	31·9	32·83
25	32·1	33·6	38·7	38·5	37·0	35·3	35·87
26	31·9	38·6	48·2	49·0	49·9	38·3	40·98
27	34·8	38·5	48·6	49·0	44·6	44·0	43·25
28	41·7	42·9	47·4	47·4	46·6	48·2	45·70
29	52·7	53·9	59·6	58·8	53·5	53·5	55·33
30	51·5	52·5	59·2	58·8	52·7	51·7	54·40
31	45·8	47·8	47·4	46·6	44·0	40·1	45·28
Means	29·17	40·66	44·58	44·07	40·52	40·35	41·56

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of November, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	33·6	42·1	50·1	48·2	39·9	37·0	41·82
2	34·4	36·4	42·5	41·7	41·3	42·5	39·80
3	42·5	43·8	46·6	45·8	45·8	45·0	44·92
4	44·6	46·6	51·5	51·9	53·5	53·5	50·27
5	52·3	53·2	56·0	51·9	40·9	39·3	48·93
6	38·0	38·0	40·9	39·7	38·0	38·0	38·77
7	32·3	36·4	42·9	44·2	36·0	33·6	37·57
8	30·0	33·0	35·6	34·4	31·8	29·6	32·40
9	29·1	29·1	34·4	32·8	31·1	31·1	31·27
10	30·7	31·5	34·4	35·4	38·5	38·5	34·83
11	44·6	45·6	39·7	39·7	38·9	37·6	41·02
12	36·4	36·8	36·4	35·2	31·5	30·7	34·50
13	32·3	32·3	33·2	32·3	28·7	29·5	31·38
14	26·3	25·3	31·5	31·5	35·6	36·4	31·10
15	39·0	38·9	45·4	44·3	40·9	40·0	41·42
16	44·6	46·2	52·3	53·1	49·4	53·1	49·78
17	52·7	53·9	47·0	47·0	41·3	38·5	46·73
18	38·5	40·5	52·7	53·9	47·4	40·5	45·58
19	31·1	27·5	25·1	24·3	22·5	22·1	25·43
20	23·1	23·1	29·1	27·9	27·5	28·9	26·60
21	31·9	32·3	33·2	33·2	31·7	29·9	32·03
22	26·4	27·1	27·9	25·3	19·5	20·0	24·37
23	31·1	31·5	38·9	40·5	45·4	46·8	39·03
24	46·6	42·9	38·3	34·0	32·4	32·4	37·77
25	36·4	35·2	33·6	34·8	37·6	37·2	35·80
26	40·5	40·0	50·7	49·5	50·9	51·9	47·25
27	54·8	52·7	52·7	53·5	46·6	39·7	50·00
28	31·1	29·1	27·1	26·5	23·1	23·5	26·73
29	22·0	22·7	26·7	23·0	20·4	20·0	22·47
30	20·7	19·5	22·3	20·7	18·3	16·6	19·68
Means	35·92	36·44	39·29	38·54	36·21	35·45	36·97

ABSTRACT of Wet Bulb Thermometer at Toronto, Ontario, for the Month of December, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	15·8	16·8	18·3	17·9	15·8	16·4	16·83
2	15·0	15·4	20·1	19·1	14·2	14·0	16·30
3	20·3	18·3	24·7	24·7	20·3	20·3	21·43
4	27·9	27·3	30·9	32·3	31·9	31·1	30·23
5	30·7	30·3	34·4	36·0	38·5	38·0	34·65
6	39·0	38·9	38·0	36·3	33·9	33·7	36·63
7	31·9	31·9	34·6	34·2	33·2	32·1	32·98
8	34·4	35·4	36·6	35·6	35·0	34·4	35·23
9	34·0	34·8	34·8	34·8	36·8	36·8	35·33
10	34·4	33·8	38·0	38·9	34·8	34·8	35·78
11	34·4	33·6	38·0	37·2	36·0	36·6	35·97
12	36·0	36·0	42·5	42·1	34·4	34·4	37·57
13	38·0	37·2	38·0	37·0	32·7	30·8	35·62
14	26·7	24·7	25·9	25·9	22·3	20·7	24·37
15	18·3	17·0	21·5	23·1	21·5	19·5	20·15
16	20·3	18·9	25·1	25·1	22·3	21·5	22·20
17	16·2	19·0	30·3	29·1	31·1	31·5	26·20
18	32·8	34·4	35·2	34·4	22·7	21·1	30·10
19	18·3	18·3	23·5	23·5	23·5	23·9	21·83
20	23·0	21·5	28·3	26·8	24·9	24·0	24·75
21	19·1	18·7	21·1	19·9	17·9	15·0	18·62
22	15·8	17·3	23·9	24·3	14·2	13·4	18·15
23	6·2	5·4	8·2	6·2	2·8	3·4	5·37
24	3·8	3·8	12·2	12·6	14·0	12·6	9·83
25	19·0	18·7	23·1	23·0	26·3	26·8	22·82
26	26·7	27·5	29·9	25·5	13·0	11·2	22·30
27	5·0	7·0	20·7	20·3	14·0	13·0	13·33
28	11·4	13·0	28·3	30·6	31·3	32·3	24·48
29	33·6	34·2	36·2	36·0	35·2	35·0	35·03
30	35·0	35·4	39·1	39·7	36·8	34·8	36·80
31	29·9	31·5	28·7	27·5	28·7	27·5	28·97
Means	24·29	24·39	28·71	28·37	25·81	25·18	26·13

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of January, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	17·5	16·3	18·6	17·0	18·0	21·6	18·17
2	24·2	27·2	23·0	23·8	28·4	30·0	26·10
3	18·6	17·5	13·5	13·0	8·3	8·0	13·15
4	5·0	7·0	3·5	—0·5	2·7	3·5	2·37
5	6·5	—11·5	7·0	—7·0	—19·0	20·0	—11·83
6	8·5	-7·0	7·0	7·0	5·5	11·5	2·58
7	7·0	7·8	8·0	8·3	2·0	0·0	5·52
8	1·5	0·5	10·7	15·0	18·2	21·6	10·58
9	19·6	19·6	17·3	16·3	14·3	14·3	16·90
10	11·5	11·3	14·2	15·3	14·7	16·0	13·83
11	18·8	19·2	23·3	23·7	24·3	24·3	22·27
12	28·3	30·0	18·6	13·7	10·0	9·7	18·38
13	13·0	12·0	14·3	14·7	16·3	15·7	14·33
14	15·7	16·2	4·3	12·7	12·3	12·3	12·25
15	7·0	7·0	15·0	14·3	8·3	9·3	10·15
16	18·8	19·6	23·0	20·4	25·0	24·7	21·92
17	20·6	18·6	19·6	24·2	20·2	21·8	20·83
18	25·—	25·0	30·0	30·0	30·3	28·3	28·18
19	23·8	24·5	23·7	22·8	23·0	22·2	23·33
20	23·8	24·5	29·4	30·4	28·3	27·8	27·37
21	26·5	26·3	22·4	21·0	11·3	7·0	19·08
22	4·7	6·0	22·0	21·2	23·3	24·5	16·95
23	26·2	24·8	29·6	29·6	32·4	31·7	29·05
24	30·0	30·0	30·7	31·0	29·0	28·3	29·83
25	27·0	27·0	28·3	31·9	29·6	27·2	28·50
26	26·8	28·1	26·7	24·3	12·0	12·0	21·65
27	11·5	11·5	19·0	18·0	21·0	21·6	17·10
28	22·4	21·2	25·3	26·0	21·4	24·2	23·42
29	25·8	25·3	26·2	26·8	27·8	27·8	26·62
30	28·9	28·9	31·0	26·2	26·2	24·0	27·53
31	24·0	25·0	25·3	25·8	25·7	26·0	35·30
Means	17·29	17·37	19·02	19·32	17·77	17·90	18·11

Abstract of Dew Point at Toronto, Ontario, for the Month of February, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1..	28·3	30·7	35·4	34·6	30·3	26·7	31·00
2..	27·3	25·2	20·6	19·2	14·0	13·7	20·00
3..	16·5	15·3	19·8	22·0	23·7	25·0	20·38
4..	25·0	25·5	27·7	30·1	31·3	32·3	28·65
5..	27·7	28·3	30·0	27·5	25·7	27·8	27·83
6..	33·0	32·7	33·1	33·1	30·3	30·7	32·15
7..	29·6	28·4	27·3	24·5	26·1	27·0	27·15
8..	22·0	18·8	19·0	21·4	20·8	19·4	20·23
9..	20·4	22·3	21·0	20·6	17·5	16·7	19·75
10..	22·0	23·0	23·0	20·4	30·7	31·0	25·02
11..	16·0	14·0	14·7	11·0	9·3	11·0	12·67
12..	13·3	14·5	23·0	16·0	17·5	18·6	17·15
13..	19·6	20·0	19·8	19·4	16·7	16·7	18·70
14..	20·2	18·6	13·7	14·7	16·3	19·6	17·18
15..	27·8	25·5	27·7	18·6	8·3	7·0	19·15
16..	9·0	9·0	8·0	11·5	−12·0	−15·0	−10·75
17..	17·0	17·0	7·0	−4·5	4·5	2·0	8·67
18..	9·0	1·0	9·7	11·7	19·8	18·4	8·27
19..	19·0	19·4	21·6	22·2	10·0	7·7	16·65
20..	3·5	3·5	1·5	1·0	2·7	3·5	0·28
21..	7·0	3·5	10·0	10·0	9·0	10·7	4·87
22..	8·7	6·0	19·2	21·6	21·6	24·4	16·92
23..	30·1	32·6	33·6	34·7	31·6	32·0	32·48
24..	33·0	22·2	17·5	14·0	7·3	4·0	16·33
25..	4·5	4·5	4·0	6·5	18·0	19·4	6·48
26..	27·6	30·4	23·8	20·8	22·2	23·2	24·67
27..	25·8	25·2	28·9	30·3	29·6	28·1	27·98
28..	33·0	35·0	34·1	34·1	34·0	27·8	33·00
29..	16·0	12·3	20·0	22·4	23·5	24·0	19·70
Means..	16·96	16·81	19·48	18·84	18·32	18·26	18·11

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of March, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight	Means.
1.	21·6	19·4	16·5	15·5	11·5	11·3	15·97
2.	11·2	9·7	12·0	7·0	10·0	7·7	9·60
3.	4·7	2·3	4·7	4·7	4·3	4·7	4·23
4.	1·5	0·0	4·7	2·7	4·7	4·7	3·05
5.	2·3	1·0	8·7	10·7	7·3	10·0	6·67
	20·6	20·0	27·7	28·1	31·0	31·5	26·48
7.	32·3	31·3	26·0	26·5	23·8	20·4	26·72
8.	18·8	20·2	12·7	14·5	20·8	18·8	17·63
9.	13·5	13·3	16·7	16·7	12·7	13·8	14·45
10.	11·5	10·3	15·3	16·0	10·0	7·3	11·73
11.	9·0	7·3	7·0	4·3	10·3	11·2	8·18
12.	1·5	0·0	2·7	2·7	1·5	2·7	2·02
13.	3·5	2·7	11·0	9·7	9·7	9·0	7·60
14.	4·3	6·0	9·0	9·2	8·3	8·7	7·58
15.	4·0	10·0	13·5	11·0	11·0	11·2	10·12
16.	19·0	20·0	16·7	17·7	14·2	13·3	16·82
17.	14·7	13·7	24·2	23·8	25·0	25·8	21·20
18.	25·0	25·5	24·2	23·2	30·4	30·0	26·38
19.	31·2	30·4	30·3	29·6	27·0	22·0	28·42
20.	9·0	6·0	10·3	8·0	11·3	11·3	9·32
21.	13·0	22·2	24·2	26·7	27·8	30·7	24·10
22.	23·2	16·7	12·3	10·7	3·0	3·0	11·48
23.	3·5	7·7	11·0	12·3	10·7	11·5	9·45
24.	7·0	11·3	14·5	18·6	17·0	20·2	14·77
25.	22·6	22·2	32·0	29·0	35·5	36·3	29·60
26.	37·0	33·6	15·7	12·0	13·7	14·8	21·13
27.	4·0	4·3	14·0	16·5	17·5	18·6	12·48
28.	17·2	22·4	29·1	26·0	27·3	29·8	25·30
29.	34·3	34·5	44·0	39·9	34·9	34·4	37·00
30.	31·6	34·3	34·0	33·9	34·0	34·1	33·65
31.	28·6	28·8	34·0	34·5	27·3	27·5	30·12
Means	15·52	15·71	18·02	17·47	17·24	17·30	16·88

Abstract of Dew Point at Toronto, Ontario, for the Month of April, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1	24·3	23·7	26·3	26·5	33·8	35·0	28·27
2	28·6	23·2	15·7	15·7	13·3	13·7	18·37
3	17·5	9·7	10·7	11·7	12·7	12·0	12·38
4	12·3	14·0	17·7	18·4	19·2	19·2	16·80
5	19·6	23·7	24·8	26·3	28·3	29·0	25·28
6	28·0	27·3	22·6	30·0	20·6	21·8	25·05
7	23·7	27·3	25·3	25·3	26·8	24·3	25·45
8	24·7	24·2	27·7	26·7	28·1	28·0	26·57
9	27·3	28·1	29·6	28·1	33·4	33·4	29·98
10	35·5	34·9	37·9	34·9	35·8	36·3	35·88
11	36·3	36·5	38·5	38·9	37·7	38·4	37·72
12	37·4	39·3	43·1	43·5	38·9	39·7	40·32
13	39·2	44·6	47·8	47·6	45·3	46·5	45·17
14	46·4	50·5	49·5	49·1	48·7	48·0	48·70
15	42·6	43·9	52·0	53·7	47·5	48·8	48·08
16	45·9	50·4	60·0	60·7	62·2	58·5	56·28
17	58·1	59·2	63·5	58·9	58·5	57·6	59·30
18	57·4	59·6	58·7	57·3	53·7	54·5	56·87
19	46·1	50·5	52·7	51·1	47·2	46·9	49·08
20	43·9	48·8	47·7	46·6	48·7	47·4	47·18
21	45·0	46·4	48·1	45·1	38·8	33·6	42·83
22	34·5	31·4	29·3	32·6	30·0	32·3	31·68
23	29·1	26·6	31·0	36·0	37·3	36·7	32·68
24	33·1	33·4	36·7	35·5	39·5	39·1	36·22
25	39·8	44·2	47·1	48·3	42·5	41·2	43·85
26	41·9	42·0	40·2	41·8	39·7	39·0	40·77
27	38·9	19·6	47·7	48·1	46·4	46·7	46·23
28	47·6	49·0	50·2	51·9	50·0	51·6	50·05
29	48·9	39·5	40·1	38·6	34·0	34·5	39·27
30	31·0	32·7	38·4	37·3	36·0	37·7	35·52
Means	36·15	37·12	38·69	38·87	37·82	37·71	37·73

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of May, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1..	47·2	47·8	53·2	53·2	48·9	48·4	49·78
2..	45·9	48·8	52·5	52·5	53·5	51·8	50·83
3..	34·9	53·3	50·6	53·4	50·0	48·9	48·52
4..	45·8	47·3	50·7	56·2	45·8	43·4	48·20
5..	40·7	42·9	39·6	42·2	43·2	42·9	41·92
6..	45·3	48·7	47·1	45·4	43·5	45·0	45·83
7..	42·5	45·6	45·1	46·7	46·1	45·3	45·22
8..	44·8	49·8	58·6	59·6	55·4	56·0	54·03
9..	54·3	60·4	55·1	52·3	57·0	57·0	56·02
10..	56·9	63·2	58·1	56·8	58·3	57·4	58·45
11..	57·3	57·8	58·2	58·1	56·7	56·6	57·45
12..	49·1	45·6	45·9	44·9	45·2	44·0	45·78
13..	36·6	30·3	32·9	33·1	29·1	34·4	32·73
14..	36·6	37·2	50·2	47·3	41·5	48·9	43·62
15..	52·9	44·8	40·2	39·6	44·3	45·5	44·55
16..	44·6	50·5	48·6	49·8	51·3	50·6	49·23
17..	50·7	55·7	49·0	49·2	51·5	48·4	50·75
18..	48·5	49·2	52·8	55·5	56·9	52·2	52·52
19..	46·4	45·1	48·9	47·3	34·1	28·0	41·63
20..	37·0	39·6	47·4	44·4	42·5	42·9	42·30
21..	44·8	49·0	53·9	54·8	51·9	50·7	50·85
22..	54·5	53·4	44·0	44·3	47·7	49·8	48·95
23..	41·9	40·9	37·0	37·3	31·6	34·1	37·13
24..	37·0	38·5	44·5	45·3	43·7	43·8	42·13
25..	46·9	50·2	56·1	58·9	62·0	60·3	55·73
26..	61·2	48·9	48·3	47·1	50·7	50·1	51·05
27..	44·1	45·6	53·4	57·7	51·2	50·9	50·48
28..	49·5	49·2	58·6	47·4	43·9	38·0	47·77
29..	39·6	40·2	40·5	38·8	38·2	36·9	39·03
30..	37·1	38·6	35·1	37·4	46·3	45·8	40·05
31..	37·9	40·1	44·6	44·7	44·5	42·4	42·37
Means	45·56	47·04	48·41	48·43	47·31	46·79	47·26

Abstract of Dew Point at Toronto, Ontario, for the Month of June, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	42·8	43·4	41·6	44·6	39·5	40·6	42·08
2	41·4	43·4	45·5	44·3	42·6	42·8	43·33
3	42·9	45·7	47·0	43·2	43·4	45·7	44·65
4	50·3	50·0	54·5	54·6	50·5	50·7	51·77
5	54·6	56·2	66·4	61·9	56·1	57·9	58·85
6	54·5	57·0	65·5	65·6	62·9	62·6	61·35
7	63·8	68·2	69·8	68·3	64·4	65·1	66·60
8	62·5	64·3	66·4	64·3	65·5	65·5	64·75
9	63·4	61·3	61·2	60·2	56·4	54·5	59·50
10	42·9	38·0	40·1	39·6	42·9	43·0	41·08
11	40·4	42·9	39·8	38·9	44·6	44·9	41·92
12	47·2	48·5	51·0	50·0	49·2	47·6	48·92
13	49·3	47·8	49·3	49·2	44·8	46·4	47·80
14	48·1	46·1	53·9	55·4	52·2	51·2	51·15
15	50·9	54·7	54·4	53·6	48·1	46·4	51·35
16	46·7	53·0	54·3	55·3	55·1	55·0	53·23
17	56·0	57·9	56·2	60·5	54·9	53·3	56·47
18	52·2	52·1	53·3	51·8	54·7	54·5	53·10
19	54·3	56·8	57·5	58·9	60·1	60·7	58·05
20	62·3	64·1	67·2	65·9	65·2	65·7	65·07
21	67·3	69·2	68·7	63·8	60·5	59·5	64·83
22	51·3	54·0	46·6	39·8	41·3	41·9	45·82
23	45·9	46·2	45·8	38·9	47·1	49·2	45·52
24	49·5	52·6	56·2	56·8	56·1	53·0	54·03
25	54·7	55·7	58·3	60·0	58·4	59·7	57·80
26	58·5	49·5	42·0	43·0	47·6	46·3	47·82
27	49·9	55·9	60·9	59·4	59·4	55·3	56·80
28	61·1	63·2	58·4	57·4	50·8	49·6	56·75
29	51·5	53·0	35·4	32·6	36·1	39·2	41·30
30	40·0	41·0	48·8	52·9	49·8	48·0	46·75
Means	51·87	53·06	53·87	53·02	52·01	51·86	52·61

Abstract of Dew Point at Toronto, Ontario, for the Month of July, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	55·0	57·8	59·8	59·7	59·7	58·6	58·43
2	59·3	57·8	63·3	61·2	58·7	58·7	59·83
3	59·7	60·1	60·1	58·6	57·8	56·6	58·82
4	57·0	57·3	59·9	61·7	61·1	61·3	59·72
5	62·3	60·1	58·0	58·8	57·6	57·3	59·02
6	57·0	59·4	63·5	66·1	53·9	55·8	59·28
7	48·9	48·4	49·8	51·9	53·8	52·8	50·93
8	51·5	53·7	54·7	52·6	47·1	48·4	51·33
9	59·5	59·3	63·9	65·9	61·5	57·3	61·23
10	57·2	59·0	58·6	66·4	65·6	60·7	61·25
11	60·1	64·0	60·2	55·3	62·4	61·6	60·60
12	60·6	64·4	59·4	53·9	62·9	63·7	60·82
13	64·2	67·8	69·0	67·0	64·0	62·8	65·80
14	57·9	56·5	56·2	50·2	57·3	59·3	56·23
15	64·1	68·6	50·8	53·6	48·8	53·3	56·53
16	45·4	43·3	45·8	45·1	49·1	48·5	46·20
17	46·8	45·0	52·9	44·6	48·8	48·3	47·73
18	48·1	56·1	54·5	55·1	51·2	57·9	53·82
19	61·9	63·3	65·8	66·9	66·4	65·7	65·00
20	65·0	67·0	68·7	69·8	67·9	65·8	67·37
21	66·1	68·0	70·8	67·0	59·6	56·8	64·72
22	59·3	61·8	68·8	69·1	47·8	50·3	59·52
23	51·6	51·7	41·7	50·5	48·9	51·2	49·27
24	49·9	49·8	53·6	55·4	56·3	56·6	53·60
25	49·4	53·5	53·7	57·8	57·6	58·2	55·03
26	57·9	63·4	60·5	60·7	65·3	65·2	62·17
27	66·8	65·1	68·6	68·8	67·7	66·2	67·20
28	63·6	65·2	68·3	69·5	67·0	66·7	66·72
29	66·4	66·6	69·6	68·4	65·6	66·2	67·13
30	67·6	71·0	62·5	60·1	61·1	58·4	63·45
31	53·4	52·8	42·3	36·9	42·0	45·8	45·53
Means	57·85	59·28	59·20	58·99	57·89	57·94	58·53

Abstract of Dew Point at Toronto, Ontario, for the Month of August, 1896.

Day.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	50·5	58·3	57·4	56·9	59·4	58·4	56·82
2	58·5	58·1	61·0	63·9	59·1	57·9	59·75
3	57·3	60·0	63·7	65·2	59·4	59·2	60·80
4	64·4	66·6	66·5	62·3	66·7	67·5	65·67
5	68·6	67·8	66·7	61·6	67·4	66·6	66·45
6	65·7	65·2	70·1	73·3	67·8	68·3	68·40
7	68·8	65·8	61·1	60·4	60·1	59·3	62·58
8	58·5	64·3	63·6	60·9	64·9	64·3	62·75
9	69·6	71·6	73·2	71·8	69·9	68·2	70·72
10	68·4	68·0	72·9	70·2	70·7	67·7	69·65
11	65·5	69·2	68·1	65·2	64·7	64·5	66·20
12	66·3	63·3	55·3	54·8	54·3	56·0	58·33
13	55·1	55·0	59·9	59·6	56·2	53·3	56·52
14	53·8	58·0	57·8	57·1	56·4	55·8	56·48
15	56·0	60·8	65·7	67·8	68·8	69·1	64·70
16	66·8	68·2	50·2	36·0	49·1	45·5	52·63
17	44·7	49·1	44·7	44·7	47·2	47·5	46·32
18	49·1	50·7	43·2	45·2	44·4	44·5	46·18
19	46·1	44·6	51·2	46·5	38·5	40·3	44·53
20	40·6	44·7	40·2	44·0	51·8	54·1	45·90
21	54·4	53·3	58·3	58·3	57·4	55·9	56·27
22	54·9	59·8	59·3	60·7	65·7	66·5	61·15
23	65·8	68·6	57·6	54·3	59·8	57·9	60·67
24	54·0	51·6	49·9	40·6	42·7	43·4	47·03
25	41·3	43·7	44·8	53·0	53·2	57·2	48·87
26	55·9	63·0	57·6	62·7	49·2	45·8	55·70
27	42·9	48·0	54·4	56·5	42·7	43·1	47·93
28	41·5	47·5	49·3	47·7	51·4	50·2	51·57
29	44·6	51·1	53·1	54·6	51·3	54·7	53·05
30	35·5	39·3	58·7	58·1	55·7	51·0	41·83
31	48·0	45·3	40·7	36·8	40·3	39·9	.
Means	55·26	58·08	57·30	56·47	56·33	55·92	56·56

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of September, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
1	42·6	42·5	46·8	44·6	43·4	41·6	43·58
2	44·4	51·3	54·0	56·3	55·2	55·5	52·78
3	60·7	62·9	48·6	44·5	43·8	45·2	50·95
4	42·8	44·6	45·0	47·7	46·1	46·6	44·63
5	48·0	49·8	52·3	57·0	56·5	57·7	53·55
6	54·2	54·3	52·4	53·9	51·8	53·1	53·28
7	48·5	50·2	53·3	52·9	52·1	51·5	51·42
8	49·0	56·4	51·9	53·7	54·9	53·7	53·27
9	51·2	55·7	54·5	58·0	54·9	56·4	55·12
10	56·0	59·3	66·7	66·1	63·5	62·1	62·28
11	58·2	64·8	64·0	62·5	62·2	61·3	62·17
12	60·7	62·0	63·5	63·8	58·1	57·6	60·95
13	54·9	57·0	57·3	57·5	56·1	56·9	56·62
14	59·2	59·4	63·3	64·9	62·0	63·0	61·97
15	57·1	57·3	50·2	47·2	44·7	42·8	49·88
16	41·3	43·4	50·3	51·6	56·3	56·3	49·87
17	57·0	58·0	55·0	48·0	48·8	49·7	52·75
18	46·6	53·3	51·1	54·8	55·7	55·2	52·78
19	54·9	55·6	52·9	39·4	41·3	40·3	47·40
20	35·9	39·1	42·8	43·8	44·7	43·6	41·65
21	44·2	44·3	46·2	47·0	47·5	43·6	45·47
22	49·4	43·6	32·1	30·4	27·7	28·1	35·22
23	26·3	25·3	33·5	35·5	36·4	36·1	32·18
24	39·9	41·6	42·1	40·8	44·5	43·2	42·02
25	44·5	49·5	49·5	47·9	53·6	51·9	49·48
26	52·0	56·6	61·8	61·3	48·8	49·2	54·95
27	49·2	49·7	51·0	48·9	46·1	42·5	47·90
28	44·4	41·5	44·8	44·4	43·3	42·0	43·40
29	48·7	51·6	56·5	57·9	56·5	56·5	54·62
30	55·6	48·1	50·5	50·2	50·8	50·4	50·93
Means	49·25	50·96	51·46	50·92	50·24	49·79	50·44

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of October, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
				°			
1	50·9	47·7	45·6	45·6	37·7	36·0	43·92
2	30·9	30·6	40·1	42·3	40·0	39·4	37·22
3	40·8	43·7	44·6	45·3	42·9	42·7	43·33
4	44·0	45·5	46·6	45·6	42·0	42·5	44·37
5	41·2	45·9	46·9	47·7	42·3	42·0	44·33
6	42·5	46·2	43·2	47·4	46·7	43·8	44·97
7	41·7	38·6	35·1	27·7	36·5	37·0	36·10
8	30·9	31·3	30·3	30·6	29·6	26·5	29·87
9	25·7	23·5	30·9	31·4	32·7	33·0	29·53
10	35·8	35·8	39·0	38·6	41·4	41·4	38·67
11	39·3	42·0	39·2	39·5	35·4	35·4	38·47
12	34·1	33·6	35·4	35·3	38·0	38·6	35·83
13	39·1	38·8	35·7	34·0	33·4	35·5	36·08
14	34·0	35·5	34·5	30·9	38·0	38·4	35·22
15	36·5	35·5	46·5	48·2	46·7	45·3	43·12
16	36·2	34·1	31·6	31·7	28·6	29·4	31·93
17	24·4	24·4	33·9	33·9	32·6	33·0	30·37
18	32·1	31·1	27·8	27·8	27·8	28·1	29·12
19	25·0	27·2	27·8	23·3	29·6	38·7	28·50
20	39·0	33·9	30·0	28·4	34·1	37·0	33·73
21	38·4	35·1	22·6	26·5	28·1	27·3	29·67
22	26·8	28·1	26·8	23·5	29·6	28·3	27·18
23	27·8	30·0	29·1	29·2	33·6	34·9	30·77
24	28·3	28·1	18·2	18·0	22·6	24·7	23·32
25	26·8	28·6	28·0	29·7	34·1	32·4	29·93
26	30·0	35·4	38·6	41·5	39·7	38·3	37·25
27	34·2	36·3	43·0	44·6	42·9	42·7	40·62
28	39·6	40·7	44·5	45·2	45·8	48·0	43·97
29	52·3	53·8	57·1	56·5	53·1	53·1	54·32
30	50·8	52·0	56·9	56·3	52·4	49·2	52·93
31	41·9	45·0	40·4	39·9	40·6	38·7	41·08
Means	36·16	36·71	37·09	36·97	37·35	37·46	36·96

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of November, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m	Midnight.	Means.
	°	°	°	°	°	°	
1	33·1	42·0	44·0	40·7	36·8	33·7	38·38
2	31·7	33·6	35·4	36·0	37·8	40·4	35·82
3	40·4	42·1	43·0	43·4	43·9	42·9	42·62
4	42·7	44·7	50·2	51·8	53·3	53·3	49·33
5	52·3	53·2	55·8	50·9	36·7	33·6	47·08
6	34·9	34·5	32·4	32·3	35·5	34·9	34·08
7	31·0	35·9	41·3	42·0	29·4	25·2	34·13
8	24·8	29·3	24·5	25·5	28·6	27·5	26·70
9	24·7	24·0	24·0	22·8	25·5	25·5	24·42
10	27·0	26·3	23·6	27·2	32·1	36·6	28·80
11	44·2	44·9	31·1	31·1	34·4	32·0	36·28
12	33·3	33·6	26·3	25·7	25·5	24·2	28·10
13	31·0	31·0	25·0	26·5	26·0	27·0	27·75
14	23·5	21·8	25·3	24·2	28·7	30·7	25·70
15	31·0	30·6	36·3	38·2	38·8	38·7	35·60
16	42·7	43·8	47·8	48·9	46·8	50·4	46·73
17	51·3	51·9	41·8	42·3	39·9	36·3	43·92
18	37·0	39·3	50·9	51·6	44·4	34·1	42·88
19	24·0	20·4	18·4	18·0	15·5	17·7	19·00
20	18·8	17·0	21·6	19·8	22·6	23·2	20·50
21	26·0	24·7	32·6	33·2	29·4	28·1	29·00
22	25·3	25·3	23·8	18·2	16·0	17·0	20·93
23	27·8	27·3	34·4	38·4	44·6	46·6	36·52
24	44·7	39·8	29·9	22·0	28·7	27·5	32·10
25	35·5	33·6	32·4	34·1	37·1	36·9	34·93
26	40·3	40·0	48·3	47·8	49·6	49·9	45·98
27	51·9	49·8	50·6	50·2	43·5	33·6	46·60
28	25·2	21·8	19·8	19·4	16·0	17·7	19·98
29	19·8	19·8	21·8	15·7	13·5	16·2	17·80
30	15·0	11·2	15·0	15·5	15·5	12·0	14·03
Means	33·03	33·11	33·58	33·11	32·54	31·78	32·86

ABSTRACT of Dew Point at Toronto, Ontario, for the Month of December, 1896.

DAY.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°
1.	12·0	13·5	7·7	15·0	12·0	13·7	12·32
2.	11·7	13·0	10·0	10·3	11·5	12·0	11·42
3.	15·2	13·8	14·3	18·2	15·2	15·2	15·32
4.	23·8	22·0	28·2	30·4	28·3	27·8	26·75
5.	26·7	25·8	32·9	34·4	34·4	34·9	31·52
6.	36·0	34·1	32·1	31·8	31·1	31·3	32·73
7.	31·1	31·1	31·9	32·0	30·0	28·6	30·78
8.	32·7	33·6	32·7	31·1	34·1	33·4	32·93
9.	33·4	33·5	30·6	31·3	33·0	33·0	32·47
10.	29·9	30·1	33·3	35·7	32·4	32·6	32·33
11.	32·1	31·1	34·3	32·1	34·5	35·1	33·20
12.	35·0	34·7	38·1	37·9	33·7	33·7	35·52
13.	36·5	36·0	34·9	33·5	28·4	27·3	32·77
14.	24·0	21·8	16·7	19·2	16·5	15·3	18·92
15.	14·7	13·0	13·8	15·3	13·8	11·3	13·65
16.	17·0	12·7	11·7	13·3	15·3	16·7	14·45
17.	13·8	16·5	24·2	22·8	24·7	24·5	21·08
18.	24·8	28·6	34·6	31·6	17·2	17·5	25·72
19.	13·7	13·7	16·5	17·3	19·2	18·6	16·50
20.	20·8	18·0	23·2	20·2	22·8	21·6	21·10
21.	16·7	15·3	19·6	18·8	17·5	11·7	16·60
22.	14·7	17·2	21·8	23·2	11·3	13·0	16·87
23.	2·3	2·3	4·3	2·3	2·0	0·5	2·28
24.	2·0	2·0	6·0	7·3	11·0	7·3	5·93
25.	16·5	15·3	17·0	17·5	23·0	23·3	18·77
26.	23·5	24·7	26·5	19·2	7·0	5·5	17·73
27.	1·5	2·7	18·2	16·3	13·0	13·0	10·78
28.	8·0	9·7	25·2	26·8	28·0	27·2	20·82
29.	30·6	31·1	35·0	34·4	34·4	34·1	33·27
30.	34·1	34·4	36·6	36·2	34·0	32·0	34·55
31.	27·5	29·7	24·4	24·6	26·0	25·0	26·20
Means.	21·36	21·32	23·75	23·87	22·43	21·83	22·43

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of January, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	24·0	25 0	25 0	25·0	22 5	22 1	23·77
2	23 0	21 0	26 5	28 5	28 8	29 1	26·32
3	30 2	32 0	23 5	22·5	17·5	5 5	21 87
4	— 2·0	5 5	- 4 1	- 4·0	7 1	—13 1	— 5·97
5							
6	—21·0	20 6	— 16 0	-12 3	11 6	11 4	-15·48
7	—12·7	12 1	7 3	- 3·4	— 1 6	1 1	- 6·37
8	— 3·0	2 3	1·5	4 5	3 4	5 3	1 57
9	4 0	5 5	7 9	9 5	10 2	10 0	7·85
10	8 3	9 5	12 2	14·3	11 8	8 4	10 75
11	6 4	5 3	10 0	13 5	11 3	10 0	9 42
12							
13	19·8	17·3	19 5	22·4	21 1	21 8	20·32
14	20·6	17 5	18 2	19·8	16 0	16·1	18 03
15	12·2	12 2	12 8	11·6	7 0	6 2	10 33
16	6·0	8 0	12 1	17 5	18 0	20 0	13·60
17	18·3	14 2	12 9	12·6	12 2	12 6	13·80
18	13·8	14 3	17 6	19·4	19 0	17 7	16·97
19							
20	8 2	9 2	12 0	16 6	17 7	16 9	13 43
21	18·0	18 0	19 7	22 7	21 0	20 4	19 97
22	19 8	18 0	21 2	19 8	14 8	17 0	18 43
23	16·6	14 0	14 6	15·9	13 8	13 3	14 70
24	11 8	13 0	18 4	22 5	25 5	24 7	19 32
25	24 0	24 7	27 7	29 2	27 9	28 5	27 00
26							
27	24·1	17 7	11 8	12 2	11 3	9 8	14 48
28	4 6	2 5	0 3	2 1	2 0	2 0	1 32
29	1 0	- 1 6	2 0	3 7	2 1	2 9	1 68
30	5·0	8 0	13 8	17 7	16 7	13 3	12 42
31	8 4	4 6	5 9	6 8	5 2	6 3	6 20
Means	10·72	9 79	11 82	13 73	12 46	11 64	11 69

Abstract of Thermometer (Wet Bull) at Montreal, Quebec, for the Month of February, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	8·0	11·0	16·5	29·1	31·5	28·7	20·80
2							
3	8·2	6·0	9·5	13·1	12·5	9·3	9·77
4	8·9	8·7	14·2	18·7	19·5	19·8	14·97
5	21·5	27·5	29·7	31·2	31·8	31·9	28·93
6	31·0	32·7	33·3	32·5	32·8	32·3	32·43
7	31·2	30·7	31·5	33·0	32·0	30·0	31·40
8	20·0	20·1	23·0	24·7	20·0	18·7	21·08
9							
10	13·2	13·5	15·2	19·8	21·0	20·8	17·25
11	25·0	28·5	26·6	22·7	19·7	18·2	23·45
12	15·7	9·2	13·4	13·9	9·2	8·0	11·57
13	11·4	10·3	9·6	9·8	11·3	13·8	11·03
14	15·0	7·8	14·1	17·5	11·8	6·1	12·05
15	4·1	0·8	— 0·9	1·6	0·0	1·9	0·45
16							
17	21·1	—21·8	—16·4	—10·2	—12·0	—15·3	—16·13
18	—15·0	—22·1	13·6	6·7	4·0	— 5·0	—11·07
19	— 6·0	0·1	5·7	19·1	15·0	12·7	7·68
20	13·3	13·3	17·1	14·6	16·9	11·4	14·43
21	5·6	0·0	1·8	0·1	— 1·8	— 2·1	0·60
22	2·6	2·3	17·8	21·9	22·6	21·7	13·95
23							
24	33·8	32·2	27·2	24·2	17·3	10·2	24·15
25	0·8	— 2·4	2·7	7·1	3·0	0·9	2·02
26	4·0	— 4·7	2·3	8·0	5·4	5·0	2·00
27	1·7	1·2	8·7	16·9	18·4	18·6	10·37
28	24·0	28·0	33·7	37·5	38·2	39·0	33·40
29	39·6	39·5	39·0	36·4	34·9	33·1	37·08
Means	11·33	10·72	14·47	17·30	16·28	14·79	14·15

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of March, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1							
2	26·6	20·7	18·7	16·6	14·2	16·6	18·90
3	19·1	16·7	16·6	17·9	16·7	9·3	16·05
4	3·5	0·6	6·8	17·3	15·1	10·8	9·02
5	9·0	8·2	12·5	17·5	16·0	21·7	14·15
6	20·3	20·0	22·7	23·7	23·7	25·7	22·68
7	26·9	29·7	32·2	33·5	30·9	27·7	30·15
8							
9	14·0	11·0	14·0	17·5	14·7	11·0	13·70
10	9·0	5·0	9·2	12·4	10·7	10·2	9·42
11	4·9	1·2	8·2	11·3	10·8	12·0	8·07
12	10·9	9·0	11·3	15·5	10·3	6·8	10·63
13	5·0	2·0	9·7	9·8	6·8	5·2	6·42
14	5·0	4·1	12·5	16·2	13·6	10·8	10·37
15							
16	12·0	4·1	15·2	21·3	20·9	21·0	15·75
17	21·0	23·1	28·0	29·1	24·7	24·1	25·00
18	22·9	27·0	30·7	31·0	29·0	27·7	28·05
19	28·4	29·5	30·6	30·1	30·2	31·1	29·98
20	31·2	26·0	23·5	20·7	18·5	14·3	22·37
21	11·1	9·6	18·9	25·5	27·7	21·5	19·05
22							
23	1·8	- 1·8	2·7	4·1	3·0	2·1	1·98
24	1·7	0·5	9·2	13·7	11·5	8·8	7·00
25	11·0	16·5	27·0	33·8	29·0	34·0	25·22
26	34·0	34·5	35·4	38·3	34·0	22·4	33·10
27	17·4	9·3	16·0	16·0	18·9	19·3	16·15
28	14·2	16·2	23·0	22·5	21·7	20·0	19·60
29							
30	36·7	36·2	41·2	39·9	39·8	36·8	38·43
31	35·6	35·7	36·7	36·5	33·8	25·5	33·97
Means	16·53	15·18	19·71	21·99	20·24	18·32	18·66

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of April, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	20·2	18·8	21·5	23·5	25·5	27·3	22·80
2	31·3	34·5	32·8	33·0	30·6	26·9	31·52
3	20·9	22·0	24·0	25·1	26·7	23·5	23·70
4	21·0	18·5	22·7	27·7	26·7	26.7	23·88
5							
6	29·1	28·4	33·9	32·0	29·5	27·5	30·07
7	27·2	27·0	33·5	34·9	31·5	30·1	30·70
8	27·8	28·9	31·7	34·2	32·9	32·0	31·25
9	23·9	29·8	32·3	33·5	32·0	32·5	30·67
10	24·4	26·5	35·5	39·3	36·7	37·2	33·27
11	38·5	36·5	39·0	40·9	39·5	38·7	38·85
12							
13	37·5	37·6	47·9	41·9	35·3	32·7	38·82
14	34·0	34·4	42·1	44·8	51·2	49·0	42·58
15	47·6	45·4	54·0	57·0	52·4	51·3	51·27
16	40·0	44·9	54·7	62·6	62·2	42·7	51·18
17	40·2	37·0	41·4	48·7	49·0	50·4	44·45
18	18·2	45·9	44·6	46·0	44·1	43·0	45·30
19							
20	44·6	45·1	54·6	54·7	55·6	41·9	49·42
21	36·0	30·4	34·9	33·7	32·9	34·4	33·72
22	32·5	32·2	37·6	39·7	41·0	38·1	36·85
23	37·6	38·0	47·7	46·5	43·7	36·1	41·60
24	34·0	35·5	41·7	43·9	40·2	35·8	38·52
25	33·0	39·5	43·7	47·7	43·5	42·0	41·57
26							
27	43·1	45·9	59·1	56·3	52·0	49·0	50·90
28	46·3	44·0	46·7	50·0	52·4	46·3	47·62
29	38·2	39·2	43·5	46·5	43·7	36·7	41·30
30	34·4	35·5	41·8	44·3	43·9	39·7	39·93
Means	34·29	34·67	40·11	41·86	40·57	37·36	38·14

ABSTRACT of Thermometer (Wet Bulb), at Montreal, Quebec, for the Month of May, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	35·0	37·0	47·3	50·2	46·8	42·1	43·07
2	37·2	41·8	52·5	56·0	53·6	49·9	48·50
3	.....	.....	.....	.....	.....	.....	.....
4	53·2	53·0	59·6	59·1	58·5	55·2	56·43
5	48·4	52·2	55·7	53·7	45·7	40·8	49·42
6	39·5	40·1	44·7	49·6	47·0	42·7	43·93
7	38·5	41·7	51·8	53·0	53·4	50·9	48·22
8	51·9	54·7	59·0	62·5	60·7	57·6	57·73
9	55·2	59·5	66·7	70·7	67·5	62·7	63·72
10	.....	.....	.....	.....	.....	.....	.....
11	55·5	55·8	60·0	62·5	57·7	52·7	57·37
12	50·0	47·1	49·7	54·1	51·6	43·8	49·28
13	44·0	42·8	47·0	50·0	50·7	46·7	46·87
14	42·9	48·8	52·9	55·4	54·0	55·0	51·50
15	49·0	48·8	57·7	58·9	56·9	55·5	54·47
16	50·0	52·5	56·0	58·7	54·7	51·6	53·92
17	.....	.....	.....	.....	.....	.....	.....
18	61·6	55·6	58·7	61·7	55·3	51·7	57·43
19	47·8	44·7	46·7	49·6	46·8	43·7	46·55
20	40·0	43·8	50·1	53·7	53·5	49·7	48·47
21	46·0	49·7	55·7	59·7	57·6	54·6	53·88
22	53·8	55·3	64·0	58·6	59·6	51·3	57·10
23	50·4	43·1	46·7	50·0	48·6	45·7	47·42
24	.....	.....	.....	.....	.....	.....	.....
25	48·1	50·7	55·8	58·7	57·8	56·3	54·57
26	53·2	51·3	59·5	63·8	59·9	57·5	57·53
27	56·2	49·9	55·0	57·4	54·6	49·5	53·77
28	44·7	48·2	51·8	55·5	55·0	54·2	51·57
29	54·5	53·5	52·6	49·5	48·0	48·2	51·05
30	46·8	47·7	49·0	50·5	51·2	49·0	49·03
31	.....	.....	.....	.....	.....	.....	.....
Means	48·21	48·82	54·08	56·27	54·08	50·72	52·03

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of June, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	50·1	51·5	51·0	55·8	52·9	48·3	51·60
2	45·8	48·0	51·0	54·7	52·8	50·0	50·38
3	48·1	51·9	63·5	63·5	59·9	53·8	56·78
4	52·0	57·5	61·0	61·6	57·4	58·7	58·03
5	54·9	60·6	67·3	67·5	63·4	60·8	62·42
6	58·8	59·7	66·0	70·7	65·1	62·3	63·77
7							
8	57·3	57·7	58·7	60·1	58·8	58·1	58·45
9	57·2	56·0	57·5	61·0	59·1	57·3	58·02
10	49·9	49·8	51·7	52·5	50·8	48·7	50·57
11	46·8	51·2	53·7	55·2	52·3	51·9	51·85
12	49·6	47·5	52·3	52·3	51·4	49·5	50·43
13	45·8	49·5	54·6	56·5	55·4	52·1	52·32
14							
15	50·1	55·3	57·2	59·7	57·7	56·7	56·12
16	55·2	59·7	66·2	65·8	63·0	57·8	61·28
17	56·2	60·0	66·6	64·5	62·6	60·2	61·68
18	60·0	63·0	69·7	71·2	67·7	64·4	66·00
19	62·9	64·8	69·5	68·0	65·5	63·6	65·72
20	62·9	66·9	72·3	71·0	68·1	63·7	67·48
21							
22	65·9	66·7	66·8	61·7	54·0	48·7	60·63
23	48·3	51·5	56·1	59·6	58·4	57·0	55·15
24	52·0	53·5	57·7	59·0	57·0	54·6	55·63
25	54·2	57·6	60·6	62·3	61·4	60·0	59·35
26	60·0	60·7	70·0	67·7	61·5	58·0	62·98
27	55·9	61·5	61·5	64·1	62·5	59·7	60·87
28							
29	55·2	60·5	61·5	53·2	49·5	47·5	54·57
30	44·0	49·5	53·4	57·7	56·3	55·7	52·77
Means	53·81	56·62	60·67	61·42	58·63	56·12	57·88

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of July, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	56·9	63·7	64·5	65·7	65·5	63·5	63·30
2	61·1	65·5	70·7	72·5	67·4	55·7	65·48
3	52·0	52·6	58·5	56·2	53·7	54·8	54·63
4	53·4	55·8	58·0	60·8	60·8	60·7	58·25
5							
6	55·8	54·8	60·0	66·5	64·7	62·9	60·78
7	63·1	64·8	67·1	62·0	59·7	56·3	62·17
8	56·1	61·5	68·0	68·4	64·2	63·2	63·57
9	61·4	61·0	69·7	67·5	70·4	70·1	66·68
10	69·3	66·7	67·9	67·9	64·7	64·0	66·75
11	62·4	64·5	69·8	71·5	71·5	67·9	67·93
12							
13	66·1	67·7	70·5	69·0	64·5	65·0	67·13
14	56·3	59·5	61·3	63·9	63·1	58·5	60·43
15	56·9	63·5	63·4	70·5	60·4	51·5	61·03
16	49·9	54·7	57·9	58·7	57·6	56·7	55·92
17	50·4	57·5	63·5	64·2	60·5	58·2	59·05
18	52·1	61·8	64·4	64·7	63·8	63·1	61·65
19							
20	65·4	65·0	64·9	66·1	67·5	68·4	66·22
21	68·5	69·7	72·7	70·9	67·3	65·0	69·02
22	62·3	64·5	76·1	81·9	72·3	68·5	70·93
23	60·0	62·0	65·2	59·9	57·5	54·5	59·85
24	56·0	60·4	61·7	60·0	61·7	59·7	59·92
25	58·7	56·3	66·3	67·2	64·4	61·4	62·38
26							
27	60·1	64·6	68·3	70·9	69·2	64·0	66·18
28	64·5	65·8	68·1	69·5	66·5	65·7	66·68
29	62·7	67·7	72·0	69·9	68·1	67·8	68·03
30	66·1	69·7	73·7	72·5	67·7	59·5	68·20
31	51·9	56·0	53·9	54·5	50·2	52·3	53·13
Means	59·24	62·12	65·86	66·42	63·89	61·44	63·16

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of August, 1896.

DAY.	3 a.m.	7 a.m.	11 p.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°			°	°	°	°
1	50·0	52·7	57·3	59·0	58·9	59·0	56·15
2	..	....	....	..	...	..	....
3	58·2	66·3	68·4	67·3	65·8	63·4	64·90
4	60·0	66·7	71·5	72·1	71·2	65·3	67·80
5	62·1	59·6	60·0	61·6	58·5	59·5	60·22
6	58·5	59·4	64·5	64·0	64·3	63·3	62·33
7	62·7	66·3	75·3	76·4	72·4	67·7	70·13
8	65·1	67·9	70·7	71·4	71·0	69·6	69·28
9	..	....	....	..	....	.....	.....
10	66·7	69·5	75·3	74·7	74·4	73·2	72·30
11	70·1	73·1	77·6	78·3	75·5	73·5	74·68
12	71·0	70·9	74·4	74·2	67·0	61·5	69·83
13	58·0	56·1	62·5	65·7	64·6	62·8	61·62
14	58·9	60·4	63·3	63·8	62·1	59·7	61·37
15	53·6	59·6	65·8	67·0	66·7	64·8	62·92
16	..	.	...	....	.... .	.....	.....
17	52·3	55·0	57·9	57·8	55·5	53·9	55·40
18	49·6	52·9	52·7	55·4	52·3	52·5	52·57
19	50·2	49·6	54·0	53·7	51·8	52·0	51·88
20	52·3	52·1	61·7	59·3	57·9	54·7	56·33
21	52·0	54·9	61·4	61·6	60·8	59·8	58·42
22	57·1	59·1	65·6	66·5	64·2	62·7	62·53
23	..		....	.. ...	.. ..	.... .	... ..
24	56·1	59·7	65·2	61·5	58·8	52·7	59·00
25	49·6	52·3	56·6	57·6	55·8	54·1	54·23
26	50·9	57·8	64·4	65·7	62·5	62·0	60·55
27	62·1	57·5	56·3	56·8	55·0	54·5	57·03
28	49·1	53·7	58·5	58·5	53·5	51·2	54·08
29	48·1	51·5	56·7	59·4	57·5	55·7	54·82
30	....		....	..	.. ...	. ...	.....
31	59·8	56·7	53·7	55·6	52·8	49·5	54·68
Means	57·08	59·28	63·51	64·01	61·95	59·95	60·90

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of September, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
	°	°	°	°	°	°	°
1	48·5	48·6	52·0	51·7	49·2	46·9	49·48
2	45·6	49·7	51·7	54·2	54·8	54·2	51·70
3	56·7	57·7	62·7	60·7	53·5	48·7	56·67
4	45·0	44·0	48·5	49·1	46·1	44·7	46·23
5	43·0	43·6	51·0	54·2	54·3	53·7	49·97
6							
7	56·0	55·3	56·4	57·0	54·2	52·7	55·27
8	51·8	51·6	61·2	60·7	57·5	54·9	56·28
9	53·1	53·4	61·4	62·7	62·5	58·5	58·60
10	55·0	55·8	65·4	68·1	64·7	62·7	61·95
11	60·5	63·5	73·7	73·3	69·0	66·5	67·75
12	64·5	60·8	63·7	63·6	60·0	57·7	61·72
13							
14	50·0	50·8	59·8	61·5	62·7	62·7	57·92
15	59·0	56·7	58·7	54·7	48·7	44·9	53·78
16	43·5	44·7	51·5	51·7	49·9	49·7	48·50
17	50·0	50·7	53·8	58·6	57·8	55·1	54·33
18	50·2	51·6	56·2	55·0	53·0	52·2	53·03
19	54·0	54·8	55·7	55·0	53·8	52·1	54·23
20							
21	47·6	49·7	54·2	54·3	53·0	51·7	51·75
22	48·1	39·8	43·3	42·7	40·1	34·7	41·45
23	31·7	33·3	39·6	40·4	40·0	42·3	37·88
24	43·9	45·3	51·5	52·0	50·5	47·0	48·37
25	48·5	51·3	57·2	58·0	56·6	56·1	54·62
26	54·0	54·2	61·5	63·1	61·9	60·7	59·23
27							
28	44·3	42·7	44·8	46·2	44·3	42·2	44·08
29	40·0	40·8	51·8	59·0	57·7	57·0	51·05
30	57·3	56·7	63·1	62·0	55·3	52·7	57·85
Means	50·07	50·27	55·78	56·52	54·27	52·40	53·22

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of October, 1896.

Day.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	51·0	51·5	54·0	54·0	48·7	46·9	51·17
2	42·3	42·3	43·7	43·3	41·7	40·7	42·33
3	40·9	41·3	43·0	45·4	44·7	44·7	43·33
4							
5	43·0	41·7	44·7	46·3	45·7	43·0	44·07
6	40·4	40·1	42·7	44·5	43·3	42·4	42·23
7	41·6	41·7	44·1	45·6	43·0	41·7	42·95
8	37·6	37·8	39·9	41·2	38·6	36·3	38·57
9	32·1	33·7	37·7	38·7	36·5	33·9	35·43
10	32·1	31·7	38·4	39·9	37·7	36·5	36·05
11							
12	35·7	35·7	43·7	46·9	43·7	39·5	40·87
13	37·0	36·5	42·0	45·5	42·7	41·0	40·78
14	41·0	40·0	44·2	47·4	43·7	44·5	43·47
15	40·0	39·7	47·5	49·1	46·0	44·7	44·50
16	41·0	39·7	41·4	39·7	34·7	33·7	38·37
17	32·3	29·0	32·7	33·9	32·9	32·5	32·22
18							
19	34·4	31·7	35·5	35·7	31·2	30·2	33·12
20	29·0	33·7	38·4	42·7	42·5	39·7	37·67
21	41·2	47·5	51·1	42·2	36·2	33·2	41·90
22	33·2	31·5	37·5	37·5	34·8	36·0	35·08
23	35·1	34·7	37·7	41·2	40·2	35·5	37·40
24	36·1	35·3	41·6	39·7	36·2	34·4	37·22
25							
26	31·7	31·8	40·7	45·6	43·7	43·3	39·47
27	41·1	40·7	44·2	45·3	39·7	32·9	40·65
28	29·9	29·7	37·7	41·9	37·2	37·0	35·57
29	37·4	46·9	49·7	50·8	50·4	44·7	46·65
30	46·0	45·1	46·2	47·1	44·7	43·4	45·42
31	43·2	42·2	50·3	48·2	45·4	45·0	45·72
Means	38·01	38·27	42·64	43·68	40·96	39·16	40·45

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of November, 1896.

DAY.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
			°				
1							
2	45·3	41 6	42 5	43 7	40·6	39 7	42 23
3	38 5	36 7	41 0	42 0	38·6	35 5	38 72
4	32 4	31 7	46 2	47 5	47 6	48 0	42 23
5	49 0	49 7	51 8	53 7	54 7	47 9	51 13
6	44 0	41 3	40 4	39 9	39 1	37 0	40 28
7	37 0	34 6	39 0	39 3	38 2	38 5	37 77
8							
9	31 8	31 5	36 7	35 6	33 8	33 2	33 77
10	31 3	32 0	34 7	35 2	34 1	33 2	33 43
11	34·0	36 8	42 8	47 7	39 0	38 3	39 77
12	39·1	38 8	40 2	40 2	37 3	32 9	38·10
13	30·1	28 7	31 8	28 9	27 6	24 7	28 63
14	25 1	23 7	24 8	25 8	25 9	25 9	25 20
15							
16	26 1	26 7	27 4	27 8	27 7	29 7	27 57
17	42 6	53 2	53·1	41 5	30 7	26 9	41 33
18	25 7	26 0	29·2	32 7	49 3	56 4	36 55
19	39 8	29 8	26 1	22 5	19 5	16 0	25 62
20	11·0	10 8	14 8	17 6	17 7	16 8	14 78
21	18 4	20 8	24 4	25 8	25 7	22 7	22 97
22							
23	9 1	10 2	15 1	28 1	32 2	35 9	21 77
24	36·0	37 8	42 7	38 6	33 0	27 8	35 98
25	23·3	21 0	21·1	21 0	21 3	19 7	21 23
26	21·9	28 7	24 0	25 8	24 3	24 8	24 92
27	25·9	26 9	31 7	45 9	50 2	49 3	38 32
28	49·0	38 1	35 8	33 6	31 7	28 7	36 15
29							
30	22·1	22 7	24 7	24·7	23 2	20 1	22 92
Means	31·54	31·20	33·68	34·60	33·72	32·38	32·85

ABSTRACT of Thermometer (Wet Bulb) at Montreal, Quebec, for the Month of December, 1896.

DAY.	8 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Means.
1	19·9	17·7	15·8	16·8	14·7	8·3	15·53
2	1·0	0·9	3·4	4·9	5·5	5·8	3·58
3	4·0	5·4	10·3	15·7	17·4	13·7	11·08
4	8·2	8·8	14·4	15·6	25·0	27·2	16·53
5	30·4	33·5	33·7	31·7	29·8	19·9	29·83
6							
7	27·7	27·7	29·6	28·5	28·0	25·2	27·78
8	23·5	24·9	30·2	30·8	31·8	31·6	28·80
9	29·8	28·3	30·2	30·1	31·7	32·8	30·48
10	33·1	31·9	32·3	29·2	27·7	27·3	30·25
11	26·9	25·2	25·7	26·7	28·4	29·0	26·98
12	32·0	31·9	33·7	34·8	31·7	31·7	32·63
13							
14	24·1	15·7	16·2	18·2	13·4	9·7	16·22
15	7·0	4·7	6·8	8·3	9·8	8·6	7·53
16	8·0	9·4	12·5	14·7	14·8	13·1	12·08
17	10·0	7·9	13·5	17·3	15·8	13·8	13·38
18	14·6	12·8	15·7	27·6	29·9	30·9	21·92
19	26·2	13·6	11·1	11·1	8·7	4·7	12·48
20							
21	0·5	·0·6	0·4	1·3	1·0	1·1	0·28
22	— 3·1	·6·5	0·8	2·0	0·1	— 1·8	— 1·42
23	— 4·2	4·9	— 1·3	— 2·1	— 0·9	— 1·1	— 2·42
24	·2·2	— 5·9	3·8	1·2	— 1·1	— 0·1	— 1·98
25	1·7	0·9	6·6	11·8	15·9	24·8	10·28
26	23·8	24·8	25·5	16·3	2·2	·2·1	15·08
27							
28	0·9	3·8	13·6	19·8	16·9	15·1	11·68
29	20·3	23·1	29·7	32·9	33·7	33·8	28·92
30	33·9	34·2	34·4	36·7	36·7	35·7	35·27
31	30·1	16·2	12·7	14·3	12·7	12·2	16·37
Means	15·86	14·27	16·80	18·38	17·75	16·69	16·63

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of January, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°
1	32·9	34·2	33·4	35·0	34·8	30·6	29·6	28·3	32·35
2	27·8	27·4	25·0	27·4	29·4	26·6	25·1	27·6	27·04
3	34·8	43·2	39·0	44·0	45·0	39·0	40·0	37·0	40·25
4	32·0	24·0	23·0	24·0	17·0	13·0	12·3	9·0	19·29
5	8·2	7·6	5·3	11·0	13·0	9·8	5·3	5·3	8·19
6	2·1	2·0	—1·6	3·2	8·0	7·2	8·0	5·9	3·85
7	4·1	4·8	3·8	10·0	13·1	7·8	5·8	5·0	6·80
8	6·3	7·8	7·8	16·6	20·5	16·0	12·5	12·0	12·44
9	8·8	6·6	7·2	13·2	20·0	15·3	9·4	14·3	11·85
10	16·0	19·0	21·9	25·8	24·7	25·0	25·6	26·0	23·00
11	26·4	28·2	28·4	30·0	30·4	29·8	28·6	27·0	28·60
12	26·2	24·0	24·0	26·0	25·4	23·5	24·0	25·0	24·76
13	26·8	31·6	33·3	38·2	35·9	31·0	29·4	26·8	31·63
14	27·6	30·0	30·7	32·4	33·0	32·0	32·0	25·0	30·34
15	19·2	20·8	22·0	26·6	22·9	19·0	17·9	16·4	20·60
16	14·2	12·4	13·0	20·8	22·3	19·7	22·4	24·7	18·69
17	32·0	32·0	25·9	25·8	24·0	17·9	11·0	14·0	22·83
18	14·8	19·4	20·0	31·6	31·8	30·5	29·8	28·5	25·80
19	27·8	27·4	28·0	29·0	28·8	27·4	25·2	24·0	27·20
20	24·1	23·2	19·1	27·4	27·4	25·3	25·2	24·8	24·56
21	24·0	24·0	25·0	27·4	28·8	27·0	25·7	25·0	25·86
22	24·7	23·4	24·2	28·2	28·2	23·0	22·9	22·5	24·64
23	21·1	20·8	21·6	23·2	27·0	20·0	16·3	18·2	21·03
24	19·5	21·6	23·0	28·2	28·2	26·7	26·3	26·2	24·96
25	27·0	29·0	29·0	29·0	30·3	30·2	30·7	30·0	29·40
26	30·1	32·6	32·0	33·2	33·2	33·2	33·4	33·7	32·68
27	32·7	32·2	32·2	31·6	31·6	29·2	28·3	28·0	30·73
28	22·7	15·3	10·0	10·8	9·0	2·5	0·5	—1·1	8·71
29	—2·7	—5·1	—4·1	8·2	14·9	10·0	7·5	5·0	4·21
30	2·1	5·0	7·0	17·4	22·0	22·0	20·5	17·4	14·18
31	13·4	9·2	5·0	9·0	13·2	7·4	7·2	6·1	8·81
Means	20·22	20·31	19·81	24·01	24·96	21·86	20·59	19·92	21·46

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of February, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°
1	4·9	4·5	7·0	16·6	21·6	21·5	25·0	28·0	16·14
2	30·0	31·0	32·0	33·5	33·5	33·0	31·7	28·2	31·61
3	25·9	21·6	22·7	28·2	30·0	22·3	22·3	22·0	24·38
4	21·0	20·6	21·8	26·6	26·2	25·0	24·0	23·3	23·56
5	23·2	23·2	24·0	26·6	25·0	24·9	24·0	24·3	24·40
6	23·9	23·2	25·2	28·2	28·0	30·0	31·0	33·6	27·89
7	35·2	37·4	38·0	40·0	36·9	35·4	36·0	34·8	36·71
8	32·1	31·2	32·8	32·4	32·3	31·2	33·0	26·4	31·43
9	21·0	22·4	24·5	27·4	27·0	27·5	30·2	34·3	26·79
10	37·6	32·0	28·5	27·4	27·8	27·2	26·0	26·0	29·06
11	22·6	19·0	22·2	30·8	32·0	31·0	30·0	29·0	27·08
12	26·6	24·0	24·2	27·4	29·0	25·0	24·0	23·2	25·43
13	20·2	17·4	18·0	25·8	28·0	25·0	24·7	26·7	23·23
14	29·4	32·6	32·1	36·6	25·2	22·0	21·8	19·7	27·43
15	16·8	14·8	14·5	15·8	20·6	17·0	17·8	19·0	17·04
16	18·3	18·0	16·8	15·0	16·0	11·8	9·8	7·9	14·20
17	4·4	2·2	2·0	2·4	4·1	·2·0	—4·9	—2·1	0·76
18	—5·3	5·1	0·4	15·0	17·0	15·0	13·0	13·3	7·81
19	13·5	13·2	14·4	23·2	28·1	22·2	21·0	18·0	19·20
20	19·2	30·0	31·0	32·4	32·2	26·1	21·6	21·4	26·74
21	18·4	16·6	19·1	21·6	23·1	17·4	13·0	10·0	17·40
22	6·2	3·0	8·0	15·8	19·6	15·3	17·2	20·0	13·14
23	17·5	14·0	20·2	28·2	30·4	27·0	29·3	31·0	24·70
24	32·2	35·3	35·5	37·4	38·0	36·0	34·1	32·6	35·14
25	31·2	28·2	27·4	28·2	30·9	25·0	21·0	17·0	26·11
26	12·9	8·7	14·0	21·6	24·3	16·6	12·0	9·4	14·94
27	7·7	7·6	13·0	24·0	28·6	24·0	19·4	16·4	17·59
28	16·7	17·2	24·0	31·6	33·0	30·9	31·0	32·8	27·15
29	32·3	32·4	34·4	31·6	35·3	35·0	34·0	33·9	34·82
Means	20·54	19·87	21·62	25·90	27·02	24·08	23·21	22·76	23·13

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of March, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	33·3	33·2	33·5	33·8	33·3	31·4	32·3	33·0	32·98
2	33·7	35·0	36·0	37·3	38·6	38·0	39·2	39·2	37·12
3	37·9	36·6	39·0	42·9	45·8	44·0	42·0	42·0	41·28
4	40·4	39·0	39·6	43·2	45·0	41·6	36·4	35·0	40·02
5	34·8	32·4	33·1	35·8	37·0	34·0	33·0	32·0	34·01
6	30·2	28·8	28·7	29·0	28·7	27·0	26·2	27·0	28·29
7	26·2	26·6	27·8	30·8	30·0	29·0	30·0	30·8	28·90
8	32·2	33·2	34·8	34·4	33·8	32·0	32·0	29·0	32·68
9	25·0	21·6	20·5	22·0	21·9	21·9	21·6	20·7	21·90
10	17·8	15·8	17·4	21·6	26·9	24·6	27·5	21·3	21·61
11	18·7	16·6	19·2	27·4	28·0	26·0	26·0	26·0	23·49
12	32·4	40·8	48·0	45·8	35·8	32·0	32·0	27·1	36·74
13	23·2	20·0	24·7	29·0	29·0	26·0	23·0	21·2	24·57
14	17·6	15·0	16·5	21·6	25·3	19·4	16·9	15·7	18·50
15	13·5	13·2	18·0	22·0	26·0	25·9	20·0	18·0	19·58
16	17·2	19·0	23·8	27·4	27·0	28·0	28·0	27·8	24·79
17	31·4	35·0	40·0	43·2	37·9	29·8	25·2	25·3	33·48
18	24·2	22·0	28·2	34·0	37·4	33·9	30·5	29·0	29·90
19	29·3	31·6	32·8	34·0	34·5	34·0	35·6	37·6	33·68
20	40·7	43·3	46·0	46·6	40·9	36·6	35·0	32·3	40·18
21	29·2	26·6	26·0	28·2	29·2	26·6	25·5	26·4	27·21
22	27·5	31·1	35·5	38·2	38·8	37·4	36·2	35·1	34·85
23	29·6	22·0	19·5	25·5	31·9	24·0	20·4	18·0	23·86
24	16·8	17·4	18·5	24·0	27·0	23·2	20·0	17·1	20·50
25	12·2	14·0	21·6	27·4	30·0	29·0	31·0	32·2	24·68
26	35·0	38·2	41·2	45·8	42·1	41·8	40·1	41·0	40·65
27	45·3	43·2	47·0	36·6	31·0	30·0	28·2	26·0	36·16
28	23·5	23·8	24·0	29·4	32·0	28·3	27·0	25·0	26·64
29	22·3	24·8	28·0	32·4	38·0	30·0	29·1	29·4	29·25
30	27·2	30·8	31·0	31·6	31·9	31·9	32·0	32·0	31·05
31	32·8	32·4	32·4	35·8	36·6	33·0	30·3	30·0	32·91
Means	27·78	27·84	30·07	32·80	33·27	30·65	29·43	28·46	30·04

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of April, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
						°	°	°	
1	29·2	29·0	31·0	34·0	36·6	35·8	33·9	32·0	32·69
2	29·0	28·7	36·0	41·6	40·8	35·0	33·6	32·3	34·63
3	33·1	32·9	33·0	34·0	33·2	32·0	29·2	28·4	31·98
4	28·0	28·0	31·1	33·2	34·8	33·2	32·0	32·0	31·54
5	30·6	31·6	34·0	38·1	39·0	32·8	32·0	30·0	33·51
6	29·6	30·2	32·0	35·2	36·2	31·2	29·6	28·9	31·61
7	28·0	27·4	28·0	32·0	32·0	30·0	27·8	26·9	29·01
8	25·0	25·8	29·1	37·0	38·1	33·0	27·4	26·3	30·21
9	24·7	28·2	36·6	40·0	39·0	33·5	28·7	28·2	32·36
10	28·0	30·6	37·0	40·1	41·0	35·5	31·1	28·0	33·91
11	24·0	29·0	37·0	48·0	40·5	41·6	37·7	35·9	36·71
12	36·2	39·0	42·2	47·2	51·7	45·0	41·3	37·0	42·48
13	33·5	34·0	42·4	40·1	38·8	37·4	36·2	37·7	37·51
14	38·9	34·0	34·5	34·9	35·0	33·7	35·3	36·7	35·34
15	37·4	39·0	44·0	55·8	58·0	52·8	50·5	47·0	48·06
16	42·4	44·0	50·5	53·2	51·8	49·0	40·8	37·5	46·15
17	34·7	35·8	36·4	36·6	37·4	35·1	35·0	35·0	35·75
18	36·0	37·4	38·2	46·6	49·8	50·8	45·2	40·0	43·00
19	30·8	37·4	39·8	40·8	42·0	38·4	39·9	42·0	38·89
20	42·4	48·1	56·4	53·2	51·4	50·8	47·2	49·0	49·81
21	38·7	33·2	34·7	40·8	39·0	37·5	34·2	32·1	36·28
22	33·4	36·6	36·3	37·4	40·0	36·6	33·4	30·0	35·46
23	25·2	29·0	39·8	39·0	43·2	40·2	36·1	31·0	35·44
24	27·8	30·8	37·5	40·8	44·6	38·0	31·0	30·0	35·06
25	29·2	30·8	35·6	36·6	36·0	29·0	31·6	30·8	32·45
26	26·4	31·6	36·4	37·4	37·4	35·8	36·6	30·8	34·05
27	30·6	32·4	36·6	36·6	38·5	35·8	33·1	32·4	34·50
28	30·4	31·6	36·2	37·4	43·2	37·4	36·6	36·6	36·18
29	37·9	40·8	43·0	40·8	38·2	40·8	31·0	28·2	37·59
30	27·8	30·8	29·5	31·6	31·6	29·0	29·0	27·4	29·59
Means	31·63	33·26	37·16	40·00	40·63	37·56	34·89	33·34	36·06

Abstract of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of May, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°	°		°	°	°	°	°	°
1	27·9	30·8	31·1	36·6	35·8	32·4	31·8	31·6	32·25
2	30·0	34·0	38·5	48·1	50·8	46·6	39·2	37·4	40·58
3	30·0	39·0	43·8	49·0	51·0	50·5	47·0	45·8	44·51
4	41·8	44·0	47·9	48·2	50·0	41·5	39·9	38·7	44·00
5	38·5	39·0	38·5	38·2	38·2	37·0	36·6	36·5	37·81
6	35·6	35·8	37·6	39·0	39·0	37·0	34·8	32·2	36·38
7	31·1	33·2	39·7	44·0	42·3	40·8	37·0	34·8	37·86
8	31·3	37·9	49·2	49·0	55·8	45·8	41·2	39·0	43·65
9	40·4	43·2	51·3	54·0	50·8	50·9	50·0	49·5	48·89
10	46·7	50·8	52·5	62·4	71·0	61·8	51·0	48·7	55·61
11	42·0	44·0	47·0	42·3	48·1	45·0	40·4	40·4	43·65
12	41·0	40·8	42·1	42·4	41·6	47·4	42·0	39·0	42·04
13	34·0	36·6	40·2	40·8	48·2	44·0	38·1	37·4	39·91
14	33·0	37·4	44·8	43·2	50·4	48·2	44·0	41·7	42·84
15	38·8	42·4	49·8	50·8	51·6	50·8	44·0	41·6	46·23
16	41·7	41·6	45·8	54·0	44·0	48·2	44·0	42·6	45·24
17	40·8	44·0	50·0	58·2	58·8	54·0	49·2	45·3	50·04
18	43·4	44·0	45·0	57·4	57·3	54·0	51·1	53·2	50·68
19	52·4	53·2	59·0	60·8	60·8	59·0	55·2	52·4	56·60
20	47·0	38·2	44·0	46·6	53·2	43·2	41·0	40·8	44·25
21	37·0	42·4	46·0	46·8	45·8	46·6	42·8	43·0	43·80
22	42·8	44·0	51·9	51·6	57·4	58·2	52·8	52·0	51·34
23	50·0	55·8	55·9	50·8	55·8	47·8	40·6	38·0	49·34
24	35·2	33·0	42·9	43·2	42·0	40·2	38·5	38·0	39·13
25	36·6	39·8	41·2	43·6	43·6	39·2	37·8	37·3	39·89
26	35·8	37·0	33·0	42·3	43·7	43·0	40·5	41·3	39·58
27	42·0	42·8	42·8	44·0	45·7	48·0	45·4	45·9	44·58
28	45·0	47·2	54·8	58·2	58·9	59·8	53·1	47·0	53·00
29	45·0	44·0	45·0	47·0	45·5	44·2	44·1	44·0	44·85
30	44·0	47·6	50·8	59·0	52·0	50·0	48·0	45·8	49·65
31	44·8	45·0	53·0	50·0	48·2	46·8	45·0	45·4	47·28
Means	39·54	41·56	45·65	48·44	49·59	47·16	43·42	42·14	44·69

Abstract of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of June, 1896.

Day.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight	Means.
	°	°	°	°	°	°	°	°	°
1	44·2	47·8	47·6	48·5	50·0	50·4	48·8	48·2	48·19
2	47·3	48·0	59·0	56·4	60·0	56·0	54·0	52·0	54·09
3	50·9	51·8	54·5	56·5	59·0	59·9	53·1	51·0	54·59
4	49·5	48·6	54·3	57·2	57·9	59·0	52·0	52·0	53·81
5	52·0	51·5	58·1	67·0	64·0	48·0	50·1	49·3	55·00
6	49·4	51·8	53·1	55·0	55·7	49·0	46·8	46·4	50·90
7	47·5	47·9	50·0	49·3	51·0	56·0	49·0	46·8	49·69
8	47·0	46·7	55·0	57·9	61·8	57·0	52·9	51·0	53·66
9	50·3	49·3	51·6	50·2	49·8	48·0	50·0	50·0	49·90
10	51·3	52·0	57·5	55·0	52·9	54·7	53·6	52·2	53·65
11	48·4	41·6	49·0	51·2	52·0	50·2	49·4	46·9	48·59
12	52·2	53·2	42·7	49·8	50·8	49·9	47·0	45·3	48·86
13	42·0	45·0	48·7	52·0	53·0	52·7	49·1	45·5	48·50
14	39·7	41·5	50·9	51·8	50·8	49·0	48·0	46·8	47·31
15	46·0	46·9	47·6	48·8	48·8	46·7	46·5	46·5	47·23
16	46·5	47·9	49·9	54·6	56·6	57·9	55·0	53·8	52·78
17	49·6	51·0	58·9	60·5	59·7	60·0	55·0	56·0	56·34
18	53·4	55·0	62·1	62·0	59·0	59·2	55·2	54·0	57·49
19	53·3	55·0	62·8	65·0	66·0	67·0	60·5	55·7	60·66
20	54·8	55·0	59·6	65·5	72·9	67·0	62·5	61·2	62·31
21	59·8	59·0	62·2	61·7	57·8	54·2	53·4	53·0	57·64
22	54·5	58·8	63·1	62·8	64·0	66·2	64·4	59·0	61·60
23	56·0	57·9	60·1	65·5	61·4	57·9	54·3	51·0	58·01
24	47·4	50·0	57·8	63·0	62·3	63·0	55·4	51·1	56·25
25	46·7	52·3	57·4	62·0	60·4	58·8	53·7	50·9	55·28
26	48·7	49·5	59·2	61·3	61·3	59·2	58·8	58·5	57·06
27	57·4	57·7	62·1	65·3	70·0	65·3	59·0	55·6	61·55
28	52·4	52·9	58·0	59·9	60·2	62·1	55·3	58·0	57·35
29	56·8	61·8	62·1	66·0	66·8	59·0	55·5	54·0	60·25
30	51·0	52·0	51·9	54·0	56·0	55·5	52·3	52·0	53·09
Means	50·20	51·31	55·56	57·86	58·40	56·63	53·35	51·79	54·39

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of July, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	49·4	51·7	56·0	64·0	67·7	67·0	61·0	58·4	59·40
2	55·3	61·0	64·0	68·5	67·3	62·0	57·0	55·2	61·29
3	56·2	58·0	60·0	63·5	60·3	58·0	53·5	51·2	57·59
4	50·0	53·0	52·2	53·1	52·2	51·6	51·4	51·2	51·84
5	51·0	50·4	50·2	51·7	53·0	58·2	58·2	57·1	53·73
6	54·5	55·0	57·0	60·2	60·4	59·2	58·9	57·0	57·78
7	54·4	51·3	53·2	54·0	54·1	54·6	53·5	51·5	53·32
8	52·7	58·2	60·5	67·0	68·4	63·5	60·0	59·9	61·27
9	57·0	57·0	66·5	70·2	70·3	68·4	65·8	63·2	64·80
10	61·0	62·5	66·0	76·4	75·0	71·2	65·2	65·0	67·79
11	62·0	63·1	68·0	70·0	71·5	70·0	62·0	59·0	65·70
12	59·2	62·1	70·0	74·0	75·0	71·4	64·0	60·9	67·08
13	59·6	61·4	69·0	71·4	74·5	70·3	64·0	61·0	66·40
14	52·7	61·3	67·0	67·5	70·2	68·5	66·0	64·7	64·74
15	60·7	59·5	64·1	61·2	69·0	65·0	58·9	58·6	62·11
16	55·7	59·3	60·0	65·1	64·8	66·0	58·8	57·0	60·84
17	56·6	57·0	59·1	60·1	62·0	63·0	57·4	56·2	58·92
18	52·5	54·0	61·1	63·2	61·3	61·4	57·2	56·0	58·34
19	55·5	58·0	63·5	62·0	62·5	61·5	57·0	57·6	59·70
20	53·8	54·2	56·2	62·4	62·5	58·5	56·2	55·6	57·43
21	53·6	57·5	64·8	63·2	62·3	64·5	61·0	66·3	62·20
22	64·1	63·0	62·3	72·0	74·3	62·1	61·0	57·9	64·59
23	59·0	63·2	62·3	61·0	59·4	63·0	61·0	60·0	61·11
24	54·5	53·4	59·5	62·0	61·2	60·0	54·2	58·0	57·83
25	54·0	53·5	54·0	55·0	57·2	57·2	57·0	56·5	55·55
26	53·4	56·0	66·0	69·5	72·8	68·0	63·1	61·4	63·77
27	58·7	56·0	62·5	65·0	65·0	61·5	58·0	58·2	60·61
28	56·1	60·0	60·0	66·3	72·0	69·2	63·3	58·7	63·20
29	53·6	57·1	63·2	64·2	66·5	64·0	59·7	57·5	60·73
30	54·6	77·0	63·0	62·0	66·0	61·6	59·0	57·8	60·13
31	57·6	60·0	62·7	68·0	67·0	57·0	57·0	53·0	60·29
Means	55·77	57·89	61·74	64·64	66·96	63·14	59·36	58·12	60·65

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of August, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
	°	°	°	°	°	°	°	°	°
1	48·0	49·2	53·0	57·0	61·4	59·0	55·7	52·0	54·41
2	51·0	54·0	56·6	56·0	55·8	55·8	53·2	52·8	54·40
3	53·0	54·0	59·1	64·1	70·4	64·0	57·5	56·5	59·83
4	53·0	53·5	61·0	61·5	57·2	56·4	56·0	55·7	56·79
5	56·4	58·2	65·5	72·1	69·3	65·0	57·9	55·0	62·42
6	50·2	51·0	58·1	58·0	58·2	56·0	55·2	55·8	55·31
7	55·6	55·0	54·5	54·0	55·2	54·8	55·0	54·9	54·88
8	56·0	57·8	59·9	66·6	66·0	64·0	61·0	59·6	61·36
9	55·0	58·0	60·7	65·0	66·2	67·0	61·1	61·1	61·76
10	59·5	60·0	62·3	62·1	60·7	66·2	62·0	61·2	61·75
11	60·3	61·2	67·0	67·3	67·5	62·0	61·1	61·5	63·49
12	59·9	60·1	62·1	59·0	58·5	63·0	62·0	61·8	60·80
13	60·6	60·7	66·0	72·0	72·1	69·3	67·0	65·0	66·59
14	61·8	61·3	64·5	65·0	63·8	63·5	63·0	62·0	63·11
15	60·4	60·5	63·2	65·3	67·0	63·2	61·0	60·0	62·58
16	58·1	59·6	61·8	64·0	64·9	65·5	65·0	63·0	62·74
17	60·0	61·5	62·0	59·0	62·5	65·2	63·4	59·6	61·25
18	53·0	53·0	59·1	62·0	63·9	63·2	58·3	56·3	58·60
19	53·0	57·2	60·5	62·5	69·2	62·4	58·0	56·2	59·87
20	52·6	53·5	55·9	58·0	58·4	60·2	53·8	52·5	55·61
21	50·4	53·2	60·3	65·2	63·1	61·2	59·0	56·0	58·55
22	53·0	54·0	60·5	61·5	60·2	60·1	59·2	59·0	58·44
23	58·4	62·2	64·0	65·2	65·0	63·8	63·0	63·0	63·08
24	61·7	63·2	63·7	65·0	66·7	68·1	66·4	65·0	64·98
25	60·5	60·1	63·4	70·4	72·0	69·2	62·2	58·2	64·50
26	54·0	53·5	62·2	64·2	65·0	64·5	60·9	59·2	60·44
27	58·7	59·1	59·1	60·1	62·2	61·0	58·0	61·0	59·90
28	60·5	61·0	64·0	62·3	67·0	64·0	56·3	53·0	61·01
29	50·3	48·5	53·1	57·3	59·0	57·4	53·9	50·0	53·69
30	45·1	49·3	54·9	60·3	59·2	58·0	53·0	52·2	54·00
31	50·0	53·2	57·1	61·4	64·1	63·1	59·4	57·5	58·22
Means	55·48	56·66	60·49	62·69	63·60	62·45	59·31	57·95	59·83

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of September, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	54·9	61·0	61·0	62·7	63·2	57·3	52·3	51·2	57·95
2	49·3	47·3	52·5	57·3	60·7	56·3	53·0	51·5	53·49
3	45·6	49·0	52·8	57·5	58·0	57·0	59·0	60·3	54·90
4	59·4	62·7	61·3	63·0	63·2	60·0	51·2	48·5	58·66
5	45·7	46·0	52·1	54·0	56·0	56·2	50·1	49·1	51·15
6	48·0	52·4	55·0	60·0	60·0	60·4	62·1	61·8	57·46
7	61·0	62·5	65·8	64·4	68·0	66·5	65·0	64·1	64·66
8	62·7	61·2	61·0	66·0	65·5	64·5	61·0	56·1	62·25
9	54·7	52·7	57·5	62·0	62·0	60·0	60·2	61·5	58·83
10	62·6	63·2	65·9	67·2	67·0	68·9	68·9	69·4	66·64
11	65·1	66·9	68·0	65·0	65·0	63·0	62·0	63·6	64·83
12	60·9	60·0	65·6	73·2	73·8	71·9	70·0	67·3	67·84
13	64·0	59·8	56·5	55·9	58·0	54·0	52·0	51·0	56·40
14	50·2	50·1	53·0	59·0	59·0	56·2	56·0	55·5	54·88
15	55·3	55·0	57·1	62·7	63·4	62·5	58·3	55·6	58·74
16	53·5	52·5	55·5	59·0	58·0	56·9	57·0	57·2	56·20
17	56·6	57·6	61·6	61·0	61·4	61·0	61·8	62·1	60·39
18	62·6	61·3	61·0	63·2	60·1	57·8	52·8	50·1	58·61
19	46·2	50·2	56·1	58·2	57·5	54·0	60·1	61·6	55·49
20	63·0	60·4	55·9	56·0	56·1	55·2	49·2	46·0	55·22
21	44·1	46·5	51·8	57·0	60·0	57·0	55·4	53·2	53·13
22	53·3	53·0	56·3	59·2	58·7	57·5	57·3	55·0	56·29
23	53·2	51·0	49·5	50·3	48·2	46·0	44·0	41·5	47·96
24	40·4	39·0	44·1	49·1	50·1	46·0	44·0	42·0	44·34
25	40·6	41·0	48·9	53·5	56·5	50·1	46·0	46·0	47·83
26	45·2	46·0	51·0	56·0	57·3	55·0	54·0	53·8	52·29
27	52·6	55·0	58·2	63·0	63·9	58·7	57·5	57·2	58·26
28	55·3	56·4	59·0	63·2	60·1	55·0	51·0	49·0	56·12
29	43·1	42·1	49·0	54·2	56·3	51·1	49·2	49·3	49·29
30	44·9	43·2	51·1	58·4	58·2	58·8	61·5	62·0	54·76
Means	53·13	53·50	46·47	59·71	60·17	57·83	56·06	55·08	56·49

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of October, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	62·0	63·3	64·6	63·0	62·4	58·4	57·0	56·7	60·92
2	56·9	58·1	60·0	61·3	63·0	60·2	58·5	57·7	59·46
3	57·3	58·6	60·8	61·0	64·0	59·7	58·9	59·0	59·91
4	54·4	52·4	53·9	56·3	56·6	54·0	50·0	48·5	53·26
5	48·1	48·5	52·0	52·1	52·0	49·0	47·0	46·0	49·34
6	45·2	45·0	45·4	49·3	51·0	51·0	52·0	52·3	48·90
7	51·2	50·7	53·4	57·3	57·3	56·9	55·8	53·5	54·51
8	49·7	49·0	50·0	54·0	53·2	55·4	50·9	45·5	50·96
9	41·4	40·5	43·9	47·4	49·3	44·0	40·6	38·5	43·20
10	37·0	36·0	39·9	44·2	50·2	44·1	39·5	37·2	41·01
11	34·4	36·0	42·3	47·7	49·2	46·0	40·9	39·3	41·97
12	37·8	38·2	40·4	45·5	47·4	45·4	45·1	48·0	43·47
13	47·3	46·0	49·0	51·3	51·0	50·0	52·1	55·0	50·21
14	58·4	56·1	54·5	54·7	54·3	51·5	48·1	47·7	53·16
15	47·4	48·0	50·3	55·0	57·4	54·3	54·0	54·1	52·56
16	53·8	54·9	56·0	55·4	53·5	50·9	49·0	49·8	52·91
17	50·0	48·8	50·5	52·7	55·5	53·0	52·5	52·2	51·90
18	55·0	56·8	57·5	59·0	59·2	59·0	59·0	59·0	58·06
19	60·7	60·0	59·7	60·0	54·7	46·0	45·0	43·1	53·65
20	39·2	37·5	40·0	45·0	45·0	42·0	40·0	38·2	40·86
21	36·4	36·5	44·0	48·1	47·1	47·3	49·3	50·5	44·90
22	51·3	52·3	55·8	57·3	55·0	42·7	37·3	35·3	48·38
23	34·2	34·8	39·0	49·0	45·2	39·9	35·2	33·8	38·89
24	37·4	44·2	45·8	47·0	48·1	51·2	52·0	55·5	47·65
25	51·7	40·5	39·0	41·6	39·3	35·2	35·0	33·3	39·45
26	31·0	31·0	32·6	39·2	42·4	38·5	37·8	38·8	36·41
27	36·8	42·2	45·3	50·2	51·7	46·4	44·0	42·4	44·88
28	40·0	39·2	42·1	45·0	47·2	39·2	35·8	33·0	40·19
29	29·3	29·3	36·0	42·1	40·1	39·6	40·5	41·8	37·34
30	44·7	46·6	48·0	49·0	50·4	50·8	51·0	51·2	48·96
31	50·8	51·0	52·5	55·1	55·1	55·1	53·8	49·0	52·80
Means	46·15	46·19	48·52	51·48	51·86	48·93	47·34	46·64	48·39

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of November, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	45·2	45·0	44·1	45·5	46·8	45·2	45·0	45·1	45·24
2	46·0	49·7	49·9	49·3	51·4	50·1	49·0	48·2	49·20
3	47·0	44·3	42·0	43·7	43·3	37·2	34·0	32·0	40·44
4	31·0	31·5	33·0	41·7	43·7	37·2	2[illegible]	32·9	35·60
5	30·2	34·3	40·4	43·4	45·5	45·0	48·2	50·0	42·13
6	52·2	53·0	55·9	57·0	56·3	52·2	49·0	45·5	52·64
7	45·3	41·4	44·0	45·3	43·7	41·3	41·0	39·9	42·74
8	36·7	35·7	39·9	48·0	51·4	49·2	48·8	49·1	44·85
9	52·4	55·6	53·7	58·7	56·8	53·2	47·0	42·1	52·44
10	36·6	34·1	37·2	41·4	39·4	36·3	34·7	36·1	36·97
11	35·1	31·3	34·8	38·0	38·4	41·4	46·0	50·6	39·45
12	52·7	48·2	47·2	48·2	47·4	45·7	42·0	42·0	46·67
13	40·2	38·4	38·1	40·0	39·7	38·0	34·7	33·2	37·79
14	32·7	32·7	33·5	31·2	30·0	27·3	26·5	27·7	30·20
15	25·4	25·1	27·0	38·0	41·4	43·5	43·2	42·3	35·74
16	41·4	41·3	38·0	35·0	36·5	35·7	37·0	45·5	38·80
17	46·3	47·5	48·6	52·3	54·3	52·3	51·2	44·2	49·59
18	37·3	30·4	32·0	36·7	36·0	39·7	44·4	45·3	37·73
19	46·7	50·2	51·3	53·8	53·0	42·0	35·0	31·8	45·47
20	26·1	21·7	21·0	26·0	29·3	20·4	21·2	20·0	23·21
21	15·0	12·3	14·1	21·7	25·0	24·2	29·0	33·9	21·90
22	37·7	40·5	41·0	35·0	34·0	31·8	26·9	22·4	33·66
23	19·5	16·4	18·0	25·0	28·7	23·0	22·0	24·7	22·16
24	27·2	34·3	38·3	44·2	47·2	48·0	43·5	39·5	40·28
25	35·1	29·0	29·7	30·0	27·0	23·5	21·6	20·7	27·07
26	19·7	21·0	22·0	24·0	26·0	26·0	31·8	35·3	25·73
27	39·2	42·0	43·0	44·6	46·2	46·3	49·3	50·8	45·17
28	50·6	48·8	51·0	52·0	53·0	54·0	53·0	50·1	51·56
29	44·4	40·4	38·2	37·0	37·0	34·1	32·5	30·0	36·70
30	30·0	27·8	28·0	28·3	28·2	27·2	25·3	25·4	27·53
Means	37·50	36·80	37·83	40·50	41·22	39·03	38·22	37·88	38·62

ABSTRACT of Temperature (Wet Bulb) at Halifax, Nova Scotia, for the Month of December, 1896.

DAY.	3 a.m.	6 a.m.	9 a.m.	Noon.	3 p.m.	6 p.m.	9 p.m.	Midnight.	Means.
1	24·4	23·0	23·1	32·2	28·1	22·9	21·7	19·7	24·39
2	16·1	12·4	12·5	21·7	18·4	13·2	9·4	8·0	13·96
3	7·0	6·4	8·3	15·6	17·0	13·7	12·0	10·0	11·25
4	7·6	10·7	16·9	23·0	28·0	21·0	19·5	23·0	18·71
5	28·8	36·2	40·3	45·0	46·2	37·2	34·0	32·0	37·46
6	28·9	26·0	25·0	27·8	31·2	35·8	39·0	40·6	31·79
7	42·7	39·6	39·0	43·8	41·3	38·0	34·0	31·4	38·73
8	28·4	25·4	27·0	32·7	34·2	29·3	27·2	29·2	29·17
9	34·0	38·6	40·0	43·2	47·2	47·2	44·4	34·8	41·17
10	33·2	33·0	33·0	34·2	37·0	31·0	32·1	32·2	33·21
11	32·0	30·4	32·0	36·8	34·0	28·9	25·2	24·2	30·44
12	22·3	20·3	24·0	31·4	36·0	31·2	32·9	34·0	29·01
13	35·1	36·2	36·8	39·0	40·4	41·0	43·6	45·0	39·64
14	46·3	43·8	43·5	40·2	39·6	32·8	28·9	26·0	37·64
15	21·9	19·0	17·5	24·3	26·3	24·2	16·4	20·0	21·20
16	21·8	24·1	25·0	25·0	24·6	26·0	28·0	28·8	25·41
17	29·2	30·0	28·7	29·0	28·0	25·1	24·1	23·0	27·14
18	23·4	22·8	23·0	29·6	29·0	24·2	23·2	27·0	25·28
19	30·9	33·0	38·0	41·7	37·6	31·9	28·6	23·2	33·11
20	21·1	19·0	19·0	22·7	24·0	19·8	19·4	17·1	20·26
21	16·7	15·0	14·0	20·0	20·8	15·8	12·0	11·2	15·69
22	9·8	9·0	10·8	21·7	21·0	19·9	20·2	17·0	16·17
23	13·8	11·6	13·6	18·2	19·4	14·0	13·2	14·3	14·76
24	15·9	18·1	18·9	21·2	20·4	16·2	14·8	14·0	17·48
25	8·4	6·5	8·8	18·6	17·6	12·2	9·2	8·2	11·19
26	12·5	22·4	28·0	32·0	33·7	32·0	28·5	21·8	26·36
27	15·4	6·4	3·1	9·6	10·0	6·8	4·0	4·2	7·44
28	6·4	10·4	14·7	24·6	27·6	28·0	27·0	27·0	20·71
29	29·2	30·7	31·6	36·0	37·0	37·0	35·0	33·0	33·69
30	31·0	28·1	29·5	38·7	37·0	33·0	34·7	37·0	33·62
31	37·7	36·3	36·4	36·5	29·7	22·8	19·6	17·1	29·51
Means	23·61	23·38	24·58	29·55	29·75	26·20	24·57	23·68	25·66

P Astron. C
49448
Author Canada. Meteorological Service.
Title Report. 1896.

University of Toronto Library

DO NOT REMOVE THE CARD FROM THIS POCKET

STORAGE

Acme Library Card Pocket
LOWE-MARTIN CO. LIMITED